



3rd Quarter 2023 Groundwater Monitoring Report

For Michigan Part 115 CCR Solid Waste Regulations
Former J.B. Sims Generation Station

City of Grand Haven
October 30, 2023

Table of Contents

1.0 Introduction.....	1
2.0 Facility Description.....	5
2.1 Hydrogeology	5
2.2 Monitoring Well Network	6
3.0 Monitoring.....	8
3.1 Groundwater Monitoring	8
3.2 Surface Water Monitoring.....	9
3.3 Water Levels and Sample Collection.....	10
3.4 Analytical Testing	11
3.5 Data Validation and Data Management	11
4.0 Monitoring Results.....	12
4.1 Water Levels and Groundwater Flow Direction.....	12
4.2 Water Quality	14
5.0 Summary.....	14
6.0 References	15

List of Tables

Table 1. Dates of Groundwater Monitoring in Third Quarter 2023	8
Table 2. Dates of Surface Water Monitoring in Third Quarter 2023	10
Table 3. Constituents of Interest	11
Table 4. Quality Control Summary	12
Table 5. Groundwater and Surface Water Elevations in Q3 2023 (ft. AMSL).....	13

List of Figures

Figure 1. Former J.B. Sims Generating Station Vicinity Map	3
Figure 2. Former J.B. Sims Generating Station Monitoring Well Network Map	4

List of Appendices

Appendix A: Potentiometric Surface Maps

Appendix B: Data Validation Reports

Appendix C: Analytical Data Reporting Tables

Appendix D: Laboratory Reports

Table of Abbreviations and Acronyms

Abbreviation	Definition
BTv	background threshold value
cm/s	centimeters per second
CCR	coal combustion residuals
COC	constituents of concern
COI	constituent of interest
EGL	Michigan Department of Environment, Great Lakes and Energy
EPA	Environmental Protection Agency
GHLB	Grand Haven Board of Light & Power
GPS	groundwater protection standard
LCL	lower confidence limit
LCS	laboratory control samples
MDL	method detection limit
MS/MSD	matrix spike/duplicate
QC	quality control
RPD	relative percent difference
SOP	standard operating procedure
SSI/SSL	statistically significant increase/statistically significant level
TDS	total dissolved solids
TSS	total suspended solids
UTL	upper tolerance limit

1.0 Introduction

The U.S. Environmental Protection Agency's (EPA) final Coal Combustion Residuals (CCR) Rule 40 CFR §257 and Michigan's Part 115 Solid Waste Management, of the Natural Resources and Environmental Protection Act, 1994 PA 451 (Part 115), establish a comprehensive set of requirements for the management and disposal of CCR (or coal ash) in surface impoundments by electric utilities. The former J.B. Sims Generating Station (facility or Site) was a coal-fired power generation facility operated by Grand Haven Board of Light & Power (GHBLP) that ceased operations in February 2020. The facility is now managed by the City of Grand Haven and is located at 1231 North 3rd Street, on Harbor Island, in Grand Haven, Michigan (**Figure 1**). The CCR generated at the former generating station were stored in two CCR units that are subject to the CCR Rule and Part 115 Solid Waste regulations: (1) the inactive Units 1/2 Impoundment and (2) the Unit 3A/B Impoundments (**Figure 2**).

The inactive CCR Units 1/2 Impoundment was a depression in the ground where sluiced ash was disposed and ceased receiving CCR material in 2012. The former Unit 3A/B Impoundments were engineered, clay-lined, above-ground units and ceased receiving CCR material in July 2020. Excavation of CCR material from Unit 3A/B Impoundments was conducted in December 2020. In 2017, the *Groundwater Monitoring System Certification* was developed for the 3A/B Impoundments, which consisted of one background well (MW-07), four (4) downgradient detection monitoring wells (MW-01R, MW-02, MW-03, and MW-04), and an additional assessment monitoring well (MW-09) (ERM, 2017). Groundwater monitoring conducted in 2017 by GHBLP identified statistically significant increases (SSI) of constituents in groundwater, and therefore the GHBLP implemented assessment monitoring (Golder, 2018a). Assessment monitoring identified statistically significant levels (SSLs) of constituents over groundwater protection standards (GPS) at the Site, and therefore GHBLP stated that they were initiating an assessment of corrective measures for the Site; however, this document was completed prior to the inclusion of Units 1/2 Impoundment and therefore represents the status of Unit 3A/B Impoundments (Golder, 2018b). On July 22, 2021, the *Updated Notice of Groundwater Protection Standard Exceedance* was issued to document SSLs over GPS for both Units 1/2 Impoundment and Unit 3A/B Impoundments.

In 2021, to better understand the groundwater flow around the entire Island and verify that the monitoring network in place at the time was adequate, 22 piezometers, six (6) staff gauges, and 3 stilling wells were installed. With this larger scale understanding of groundwater flow, the *Field Summary Report of Results from Approved Work Plan - Piezometer Installation and Additional Data Collection* suggested that MW-07 may be an inappropriate location for a background well due to the potential for groundwater to flow from Units 1/2 Impoundment towards MW-07 (Golder, 2022b). Therefore, a new groundwater monitoring network has been selected for the CCR units, including new background wells. Background data collection began in November 2022 and is continuing, as described in the 2022 CCR Work Plan that was submitted to the EPA and Michigan Department of Environment, Great Lakes, and Energy (EGLE) on June 23, 2022 (HDR, 2022).

The status of the groundwater monitoring program for both CCR Units is assessment monitoring, and evaluation of potential remedies; however, the monitoring being conducted currently represents background monitoring due to the new monitoring network. Since November of 2022, background monitoring events have been conducted every five weeks for CCR constituents of interest (COIs) to evaluate background groundwater quality and develop background threshold values (BTVs). Eight sample events are required before statical values may be calculated that represent background groundwater quality for the site. The eighth background sample event occurred in August 2023 and is reported in this Quarterly Groundwater Monitoring Report.



Figure 1. Former J.B. Sims Generating Station Vicinity Map




Figure 2. Former J.B. Sims Generating Station Monitoring Well Network Map

2.0 Facility Description

The former CCR Unit 3A/B Impoundments were engineered, clay-lined, above-ground units built over a field of ash from Boiler Units 1 & 2. Although the former coal-fired power generation facility ceased operations in February 2020, the Site continued to use the Unit 3A/B Impoundments to clean out the hoppers, vessels, etc. prior to demolition of the buildings. In July 2020, following the clean out procedures, the Site ceased accepting CCR materials in the Unit 3A/B Impoundments. The majority of CCR materials were removed from the Unit 3A/B Impoundments in December 2020.

The inactive CCR Units 1/2 Impoundment was a depression in the ground where sluiced ash was disposed. The inactive Units 1/2 Impoundment ceased receiving CCR materials in 2012. The monitoring network at Units 1/2 Impoundment consisted of 1 background monitoring well (MW-07), 4 downgradient detection monitoring wells (MW-01R, MW-05, MW-06, MW-08), and an additional 5 assessment monitoring wells (MW-02, MW-03, MW-04, MW-09, and MW-10). Based on information provided to HDR, it appears that GHBLP, EPA, and EGLE discussed the boundary for the inactive Units 1/2 Impoundment on January 14, 2021. During that discussion, a boundary of the inactive Units 1/2 Impoundment was agreed upon that includes an area of sluiced ash disposal further to the east than the original boundary (**Figure 2**). It was also agreed between all parties that the former northern outlet channel from the Units 1/2 Impoundment would be evaluated for potential inclusion in the revised boundary (**Figure 2**). A final determination regarding the revised has yet to be reached as of October 2023.

2.1 Hydrogeology

The uppermost aquifer across Harbor Island consists of fine sand with gravel and silt lenses, clay, peat, ash, and municipal solid waste located between the surface and 39 feet below surface. The bottom of the aquifer is believed to consists of a continuous clay and dense silt observed between 20.8 – 39.0 feet below surface. The clay and dense silt are observed in borings MW-12, MW-17, PZ-16, PZ-26, PZ-24, PZ-25, MW-30.

The regional general direction of groundwater flow across the Harbor Island is west to southwest towards Lake Michigan (Western Michigan University, 1981). The Grand River is located on the northern and western side of the Site, and the South Channel is located on the south side of Harbor Island. Internal to the Island there are several influences to the groundwater flow and direction. Specifically, the following features:

- Various fill materials observed in boring logs,
- Surface water features, such as the inactive Units 1/2 Impoundment and internal wetland,
- Former coal yard area which may have lower infiltration rates due to compaction from heavy equipment and stockpiling (HDR, 2022).

These features influence the groundwater velocity and direction and are very localized. Boring logs contained in the *Field Summary Report of Results from Approved Work Plan - Piezometer Installation and Additional Data Collection* show the observed fill materials encountered during well installation (Golder, 2022b).

During the water level monitoring events conducted between September 2022 and June 2023, groundwater mounding is shown around monitoring well MW-01R, consistent with observations made by Golder between October and December 2021 (Golder, 2022b). Groundwater flow in the area east of the internal wetland is consistent with regional groundwater flow and the flow of the Grand River toward the west. Groundwater contour maps from the Q1 2023 Groundwater Monitoring Reports (HDR, 2023), Q2 2023 Groundwater Monitoring Reports (HDR, 2023b), and **Appendix A** show groundwater flow beneath Unit 3A/B Impoundments is consistently west toward the Grand River. Groundwater flow beneath Units 1/2 Impoundment is seasonably and spatially variable; flow is generally northward toward near the North Channel (**Figure 2**), east from the ponds of Units 1/2 Impoundment toward the wetland, and potentially south near MW-05. The presence of the wetland east of the Units 1/2 Impoundment appears to provide a hydraulic sink between the CCR impoundments and the wells situated to the east (PZ-23 through PZ-26, MW-27, MW-33, and MW-34).

Groundwater was encountered between 5 and 15 feet below ground surface within the unconsolidated fill material. As described in the *Groundwater Monitoring System Certification*, (ERM, 2017), the fine sand has an estimated hydraulic conductivity of 27 to 53 feet per day. This wide range of variability is the result of the varying fill materials that form Harbor Island. In 2021, Golder performed slug tests at monitoring wells MW-01R, MW-02, MW-04, MW-05, MW-07, MW-08, PZ-17, PZ-20, PZ-26, and MW-31. Consistent results were observed in 25 of the 29 tests performed. The hydraulic conductivity values were observed in the following lithologies:

- MW-01R – Silty fine sand with trace refuse and silt
- MW-02 – Silty clay and poorly graded fine sand
- MW-04 – Well graded fine to medium sand and sandy silt
- MW-05 – Fine grained ash with refuse
- MW-07 – Sandy peat with shell fragments and silty sand
- MW-08 – Refuse and clayey sand
- PZ-17 – Sand with some gravel and gravelly silt with trace organics
- PZ-20 – Peaty sand and peaty silt
- PZ-26 – Very fine to medium sand with organics
- MW-31 – Mucky sand with refuse and sandy peat with refuse

Hydraulic conductivity values observed across the Site range from 0.19 ft per day at MW-02 to 18.76 feet per day at MW-05. Higher than average conductivity values were observed in tests completed at 172.51 feet per day at PZ-17 and 242.25 feet per day at PZ-20 (Golder, 2022b).

2.2 Monitoring Well Network

The Groundwater Monitoring System Certification was originally developed in 2017 for the 3A/B Impoundments, which consisted of one (1) background well (MW-07), four (4) downgradient detection monitoring wells (MW-01R, MW-02, MW-03, and MW-04), and an additional assessment monitoring well (MW-09). Golder completed a groundwater flow study based on piezometers and stilling wells installed in August 2021, *Field Summary Report of Results from Approved Work Plan - Piezometer Installation and Additional Data Collection* (Golder, 2022b). Based on the study results, a new groundwater monitoring network was proposed and included

in the 2022 CCR Work Plan that was submitted to the EPA and EGLE on June 23, 2022 (HDR, 2022).

The monitoring well network is based on the groundwater flow monitoring conducted after the installation of 22 piezometers and three (3) stilling wells in August 2021 to further evaluate the groundwater flow under the CCR units and the Island (Golder, 2022b). The monitoring well network consists of the monitoring wells (MW-#) and piezometers (PZ-#) listed in **Table 1** and shown in **Figure 2**. The monitoring wells are sampled for water quality, and water levels are monitored. The piezometers are monitored only for water levels. In November of 2022, in consultation with EPA and EGLE, two new background monitoring wells were installed (MW-33 and MW-34). These two new wells, along with MW-27, will serve as the background monitoring wells for the CCR program for both CCR units. In addition to background monitoring wells (MW-33 and MW-34), six monitoring wells were installed for non-CCR groundwater monitoring, shown of **Figure 2**. Monitoring wells MW-35, MW-36, MW-37, MW-38, MW-39, and MW-40 are not included in the certified groundwater monitoring network for either Units 1/2 Impoundment or Unit 3A/B Impoundments, however they are monitored for water levels only to provide additional data for the development of groundwater contour maps.

The following seven (7) wells serve as the monitoring well network for the inactive Units 1/2 Impoundment CCR unit because the well locations surround the unit on all sides (**Figure 2**):

- MW-06
- MW-08
- MW-18
- MW-19
- MW-20
- MW-30
- MW-31

The following five (5) wells serve as the monitoring well network for the former Unit 3A/B Impoundments because the well locations surround the unit on all sides (**Figure 2**):

- MW-02
- MW-03
- MW-04
- MW-11
- MW-12

Monitoring wells MW-01R, MW-07, MW-09, MW-10, and MW-32 have been part of the monitoring network at the Island for the last several years (**Figure 2**). These wells will not be used to determine if there is an SSI or an SSL over GPS at the waste boundary of the CCR units; however, these wells will continue to be included in the water quality data set used to evaluate groundwater flow and transport at the Island, and therefore are considered nature and extent wells.

The following piezometers and monitoring wells are monitored for water levels to continue to monitor the groundwater flow across the Island (**Figure 2**):

- PZ-13
- PZ-23

- PZ-14
- PZ-15
- PZ-16
- PZ-17
- PZ-21
- PZ-22
- MW-35
- MW-37
- MW-39
- PZ-24
- PZ-25
- PZ-26
- PZ-28
- PZ-29
- MW-05
- MW-36
- MW-38
- MW-40

The following piezometers surround the Units 1/2 Impoundment on the east side. Since they were installed in an area of standing water within the wetland that often requires a boat for access, these piezometers may be monitored less frequently as access permits:

- PZ-21
- PZ-22
- PZ-29

3.0 Monitoring

3.1 Groundwater Monitoring

The eighth round of background sampling was conducted in August 2023 at the monitoring wells identified in **Table 1**. Since the installation of background wells MW-33 and MW-34 in November 2022, eight rounds of sampling have been conducted. Monitoring wells were sampled every five weeks during the background sampling period to achieve statistical strength in the sampling data to develop updated background values for the Site and to compare the compliance wells from both CCR units to background and site-specific groundwater protection standards. **Table 1** provides the identification numbers, well locations, the dates samples were collected, and whether a sample was conducted for the background sampling, detection monitoring or assessment monitoring programs. There was one monitoring event completed in Q3 of 2023 (August).

Table 1. Dates of Groundwater Monitoring in Third Quarter 2023

Well ID	CCR Unit Network	Date Monitored in Q3 2023	Monitoring Purpose
MW-01R	Nature and Extent	8/8/2023	Background Monitoring
MW-02	Unit 3A/B	8/8/2023	Background Monitoring
MW-03	Unit 3A/B	8/7/2023	Background Monitoring
MW-04	Unit 3A/B	8/7/2023	Background Monitoring
MW-05	Water Level Only	8/7/2023	Water Level Only
MW-06	Unit 1/2	8/8/2023	Background Monitoring

Table 1. Dates of Groundwater Monitoring in Third Quarter 2023

Well ID	CCR Unit Network	Date Monitored in Q3 2023	Monitoring Purpose
MW-07	Nature and Extent	8/7/2023	Background Monitoring
MW-08	Unit 1/2	8/8/2023	Background Monitoring
MW-09	Nature and Extent	8/8/2023	Background Monitoring
MW-10	Nature and Extent	8/8/2023	Background Monitoring
MW-11	Unit 3A/B	8/8/2023	Background Monitoring
MW-12	Unit 3A/B	8/7/2023	Background Monitoring
PZ-13	Water Level Only	8/7/2023	Water Level Only
PZ-14	Water Level Only	8/7/2023	Water Level Only
PZ-15	Water Level Only	8/7/2023	Water Level Only
PZ-16	Water Level Only	8/7/2023	Water Level Only
PZ-17	Water Level Only	8/7/2023	Water Level Only
MW-18	Unit 1/2	8/8/2023	Background Monitoring
MW-19	Unit 1/2	8/7/2023	Background Monitoring
MW-20	Unit 1/2	8/7/2023	Background Monitoring
PZ-21	Water Level Only	8/7/2023	-- ¹
PZ-22	Water Level Only	8/7/2023	-- ¹
PZ-23	Water Level Only	8/7/2023	Water Level Only
PZ-24	Water Level Only	8/7/2023	Water Level Only
PZ-25	Water Level Only	8/7/2023	Water Level Only
PZ-26	Water Level Only	8/7/2023	Water Level Only
MW-27	Background	8/7/2023	Background Monitoring
PZ-28	Water Level Only	8/7/2023	Water Level Only
PZ-29	Water Level Only	8/7/2023	-- ¹
MW-30	Unit 1/2	8/8/2023	Background Monitoring
MW-31	Water Level Only	8/8/2023	Background Monitoring
MW-32	Nature and Extent	8/8/2023	Background Monitoring
MW-33	Background	8/7/2023	Background Monitoring
MW-34	Background	8/7/2023	Background Monitoring
MW-35	Water Level Only	8/7/2023	Water Level Only
MW-36	Water Level Only	8/7/2023	Water Level Only
MW-37	Water Level Only	8/7/2023	Water Level Only
MW-38	Water Level Only	8/7/2023	Water Level Only
MW-39	Water Level Only	8/7/2023	Water Level Only
MW-40	Water Level Only	8/7/2023	Water Level Only

¹Inaccessible due to deep water, no measurement collected.

3.2 Surface Water Monitoring

Surface water monitoring coincides with the groundwater sampling. Stilling wells (STW-1, STW-2, and STW-3) and SG-01 are monitored for water levels. Staff gauges (SG-02, SG-03 SG-04R SG-05, and SG-06) are monitored for water levels and a surface water sample is collected at these locations (**Figure 2**). Surface water elevations are mapped with the groundwater elevations to evaluate the flow of groundwater under the Island and in connection with the Grand River and wetland surface waters. Surface water monitoring dates are shown in **Table 2**.

During the August 2023 sampling event, staff gauge locations SG-03, SG-04R, and SG-06 were dry and no water levels were collected. The surface water sample at SG-03 was collected approximately 15 feet north of the gauge location. The surface water sample at SG-04R was collected approximately 30 feet east of the gauge location. The gauge location of SG-06 has been dry during all eight of the background sampling events. A surface water sample representing the water quality of the inner wetland was collected approximately 340 feet east of SG-06.

Table 2. Dates of Surface Water Monitoring in Third Quarter 2023		
Well ID	Water Level Date in Q3 2023	Sample Date
SG-01	8/7/2023	Water Level Only
SG-02	8/7/2023	8/8/2023
SG-03	8/7/2023	8/8/2023
SG-04R	8/7/2023	8/8/2023
SG-05	8/7/2023	8/8/2023
SG-06	8/7/2023	8/8/2023
STW-1	8/7/2023	Water Level Only
STW-2	8/7/2023	Water Level Only
STW-3	8/7/2023	Water Level Only

1 – Location is not sampled under Work Plan.

3.3 Water Levels and Sample Collection

Water elevations are provided in **Table 3** pursuant to the *2022 Harbor Island Work Plan for CCR Compliance* (HDR, 2022). Monitoring wells were purged with a peristaltic pump until field parameters (pH, turbidity, conductivity, dissolved oxygen, temperature, and oxidation reduction potential) stabilized. The results of field measurements were recorded on a field data form, which is maintained as part of the field records. After water quality parameters stabilized, samples were collected and tested for the parameters listed in **Table 3**. For quality control, one field duplicate sample was collected for each CCR unit per sampling event (two duplicate samples total per event). The following deviations from the *2022 Harbor Island Work Plan for CCR Compliance* were noted during the Q3 sampling event:

August 2023:

- Water levels were not collected from PZ-21, PZ-22, or PZ-23 due to deep water limiting access.
- Water levels were not collected from SG-03, SG-04R, or SG-06 due to low surface water conditions leaving the gauges dry. Low water levels did not allow for surface water sample collection at SG-06.
- Surface water samples were collected at SG-03 and SG-04R but were located within 30 feet of the original sampling location.
- Monitoring wells MW-35, MW-36, MW-37, MW-38, MW-39, and MW-40 were installed for the Harbor Island Non-CCR investigation in November 2022 following the submission of the *2022 Harbor Island Work Plan for CCR Compliance* and are therefore not referenced in the CCR Work Plan. Due to the need for close proximity groundwater

elevation monitoring at the island, these newest six wells will be monitored for water levels during groundwater sampling events going forward.

Surface water samples were collected using a clean container affixed to a pole. Before samples were collected, the following water quality parameters were measured: pH, turbidity, conductivity, dissolved oxygen, temperature, and oxidation reduction potential. The results of field measurements were recorded on a field data form, which is maintained as part of the field records. Surface water samples were delivered under Chain of Custody to Trace Analytical Laboratories in Muskegon, Michigan.

3.4 Analytical Testing

Samples from the wells listed in Table 1 were analyzed for the constituents listed in Table 3.

Table 3. Constituents of Interest	
Constituents for Assessment Monitoring	
Antimony	Mercury
Arsenic	Molybdenum
Barium	Nickel
Beryllium	Radium-226
Boron	Radium-226/228
Cadmium	Radium-228
Calcium	Selenium
Chloride	Silver
Chromium	Sulfate
Cobalt	Thallium
Copper	Total Dissolved Solids (TDS)
Fluoride	Vanadium
Iron	Zinc
Lead	Additional Parameters
Lithium	Total Suspended Solids (TSS)

3.5 Data Validation and Data Management

Data validation and data management tasks were performed per the *2022 Harbor Island Work Plan for CCR Compliance* (HDR, 2022). Data validation was performed on the Q3 2023 sampling event conducted in August. The June 2023 analytical data was received following the submission of the Q2 2023 report and is included. Data validation was conducted to eliminate data that did not meet validation criteria and designate a data qualifier for any data quality limitation discovered.

All samples and quality control (QC) data for the reporting period were reviewed and evaluated, and no samples were rejected. Most QC analyses were within reportable limits; however, when QC was outside control limits, samples were reported as estimated. Data analyses required minimal qualifications, and all data were usable, even when qualified. A summary of instances in which QC was outside control limits and samples required

qualification is provided in **Table 4**. Data validation reports for the third quarter and June of 2023 are in **Appendix B**.

Table 4. Quality Control Summary	
QC Type	Instances of QC Outside Control Limits in 2023
Field duplicate RPD	January – copper (1), combined radium (2) February – zinc (1), TSS (1), Rad-226 (2), Rad-228 (2), combined radium (2) March – lithium (1), Rad-226 (1), Rad-228 (2), combined radium (2) April – TSS (1), Rad-226 (1), Rad-228 (1), combined radium (1) May – chromium (1), Rad-226 (1), Rad-228 (1), combined radium (1) June – TSS (1), Rad-226 (1), Rad-228 (2), combined radium (2) August – TSS (2), antimony (1), zinc (1), selenium (1), Rad-226 (1), Rad-228 (2), combined radium (2)
Lab duplicate RPD	January – TDS (1) June – TDS (1)
LCS recoveries	August – Rad-226 (5)
LCS/LCSD RPD	No Instances Observed
MS recoveries	January – sodium (1) February – fluoride (1) April – potassium (1) June – boron (2), calcium (2), potassium (2), magnesium (2), sodium (2), selenium (1)
MS/MSD RPD	No Instances Observed

4.0 Monitoring Results

4.1 Water Levels and Groundwater Flow Direction

The water levels are provided in **Table 5**. A potentiometric surface map was developed for the August 2023 sampling event. The map displays the groundwater elevations as well as the potentiometric contours, the map is provided in **Appendix A**. Groundwater was observed between 1.11 to 12.19 feet below ground surface near the impoundments or between 580.14 to 581.47 feet amsl. Non-CCR monitoring program wells MW-35 through MW-40 are included on the provided potentiometric contour map to provide additional data points increase accuracy.

Potentiometric contours created from the groundwater elevations in **Table 5** for August 2023 show north and northwestern flow beneath Unit 3A/B Impoundments toward the Grand River, consistent with previous observations in 2023. Flow beneath Units 1/2 Impoundment is generally eastward toward the internal wetland, with the exception of flow near the North Channel outlet where groundwater flow is south from MW-31 toward SG-02. The internal wetland has consistently shown to be a sink for Harbor Island.

Groundwater flow observed at background wells MW-27, MW-33, and MW-34 was consistent during the second quarter. Flow is southward from MW-35, in the northern

corner of the eastern island, toward MW-33 and MW-34. The potentiometric contours indicate groundwater from under the CCR impoundments does not flow toward background monitoring wells.

Table 5. Groundwater and Surface Water Elevations in Q3 2023 (ft. AMSL)

Sample I.D.	August 7, 2023
MW-01R	581.15
MW-02	580.48
MW-03	580.45
MW-04	580.52
MW-05	580.61
MW-06	580.55
MW-07	580.47
MW-08	580.46
MW-09	580.47
MW-10	580.40
MW-11	580.65
MW-12	581.14
PZ-13	580.61
PZ-14	580.66
PZ-15	580.69
PZ-16	580.38
PZ-17	580.64
MW-18	580.55
MW-19	580.49
MW-20	580.42
PZ-21	--
PZ-22	--
PZ-23	580.36
PZ-24	580.14
PZ-25	580.49
PZ-26	580.25
MW-27	580.76
PZ-28	581.47
PZ-29	--
MW-30	580.56
MW-31	580.45
MW-32	580.44
MW-33	580.66
MW-34	580.47
MW-35	581.10
MW-36	581.13
MW-37	580.73
MW-38	580.69
MW-39	580.66
MW-40	580.72
SG-01	580.20
SG-02	580.06
SG-03	DRY

Table 5. Groundwater and Surface Water Elevations in Q3 2023 (ft. AMSL)	
Sample I.D.	August 7, 2023
SG-04R	DRY
SG-05	580.25
SG-06	DRY
STW-1	579.71
STW-2	580.42
STW-3	580.29

-- Denotes no measurement was collected.

4.2 Water Quality

Background groundwater sampling was completed in August 2023. Background sample events began in November 2022 and continued on a 5-week frequency until the eighth round of sample data was collected in August 2023. During each background event, the monitoring well network shown in **Table 1**, was sampled for COIs contained in **Table 3**. The water quality data collected to date is in tabular form presented in **Appendix C**, and laboratory reports are provided in **Appendix D**. Note, the laboratory analysis was not completed for June 2023 sampling data prior to the submission of the Q2 Report; therefore, data validation reports in **Appendix B** and Laboratory Reports in **Appendix D** include both June and August 2023 data. The June 2023 sample event was described in the Q2 Report. Based on the groundwater potentiometric contour map shown in **Appendix A**, background monitoring wells MW-27, MW-33, and MW-34 show no signs of potential to be impacted from either CCR unit, and are determined to be appropriate background monitoring locations.

As stated above, the necessary eight rounds of background sampling events have been completed as of August 2023 and the water quality collected from background monitoring wells MW-27, MW-33, and MW-34 will be used to develop background values for each COI. The site-specific GPS will be established after the background values have been calculated.

5.0 Summary

The following observations are based on CCR Rule compliance groundwater monitoring program development during 2023:

- One groundwater sampling event was completed in August 2023, which represented the eighth background monitoring event.
- Data from the June 2023 sampling event was included in this Report as data was not received prior to submission of the Second Quarter 2023 Report.
- Groundwater flow measured in the third quarter beneath Units 1/2 Impoundment flowed generally eastward toward the wetland and south near MW-31 toward SG-02.
- Groundwater flow measured in the third quarter beneath Unit 3A/B Impoundments is primarily west northwest toward the Grand River.
- No monitoring locations were installed or abandoned or repaired in Q3 2023.

- A proposal to install 17 dedicated pressure transducers to monitor hourly groundwater measurements in select wells, staff gauges, and stilling wells is being evaluated.

Statistical evaluation of the background data and calculation of BTV values is in progress for each COI.

6.0 References

ERM, 2017. Groundwater Monitoring System Certification for the Grand Haven Board of Light and Power, Environmental Resources Management Michigan, Inc. November 2017.

Golder Associates, Inc., 2018a. 2017 Annual Groundwater Monitoring and Corrective Action Report. January 30, 2018.

Golder Associates, Inc., 2018b. Notice of Groundwater Protection Standard Exceedance. October 15, 2018.

Golder Associates, Inc., 2022. 2021 Annual Groundwater Monitoring & Corrective Action Report. January 28, 2022.

Golder Associates, Inc., 2022b. Field Summary Report of Results from Approved Work Plan -Piezometer Installation and Additional Data Collection. February 15, 2022.HDR Inc, 2022. 2022 Harbor Island Work Plan for CCR Compliance. April 8, 2022. Amended June 23, 2022.

HDR, 2022., 2022 Harbor Island Work Plan for CCR Compliance. April 8, 2022. Revised June 23, 2022.

HDR, 2023., 1st Quarter 2023 Groundwater Monitoring Report. April 28, 2023.

HDR, 2023b., 2nd Quarter 2023 Groundwater Monitoring Report. July 31, 2023.

Western Michigan University, Department of Geology. "Hydrogeologic Atlas of Michigan, Volume 1". The Department of Geology, Kalamazoo, Michigan. 1981.

Appendix A

Potentiometric Surface Map



Appendix B

Data Validation Reports

Data Verification & Validation Report**Grand Haven-Harbor Island****Sampling Event (dates and purpose):** Background Round 7 – June 2023

Data Package Number: 23F1319

Lab Report Date: 07/28/2023*

Data Validator: Aryka Thomson

Data Validation Completion Date: 09/18/2023

General Overall Assessment:

- Data are usable without qualification.
 Data are usable with qualification (as noted below).
 Some or all data are unusable (as noted below).

Wells planned for sampling:

Unit 3A/B	Unit 1/2	Well Designation	Well ID	Planned for Sampling
✓	✓	Nature & Extent	MW-01R	X
✓		Point of Compliance	MW-02	X
✓		Point of Compliance	MW-03	X
✓		Point of Compliance	MW-04	X
	✓	Point of Compliance	MW-06	X
✓	✓	Nature & Extent	MW-07	X
	✓	Point of Compliance	MW-08	X
✓	✓	Nature & Extent	MW-09	X
✓	✓	Nature & Extent	MW-10	X
✓		Point of Compliance	MW-11	X
✓		Point of Compliance	MW-12	X
	✓	Point of Compliance	MW-18	X
	✓	Point of Compliance	MW-19	X
	✓	Point of Compliance	MW-20	X
✓	✓	Background	MW-27	X
	✓	Point of Compliance	MW-30	X
	✓	Point of Compliance	MW-31	X
✓	✓	Nature & Extent	MW-32	X
✓	✓	Background	MW-33	X
✓	✓	Background	MW-34	X
✓	✓	Surface Water	SG-02	X
✓	✓	Surface Water	SG-03	X
✓	✓	Surface Water	SG-04R	X
✓	✓	Surface Water	SG-05	X
✓	✓	Surface Water	SG-06	X

Data Summary

Sample ID	Matrix	Lab ID	Date Collected	App III Metals	App IV Metals	Part 115 Metals	Anions	TDS TSS	Rad-226 Rad-228	Diss. Metals
MW-01R	GW	23F1319-01	06/28/2023	X	X	X	X	X	X	
MW-02	GW	23F1319-02	06/27/2023	X	X	X	X	X	X	
MW-03	GW	23F1319-03	06/28/2023	X	X	X	X	X	X	
MW-04	GW	23F1319-04	06/28/2023	X	X	X	X	X	X	
MW-06	GW	23F1319-05	06/28/2023	X	X	X	X	X	X	
MW-07	GW	23F1319-06	06/27/2023	X	X	X	X	X	X	
MW-08	GW	23F1319-07	06/27/2023	X	X	X	X	X	X	
MW-09	GW	23F1319-08	06/27/2023	X	X	X	X	X	X	

Sample ID	Matrix	Lab ID	Date Collected	App III Metals	App IV Metals	Part 115 Metals	Anions	TDS TSS	Rad-226 Rad-228	Diss. Metals
MW-10	GW	23F1319-09	06/27/2023	X	X	X	X	X	X	
MW-11	GW	23F1319-10	06/28/2023	X	X	X	X	X	X	
MW-12	GW	23F1319-11	06/27/2023	X	X	X	X	X	X	
MW-18	GW	23F1319-12	06/27/2023	X	X	X	X	X	X	
MW-19	GW	23F1319-13	06/28/2023	X	X	X	X	X	X	
MW-20	GW	23F1319-14	06/28/2023	X	X	X	X	X	X	
MW-27	GW	23F1319-15	06/27/2023	X	X	X	X	X	X	
MW-30	GW	23F1319-16	06/27/2023	X	X	X	X	X	X	
MW-31	GW	23F1319-17	06/27/2023	X	X	X	X	X	X	
MW-32	GW	23F1319-18	06/27/2023	X	X	X	X	X	X	
MW-33	GW	23F1319-19	06/27/2023	X	X	X	X	X	X	
MW-34	GW	23F1319-20	06/27/2023	X	X	X	X	X	X	
MWT-12	QC	23F1319-21	06/27/2023	X	X	X	X	X	X	
MWT-30	QC	23F1319-22	06/27/2023	X	X	X	X	X	X	
SG-02	SW	23F1319-23	06/28/2023	X	X	X	X	X	X	
SG-03	SW	23F1319-24	06/28/2023	X	X	X	X	X	X	
SG-04R	SW	23F1319-25	06/28/2023	X	X	X	X	X	X	
SG-05	SW	23F1319-26	06/28/2023	X	X	X	X	X	X	

Other analytes requested for analysis: Na, Mg, K, HCO₃, CO₃, hardness

Any planned sampling or analysis NOT completed? If yes, explain: SG-06 was not sampled because the area was dry.

*Report was revised 9/6/23 to include the definition of the 'J' flag used in the report.

Data Verification & Validation Checklist

Review Category	Verify Complete		Validation Criteria	Criteria Met?			Description of Nonconformance and Qualification (if applicable)
	Yes	No		Yes	No	N/A	
Field Data							
Sample Collection Field Forms	X		Purging performed as required in the Groundwater Monitoring Plan	X			
Field Calibration Records	X		Field instruments calibrated daily according to manufacturer specifications	X			
Chain of Custody	X		Accurately reflect samples, collection dates/times, analyses, bottles, etc.	X			
Field decontamination documentation	N/A		Record of decontamination for non-dedicated sampling equipment			X	
Drilling logs	X		N/A	-	-	-	
Well construction logs	X		N/A	-	-	-	
Well development field forms	X		N/A	-	-	-	
Analytical Data Package							
Cover Sheet	X		N/A	-	-	-	
Case Narrative	X		Summarizes sample receipt and any exceptions to QC acceptance criteria	X			
Internal Laboratory Chain of Custody forms	X		Analyses as requested; accurate transcription of field COC	X			
Sample Chronology and Consistency	X		Accurate representation of dates, times of receipt, preparation, and analysis	X			
Communication Records with Lab	X		N/A	-	-	-	
EDD Format Consistency	X		EDD format and content as requested	X			
Sample Identification, Results Nomenclature, and Data Qualifier Consistency	X		All included in final report	X			
Method Detection Limit Consistency	X		MDLs consistent between samples		X		Dilution varies between samples for Sb, Ba, B, Ca, Cl, F, Pb, Li, SO4, Th, TDS,
Instrument Calibration Records	X		Present and no nonconformance noted	X			
Laboratory Report Complete	X		Includes QC component	X			

Review Category	Verify Complete		Validation Criteria	Criteria Met?			Description of Nonconformance and Qualification (if applicable)
	Yes	No		Yes	No	N/A	
Holding Times	X		Analyses performed within allowed holding time		X		pH required qualification in 18 samples
Method	X		Method as requested	X			
Reporting Limits		X	RLs as requested		X		RLs for the following were not met B – all samples (results > RL) Ca – 5 samples (results > RL) Li – 8 samples (results > RL except 1 sample)
			MDLs<RLs	X			
			MDLs<MCLs	X			
			MDLs<GPS			X	Background sampling (no GPS to compare against)
QC Validation							
Evaluate Accuracy							
Matrix Spike (Recovery)	X		See "Minimum QC Procedures for Project Parameters" table		X		MS recoveries outside control limits for B, Ca, K, Mg, Na, and Se
Laboratory Control Sample (Recovery)	X		See "Minimum QC Procedures for Project Parameters" table	X			
Evaluate Precision							
Matrix Spike Duplicate (RPD)	X		See "Minimum QC Procedures for Project Parameters" table	X			
Field Duplicate (RPD)		X	RPD ≤ 20%		X		TSS non-detect in parent and detected in field duplicate; Rad-228 and combined radium had RPDs 88% and 69% Rad-226, Rad-228, and combined radium had RPD 30%, 37%, 36% in one parent/field duplicate pair
Evaluate Representativeness							
Equipment Blanks (if applicable)	N/A		Non-detect (<RL)			X	
QC Verification							
Verify Instrument Calibration & Analytical Process							
Initial Calibration Verification	X		Laboratory-determined	-	-	-	
Continuing Calibration Verification	X		Laboratory-determined	-	-	-	
Initial Calibration Blank	X		Laboratory-determined	-	-	-	
Continuing Calibration Blank	X		Laboratory-determined	-	-	-	
Serial Dilutions	X		Laboratory-determined	-	-	-	
Post-Digestion Spikes	X		Laboratory-determined	-	-	-	
Internal Standards	X		Laboratory-determined	-	-	-	

Review Category	Verify Complete		Validation Criteria	Criteria Met?			Description of Nonconformance and Qualification (if applicable)
	Yes	No		Yes	No	N/A	
Laboratory Duplicate (RPD)	X		Laboratory-determined	-	-	-	
Method Blanks	X		Laboratory-determined	-	-	-	
Evaluate Completeness (# usable measurements/ # unusable measurements)							
Completeness	X		100%	X			

Other instances of nonconformance to QC control limits noted on case narrative:

Even after multiple heating cycles, the sample was unable to reach a constant weight. TDS in MW-30 required qualification as estimated (J).

Boron, calcium, potassium, magnesium, and sodium recovered outside control limits in matrix spikes T138479-MS1 and T138479-MS2. Associated samples MW-01R and MW-02 required qualification as estimated (J) for these parameters. Because the background concentration of these analytes was greater than four times the spike amount, qualification was not required except for potassium in MW-02, which required qualification as estimated (J).

Selenium recovered outside control limits in matrix spike T138479-MS1. Associated sample MW-01R required qualification as estimated (J) for selenium.

The RPD between T138109-DUP1 and MW-02 was outside control limits for TDS. TDS in MW-02 required qualification as estimated (J).

Comments:

pH in samples MW-01R, MW-02, MW-04, MW-07, MW-08, MW-09, MW-10, MW-12, MWT-12, MW-18, MW-20, MW-27, MW-30, MWT-30, MW-31, MW-32, MW-33, and MW-34 required qualification as estimated (J) due to analysis outside the EPA-established 24-hour hold time.

Boron was detected above the reporting limit in method blanks T138479-BLK1 and T138527-BLK1. All samples required qualification as estimated with high bias (J+).

Arsenic, beryllium, cadmium, cobalt, molybdenum, lead, selenium, and thallium were detected above the reporting limit in method blank T138479-BLK1. These constituents required qualification as estimated with high bias (J+) or as estimated but not detected (UJ) in samples MW-01R, MW-02, MW-03, MW-04, MW-06, MW-07, MW-08, MW-09, MW-10, MW-11, MW-12, MW-18, MW-19, MW-20, MW-27, MW-30, MW-31, MW-32, MW-33, and MW-34.

TSS was not detected in parent sample MW-12 and detected in field duplicate MWT-12. MW-12 required qualification as estimated but not detected (UJ) and MWT-12 required qualification as estimated with high bias (J+).

pH had an RPD of 54% in the MW-30/MWT-30 parent/field duplicate pair. pH required qualification as estimated with low bias (J-) in MW-30 and with high bias (J+) in MWT-30. It is possible that there was nitric acid in the MW-30 bottle that would result in a low pH.

Rad-228 and combined radium had RPDs of 88% and 69%, respectively in the MW-12/MWT-12 parent/field duplicate pair. Rad-228 and combined radium required qualification as estimated but non-detect (UJ) in MW-12 and MWT-12.

Rad-226, Rad-228, and combined radium had RPDs of 30%, 37%, and 36%, respectively in the MW-30/MWT-30 parent/field duplicate pair. Rad-228 in MW-30 and Rad-226, Rad-228, and combined radium

in MWT-30 required qualification as estimated but non detect (UJ). Rad-226 and combined radium in MW-30 required qualification as estimated with high bias (J+).

Data Verification & Validation Report**Grand Haven-Harbor Island****Sampling Event (dates and purpose):** Background Round 8 – August 2023

Data Package Number: 23H0444

Lab Report Date: 08/22/2023

Data Validator: Andrew Byks

Data Validation Completion Date: 9/19/2023

General Overall Assessment:

- Data are usable without qualification.
 Data are usable with qualification (as noted below).
 Some or all data are unusable (as noted below).

Wells planned for sampling:

Unit 3A/B	Unit 1/2	Well Designation	Well ID	Planned for Sampling
✓	✓	Nature & Extent	MW-01R	X
✓		Point of Compliance	MW-02	X
✓		Point of Compliance	MW-03	X
✓		Point of Compliance	MW-04	X
	✓	Point of Compliance	MW-06	X
✓	✓	Nature & Extent	MW-07	X
	✓	Point of Compliance	MW-08	X
✓	✓	Nature & Extent	MW-09	X
✓	✓	Nature & Extent	MW-10	X
✓		Point of Compliance	MW-11	X
✓		Point of Compliance	MW-12	X
	✓	Point of Compliance	MW-18	X
	✓	Point of Compliance	MW-19	X
	✓	Point of Compliance	MW-20	X
✓	✓	Background	MW-27	X
	✓	Point of Compliance	MW-30	X
	✓	Point of Compliance	MW-31	X
✓	✓	Nature & Extent	MW-32	X
✓	✓	Background	MW-33	X
✓	✓	Background	MW-34	X
✓	✓	Surface Water	SG-02	X
✓	✓	Surface Water	SG-03	X
✓	✓	Surface Water	SG-04R	X
✓	✓	Surface Water	SG-05	X
✓	✓	Surface Water	SG-06	X

Data Summary

Sample ID	Matrix	Lab ID	Date Collected	App III Metals	App IV Metals	Part 115 Metals	Anions	TDS TSS	Rad-226 Rad-228	Diss. Metals
MW-01R	GW	23H0444-01	08/08/2023	X	X	X	X	X	X	
MW-02	GW	23H0444-02	08/08/2023	X	X	X	X	X	X	
MW-03	GW	23H0444-03	08/07/2023	X	X	X	X	X	X	
MW-04	GW	23H0444-04	08/07/2023	X	X	X	X	X	X	
MW-06	GW	23H0444-05	08/08/2023	X	X	X	X	X	X	
MW-07	GW	23H0444-06	08/07/2023	X	X	X	X	X	X	
MW-08	GW	23H0444-07	08/08/2023	X	X	X	X	X	X	
MW-09	GW	23H0444-08	08/08/2023	X	X	X	X	X	X	

Sample ID	Matrix	Lab ID	Date Collected	App III Metals	App IV Metals	Part 115 Metals	Anions	TDS TSS	Rad-226 Rad-228	Diss. Metals
MW-10	GW	23H0444-09	08/08/2023	X	X	X	X	X	X	
MW-11	GW	23H0444-10	08/08/2023	X	X	X	X	X	X	
MW-12	GW	23H0444-11	08/07/2023	X	X	X	X	X	X	
MW-18	GW	23H0444-12	08/08/2023	X	X	X	X	X	X	
MW-19	GW	23H0444-13	08/07/2023	X	X	X	X	X	X	
MW-20	GW	23H0444-14	08/07/2023	X	X	X	X	X	X	
MW-27	GW	23H0444-15	08/07/2023	X	X	X	X	X	X	
MW-30	GW	23H0444-16	08/08/2023	X	X	X	X	X	X	
MW-31	GW	23H0444-17	08/08/2023	X	X	X	X	X	X	
MW-32	GW	23H0444-18	08/08/2023	X	X	X	X	X	X	
MW-33	GW	23H0444-19	08/07/2023	X	X	X	X	X	X	
MW-34	GW	23H0444-20	08/07/2023	X	X	X	X	X	X	
MWT-04	QC	23H0444-21	08/07/2023	X	X	X	X	X	X	
MWT-12	QC	23H0444-22	08/07/2023	X	X	X	X	X	X	
SG-02	SW	23H0444-23	08/08/2023	X	X	X	X	X	X	
SG-03	SW	23H0444-24	08/08/2023	X	X	X	X	X	X	
SG-04R	SW	23H0444-25	08/08/2023	X	X	X	X	X	X	
SG-05	SW	23H0444-26	08/08/2023	X	X	X	X	X	X	
SG-06	SW	23H0444-27	08/08/2023	X	X	X	X	X	X	

Other analytes requested for analysis: Na, Mg, K, HCO₃, CO₃, hardness

Any planned sampling or analysis NOT completed? If yes, explain: N/A

Data Verification & Validation Checklist

Review Category	Verify Complete		Validation Criteria	Criteria Met?			Description of Nonconformance and Qualification (if applicable)
	Yes	No		Yes	No	N/A	
Field Data							
Sample Collection Field Forms	X		Purging performed as required in the Groundwater Monitoring Plan	X			
Field Calibration Records	X		Field instruments calibrated daily according to manufacturer specifications	X			
Chain of Custody	X		Accurately reflect samples, collection dates/times, analyses, bottles, etc.	X			
Field decontamination documentation	N/A		Record of decontamination for non-dedicated sampling equipment			X	
Drilling logs	X		N/A	-	-	-	
Well construction logs	X		N/A	-	-	-	
Well development field forms	X		N/A	-	-	-	
Analytical Data Package							
Cover Sheet	X		N/A	-	-	-	
Case Narrative	X		Summarizes sample receipt and any exceptions to QC acceptance criteria	X			
Internal Laboratory Chain of Custody forms	X		Analyses as requested; accurate transcription of field COC	X			
Sample Chronology and Consistency	X		Accurate representation of dates, times of receipt, preparation, and analysis	X			
Communication Records with Lab	X		N/A	-	-	-	
EDD Format Consistency	X		EDD format and content as requested	X			
Sample Identification, Results Nomenclature, and Data Qualifier Consistency	X		All included in final report	X			
Method Detection Limit Consistency	X		MDLs consistent between samples		X		Dilution varies between samples
Instrument Calibration Records	X		Present and no nonconformance noted	X			
Laboratory Report Complete	X		Includes QC component	X			
Holding Times	X		Analyses performed within allowed holding time		X		pH required qualification in 13 samples

Review Category	Verify Complete		Validation Criteria	Criteria Met?			Description of Nonconformance and Qualification (if applicable)
	Yes	No		Yes	No	N/A	
Method	X		Method as requested	X			
Reporting Limits		X	RLs as requested		X		RLs for the following were not met B – all samples (results > RL) Ca – 26 samples (results > RL) Co – all samples (results > RL in all but 5 samples where results > MDL) Fe – all samples (results > RL) Mg – 21 samples (results > RL) K – 9 samples (results > RL) Na – 22 samples (results > RL) SO4 – 15 samples (results > RL) TDS – all samples (results > RL)
			MDLs<RLs	X			
			MDLs<GPS			X	Background sampling (no GPS to compare against)

QC Validation**Evaluate Accuracy**

Matrix Spike (Recovery)	X		See "Minimum QC Procedures for Project Parameters" table		X		MS recoveries outside control limits for Ca, Na, K
Laboratory Control Sample (Recovery)	X		See "Minimum QC Procedures for Project Parameters" table		X		LCSD recovery outside control limits for Rad-226 (5 samples)

Evaluate Precision

Matrix Spike Duplicate (RPD)	X		See "Minimum QC Procedures for Project Parameters" table	X			
Field Duplicate (RPD)		X	RPD ≤ 20%		X		MW-04/MWT-04: TSS and Zn non-detect in parent sample and detected in FD; Sb detected in parent sample and non-detect in FD; Se and Rad 226 RPDs of 24% and 33%, respectively MW-12/MWT-12: TSS detect in parent sample and non-detect in FD; Rad 226, Rad 228, and Combined Rad RPDs of 40%, 91% and 65%, respectively

Evaluate Representativeness

Equipment Blanks (if applicable)	N/A		Non-detect (<RL)			X	
----------------------------------	-----	--	------------------	--	--	---	--

QC Verification**Verify Instrument Calibration & Analytical Process**

Review Category	Verify Complete		Validation Criteria	Criteria Met?			Description of Nonconformance and Qualification (if applicable)
	Yes	No		Yes	No	N/A	
Initial Calibration Verification	X		Laboratory-determined	-	-	-	
Continuing Calibration Verification	X		Laboratory-determined	-	-	-	
Initial Calibration Blank	X		Laboratory-determined	-	-	-	
Continuing Calibration Blank	X		Laboratory-determined	-	-	-	
Serial Dilutions	X		Laboratory-determined	-	-	-	
Post-Digestion Spikes	X		Laboratory-determined	-	-	-	
Internal Standards	X		Laboratory-determined	-	-	-	
Laboratory Duplicate (RPD)	X		Laboratory-determined	-	-	-	
Method Blanks	X		Laboratory-determined	-	-	-	
Evaluate Completeness (# usable measurements/ # unusable measurements)							
Completeness	X	100%		X			

Other instances of nonconformance to QC control limits noted on case narrative:

Reporting limits were raised on the following samples and constituents due to sample matrix interferences with the internal standards. No qualification was required.

Constituent	Samples
Lead	MW-03, MW-30
Thallium	MW-01R, MW-03, MW-30, SG-04R

Calcium in the sample collected from SG-04R was estimated due to the amount of the constituent detected being above the linear range of the calibration curve. No qualification was required.

Calcium, potassium, and sodium matrix spikes were outside of control limits in T140107-MS1. Because the background concentration of these analytes was greater than four times the spike amount, qualification was not required.

Potassium and sodium matrix spikes were outside of control limits in T140104-MS2. Because the background concentration of these analytes was greater than four times the spike amount, qualification was not required.

Comments:

pH in samples MW-02, MW-03, MW-04, MW-07, MW-09, MW-12, MW-19, MW-20, MW-30, MW-33, MW-34, MWT-04, and MWT-12 required qualification as estimated (J) due to analysis outside the EPA-established 24-hour hold time.

TSS and zinc were not detected in parent sample MW-04 and detected in field duplicate MWT-04. TSS and zinc required qualification in parent sample MW-04 as estimated but not detected (UJ) and in field duplicate MWT-04 as estimated with high bias (J+).

Antimony was not detected in parent sample MW-04 and detected in field duplicate MWT-04. Antimony required qualification in parent sample MW-04 as estimated but not detected (UJ) and in field duplicate MWT-04 as estimated with high bias (J+).

Selenium had a RPD of 24% in the MW-04/MWT-04 parent/field duplicate pair. Selenium required qualification as estimated with high bias (J+) in parent sample MW-04 and as estimated with low bias (J-) in field duplicate MWT-04.

Radium 226 had a RPD of 33% in the MW-04/MWT-04 parent/field duplicate pair. Radium 226 required qualification as estimated with low bias (J-) in parent sample MW-04 and as estimated with high bias (J+) in field duplicate MWT-04.

TSS was detected in parent sample MW-12 and non-detect in field duplicate MWT-12. TSS required qualification in parent sample MW-12 as estimated with high bias (J+) and as estimated but not detected in field duplicate MWT-12.

Radium 226, Radium 228, and combined radium had RPDs of 40%, 91% and 65%, respectively in the MW-12/MWT-12 parent/field duplicate pair. Radium 226 required qualification as estimated but non detect in all parent/field duplicate pair MW-12/MWT-12.

The LCS/LCSD associated with radium-226 prep batch 160-624323 recovered outside of control limits. Radium 226 in affected samples MW-30, MW-31, MW-32, MW-33, and MW-34 required qualification as estimated with high bias (J+) or estimated but non-detect (UJ).

Appendix C

Analytical Data Reporting Tables

Sample Location: Compliance Phase:		MW-01R								
		Background Monitoring								
Sample Date: Sample Type: Unit:		11/29/2022 Field Sample	1/3/2023 Field Sample	2/8/2023 Field Sample	3/14/2023 Field Sample	4/18/2023 Field Sample	5/23/2023 Field Sample	6/28/2023 Field Sample	8/8/2023 Field Sample	
Unit 3A/B & 1/2 (Nature and Extent)										
Sample Matrix:		Groundwater	Groundwater	Groundwater	Groundwater	Groundwater	Groundwater	Groundwater	Groundwater	
Constituent	Unit	Fraction								
Field Parameters										
Conductivity	mS/cm	N	2.39	3.06	2.73	2.60	3.00	3.10	3.23	3.22
Dissolved Oxygen	mg/L	N	0.08	0.05	0.07	0.28	0.11	0.03	0.01	0.01
Oxidation Reduction Potential	mV	N	42.3	3.6	-155.6	-185.5	-202.3	-210.1	-163.8	-165.1
pH	su	N	7.74	6.02	7.75	7.76	7.75	7.8	7.81	7.68
Temperature	deg c	N	12.5	9.0	6.9	5.9	7.2	10.7	13.5	17.2
Turbidity	NTU	N	0.02	0.26	0.17	0.02	0.02	0.02	0.02	1.33
Appendix III										
Boron	mg/L	T	100	110	73	70	78	110	150 J+	140.00
Calcium	mg/L	T	240	200	290	310	280	240	210.00	160.00
Chloride	mg/L	T	150	160	52	120	130	150	170.00	180.00
Fluoride	mg/L	T	14	14	9.5	8.1	8.8	10	15.00	14.00
Sulfate (as SO4)	mg/L	T	590	400	350	780	780	540	290.00	110.00
Total Dissolved Solids	mg/L	T	2400 J-	2300	2200	2100	2400	2400	2400.00	2400.00
Appendix IV										
Antimony	mg/L	T	0.00033	0.00023 J	< 0.00025 U	0.00034	0.0012	< 0.00050 U	0.00071 J	0.00025
Arsenic	mg/L	T	0.0020	0.0015	0.0013	0.0013	0.0008	0.0007	0.0019 J+	0.0017
Barium	mg/L	T	0.30	0.30	0.25	0.22	0.21	0.29	0.29	0.38
Beryllium	mg/L	T	0.00021 J	0.00032	0.00020 J	0.00020 J	0.00012 J	0.00020 J	0.00036 J+	0.00035
Cadmium	mg/L	T	0.00011 J	0.000062 J	< 0.00016 U	< 0.000032 U	< 0.00016 U	< 0.00038 U	0.00034 J+	< 0.000075 U
Chromium, Total	mg/L	T	0.0013	0.0024	0.0016	0.0016	0.0013	0.0019	0.0043	0.0037
Cobalt	mg/L	T	0.0011	0.0012	0.0011	0.0023	0.0017	0.00081	0.0045 J+	0.0016
Fluoride	mg/L	T	14	14	9.5	8.1	8.8	10	15.00	14.00
Lead	mg/L	T	0.0014	0.00082	< 0.0011 U	0.00044 J	< 0.0011 U	0.00080 J	0.0053 J+	0.0010 J
Lithium	mg/L	T	2.2	2.8	1.6	1.7	1.5	2.3	3.20	3.3
Mercury	mg/L	T	< 0.00016 U	< 0.00016 U	< 0.00016 U	< 0.00016 U	< 0.00016 U	< 0.00016 U	< 0.00016 U	< 0.00016 U
Molybdenum	mg/L	T	0.0011 J	0.00062 J	0.00076 J	0.002	< 0.0031 U	0.00033 J	0.00077 J+	0.00082 J
Radium 226 and 228	pCi/L	T	< 0.656 UJ	< 0.828 U	1.06	1.28	< 0.737 U	< 1.1 U	0.601	1.26
Radium-226	pCi/L	T	< 0.176 UJ	< 0.125 U	< 0.139 U	< 0.212 U	< 0.233 U	< 0.322 U	< 0.164 U	0.152
Radium-228	pCi/L	T	< 0.656 UJ	< 0.828 U	0.982	1.23	< 0.737 U	< 1.1 UJ	< 0.534 U	1.11
Selenium	mg/L	T	0.0006	0.00059	0.00058	0.00097	0.00056	0.00030 J	0.00076 J+	0.00066
Thallium	mg/L	T	< 0.000075 U	< 0.000075 U	< 0.00038 U	< 0.000075 U	< 0.00038 U	< 0.00038 U	< 0.00038 UJ	0.00066
Total Suspended Solids	mg/L	T	3.0 J	2.0 J	5	2.0 J	2.0 J	< 4.0 U	2.0 J	3.0 J
Michigan CCR Part 115										
Copper	mg/L	T	0.00027	< 0.00020 U	< 0.00020 U	< 0.00020 U	< 0.00020 U	< 0.00020 U	0.0013 B	0.00045
Iron	mg/L	T	0.75	1.10	0.55	0.50	0.59	0.79	0.48	0.16
Nickel	mg/L	T	0.0015	0.0025	0.0016	0.0026	0.0018	0.0013	0.0053	0.0027
Silver	mg/L	T	< 0.000050 U	< 0.000050 U	< 0.00025 U	< 0.000050 U	< 0.00025 U	< 0.00025 U	< 0.000050 U	< 0.000050 U
Vanadium	mg/L	T	0.00069 J	0.00067 J	< 0.00062 U	< 0.00062 U	0.0013	0.0016	0.0046	0.0035
Zinc	mg/L	T	0.014	0.0012	0.0012	0.0018	0.013	< 0.0012 U	0.0085	0.0012
Additional Parameters										
Bicarbonate Alkalinity	mg/L	T	1100	1200	870	830	920	1100	1300.00	1400
Carbonate Alkalinity	mg/L	T	< 1.6 U	< 1.6 U	< 0.16 U	< 0.16 U	< 0.16 U	< 0.31 U	< 0.31 U	< 0.16 U
Magnesium	mg/L	T	110	92	110	110	120	110	100.00	96.00
Potassium	mg/L	T	69	66	50	43	60 J	65	89.00	90.00
Sodium	mg/L	T	330	370	250	240	280	380	430.00	430.00
Total Alkalinity	mg/L	T	1100	1200	870	830	920	1100	1300.00	1400

Notes:

ug/l = micrograms per liter.

mg/l = milligrams per liter.

su - standard pH units (pH is a field parameter)

pCi/L = picocuries per liter.

All metals were analyzed as total unless otherwise indicated.

Qualifiers:

U The analyte was analyzed for, but not detected at, a level greater than or equal to the level of the adjusted reporting limit (RL) for the sample and method.

J The analyte was positively identified, and the associated numerical value is the approximate concentration of the analyte in the sample

(due either to the quality of the data generated because certain QC criteria were not met, or to the concentration of the analyte being below the RL).

J+ Same as J, and the reported concentration is potentially biased high.

J- Same as J, and the reported concentration is potentially biased low.

UJ The analyte was not detected at a level greater than or equal to the adjusted method detection limit (MDL). However, the reported adjusted MDL is approximate and might be inaccurate or imprecise.

R The sample results are unusable due to the quality of the data generated because certain criteria were not met. The analyte might or might not be present in the sample.

Sample Location:		MW-02								
Compliance Phase:		Background Monitoring								
Sample Date:		11/28/2022	1/4/2023	2/8/2023	3/14/2023	4/18/2023	5/23/2023	6/27/2023	8/8/2023	
Sample Type:		Field Sample	Field Sample	Field Sample	Field Sample	Field Sample	Field Sample	Field Sample	Field Sample	
Unit:		Unit 3A/B								
Sample Matrix:		Groundwater	Groundwater	Groundwater	Groundwater	Groundwater	Groundwater	Groundwater	Groundwater	
Constituent	Unit	Fraction								
Field Parameters										
Conductivity	mS/cm	N	3.36	4.10	3.07	2.62	3.66	3.52	4.17	4.07
Dissolved Oxygen	mg/L	N	0.28	0.49	0.20	0.41	0.08	0.06	0.07	0.10
Oxidation Reduction Potential	mV	N	89.4	-215.7	-185.2	-169.9	-135.7	-138.9	-137.4	-133.8
pH	su	N	7.11	7.06	7.33	7.35	7.13	7.45	7.29	7.21
Temperature	deg c	N	12.8	12.0	11.2	9.6	10.2	11.7	12.1	14.0
Turbidity	NTU	N	0.02	0.02	0.02	0.49	3.66	5.05	6.89	3.3
Appendix III										
Boron	mg/L	T	88	86	100	98	73	95	110 J+	99.00
Calcium	mg/L	T	210	180	210	240	190	210	210.00	180.00
Chloride	mg/L	T	150	140	67	140	150	140	140.00	130.00
Fluoride	mg/L	T	9.2	10	4.5	9.4	8.7	9.2	10.00	9.70
Sulfate (as SO ₄)	mg/L	T	0.86 J	2.2 J	< 0.41 U	1.1 J	< 0.41 U	< 0.41 U	< 0.41 U	0.93 J
Total Dissolved Solids	mg/L	T	1700	1800	1900	1700	1700	1800	2100 J	1900.00
Appendix IV										
Antimony	mg/L	T	0.00015 J	0.00016 J	< 0.00025 U	0.00019 J	0.00063 J	< 0.00050 U	0.00024 J	0.00018 J
Arsenic	mg/L	T	0.0082	0.0076	0.0086	0.0078	0.0083	0.012	0.0096 J+	0.0086
Barium	mg/L	T	0.51	0.53	0.55	0.51	0.38	0.48	0.47	0.45
Beryllium	mg/L	T	0.00028	0.00034	0.00042	0.00029	0.00015 J	0.00021 J	0.00032 J+	0.00043
Cadmium	mg/L	T	< 0.000032 U	0.000046 J	< 0.00016 U	0.000041 J	< 0.00016 U	< 0.00038 U	< 0.00075 UJ	< 0.00075 U
Chromium, Total	mg/L	T	0.022	0.054	0.057	0.046	0.019	0.03	0.068	0.054
Cobalt	mg/L	T	0.0038	0.006	0.008	0.0066	0.0031	0.0039	0.0089 J+	0.0076
Fluoride	mg/L	T	9.2	10	4.5	9.4	8.7	9.2	10.00	9.70
Lead	mg/L	T	0.001	0.0024	0.003	0.0027	0.0018 J	0.0041	0.0039 J+	0.0017
Lithium	mg/L	T	1.2	1.5	1.5	1.6	0.87	1.2	1.7	1.4
Mercury	mg/L	T	< 0.00016 U							
Molybdenum	mg/L	T	0.0052	0.0062	0.011	0.011	0.0088	0.0064	0.0062 J+	0.0052
Radium 226 and 228	pCi/L	T	< 2.18 U	< 2.8 U	3.35	1.56	< 0.686 U	1.67	1.67	2.45
Radium-226	pCi/L	T	< 0.547 U	0.781	0.642	0.398	< 0.302 U	0.58	0.714	0.743
Radium-228	pCi/L	T	< 2.18 UJ	< 2.8 UG	< 3.21 UG	< 1.24 UG	< 0.686 U	< 1.2 UJ	0.957	1.71 G
Selenium	mg/L	T	0.001	0.0012	0.0012	0.00095	0.0005	0.001	0.0014 J+	0.0012
Thallium	mg/L	T	< 0.000075 U	< 0.000075 U	< 0.00038 U	< 0.000075 U	< 0.00038 U	< 0.000075 U	< 0.000075 U	< 0.000075 U
Total Suspended Solids	mg/L	T	67	58	58	56	100	90	20.00	16.00
Michigan CCR Part 115										
Copper	mg/L	T	0.00081	0.0018	0.0025	0.002	0.0011	0.0014	0.0026 B	0.0018
Iron	mg/L	T	23	22	24	30	27	27	24	20
Nickel	mg/L	T	0.015	0.023	0.042	0.035	0.017	0.014	0.025	0.022
Silver	mg/L	T	< 0.000050 U	< 0.000050 U	< 0.00025 U	< 0.000050 U	< 0.00025 U	< 0.00025 U	< 0.000050 U	< 0.000050 U
Vanadium	mg/L	T	0.0014	0.0036	0.0035	0.0032	0.0013	0.0026	0.0067	0.0049
Zinc	mg/L	T	0.023	0.003	0.0033	0.0022	0.025	0.0019	0.0027	0.0041
Additional Parameters										
Bicarbonate Alkalinity	mg/L	T	1900	2000	1900	1800	1800	1900	460	2100
Carbonate Alkalinity	mg/L	T	< 1.6 U	< 1.6 U	< 0.16 U	< 0.16 U	< 0.31 U	< 0.31 U	< 0.16 U	< 0.16 U
Magnesium	mg/L	T	63	59	70	78	68	71	62	58.00
Potassium	mg/L	T	50	44	53	45	41	44	56 J	46.00
Sodium	mg/L	T	250	250	260	260	220	280	320.00	310.00
Total Alkalinity	mg/L	T	1900	2000	1900	1800	1800	1900	460	2100

Notes:

ug/l = micrograms per liter.

mg/l = milligrams per liter.

su - standard pH units (pH is a field parameter)

pCi/L = picocuries per liter.

All metals were analyzed as total unless otherwise indicated.

Qualifiers:

U The analyte was analyzed for, but not detected at, a level greater than or equal to the level of the adjusted reporting limit (RL) for the sample and method.

J The analyte was positively identified, and the associated numerical value is the approximate concentration of the analyte in the sample

(due either to the quality of the data generated because certain QC criteria were not met, or to the concentration of the analyte being below the RL).

J+ Same as J, and the reported concentration is potentially biased high.

J- Same as J, and the reported concentration is potentially biased low.

UJ The analyte was not detected at a level greater than or equal to the adjusted method detection limit (MDL). However, the reported adjusted MDL is approximate and might be inaccurate or imprecise.

R The sample results are unusable due to the quality of the data generated because certain criteria were not met. The analyte might or might not be present in the sample.

Sample Location:			MW-03							
Compliance Phase:			Background Monitoring							
Sample Date:			11/28/2022	1/4/2023	2/7/2023	3/14/2023	4/18/2023	5/23/2023	6/28/2023	8/7/2023
Sample Type:			Field Sample	Field Sample	Field Sample	Field Sample	Field Sample	Field Sample	Field Sample	Field Sample
Unit:			Unit 3A/B							
Sample Matrix:			Groundwater	Groundwater	Groundwater	Groundwater	Groundwater	Groundwater	Groundwater	Groundwater
Constituent	Unit	Fraction								
Field Parameters										
Conductivity	mS/cm	N	0.34	3.52	3.43	2.46	3.15	3.08	3.19	3.19
Dissolved Oxygen	mg/L	N	0.16	0.26	0.2	0.21	0.03	0.01	0.05	0.09
Oxidation Reduction Potential	mV	N	-180	-139.7	-212.9	-184.2	-92.8	-194.3	-129.6	-110.7
pH	su	N	7.31	7.32	7.2	7.45	7.26	7.59	7.44	7.31
Temperature	deg c	N	13.3	11.4	9.2	7.3	9.3	11.8	12.5	14.9
Turbidity	NTU	N	0.02	0.68	2.4	0.02	1.4	0.02	0.02	0.21
Appendix III										
Boron	mg/L	T	4.4	3.3	4.2	4.3	3.9	4.1	4.3 J+	4.1
Calcium	mg/L	T	390	290	400	410	360	400	430.00	350.00
Chloride	mg/L	T	300	190	240	190	150	140	160.00	170.00
Fluoride	mg/L	T	0.65	1.6	0.62	0.52	0.6	0.54	0.54	0.61
Sulfate (as SO4)	mg/L	T	42	460	230	550	760	690	510.00	480.00
Total Dissolved Solids	mg/L	T	2200 J-	1700	2300	2300	2300	2300	2300.00	2300.00
Appendix IV										
Antimony	mg/L	T	0.000087 J	0.000092 J	< 0.000025 U	0.00011 J	0.00045 J	< 0.000050 U	< 0.000050 U	< 0.00010 U
Arsenic	mg/L	T	0.00084	0.0011	0.0012 J	0.0011	0.00050 J	0.00049 J	0.00091 J+	0.00076
Barium	mg/L	T	0.43	0.13	0.5	0.3	0.34	0.43	0.38	0.38
Beryllium	mg/L	T	< 0.000052 U	< 0.000052 U	< 0.00026 U	0.000053 J	< 0.000052 U	< 0.000052 U	< 0.000052 UJ	< 0.000052 U
Cadmium	mg/L	T	< 0.000032 U	< 0.000032 U	< 0.00016 U	< 0.000032 U	< 0.00016 U	< 0.00038 U	< 0.000075 UJ	< 0.000075 U
Chromium, Total	mg/L	T	0.0046	0.0061	0.0049	0.0073	0.0033	0.0037	0.006	0.0053
Cobalt	mg/L	T	0.00088	0.00044 J	0.00081 J	0.00097	0.00044 J	0.00050 J	0.0012 J+	0.0011
Fluoride	mg/L	T	0.65	1.6	0.62	0.52	0.6	0.54	0.54	0.61
Lead	mg/L	T	< 0.00022 U	< 0.00022 U	< 0.0011 U	< 0.0011 U	< 0.0011 U	< 0.00050 U	< 0.00050 UJ	< 0.00050 U
Lithium	mg/L	T	0.044	0.065	0.039	0.045	0.037	0.035	0.05	0.041
Mercury	mg/L	T	< 0.00016 U	< 0.00016 U	< 0.00016 U	< 0.00016 U	< 0.00016 U	< 0.00016 U	< 0.00016 U	< 0.00016 U
Molybdenum	mg/L	T	< 0.00062 U	0.00072 J	< 0.0031 U	< 0.00062 U	< 0.0031 U	< 0.00025 U	< 0.00025 UJ	< 0.00025 U
Radium 226 and 228	pCi/L	T	1.92	< 1.32 U	0.75	1.76	0.81	1.38	1.26	0.996
Radium-226	pCi/L	T	0.583	0.526	0.242	< 0.217 U	0.268	0.574	< 0.209 U	0.417
Radium-228	pCi/L	T	1.34	< 1.32 UG	< 0.67 U	1.55	< 0.767 U	< 1.15 UJ	1.18	< 0.763 U
Selenium	mg/L	T	0.00042 J	< 0.00022 U	< 0.0011 U	0.00040 J	< 0.00022 U	0.00017 J	0.00042 J+	0.00034 J
Thallium	mg/L	T	< 0.000075 U	< 0.000075 U	< 0.00038 U	< 0.00038 U	< 0.00038 U	< 0.00038 U	< 0.00038 UJ	< 0.00038 U
Total Suspended Solids	mg/L	T	4	15	4	1.0 J	< 4.0 U	< 4.0 U	< 4.0 U	3.0 J
Michigan CCR Part 115										
Copper	mg/L	T	< 0.00020 U	< 0.00020 U	< 0.0010 U	< 0.00020 U	< 0.00020 U	0.00025	0.00030 B	0.00024 J
Iron	mg/L	T	3.7	5.9	2.5	1.6	2	0.78	0.31	0.28
Nickel	mg/L	T	0.0016	0.015	< 0.0032 U	0.0018	0.00085 J	0.00087 J	0.0016	0.0015
Silver	mg/L	T	< 0.000050 U	< 0.000050 U	< 0.00025 U	< 0.000050 U	< 0.00025 U	< 0.00025 U	< 0.000050 U	< 0.000050 U
Vanadium	mg/L	T	< 0.00062 U	< 0.00062 U	< 0.0031 U	< 0.00062 U	< 0.00062 U	< 0.00062 U	< 0.00062 U	< 0.00062 U
Zinc	mg/L	T	0.019	< 0.0012 U	< 0.0059 U	< 0.0012 U	0.018	< 0.0012 U	0.0019	< 0.0012 U
Additional Parameters										
Bicarbonate Alkalinity	mg/L	T	1800	690	1600	1200	1100	1100	1300.00	1300
Carbonate Alkalinity	mg/L	T	< 0.16 U	< 0.16 U	< 0.16 U	< 0.16 U	< 0.16 U	< 0.31 U	< 0.31 U	< 0.16 U
Magnesium	mg/L	T	210	91	220	220	210	220	210.00	200.00
Potassium	mg/L	T	20	18	20	15	20	17	20	18.00
Sodium	mg/L	T	130	74	120	110	100	110	100.00	110.00
Total Alkalinity	mg/L	T	1800	690	1600	1200	1100	1100	1300.00	1300

Notes:

ug/l = micrograms per liter.

mg/l = milligrams per liter.

su - standard pH units (pH is a field parameter)

pCi/L = picocuries per liter.

All metals were analyzed as total unless otherwise indicated.

Qualifiers:

U The analyte was analyzed for, but not detected at, a level greater than or equal to the level of the adjusted reporting limit (RL) for the sample and method.

J The analyte was positively identified, and the associated numerical value is the approximate concentration of the analyte in the sample

(due either to the quality of the data generated because certain QC criteria were not met, or to the concentration of the analyte being below the RL).

J+ Same as J, and the reported concentration is potentially biased high.

J- Same as J, and the reported concentration is potentially biased low.

UJ The analyte was not detected at a level greater than or equal to the adjusted method detection limit (MDL). However, the reported adjusted MDL is approximate and might be inaccurate or imprecise.

R The sample results are unusable due to the quality of the data generated because certain criteria were not met. The analyte might or might not be present in the sample.

Sample Location: Compliance Phase: Sample Date: Sample Type: Unit: Sample Matrix:	MW-04									
	Background Monitoring									
	11/28/2022	1/4/2023	2/7/2023	3/14/2023	4/19/2023	5/23/2023	6/28/2023	8/7/2023		
	Field Sample	Field Sample	Field Sample	Field Sample	Field Sample	Field Sample	Field Sample	Field Sample		
	Unit 3A/B									
	Groundwater	Groundwater	Groundwater	Groundwater	Groundwater	Groundwater	Groundwater	Groundwater		
Constituent	Unit	Fraction								
Field Parameters										
Conductivity	mS/cm	N	0.24	2.47	2.56	2.04	2.81	2.82	2.81	2.74
Dissolved Oxygen	mg/L	N	0.15	0.1	0.07	0.79	0.15	0.06	0.05	0.16
Oxidation Reduction Potential	mV	N	-137.4	-113.2	-175.9	-126.6	43.2	-91.9	-113.3	-130.1
pH	su	N	7.34	7.39	7.23	7.45	7.35	7.66	7.43	7.34
Temperature	deg c	N	13.1	10.5	8.7	6.5	7.2	10.5	13.1	16.4
Turbidity	NTU	N	1.95	0.02	0.02	0.02	0.02	0.02	0.28	2.98
Appendix III										
Boron	mg/L	T	4.0	3.9	3.8	3.8	3.5	4.3	4.1 J+	4.0
Calcium	mg/L	T	310	360	350	390	340	400	410.00	330.00
Chloride	mg/L	T	180	300	200	220	220	200	190.00	160.00
Fluoride	mg/L	T	1.2	0.76	1.3	1.4	1.3	1.3	1.20	1.40
Sulfate (as SO ₄)	mg/L	T	410	1.8 J	530	580	700	690	610.00	610.00
Total Dissolved Solids	mg/L	T	1700	2100	1700	1800	1900	2100	2000.00	1900.00
Appendix IV										
Antimony	mg/L	T	0.000071 J	< 0.000050 U	< 0.00025 U	< 0.000050 U	0.00041 J	< 0.00050 U	< 0.00050 U	0.00012 J+
Arsenic	mg/L	T	0.0012	0.00078	0.0012	0.0012	0.0006	0.00047 J	0.00092 J+	0.00088
Barium	mg/L	T	0.11	0.46	0.13	0.12	0.1	0.12	0.15	0.12
Beryllium	mg/L	T	< 0.000052 U							
Cadmium	mg/L	T	< 0.000032 U	< 0.000032 U	< 0.00016 U	< 0.000032 U	< 0.00016 U	< 0.00038 U	< 0.000075 U	< 0.000075 U
Chromium, Total	mg/L	T	0.0027	0.006	0.0047	0.0049	0.0026	0.0031	0.0046	0.0044
Cobalt	mg/L	T	0.00035 J	0.00093	0.00062	0.00065	0.00031 J	0.00036 J	0.00074 J+	0.00062
Fluoride	mg/L	T	1.2	0.76	1.3	1.4	1.3	1.3	1.20	1.40
Lead	mg/L	T	< 0.00022 U	< 0.00022 U	< 0.0011 U	< 0.00022 U	< 0.0011 U	< 0.00050 U	< 0.00050 U	< 0.00010 U
Lithium	mg/L	T	0.067	0.047	0.061	0.074	0.054	0.061	0.074	0.074
Mercury	mg/L	T	< 0.00016 U							
Molybdenum	mg/L	T	0.0013	< 0.00062 U	0.00074 J	0.00086 J	< 0.0031 U	0.00041 J	0.00044 J+	0.0012
Radium 226 and 228	pCi/L	T	1.43	1.08	1.55	1.23	< 0.752 U	1.49	1.2	1.29
Radium-226	pCi/L	T	< 0.206 U	0.159	0.175	< 0.198 U	< 0.189 U	< 0.214 U	0.232	0.152 J-
Radium-228	pCi/L	T	1.28	0.916	1.38	1.16	< 0.752 U	1.33 J	0.963	1.14
Selenium	mg/L	T	< 0.00022 U	0.00041 J	< 0.00022 U	< 0.00022 U	< 0.00022 U	< 0.00010 U	0.00017 J+	0.00021 J+
Thallium	mg/L	T	< 0.000075 U	< 0.000075 U	< 0.00038 U	< 0.000075 U	< 0.00038 U	< 0.00038 U	< 0.00038 U	< 0.000075 U
Total Suspended Solids	mg/L	T	10	8	11	10	11	12	8.10	< 4.0 UJ
Michigan CCR Part 115										
Copper	mg/L	T	< 0.00020 U							
Iron	mg/L	T	4.7	6.3	5.6	6.3	6.1	6.8	6.8	5
Nickel	mg/L	T	0.012	0.0019	0.018	0.019	0.011	0.013	0.022	0.019
Silver	mg/L	T	< 0.000050 U	< 0.000050 U	< 0.00025 U	< 0.000050 U	< 0.00025 U	< 0.00025 U	< 0.000050 U	< 0.000050 U
Vanadium	mg/L	T	< 0.00062 U							
Zinc	mg/L	T	0.0044	< 0.0012 U	< 0.0012 U	< 0.0012 U	0.0059	< 0.0012 U	< 0.0012 U	< 0.0012 U
Additional Parameters										
Bicarbonate Alkalinity	mg/L	T	800	1800	720	690	720	740	730	750
Carbonate Alkalinity	mg/L	T	< 0.16 U	< 1.6 U	< 0.16 U	< 0.16 U	< 0.16 U	< 0.16 U	< 0.16 U	< 0.16 U
Magnesium	mg/L	T	96	200	110	120	120	140	130.00	120.00
Potassium	mg/L	T	21	20	20	18	21	24	26	23.00
Sodium	mg/L	T	83	110	84	83	89	100	93.00	87.00
Total Alkalinity	mg/L	T	800	1800	720	690	720	740	730	750

Notes:

ug/l - micrograms per liter.

mg/l = milligrams per liter.

su - standard pH units (pH is a field parameter)

pCi/L = picocuries per liter.

All metals were analyzed as total unless otherwise indicated.

Qualifiers:

U The analyte was analyzed for, but not detected at, a level greater than or equal to the level of the adjusted reporting limit (RL) for the sample and method.

J The analyte was positively identified, and the associated numerical value is the approximate concentration of the analyte in the sample

(due either to the quality of the data generated because certain QC criteria were not met, or to the concentration of the analyte being below the RL).

J+ Same as J, and the reported concentration is potentially biased high.

J- Same as J, and the reported concentration is potentially biased low.

UJ The analyte was not detected at a level greater than or equal to the adjusted method detection limit (MDL). However, the reported adjusted MDL is approximate and might be inaccurate or imprecise.

R The sample results are unusable due to the quality of the data generated because certain criteria were not met. The analyte might or might not be present in the sample.

Sample Location: Compliance Phase: Sample Date: Sample Type: Unit: Sample Matrix:	MW-06									
	Background Monitoring									
	11/29/2022	1/3/2023	2/6/2023	3/14/2023	4/18/2023	5/23/2023	6/28/2023	8/8/2023		
	Field Sample	Field Sample	Field Sample	Field Sample	Field Sample	Field Sample	Field Sample	Field Sample		
	Unit 1/2									
	Groundwater	Groundwater	Groundwater	Groundwater	Groundwater	Groundwater	Groundwater	Groundwater		
Constituent	Unit	Fraction								
Field Parameters										
Conductivity	mS/cm	N	1.7800000	2.1300000	2.1600000	1.9730000	2.0000000	2.0500000	2.0400000	2.0000000
Dissolved Oxygen	mg/L	N	0.1	0.6	0.07	0.14	0.35	0.08	0.24	0.38
Oxidation Reduction Potential	mV	N	38.1	-139	-193.2	-148.9	-173.5	-184.3	-182.7	-80.3
pH	su	N	7.33	7.26	6.42	7.21	7.28	7.36	7.27	7.17
Temperature	deg c	N	13.9	10.9	7.6	8.1	8.4	11.2	13.4	16.8
Turbidity	NTU	N	0.02	1.13	2.02	0.02	0.02	0.02	0.02	0.02
Appendix III										
Boron	mg/L	T	12	9.5	10	9.5	7.5	8.6	9.7 J+	9.9
Calcium	mg/L	T	220	230	250	310	250	270	290.00	230.00
Chloride	mg/L	T	160	120	110	82	57	73	71.00	76.00
Fluoride	mg/L	T	1.3	1.4	1.1	1	1.1	1	1.10	1.40
Sulfate (as SO ₄)	mg/L	T	16	9.6	20	7.3	9.4	20	16.00	0.98 J
Total Dissolved Solids	mg/L	T	1300	1200	1300	1200	1200	1200	1300.00	1200.00
Appendix IV										
Antimony	mg/L	T	0.000075 J	< 0.000050 U	< 0.00025 U	< 0.000050 U	0.00036 J	< 0.00050 U	< 0.00010 U	< 0.00010 U
Arsenic	mg/L	T	0.0008	0.00065	0.00058	0.00054 J	0.00047 J	0.00065	0.00062 J+	0.00082
Barium	mg/L	T	1.5	1.5	1.6	1.4	0.99	1.3	1.40	1.40
Beryllium	mg/L	T	< 0.000054 U	< 0.000052 U	0.000052 J	< 0.000052 U	< 0.000052 U	< 0.000052 U	< 0.000052 UJ	< 0.000052 U
Cadmium	mg/L	T	< 0.000032 U	< 0.000032 U	< 0.00016 U	< 0.000032 U	< 0.00016 U	< 0.00038 U	< 0.000075 UJ	< 0.000075 U
Chromium, Total	mg/L	T	0.0015	0.0021	0.0021	0.003	0.0014	0.0012	0.002	0.0023
Cobalt	mg/L	T	0.00048 J	0.00057	0.00067	0.00073	0.00050 J	0.00046 J	0.00080 J+	0.00067
Fluoride	mg/L	T	1.3	1.4	1.1	1	1.1	1	1.10	1.40
Lead	mg/L	T	0.00035 J	0.00025 J	< 0.0011 U	< 0.00022 U	< 0.0011 U	< 0.00050 U	0.00027 J+	< 0.00010 U
Lithium	mg/L	T	0.23	0.22	0.2	0.23	0.15	0.15	0.19	0.22
Mercury	mg/L	T	< 0.00016 U	< 0.00016 U						
Molybdenum	mg/L	T	< 0.00064 U	< 0.00062 U	< 0.00062 U	< 0.00062 U	< 0.0031 U	0.00026 J	0.00027 J+	< 0.00025 U
Radium 226 and 228	pCi/L	T	0.864	0.637	< 0.715 U	1.91	< 0.646 U	0.92	0.824	0.938
Radium-226	pCi/L	T	0.419	0.238	0.24	< 0.212 U	0.402	0.259	0.331	0.465
Radium-228	pCi/L	T	< 0.449 U	< 0.631 U	< 0.715 U	1.7	< 0.646 U	< 0.772 U	< 0.606 U	< 0.735 U
Selenium	mg/L	T	< 0.00022 U	0.00020 J	0.00022 J+	0.00019 J				
Thallium	mg/L	T	< 0.000076 U	< 0.000075 U	< 0.00038 U	< 0.000075 U	< 0.00038 U	< 0.00038 U	< 0.000075 UJ	< 0.000075 U
Total Suspended Solids	mg/L	T	36	45	42	65	53	43	41.00	37.00
Michigan CCR Part 115										
Copper	mg/L	T	< 0.00020 U	< 0.00020 U						
Iron	mg/L	T	15	17	16	26	19	18	18	14
Nickel	mg/L	T	0.0011 J	0.0011 J	0.0012	0.00092 J	< 0.00065 U	< 0.00065 U	0.0010 J	0.00090 J
Silver	mg/L	T	< 0.000051 U	< 0.000050 U	< 0.00025 U	< 0.000050 U	< 0.00025 U	< 0.00025 U	< 0.000050 U	< 0.000050 U
Vanadium	mg/L	T	< 0.00064 U	< 0.00062 U	< 0.00062 U					
Zinc	mg/L	T	0.06	0.019	0.0018	0.0012	0.094	< 0.0012 U	0.0018	0.0013
Additional Parameters										
Bicarbonate Alkalinity	mg/L	T	1100	1100	1000	1100	1100	990	1100.00	1100
Carbonate Alkalinity	mg/L	T	< 1.6 U	< 1.6 U	< 0.16 U	< 0.16 U	< 0.16 U	< 0.31 U	< 0.31 U	< 0.16 U
Magnesium	mg/L	T	110	95	100	96	90	100	100.00	90.00
Potassium	mg/L	T	32	24	23	20	20	23	26	24.00
Sodium	mg/L	T	110	78	84	69	63	82	87	77.00
Total Alkalinity	mg/L	T	1100	1100	1000	1100	1100	990	1100.00	1100

Notes:

ug/l - micrograms per liter.

mg/l = milligrams per liter.

su - standard pH units (pH is a field parameter)

pCi/L = picocuries per liter.

All metals were analyzed as total unless otherwise indicated.

Qualifiers:

U The analyte was analyzed for, but not detected at, a level greater than or equal to the level of the adjusted reporting limit (RL) for the sample and method.

J The analyte was positively identified, and the associated numerical value is the approximate concentration of the analyte in the sample

(due either to the quality of the data generated because certain QC criteria were not met, or to the concentration of the analyte being below the RL).

J+ Same as J, and the reported concentration is potentially biased high.

J- Same as J, and the reported concentration is potentially biased low.

UJ The analyte was not detected at a level greater than or equal to the adjusted method detection limit (MDL). However, the reported adjusted MDL is approximate and might be inaccurate or imprecise.

R The sample results are unusable due to the quality of the data generated because certain criteria were not met. The analyte might or might not be present in the sample.

Sample Location: Compliance Phase: Sample Date: Sample Type: Unit: Sample Matrix:	MW-07									
	Background Monitoring									
	11/30/2022	1/4/2023	2/7/2023	3/13/2023	4/18/2023	5/23/2023	6/27/2023	8/7/2023		
	Field Sample	Field Sample	Field Sample	Field Sample	Field Sample	Field Sample	Field Sample	Field Sample		
	Unit 3A/B & 1/2 (Nature and Extent)									
	Groundwater	Groundwater	Groundwater	Groundwater	Groundwater	Groundwater	Groundwater	Groundwater		
Constituent	Unit	Fraction								
Field Parameters										
Conductivity	mS/cm	N	0.46	1.21	1.206	1.209	1.25	1.24	1.25	1.25
Dissolved Oxygen	mg/L	N	0.12	0.3	0.08	0.21	0.03	0.23	0.43	0.72
Oxidation Reduction Potential	mV	N	57.2	-88	-103.1	-143.9	-68	-109.4	-140.5	-15.7
pH	su	N	6.88	7.04	6.93	6.58	6.86	6.93	6.88	6.65
Temperature	deg c	N	12.2	11	10	8.6	9.6	11.3	13	14.8
Turbidity	NTU	N	5.89	4.2	4.07	0.02	2.94	1.5	0.02	0.72
Appendix III										
Boron	mg/L	T	13	11	12	11	10	12	11 J+	11
Calcium	mg/L	T	140	140	140	150	130	150	160.00	120.00
Chloride	mg/L	T	15	15	14	14	14	13	13.00	13.00
Fluoride	mg/L	T	0.14	0.070 J	0.12	< 0.055 U	0.14	0.11	0.080 J	0.083 J
Sulfate (as SO ₄)	mg/L	T	29	30	33	20	17	15	18.00	19.00
Total Dissolved Solids	mg/L	T	660	470	650	500	620	660	720.00	620.00
Appendix IV										
Antimony	mg/L	T	< 0.000050 U	< 0.000050 U	< 0.000050 U	< 0.000050 U	0.000071 J	< 0.00010 U	< 0.00010 U	< 0.00010 U
Arsenic	mg/L	T	0.00023 J	0.00021 J	0.00023 J	0.00018 J	0.00013 J	0.00023 J	0.00020 J+	0.00020 J
Barium	mg/L	T	0.33	0.34	0.36	0.3	0.25	0.34	0.35	0.34
Beryllium	mg/L	T	< 0.000052 U	< 0.000052 U	0.000062 J	< 0.000052 U	< 0.000052 U	< 0.000052 U	< 0.000052 UJ	0.000066 J
Cadmium	mg/L	T	< 0.000032 U	< 0.000075 U	< 0.000075 U	< 0.000075 U				
Chromium, Total	mg/L	T	0.00038	0.0003	0.00037	0.00042	0.00028	0.00029	0.00033	0.00032
Cobalt	mg/L	T	0.00071	0.00088	0.00099	0.00099	0.00087	0.00095	0.0011 J+	0.00098
Fluoride	mg/L	T	0.14	0.070 J	0.12	< 0.055 U	0.14	0.11	0.080 J	0.083 J
Lead	mg/L	T	< 0.00022 U	< 0.00010 U	< 0.00010 UJ	< 0.00010 U				
Lithium	mg/L	T	0.0054	0.007	0.0052	0.0067	0.0083	0.0055	0.01	0.0042
Mercury	mg/L	T	< 0.00016 U	< 0.00016 U						
Molybdenum	mg/L	T	< 0.00062 U	< 0.00025 U	< 0.00025 UJ	< 0.00025 U				
Radium 226 and 228	pCi/L	T	1.12	1.26 J+	1.03	1.12	0.674	< 0.928 U	< 0.697 U	2.36
Radium-226	pCi/L	T	0.444	0.53	0.333	0.38	0.475	0.309	0.341	0.665
Radium-228	pCi/L	T	0.676	0.729 J+	0.693	< 0.835 U	< 0.559 U	< 0.928 U	< 0.697 U	1.7
Selenium	mg/L	T	< 0.00022 U	0.00010 J	< 0.00010 UJ	< 0.00010 U				
Thallium	mg/L	T	< 0.000075 U	< 0.000075 UJ	< 0.000075 U					
Total Suspended Solids	mg/L	T	44	36	35	33	33	39	39	41.00
Michigan CCR Part 115										
Copper	mg/L	T	< 0.00020 U	< 0.00020 U						
Iron	mg/L	T	16	13	13	15	14	19	17	14
Nickel	mg/L	T	< 0.00065 U	< 0.00065 U						
Silver	mg/L	T	< 0.000050 U	< 0.000050 U						
Vanadium	mg/L	T	< 0.00062 U	< 0.00062 U						
Zinc	mg/L	T	0.016	< 0.0012 U	< 0.0012 U	< 0.0012 U	0.025	< 0.0012 U	< 0.0012 U	< 0.0012 U
Additional Parameters										
Bicarbonate Alkalinity	mg/L	T	660	580	630	610	640	630	620	620
Carbonate Alkalinity	mg/L	T	< 0.16 U	< 0.16 U						
Magnesium	mg/L	T	37	37	37	38	38	40	36	35.00
Potassium	mg/L	T	5.4	5.4	5.2	5.7	4.8	4.4	4.7	5.1
Sodium	mg/L	T	53	47	47	47	59	57	56	48.00
Total Alkalinity	mg/L	T	660	580	630	610	640	630	620	620

Notes:

ug/l - micrograms per liter.

mg/l = milligrams per liter.

su - standard pH units (pH is a field parameter)

pCi/L = picocuries per liter.

All metals were analyzed as total unless otherwise indicated.

Qualifiers:

U The analyte was analyzed for, but not detected at, a level greater than or equal to the level of the adjusted reporting limit (RL) for the sample and method.

J The analyte was positively identified, and the associated numerical value is the approximate concentration of the analyte in the sample

(due either to the quality of the data generated because certain QC criteria were not met, or to the concentration of the analyte being below the RL).

J+ Same as J, and the reported concentration is potentially biased high.

J- Same as J, and the reported concentration is potentially biased low.

UJ The analyte was not detected at a level greater than or equal to the adjusted method detection limit (MDL). However, the reported adjusted MDL is approximate and might be inaccurate or imprecise.

R The sample results are unusable due to the quality of the data generated because certain criteria were not met. The analyte might or might not be present in the sample.

Sample Location: Compliance Phase:			MW-08							
			Background Monitoring							
Sample Date: Sample Type: Unit:			12/1/2022 Field Sample	1/5/2023 Field Sample	2/7/2023 Field Sample	3/14/2023 Field Sample	4/18/2023 Field Sample	5/23/2023 Field Sample	6/27/2023 Field Sample	8/8/2023 Field Sample
Sample Matrix:			Groundwater	Groundwater	Groundwater	Groundwater	Groundwater	Groundwater	Groundwater	Groundwater
Constituent	Unit	Fraction								
Field Parameters										
Conductivity	mS/cm	N	1.06	1.13	1.133	0.787	1.03	0.99	1.03	1.02
Dissolved Oxygen	mg/L	N	0.2	0.09	0.05	0.55	0.06	0.09	0.04	0.09
Oxidation Reduction Potential	mV	N	-159.3	-119.3	-133.9	-149.9	-121.2	-145.3	-103.6	-127.6
pH	su	N	7.17	6.21	7.16	7.51	7.25	7.33	7.24	7.26
Temperature	deg c	N	9.6	6.9	6.2	5.2	7.3	11.6	14	16.7
Turbidity	NTU	N	0.02	0.02	0.66	0.02	1.04	0.02	2.11	5.63
Appendix III										
Boron	mg/L	T	2.5	4.4	9.3	7.1	6.6	7.0	7.8 J+	7.1
Calcium	mg/L	T	150	160	150	150	130	140	150.00	120.00
Chloride	mg/L	T	17	23	35	30	28	25	29.00	30.00
Fluoride	mg/L	T	0.40	0.56	1.1	1.3	1.1	0.92	1.00	1.00
Sulfate (as SO ₄)	mg/L	T	13	25	5.3	26	2.0 J	< 0.41 U	< 0.41 U	< 0.41 U
Total Dissolved Solids	mg/L	T	560	480	630	480	560	550	610.00	530.00
Appendix IV										
Antimony	mg/L	T	0.000095 J	0.000054 J	0.00020 J	0.00016 J	0.00028	< 0.00010 U	0.00011 J	< 0.00010 U
Arsenic	mg/L	T	0.0069	0.021	0.049	0.045	0.050	0.041	0.038 J+	0.029
Barium	mg/L	T	1.2	1.3	1.5	1.4	1.1	1.2	1.40	1.20
Beryllium	mg/L	T	< 0.000052 U	< 0.000052 U	< 0.000052 U	< 0.000052 U	< 0.000052 U	< 0.000052 U	< 0.000052 UJ	< 0.000052 U
Cadmium	mg/L	T	< 0.000032 U	< 0.000032 U	< 0.000032 U	< 0.000032 U	< 0.000032 U	< 0.000075 U	< 0.000075 UJ	< 0.000075 U
Chromium, Total	mg/L	T	0.00067	0.00093	0.0015	0.0011	0.00084	0.0011	0.00094	0.00087
Cobalt	mg/L	T	0.00034 J	0.00045 J	0.00070	0.00060	0.00051 J	0.00059	0.00062 J+	0.00058
Fluoride	mg/L	T	0.40	0.56	1.1	1.3	1.1	0.92	1.00	1.00
Lead	mg/L	T	< 0.00022 U	< 0.00022 U	0.00086	< 0.00022 U	0.00022 J	< 0.00010 U	< 0.00010 UJ	< 0.00010 U
Lithium	mg/L	T	0.063	0.11	0.14	0.14	0.11	0.11	0.13	0.12
Mercury	mg/L	T	< 0.00016 U	< 0.00016 U	< 0.00016 U	< 0.00016 U	< 0.00016 U	< 0.00016 U	< 0.00016 U	< 0.00016 U
Molybdenum	mg/L	T	0.0024	0.0018	0.0015	0.0028	0.00095 J	0.00068 J	0.00039 J+	0.00036 J
Radium 226 and 228	pCi/L	T	1.43	1.62 J+	< 0.836 U	1.13	1.18	1.14	< 0.606 U	2.1
Radium-226	pCi/L	T	0.277	0.31	0.286	< 0.255 U	0.32	0.396	0.19	0.358
Radium-228	pCi/L	T	1.16	1.31 J+	< 0.836 U	< 1 UG	0.858	< 0.835 U	< 0.606 U	1.74 G
Selenium	mg/L	T	< 0.00022 U	< 0.00022 U	< 0.00022 U	< 0.00022 U	< 0.00022 U	0.00016 J	0.00014 J+	0.00014 J
Thallium	mg/L	T	< 0.000075 U	< 0.000075 U	< 0.000075 U	< 0.000075 U	< 0.000075 U	< 0.000075 U	< 0.000075 UJ	< 0.000075 U
Total Suspended Solids	mg/L	T	62	55	49	42	36	31	30	20
Michigan CCR Part 115										
Copper	mg/L	T	< 0.00020 U	< 0.00020 U	0.00043	< 0.00020 U	0.00045	0.00034	< 0.00020 U	< 0.00020 U
Iron	mg/L	T	32	30	21	22	18	18	15	13
Nickel	mg/L	T	0.00093 J	0.0013	0.0015	0.0013	0.0011 J	0.0011 J	0.0011 J	0.0010 J
Silver	mg/L	T	< 0.000050 U	< 0.000050 U	< 0.000050 U	< 0.000050 U	< 0.000050 U	< 0.000050 U	< 0.000050 U	< 0.000050 U
Vanadium	mg/L	T	< 0.00062 U	< 0.00062 U	< 0.00062 U	< 0.00062 U	< 0.00062 U	< 0.00062 U	< 0.00062 U	< 0.00062 U
Zinc	mg/L	T	0.054	< 0.0012 U	0.0040	0.0013	0.12	0.0014	0.0018	< 0.0012 U
Additional Parameters										
Bicarbonate Alkalinity	mg/L	T	540	510	560	470	510	490	480	480
Carbonate Alkalinity	mg/L	T	< 1.6 U	< 0.16 U	< 0.16 U	< 0.16 U	< 0.16 U	< 0.16 U	< 0.16 U	< 0.16 U
Magnesium	mg/L	T	27	30	33	27	29	28	26	26.00
Potassium	mg/L	T	8.8	12	14	7.6 J	12	11	12	12
Sodium	mg/L	T	21	27	38	33	35	35	40	36.00
Total Alkalinity	mg/L	T	540	510	560	470	510	490	480	480

Notes:

ug/l - micrograms per liter.

mg/l = milligrams per liter.

su - standard pH units (pH is a field parameter)

pCi/L = picocuries per liter.

All metals were analyzed as total unless otherwise indicated.

Qualifiers:

U The analyte was analyzed for, but not detected at, a level greater than or equal to the level of the adjusted reporting limit (RL) for the sample and method.

J The analyte was positively identified, and the associated numerical value is the approximate concentration of the analyte in the sample

(due either to the quality of the data generated because certain QC criteria were not met, or to the concentration of the analyte being below the RL).

J+ Same as J, and the reported concentration is potentially biased high.

J- Same as J, and the reported concentration is potentially biased low.

UJ The analyte was not detected at a level greater than or equal to the adjusted method detection limit (MDL). However, the reported adjusted MDL is approximate and might be inaccurate or imprecise.

R The sample results are unusable due to the quality of the data generated because certain criteria were not met. The analyte might or might not be present in the sample.

Sample Location:			MW-09							
Compliance Phase:			Background Monitoring							
Sample Date:			1/28/2022	1/4/2023	2/6/2023	3/14/2023	4/18/2023	5/23/2023	6/27/2023	8/8/2023
Sample Type:			Field Sample	Field Sample	Field Sample	Field Sample	Field Sample	Field Sample	Field Sample	Field Sample
Unit:			Unit 3A/B & 1/2 (Nature and Extent)							
Sample Matrix:			Groundwater	Groundwater	Groundwater	Groundwater	Groundwater	Groundwater	Groundwater	Groundwater
Constituent	Unit	Fraction								
Field Parameters										
Conductivity	mS/cm	N	1.33	1.49	1.593	1.472	2.02	1.95	1.95	1.92
Dissolved Oxygen	mg/L	N	0.19	0.2	1.89	0.35	0.08	0.07	0.05	0.17
Oxidation Reduction Potential	mV	N	42	-183.9	-138.4	-131.5	-112.3	-107.1	-117	-114.7
pH	su	N	7.2	7.22	7.22	7.4	7.22	7.52	7.28	7.21
Temperature	deg c	N	12.7	10.5	8.5	6.8	7.7	10.6	12.1	15
Turbidity	NTU	N	0.02	0.02	1.04	0.02	0.55	0.66	0.71	2.01
Appendix III										
Boron	mg/L	T	6.0	5.8	6.1	5.1	4.9	5.9	6.3 J+	5.7
Calcium	mg/L	T	270	230	300	400	390	410	430.00	330.00
Chloride	mg/L	T	15	17	18	16	12	11	11.00	12.00
Fluoride	mg/L	T	2.1	2.4	2.6	2.5	2.5	2.7	2.90	2.90
Sulfate (as SO4)	mg/L	T	110	83	210	480	650	580	500.00	450.00
Total Dissolved Solids	mg/L	T	960	740	1100	1400	1600	1600	1500.00	1400.00
Appendix IV										
Antimony	mg/L	T	0.000073 J	< 0.000050 U	0.00023 J	0.000092 J	0.00037 J	< 0.000050 U	< 0.00010 U	< 0.00010 U
Arsenic	mg/L	T	0.0025	0.0023	0.0023	0.0023	0.0013	0.0013	0.0027 J+	0.0024
Barium	mg/L	T	0.59	2.4	0.36	0.38	0.18	0.20	0.17	0.20
Beryllium	mg/L	T	< 0.000052 U	< 0.000052 U	< 0.000052 U	< 0.000052 U	< 0.000052 U	0.000058 J	< 0.000052 UJ	< 0.000052 U
Cadmium	mg/L	T	< 0.000032 U	< 0.000032 U	< 0.000032 U	< 0.000032 U	< 0.00016 U	< 0.00038 U	< 0.000075 UJ	< 0.000075 U
Chromium, Total	mg/L	T	0.0022	0.0028	0.0032	0.0030	0.0018	0.0019	0.0031	0.0027
Cobalt	mg/L	T	0.00035 J	0.00046 J	0.00058	0.00099	0.00053	0.00037 J	0.00069 J+	0.00075
Fluoride	mg/L	T	2.1	2.4	2.6	2.5	2.5	2.7	2.90	2.90
Lead	mg/L	T	< 0.00022 U	< 0.00022 U	< 0.0011 U	< 0.00022 U	< 0.0011 U	< 0.00050 U	< 0.00010 UJ	< 0.00010 U
Lithium	mg/L	T	0.29	0.34	0.33	0.31	0.26	0.29	0.34	0.33
Mercury	mg/L	T	< 0.00016 U	< 0.00016 U	< 0.00016 U	< 0.00016 U	< 0.00016 U	< 0.00016 U	< 0.00016 U	< 0.00016 U
Molybdenum	mg/L	T	0.028	0.033	0.029	0.021	0.020	0.012	0.019 J+	0.019
Radium 226 and 228	pCi/L	T	0.789	< 0.678 U	< 0.642 UJ	< 0.796 U	< 0.688 U	< 0.912 U	< 0.742 U	< 0.821 U
Radium-226	pCi/L	T	< 0.16 U	< 0.0959 U	< 0.125 UJ	< 0.223 U	< 0.184 U	< 0.22 U	< 0.186 U	< 0.163 U
Radium-228	pCi/L	T	0.69	< 0.678 U	< 0.642 UJ	< 0.796 U	< 0.688 U	< 0.912 U	< 0.742 U	< 0.821 U
Selenium	mg/L	T	0.00026 J	< 0.00022 U	0.00028 J	0.00024 J	< 0.00022 U	0.00012 J	0.00027 J+	0.00026 J
Thallium	mg/L	T	< 0.000075 U	< 0.000075 U	< 0.00038 U	< 0.000075 U	< 0.00038 U	< 0.00038 U	< 0.000075 UJ	< 0.000075 U
Total Suspended Solids	mg/L	T	45	51	52	50	56	52	46	48
Michigan CCR Part 115										
Copper	mg/L	T	< 0.00020 U	< 0.00020 U	< 0.00020 U	< 0.00020 U	< 0.00020 U	< 0.00020 U	< 0.00020 U	0.00043
Iron	mg/L	T	17	19	19	24	25	25	19	16
Nickel	mg/L	T	0.00088 J	0.0020	0.0020	0.0033	0.0018	0.0010 J	0.0012	0.0012
Silver	mg/L	T	< 0.000050 U	< 0.000050 U	< 0.000050 U	< 0.000050 U	< 0.00025 U	< 0.00025 U	< 0.000050 U	< 0.000050 U
Vanadium	mg/L	T	< 0.00062 U	< 0.00062 U	< 0.00062 U	< 0.00062 U	< 0.00062 U	< 0.00062 U	< 0.00062 U	< 0.00062 U
Zinc	mg/L	T	0.025	0.0015	< 0.0012 UJ	< 0.0012 U	0.018	< 0.0012 U	< 0.0012 U	< 0.0012 U
Additional Parameters										
Bicarbonate Alkalinity	mg/L	T	750	710	750	620	610	400	720	660
Carbonate Alkalinity	mg/L	T	< 1.6 U	< 0.16 U	< 0.16 U	< 0.16 U	< 0.16 U	< 0.16 U	< 0.16 U	< 0.16 U
Magnesium	mg/L	T	38	36	44	50	53	53	47	46.00
Potassium	mg/L	T	13	16	16	10 J	15	14	16	17
Sodium	mg/L	T	29	28	26	26	26	29	30	27.00
Total Alkalinity	mg/L	T	750	710	750	620	610	400	720	660

Notes:

ug/l = micrograms per liter.

mg/l = milligrams per liter.

su - standard pH units (pH is a field parameter)

pCi/L = picocuries per liter.

All metals were analyzed as total unless otherwise indicated.

Qualifiers:

U The analyte was analyzed for, but not detected at, a level greater than or equal to the level of the adjusted reporting limit (RL) for the sample and method.

J The analyte was positively identified, and the associated numerical value is the approximate concentration of the analyte in the sample

(due either to the quality of the data generated because certain QC criteria were not met, or to the concentration of the analyte being below the RL).

J+ Same as J, and the reported concentration is potentially biased high.

J- Same as J, and the reported concentration is potentially biased low.

UJ The analyte was not detected at a level greater than or equal to the adjusted method detection limit (MDL). However, the reported adjusted MDL is approximate and might be inaccurate or imprecise.

R The sample results are unusable due to the quality of the data generated because certain criteria were not met. The analyte might or might not be present in the sample.

Sample Location:			MW-10							
Compliance Phase:			Background Monitoring							
Sample Date:			1/29/2022	1/4/2023	2/6/2023	3/14/2023	4/18/2023	5/23/2023	6/27/2023	8/8/2023
Sample Type:			Field Sample	Field Sample	Field Sample	Field Sample	Field Sample	Field Sample	Field Sample	Field Sample
Unit:			Unit 3A/B & 1/2 (Nature and Extent)							
Sample Matrix:			Groundwater	Groundwater	Groundwater	Groundwater	Groundwater	Groundwater	Groundwater	Groundwater
Constituent	Unit	Fraction								
Field Parameters										
Conductivity	mS/cm	N	1.96	2.48	2.34	2.16	2.51	2.18	2.83	3.19
Dissolved Oxygen	mg/L	N	0.08	0.04	0.07	0.05	0.02	0.03	0.11	0.02
Oxidation Reduction Potential	mV	N	-20.3	-245.6	-222.9	-200.2	-189.2	-197.6	-216.2	-168
pH	su	N	7.85	7.79	7.05	8.19	7.96	8.81	7.85	7.74
Temperature	deg c	N	11.1	7.7	5.9	4.6	6.5	10.3	13.4	17
Turbidity	NTU	N	0.02	0.02	0.65	0.02	0.29	2.21	0.02	1.01
Appendix III										
Boron	mg/L	T	25	14	9.7	4.5	9.2	17	26 J+	28.00
Calcium	mg/L	T	220	220	280	460	280	210	210.00	160.00
Chloride	mg/L	T	220	170	130	92	140	160	320.00	430.00
Fluoride	mg/L	T	7.1	5.7	4.0	2.7	4.6	6.5	7.30	7.70
Sulfate (as SO4)	mg/L	T	490	620	880	360	950	410	200.00	140.00
Total Dissolved Solids	mg/L	T	1700	1800	1800	2400	1900	1500	1700.00	1900.00
Appendix IV										
Antimony	mg/L	T	0.00013 J	< 0.000050 U	< 0.000025 U	< 0.000050 U	0.00034 J	< 0.000050 U	0.00011 J	0.00011 J
Arsenic	mg/L	T	0.00049 J	0.00034 J	0.00038 J	0.00037 J	0.00020 J	0.00055	0.00073 J+	0.0011
Barium	mg/L	T	0.32	0.57	0.28	0.23	0.14	0.16	0.23	0.28
Beryllium	mg/L	T	< 0.000054 U	0.000071 J	< 0.000052 U	0.000054 J	< 0.000052 U	0.00022 J	0.000092 J+	0.00015 J
Cadmium	mg/L	T	< 0.000032 U	< 0.000032 U	< 0.00016 U	< 0.000032 U	< 0.00016 U	< 0.00038 U	< 0.000075 UJ	< 0.000075 U
Chromium, Total	mg/L	T	0.0040	0.0050	0.0026	0.0018	0.0019	0.0042	0.0070	0.0085
Cobalt	mg/L	T	0.00038 J	0.00040 J	0.00041 J	0.00053	0.00030 J	0.0018	0.00068 J+	0.00090
Fluoride	mg/L	T	7.1	5.7	4.0	2.7	4.6	6.5	7.30	7.70
Lead	mg/L	T	< 0.00023 U	< 0.00022 U	< 0.0011 U	< 0.0011 U	< 0.0011 U	< 0.00050 U	< 0.00010 UJ	0.00012 J
Lithium	mg/L	T	0.92	0.83	0.54	1.6	0.99	0.83	1.1	1.2
Mercury	mg/L	T	< 0.00016 U	< 0.00016 U	< 0.00016 U	< 0.00016 U	< 0.00016 U	< 0.00016 U	< 0.00016 U	< 0.00016 U
Molybdenum	mg/L	T	0.0072	0.0033	0.0048	0.0036	0.0035 J	0.0056	0.0019 J+	0.0028
Radium 226 and 228	pCi/L	T	< 0.775 U	< 0.645 U	1.36	< 1.09 U	< 0.605 UJ	< 0.801 U	< 0.752 U	< 0.736 U
Radium-226	pCi/L	T	< 0.171 U	< 0.119 U	< 0.121 U	< 0.231 U	< 0.155 UJ	< 0.248 U	< 0.179 U	< 0.142 U
Radium-228	pCi/L	T	< 1 U	< 0.645 U	1.31	< 1.09 UG	< 0.605 UJ	< 0.801 U	< 0.752 U	< 0.736 U
Selenium	mg/L	T	0.00031 J	0.00028 J	0.00031 J	0.00046 J	< 0.00022 U	0.00039 J	0.00036 J+	0.00041 J
Thallium	mg/L	T	< 0.000076 U	< 0.000075 U	< 0.00038 U	< 0.00038 U	< 0.00038 U	< 0.00038 U	< 0.000075 UJ	< 0.000075 U
Total Suspended Solids	mg/L	T	4.0	4.0	1.0 J	9.0	8.0 J+	2.0 J	< 4.0 U	2.0 J
Michigan CCR Part 115										
Copper	mg/L	T	0.00049	< 0.00020 U	< 0.00020 U	< 0.00020 U	< 0.00020 U	0.0013	< 0.00020 U	< 0.00020 U
Iron	mg/L	T	3.7	3.7	3.9	7.2	7.3	6.2	4.5	3.2
Nickel	mg/L	T	0.00089 J	0.00087 J	< 0.00065 U	< 0.00065 U	< 0.00065 U	0.0018	0.00088 J	0.0012
Silver	mg/L	T	< 0.000051 U	< 0.000050 U	< 0.00025 U	< 0.000050 U	< 0.00025 U	< 0.00025 U	< 0.000050 U	< 0.000050 U
Vanadium	mg/L	T	< 0.00064 U	< 0.00062 U	< 0.00062 U	< 0.00062 U	< 0.00062 U	0.0013	< 0.00062 U	< 0.00062 U
Zinc	mg/L	T	0.014	0.0012	< 0.0012 U	< 0.0012 U	0.013	0.0018	0.0012	0.0014
Additional Parameters										
Bicarbonate Alkalinity	mg/L	T	680	580	320	140	340	540	720	770
Carbonate Alkalinity	mg/L	T	< 1.6 U	< 0.16 U	< 0.16 U	< 0.16 U	< 0.16 U	< 0.16 U	< 0.16 U	< 0.16 U
Magnesium	mg/L	T	85	86	91	95	76	63	59	58.00
Potassium	mg/L	T	44	33	31	40	42	36	46	48.00
Sodium	mg/L	T	220	160	120	140	160	190	310.00	390.00
Total Alkalinity	mg/L	T	680	580	320	140	340	540	720	770

Notes:

ug/l = micrograms per liter.

mg/l = milligrams per liter.

su - standard pH units (pH is a field parameter)

pCi/L = picocuries per liter.

All metals were analyzed as total unless otherwise indicated.

Qualifiers:

U The analyte was analyzed for, but not detected at, a level greater than or equal to the level of the adjusted reporting limit (RL) for the sample and method.

J The analyte was positively identified, and the associated numerical value is the approximate concentration of the analyte in the sample

(due either to the quality of the data generated because certain QC criteria were not met, or to the concentration of the analyte being below the RL).

J+ Same as J, and the reported concentration is potentially biased high.

J- Same as J, and the reported concentration is potentially biased low.

UJ The analyte was not detected at a level greater than or equal to the adjusted method detection limit (MDL). However, the reported adjusted MDL is approximate and might be inaccurate or imprecise.

R The sample results are unusable due to the quality of the data generated because certain criteria were not met. The analyte might or might not be present in the sample.

Sample Location: Compliance Phase:			MW-11 Background Monitoring							
Sample Date: Sample Type: Unit: Sample Matrix:			11/29/2022 Field Sample	1/3/2023 Field Sample	2/8/2023 Field Sample	3/14/2023 Field Sample	4/18/2023 Field Sample	5/23/2023 Field Sample	6/28/2023 Field Sample	8/8/2023 Field Sample
			Unit 3A/B							
Constituent	Unit	Fraction								
Field Parameters										
Conductivity	mS/cm	N	1.38	1.4	1.9	1.413	1.77	1.76	1.85	1.68
Dissolved Oxygen	mg/L	N	0.1	0.31	0.25	0.19	0.23	0.09	0.13	0.22
Oxidation Reduction Potential	mV	N	76.8	-142.4	-161.7	-121	-157.9	-136.5	-64.7	-27.6
pH	su	N	7.28	7.32	7.4	7.47	7.33	7.34	7.31	7.22
Temperature	deg c	N	13.6	11.7	9.9	7.5	7.8	10.6	13.2	15.3
Turbidity	NTU	N	0.02	1.53	0.02	0.02	0.02	1.25	5.01	0.02
Appendix III										
Boron	mg/L	T	8.5	13	4.8 B	2.8	1.5	2.0	3.0 J+	7.2
Calcium	mg/L	T	240	130	300	380	320	320	350.00	240.00
Chloride	mg/L	T	95	84	78	62	52	53	72.00	73.00
Fluoride	mg/L	T	0.81	1.4	0.37	0.32	0.21	0.22	0.25	0.69
Sulfate (as SO ₄)	mg/L	T	13 J	10	42	180	210	87	17.00	1.8 J
Total Dissolved Solids	mg/L	T	970 J-	680	1200	1100	1200	1200	1100.00	930.00
Appendix IV										
Antimony	mg/L	T	0.000082 J	0.00069	< 0.000050 U	< 0.000050 U	0.00028 J	< 0.000050 U	< 0.00010 U	< 0.00010 U
Arsenic	mg/L	T	0.0017	0.0041	0.0016	0.0011	0.00061	0.0010	0.0012 J+	0.0019
Barium	mg/L	T	0.74	1.2	0.59	0.60	0.36	0.41	0.50	0.57
Beryllium	mg/L	T	< 0.000052 U	0.000091 J	< 0.000052 U	< 0.000052 U	< 0.000052 U	< 0.000052 U	< 0.000052 UJ	< 0.000052 U
Cadmium	mg/L	T	< 0.000032 U	0.00073	< 0.000032 U	< 0.000032 U	< 0.00016 U	< 0.00038 U	< 0.00075 UJ	< 0.000075 U
Chromium, Total	mg/L	T	0.00080	0.0086	0.0010	0.00087	0.00045	0.00052	0.0012	0.0018
Cobalt	mg/L	T	0.00036 J	0.0012	0.00061	0.00072	0.00040 J	0.00040 J	0.00066 J+	0.00061
Fluoride	mg/L	T	0.81	1.4	0.37	0.32	0.21	0.22	0.25	0.69
Lead	mg/L	T	0.0025	0.068	0.0018 J	< 0.00022 U	< 0.0011 U	< 0.00050 U	0.0038 J+	0.00017 J
Lithium	mg/L	T	0.10	0.22	0.052	0.028	0.0059	0.0084	0.022	0.095
Mercury	mg/L	T	< 0.00016 U	< 0.00016 U	< 0.00016 U	< 0.00016 U	< 0.00016 U	< 0.00016 U	< 0.00016 U	< 0.00016 U
Molybdenum	mg/L	T	0.0017	0.0029	0.0015	< 0.00062 U	< 0.00062 U	0.00043 J	0.00066 J+	0.0013
Radium 226 and 228	pCi/L	T	1.19	1.32	< 0.91 U	1.07	1.67	0.812	< 1 U	1.76
Radium-226	pCi/L	T	0.445	0.422	0.352	0.304	0.406	0.228	0.243	0.409
Radium-228	pCi/L	T	0.75	0.903	< 0.91 U	< 0.84 U	1.26	< 0.721 U	< 1 U	1.35
Selenium	mg/L	T	0.00022 J	0.00031 J	< 0.00022 U	< 0.00022 U	< 0.00022 U	0.00014 J	0.00016 J+	0.00021 J
Thallium	mg/L	T	< 0.000075 U	< 0.000075 U	< 0.00038 U	< 0.000075 U	< 0.00038 U	< 0.00038 U	< 0.000075 UJ	< 0.000075 U
Total Suspended Solids	mg/L	T	21	35	10	11	4.0	< 4.0 U	4.0	6.0
Michigan CCR Part 115										
Copper	mg/L	T	0.00043	0.019	0.00047	< 0.00020 U	< 0.00020 U	0.00024 J	0.00056 B	0.0016
Iron	mg/L	T	8.7	10	4.9	6.1	3.6	3.8	4.2	6.7
Nickel	mg/L	T	0.0013	0.0094	0.0015	0.0012	0.00065 J	0.00068 J	0.0013	0.0018
Silver	mg/L	T	< 0.000050 U	0.00014	< 0.000050 U	< 0.000050 U	< 0.00025 U	< 0.00025 U	< 0.000050 U	< 0.000050 U
Vanadium	mg/L	T	< 0.00062 U	0.00062 J	< 0.00062 U	< 0.00062 U	< 0.00062 U	< 0.00062 U	< 0.00062 U	< 0.00062 U
Zinc	mg/L	T	0.032	0.10	0.0085	< 0.0012 U	0.033	< 0.0012 U	0.0049	0.0031
Additional Parameters										
Bicarbonate Alkalinity	mg/L	T	840	600	860	810	800	840	890	800
Carbonate Alkalinity	mg/L	T	< 1.6 U	< 0.16 U	< 0.16 U	< 0.16 U	< 0.16 U	< 0.16 U	< 0.16 U	< 0.16 U
Magnesium	mg/L	T	60	55	63	67	60	55	55	56.00
Potassium	mg/L	T	15	19	11	8.5	5.7	5.5	8.1	14
Sodium	mg/L	T	57	70	37	25	21	26	38	50.00
Total Alkalinity	mg/L	T	840	600	860	810	800	840	890	800

Notes:

ug/l = micrograms per liter.

mg/l = milligrams per liter.

su - standard pH units (pH is a field parameter)

pCi/L = picocuries per liter.

All metals were analyzed as total unless otherwise indicated.

Qualifiers:

U The analyte was analyzed for, but not detected at, a level greater than or equal to the level of the adjusted reporting limit (RL) for the sample and method.

J The analyte was positively identified, and the associated numerical value is the approximate concentration of the analyte in the sample

(due either to the quality of the data generated because certain QC criteria were not met, or to the concentration of the analyte being below the RL).

J+ Same as J, and the reported concentration is potentially biased high.

J- Same as J, and the reported concentration is potentially biased low.

UJ The analyte was not detected at a level greater than or equal to the adjusted method detection limit (MDL). However, the reported adjusted MDL is approximate and might be inaccurate or imprecise.

R The sample results are unusable due to the quality of the data generated because certain criteria were not met. The analyte might or might not be present in the sample.

Sample Location:			MW-12							
Compliance Phase:			Background Monitoring							
Sample Date:			11/28/2022	1/3/2023	2/7/2023	3/13/2023	4/19/2023	5/23/2023	6/27/2023	8/7/2023
Sample Type:			Field Sample	Field Sample	Field Sample	Field Sample	Field Sample	Field Sample	Field Sample	Field Sample
Unit:			Unit 3A/B							
Sample Matrix:			Groundwater	Groundwater	Groundwater	Groundwater	Groundwater	Groundwater	Groundwater	Groundwater
Constituent	Unit	Fraction								
Field Parameters										
Conductivity	mS/cm	N	0.459	0.387	0.542	0.311	0.52	0.44	0.55	0.67
Dissolved Oxygen	mg/L	N	1.62	8.72	8.46	10.31	1.03	2.93	0.12	0.08
Oxidation Reduction Potential	mV	N	93.4	47.4	-14.8	87.6	26.2	131	54.9	-30.1
pH	su	N	7.67	7	7.8	8.16	7.92	7.77	7.52	7.47
Temperature	deg c	N	8.8	3.3	1.3	3	9.7	13.9	17.5	20.9
Turbidity	NTU	N	0.02	0.02	0.02	0.02	0.02	1.92	0.02	0.02
Appendix III										
Boron	mg/L	T	0.39	0.24	0.26	0.19	0.20	0.27	0.33 J+	0.36
Calcium	mg/L	T	77	46	78	77	55	63	64	95.00
Chloride	mg/L	T	24	16	27	18	16	15	17.00	22.00
Fluoride	mg/L	T	0.54	0.43	0.23	0.48	0.23	0.22	0.26	0.28
Sulfate (as SO4)	mg/L	T	180	130	180	120	110	99	110.00	130.00
Total Dissolved Solids	mg/L	T	360	210	340	200	260	270	330.00	420
Appendix IV										
Antimony	mg/L	T	0.00071	0.0011	0.00076	0.00053	0.00094	0.00092	0.00064	0.00040
Arsenic	mg/L	T	0.0028	0.0019	0.0018	0.0014	0.0019	0.0024	0.0029 J+	0.0034
Barium	mg/L	T	0.030	0.017	0.024	0.025	0.022	0.032	0.043	0.053
Beryllium	mg/L	T	< 0.000052 U	< 0.000052 U	< 0.000052 U	< 0.000052 U	< 0.000052 U	< 0.000052 U	< 0.000052 UJ	< 0.000052 U
Cadmium	mg/L	T	0.00067	0.00078	0.0014	0.00062	0.0012	0.0016	0.0024 J+	0.0022
Chromium, Total	mg/L	T	0.00034	0.00048	0.00046	0.00067	0.00054	< 0.00020 U	< 0.00020 U	< 0.00020 U
Cobalt	mg/L	T	0.00019 J	< 0.00010 U	0.00014 J	< 0.00010 U	< 0.00010 U	0.00026 J	0.00050 J+	0.00053
Fluoride	mg/L	T	0.54	0.43	0.23	0.48	0.23	0.22	0.26	0.28
Lead	mg/L	T	< 0.00022 U	< 0.00022 U	< 0.00022 U	< 0.00022 U	< 0.00022 U	0.00015 J	0.00014 J+	0.00021 J
Lithium	mg/L	T	0.0037	0.0033	0.0022 J	0.0025 J+	0.0037	0.0043	0.0064	0.0042
Mercury	mg/L	T	< 0.00016 U	< 0.00016 U	< 0.00016 U	< 0.00016 U	< 0.00016 U	< 0.00016 U	< 0.00016 U	< 0.00016 U
Molybdenum	mg/L	T	0.0087	0.0072	0.0067	0.0056	0.0057	0.0069	0.0082 J+	0.0088
Radium 226 and 228	pCi/L	T	< 0.543 U	< 0.459 U	< 0.685 U	< 0.619 U	0.809	1.09	< 0.59 UJ	< 0.578 UJ
Radium-226	pCi/L	T	< 0.13 U	< 0.0702 U	< 0.0727 U	< 0.126 U	< 0.129 U	< 0.136 U	< 0.124 U	< 0.106 UJ
Radium-228	pCi/L	T	< 0.543 U	< 0.459 U	< 0.685 U	< 0.619 U	0.793	1.07	< 0.59 UJ	< 0.578 UJ
Selenium	mg/L	T	0.0015	0.0022	0.0023	0.00093	0.0017	0.00076	0.00021 J+	0.00013 J
Thallium	mg/L	T	< 0.000075 U	< 0.000075 U	< 0.000075 U	< 0.000075 U	< 0.000075 U	< 0.000075 U	< 0.000075 UJ	< 0.000075 U
Total Suspended Solids	mg/L	T	< 4.0 U	< 4.0 U	2.0 J	< 4.0 U	1.0 J	< 4.0 U	< 4.0 UJ	0.98 J+
Michigan CCR Part 115										
Copper	mg/L	T	0.00055	0.00092	0.0010	0.0010	0.0015	0.0016	0.0012 B	0.00094
Iron	mg/L	T	< 0.26 U	< 0.026 U	0.033 J	0.027 J	< 0.026 U	< 0.026 U	0.051	0.064
Nickel	mg/L	T	0.0025	0.0023	0.0035	0.0016	0.0021	0.0025	0.0031	0.0035
Silver	mg/L	T	< 0.000050 U	< 0.000050 U	< 0.000050 U	< 0.000050 U	< 0.000050 U	< 0.000050 U	< 0.000050 U	< 0.000050 U
Vanadium	mg/L	T	< 0.00062 U	< 0.00062 U	< 0.00062 U	< 0.00062 U	0.00085 J	0.0013	0.0012	0.00095 J
Zinc	mg/L	T	0.0068	0.0080	0.0095	0.0037	0.0090	0.0074	0.0085	0.010
Additional Parameters										
Bicarbonate Alkalinity	mg/L	T	86	55	52	46	85	95	140	140
Carbonate Alkalinity	mg/L	T	< 1.6 U	< 0.16 U	< 0.16 U	< 0.16 U	< 0.16 U	< 0.16 U	< 0.16 U	< 0.16 U
Magnesium	mg/L	T	17	12	2.4	12	13	15	14	19
Potassium	mg/L	T	1.3	0.70	0.74	0.82	1.0	1.3	1.3	1.8
Sodium	mg/L	T	13	11	14	9.9	9.4	11	11	14
Total Alkalinity	mg/L	T	86	55	52	46	85	95	140	140

Notes:

ug/l = micrograms per liter.

mg/l = milligrams per liter.

su - standard pH units (pH is a field parameter)

pCi/L = picocuries per liter.

All metals were analyzed as total unless otherwise indicated.

Qualifiers:

U The analyte was analyzed for, but not detected at, a level greater than or equal to the level of the adjusted reporting limit (RL) for the sample and method.

J The analyte was positively identified, and the associated numerical value is the approximate concentration of the analyte in the sample

(due either to the quality of the data generated because certain QC criteria were not met, or to the concentration of the analyte being below the RL).

J+ Same as J, and the reported concentration is potentially biased high.

J- Same as J, and the reported concentration is potentially biased low.

UJ The analyte was not detected at a level greater than or equal to the adjusted method detection limit (MDL). However, the reported adjusted MDL is approximate and might be inaccurate or imprecise.

R The sample results are unusable due to the quality of the data generated because certain criteria were not met. The analyte might or might not be present in the sample.

Sample Location:			MW-18							
Compliance Phase:			Background Monitoring							
Sample Date:			1/30/2022	1/5/2023	2/8/2023	3/13/2023	4/18/2023	5/22/2023	6/27/2023	8/8/2023
Sample Type:			Field Sample	Field Sample	Field Sample	Field Sample	Field Sample	Field Sample	Field Sample	Field Sample
Unit:			Unit 1/2							
Sample Matrix:			Groundwater	Groundwater	Groundwater	Groundwater	Groundwater	Groundwater	Groundwater	Groundwater
Constituent	Unit	Fraction								
Field Parameters										
Conductivity	mS/cm	N	1.54	2.06	1.788	1.554	1.4	1.52	1.62	1.46
Dissolved Oxygen	mg/L	N	0.09	0.19	0.72	0.22	0.34	0.15	0.29	0.05
Oxidation Reduction Potential	mV	N	66.8	-126.8	-70.8	-69.8	-31.3	-22.1	-88.4	-92.8
pH	su	N	7.05	7.02	7.2	7.12	7.19	7.16	7.16	7.25
Temperature	deg c	N	9.9	6.5	5.2	3.8	6.3	11.3	17.2	17.8
Turbidity	NTU	N	0.02	0.02	0.09	0.02	0.52	0.02	0.02	7.06
Appendix III										
Boron	mg/L	T	2.2	2.0	2.3	1.9	1.8	2.6	2.7 J+	2.3
Calcium	mg/L	T	450	410	380	330	270	340	240.00	250.00
Chloride	mg/L	T	28	26	22	19	16	19	24.00	27.00
Fluoride	mg/L	T	3.5	3.3	3.5	3.8	3.8	3.9	4.40	5.10
Sulfate (as SO ₄)	mg/L	T	1200	1200	480	740	660	780	760.00	620.00
Total Dissolved Solids	mg/L	T	1800	1700	1600	1200	1200	1400	1400.00	1100.00
Appendix IV										
Antimony	mg/L	T	0.00012 J	0.00013 J	0.00032 J	0.00014 J	0.00030	< 0.00050 U	0.00012 J	< 0.00010 U
Arsenic	mg/L	T	0.029	0.020	0.023	0.019	0.021	0.015	0.029 J+	0.030
Barium	mg/L	T	0.021	0.018	0.015	0.012	0.013	0.023	0.024	0.023
Beryllium	mg/L	T	< 0.000052 U	< 0.000052 U	< 0.000052 U	< 0.000052 U	< 0.000052 U	< 0.000052 U	< 0.000052 UJ	< 0.000052 U
Cadmium	mg/L	T	0.00022 J	0.00030	< 0.00016 U	0.00018 J	0.00018 J	0.00044 J	0.00030 J+	0.000089 J
Chromium, Total	mg/L	T	< 0.00018 U	< 0.00018 U	< 0.00018 U	< 0.00018 U	< 0.00018 U	0.00025 J+	< 0.00020 U	< 0.00020 U
Cobalt	mg/L	T	0.0060	0.0054	0.0048	0.0032	0.0020	0.0019	0.0032 J+	0.0023
Fluoride	mg/L	T	3.5	3.3	3.5	3.8	3.8	3.9	4.40	5.10
Lead	mg/L	T	< 0.00022 U	< 0.00022 U	< 0.0011 U	< 0.00022 U	< 0.00022 U	< 0.00050 U	0.00016 J+	0.00032 J
Lithium	mg/L	T	0.044	0.042	0.029	0.027	0.026	0.029	0.041	0.045
Mercury	mg/L	T	< 0.00016 U	< 0.00016 U	< 0.00016 U	< 0.00016 U	< 0.00016 U	< 0.00016 U	< 0.00016 U	< 0.00016 U
Molybdenum	mg/L	T	0.013	0.012	0.011	0.013	0.014	0.0090	0.019 J+	0.021
Radium 226 and 228	pCi/L	T	0.618	< 0.478 U	< 0.501 U	< 0.592 U	1.27	< 0.701 UJ	< 0.872 U	0.73
Radium-226	pCi/L	T	< 0.131 U	< 0.0981 U	< 0.083 U	< 0.202 U	< 0.137 U	< 0.122 UJ	< 0.124 U	< 0.105 U
Radium-228	pCi/L	T	0.584	< 0.478 U	< 0.501 U	< 0.592 U	1.24	< 0.701 UJ	< 0.872 U	0.713
Selenium	mg/L	T	0.00031 J	0.00041 J	0.00034 J	0.00086	0.00079	0.00016 J	0.00018 J+	0.00016 J
Thallium	mg/L	T	< 0.000075 U	< 0.000075 U	< 0.00038 U	< 0.000075 U	< 0.000075 U	< 0.00038 U	< 0.000075 UJ	< 0.000075 U
Total Suspended Solids	mg/L	T	12	4.0	13	2.0 J	6.0	6.0	11	7.90
Michigan CCR Part 115										
Copper	mg/L	T	0.00043	0.00043	0.00043	0.00043	0.00062	0.00055	0.00088 B	0.0015
Iron	mg/L	T	10	8.6	6.8	5.4	4.3	5.3	5.8	4.9
Nickel	mg/L	T	0.011	0.011	0.0094	0.0074	0.0051	0.0050	0.0075	0.0049
Silver	mg/L	T	< 0.000050 U	< 0.000050 U	< 0.00025 U	< 0.000050 U	< 0.000050 U	< 0.00025 U	< 0.000050 U	< 0.000050 U
Vanadium	mg/L	T	< 0.00062 U	< 0.00062 U	< 0.00062 U	< 0.00062 U	< 0.00062 U	< 0.00062 U	< 0.00062 U	< 0.00062 U
Zinc	mg/L	T	0.074	0.088	0.060	0.068	0.043	0.038	0.061	0.028
Additional Parameters										
Bicarbonate Alkalinity	mg/L	T	160	110	100	130	140	130	150	200
Carbonate Alkalinity	mg/L	T	< 1.6 U	< 0.16 U	< 0.16 U	< 0.16 U	< 0.16 U	< 0.16 U	< 0.16 U	< 0.16 U
Magnesium	mg/L	T	37	36	33	26	22	29	28	21
Potassium	mg/L	T	11	12	11	9.4	8.7	10	11	11
Sodium	mg/L	T	21	20	21	17	15	18	20	20
Total Alkalinity	mg/L	T	160	110	100	130	140	130	150	200

Notes:

ug/l = micrograms per liter.

mg/l = milligrams per liter.

su - standard pH units (pH is a field parameter)

pCi/L = picocuries per liter.

All metals were analyzed as total unless otherwise indicated.

Qualifiers:

U The analyte was analyzed for, but not detected at, a level greater than or equal to the level of the adjusted reporting limit (RL) for the sample and method.

J The analyte was positively identified, and the associated numerical value is the approximate concentration of the analyte in the sample

(due either to the quality of the data generated because certain QC criteria were not met, or to the concentration of the analyte being below the RL).

J+ Same as J, and the reported concentration is potentially biased high.

J- Same as J, and the reported concentration is potentially biased low.

UJ The analyte was not detected at a level greater than or equal to the adjusted method detection limit (MDL). However, the reported adjusted MDL is approximate and might be inaccurate or imprecise.

R The sample results are unusable due to the quality of the data generated because certain criteria were not met. The analyte might or might not be present in the sample.

Sample Location:		MW-19								
Compliance Phase:		Background Monitoring								
Sample Date:		11/30/2022	1/3/2023	2/8/2023	3/13/2023	4/18/2023	5/22/2023	6/28/2023	8/7/2023	
Sample Type:		Field Sample	Field Sample	Field Sample	Field Sample	Field Sample	Field Sample	Field Sample	Field Sample	
Unit:		Unit 1/2								
Sample Matrix:		Groundwater	Groundwater	Groundwater	Groundwater	Groundwater	Groundwater	Groundwater	Groundwater	
Constituent	Unit	Fraction								
Field Parameters										
Conductivity	mS/cm	N	1.91	2.56	2,493	2,196	2.31	2.29	1.98	20.4
Dissolved Oxygen	mg/L	N	0.12	0.41	1.03	0.13	0.02	0.09	0.32	0.4
Oxidation Reduction Potential	mV	N	68.7	-134.8	-70.2	-77.1	-7.9	-118.4	-112.9	-36.8
pH	su	N	7	6.39	6.98	6.9	6.92	7.07	6.9	6.82
Temperature	deg c	N	9.2	7.3	6.3	5.7	8	11.4	13.9	16.7
Turbidity	NTU	N	0.02	1.6	2.27	0.02	2.59	0.02	0.02	0.02
Appendix III										
Boron	mg/L	T	2.6	2.0	2.2	1.5	1.6	1.8	2.3 J+	1.9
Calcium	mg/L	T	530	510	550	510	450 E	480	460.00	360.00
Chloride	mg/L	T	75	64	66	46	42	40	37.00	38.00
Fluoride	mg/L	T	2.2	2.3	1.9	1.7	1.8	1.9	1.90	2.20
Sulfate (as SO4)	mg/L	T	1300	1300	600	1100	1200	1100	800.00	830.00
Total Dissolved Solids	mg/L	T	2200 J-	2200	2200	2100	2000	2000	1600.00	1600.00
Appendix IV										
Antimony	mg/L	T	< 0.000050 U	< 0.000050 U	< 0.00025 U	< 0.000050 U	0.00072 J	< 0.00050 U	< 0.00010 U	< 0.00010 U
Arsenic	mg/L	T	0.0061	0.0055	0.0055	0.0043	0.0032	0.0031	0.0069 J+	0.0073
Barium	mg/L	T	0.046	0.050	0.047	0.036	0.030	0.040	0.040	0.037
Beryllium	mg/L	T	< 0.000052 U	0.000063 J	< 0.00026 U	0.000061 J	0.000057 J	0.000071 J	0.000077 J+	0.000072 J
Cadmium	mg/L	T	< 0.000032 U	< 0.000032 U	< 0.00016 U	< 0.000032 U	< 0.00016 U	< 0.00038 U	< 0.000075 UJ	< 0.000075 U
Chromium, Total	mg/L	T	0.00027	0.00053	< 0.00088 U	0.00037	< 0.00018 U	< 0.00020 U	0.00031	0.00029
Cobalt	mg/L	T	0.00046 J	0.00069	0.00078 J	0.00096	0.00069	0.00042 J	0.00050 J+	0.00044 J
Fluoride	mg/L	T	2.2	2.3	1.9	1.7	1.8	1.9	1.90	2.20
Lead	mg/L	T	< 0.00022 U	< 0.00022 U	< 0.0011 U	< 0.0011 U	< 0.0011 U	< 0.00050 U	< 0.00010 UJ	< 0.00010 U
Lithium	mg/L	T	0.099	0.11	0.099	0.090	0.11	0.085	0.090	0.098
Mercury	mg/L	T	< 0.00016 U	< 0.00016 U						
Molybdenum	mg/L	T	0.013	0.011	0.0095	0.011	0.0090	0.0051	0.012 J+	0.013
Radium 226 and 228	pCi/L	T	< 0.589 U	0.626	1.03	1.08	0.933	0.904	< 0.561 U	1.17
Radium-226	pCi/L	T	0.235	0.222	0.266	0.171	< 0.183 U	0.216	< 0.129 U	0.179
Radium-228	pCi/L	T	< 0.589 U	< 0.503 U	0.761	0.911	0.818	0.688	< 0.561 U	0.993
Selenium	mg/L	T	< 0.00022 U	< 0.00022 U	< 0.0011 U	< 0.00022 U	< 0.00022 U	< 0.00010 U	< 0.00010 UJ	< 0.00010 U
Thallium	mg/L	T	< 0.000075 U	< 0.000075 U	< 0.00038 U	< 0.00038 U	< 0.00038 U	< 0.00038 U	< 0.000075 UJ	< 0.000075 U
Total Suspended Solids	mg/L	T	27	25	16	6.0	23	19	29	33
Michigan CCR Part 115										
Copper	mg/L	T	< 0.00020 U	< 0.00020 U	< 0.0010 U	< 0.00020 U	< 0.00020 U	< 0.00020 U	< 0.00020 U	< 0.00020 U
Iron	mg/L	T	15	18	16	13	12	13	16	15
Nickel	mg/L	T	0.0024	0.0028	< 0.0032 U	0.0024	0.0017	0.0011 J	0.0015	0.0015
Silver	mg/L	T	< 0.000050 U	< 0.000050 U	< 0.00025 U	< 0.000050 U	< 0.00025 U	< 0.00025 U	< 0.000050 U	< 0.000050 U
Vanadium	mg/L	T	< 0.00062 U	< 0.00062 U	< 0.0031 U	< 0.00062 U	< 0.00062 U	< 0.00062 U	< 0.00062 U	< 0.00062 U
Zinc	mg/L	T	0.0023	< 0.0012 U	< 0.0059 U	< 0.0012 U	0.0042	< 0.0012 U	< 0.0012 U	< 0.0012 U
Additional Parameters										
Bicarbonate Alkalinity	mg/L	T	330	340	310	280	240	260	340	330
Carbonate Alkalinity	mg/L	T	< 1.6 U	< 0.16 U	< 0.16 U	< 0.16 U	< 0.16 U	< 0.16 U	< 0.16 U	< 0.16 U
Magnesium	mg/L	T	49	42	45	38	43	45	32	30.00
Potassium	mg/L	T	18	22	16	20	16	16	15	17
Sodium	mg/L	T	48	40	44	37	38	38	36	31.00
Total Alkalinity	mg/L	T	330	340	310	280	240	260	340	330

Notes:

ug/l = micrograms per liter.

mg/l = milligrams per liter.

su - standard pH units (pH is a field parameter)

pCi/L = picocuries per liter.

All metals were analyzed as total unless otherwise indicated.

Qualifiers:

U The analyte was analyzed for, but not detected at, a level greater than or equal to the level of the adjusted reporting limit (RL) for the sample and method.

J The analyte was positively identified, and the associated numerical value is the approximate concentration of the analyte in the sample

(due either to the quality of the data generated because certain QC criteria were not met, or to the concentration of the analyte being below the RL).

J+ Same as J, and the reported concentration is potentially biased high.

J- Same as J, and the reported concentration is potentially biased low.

UJ The analyte was not detected at a level greater than or equal to the adjusted method detection limit (MDL). However, the reported adjusted MDL is approximate and might be inaccurate or imprecise.

R The sample results are unusable due to the quality of the data generated because certain criteria were not met. The analyte might or might not be present in the sample.

Sample Location:			MW-20							
Compliance Phase:			Background Monitoring							
Sample Date:			11/30/2022	1/4/2023	2/7/2023	3/13/2023	4/18/2023	5/23/2023	6/28/2023	8/7/2023
Sample Type:			Field Sample	Field Sample	Field Sample	Field Sample	Field Sample	Field Sample	Field Sample	Field Sample
Unit:			Unit 1/2							
Sample Matrix:			Groundwater	Groundwater	Groundwater	Groundwater	Groundwater	Groundwater	Groundwater	Groundwater
Constituent	Unit	Fraction								
Field Parameters										
Conductivity	mS/cm	N	1.2000000	1.2400000	1.2320000	1.2180000	1.3700000	1.4100000	1.1700000	1.1800000
Dissolved Oxygen	mg/L	N	0.24	0.10	0.02	0.12	0.16	0.05	0.32	0.26
Oxidation Reduction Potential	mV	N	-142.0	-148.2	-153.3	-153.0	-162.4	-159.7	-174.4	-105.9
pH	su	N	7.23	7.50	7.29	7.20	7.44	7.45	7.30	7.14
Temperature	deg c	N	9.7	7.2	6.7	5.7	7.2	10.8	13.1	19.6
Turbidity	NTU	N	0.02	0.02	1.91	0.02	0.02	0.02	0.02	0.02
Appendix III										
Boron	mg/L	T	1.1	0.83	0.87	0.82	0.8	0.92	1.1 J+	1.1
Calcium	mg/L	T	130	120	140	170	130	130	58	110.00
Chloride	mg/L	T	70	66	62	60	88	92	71.00	70.00
Fluoride	mg/L	T	0.55	0.26	0.24	0.26	0.21	0.21	0.22	0.23
Sulfate (as SO4)	mg/L	T	42	78	120	110	85	76	30.00	19.00
Total Dissolved Solids	mg/L	T	660	660	690	680	760	770	650.00	570.00
Appendix IV										
Antimony	mg/L	T	0.000096 J	0.000054 J	0.000066 J	0.000062 J	0.00016 J	< 0.00010 U	0.00011 J	0.00014 J
Arsenic	mg/L	T	0.0015	0.0012	0.0012	0.0012	0.0013	0.0015	0.0016 J+	0.0017
Barium	mg/L	T	0.94	0.61	0.47	0.37	0.31	0.42	0.43	0.49
Beryllium	mg/L	T	< 0.000052 U	< 0.000052 U	< 0.000052 U	< 0.000052 U	< 0.000052 U	< 0.000052 U	< 0.000052 UJ	< 0.000052 U
Cadmium	mg/L	T	< 0.000032 U	< 0.000032 U	< 0.000032 U	< 0.000032 U	< 0.000032 U	< 0.000075 U	< 0.000075 UJ	< 0.000075 U
Chromium, Total	mg/L	T	0.00019 J	< 0.00018 U	0.00025	0.00029	0.00021 J	< 0.00020 U	< 0.00020 U	< 0.00020 U
Cobalt	mg/L	T	0.0013	0.0013	0.0016	0.0016	0.0014	0.0013	0.0014 J+	0.0011
Fluoride	mg/L	T	0.55	0.26	0.24	0.26	0.21	0.21	0.22	0.23
Lead	mg/L	T	0.0023	0.0016	0.0016	0.0016	0.0028	0.0023	0.0028 J+	0.0023
Lithium	mg/L	T	0.074	0.065	0.049	0.055	0.060	0.062	0.083	0.079
Mercury	mg/L	T	< 0.00016 U	< 0.00016 U	< 0.00016 U	< 0.00016 U	< 0.00016 U	< 0.00016 U	< 0.00016 U	< 0.00016 U
Molybdenum	mg/L	T	0.0041	0.0039	0.0041	0.0038	0.0036	0.0048	0.0048 J+	0.0051
Radium 226 and 228	pCi/L	T	1.47	0.822 J+	< 0.499 U	< 0.536 U	0.591	< 0.59 U	< 0.467 U	1.08
Radium-226	pCi/L	T	< 0.153 U	0.198	0.134	0.161	< 0.166 U	0.193	< 0.122 U	0.118
Radium-228	pCi/L	T	1.32	0.624 J+	< 0.499 U	< 0.536 U	0.541	< 0.59 U	< 0.467 U	0.958
Selenium	mg/L	T	< 0.00022 U	< 0.00022 U	< 0.00022 U	< 0.00022 U	< 0.00022 U	0.00013 J	0.00011 J+	0.00010 J
Thallium	mg/L	T	< 0.000075 U	< 0.000075 U	< 0.000075 U	< 0.000075 U	< 0.000075 U	< 0.000075 U	< 0.000075 UJ	< 0.000075 U
Total Suspended Solids	mg/L	T	40	42	33	37	44	42	37.00	37
Michigan CCR Part 115										
Copper	mg/L	T	0.00034	0.00023 J	0.00023 J	< 0.00020 U	0.00024 J	0.00029	0.00036 B	0.00053
Iron	mg/L	T	21	19	18	19	21	22	18	16
Nickel	mg/L	T	0.0091	0.0091	0.0095	0.0099	0.0092	0.0094	0.0098	0.0078
Silver	mg/L	T	< 0.000050 U	< 0.000050 U	< 0.000050 U	< 0.000050 U	< 0.000050 U	< 0.000050 U	< 0.000050 U	< 0.000050 U
Vanadium	mg/L	T	< 0.00062 U	< 0.00062 U	< 0.00062 U	< 0.00062 U	< 0.00062 U	< 0.00062 U	< 0.00062 U	< 0.00062 U
Zinc	mg/L	T	0.071	0.024	0.028	0.029	0.060	0.028	0.030	0.025
Additional Parameters										
Bicarbonate Alkalinity	mg/L	T	540	470	470	460	520	540	470	460
Carbonate Alkalinity	mg/L	T	< 0.16 U	< 0.16 U	< 0.16 U	< 0.16 U	< 0.16 U	< 0.16 U	< 0.16 U	< 0.16 U
Magnesium	mg/L	T	57	53	52	56	57	62	47	48.00
Potassium	mg/L	T	13	13	11	12	13	12	13	13
Sodium	mg/L	T	65	59	57	56	63	79	67	57.00
Total Alkalinity	mg/L	T	540	470	470	460	520	540	470	460

Notes:

ug/l = micrograms per liter.

mg/l = milligrams per liter.

su - standard pH units (pH is a field parameter)

pCi/L = picocuries per liter.

All metals were analyzed as total unless otherwise indicated.

Qualifiers:

U The analyte was analyzed for, but not detected at, a level greater than or equal to the level of the adjusted reporting limit (RL) for the sample and method.

J The analyte was positively identified, and the associated numerical value is the approximate concentration of the analyte in the sample

(due either to the quality of the data generated because certain QC criteria were not met, or to the concentration of the analyte being below the RL).

J+ Same as J, and the reported concentration is potentially biased high.

J- Same as J, and the reported concentration is potentially biased low.

UJ The analyte was not detected at a level greater than or equal to the adjusted method detection limit (MDL). However, the reported adjusted MDL is approximate and might be inaccurate or imprecise.

R The sample results are unusable due to the quality of the data generated because certain criteria were not met. The analyte might or might not be present in the sample.

Sample Location:			MW-27							
Compliance Phase:			Background Monitoring							
Sample Date:			1/30/2022	1/5/2023	2/7/2023	3/13/2023	4/18/2023	5/22/2023	6/27/2023	8/7/2023
Sample Type:			Field Sample	Field Sample	Field Sample	Field Sample	Field Sample	Field Sample	Field Sample	Field Sample
Unit:			Unit 3A/B & 1/2 (Background)							
Sample Matrix:			Groundwater	Groundwater	Groundwater	Groundwater	Groundwater	Groundwater	Groundwater	Groundwater
Constituent	Unit	Fraction								
Field Parameters										
Conductivity	mS/cm	N	2.46	2.01	1.651	1.047	1.04	1.65	2.5	2.57
Dissolved Oxygen	mg/L	N	1.35	0.17	0.24	0.93	0.07	0.19	0.04	0.23
Oxidation Reduction Potential	mV	N	-87.3	-137.6	-79.1	-134.3	-52.1	-80.9	-89	-104.5
pH	su	N	6.86	6.92	6.81	6.95	6.81	6.77	6.86	6.78
Temperature	deg c	N	8.7	6.7	5	4.5	7.2	11.7	16.5	20.8
Turbidity	NTU	N	0.02	0.73	1.33	0.02	4.08	3.32	3.55	8.15
Appendix III										
Boron	mg/L	T	0.31	0.17	0.16	0.14	0.14	0.20	0.45 J+	0.44
Calcium	mg/L	T	200	180	180	180	100	130	180.00	150.00
Chloride	mg/L	T	120	84	69	60	38	52	110.00	100.00
Fluoride	mg/L	T	0.37	0.29	0.31	0.41	0.42	0.35	0.36	0.41
Sulfate (as SO4)	mg/L	T	6.8	41	58	47	14	1.8 J	0.56 J	3.00
Total Dissolved Solids	mg/L	T	920	710	790	620	460	590	790.00	690.00
Appendix IV										
Antimony	mg/L	T	0.00013 J	0.000075 J	0.000099 J	0.000060 J	0.00028	< 0.00010 U	< 0.00010 U	< 0.00010 U
Arsenic	mg/L	T	0.00086	0.00070	0.00069	0.00069	0.00095	0.00096	0.0010 J+	0.0012
Barium	mg/L	T	0.21	0.17	0.16	0.12	0.074	0.15	0.25	0.25
Beryllium	mg/L	T	< 0.000052 U	< 0.000052 U	< 0.000052 U	< 0.000052 U	< 0.000052 U	< 0.000052 U	< 0.000052 UJ	< 0.000052 U
Cadmium	mg/L	T	< 0.000032 U	< 0.000032 U	< 0.000032 U	< 0.000032 U	< 0.000032 U	< 0.000075 U	< 0.000075 U	< 0.000075 U
Chromium, Total	mg/L	T	0.018	0.016	0.0097	0.0099	0.0083	0.025	0.027	0.034
Cobalt	mg/L	T	0.00063	0.00056	0.00052	0.00043 J	0.00024 J	0.00063	0.00092 J+	0.00083
Fluoride	mg/L	T	0.37	0.29	0.31	0.41	0.42	0.35	0.36	0.41
Lead	mg/L	T	< 0.00022 U	< 0.00022 U	< 0.00022 U	< 0.00022 U	< 0.00022 U	< 0.00010 U	< 0.00010 UJ	< 0.00010 U
Lithium	mg/L	T	0.0086	0.0088	0.0067	0.0073	0.0075	0.0073	0.02	0.0093
Mercury	mg/L	T	< 0.00016 U	< 0.00016 U	< 0.00016 U	< 0.00016 U	< 0.00016 U	< 0.00016 U	< 0.00016 U	< 0.00016 U
Molybdenum	mg/L	T	< 0.00062 U	< 0.00062 U	< 0.00062 U	< 0.00062 U	< 0.00062 U	0.00041 J	< 0.00025 UJ	< 0.00025 U
Radium 226 and 228	pCi/L	T	0.823	< 0.639 UJ	< 0.729 U	< 0.889 U	1.15	1.61	0.84	1.76
Radium-226	pCi/L	T	0.367	0.23	< 0.127 U	< 0.197 U	< 0.171 U	< 0.325 U	0.458	0.477
Radium-228	pCi/L	T	< 0.679 U	< 0.639 UJ	< 0.729 U	< 0.889 U	1.03	1.47 J	< 0.578 U	1.28
Selenium	mg/L	T	0.00023 J	< 0.00022 U	< 0.00022 U	< 0.00022 U	< 0.00022 U	0.00016 J	0.00021 J+	0.00022 J
Thallium	mg/L	T	< 0.000075 U	< 0.000075 U	< 0.000075 U	< 0.000075 U	< 0.000075 U	< 0.000075 U	< 0.000075 UJ	< 0.000075 U
Total Suspended Solids	mg/L	T	34	27	22	14	5.0	11	19.00	11
Michigan CCR Part 115										
Copper	mg/L	T	0.00030	< 0.00020 U	0.0016	< 0.00020 U	0.00022 J	0.00032	< 0.00020 U	0.00023 J
Iron	mg/L	T	13	11	11	8.3	5.5	7.6	9.4	8.0
Nickel	mg/L	T	0.00077 J	0.0010 J	0.0010 J	0.00077 J	< 0.00065 U	0.00087 J	0.00067 J	0.00075 J
Silver	mg/L	T	< 0.000050 U	< 0.000050 U	< 0.000050 U	< 0.000050 U	< 0.000050 U	< 0.000050 U	< 0.000050 U	< 0.000050 U
Vanadium	mg/L	T	< 0.00062 U	< 0.00062 U	< 0.00062 U	< 0.00062 U	< 0.00062 U	< 0.00062 U	0.00082 J	0.00093 J
Zinc	mg/L	T	0.0096	< 0.0012 U	0.0016	< 0.0012 U	0.0079	0.0013	< 0.0012 U	< 0.0012 U
Additional Parameters										
Bicarbonate Alkalinity	mg/L	T	1200	880	800	590	480	770	1100	1100
Carbonate Alkalinity	mg/L	T	< 0.16 U	< 0.16 U	< 0.16 U	< 0.16 U	< 0.16 U	< 0.16 U	< 0.31 U	< 0.16 U
Magnesium	mg/L	T	45	45	47	44	26	31	33	35.00
Potassium	mg/L	T	7.6	7.3	6.2	5.8	4.1	6.5	11	12
Sodium	mg/L	T	92	68	59	61	41	52	75	80.00
Total Alkalinity	mg/L	T	1200	880	800	590	480	770	1100	1100

Notes:

ug/l = micrograms per liter.

mg/l = milligrams per liter.

su - standard pH units (pH is a field parameter)

pCi/L = picocuries per liter.

All metals were analyzed as total unless otherwise indicated.

Qualifiers:

U The analyte was analyzed for, but not detected at, a level greater than or equal to the level of the adjusted reporting limit (RL) for the sample and method.

J The analyte was positively identified, and the associated numerical value is the approximate concentration of the analyte in the sample

(due either to the quality of the data generated because certain QC criteria were not met, or to the concentration of the analyte being below the RL).

J+ Same as J, and the reported concentration is potentially biased high.

J- Same as J, and the reported concentration is potentially biased low.

UJ The analyte was not detected at a level greater than or equal to the adjusted method detection limit (MDL). However, the reported adjusted MDL is approximate and might be inaccurate or imprecise.

R The sample results are unusable due to the quality of the data generated because certain criteria were not met. The analyte might or might not be present in the sample.

Sample Location:			MW-30							
Compliance Phase:			Background Monitoring							
Sample Date:			11/30/2022	1/3/2023	2/6/2023	3/13/2023	4/18/2023	5/22/2023	6/27/2023	8/8/2023
Sample Type:			Field Sample	Field Sample	Field Sample	Field Sample	Field Sample	Field Sample	Field Sample	Field Sample
Unit:			Unit 1/2							
Sample Matrix:			Groundwater	Groundwater	Groundwater	Groundwater	Groundwater	Groundwater	Groundwater	Groundwater
Constituent	Unit	Fraction								
Field Parameters										
Conductivity	mS/cm	N	2.26	3.18	3.025	2.273	2.73	2.66	2.85	2.67
Dissolved Oxygen	mg/L	N	0.12	0.39	0.04	0.35	0.29	0.05	0.01	0.12
Oxidation Reduction Potential	mV	N	-55.7	-281.2	-134.9	-148.7	-151.8	-86.8	-105.6	-92.7
pH	su	N	7.07	6.48	7.16	7.25	7.17	7.16	7.21	6.94
Temperature	deg c	N	10.1	7.2	6.4	4.8	6.6	10.7	13.6	17
Turbidity	NTU	N	0.02	0.02	1.21	0.02	0.02	0.5	0.02	0.02
Appendix III										
Boron	mg/L	T	2.2	1.7	2.1	3.5	1.7	1.9	1.9 J+	1.8
Calcium	mg/L	T	470	460 E	480	960	430	430	460.00	400.00
Chloride	mg/L	T	190	190	190	140	120	98	110.00	98.00
Fluoride	mg/L	T	1.0	1.4	1.0	1.2	1.1	1.1	0.91	1.10
Sulfate (as SO4)	mg/L	T	780	1000	830	940	970	850	940.00	860.00
Total Dissolved Solids	mg/L	T	2200 J	2400	2000	2300	2200	2100	2800 J	2300.00
Appendix IV										
Antimony	mg/L	T	< 0.000050 U	< 0.000050 U	< 0.000025 U	< 0.000050 U	0.00040 J	< 0.000050 U	< 0.000050 U	< 0.000010 U
Arsenic	mg/L	T	0.00046 J	0.00070	< 0.00050 U	0.00039 J	< 0.00010 U	0.00012 J	0.00027 J+	0.00043 J
Barium	mg/L	T	0.10	0.089	0.10	0.045	0.047	0.058	0.07	0.048
Beryllium	mg/L	T	< 0.000052 U	0.000053 J	< 0.00026 U	< 0.000052 U	< 0.000052 U	< 0.000052 U	< 0.000052 UJ	< 0.000052 U
Cadmium	mg/L	T	< 0.000032 U	< 0.000032 U	< 0.00016 U	< 0.000032 U	< 0.00016 U	< 0.00038 U	< 0.000075 UJ	< 0.000075 U
Chromium, Total	mg/L	T	0.014	0.012	0.0087	0.010	0.0058	0.0052	0.012	0.013
Cobalt	mg/L	T	0.00091	0.0044	0.00096 J	0.0028	0.0011	0.00054	0.0013 J+	0.0011
Fluoride	mg/L	T	1.0	1.4	1.0	1.2	1.1	1.1	0.91	1.10
Lead	mg/L	T	< 0.00022 U	< 0.00022 U	< 0.0011 U	< 0.0011 U	< 0.0011 U	< 0.00050 U	< 0.00050 UJ	< 0.00050 U
Lithium	mg/L	T	0.13	0.15	0.12	0.27	0.11	0.11	0.12	0.14
Mercury	mg/L	T	< 0.00016 U	< 0.00016 U	< 0.00016 U	< 0.00016 U	< 0.00016 U	< 0.00016 U	< 0.00016 U	< 0.00016 U
Molybdenum	mg/L	T	< 0.00062 U	0.0036	< 0.0031 U	0.0017	< 0.0031 U	0.00032 J	0.00082 J+	0.0011 J
Radium 226 and 228	pCi/L	T	< 0.873 UJ	0.445 J	< 0.624 UJ	< 0.659 U	0.875	< 0.783 U	0.586 J+	0.911
Radium-226	pCi/L	T	< 0.238 UJ	0.139 J	< 0.0915 UJ	< 0.2 U	< 0.141 U	< 0.194 U	0.0986 J+	< 0.163 UJ
Radium-228	pCi/L	T	< 0.873 UJ	< 0.443 UJ	< 0.624 UJ	< 0.659 U	0.844	< 0.783 U	< 0.566 UJ	0.82
Selenium	mg/L	T	< 0.00022 U	< 0.00022 U	< 0.0011 U	< 0.00022 U	< 0.00022 U	< 0.00010 U	0.00011 J+	0.00012 J
Thallium	mg/L	T	< 0.000075 U	< 0.000075 U	< 0.00038 U	< 0.00038 U	< 0.00038 U	< 0.00038 U	< 0.00038 UJ	< 0.00038 U
Total Suspended Solids	mg/L	T	4.0	11	< 4.0 UJ	5.0	6.0	4.0	< 4.0 U	5.0
Michigan CCR Part 115										
Copper	mg/L	T	< 0.00020 U	0.00037 J+	< 0.0010 U	< 0.00020 U	< 0.00020 U	< 0.00020 U	< 0.00020 U	< 0.00020 U
Iron	mg/L	T	0.87	3.6	0.99	8.8	4.1	2.4	2.9	2.9
Nickel	mg/L	T	0.00080 J	0.0045	< 0.0032 U	0.0041	0.0018	0.00070 J	0.0021	0.0011 J
Silver	mg/L	T	< 0.000050 U	< 0.000050 U	< 0.00025 U	< 0.000050 U	< 0.00025 U	< 0.00025 U	< 0.000050 U	< 0.000050 U
Vanadium	mg/L	T	< 0.00062 U	< 0.00062 U	< 0.0031 U	< 0.00062 U	< 0.00062 U	< 0.00062 U	< 0.00062 U	< 0.00062 U
Zinc	mg/L	T	0.0053	< 0.0012 U	< 0.0059 U	< 0.0012 U	0.0049	< 0.0012 U	< 0.0012 U	< 0.0012 U
Additional Parameters										
Bicarbonate Alkalinity	mg/L	T	930	760	880	660	630	640	< 0.16 U	690
Carbonate Alkalinity	mg/L	T	< 0.16 U	< 0.16 U	< 0.16 U	< 0.16 U	< 0.16 U	< 0.16 U	< 0.16 U	< 0.16 U
Magnesium	mg/L	T	110	120	120	250	120	110	120.00	100.00
Potassium	mg/L	T	12	15	16	17	12	9.6	11	13
Sodium	mg/L	T	120	110	120	220	98	95	95.00	88.00
Total Alkalinity	mg/L	T	930	760	880	660	630	640	< 0.16 U	690

Notes:

ug/l = micrograms per liter.

mg/l = milligrams per liter.

su - standard pH units (pH is a field parameter)

pCi/L = picocuries per liter.

All metals were analyzed as total unless otherwise indicated.

Qualifiers:

U The analyte was analyzed for, but not detected at, a level greater than or equal to the level of the adjusted reporting limit (RL) for the sample and method.

J The analyte was positively identified, and the associated numerical value is the approximate concentration of the analyte in the sample

(due either to the quality of the data generated because certain QC criteria were not met, or to the concentration of the analyte being below the RL).

J+ Same as J, and the reported concentration is potentially biased high.

J- Same as J, and the reported concentration is potentially biased low.

UJ The analyte was not detected at a level greater than or equal to the adjusted method detection limit (MDL). However, the reported adjusted MDL is approximate and might be inaccurate or imprecise.

R The sample results are unusable due to the quality of the data generated because certain criteria were not met. The analyte might or might not be present in the sample.

Sample Location:			MW-31							
Compliance Phase:			Background Monitoring							
Sample Date:			12/1/2022	1/4/2023	2/7/2023	3/14/2023	4/18/2023	5/22/2023	6/27/2023	8/8/2023
Sample Type:			Field Sample	Field Sample	Field Sample	Field Sample	Field Sample	Field Sample	Field Sample	Field Sample
Unit:			Unit 1/2							
Sample Matrix:			Groundwater	Groundwater	Groundwater	Groundwater	Groundwater	Groundwater	Groundwater	Groundwater
Constituent	Unit	Fraction								
Field Parameters										
Conductivity	mS/cm	N	1.35	1.4	1.327	1.23	1.28	1.21	1.24	1.41
Dissolved Oxygen	mg/L	N	1.65	0.09	0.21	0.11	0.11	0.09	1.39	0.05
Oxidation Reduction Potential	mV	N	-150	-262.2	-129.3	-214.9	-274.4	-220	-113.9	-55.8
pH	su	N	7.84	7.7	7.85	7.76	7.87	7.85	8	7.78
Temperature	deg c	N	8.7	7.6	6.3	4	6.5	13.2	14.4	17.8
Turbidity	NTU	N	2.61	0.02	1.27	0.02	0.02	0.02	0.02	0.02
Appendix III										
Boron	mg/L	T	4.8	3.8	4.2	4.0	3.6	4.5	5.4 J+	4.8
Calcium	mg/L	T	180	190	170	200	170	160	130.00	150.00
Chloride	mg/L	T	120	100	110	97	94	92	110.00	110.00
Fluoride	mg/L	T	4.6	4.9	4.7	4.6	5.1	5.2	4.70	5.10
Sulfate (as SO4)	mg/L	T	180	250	200	250	250	160	120.00	100.00
Total Dissolved Solids	mg/L	T	850	940 J	780	860	810	760	760.00	860.00
Appendix IV										
Antimony	mg/L	T	0.000069 J	< 0.000050 U	0.000080 J	0.00012 J	0.00013 J	< 0.00010 U	< 0.00010 U	0.00012 J
Arsenic	mg/L	T	0.0018	0.0013	0.0012	0.0010	0.0011	0.0014	0.0016 J+	0.0016
Barium	mg/L	T	0.21	0.14	0.19	0.15	0.12	0.13	0.23	0.16
Beryllium	mg/L	T	< 0.000052 U	< 0.000052 U	< 0.000052 U	< 0.000052 U	< 0.000052 U	< 0.000052 U	< 0.000052 U	< 0.000052 U
Cadmium	mg/L	T	< 0.000032 U	< 0.000032 U	< 0.000032 U	< 0.000032 U	< 0.000032 U	< 0.000075 U	< 0.000075 U	< 0.000075 U
Chromium, Total	mg/L	T	0.0021	0.0018	0.0024	0.0019	0.0019	0.0029	0.0023	0.0023
Cobalt	mg/L	T	0.00015 J	0.00015 J	0.00020 J	0.00018 J	0.00016 J	0.00021 J	0.00018 J+	0.00018 J
Fluoride	mg/L	T	4.6	4.9	4.7	4.6	5.1	5.2	4.70	5.10
Lead	mg/L	T	< 0.00022 U	< 0.00022 U	< 0.00022 U	< 0.00022 U	< 0.00022 U	0.00031 J	< 0.00010 UJ	< 0.00010 U
Lithium	mg/L	T	0.052	0.048	0.052	0.054	0.046	0.053	0.06	0.054
Mercury	mg/L	T	< 0.00016 U	< 0.00016 U	< 0.00016 U	< 0.00016 U	< 0.00016 U	< 0.00016 U	< 0.00016 U	< 0.00016 U
Molybdenum	mg/L	T	0.0021	0.0013	0.0013	0.0011 J	0.0011 J	0.0012	0.0018 J+	0.0011 J
Radium 226 and 228	pCi/L	T	0.753	< 0.641 U	0.717	< 0.725 U	0.592	1.14	0.58	1.23
Radium-226	pCi/L	T	0.187	0.203	0.187	< 0.189 U	0.254	0.184	0.27	0.262 J+
Radium-228	pCi/L	T	0.566	< 0.641 U	0.53	< 0.725 U	< 0.527 U	0.959	< 0.489 U	0.97
Selenium	mg/L	T	< 0.00022 U	< 0.00022 U	< 0.00022 U	< 0.00022 U	< 0.00022 U	0.00011 J	0.00012 J+	0.00015 J
Thallium	mg/L	T	< 0.000075 U	< 0.000075 U	< 0.000075 U	< 0.000075 U	< 0.000075 U	< 0.000075 U	< 0.000075 UJ	< 0.000075 U
Total Suspended Solids	mg/L	T	2.0 J	4.0	< 4.0 U	1.0 J				
Michigan CCR Part 115										
Copper	mg/L	T	< 0.00020 U	< 0.00020 U	< 0.00020 U	< 0.00020 U	< 0.00020 U	0.00027	< 0.00020 U	< 0.00020 U
Iron	mg/L	T	2.5	1.4	1.5	1.1	0.77	1.2	0.92	0.21
Nickel	mg/L	T	< 0.00065 U	< 0.00065 U	< 0.00065 U	< 0.00065 U	< 0.00065 U	< 0.00065 U	< 0.00065 U	< 0.00065 U
Silver	mg/L	T	< 0.000050 U	< 0.000050 U	< 0.000050 U	< 0.000050 U	< 0.000050 U	< 0.000050 U	< 0.000050 U	< 0.000050 U
Vanadium	mg/L	T	< 0.00062 U	< 0.00062 U	< 0.00062 U	< 0.00062 U	< 0.00062 U	< 0.00062 U	< 0.00062 U	< 0.00062 U
Zinc	mg/L	T	0.0082	< 0.0012 U	< 0.0012 U	< 0.0012 U	0.010	0.0014	< 0.0012 U	< 0.0012 U
Additional Parameters										
Bicarbonate Alkalinity	mg/L	T	410	340	350	320	290	320	340	410
Carbonate Alkalinity	mg/L	T	< 0.16 U	< 0.16 U	< 0.16 U	< 0.16 U	< 0.16 U	< 0.16 U	< 0.16 U	< 0.16 U
Magnesium	mg/L	T	37	36	38	42	36	33	34	38.00
Potassium	mg/L	T	9.9	11	11	11	10	9.9	12	12
Sodium	mg/L	T	60	46	51	48	50	53	64	56.00
Total Alkalinity	mg/L	T	410	340	350	320	290	320	340	410

Notes:

ug/l = micrograms per liter.

mg/l = milligrams per liter.

su - standard pH units (pH is a field parameter)

pCi/L = picocuries per liter.

All metals were analyzed as total unless otherwise indicated.

Qualifiers:

U The analyte was analyzed for, but not detected at, a level greater than or equal to the level of the adjusted reporting limit (RL) for the sample and method.

J The analyte was positively identified, and the associated numerical value is the approximate concentration of the analyte in the sample

(due either to the quality of the data generated because certain QC criteria were not met, or to the concentration of the analyte being below the RL).

J+ Same as J, and the reported concentration is potentially biased high.

J- Same as J, and the reported concentration is potentially biased low.

UJ The analyte was not detected at a level greater than or equal to the adjusted method detection limit (MDL). However, the reported adjusted MDL is approximate and might be inaccurate or imprecise.

R The sample results are unusable due to the quality of the data generated because certain criteria were not met. The analyte might or might not be present in the sample.

Sample Location: Compliance Phase:			MW-32 Background Monitoring							
Sample Date: Sample Type: Unit: Sample Matrix:			11/30/2022 Field Sample	1/4/2023 Field Sample	2/8/2023 Field Sample	3/14/2023 Field Sample	4/18/2023 Field Sample	5/22/2023 Field Sample	6/27/2023 Field Sample	8/8/2023 Field Sample
			Unit 3A/B & 1/2 (Nature and Extent)							
Constituent	Unit	Fraction								
Field Parameters										
Conductivity	mS/cm	N	1.29	1.29	1.258	1.175	1.29	1.2	1.05	0.99
Dissolved Oxygen	mg/L	N	0.07	0.08	0.08	0.1	0.1	0.33	0.12	0.13
Oxidation Reduction Potential	mV	N	-184.5	-222.8	-184.7	-188.5	-199.5	-221.7	-209.8	-141.4
pH	su	N	7.69	7.5	7.57	7.53	7.67	7.75	7.65	7.52
Temperature	deg c	N	10.2	8.3	6.6	6.3	7.4	11.1	13	15.9
Turbidity	NTU	N	0.02	0.02	2.17	0.02	0.02	0.02	0.02	0.02
Appendix III										
Boron	mg/L	T	3.8	3.0	3.0	2.9	2.6	3.1	3.9 J+	3.7
Calcium	mg/L	T	200	180	190	220	190	190	150.00	130.00
Chloride	mg/L	T	47	50	50	50	45	42	41.00	44.00
Fluoride	mg/L	T	1.5	1.5	1.4	1.6	1.4	1.5	1.40	1.60
Sulfate (as SO4)	mg/L	T	100	110	54	170	190	140	48.00	17.00
Total Dissolved Solids	mg/L	T	790	700	730	770	800	790	600.00	550.00
Appendix IV										
Antimony	mg/L	T	0.000067 J	< 0.000050 U	< 0.000050 U	0.000072 J	0.00014 J	< 0.00010 U	< 0.00010 U	< 0.00010 U
Arsenic	mg/L	T	0.00061	0.00045 J	0.00052 J	0.00047 J	0.00044 J	0.00055	0.00058 J+	0.00062
Barium	mg/L	T	0.62	0.60	0.57	0.41	0.29	0.34	0.37	0.41
Beryllium	mg/L	T	< 0.000052 U	< 0.000052 U	< 0.000052 U	< 0.000052 U	< 0.000052 U	< 0.000052 U	< 0.000052 UJ	< 0.000052 U
Cadmium	mg/L	T	< 0.000032 U	< 0.000032 U	< 0.000032 U	< 0.000032 U	< 0.000032 U	< 0.000075 U	< 0.000075 U	< 0.000075 U
Chromium, Total	mg/L	T	0.00046	0.00065	0.00057	0.00055	0.00039	0.00038	0.00032	0.00031
Cobalt	mg/L	T	0.00034 J	0.00036 J	0.00039 J	0.00041 J	0.00031 J	0.00037 J	0.00068 J+	0.00058
Fluoride	mg/L	T	1.5	1.5	1.4	1.6	1.4	1.5	1.40	1.60
Lead	mg/L	T	< 0.00022 U	< 0.00022 U	< 0.00022 U	< 0.00022 U	< 0.00022 U	0.00012 J	0.00014 J+	< 0.00010 U
Lithium	mg/L	T	0.15	0.14	0.12	0.11	0.094	0.10	0.13	0.14
Mercury	mg/L	T	< 0.00016 U	< 0.00016 U	< 0.00016 U	< 0.00016 U	< 0.00016 U	< 0.00016 U	< 0.00016 U	< 0.00016 U
Molybdenum	mg/L	T	0.0051	0.0043	0.0038	0.0032	0.0034	0.0045	0.0047 J+	0.0046
Radium 226 and 228	pCi/L	T	0.614	< 0.497 U	< 0.601 U	< 0.732 U	0.877	0.847	< 0.607 U	0.985
Radium-226	pCi/L	T	< 0.184 U	0.219	0.152	< 0.195 U	< 0.164 U	0.206	< 0.0916 U	0.403 J+
Radium-228	pCi/L	T	0.492	< 0.497 U	< 0.601 U	< 0.732 U	0.773	0.641	< 0.607 U	< 0.848 U
Selenium	mg/L	T	< 0.00022 U	< 0.00022 U	< 0.00022 U	< 0.00022 U	< 0.00022 U	< 0.00010 U	< 0.00010 UJ	< 0.00010 U
Thallium	mg/L	T	< 0.000075 U	< 0.000075 U	< 0.000075 U	< 0.000075 U	< 0.000075 U	< 0.000075 U	< 0.000075 UJ	< 0.000075 U
Total Suspended Solids	mg/L	T	42	43	39	40	39	31	29.00	11
Michigan CCR Part 115										
Copper	mg/L	T	< 0.00020 U	< 0.00020 U	< 0.00020 U	< 0.00020 U	< 0.00020 U	0.00020 J	< 0.00020 U	< 0.00020 U
Iron	mg/L	T	20	18	18	19	18	17	15	11
Nickel	mg/L	T	0.0013	0.0016	0.0012	0.0012	0.00096 J	0.00088 J	0.0012	0.00086 J
Silver	mg/L	T	< 0.000050 U	< 0.000050 U	< 0.000050 U	< 0.000050 U	< 0.000050 U	< 0.000050 U	< 0.000050 U	< 0.000050 U
Vanadium	mg/L	T	< 0.00062 U	< 0.00062 U	< 0.00062 U	< 0.00062 U	< 0.00062 U	< 0.00062 U	< 0.00062 U	< 0.00062 U
Zinc	mg/L	T	0.031	0.022	0.026	0.025	0.030	0.0037	0.0026	0.0030
Additional Parameters										
Bicarbonate Alkalinity	mg/L	T	560	490	500	450	440	430	440	440
Carbonate Alkalinity	mg/L	T	< 0.16 U	< 0.16 U	< 0.16 U	< 0.16 U	< 0.16 U	< 0.16 U	< 0.16 U	< 0.16 U
Magnesium	mg/L	T	38	34	35	37	34	34	28	28.00
Potassium	mg/L	T	13	13	12	11	9.8	9.7	12	13
Sodium	mg/L	T	36	29	29	30	27	30	33	32.00
Total Alkalinity	mg/L	T	560	490	500	450	440	430	440	440

Notes:

ug/l = micrograms per liter.

mg/l = milligrams per liter.

su - standard pH units (pH is a field parameter)

pCi/L = picocuries per liter.

All metals were analyzed as total unless otherwise indicated.

Qualifiers:

U The analyte was analyzed for, but not detected at, a level greater than or equal to the level of the adjusted reporting limit (RL) for the sample and method.

J The analyte was positively identified, and the associated numerical value is the approximate concentration of the analyte in the sample

(due either to the quality of the data generated because certain QC criteria were not met, or to the concentration of the analyte being below the RL).

J+ Same as J, and the reported concentration is potentially biased high.

J- Same as J, and the reported concentration is potentially biased low.

UJ The analyte was not detected at a level greater than or equal to the adjusted method detection limit (MDL). However, the reported adjusted MDL is approximate and might be inaccurate or imprecise.

R The sample results are unusable due to the quality of the data generated because certain criteria were not met. The analyte might or might not be present in the sample.

MW-33										
Sample Location:			Background Monitoring							
Compliance Phase:			12/1/2022	1/5/2023	2/8/2023	3/15/2023	4/18/2023	5/22/2023	6/27/2023	8/7/2023
Sample Date:			Field Sample	Field Sample	Field Sample	Field Sample	Field Sample	Field Sample	Field Sample	Field Sample
Sample Type:			Unit:	Unit:	Unit:	Unit:	Unit:	Unit:	Unit:	Unit:
Sample Matrix:			Groundwater	Groundwater	Groundwater	Groundwater	Groundwater	Groundwater	Groundwater	Groundwater
Constituent	Unit	Fraction								
Field Parameters										
Conductivity	mS/cm	N	1.1	0.99	0.949	0.859	0.91	0.92	0.901	0.98
Dissolved Oxygen	mg/L	N	0.81	1.02	0.75	0.2	0.23	0.06	0.05	0.01
Oxidation Reduction Potential	mV	N	-28.5	-72.8	-61.2	-37.4	-63.6	-86.2	-106.6	-121.9
pH	su	N	7.12	6.49	7.14	6.96	7.04	7.02	7.03	6.98
Temperature	deg c	N	8.3	4.8	2.4	3.6	8.8	10.7	13.7	17.2
Turbidity	NTU	N	0.02	0.02	1.17	0.02	3.44	0.55	0.02	1.07
Appendix III										
Boron	mg/L	T	0.18	0.091	0.086	0.067	0.082	0.085	0.11 J+	0.12
Calcium	mg/L	T	200	170	170	190	150	160	150.00	150.00
Chloride	mg/L	T	58	51	50	39	27	17	20.00	23.00
Fluoride	mg/L	T	0.29	0.24	0.21 J	0.23	0.28	0.25	0.26	0.27
Sulfate (as SO ₄)	mg/L	T	100	58	65	42	23	1.9 J	4.30	1.6 J
Total Dissolved Solids	mg/L	T	750 J	630	680	590	580	600	600.00	570.00
Appendix IV										
Antimony	mg/L	T	0.00098	0.00088	0.00079	0.00059	0.0012	0.00017 J	0.00020 J	0.00015 J
Arsenic	mg/L	T	0.0031	0.0014	0.0016	0.0017	0.0040	0.0038	0.0032 J+	0.0027
Barium	mg/L	T	0.084	0.086	0.092	0.076	0.073	0.095	0.088	0.098
Beryllium	mg/L	T	< 0.000052 U	< 0.000052 U	< 0.000050 U	< 0.000052 U	< 0.00026 U	< 0.000052 U	< 0.000052 UJ	< 0.000052 U
Cadmium	mg/L	T	0.000049 J	0.00010 J	0.00014 J	0.00015 J	< 0.00016 U	< 0.000075 U	< 0.000075 UJ	< 0.000075 U
Chromium, Total	mg/L	T	0.0021	0.0028	0.0029	0.0027	0.0029	0.0039	0.0050	0.0059
Cobalt	mg/L	T	0.00075	0.00049 J	0.00082	0.0017	0.0020 J	0.00083	0.00039 J+	0.00041 J
Fluoride	mg/L	T	0.29	0.24	0.21 J	0.23	0.28	0.25	0.26	0.27
Lead	mg/L	T	< 0.00022 U	< 0.00022 U	< 0.00022 U	< 0.00022 U	< 0.0011 U	0.00026 J	0.00015 J+	0.00015 J
Lithium	mg/L	T	0.0051	0.0069	0.0043	0.0047	0.0061	0.0052	< 0.0094 U	0.0041
Mercury	mg/L	T	< 0.00016 U	< 0.00016 U	< 0.00016 U	< 0.00016 U	< 0.00016 U	< 0.00016 U	< 0.00016 U	< 0.00016 U
Molybdenum	mg/L	T	0.0047	0.0037	0.0031	0.0031	0.0060 J	0.0026	0.00068 J+	0.00052 J
Radium 226 and 228	pCi/L	T	0.825	< 0.587 U	0.949	< 0.852 U	< 0.815 U	1.61	0.828	1.15
Radium-226	pCi/L	T	< 0.267 U	< 0.14 U	< 0.125 U	< 0.204 U	< 0.232 U	< 0.256 U	0.154	0.276 J+
Radium-228	pCi/L	T	0.794	< 0.587 U	0.833	< 0.852 U	< 0.815 U	1.48 J	< 0.768 U	0.875
Selenium	mg/L	T	0.00089	0.00076	0.00055	0.00038 J	< 0.0011 U	0.00033 J	0.00033 J+	0.00029 J
Thallium	mg/L	T	< 0.000075 U	< 0.000075 U	< 0.000075 U	< 0.000075 U	< 0.00038 U	< 0.000075 U	< 0.000075 UJ	< 0.000075 U
Total Suspended Solids	mg/L	T	2.0 J	5.0	10	1.0 J	9.0	17	21	22
Michigan CCR Part 115										
Copper	mg/L	T	0.0079	0.016	0.016	0.020	0.0067	0.0017	0.0011 B	0.00079
Iron	mg/L	T	1.2	2.5	2.8	2.5	4.6	7.4	7.7	8.7
Nickel	mg/L	T	0.020	0.016	0.017	0.019	0.023	0.014	0.0081	0.0049
Silver	mg/L	T	< 0.000050 U	< 0.000050 U	< 0.000050 U	0.00011	< 0.00025 U	< 0.000050 U	< 0.000050 U	< 0.000050 U
Vanadium	mg/L	T	< 0.00062 U	< 0.00062 U	< 0.00062 U	< 0.00062 U	< 0.0031 U	< 0.00062 U	0.00065 J	0.00079 J
Zinc	mg/L	T	0.0071	0.0036	0.0050	0.0053	0.012	0.0014	< 0.0012 U	< 0.0012 U
Additional Parameters										
Bicarbonate Alkalinity	mg/L	T	460	430	400	390	440	480	440	480
Carbonate Alkalinity	mg/L	T	< 0.16 U	< 0.16 U	< 0.16 U	< 0.16 U	< 0.16 U	< 0.16 U	< 0.16 U	< 0.16 U
Magnesium	mg/L	T	22	19	18	17	16	18	16	16
Potassium	mg/L	T	3.8	5.4	4.6	4.1	4.0	4.1	4.4	5.1
Sodium	mg/L	T	38	25	24	26	22	22	23	22
Total Alkalinity	mg/L	T	460	430	400	390	440	480	440	480

Notes:

ug/l = micrograms per liter.

mg/l = milligrams per liter.

su - standard pH units (pH is a field parameter)

pCi/L = picocuries per liter.

All metals were analyzed as total unless otherwise indicated.

Qualifiers:

U The analyte was analyzed for, but not detected at, a level greater than or equal to the level of the adjusted reporting limit (RL) for the sample and method.

J The analyte was positively identified, and the associated numerical value is the approximate concentration of the analyte in the sample

(due either to the quality of the data generated because certain QC criteria were not met, or to the concentration of the analyte being below the RL).

J+ Same as J, and the reported concentration is potentially biased high.

J- Same as J, and the reported concentration is potentially biased low.

UJ The analyte was not detected at a level greater than or equal to the adjusted method detection limit (MDL). However, the reported adjusted MDL is approximate and might be inaccurate or imprecise.

R The sample results are unusable due to the quality of the data generated because certain criteria were not met. The analyte might or might not be present in the sample.

Sample Location: Compliance Phase:			MW-34 Background Monitoring							
Sample Date: Sample Type: Unit: Sample Matrix:			12/1/2022 Field Sample	1/5/2023 Field Sample	2/8/2023 Field Sample	3/15/2023 Field Sample	4/18/2023 Field Sample	5/22/2023 Field Sample	6/27/2023 Field Sample	8/7/2023 Field Sample
			Unit 3A/B & 1/2 (Background)							
Constituent	Unit	Fraction								
Field Parameters										
Conductivity	mS/cm	N	2.14	1.07	1.96	1.49	1.86	1.89	2.05	2.05
Dissolved Oxygen	mg/L	N	0.87	1.19	0.29	0.45	1.05	2.73	0.09	0.97
Oxidation Reduction Potential	mV	N	-120.5	-104.4	-119.7	-95	-63.4	-100.5	-113.8	-124.6
pH	su	N	6.65	7.66	6.78	6.68	6.53	6.6	6.75	6.69
Temperature	deg c	N	12.9	4.9	9.4	7.8	8	10.3	12.4	14.6
Turbidity	NTU	N	4.96	0.02	5.58	2.11	5.87	0.02	0.02	3.15
Appendix III										
Boron	mg/L	T	3.2	2.7	1.9 B	1.8	1.6	2.5	4.0 J+	3.6
Calcium	mg/L	T	220	190	220	210	210	210	220.00	190.00
Chloride	mg/L	T	33	27	24	23	23	22	23.00	24.00
Fluoride	mg/L	T	0.35	0.20	0.23	0.24	0.21	0.23	0.26	0.29
Sulfate (as SO ₄)	mg/L	T	2.5 J	1.9 J	< 0.41 U	0.87 J	0.56 J	< 0.41 U	< 0.41 U	< 0.41 U
Total Dissolved Solids	mg/L	T	820	750	800	790	700	760	820.00	770.00
Appendix IV										
Antimony	mg/L	T	0.00023 J	0.00011 J	0.000095 J	0.00013 J	0.00091 J	0.00010 J	0.00016 J	0.00015 J
Arsenic	mg/L	T	0.0016	0.0010	0.00088	0.00090	0.00089 J	0.0010	0.0013 J+	0.0012
Barium	mg/L	T	0.54	0.54	0.58	0.50	0.17	0.49	0.53	0.49
Beryllium	mg/L	T	< 0.000052 U	< 0.000052 U	< 0.000052 U	< 0.000052 U	< 0.00026 U	0.000059 J	< 0.000052 UJ	< 0.000052 U
Cadmium	mg/L	T	0.000036 J	< 0.000032 U	< 0.000032 U	< 0.000032 U	< 0.00016 U	< 0.000075 U	< 0.000075 UJ	< 0.000075 U
Chromium, Total	mg/L	T	0.024	0.022	0.025	0.029	< 0.00088 U	0.027	0.034	0.028
Cobalt	mg/L	T	0.0015	0.0013	0.0013	0.0013	< 0.00050 U	0.0014	0.0018 J+	0.0016
Fluoride	mg/L	T	0.35	0.20	0.23	0.24	0.21	0.23	0.26	0.29
Lead	mg/L	T	0.0069	0.0016	0.00059	0.00094	< 0.0011 U	0.00074	0.00087 J+	0.00091
Lithium	mg/L	T	0.077	0.086	0.053	0.012	0.046	0.065	0.09	0.10
Mercury	mg/L	T	< 0.00016 U	< 0.00016 U	< 0.00016 U	< 0.00016 U	< 0.00016 U	< 0.00016 U	< 0.00016 U	< 0.00016 U
Molybdenum	mg/L	T	0.0018	0.00081 J	< 0.00062 U	< 0.00062 U	0.0079	0.0018	0.00030 J+	< 0.00025 U
Radium 226 and 228	pCi/L	T	2.02	1.15	1.28	1.34	1.99	1.81	2.79	1.24
Radium-226	pCi/L	T	0.57	0.534	0.654	0.558	0.396	0.561	0.357	0.637 J+
Radium-228	pCi/L	T	1.45	< 0.849 U	< 0.918 U	0.78	1.59	1.25 J	2.44	< 0.862 U
Selenium	mg/L	T	0.00034 J	0.00025 J	0.00027 J	0.00023 J	< 0.0011 U	0.00029 J	0.00030 J+	0.00027 J
Thallium	mg/L	T	< 0.000075 U	< 0.000075 U	< 0.000075 U	< 0.000075 U	< 0.00038 U	< 0.000075 U	< 0.000075 UJ	< 0.000075 U
Total Suspended Solids	mg/L	T	110	52	83	44	160	160	170.00	130
Michigan CCR Part 115										
Copper	mg/L	T	0.0034	0.00075	0.00033	0.0085	< 0.0010 U	0.00069	0.00045 B	0.00043
Iron	mg/L	T	73	70	83	78	75	77	77	64.00
Nickel	mg/L	T	0.0016	0.0013	0.0012	0.0013	< 0.0032 U	0.0016	0.0020	0.0018
Silver	mg/L	T	< 0.000050 U	< 0.000050 U	< 0.000050 U	< 0.000050 U	< 0.00025 U	< 0.000050 U	< 0.000050 U	< 0.000050 U
Vanadium	mg/L	T	< 0.00062 U	< 0.00062 U	< 0.00062 U	< 0.00062 U	< 0.0031 U	0.00065 J	0.00069 J	< 0.00062 U
Zinc	mg/L	T	0.031	0.0019	0.0023	0.0023	0.020	0.0015	0.0018	0.0017
Additional Parameters										
Bicarbonate Alkalinity	mg/L	T	1100	950	920	890	880	950	970.00	970
Carbonate Alkalinity	mg/L	T	< 0.16 U	< 0.16 U	< 0.16 U	< 0.16 U	< 0.16 U	< 0.16 U	< 0.31 U	< 0.16 U
Magnesium	mg/L	T	30	23	22	21	20	24	27	26.00
Potassium	mg/L	T	11	13	9.5	8.5	8.4	8.9	12	13
Sodium	mg/L	T	34	30	28	22	23	30	38	33.00
Total Alkalinity	mg/L	T	1100	950	920	890	880	950	970.00	970

Notes:

ug/l = micrograms per liter.

mg/l = milligrams per liter.

su - standard pH units (pH is a field parameter)

pCi/L = picocuries per liter.

All metals were analyzed as total unless otherwise indicated.

Qualifiers:

U The analyte was analyzed for, but not detected at, a level greater than or equal to the level of the adjusted reporting limit (RL) for the sample and method.

J The analyte was positively identified, and the associated numerical value is the approximate concentration of the analyte in the sample

(due either to the quality of the data generated because certain QC criteria were not met, or to the concentration of the analyte being below the RL).

J+ Same as J, and the reported concentration is potentially biased high.

J- Same as J, and the reported concentration is potentially biased low.

UJ The analyte was not detected at a level greater than or equal to the adjusted method detection limit (MDL). However, the reported adjusted MDL is approximate and might be inaccurate or imprecise.

R The sample results are unusable due to the quality of the data generated because certain criteria were not met. The analyte might or might not be present in the sample.

Sample Location:	SG-02									
Compliance Phase:	Background Monitoring									
Sample Date:	12/2/2022	1/5/2023	2/6/2023	3/14/2023	4/19/2023	5/23/2023	6/28/2023	8/8/2023		
Sample Type:	Field Sample	Field Sample	Field Sample	Field Sample	Field Sample	Field Sample	Field Sample	Field Sample		
Unit:	Surface Water									
Sample Matrix:	Surface Water	Surface Water	Surface Water	Surface Water	Surface Water	Surface Water	Surface Water	Surface Water		
Constituent	Unit	Fraction								
Field Parameters										
Conductivity	mS/cm	N	1.42	1	--	0.898	0.93	1.03	1.56	1.66
Dissolved Oxygen	mg/L	N	5.28	9.57	--	4.27	10.32	7.83	8.9	9.54
Oxidation Reduction Potential	mV	N	147.3	-25.2	--	131.1	13.3	16.1	25.6	69.3
pH	su	N	8.02	8.38	--	8	8.23	9.14	8.52	8.7
Temperature	deg c	N	2.8	3.5	--	2.7	8.9	26.6	26.2	29.6
Turbidity	NTU	N	1.62	0.02	--	1.2	2.41	6.62	4.2	3.26
Appendix III										
Boron	mg/L	T	4.0	2.2	--	2.1	2.0	2.8	5.6 J+	6.9
Calcium	mg/L	T	210	140	--	140	130	150	210 D	170 D
Chloride	mg/L	T	75	46	--	41	37	40	86 D	120 D
Fluoride	mg/L	T	2.6	1.9	--	2.3	2.6	3.3	4.6 D	5.1 D
Sulfate (as SO ₄)	mg/L	T	620	360	--	350	400	430	620 D	640 D
Total Dissolved Solids	mg/L	T	1100	660	--	580	680	740	1200 D	1400 D
Appendix IV										
Antimony	mg/L	T	0.00051	0.00043	--	0.00066	0.00058 J	0.0012	0.00085	0.0011
Arsenic	mg/L	T	0.0019	0.0012	--	0.0018	0.0017 J	0.0032	0.0037	0.0091
Barium	mg/L	T	0.049	0.033	--	0.034	0.22	0.080	0.13	0.11
Beryllium	mg/L	T	0.000060 J	< 0.000052 U	--	< 0.000052 U	< 0.00027 U	< 0.000052 U	0.00029	0.00014 J
Cadmium	mg/L	T	< 0.000032 U	< 0.000032 U	--	< 0.000032 U	< 0.00017 U	< 0.000075 U	< 0.000075 U	< 0.000075 U
Chromium, Total	mg/L	T	0.00038	0.00024 J	--	0.00057	< 0.00091 U	0.00046	0.00091	0.00080
Cobalt	mg/L	T	0.00021 J	0.00022 J	--	0.00028 J	< 0.00052 U	0.00035 J	0.00040 J	0.00057
Fluoride	mg/L	T	2.6	1.9	--	2.3	2.6	3.3	4.6 D	5.1 D
Lead	mg/L	T	0.0013	0.00081	--	0.0012	0.0020 J	0.0011	0.00050 J	0.0012
Lithium	mg/L	T	0.046	0.032	--	0.035	0.038	0.053	0.067	0.085
Mercury	mg/L	T	< 0.00016 U	< 0.00016 U	--	< 0.00016 U	< 0.00016 U	< 0.00016 U	< 0.00016 U	< 0.00016 U
Molybdenum	mg/L	T	0.0069	0.0060	--	0.011	0.0062 J	0.016	0.0072	0.012
Radium 226 and 228	pCi/L	T	< 0.342 U	0.712 J+	--	< 0.551 U	1.42	1.49	1.44	1.28
Radium-226	pCi/L	T	0.151	< 0.121 U	--	< 0.177 U	0.266	0.229	0.456	0.329
Radium-228	pCi/L	T	< 0.342 U	0.627 J+	--	< 0.551 U	1.15	1.26	0.981	0.954
Selenium	mg/L	T	0.00073	0.00059	--	0.0010	< 0.0011 U	0.0013	0.0013	0.0014
Thallium	mg/L	T	< 0.000075 U	< 0.000075 U	--	< 0.000075 U	< 0.00039 U	< 0.000075 U	< 0.000075 U	< 0.000075 U
Total Suspended Solids	mg/L	T	< 4.0 U	3.0 J	--	1.0 J	0.99 J	1.0 J	30	14
Michigan CCR Part 115										
Copper	mg/L	T	0.0010	0.00085	--	0.011	0.0011 J	0.0014	0.0012	0.0010
Iron	mg/L	T	0.20	0.15	--	0.20	0.23	0.16	0.27	0.48
Nickel	mg/L	T	0.0023	0.0020	--	0.0023	< 0.0034 U	0.0027	0.0036	0.0040
Silver	mg/L	T	< 0.000050 U	< 0.000050 U	--	< 0.000050 U	< 0.00026 U	< 0.000050 U	< 0.000050 U	< 0.000050 U
Vanadium	mg/L	T	< 0.00062 U	< 0.00062 U	--	< 0.00062 U	< 0.0032 U	0.0019	0.0014	0.0052
Zinc	mg/L	T	0.0041	0.0031	--	0.0029	0.029	0.0014	0.0024	0.0028
Additional Parameters										
Bicarbonate Alkalinity	mg/L	T	96	76	--	62	71	35	73	65
Carbonate Alkalinity	mg/L	T	< 0.16 U	< 0.16 U	--	< 0.16 U	< 0.16 U	< 0.16 U	< 0.16 U	19
Magnesium	mg/L	T	48	31	--	28	28	33	53	63 D
Potassium	mg/L	T	13	9.1	--	8.0	7.3	6.8	18	21 D
Sodium	mg/L	T	40	24	--	22	21	27	52	62 D
Total Alkalinity	mg/L	T	96	76	--	62	71	35	73	83

Notes:

ug/l = micrograms per liter.

mg/l = milligrams per liter.

su - standard pH units (pH is a field parameter)

pCi/L = picocuries per liter.

All metals were analyzed as total unless otherwise indicated.

Qualifiers:

U The analyte was analyzed for, but not detected at, a level greater than or equal to the level of the adjusted reporting limit (RL) for the sample and method.

J The analyte was positively identified, and the associated numerical value is the approximate concentration of the analyte in the sample

(due either to the quality of the data generated because certain QC criteria were not met, or to the concentration of the analyte being below the RL).

J+ Same as J, and the reported concentration is potentially biased high.

J- Same as J, and the reported concentration is potentially biased low.

UJ The analyte was not detected at a level greater than or equal to the adjusted method detection limit (MDL). However, the reported adjusted MDL is approximate and might be inaccurate or imprecise.

R The sample results are unusable due to the quality of the data generated because certain criteria were not met. The analyte might or might not be present in the sample.

Sample Location:		SG-03								
Compliance Phase:		Background Monitoring								
Sample Date:	12/2/2022	1/5/2023	2/6/2023	3/14/2023	4/19/2023	5/23/2023	6/28/2023	8/8/2023		
Sample Type:	Field Sample	Field Sample	Field Sample	Field Sample	Field Sample	Field Sample	Field Sample	Field Sample		
Unit:			Surface Water							
Sample Matrix:	Surface Water	Surface Water	Surface Water	Surface Water	Surface Water	Surface Water	Surface Water	Surface Water		
Constituent	Unit	Fraction								
Field Parameters										
Conductivity	mS/cm	N	1.45	1	--	0.896	1.15	1.05	1.53	1.66
Dissolved Oxygen	mg/L	N	5.23	9.58	--	3.98	9.77	7.37	8.71	9.56
Oxidation Reduction Potential	mV	N	138.3	-32.4	--	-50.1	8	10	17	71.4
pH	su	N	8	8.42	--	7.82	6.24	8.91	8.63	8.67
Temperature	deg c	N	2	3.3	--	0.9	8.3	28.6	25.9	29.5
Turbidity	NTU	N	1.2	0.36	--	0.02	4.45	38.1	5.36	4.27
Appendix III										
Boron	mg/L	T	3.9	2.0	--	2.1	2.0	2.9	5.8 J+	7.5
Calcium	mg/L	T	200	120	--	150	140	160	220 D	180 D
Chloride	mg/L	T	72	42	--	43	37	41	86 D	120 D
Fluoride	mg/L	T	2.5	1.8	--	2.5	2.7	3.6	4.6 D	5.0 D
Sulfate (as SO4)	mg/L	T	600	350	--	350	400	450	620 D	640 D
Total Dissolved Solids	mg/L	T	1100	480	--	630	660	740	1200 D	1400 D
Boron	mg/L	D	--	--	--	--	--	2.7	--	--
Calcium	mg/L	D	--	--	--	--	--	150	--	--
Appendix IV										
Antimony	mg/L	T	0.00049	0.00038	--	0.00067	0.0010 J	0.0013	0.00088	0.0012
Arsenic	mg/L	T	0.0018	0.0011	--	0.0020	0.0016 J	0.0041	0.0040	0.0094
Barium	mg/L	T	0.049	0.031	--	0.036	0.027	0.097	0.13	0.13
Beryllium	mg/L	T	< 0.000052 U	< 0.000052 U	--	0.000078 J	< 0.00026 U	0.00056	0.00040	0.000091 J
Cadmium	mg/L	T	< 0.000032 U	< 0.000032 U	--	0.000038 J	< 0.00016 U	< 0.000075 U	< 0.000075 U	< 0.000075 U
Chromium, Total	mg/L	T	0.00043	0.00025	--	0.00092	< 0.00088 U	0.0025	0.0012	0.00069
Cobalt	mg/L	T	0.00017 J	0.00017 J	--	0.00033 J	0.00050 J	0.00058	0.00043 J	0.00055
Fluoride	mg/L	T	2.5	1.8	--	2.5	2.7	3.6	4.6 D	5.0 D
Lead	mg/L	T	0.0012	0.00060	--	0.0020	< 0.0011 U	0.0033	0.00076	0.00091
Lithium	mg/L	T	0.046	0.028	--	0.0056	0.037	0.051	0.067	0.090
Mercury	mg/L	T	< 0.00016 U	< 0.00016 U	--	< 0.00016 U	< 0.00016 U	< 0.00016 U	< 0.00016 U	< 0.00016 U
Molybdenum	mg/L	T	0.0066	0.0052	--	0.010	0.0097	0.020	0.0069	0.013
Radium 226 and 228	pCi/L	T	< 0.443 U	< 0.506 U	--	< 0.531 U	1.21	< 0.658 U	< 0.653 U	0.969
Radium-226	pCi/L	T	0.14	0.129	--	< 0.193 U	0.199	0.363	0.353	0.253
Radium-228	pCi/L	T	< 0.443 U	< 0.506 U	--	< 0.531 U	1.01	< 0.658 U	< 0.653 U	< 0.842 U
Selenium	mg/L	T	0.00070	0.00056	--	0.0010	0.0021 J	0.0018	0.0012	0.0016
Thallium	mg/L	T	< 0.000075 U	< 0.000075 U	--	< 0.000075 U	< 0.000038 U	< 0.000075 U	< 0.000075 U	< 0.000075 U
Total Suspended Solids	mg/L	T	9.0	1.0 J	--	6.0	3.0 J	33	34	16
Antimony	mg/L	D	--	--	--	--	< 0.000038 U	--	--	--
Arsenic	mg/L	D	--	--	--	--	--	0.0035	--	--
Barium	mg/L	D	--	--	--	--	--	0.073	--	--
Beryllium	mg/L	D	--	--	--	--	--	< 0.000078 U	--	--
Cadmium	mg/L	D	--	--	--	--	--	< 0.000018 U	--	--
Chromium, Total	mg/L	D	--	--	--	--	--	< 0.00012 U	--	--
Cobalt	mg/L	D	--	--	--	--	--	< 0.000028 U	--	--
Lead	mg/L	D	--	--	--	--	--	< 0.00012 U	--	--
Lithium	mg/L	D	--	--	--	--	--	0.039	--	--
Molybdenum	mg/L	D	--	--	--	--	--	0.018	--	--
Selenium	mg/L	D	--	--	--	--	--	0.0020	--	--
Thallium	mg/L	D	--	--	--	--	--	< 0.000015 U	--	--
Michigan CCR Part 115										
Copper	mg/L	T	0.00093	0.00067	--	0.016	< 0.0010 U	0.0030	0.0013	0.0010
Iron	mg/L	T	0.18	0.15	--	0.35	0.20	0.66	0.31	0.48
Nickel	mg/L	T	0.0022	0.0017	--	0.0026	0.0032 J	0.0039	0.0036	0.0039
Silver	mg/L	T	< 0.000050 U	< 0.000050 U	--	< 0.000050 U	< 0.000025 U	< 0.000050 U	< 0.000050 U	< 0.000050 U
Vanadium	mg/L	T	< 0.00062 U	< 0.00062 U	--	0.00092 J	< 0.0031 U	0.0049	0.0020	0.0053
Zinc	mg/L	T	0.0042	0.0037	--	0.0047	< 0.0059 U	0.0060	0.0029	0.0024
Copper	mg/L	D	--	--	--	--	--	< 0.00012 U	--	--
Iron	mg/L	D	--	--	--	--	--	0.10	--	--
Nickel	mg/L	D	--	--	--	--	--	< 0.00018 U	--	--
Silver	mg/L	D	--	--	--	--	--	< 0.000038 U	--	--
Vanadium	mg/L	D	--	--	--	--	--	< 0.00024 U	--	--
Zinc	mg/L	D	--	--	--	--	--	< 0.0017 U	--	--
Additional Parameters										
Bicarbonate Alkalinity	mg/L	T	110	71	--	73	71	41	73	69
Carbonate Alkalinity	mg/L	T	< 0.16 U	< 0.16 U	--	< 0.16 U	< 0.16 U	< 0.16 U	< 0.16 U	16
Magnesium	mg/L	T	47	26	--	30	29	37	56	67 D
Potassium	mg/L	T	13	8.1	--	8.3	7.2	7.1	19	22 D
Sodium	mg/L	T	38	20	--	23	21	28	57	66 D
Total Alkalinity	mg/L	T	110	71	--	73	71	41	73	85
Magnesium	mg/L	D	--	--	--	--	--	34	--	--
Potassium	mg/L	D	--	--	--	--	--	6.7	--	--
Sodium	mg/L	D	--	--	--	--	--	25	--	--

Notes:

ug/l - micrograms per liter.

mg/l = milligrams per liter.

su - standard pH units (pH is a field parameter)

pCi/L = picocuries per liter.

All metals were analyzed as total unless otherwise indicated.

Qualifiers:

U The analyte was analyzed for, but not detected at, a level greater than or equal to the level of the adjusted reporting limit (RL) for the sample and method.

J The analyte was positively identified, and the associated numerical value is the approximate concentration of the analyte in the sample

(due either to the quality of the data generated because certain QC criteria were not met, or to the concentration of the analyte being below the RL.)

J+ Same as J, and the reported concentration is potentially biased high.

J- Same as J, and the reported concentration is potentially biased low.

UJ The analyte was not detected at a level greater than or equal to the adjusted method detection limit (MDL). However, the reported adjusted MDL is approximate and might be inaccurate or imprecise.

R The sample results are unusable due to the quality of the data generated because certain criteria were not met. The analyte might or might not be present in the sample.

Sample Location:		SG-04R								
Compliance Phase:		Background Monitoring								
Sample Date:	12/2/2022	1/5/2023	2/6/2023	3/14/2023	4/19/2023	5/23/2023	6/28/2023	8/8/2023		
Sample Type:	Field Sample	Field Sample	Field Sample	Field Sample	Field Sample	Field Sample	Field Sample	Field Sample		
Unit:			Surface Water							
Sample Matrix:	Surface Water		Surface Water							
Constituent	Unit	Fraction								
Field Parameters										
Conductivity	mS/cm	N	1	1.64	--	1.404	1.96	1.79	2.56	
Dissolved Oxygen	mg/L	N	6.42	9.64	--	10.26	10.46	7.17	6.62	
Oxidation Reduction Potential	mV	N	125.3	-34.8	--	-34	91.5	29.9	368	
pH	su	N	8.03	8.44	--	8.05	8.21	8.3	8.24	
Temperature	deg c	N	3.3	4	--	5.9	8.2	25.6	23.8	
Turbidity	NTU	N	7.25	1.1	--	3.22	1.04	5.27	10.6	
Appendix III										
Boron	mg/L	T	3.0	2.1	--	2.6	2.4	3.2	5.0 J+	
Calcium	mg/L	T	430	300	--	370	310	390	600 D	
Chloride	mg/L	T	27	22	--	21	20	22	33 D	
Fluoride	mg/L	T	2.6	2.0	--	2.3	2.7	3.5	5.0 D	
Sulfate (as SO4)	mg/L	T	1200	890	--	750	880	1000	1600 D	
Total Dissolved Solids	mg/L	T	1800	1200	--	1200	1400	1600	2500 D	
Appendix IV										
Antimony	mg/L	T	0.00059	0.00052	--	0.00069	0.0011 J	0.00064 J	0.0013 D	
Arsenic	mg/L	T	0.00099	0.00091	--	0.0016	0.0026 J	0.0012	0.0043	
Barium	mg/L	T	0.022	0.019	--	0.023	0.040	0.039	0.040 D	
Beryllium	mg/L	T	< 0.000052 U	< 0.000052 U	--	< 0.000052 U	< 0.00026 U	< 0.000052 U	0.00012 J	
Cadmium	mg/L	T	< 0.000032 U	< 0.000032 U	--	< 0.000032 U	< 0.00016 U	< 0.00038 U	< 0.000075 U	
Chromium, Total	mg/L	T	0.00019 J	0.00028	--	0.00035	< 0.00088 U	0.00040	0.0010	
Cobalt	mg/L	T	0.00024 J	0.00028 J	--	0.00037 J	< 0.00050 U	0.00032 J	0.0011	
Fluoride	mg/L	T	2.6	2.0	--	2.3	2.7	3.5	5.0 D	
Lead	mg/L	T	0.00033 J	0.00027 J	--	0.00047 J	0.0011 J	0.0013 J	0.0025 JD	
Lithium	mg/L	T	0.044	0.039	--	0.0089	0.043	0.056	0.072	
Mercury	mg/L	T	< 0.00016 U	< 0.00016 U	--	< 0.00016 U	< 0.00016 U	< 0.00016 U	< 0.00016 U	
Molybdenum	mg/L	T	0.0078	0.0066	--	0.0073	0.010	0.0072	0.013	
Radium 226 and 228	pCi/L	T	< 0.408 U	< 0.497 U	--	< 0.672 U	< 0.809 U	< 0.803 U	1.82	
Radium-226	pCi/L	T	< 0.11 U	< 0.109 U	--	< 0.167 U	< 0.213 U	0.264	0.233	
Radium-228	pCi/L	T	< 0.408 U	< 0.497 U	--	< 0.672 U	< 0.809 U	< 0.803 U	1.59	
Selenium	mg/L	T	0.0015	0.0014	--	0.0016	0.0013 J	0.0012	0.0023	
Thallium	mg/L	T	< 0.000075 U	< 0.000075 U	--	< 0.000075 U	< 0.00038 U	< 0.00038 U	< 0.00038 UD	
Total Suspended Solids	mg/L	T	5.0	< 4.0 U	--	3.0 J	1.0 J	5.0	23	
Michigan CCR Part 115										
Copper	mg/L	T	0.00047	0.00048	--	0.012	0.0012	0.00056	0.0018	
Iron	mg/L	T	0.055	0.11	--	0.11	0.13	0.19	0.31	
Nickel	mg/L	T	0.0025	0.0028	--	0.0027	< 0.0032 U	0.0022	0.0055	
Silver	mg/L	T	< 0.000050 U	< 0.000050 U	--	< 0.000050 U	< 0.00025 U	< 0.00025 U	< 0.000050 U	
Vanadium	mg/L	T	< 0.00062 U	< 0.00062 U	--	< 0.00062 U	< 0.0031 U	0.00094 J	0.0041	
Zinc	mg/L	T	0.0037	0.0023	--	0.0033	0.0061 J	0.0012	0.0019	
Additional Parameters										
Bicarbonate Alkalinity	mg/L	T	110	87	--	98	100	62	50	
Carbonate Alkalinity	mg/L	T	< 0.16 U	< 0.16 U	--	< 0.16 U	< 0.16 U	< 0.16 U	13	
Magnesium	mg/L	T	41	30	--	33	29	35	53	
Potassium	mg/L	T	15	10	--	9.8	9.1	10	17	
Sodium	mg/L	T	24	20	--	21	19	22	39	
Total Alkalinity	mg/L	T	110	87	--	98	100	62	50	

Notes:

ug/l - micrograms per liter.

mg/l = milligrams per liter.

su - standard pH units (pH is a field parameter)

pCi/L = picocuries per liter.

All metals were analyzed as total unless otherwise indicated.

Qualifiers:

U The analyte was analyzed for, but not detected at, a level greater than or equal to the level of the adjusted reporting limit (RL) for the sample and method.

J The analyte was positively identified, and the associated numerical value is the approximate concentration of the analyte in the sample

(due either to the quality of the data generated because certain QC criteria were not met, or to the concentration of the analyte being below the RL).

J+ Same as J, and the reported concentration is potentially biased high.

J- Same as J, and the reported concentration is potentially biased low.

UJ The analyte was not detected at a level greater than or equal to the adjusted method detection limit (MDL). However, the reported adjusted MDL is approximate and might be inaccurate or imprecise.

R The sample results are unusable due to the quality of the data generated because certain criteria were not met. The analyte might or might not be present in the sample.

Sample Location:		SG-05								
Compliance Phase:		Background Monitoring								
Sample Date:	12/2/2022	1/5/2023	2/6/2023	3/14/2023	4/19/2023	5/23/2023	6/28/2023	8/8/2023		
Sample Type:	Field Sample	Field Sample	Field Sample	Field Sample	Field Sample	Field Sample	Field Sample	Field Sample		
Unit:			Surface Water							
Sample Matrix:	Surface Water	Surface Water	Surface Water	Surface Water	Surface Water	Surface Water	Surface Water	Surface Water		
Constituent	Unit	Fraction								
Field Parameters										
Conductivity	mS/cm	N	0.731	0.98	--	0.742	1.11	0.75	0.61	0.359
Dissolved Oxygen	mg/L	N	6.85	13.1	--	15.74	6.77	7.83	11.25	11.39
Oxidation Reduction Potential	mV	N	142	-44.6	--	6.4	18.3	16.3	153.3	39.2
pH	su	N	7.44	8.02	--	8.28	7.88	8.31	6.73	9.19
Temperature	deg c	N	4.1	4	--	9.8	7.6	27.8	23.4	28.9
Turbidity	NTU	N	9.38	8.02	--	9.83	26.6	6.8	7.84	4.36
Appendix III										
Boron	mg/L	T	0.59	0.6	--	0.48	0.57	0.36	0.46 J+	0.39
Calcium	mg/L	T	140	120	--	120	120	81	34	34
Chloride	mg/L	T	79	51	--	61	50	54	64 D	29 D
Fluoride	mg/L	T	0.73	0.98	--	0.94	0.69	0.3	0.42 D	0.45 D
Sulfate (as SO4)	mg/L	T	8.4 J	150	--	38 J	110	43	38 D	11 D
Total Dissolved Solids	mg/L	T	620	630	--	460	570	400	320 D	210 D
Boron	mg/L	D	--	--	--	--	0.68	--	--	--
Calcium	mg/L	D	--	--	--	--	120	--	--	--
Appendix IV										
Antimony	mg/L	T	0.00018 J	0.000093 J	--	0.0003	0.0010 J	0.00029	0.001	0.00044
Arsenic	mg/L	T	0.00084	0.00056	--	0.00071	0.0026 J	0.0017	0.0024	0.0013
Barium	mg/L	T	0.58	0.23	--	0.35	0.039	0.2	0.11	0.16
Beryllium	mg/L	T	< 0.000052 U	< 0.000052 U	--	< 0.000052 U	< 0.00026 U	< 0.000052 U	< 0.000052 U	< 0.000052 U
Cadmium	mg/L	T	< 0.000032 U	< 0.000032 U	--	< 0.000032 U	< 0.00016 U	< 0.000075 U	0.00011 J	0.00075
Chromium, Total	mg/L	T	0.00036	0.00024 J	--	0.00048	< 0.00088 U	0.00035	0.00049	0.0017
Cobalt	mg/L	T	0.00037 J	0.00025 J	--	0.00029 J	< 0.00050 U	0.00025 J	0.00032 J	0.00033 J
Fluoride	mg/L	T	0.73	0.98	--	0.94	0.69	0.3	0.42 D	0.45 D
Lead	mg/L	T	0.00023 J	0.00038 J	--	0.00045 J	0.0012 J	0.0022	0.004	0.0095
Lithium	mg/L	T	0.038	0.033	--	0.0045	0.029	0.016	0.022	0.027
Mercury	mg/L	T	< 0.00016 U	< 0.00016 U	--	< 0.00016 U	< 0.00016 U	< 0.00016 U	< 0.00016 U	< 0.00016 U
Molybdenum	mg/L	T	0.00077 J	0.0029	--	0.0013	0.009	0.0083	0.0087	0.0015
Radium 226 and 228	pCi/L	T	0.851	< 0.537 U	--	< 0.776 U	0.858	< 0.758 U	< 0.818 U	< 0.82 U
Radium-226	pCi/L	T	0.308	< 0.122 U	--	< 0.188 U	0.306	< 0.219 U	< 0.154 U	< 0.147 U
Radium-228	pCi/L	T	0.543	< 0.537 U	--	< 0.776 U	< 0.798 U	< 0.758 U	< 0.818 U	< 0.82 U
Selenium	mg/L	T	< 0.00022 U	< 0.00022 U	--	< 0.00022 U	0.0013 J	0.00022 J	0.00038 J	0.00027 J
Thallium	mg/L	T	< 0.000075 U	< 0.000075 U	--	< 0.000075 U	< 0.00038 U	< 0.000075 U	< 0.000075 U	< 0.000075 U
Total Suspended Solids	mg/L	T	5	7.9	--	8	17	6	14	73
Antimony	mg/L	D	--	--	--	--	0.00047 J	--	--	--
Arsenic	mg/L	D	--	--	--	--	0.00063 J	--	--	--
Barium	mg/L	D	--	--	--	--	0.37	--	--	--
Beryllium	mg/L	D	--	--	--	--	< 0.00026 U	--	--	--
Cadmium	mg/L	D	--	--	--	--	< 0.00016 U	--	--	--
Chromium, Total	mg/L	D	--	--	--	--	0.025	--	--	--
Cobalt	mg/L	D	--	--	--	--	0.0012 J	--	--	--
Lead	mg/L	D	--	--	--	--	< 0.0011 U	--	--	--
Lithium	mg/L	D	--	--	--	--	0.032	--	--	--
Mercury	mg/L	D	--	--	--	--	< 0.00016 U	--	--	--
Molybdenum	mg/L	D	--	--	--	--	< 0.0031 U	--	--	--
Selenium	mg/L	D	--	--	--	--	< 0.0011 U	--	--	--
Thallium	mg/L	D	--	--	--	--	< 0.00038 U	--	--	--
Michigan CCR Part 115										
Copper	mg/L	T	0.00029	0.00036	--	0.0089	0.0011 J	0.00084	0.0028	0.0066
Iron	mg/L	T	3	1.5	--	2.7	3.2	1.1	0.74	1.1
Nickel	mg/L	T	0.0013	0.0015	--	0.0012	< 0.0032 U	0.0026	0.0034	0.0026
Silver	mg/L	T	< 0.000050 U	< 0.000050 U	--	0.000053	< 0.00025 U	< 0.000050 U	< 0.000050 U	< 0.000050 U
Vanadium	mg/L	T	< 0.00062 U	< 0.00062 U	--	< 0.00062 U	< 0.0031 U	< 0.00062 U	0.0012	0.00069 J
Zinc	mg/L	T	0.03	0.018	--	0.0022	0.0060 J	0.0024	0.009	0.019
Copper	mg/L	D	--	--	--	--	< 0.0010 U	--	--	--
Iron	mg/L	D	--	--	--	--	0.12	--	--	--
Nickel	mg/L	D	--	--	--	--	< 0.0032 U	--	--	--
Silver	mg/L	D	--	--	--	--	< 0.00025 U	--	--	--
Vanadium	mg/L	D	--	--	--	--	< 0.0031 U	--	--	--
Zinc	mg/L	D	--	--	--	--	0.043	--	--	--
Additional Parameters										
Bicarbonate Alkalinity	mg/L	T	490	270	--	290	290	240	65	96
Carbonate Alkalinity	mg/L	T	< 0.16 U	< 0.16 U	--	< 0.16 U	< 0.16 U	< 0.16 U	46	16
Magnesium	mg/L	T	27	23	--	26	26	25	21	12
Potassium	mg/L	T	8.1	6.5	--	7.9	6.8	4.3	0.31	0.79
Sodium	mg/L	T	43	30	--	38	34	37	44	21
Total Alkalinity	mg/L	T	490	270	--	290	290	240	110	110
Magnesium	mg/L	D	--	--	--	--	26	--	--	--
Potassium	mg/L	D	--	--	--	--	7.4	--	--	--
Sodium	mg/L	D	--	--	--	--	34	--	--	--

Notes:

ug/L - micrograms per liter.

mg/L = milligrams per liter.

su - standard pH units (pH is a field parameter)

pCi/L = picocuries per liter.

All metals were analyzed as total unless otherwise indicated.

Qualifiers:

U The analyte was analyzed for, but not detected at, a level greater than or equal to the level of the adjusted reporting limit (RL) for the sample and method.

J The analyte was positively identified, and the associated numerical value is the approximate concentration of the analyte in the sample

(due either to the quality of the data generated because certain QC criteria were not met, or to the concentration of the analyte being below the RL).

J+ Same as J, and the reported concentration is potentially biased high.

J- Same as J, and the reported concentration is potentially biased low.

UJ The analyte was not detected at a level greater than or equal to the adjusted method detection limit (MDL). However, the reported adjusted MDL is approximate and might be inaccurate or imprecise.

R The sample results are unusable due to the quality of the data generated because certain criteria were not met. The analyte might or might not be

Sample Location: Compliance Phase: Sample Date: Sample Type: Unit: Sample Matrix:	SG-06							
	Background Monitoring							
	12/2/2022 Field Sample	1/5/2023 Field Sample	2/6/2023 Field Sample	3/13/2023 Field Sample	4/19/2023 Field Sample	5/23/2023 Field Sample	6/28/2023 Field Sample	8/8/2023 Field Sample
	Surface Water							
	Constituent	Unit	Fraction					
	Field Parameters							
	Conductivity	mS/cm	N	NS	NS	NS	NS	NS
	Dissolved Oxygen	mg/L	N	NS	NS	NS	NS	4.93
	Oxidation Reduction Potential	mV	N	NS	NS	NS	NS	60.2
	pH	su	N	NS	NS	NS	NS	7.37
	Temperature	deg c	N	NS	NS	NS	NS	24.3
	Turbidity	NTU	N	NS	NS	NS	NS	7.35
Appendix III								
Boron	mg/L	T	NS	NS	NS	NS	NS	0.21
Calcium	mg/L	T	NS	NS	NS	NS	NS	69 D
Chloride	mg/L	T	NS	NS	NS	NS	NS	53 D
Fluoride	mg/L	T	NS	NS	NS	NS	NS	0.18 D
Sulfate (as SO ₄)	mg/L	T	NS	NS	NS	NS	NS	15 D
Total Dissolved Solids	mg/L	T	NS	NS	NS	NS	NS	380 D
Appendix IV								
Antimony	mg/L	T	NS	NS	NS	NS	NS	< 0.00010 U
Arsenic	mg/L	T	NS	NS	NS	NS	NS	0.0016
Barium	mg/L	T	NS	NS	NS	NS	NS	0.10
Beryllium	mg/L	T	NS	NS	NS	NS	NS	< 0.000052 U
Cadmium	mg/L	T	NS	NS	NS	NS	NS	< 0.000075 U
Chromium, Total	mg/L	T	NS	NS	NS	NS	NS	0.00088
Cobalt	mg/L	T	NS	NS	NS	NS	NS	0.00019 J
Fluoride	mg/L	T	NS	NS	NS	NS	NS	0.18 D
Lead	mg/L	T	NS	NS	NS	NS	NS	0.00071
Lithium	mg/L	T	NS	NS	NS	NS	NS	0.0061
Mercury	mg/L	T	NS	NS	NS	NS	NS	< 0.00016 U
Molybdenum	mg/L	T	NS	NS	NS	NS	NS	0.00039 J
Radium 226 and 228	pCi/L	T	NS	NS	NS	NS	NS	< 0.926 U
Radium-226	pCi/L	T	NS	NS	NS	NS	NS	< 0.16 U
Radium-228	pCi/L	T	NS	NS	NS	NS	NS	< 0.926 U
Selenium	mg/L	T	NS	NS	NS	NS	NS	0.00015 J
Thallium	mg/L	T	NS	NS	NS	NS	NS	< 0.000075 U
Total Suspended Solids	mg/L	T	NS	NS	NS	NS	NS	120
Michigan CCR Part 115								
Copper	mg/L	T	NS	NS	NS	NS	NS	0.00089
Iron	mg/L	T	NS	NS	NS	NS	NS	0.55
Nickel	mg/L	T	NS	NS	NS	NS	NS	0.00084 J
Silver	mg/L	T	NS	NS	NS	NS	NS	< 0.000050 U
Vanadium	mg/L	T	NS	NS	NS	NS	NS	< 0.00062 U
Zinc	mg/L	T	NS	NS	NS	NS	NS	0.0045
Additional Parameters								
Bicarbonate Alkalinity	mg/L	T	NS	NS	NS	NS	NS	230
Carbonate Alkalinity	mg/L	T	NS	NS	NS	NS	NS	< 0.16 U
Magnesium	mg/L	T	NS	NS	NS	NS	NS	21
Potassium	mg/L	T	NS	NS	NS	NS	NS	0.78
Sodium	mg/L	T	NS	NS	NS	NS	NS	29 D
Total Alkalinity	mg/L	T	NS	NS	NS	NS	NS	230

Notes:

ug/l = micrograms per liter.

mg/l = milligrams per liter.

su - standard pH units (pH is a field parameter)

pCi/L = picocuries per liter.

All metals were analyzed as total unless otherwise indicated.

Qualifiers:

U The analyte was analyzed for, but not detected at, a level greater than or equal to the level of the adjusted reporting limit (RL) for the sample and method.

J The analyte was positively identified, and the associated numerical value is the approximate concentration of the analyte in the sample

(due either to the quality of the data generated because certain QC criteria were not met, or to the concentration of the analyte being below the RL).

J+ Same as J, and the reported concentration is potentially biased high.

J- Same as J, and the reported concentration is potentially biased low.

UJ The analyte was not detected at a level greater than or equal to the adjusted method detection limit (MDL). However, the reported adjusted MDL is approximate and might be inaccurate or imprecise.

R The sample results are unusable due to the quality of the data generated because certain criteria were not met. The analyte might or might not be present in the sample.

Appendix D

Laboratory Reports

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

September 06, 2023

Ms. Molly Reeves
HDR Michigan Inc.
5405 Data Court
Ann Arbor, MI 48108

Phone: (734) 263-7138

RE: Trace Project 23F1319
Client Project City of Grand Haven - Harbor Island

Dear Ms. Reeves:

Enclosed are your analytical results. The results of this report relate only to the samples listed in the body of this report.

All reports were examined through Trace's validation process to ensure that requirements for quality and completeness were satisfied. All reported analytical results were obtained in accordance with the methods referenced on the reports. Every practical effort was made to meet the reporting limit specifications for this work, however, some results may have raised reporting limits to correct for percent solids.

If you have questions concerning this report, please contact me at 231.773.5998 or by email at jmink@trace-labs.com.

Sincerely,

A handwritten signature in black ink that reads "Jon Mink".

Jon Mink
Senior Project Manager
Enclosures



Wisconsin Accreditation No. FID: 998044080 / TNI EL V1:2016

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

SAMPLE SUMMARY

Trace Project ID: 23F1319
Client Project ID: City of Grand Haven - Harbor Island

Trace ID	Sample ID	Matrix	Collected By	Date Collected	Date Received
23F1319-01	MW-01R	Ground Water	Client	06/28/23 08:50	06/29/23 08:33
23F1319-02	MW-02	Ground Water	Client	06/27/23 16:05	06/29/23 08:33
23F1319-03	MW-03	Ground Water	Client	06/28/23 11:00	06/29/23 08:33
23F1319-04	MW-04	Ground Water	Client	06/28/23 09:55	06/29/23 08:33
23F1319-05	MW-06	Ground Water	Client	06/28/23 12:00	06/29/23 08:33
23F1319-06	MW-07	Ground Water	Client	06/27/23 12:00	06/29/23 08:33
23F1319-07	MW-08	Ground Water	Client	06/27/23 17:20	06/29/23 08:33
23F1319-08	MW-09	Ground Water	Client	06/27/23 14:45	06/29/23 08:33
23F1319-09	MW-10	Ground Water	Client	06/27/23 17:30	06/29/23 08:33
23F1319-10	MW-11	Ground Water	Client	06/28/23 12:10	06/29/23 08:33
23F1319-11	MW-12	Ground Water	Client	06/27/23 09:00	06/29/23 08:33
23F1319-12	MW-18	Ground Water	Client	06/27/23 11:00	06/29/23 08:33
23F1319-13	MW-19	Ground Water	Client	06/28/23 10:30	06/29/23 08:33
23F1319-14	MW-20	Ground Water	Client	06/28/23 09:00	06/29/23 08:33
23F1319-15	MW-27	Ground Water	Client	06/27/23 12:05	06/29/23 08:33
23F1319-16	MW-30	Ground Water	Client	06/27/23 13:40	06/29/23 08:33
23F1319-17	MW-31	Ground Water	Client	06/27/23 14:30	06/29/23 08:33
23F1319-18	MW-32	Ground Water	Client	06/27/23 15:40	06/29/23 08:33
23F1319-19	MW-33	Ground Water	Client	06/27/23 10:25	06/29/23 08:33
23F1319-20	MW-34	Ground Water	Client	06/27/23 11:10	06/29/23 08:33
23F1319-21	MWT-12	Ground Water	Client	06/27/23 09:00	06/29/23 08:33
23F1319-22	MWT-30	Ground Water	Client	06/27/23 13:40	06/29/23 08:33
23F1319-23	SG-02	Surface Water	Client	06/28/23 13:35	06/29/23 08:33
23F1319-24	SG-03	Surface Water	Client	06/28/23 13:25	06/29/23 08:33
23F1319-25	SG-04R	Surface Water	Client	06/28/23 13:10	06/29/23 08:33
23F1319-26	SG-05	Surface Water	Client	06/28/23 12:50	06/29/23 08:33

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

AN EXPLANATION OF TERMS AND SYMBOLS WHICH MAY OCCUR IN THIS REPORT

DEFINITIONS

LCS	Laboratory Control Sample
LCSD	Laboratory Control Sample Duplicate
MS	Matrix Spike
MSD	Matrix Spike Duplicate
RPD	Relative Percent Difference
DUP	Matrix Duplicate
LOQ	Limit of Quantitation
LOD	Limit of Detection
J	Estimated result greater than the LOD but less than the LOQ
<, ND or U	Indicates the compound was analyzed for but not detected
*	Indicates a result that exceeds its associated MCL or Surrogate control limits
N	Indicates that the compound has not been evaluated by NELAC
NA	Indicates that the compound is not available.

NOTE: Samples for volatiles that have been extracted with a water miscible solvent were corrected for the total volume of the solvent/water mixture.

Solid matrices Method Blanks are at 100% solids as such results are the same wet or dry.

DATA QUALIFIERS

Trace ID: 23F1319-01

Analysis: SM 4500-H+ B-11

pH	Note 503 : The sample result and reporting limit must be considered estimated. The analysis was performed beyond the EPA established 24-hour hold time.
pH	Note pH : The pH was analyzed at 10:19

Trace ID: 23F1319-02

Analysis: EPA 200.7 Rev. 4.4

Potassium	Note 241 : The MS recovery was out of control low. The result for this analyte, in the non-spiked version of the sample, must be considered estimated.
-----------	--

Analysis: SM 2540 C-15

Total Dissolved Solids	Note 623 : The relative percent difference between the sample and sample duplicate is out of control. The sample result should be considered estimated.
------------------------	---

Analysis: SM 4500-H+ B-11

pH	Note 511 : The sample was received and, therefore, analyzed beyond the established EPA hold time. The result must be considered estimated.
pH	Note pHa : The pH was analyzed at 10:20

Trace ID: 23F1319-03

Analysis: SM 4500-H+ B-11

pH	Note pHn : The pH was analyzed at 10:39
----	---

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

Trace ID: 23F1319-04

Analysis: SM 4500-H+ B-11

pH	Note 503 : The sample result and reporting limit must be considered estimated. The analysis was performed beyond the EPA established 24-hour hold time.
pH	Note pHb : The pH was analyzed at 10:21

Trace ID: 23F1319-05

Analysis: SM 4500-H+ B-11

pH	Note pHc : The pH was analyzed at 10:22
----	---

Trace ID: 23F1319-06

Analysis: SM 4500-H+ B-11

pH	Note 511 : The sample was received and, therefore, analyzed beyond the established EPA hold time. The result must be considered estimated.
pH	Note pHo : The pH was analyzed at 10:41

Trace ID: 23F1319-07

Analysis: SM 4500-H+ B-11

pH	Note 511 : The sample was received and, therefore, analyzed beyond the established EPA hold time. The result must be considered estimated.
pH	Note pHc : The pH was analyzed at 10:22

Trace ID: 23F1319-08

Analysis: SM 4500-H+ B-11

pH	Note 511 : The sample was received and, therefore, analyzed beyond the established EPA hold time. The result must be considered estimated.
pH	Note pHd : The pH was analyzed at 10:23

Trace ID: 23F1319-09

Analysis: SM 4500-H+ B-11

pH	Note 511 : The sample was received and, therefore, analyzed beyond the established EPA hold time. The result must be considered estimated.
pH	Note pHd : The pH was analyzed at 10:23

Trace ID: 23F1319-10

Analysis: SM 4500-H+ B-11

pH	Note pHk : The pH was analyzed at 10:35
----	---

Trace ID: 23F1319-11

Analysis: SM 4500-H+ B-11

pH	Note 511 : The sample was received and, therefore, analyzed beyond the established EPA hold time. The result must be considered estimated.
----	--

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

pH

Note pH : The pH was analyzed at 10:36

Trace ID: 23F1319-12

Analysis: SM 4500-H+ B-11

pH

Note 511 : The sample was received and, therefore, analyzed beyond the established EPA hold time. The result must be considered estimated.

pH

Note pH : The pH was analyzed at 10:36

Trace ID: 23F1319-13

Analysis: SM 4500-H+ B-11

pH

Note pHe : The pH was analyzed at 10:24

Trace ID: 23F1319-14

Analysis: SM 4500-H+ B-11

pH

Note 503 : The sample result and reporting limit must be considered estimated. The analysis was performed beyond the EPA established 24-hour hold time.

pH

Note pHf : The pH was analyzed at 10:25

Trace ID: 23F1319-15

Analysis: SM 4500-H+ B-11

pH

Note 511 : The sample was received and, therefore, analyzed beyond the established EPA hold time. The result must be considered estimated.

pH

Note pHg : The pH was analyzed at 10:26

Trace ID: 23F1319-16

Analysis: SM 2540 C-15

Total Dissolved Solids

Note 900 : Even after multiple heating cycles, the sample was unable to reach a constant weight. The result should be considered estimated.

Analysis: SM 4500-H+ B-11

pH

Note 511 : The sample was received and, therefore, analyzed beyond the established EPA hold time. The result must be considered estimated.

pH

Note pHh : The pH was analyzed at 10:27

Trace ID: 23F1319-17

Analysis: SM 4500-H+ B-11

pH

Note 511 : The sample was received and, therefore, analyzed beyond the established EPA hold time. The result must be considered estimated.

pH

Note pHi : The pH was analyzed at 10:29

Trace ID: 23F1319-18

Analysis: SM 4500-H+ B-11

pH

Note 511 : The sample was received and, therefore, analyzed beyond the established EPA hold time. The result must be considered estimated.

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

pH

Note pHj : The pH was analyzed at 10:30

Trace ID: 23F1319-19

Analysis: SM 4500-H+ B-11

pH

Note 511 : The sample was received and, therefore, analyzed beyond the established EPA hold time. The result must be considered estimated.

pH

Note pHm : The pH was analyzed at 10:38

Trace ID: 23F1319-20

Analysis: SM 4500-H+ B-11

pH

Note 511 : The sample was received and, therefore, analyzed beyond the established EPA hold time. The result must be considered estimated.

pH

Note pHn : The pH was analyzed at 10:39

Trace ID: 23F1319-21

Analysis: SM 4500-H+ B-11

pH

Note 511 : The sample was received and, therefore, analyzed beyond the established EPA hold time. The result must be considered estimated.

pH

Note pHp : The pH was analyzed at 10:43

Trace ID: 23F1319-22

Analysis: SM 4500-H+ B-11

pH

Note 511 : The sample was received and, therefore, analyzed beyond the established EPA hold time. The result must be considered estimated.

pH

Note pHr : The pH was analyzed at 10:46

Trace ID: 23F1319-23

Analysis: SM 4500-H+ B-11

pH

Note pHr : The pH was analyzed at 10:46

Trace ID: 23F1319-24

Analysis: SM 4500-H+ B-11

pH

Note pHs : The pH was analyzed at 10:47

Trace ID: 23F1319-25

Analysis: SM 4500-H+ B-11

pH

Note pHt : The pH was analyzed at 10:48

Trace ID: 23F1319-26

Analysis: SM 4500-H+ B-11

pH

Note pHt : The pH was analyzed at 10:48

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

Trace ID: T138106-DUP1

Analysis: SM 4500-H+ B-11

pH

Note pH_a : The pH was analyzed at 10:20

Trace ID: T138106-DUP2

Analysis: SM 4500-H+ B-11

pH

Note pH_q : The pH was analyzed at 10:44

Trace ID: T138109-DUP1

Analysis: SM 2540 C-15

Total Dissolved Solids

Note 623 : The relative percent difference between the sample and sample duplicate is out of control. The sample result should be considered estimated.

Trace ID: T138479-MS1

Analysis: EPA 200.7 Rev. 4.4

Boron

Note 243 : The MS recovery was out of control. Because the background concentration of this analyte is greater than four times the spike amount, no data require qualification.

Calcium

Note 243 : The MS recovery was out of control. Because the background concentration of this analyte is greater than four times the spike amount, no data require qualification.

Magnesium

Note 243 : The MS recovery was out of control. Because the background concentration of this analyte is greater than four times the spike amount, no data require qualification.

Potassium

Note 243 : The MS recovery was out of control. Because the background concentration of this analyte is greater than four times the spike amount, no data require qualification.

Sodium

Note 243 : The MS recovery was out of control. Because the background concentration of this analyte is greater than four times the spike amount, no data require qualification.

Analysis: EPA 200.8 Rev. 5.4

Selenium

Note 241 : The MS recovery was out of control low. The result for this analyte, in the non-spiked version of the sample, must be considered estimated.

Trace ID: T138479-MS2

Analysis: EPA 200.7 Rev. 4.4

Boron

Note 243 : The MS recovery was out of control. Because the background concentration of this analyte is greater than four times the spike amount, no data require qualification.

Calcium

Note 243 : The MS recovery was out of control. Because the background concentration of this analyte is greater than four times the spike amount, no data require qualification.

Potassium

Note 241 : The MS recovery was out of control low. The result for this analyte, in the non-spiked version of the sample, must be considered estimated.

Sodium

Note 243 : The MS recovery was out of control. Because the background concentration of this analyte is greater than four times the spike amount, no data require qualification.

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23F1319

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23F1319-01	Date Collected:	06/28/23 08:50	Matrix:	Ground Water
Sample ID:	MW-01R	Date Received:	06/29/23 08:33		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

METALS, TOTAL

Analysis Method: EPA 7470A

Batch: T138485

Mercury	<0.00016 mg/L	0.00020	1	07/13/23	fs	07/14/23	jma	0.00016
---------	---------------	---------	---	----------	----	----------	-----	---------

METALS, TOTAL

Analysis Method: EPA 200.7 Rev. 4.4

Batch: T138479

Boron	150 mg/L	0.044	5	07/14/23	fs	07/27/23	ckd	0.0082	
Calcium	210 mg/L	1.3	5	07/14/23	fs	07/27/23	ckd	0.38	
Lithium	3.2 mg/L	0.012	5	07/14/23	fs	07/27/23	ckd	N	0.0094
Magnesium	100 mg/L	0.50	10	07/14/23	fs	07/27/23	ckd	0.10	
Potassium	89 mg/L	1.2	5	07/14/23	fs	07/27/23	ckd	0.18	
Sodium	430 mg/L	1.2	10	07/14/23	fs	07/27/23	ckd	0.88	

Analysis Method: EPA 200.8 Rev. 5.4

Batch: T138479

Antimony	0.00071 mg/L	0.0012	5	07/14/23	fs	07/21/23	acs	J	0.00050
Arsenic	0.0019 mg/L	0.00055	1	07/14/23	fs	07/21/23	acs		0.00010
Barium	0.29 mg/L	0.012	5	07/14/23	fs	07/21/23	acs		0.0034
Beryllium	0.00036 mg/L	0.00025	1	07/14/23	fs	07/21/23	acs		0.000052
Cadmium	0.00034 mg/L	0.00025	1	07/14/23	fs	07/21/23	acs		0.000075
Chromium	0.0043 mg/L	0.00025	1	07/14/23	fs	07/21/23	acs		0.000020
Cobalt	0.0045 mg/L	0.00052	1	07/14/23	fs	07/21/23	acs		0.000010
Lead	0.0053 mg/L	0.0028	5	07/14/23	fs	07/21/23	acs		0.000050
Molybdenum	0.00077 mg/L	0.0012	1	07/14/23	fs	07/21/23	acs	J	0.000025
Selenium	0.00076 mg/L	0.00050	1	07/14/23	fs	07/21/23	acs		0.000010
Thallium	<0.00038 mg/L	0.0019	5	07/14/23	fs	07/21/23	acs		0.000038

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23F1319

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23F1319-01	Date Collected:	06/28/23 08:50	Matrix:	Ground Water
Sample ID:	MW-01R	Date Received:	06/29/23 08:33		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

WET CHEMISTRY

Analysis Method: EPA 300.0 Rev. 2.1

Batch: T138062

Fluoride	15 mg/L	0.50	25	06/29/23	mr	06/29/23	mr	N	0.28
Chloride	170 mg/L	3.8	25	06/29/23	mr	06/29/23	mr		3.0
Sulfate as SO ₄	290 mg/L	15	25	06/29/23	mr	06/29/23	mr		2.1

Analysis Method: SM 2320 B-11

Batch: T138223

Bicarbonate Alkalinity as CaCO ₃ at pH 4.5	1300 mg/L	10	2	07/06/23	mr	07/06/23	mr	N	0.31
Carbonate Alkalinity as CaCO ₃ at pH 8.2	<0.31 mg/L	10	2	07/06/23	mr	07/06/23	mr	N	0.31
Total Alkalinity as CaCO ₃ at pH 4.5	1300 mg/L	10	2	07/06/23	mr	07/06/23	mr		0.31

Analysis Method: SM 2540 C-15

Batch: T138141

Total Dissolved Solids	2400 mg/L	20	2	07/05/23	ljs	07/05/23	ljs	N	
------------------------	-----------	----	---	----------	-----	----------	-----	---	--

Analysis Method: SM 2540 D-15

Batch: T138052

Total Suspended Solids	2.0 mg/L	4.0	1	06/29/23	mr	06/29/23	mr	J	
------------------------	----------	-----	---	----------	----	----------	----	---	--

Analysis Method: SM 4500-H+ B-11

Batch: T138106

pH	7.61 pH Units		1	06/28/23	sb	06/29/23	sb	503, pH	
----	---------------	--	---	----------	----	----------	----	---------	--

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23F1319

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23F1319-02	Date Collected:	06/27/23 16:05	Matrix:	Ground Water
Sample ID:	MW-02	Date Received:	06/29/23 08:33		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

METALS, TOTAL

Analysis Method: EPA 7470A

Batch: T138485

Mercury	<0.00016 mg/L	0.00020	1	07/13/23	fs	07/14/23	jma	0.00016
---------	---------------	---------	---	----------	----	----------	-----	---------

METALS, TOTAL

Analysis Method: EPA 200.7 Rev. 4.4

Batch: T138479

Boron	110 mg/L	0.044	5	07/14/23	fs	07/27/23	ckd	0.0082
Calcium	210 mg/L	1.3	5	07/14/23	fs	07/27/23	ckd	0.38
Lithium	1.7 mg/L	0.0025	1	07/14/23	fs	07/21/23	jma	N 0.0019
Magnesium	62 mg/L	0.10	1	07/14/23	fs	07/21/23	jma	0.010
Potassium	56 mg/L	0.25	1	07/14/23	fs	07/21/23	jma	241 0.036
Sodium	320 mg/L	1.2	10	07/14/23	fs	07/27/23	ckd	0.88

Analysis Method: EPA 200.8 Rev. 5.4

Batch: T138479

Antimony	0.00024 mg/L	0.00025	1	07/14/23	fs	07/21/23	acs	J 0.00010
Arsenic	0.0096 mg/L	0.00055	1	07/14/23	fs	07/21/23	acs	0.00010
Barium	0.47 mg/L	0.0025	1	07/14/23	fs	07/21/23	acs	0.00068
Beryllium	0.00032 mg/L	0.00025	1	07/14/23	fs	07/21/23	acs	0.000052
Cadmium	<0.000075 mg/L	0.00025	1	07/14/23	fs	07/21/23	acs	0.000075
Chromium	0.068 mg/L	0.00025	1	07/14/23	fs	07/21/23	acs	0.000020
Cobalt	0.0089 mg/L	0.00052	1	07/14/23	fs	07/21/23	acs	0.000010
Lead	0.0039 mg/L	0.00055	1	07/14/23	fs	07/21/23	acs	0.000010
Molybdenum	0.0062 mg/L	0.0012	1	07/14/23	fs	07/21/23	acs	0.000025
Selenium	0.0014 mg/L	0.00050	1	07/14/23	fs	07/21/23	acs	0.000010
Thallium	<0.000075 mg/L	0.00038	1	07/14/23	fs	07/21/23	acs	0.000075

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23F1319

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23F1319-02	Date Collected:	06/27/23 16:05	Matrix:	Ground Water
Sample ID:	MW-02	Date Received:	06/29/23 08:33		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

WET CHEMISTRY

Analysis Method: EPA 300.0 Rev. 2.1

Batch: T138062

Fluoride	10 mg/L	0.10	5	06/29/23	mr	06/29/23	mr	N	0.055
Chloride	140 mg/L	3.8	25	06/29/23	mr	06/29/23	mr		3.0
Sulfate as SO ₄	<0.41 mg/L	3.0	5	06/29/23	mr	06/29/23	mr		0.41

Analysis Method: SM 2320 B-11

Batch: T138399

Bicarbonate Alkalinity as CaCO ₃ at pH 4.5	460 mg/L	5.0	1	07/11/23	ljs	07/11/23	ljs	N	0.16
Carbonate Alkalinity as CaCO ₃ at pH 8.2	<0.16 mg/L	5.0	1	07/11/23	ljs	07/11/23	ljs	N	0.16
Total Alkalinity as CaCO ₃ at pH 4.5	460 mg/L	5.0	1	07/11/23	ljs	07/11/23	ljs		0.16

Analysis Method: SM 2540 C-15

Batch: T138109

Total Dissolved Solids	2100 mg/L	20	1.960784	06/30/23	mr	06/30/23	mr	623, N	
------------------------	-----------	----	----------	----------	----	----------	----	--------	--

Analysis Method: SM 2540 D-15

Batch: T138052

Total Suspended Solids	20 mg/L	4.0	1.010101	06/29/23	mr	06/29/23	mr		
------------------------	---------	-----	----------	----------	----	----------	----	--	--

Analysis Method: SM 4500-H+ B-11

Batch: T138106

pH	7.10 pH Units	1	06/27/23	sb	06/29/23	sb	511, pHa		
----	---------------	---	----------	----	----------	----	----------	--	--

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23F1319

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23F1319-03	Date Collected:	06/28/23 11:00	Matrix:	Ground Water
Sample ID:	MW-03	Date Received:	06/29/23 08:33		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

METALS, TOTAL

Analysis Method: EPA 7470A

Batch: T138485

Mercury	<0.00016 mg/L	0.00020	1	07/13/23	fs	07/14/23	jma	0.00016
---------	---------------	---------	---	----------	----	----------	-----	---------

METALS, TOTAL

Analysis Method: EPA 200.7 Rev. 4.4

Batch: T138479

Boron	4.3 mg/L	0.044	5	07/14/23	fs	07/27/23	ckd	0.0082	
Calcium	430 mg/L	1.3	5	07/14/23	fs	07/27/23	ckd	0.38	
Lithium	0.050 mg/L	0.0025	1	07/14/23	fs	07/21/23	jma	N	0.0019
Magnesium	210 mg/L	0.50	10	07/14/23	fs	07/27/23	ckd	0.10	
Potassium	20 mg/L	0.25	1	07/14/23	fs	07/21/23	jma	0.036	
Sodium	100 mg/L	1.2	10	07/14/23	fs	07/27/23	ckd	0.88	

Analysis Method: EPA 200.8 Rev. 5.4

Batch: T138479

Antimony	<0.00050 mg/L	0.0012	5	07/14/23	fs	07/21/23	acs	0.00050	
Arsenic	0.00091 mg/L	0.00055	1	07/14/23	fs	07/21/23	acs	0.00010	
Barium	0.38 mg/L	0.012	5	07/14/23	fs	07/21/23	acs	0.0034	
Beryllium	<0.000052 mg/L	0.00025	1	07/14/23	fs	07/21/23	acs	0.000052	
Cadmium	<0.000075 mg/L	0.00025	1	07/14/23	fs	07/21/23	acs	0.000075	
Chromium	0.0060 mg/L	0.00025	1	07/14/23	fs	07/21/23	acs	0.00020	
Cobalt	0.0012 mg/L	0.00052	1	07/14/23	fs	07/21/23	acs	0.00010	
Lead	<0.00050 mg/L	0.0028	5	07/14/23	fs	07/21/23	acs	0.00050	
Molybdenum	<0.00025 mg/L	0.0012	1	07/14/23	fs	07/21/23	acs	0.00025	
Selenium	0.00042 mg/L	0.00050	1	07/14/23	fs	07/21/23	acs	J	0.00010
Thallium	<0.00038 mg/L	0.0019	5	07/14/23	fs	07/21/23	acs	0.00038	

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23F1319

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23F1319-03	Date Collected:	06/28/23 11:00	Matrix:	Ground Water
Sample ID:	MW-03	Date Received:	06/29/23 08:33		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

WET CHEMISTRY

Analysis Method: EPA 300.0 Rev. 2.1

Batch: T138062

Fluoride	0.54 mg/L	0.10	5	06/29/23	mr	06/29/23	mr	N	0.055
Chloride	160 mg/L	7.5	50	06/29/23	mr	06/29/23	mr		6.0
Sulfate as SO ₄	510 mg/L	30	50	06/29/23	mr	06/29/23	mr		4.1

Analysis Method: SM 2320 B-11

Batch: T138223

Bicarbonate Alkalinity as CaCO ₃ at pH 4.5	1300 mg/L	10	2	07/06/23	mr	07/06/23	mr	N	0.31
Carbonate Alkalinity as CaCO ₃ at pH 8.2	<0.31 mg/L	10	2	07/06/23	mr	07/06/23	mr	N	0.31
Total Alkalinity as CaCO ₃ at pH 4.5	1300 mg/L	10	2	07/06/23	mr	07/06/23	mr		0.31

Analysis Method: SM 2540 C-15

Batch: T138141

Total Dissolved Solids	2300 mg/L	20	2	07/05/23	ljs	07/05/23	ljs	N	
------------------------	-----------	----	---	----------	-----	----------	-----	---	--

Analysis Method: SM 2540 D-15

Batch: T138052

Total Suspended Solids	< mg/L	4.0	1	06/29/23	mr	06/29/23	mr		
------------------------	--------	-----	---	----------	----	----------	----	--	--

Analysis Method: SM 4500-H+ B-11

Batch: T138106

pH	7.18 pH Units		1	06/28/23	sb	06/29/23	sb	pHn	
----	---------------	--	---	----------	----	----------	----	-----	--

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23F1319

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23F1319-04	Date Collected:	06/28/23 09:55	Matrix:	Ground Water
Sample ID:	MW-04	Date Received:	06/29/23 08:33		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

METALS, TOTAL

Analysis Method: EPA 7470A

Batch: T138485

Mercury	<0.00016 mg/L	0.00020	1	07/13/23	fs	07/14/23	jma	0.00016
---------	---------------	---------	---	----------	----	----------	-----	---------

METALS, TOTAL

Analysis Method: EPA 200.7 Rev. 4.4

Batch: T138479

Boron	4.1 mg/L	0.044	5	07/14/23	fs	07/27/23	ckd	0.0082	
Calcium	410 mg/L	1.3	5	07/14/23	fs	07/27/23	ckd	0.38	
Lithium	0.074 mg/L	0.0025	1	07/14/23	fs	07/21/23	jma	N	0.0019
Magnesium	130 mg/L	0.50	10	07/14/23	fs	07/27/23	ckd	0.10	
Potassium	26 mg/L	0.25	1	07/14/23	fs	07/21/23	jma	0.036	
Sodium	93 mg/L	1.2	10	07/14/23	fs	07/27/23	ckd	0.88	

Analysis Method: EPA 200.8 Rev. 5.4

Batch: T138479

Antimony	<0.00050 mg/L	0.0012	5	07/14/23	fs	07/21/23	acs	0.00050	
Arsenic	0.00092 mg/L	0.00055	1	07/14/23	fs	07/21/23	acs	0.00010	
Barium	0.15 mg/L	0.012	5	07/14/23	fs	07/21/23	acs	0.0034	
Beryllium	<0.000052 mg/L	0.00025	1	07/14/23	fs	07/21/23	acs	0.000052	
Cadmium	<0.000075 mg/L	0.00025	1	07/14/23	fs	07/21/23	acs	0.000075	
Chromium	0.0046 mg/L	0.00025	1	07/14/23	fs	07/21/23	acs	0.00020	
Cobalt	0.00074 mg/L	0.00052	1	07/14/23	fs	07/21/23	acs	0.00010	
Lead	<0.00050 mg/L	0.0028	5	07/14/23	fs	07/21/23	acs	0.00050	
Molybdenum	0.00044 mg/L	0.0012	1	07/14/23	fs	07/21/23	acs	J	0.00025
Selenium	0.00017 mg/L	0.00050	1	07/14/23	fs	07/21/23	acs	J	0.00010
Thallium	<0.00038 mg/L	0.0019	5	07/14/23	fs	07/21/23	acs		0.00038

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23F1319

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23F1319-04	Date Collected:	06/28/23 09:55	Matrix:	Ground Water
Sample ID:	MW-04	Date Received:	06/29/23 08:33		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

WET CHEMISTRY

Analysis Method: EPA 300.0 Rev. 2.1

Batch: T138062

Fluoride	1.2 mg/L	0.10	5	06/29/23	mr	06/29/23	mr	N	0.055
Chloride	190 mg/L	7.5	50	06/29/23	mr	06/30/23	mr		6.0
Sulfate as SO ₄	610 mg/L	30	50	06/29/23	mr	06/30/23	mr		4.1

Analysis Method: SM 2320 B-11

Batch: T138140

Bicarbonate Alkalinity as CaCO ₃ at pH 4.5	730 mg/L	5.0	1	07/05/23	mr	07/06/23	mr	N	0.16
Carbonate Alkalinity as CaCO ₃ at pH 8.2	<0.16 mg/L	5.0	1	07/05/23	mr	07/06/23	mr	N	0.16
Total Alkalinity as CaCO ₃ at pH 4.5	730 mg/L	5.0	1	07/05/23	mr	07/06/23	mr		0.16

Analysis Method: SM 2540 C-15

Batch: T138141

Total Dissolved Solids	2000 mg/L	20	2	07/05/23	ljs	07/05/23	ljs	N	
------------------------	-----------	----	---	----------	-----	----------	-----	---	--

Analysis Method: SM 2540 D-15

Batch: T138052

Total Suspended Solids	8.1 mg/L	4.0	1.010101	06/29/23	mr	06/29/23	mr		
------------------------	----------	-----	----------	----------	----	----------	----	--	--

Analysis Method: SM 4500-H+ B-11

Batch: T138106

pH	7.14 pH Units	1	06/28/23	sb	06/29/23	sb	503, pHb		
----	---------------	---	----------	----	----------	----	----------	--	--

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23F1319

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23F1319-05	Date Collected:	06/28/23 12:00	Matrix:	Ground Water
Sample ID:	MW-06	Date Received:	06/29/23 08:33		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

METALS, TOTAL

Analysis Method: EPA 7470A

Batch: T138485

Mercury	<0.00016 mg/L	0.00020	1	07/13/23	fs	07/14/23	jma	0.00016
---------	---------------	---------	---	----------	----	----------	-----	---------

METALS, TOTAL

Analysis Method: EPA 200.7 Rev. 4.4

Batch: T138479

Boron	9.7 mg/L	0.044	5	07/14/23	fs	07/27/23	ckd	0.0082	
Calcium	290 mg/L	1.3	5	07/14/23	fs	07/27/23	ckd	0.38	
Lithium	0.19 mg/L	0.0025	1	07/14/23	fs	07/21/23	jma	N	0.0019
Magnesium	100 mg/L	0.50	10	07/14/23	fs	07/27/23	ckd	0.10	
Potassium	26 mg/L	0.25	1	07/14/23	fs	07/21/23	jma	0.036	
Sodium	87 mg/L	0.12	1	07/14/23	fs	07/21/23	jma	0.088	

Analysis Method: EPA 200.8 Rev. 5.4

Batch: T138479

Antimony	<0.00010 mg/L	0.00025	1	07/14/23	fs	07/21/23	acs	0.00010	
Arsenic	0.00062 mg/L	0.00055	1	07/14/23	fs	07/21/23	acs	0.00010	
Barium	1.4 mg/L	0.012	5	07/14/23	fs	07/25/23	acs	0.0034	
Beryllium	<0.000052 mg/L	0.00025	1	07/14/23	fs	07/21/23	acs	0.000052	
Cadmium	<0.000075 mg/L	0.00025	1	07/14/23	fs	07/21/23	acs	0.000075	
Chromium	0.0020 mg/L	0.00025	1	07/14/23	fs	07/21/23	acs	0.00020	
Cobalt	0.00080 mg/L	0.00052	1	07/14/23	fs	07/21/23	acs	0.00010	
Lead	0.00027 mg/L	0.00055	1	07/14/23	fs	07/21/23	acs	J	0.00010
Molybdenum	0.00027 mg/L	0.0012	1	07/14/23	fs	07/21/23	acs	J	0.00025
Selenium	0.00022 mg/L	0.00050	1	07/14/23	fs	07/21/23	acs	J	0.00010
Thallium	<0.000075 mg/L	0.00038	1	07/14/23	fs	07/21/23	acs		0.000075

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23F1319

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23F1319-05	Date Collected:	06/28/23 12:00	Matrix:	Ground Water
Sample ID:	MW-06	Date Received:	06/29/23 08:33		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

WET CHEMISTRY

Analysis Method: EPA 300.0 Rev. 2.1

Batch: T138062

Fluoride	1.1 mg/L	0.10	5	06/29/23	mr	06/29/23	mr	N	0.055
Chloride	71 mg/L	0.75	5	06/29/23	mr	06/29/23	mr		0.60
Sulfate as SO ₄	16 mg/L	3.0	5	06/29/23	mr	06/29/23	mr		0.41

Analysis Method: SM 2320 B-11

Batch: T138223

Bicarbonate Alkalinity as CaCO ₃ at pH 4.5	1100 mg/L	10	2	07/06/23	mr	07/06/23	mr	N	0.31
Carbonate Alkalinity as CaCO ₃ at pH 8.2	<0.31 mg/L	10	2	07/06/23	mr	07/06/23	mr	N	0.31
Total Alkalinity as CaCO ₃ at pH 4.5	1100 mg/L	10	2	07/06/23	mr	07/06/23	mr		0.31

Analysis Method: SM 2540 C-15

Batch: T138141

Total Dissolved Solids	1300 mg/L	20	2	07/05/23	ljs	07/05/23	ljs	N	
------------------------	-----------	----	---	----------	-----	----------	-----	---	--

Analysis Method: SM 2540 D-15

Batch: T138052

Total Suspended Solids	41 mg/L	4.0	1.010101	06/29/23	mr	06/29/23	mr		
------------------------	---------	-----	----------	----------	----	----------	----	--	--

Analysis Method: SM 4500-H+ B-11

Batch: T138106

pH	7.14 pH Units	1	06/28/23	sb	06/29/23	sb	pHc		
----	---------------	---	----------	----	----------	----	-----	--	--

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23F1319

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23F1319-06	Date Collected:	06/27/23 12:00	Matrix:	Ground Water
Sample ID:	MW-07	Date Received:	06/29/23 08:33		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

METALS, TOTAL

Analysis Method: EPA 7470A

Batch: T138485

Mercury	<0.00016 mg/L	0.00020	1	07/13/23	fs	07/14/23	jma	0.00016
---------	---------------	---------	---	----------	----	----------	-----	---------

METALS, TOTAL

Analysis Method: EPA 200.7 Rev. 4.4

Batch: T138479

Boron	11 mg/L	0.044	5	07/14/23	fs	07/27/23	ckd	0.0082	
Calcium	160 mg/L	1.3	5	07/14/23	fs	07/27/23	ckd	0.38	
Lithium	0.010 mg/L	0.0025	1	07/14/23	fs	07/21/23	jma	N	0.0019
Magnesium	36 mg/L	0.10	1	07/14/23	fs	07/21/23	jma	0.010	
Potassium	4.7 mg/L	0.25	1	07/14/23	fs	07/21/23	jma	0.036	
Sodium	56 mg/L	0.12	1	07/14/23	fs	07/21/23	jma	0.088	

Analysis Method: EPA 200.8 Rev. 5.4

Batch: T138479

Antimony	<0.00010 mg/L	0.00025	1	07/14/23	fs	07/21/23	acs	0.00010	
Arsenic	0.00020 mg/L	0.00055	1	07/14/23	fs	07/21/23	acs	J	0.00010
Barium	0.35 mg/L	0.0025	1	07/14/23	fs	07/21/23	acs	0.00068	
Beryllium	<0.000052 mg/L	0.00025	1	07/14/23	fs	07/21/23	acs	0.000052	
Cadmium	<0.000075 mg/L	0.00025	1	07/14/23	fs	07/21/23	acs	0.000075	
Chromium	0.00033 mg/L	0.00025	1	07/14/23	fs	07/21/23	acs	0.00020	
Cobalt	0.0011 mg/L	0.00052	1	07/14/23	fs	07/21/23	acs	0.00010	
Lead	<0.00010 mg/L	0.00055	1	07/14/23	fs	07/21/23	acs	0.00010	
Molybdenum	<0.00025 mg/L	0.0012	1	07/14/23	fs	07/21/23	acs	0.00025	
Selenium	<0.00010 mg/L	0.00050	1	07/14/23	fs	07/21/23	acs	0.00010	
Thallium	<0.000075 mg/L	0.00038	1	07/14/23	fs	07/21/23	acs	0.000075	

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23F1319

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23F1319-06	Date Collected:	06/27/23 12:00	Matrix:	Ground Water
Sample ID:	MW-07	Date Received:	06/29/23 08:33		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

WET CHEMISTRY

Analysis Method: EPA 300.0 Rev. 2.1

Batch: T138062

Fluoride	0.080 mg/L	0.10	5	06/29/23	mr	06/29/23	mr	J, N	0.055
Chloride	13 mg/L	0.75	5	06/29/23	mr	06/29/23	mr		0.60
Sulfate as SO ₄	18 mg/L	3.0	5	06/29/23	mr	06/29/23	mr		0.41

Analysis Method: SM 2320 B-11

Batch: T138140

Bicarbonate Alkalinity as CaCO ₃ at pH 4.5	620 mg/L	5.0	1	07/05/23	mr	07/06/23	mr	N	0.16
Carbonate Alkalinity as CaCO ₃ at pH 8.2	<0.16 mg/L	5.0	1	07/05/23	mr	07/06/23	mr	N	0.16
Total Alkalinity as CaCO ₃ at pH 4.5	620 mg/L	5.0	1	07/05/23	mr	07/06/23	mr		0.16

Analysis Method: SM 2540 C-15

Batch: T138109

Total Dissolved Solids	720 mg/L	20	1.960784	06/30/23	mr	06/30/23	mr	N	
------------------------	----------	----	----------	----------	----	----------	----	---	--

Analysis Method: SM 2540 D-15

Batch: T138052

Total Suspended Solids	39 mg/L	4.0	1	06/29/23	mr	06/29/23	mr		
------------------------	---------	-----	---	----------	----	----------	----	--	--

Analysis Method: SM 4500-H+ B-11

Batch: T138106

pH	6.89 pH Units	1	06/27/23	sb	06/29/23	sb	511, pHo		
----	---------------	---	----------	----	----------	----	----------	--	--

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23F1319

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23F1319-07	Date Collected:	06/27/23 17:20	Matrix:	Ground Water
Sample ID:	MW-08	Date Received:	06/29/23 08:33		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

METALS, TOTAL

Analysis Method: EPA 7470A

Batch: T138485

Mercury	<0.00016 mg/L	0.00020	1	07/13/23	fs	07/14/23	jma	0.00016
---------	---------------	---------	---	----------	----	----------	-----	---------

METALS, TOTAL

Analysis Method: EPA 200.7 Rev. 4.4

Batch: T138479

Boron	7.8 mg/L	0.044	5	07/14/23	fs	07/27/23	ckd	0.0082	
Calcium	150 mg/L	1.3	5	07/14/23	fs	07/27/23	ckd	0.38	
Lithium	0.13 mg/L	0.0025	1	07/14/23	fs	07/21/23	jma	N	0.0019
Magnesium	26 mg/L	0.10	1	07/14/23	fs	07/21/23	jma	0.010	
Potassium	12 mg/L	0.25	1	07/14/23	fs	07/21/23	jma	0.036	
Sodium	40 mg/L	0.12	1	07/14/23	fs	07/21/23	jma	0.088	

Analysis Method: EPA 200.8 Rev. 5.4

Batch: T138479

Antimony	0.00011 mg/L	0.00025	1	07/14/23	fs	07/21/23	acs	J	0.00010
Arsenic	0.038 mg/L	0.00055	1	07/14/23	fs	07/21/23	acs		0.00010
Barium	1.4 mg/L	0.012	5	07/14/23	fs	07/25/23	acs		0.0034
Beryllium	<0.000052 mg/L	0.00025	1	07/14/23	fs	07/21/23	acs		0.000052
Cadmium	<0.000075 mg/L	0.00025	1	07/14/23	fs	07/21/23	acs		0.000075
Chromium	0.00094 mg/L	0.00025	1	07/14/23	fs	07/21/23	acs		0.00020
Cobalt	0.00062 mg/L	0.00052	1	07/14/23	fs	07/21/23	acs		0.00010
Lead	<0.00010 mg/L	0.00055	1	07/14/23	fs	07/21/23	acs		0.00010
Molybdenum	0.00039 mg/L	0.0012	1	07/14/23	fs	07/21/23	acs	J	0.00025
Selenium	0.00014 mg/L	0.00050	1	07/14/23	fs	07/21/23	acs	J	0.00010
Thallium	<0.000075 mg/L	0.00038	1	07/14/23	fs	07/21/23	acs		0.000075

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23F1319

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23F1319-07	Date Collected:	06/27/23 17:20	Matrix:	Ground Water
Sample ID:	MW-08	Date Received:	06/29/23 08:33		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

WET CHEMISTRY

Analysis Method: EPA 300.0 Rev. 2.1

Batch: T138062

Fluoride	1.0 mg/L	0.10	5	06/29/23	mr	06/29/23	mr	N	0.055
Chloride	29 mg/L	0.75	5	06/29/23	mr	06/29/23	mr		0.60
Sulfate as SO ₄	<0.41 mg/L	3.0	5	06/29/23	mr	06/29/23	mr		0.41

Analysis Method: SM 2320 B-11

Batch: T138140

Bicarbonate Alkalinity as CaCO ₃ at pH 4.5	480 mg/L	5.0	1	07/05/23	mr	07/06/23	mr	N	0.16
Carbonate Alkalinity as CaCO ₃ at pH 8.2	<0.16 mg/L	5.0	1	07/05/23	mr	07/06/23	mr	N	0.16
Total Alkalinity as CaCO ₃ at pH 4.5	480 mg/L	5.0	1	07/05/23	mr	07/06/23	mr		0.16

Analysis Method: SM 2540 C-15

Batch: T138109

Total Dissolved Solids	610 mg/L	20	2	06/30/23	mr	06/30/23	mr	N	
------------------------	----------	----	---	----------	----	----------	----	---	--

Analysis Method: SM 2540 D-15

Batch: T138052

Total Suspended Solids	30 mg/L	4.0	1	06/29/23	mr	06/29/23	mr		
------------------------	---------	-----	---	----------	----	----------	----	--	--

Analysis Method: SM 4500-H+ B-11

Batch: T138106

pH	7.10 pH Units		1	06/27/23	sb	06/29/23	sb	511, pHc	
----	---------------	--	---	----------	----	----------	----	----------	--

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23F1319

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23F1319-08	Date Collected:	06/27/23 14:45	Matrix:	Ground Water
Sample ID:	MW-09	Date Received:	06/29/23 08:33		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

METALS, TOTAL

Analysis Method: EPA 7470A

Batch: T138485

Mercury	<0.00016 mg/L	0.00020	1	07/13/23	fs	07/14/23	jma	0.00016
---------	---------------	---------	---	----------	----	----------	-----	---------

METALS, TOTAL

Analysis Method: EPA 200.7 Rev. 4.4

Batch: T138479

Boron	6.3 mg/L	0.044	5	07/14/23	fs	07/27/23	ckd	0.0082	
Calcium	430 mg/L	1.3	5	07/14/23	fs	07/27/23	ckd	0.38	
Lithium	0.34 mg/L	0.0025	1	07/14/23	fs	07/21/23	jma	N	0.0019
Magnesium	47 mg/L	0.10	1	07/14/23	fs	07/21/23	jma		0.010
Potassium	16 mg/L	0.25	1	07/14/23	fs	07/21/23	jma		0.036
Sodium	30 mg/L	0.12	1	07/14/23	fs	07/21/23	jma		0.088

Analysis Method: EPA 200.8 Rev. 5.4

Batch: T138479

Antimony	<0.00010 mg/L	0.00025	1	07/14/23	fs	07/21/23	acs	0.00010	
Arsenic	0.0027 mg/L	0.00055	1	07/14/23	fs	07/21/23	acs	0.00010	
Barium	0.17 mg/L	0.0025	1	07/14/23	fs	07/21/23	acs	0.00068	
Beryllium	<0.000052 mg/L	0.00025	1	07/14/23	fs	07/21/23	acs	0.000052	
Cadmium	<0.000075 mg/L	0.00025	1	07/14/23	fs	07/21/23	acs	0.000075	
Chromium	0.0031 mg/L	0.00025	1	07/14/23	fs	07/21/23	acs	0.00020	
Cobalt	0.00069 mg/L	0.00052	1	07/14/23	fs	07/21/23	acs	0.00010	
Lead	<0.00010 mg/L	0.00055	1	07/14/23	fs	07/21/23	acs	0.00010	
Molybdenum	0.019 mg/L	0.0012	1	07/14/23	fs	07/21/23	acs	0.00025	
Selenium	0.00027 mg/L	0.00050	1	07/14/23	fs	07/21/23	acs	J	0.00010
Thallium	<0.000075 mg/L	0.00038	1	07/14/23	fs	07/21/23	acs		0.000075

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23F1319

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23F1319-08	Date Collected:	06/27/23 14:45	Matrix:	Ground Water
Sample ID:	MW-09	Date Received:	06/29/23 08:33		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

WET CHEMISTRY

Analysis Method: EPA 300.0 Rev. 2.1

Batch: T138062

Fluoride	2.9 mg/L	0.10	5	06/29/23	mr	06/29/23	mr	N	0.055
Chloride	11 mg/L	0.75	5	06/29/23	mr	06/29/23	mr		0.60
Sulfate as SO ₄	500 mg/L	30	50	06/29/23	mr	06/30/23	mr		4.1

Analysis Method: SM 2320 B-11

Batch: T138140

Bicarbonate Alkalinity as CaCO ₃ at pH 4.5	720 mg/L	5.0	1	07/05/23	mr	07/06/23	mr	N	0.16
Carbonate Alkalinity as CaCO ₃ at pH 8.2	<0.16 mg/L	5.0	1	07/05/23	mr	07/06/23	mr	N	0.16
Total Alkalinity as CaCO ₃ at pH 4.5	720 mg/L	5.0	1	07/05/23	mr	07/06/23	mr		0.16

Analysis Method: SM 2540 C-15

Batch: T138109

Total Dissolved Solids	1500 mg/L	20	1.960784	06/30/23	mr	06/30/23	mr	N	
------------------------	-----------	----	----------	----------	----	----------	----	---	--

Analysis Method: SM 2540 D-15

Batch: T138052

Total Suspended Solids	46 mg/L	4.0	1	06/29/23	mr	06/29/23	mr		
------------------------	---------	-----	---	----------	----	----------	----	--	--

Analysis Method: SM 4500-H+ B-11

Batch: T138106

pH	6.96 pH Units	1	06/27/23	sb	06/29/23	sb	511, pHd		
----	---------------	---	----------	----	----------	----	----------	--	--

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23F1319

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23F1319-09	Date Collected:	06/27/23 17:30	Matrix:	Ground Water
Sample ID:	MW-10	Date Received:	06/29/23 08:33		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

METALS, TOTAL

Analysis Method: EPA 7470A

Batch: T138485

Mercury	<0.00016 mg/L	0.00020	1	07/13/23	fs	07/14/23	jma	0.00016
---------	---------------	---------	---	----------	----	----------	-----	---------

METALS, TOTAL

Analysis Method: EPA 200.7 Rev. 4.4

Batch: T138479

Boron	26 mg/L	0.044	5	07/14/23	fs	07/27/23	ckd	0.0082	
Calcium	210 mg/L	1.3	5	07/14/23	fs	07/27/23	ckd	0.38	
Lithium	1.1 mg/L	0.0025	1	07/14/23	fs	07/21/23	jma	N	0.0019
Magnesium	59 mg/L	0.10	1	07/14/23	fs	07/21/23	jma	0.010	
Potassium	46 mg/L	0.25	1	07/14/23	fs	07/21/23	jma	0.036	
Sodium	310 mg/L	1.2	10	07/14/23	fs	07/27/23	ckd	0.88	

Analysis Method: EPA 200.8 Rev. 5.4

Batch: T138479

Antimony	0.00011 mg/L	0.00025	1	07/14/23	fs	07/21/23	acs	J	0.00010
Arsenic	0.00073 mg/L	0.00055	1	07/14/23	fs	07/21/23	acs		0.00010
Barium	0.23 mg/L	0.0025	1	07/14/23	fs	07/21/23	acs		0.00068
Beryllium	0.000092 mg/L	0.00025	1	07/14/23	fs	07/21/23	acs	J	0.000052
Cadmium	<0.000075 mg/L	0.00025	1	07/14/23	fs	07/21/23	acs		0.000075
Chromium	0.0070 mg/L	0.00025	1	07/14/23	fs	07/21/23	acs		0.00020
Cobalt	0.00068 mg/L	0.00052	1	07/14/23	fs	07/21/23	acs		0.00010
Lead	<0.00010 mg/L	0.00055	1	07/14/23	fs	07/21/23	acs		0.00010
Molybdenum	0.0019 mg/L	0.0012	1	07/14/23	fs	07/21/23	acs		0.00025
Selenium	0.00036 mg/L	0.00050	1	07/14/23	fs	07/21/23	acs	J	0.00010
Thallium	<0.000075 mg/L	0.00038	1	07/14/23	fs	07/21/23	acs		0.000075

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23F1319

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23F1319-09	Date Collected:	06/27/23 17:30	Matrix:	Ground Water
Sample ID:	MW-10	Date Received:	06/29/23 08:33		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

WET CHEMISTRY

Analysis Method: EPA 300.0 Rev. 2.1

Batch: T138062

Fluoride	7.3 mg/L	0.10	5	06/29/23	mr	06/29/23	mr	N	0.055
Chloride	320 mg/L	7.5	50	06/29/23	mr	06/30/23	mr		6.0
Sulfate as SO ₄	200 mg/L	30	50	06/29/23	mr	06/30/23	mr		4.1

Analysis Method: SM 2320 B-11

Batch: T138140

Bicarbonate Alkalinity as CaCO ₃ at pH 4.5	720 mg/L	5.0	1	07/05/23	mr	07/06/23	mr	N	0.16
Carbonate Alkalinity as CaCO ₃ at pH 8.2	<0.16 mg/L	5.0	1	07/05/23	mr	07/06/23	mr	N	0.16
Total Alkalinity as CaCO ₃ at pH 4.5	720 mg/L	5.0	1	07/05/23	mr	07/06/23	mr		0.16

Analysis Method: SM 2540 C-15

Batch: T138109

Total Dissolved Solids	1700 mg/L	20	2	06/30/23	mr	06/30/23	mr	N	
------------------------	-----------	----	---	----------	----	----------	----	---	--

Analysis Method: SM 2540 D-15

Batch: T138052

Total Suspended Solids	< mg/L	4.0	1	06/29/23	mr	06/29/23	mr		
------------------------	--------	-----	---	----------	----	----------	----	--	--

Analysis Method: SM 4500-H+ B-11

Batch: T138106

pH	7.63 pH Units		1	06/27/23	sb	06/29/23	sb	511, pHd	
----	---------------	--	---	----------	----	----------	----	----------	--

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23F1319

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23F1319-10	Date Collected:	06/28/23 12:10	Matrix:	Ground Water
Sample ID:	MW-11	Date Received:	06/29/23 08:33		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

METALS, TOTAL

Analysis Method: EPA 7470A

Batch: T138485

Mercury	<0.00016 mg/L	0.00020	1	07/13/23	fs	07/14/23	jma	0.00016
---------	---------------	---------	---	----------	----	----------	-----	---------

METALS, TOTAL

Analysis Method: EPA 200.7 Rev. 4.4

Batch: T138479

Boron	3.0 mg/L	0.044	5	07/14/23	fs	07/27/23	ckd	0.0082	
Calcium	350 mg/L	1.3	5	07/14/23	fs	07/27/23	ckd	0.38	
Lithium	0.022 mg/L	0.0025	1	07/14/23	fs	07/21/23	jma	N	0.0019
Magnesium	55 mg/L	0.10	1	07/14/23	fs	07/21/23	jma		0.010
Potassium	8.1 mg/L	0.25	1	07/14/23	fs	07/21/23	jma		0.036
Sodium	38 mg/L	0.12	1	07/14/23	fs	07/21/23	jma		0.088

Analysis Method: EPA 200.8 Rev. 5.4

Batch: T138479

Antimony	<0.00010 mg/L	0.00025	1	07/14/23	fs	07/21/23	acs	0.00010	
Arsenic	0.0012 mg/L	0.00055	1	07/14/23	fs	07/21/23	acs	0.00010	
Barium	0.50 mg/L	0.0025	1	07/14/23	fs	07/21/23	acs	0.00068	
Beryllium	<0.000052 mg/L	0.00025	1	07/14/23	fs	07/21/23	acs	0.000052	
Cadmium	<0.000075 mg/L	0.00025	1	07/14/23	fs	07/21/23	acs	0.000075	
Chromium	0.0012 mg/L	0.00025	1	07/14/23	fs	07/21/23	acs	0.00020	
Cobalt	0.00066 mg/L	0.00052	1	07/14/23	fs	07/21/23	acs	0.00010	
Lead	0.0038 mg/L	0.00055	1	07/14/23	fs	07/21/23	acs	0.00010	
Molybdenum	0.00066 mg/L	0.0012	1	07/14/23	fs	07/21/23	acs	J	0.00025
Selenium	0.00016 mg/L	0.00050	1	07/14/23	fs	07/21/23	acs	J	0.00010
Thallium	<0.000075 mg/L	0.00038	1	07/14/23	fs	07/21/23	acs		0.000075

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23F1319

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23F1319-10	Date Collected:	06/28/23 12:10	Matrix:	Ground Water
Sample ID:	MW-11	Date Received:	06/29/23 08:33		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

WET CHEMISTRY

Analysis Method: EPA 300.0 Rev. 2.1

Batch: T138062

Fluoride	0.25 mg/L	0.10	5	06/29/23	mr	06/29/23	mr	N	0.055
Chloride	72 mg/L	0.75	5	06/29/23	mr	06/29/23	mr		0.60
Sulfate as SO ₄	17 mg/L	3.0	5	06/29/23	mr	06/29/23	mr		0.41

Analysis Method: SM 2320 B-11

Batch: T138140

Bicarbonate Alkalinity as CaCO ₃ at pH 4.5	890 mg/L	5.0	1	07/05/23	mr	07/06/23	mr	N	0.16
Carbonate Alkalinity as CaCO ₃ at pH 8.2	<0.16 mg/L	5.0	1	07/05/23	mr	07/06/23	mr	N	0.16
Total Alkalinity as CaCO ₃ at pH 4.5	890 mg/L	5.0	1	07/05/23	mr	07/06/23	mr		0.16

Analysis Method: SM 2540 C-15

Batch: T138141

Total Dissolved Solids	1100 mg/L	20	2	07/05/23	ljs	07/05/23	ljs	N	
------------------------	-----------	----	---	----------	-----	----------	-----	---	--

Analysis Method: SM 2540 D-15

Batch: T138069

Total Suspended Solids	4.0 mg/L	4.0	1	06/29/23	mr	06/29/23	mr		
------------------------	----------	-----	---	----------	----	----------	----	--	--

Analysis Method: SM 4500-H+ B-11

Batch: T138106

pH	7.20 pH Units		1	06/28/23	sb	06/29/23	sb	pHk	
----	---------------	--	---	----------	----	----------	----	-----	--

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23F1319

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23F1319-11	Date Collected:	06/27/23 09:00	Matrix:	Ground Water
Sample ID:	MW-12	Date Received:	06/29/23 08:33		
PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY NOTES LOD

METALS, TOTAL

Analysis Method: EPA 7470A

Batch: T138485

Mercury	<0.00016 mg/L	0.00020	1	07/13/23	fs	07/14/23	jma	0.00016
---------	---------------	---------	---	----------	----	----------	-----	---------

METALS, TOTAL

Analysis Method: EPA 200.7 Rev. 4.4

Batch: T138479

Boron	0.33 mg/L	0.0088	1	07/14/23	fs	07/27/23	ckd	0.0016
Calcium	64 mg/L	0.26	1	07/14/23	fs	07/21/23	jma	0.076
Lithium	0.0064 mg/L	0.0025	1	07/14/23	fs	07/21/23	jma	N 0.0019
Magnesium	14 mg/L	0.10	1	07/14/23	fs	07/21/23	jma	0.010
Potassium	1.3 mg/L	0.25	1	07/14/23	fs	07/21/23	jma	0.036
Sodium	11 mg/L	0.12	1	07/14/23	fs	07/21/23	jma	0.088

Analysis Method: EPA 200.8 Rev. 5.4

Batch: T138479

Antimony	0.00064 mg/L	0.00025	1	07/14/23	fs	07/21/23	acs	0.00010
Arsenic	0.0029 mg/L	0.00055	1	07/14/23	fs	07/21/23	acs	0.00010
Barium	0.043 mg/L	0.0025	1	07/14/23	fs	07/21/23	acs	0.00068
Beryllium	<0.000052 mg/L	0.00025	1	07/14/23	fs	07/21/23	acs	0.000052
Cadmium	0.0024 mg/L	0.00025	1	07/14/23	fs	07/21/23	acs	0.000075
Chromium	<0.00020 mg/L	0.00025	1	07/14/23	fs	07/21/23	acs	0.00020
Cobalt	0.00050 mg/L	0.00052	1	07/14/23	fs	07/21/23	acs	J 0.00010
Lead	0.00014 mg/L	0.00055	1	07/14/23	fs	07/21/23	acs	J 0.00010
Molybdenum	0.0082 mg/L	0.0012	1	07/14/23	fs	07/21/23	acs	0.00025
Selenium	0.00021 mg/L	0.00050	1	07/14/23	fs	07/21/23	acs	J 0.00010
Thallium	<0.000075 mg/L	0.00038	1	07/14/23	fs	07/21/23	acs	0.000075

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23F1319

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23F1319-11	Date Collected:	06/27/23 09:00	Matrix:	Ground Water
Sample ID:	MW-12	Date Received:	06/29/23 08:33		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

WET CHEMISTRY

Analysis Method: EPA 300.0 Rev. 2.1

Batch: T138062

Fluoride	0.26 mg/L	0.10	5	06/29/23	mr	06/29/23	mr	N	0.055
Chloride	17 mg/L	0.75	5	06/29/23	mr	06/29/23	mr		0.60
Sulfate as SO ₄	110 mg/L	6.0	10	06/29/23	mr	06/30/23	mr		0.82

Analysis Method: SM 2320 B-11

Batch: T138140

Bicarbonate Alkalinity as CaCO ₃ at pH 4.5	140 mg/L	5.0	1	07/05/23	mr	07/06/23	mr	N	0.16
Carbonate Alkalinity as CaCO ₃ at pH 8.2	<0.16 mg/L	5.0	1	07/05/23	mr	07/06/23	mr	N	0.16
Total Alkalinity as CaCO ₃ at pH 4.5	140 mg/L	5.0	1	07/05/23	mr	07/06/23	mr		0.16

Analysis Method: SM 2540 C-15

Batch: T138108

Total Dissolved Solids	330 mg/L	20	2	06/30/23	mr	06/30/23	mr	N	
------------------------	----------	----	---	----------	----	----------	----	---	--

Analysis Method: SM 2540 D-15

Batch: T138069

Total Suspended Solids	< mg/L	4.0	0.9803922	06/29/23	mr	06/29/23	mr		
------------------------	--------	-----	-----------	----------	----	----------	----	--	--

Analysis Method: SM 4500-H+ B-11

Batch: T138106

pH	7.62 pH Units	1	06/27/23	sb	06/29/23	sb	511, pH		
----	---------------	---	----------	----	----------	----	---------	--	--

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23F1319

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23F1319-12	Date Collected:	06/27/23 11:00	Matrix:	Ground Water
Sample ID:	MW-18	Date Received:	06/29/23 08:33		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

METALS, TOTAL

Analysis Method: EPA 7470A

Batch: T138485

Mercury	<0.00016 mg/L	0.00020	1	07/13/23	fs	07/14/23	jma	0.00016
---------	---------------	---------	---	----------	----	----------	-----	---------

METALS, TOTAL

Analysis Method: EPA 200.7 Rev. 4.4

Batch: T138479

Boron	2.7 mg/L	0.044	5	07/14/23	fs	07/27/23	ckd	0.0082	
Calcium	240 mg/L	1.3	5	07/14/23	fs	07/27/23	ckd	0.38	
Lithium	0.041 mg/L	0.0025	1	07/14/23	fs	07/21/23	jma	N	0.0019
Magnesium	28 mg/L	0.10	1	07/14/23	fs	07/21/23	jma	0.010	
Potassium	11 mg/L	0.25	1	07/14/23	fs	07/21/23	jma	0.036	
Sodium	20 mg/L	0.12	1	07/14/23	fs	07/21/23	jma	0.088	

Analysis Method: EPA 200.8 Rev. 5.4

Batch: T138479

Antimony	0.00012 mg/L	0.00025	1	07/14/23	fs	07/21/23	acs	J	0.00010
Arsenic	0.029 mg/L	0.00055	1	07/14/23	fs	07/21/23	acs		0.00010
Barium	0.024 mg/L	0.0025	1	07/14/23	fs	07/21/23	acs		0.00068
Beryllium	<0.000052 mg/L	0.00025	1	07/14/23	fs	07/21/23	acs		0.000052
Cadmium	0.00030 mg/L	0.00025	1	07/14/23	fs	07/21/23	acs		0.000075
Chromium	<0.00020 mg/L	0.00025	1	07/14/23	fs	07/21/23	acs		0.00020
Cobalt	0.0032 mg/L	0.00052	1	07/14/23	fs	07/21/23	acs		0.00010
Lead	0.00016 mg/L	0.00055	1	07/14/23	fs	07/21/23	acs	J	0.00010
Molybdenum	0.019 mg/L	0.0012	1	07/14/23	fs	07/21/23	acs		0.00025
Selenium	0.00018 mg/L	0.00050	1	07/14/23	fs	07/21/23	acs	J	0.00010
Thallium	<0.000075 mg/L	0.00038	1	07/14/23	fs	07/21/23	acs		0.000075

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23F1319

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23F1319-12	Date Collected:	06/27/23 11:00	Matrix:	Ground Water
Sample ID:	MW-18	Date Received:	06/29/23 08:33		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

WET CHEMISTRY

Analysis Method: EPA 300.0 Rev. 2.1

Batch: T138062

Fluoride	4.4 mg/L	0.10	5	06/29/23	mr	06/29/23	mr	N	0.055
Chloride	24 mg/L	0.75	5	06/29/23	mr	06/29/23	mr		0.60
Sulfate as SO ₄	760 mg/L	30	50	06/29/23	mr	06/30/23	mr		4.1

Analysis Method: SM 2320 B-11

Batch: T138140

Bicarbonate Alkalinity as CaCO ₃ at pH 4.5	150 mg/L	5.0	1	07/05/23	mr	07/06/23	mr	N	0.16
Carbonate Alkalinity as CaCO ₃ at pH 8.2	<0.16 mg/L	5.0	1	07/05/23	mr	07/06/23	mr	N	0.16
Total Alkalinity as CaCO ₃ at pH 4.5	150 mg/L	5.0	1	07/05/23	mr	07/06/23	mr		0.16

Analysis Method: SM 2540 C-15

Batch: T138108

Total Dissolved Solids	1400 mg/L	19	1.886792	06/30/23	mr	06/30/23	mr	N	
------------------------	-----------	----	----------	----------	----	----------	----	---	--

Analysis Method: SM 2540 D-15

Batch: T138069

Total Suspended Solids	11 mg/L	4.0	1	06/29/23	mr	06/29/23	mr		
------------------------	---------	-----	---	----------	----	----------	----	--	--

Analysis Method: SM 4500-H+ B-11

Batch: T138106

pH	7.08 pH Units	1	06/27/23	sb	06/29/23	sb	511, pH		
----	---------------	---	----------	----	----------	----	---------	--	--

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23F1319

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23F1319-13	Date Collected:	06/28/23 10:30	Matrix:	Ground Water
Sample ID:	MW-19	Date Received:	06/29/23 08:33		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

METALS, TOTAL

Analysis Method: EPA 7470A

Batch: T138485

Mercury	<0.00016 mg/L	0.00020	1	07/13/23	fs	07/14/23	jma	0.00016
---------	---------------	---------	---	----------	----	----------	-----	---------

METALS, TOTAL

Analysis Method: EPA 200.7 Rev. 4.4

Batch: T138479

Boron	2.3 mg/L	0.044	5	07/14/23	fs	07/27/23	ckd	0.0082	
Calcium	460 mg/L	1.3	5	07/14/23	fs	07/27/23	ckd	0.38	
Lithium	0.090 mg/L	0.0025	1	07/14/23	fs	07/21/23	jma	N	0.0019
Magnesium	32 mg/L	0.10	1	07/14/23	fs	07/21/23	jma		0.010
Potassium	15 mg/L	0.25	1	07/14/23	fs	07/21/23	jma		0.036
Sodium	36 mg/L	0.12	1	07/14/23	fs	07/21/23	jma		0.088

Analysis Method: EPA 200.8 Rev. 5.4

Batch: T138479

Antimony	<0.00010 mg/L	0.00025	1	07/14/23	fs	07/21/23	acs	0.00010	
Arsenic	0.0069 mg/L	0.00055	1	07/14/23	fs	07/21/23	acs	0.00010	
Barium	0.040 mg/L	0.0025	1	07/14/23	fs	07/21/23	acs	0.00068	
Beryllium	0.000077 mg/L	0.00025	1	07/14/23	fs	07/21/23	acs	J	0.000052
Cadmium	<0.000075 mg/L	0.00025	1	07/14/23	fs	07/21/23	acs		0.000075
Chromium	0.00031 mg/L	0.00025	1	07/14/23	fs	07/21/23	acs		0.00020
Cobalt	0.00050 mg/L	0.00052	1	07/14/23	fs	07/21/23	acs	J	0.00010
Lead	<0.00010 mg/L	0.00055	1	07/14/23	fs	07/21/23	acs		0.00010
Molybdenum	0.012 mg/L	0.0012	1	07/14/23	fs	07/21/23	acs		0.00025
Selenium	<0.00010 mg/L	0.00050	1	07/14/23	fs	07/21/23	acs		0.00010
Thallium	<0.000075 mg/L	0.00038	1	07/14/23	fs	07/21/23	acs		0.000075

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23F1319

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23F1319-13	Date Collected:	06/28/23 10:30	Matrix:	Ground Water
Sample ID:	MW-19	Date Received:	06/29/23 08:33		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

WET CHEMISTRY

Analysis Method: EPA 300.0 Rev. 2.1

Batch: T138062

Fluoride	1.9 mg/L	0.10	5	06/29/23	mr	06/29/23	mr	N	0.055
Chloride	37 mg/L	0.75	5	06/29/23	mr	06/29/23	mr		0.60
Sulfate as SO ₄	800 mg/L	30	50	06/29/23	mr	06/30/23	mr		4.1

Analysis Method: SM 2320 B-11

Batch: T138223

Bicarbonate Alkalinity as CaCO ₃ at pH 4.5	340 mg/L	5.0	1	07/06/23	mr	07/06/23	mr	N	0.16
Carbonate Alkalinity as CaCO ₃ at pH 8.2	<0.16 mg/L	5.0	1	07/06/23	mr	07/06/23	mr	N	0.16
Total Alkalinity as CaCO ₃ at pH 4.5	340 mg/L	5.0	1	07/06/23	mr	07/06/23	mr		0.16

Analysis Method: SM 2540 C-15

Batch: T138141

Total Dissolved Solids	1600 mg/L	20	2	07/05/23	ljs	07/05/23	ljs	N	
------------------------	-----------	----	---	----------	-----	----------	-----	---	--

Analysis Method: SM 2540 D-15

Batch: T138069

Total Suspended Solids	29 mg/L	4.0	1	06/29/23	mr	06/29/23	mr		
------------------------	---------	-----	---	----------	----	----------	----	--	--

Analysis Method: SM 4500-H+ B-11

Batch: T138106

pH	6.93 pH Units		1	06/28/23	sb	06/29/23	sb	pHe	
----	---------------	--	---	----------	----	----------	----	-----	--

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23F1319

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23F1319-14	Date Collected:	06/28/23 09:00	Matrix:	Ground Water
Sample ID:	MW-20	Date Received:	06/29/23 08:33		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

METALS, TOTAL

Analysis Method: EPA 7470A

Batch: T138485

Mercury	<0.00016 mg/L	0.00020	1	07/13/23	fs	07/14/23	jma	0.00016
---------	---------------	---------	---	----------	----	----------	-----	---------

METALS, TOTAL

Analysis Method: EPA 200.7 Rev. 4.4

Batch: T138479

Boron	1.1 mg/L	0.0088	1	07/14/23	fs	07/27/23	ckd	0.0016
Calcium	58 mg/L	0.26	1	07/14/23	fs	07/21/23	jma	0.076
Lithium	0.083 mg/L	0.0025	1	07/14/23	fs	07/21/23	jma	N 0.0019
Magnesium	47 mg/L	0.10	1	07/14/23	fs	07/21/23	jma	0.010
Potassium	13 mg/L	0.25	1	07/14/23	fs	07/21/23	jma	0.036
Sodium	67 mg/L	0.12	1	07/14/23	fs	07/21/23	jma	0.088

Analysis Method: EPA 200.8 Rev. 5.4

Batch: T138479

Antimony	0.00011 mg/L	0.00025	1	07/14/23	fs	07/21/23	acs	J 0.00010
Arsenic	0.0016 mg/L	0.00055	1	07/14/23	fs	07/21/23	acs	0.00010
Barium	0.43 mg/L	0.0025	1	07/14/23	fs	07/21/23	acs	0.00068
Beryllium	<0.000052 mg/L	0.00025	1	07/14/23	fs	07/21/23	acs	0.000052
Cadmium	<0.000075 mg/L	0.00025	1	07/14/23	fs	07/21/23	acs	0.000075
Chromium	<0.000020 mg/L	0.00025	1	07/14/23	fs	07/21/23	acs	0.000020
Cobalt	0.0014 mg/L	0.00052	1	07/14/23	fs	07/21/23	acs	0.00010
Lead	0.0028 mg/L	0.00055	1	07/14/23	fs	07/21/23	acs	0.00010
Molybdenum	0.0048 mg/L	0.0012	1	07/14/23	fs	07/21/23	acs	0.00025
Selenium	0.00011 mg/L	0.00050	1	07/14/23	fs	07/21/23	acs	J 0.00010
Thallium	<0.000075 mg/L	0.00038	1	07/14/23	fs	07/21/23	acs	0.000075

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23F1319

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23F1319-14	Date Collected:	06/28/23 09:00	Matrix:	Ground Water
Sample ID:	MW-20	Date Received:	06/29/23 08:33		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

WET CHEMISTRY

Analysis Method: EPA 300.0 Rev. 2.1

Batch: T138062

Fluoride	0.22 mg/L	0.10	5	06/29/23	mr	06/29/23	mr	N	0.055
Chloride	71 mg/L	0.75	5	06/29/23	mr	06/29/23	mr		0.60
Sulfate as SO ₄	30 mg/L	3.0	5	06/29/23	mr	06/29/23	mr		0.41

Analysis Method: SM 2320 B-11

Batch: T138223

Bicarbonate Alkalinity as CaCO ₃ at pH 4.5	470 mg/L	5.0	1	07/06/23	mr	07/06/23	mr	N	0.16
Carbonate Alkalinity as CaCO ₃ at pH 8.2	<0.16 mg/L	5.0	1	07/06/23	mr	07/06/23	mr	N	0.16
Total Alkalinity as CaCO ₃ at pH 4.5	470 mg/L	5.0	1	07/06/23	mr	07/06/23	mr		0.16

Analysis Method: SM 2540 C-15

Batch: T138141

Total Dissolved Solids	650 mg/L	20	2	07/05/23	ljs	07/05/23	ljs	N	
------------------------	----------	----	---	----------	-----	----------	-----	---	--

Analysis Method: SM 2540 D-15

Batch: T138069

Total Suspended Solids	37 mg/L	4.0	1.010101	06/29/23	mr	06/29/23	mr		
------------------------	---------	-----	----------	----------	----	----------	----	--	--

Analysis Method: SM 4500-H+ B-11

Batch: T138106

pH	7.10 pH Units	1	06/28/23	sb	06/29/23	sb	503, pHf		
----	---------------	---	----------	----	----------	----	----------	--	--

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23F1319

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23F1319-15	Date Collected:	06/27/23 12:05	Matrix:	Ground Water
Sample ID:	MW-27	Date Received:	06/29/23 08:33		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

METALS, TOTAL

Analysis Method: EPA 7470A

Batch: T138485

Mercury	<0.00016 mg/L	0.00020	1	07/13/23	fs	07/14/23	jma	0.00016
---------	---------------	---------	---	----------	----	----------	-----	---------

METALS, TOTAL

Analysis Method: EPA 200.7 Rev. 4.4

Batch: T138479

Boron	0.45 mg/L	0.044	5	07/14/23	fs	07/27/23	ckd	0.0082	
Calcium	180 mg/L	1.3	5	07/14/23	fs	07/27/23	ckd	0.38	
Lithium	0.017 mg/L	0.012	5	07/14/23	fs	07/27/23	ckd	N	0.0094
Magnesium	33 mg/L	0.10	1	07/14/23	fs	07/21/23	jma	0.010	
Potassium	11 mg/L	0.25	1	07/14/23	fs	07/21/23	jma	0.036	
Sodium	75 mg/L	0.12	1	07/14/23	fs	07/21/23	jma	0.088	

Analysis Method: EPA 200.8 Rev. 5.4

Batch: T138479

Antimony	<0.00010 mg/L	0.00025	1	07/14/23	fs	07/21/23	acs	0.00010	
Arsenic	0.0010 mg/L	0.00055	1	07/14/23	fs	07/21/23	acs	0.00010	
Barium	0.25 mg/L	0.0025	1	07/14/23	fs	07/21/23	acs	0.00068	
Beryllium	<0.000052 mg/L	0.00025	1	07/14/23	fs	07/21/23	acs	0.000052	
Cadmium	<0.000075 mg/L	0.00025	1	07/14/23	fs	07/21/23	acs	0.000075	
Chromium	0.027 mg/L	0.00025	1	07/14/23	fs	07/21/23	acs	0.00020	
Cobalt	0.00092 mg/L	0.00052	1	07/14/23	fs	07/21/23	acs	0.00010	
Lead	<0.00010 mg/L	0.00055	1	07/14/23	fs	07/21/23	acs	0.00010	
Molybdenum	<0.00025 mg/L	0.0012	1	07/14/23	fs	07/21/23	acs	0.00025	
Selenium	0.00021 mg/L	0.00050	1	07/14/23	fs	07/21/23	acs	J	0.00010
Thallium	<0.000075 mg/L	0.00038	1	07/14/23	fs	07/21/23	acs	0.000075	

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23F1319

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23F1319-15	Date Collected:	06/27/23 12:05	Matrix:	Ground Water
Sample ID:	MW-27	Date Received:	06/29/23 08:33		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

WET CHEMISTRY

Analysis Method: EPA 300.0 Rev. 2.1

Batch: T138062

Fluoride	0.36 mg/L	0.10	5	06/29/23	mr	06/29/23	mr	N	0.055
Chloride	110 mg/L	1.5	10	06/29/23	mr	06/30/23	mr		1.2
Sulfate as SO ₄	0.56 mg/L	3.0	5	06/29/23	mr	06/29/23	mr	J	0.41

Analysis Method: SM 2320 B-11

Batch: T138223

Bicarbonate Alkalinity as CaCO ₃ at pH 4.5	1100 mg/L	10	2	07/06/23	mr	07/06/23	mr	N	0.31
Carbonate Alkalinity as CaCO ₃ at pH 8.2	<0.31 mg/L	10	2	07/06/23	mr	07/06/23	mr	N	0.31
Total Alkalinity as CaCO ₃ at pH 4.5	1100 mg/L	10	2	07/06/23	mr	07/06/23	mr		0.31

Analysis Method: SM 2540 C-15

Batch: T138108

Total Dissolved Solids	790 mg/L	20	2	06/30/23	mr	06/30/23	mr	N	
------------------------	----------	----	---	----------	----	----------	----	---	--

Analysis Method: SM 2540 D-15

Batch: T138069

Total Suspended Solids	19 mg/L	4.0	1.010101	06/29/23	mr	06/29/23	mr		
------------------------	---------	-----	----------	----------	----	----------	----	--	--

Analysis Method: SM 4500-H+ B-11

Batch: T138106

pH	6.80 pH Units	1	06/27/23	sb	06/29/23	sb	511, pHg		
----	---------------	---	----------	----	----------	----	----------	--	--

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23F1319

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23F1319-16	Date Collected:	06/27/23 13:40	Matrix:	Ground Water
Sample ID:	MW-30	Date Received:	06/29/23 08:33		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

METALS, TOTAL

Analysis Method: EPA 7470A

Batch: T138485

Mercury	<0.00016 mg/L	0.00020	1	07/13/23	fs	07/14/23	jma	0.00016
---------	---------------	---------	---	----------	----	----------	-----	---------

METALS, TOTAL

Analysis Method: EPA 200.7 Rev. 4.4

Batch: T138479

Boron	1.9 mg/L	0.088	10	07/14/23	fs	07/27/23	ckd	0.016	
Calcium	460 mg/L	5.1	20	07/14/23	fs	07/27/23	ckd	1.5	
Lithium	0.12 mg/L	0.025	10	07/14/23	fs	07/27/23	ckd	N	0.019
Magnesium	120 mg/L	1.0	20	07/14/23	fs	07/27/23	ckd	0.20	
Potassium	11 mg/L	0.25	1	07/14/23	fs	07/21/23	jma	0.036	
Sodium	95 mg/L	2.5	20	07/14/23	fs	07/27/23	ckd	1.8	

Analysis Method: EPA 200.8 Rev. 5.4

Batch: T138479

Antimony	<0.00050 mg/L	0.0012	5	07/14/23	fs	07/21/23	acs	0.00050	
Arsenic	0.00027 mg/L	0.00055	1	07/14/23	fs	07/21/23	acs	J	0.00010
Barium	0.066 mg/L	0.012	5	07/14/23	fs	07/21/23	acs	0.0034	
Beryllium	<0.000052 mg/L	0.00025	1	07/14/23	fs	07/21/23	acs	0.000052	
Cadmium	<0.000075 mg/L	0.00025	1	07/14/23	fs	07/21/23	acs	0.000075	
Chromium	0.012 mg/L	0.00025	1	07/14/23	fs	07/21/23	acs	0.00020	
Cobalt	0.0013 mg/L	0.00052	1	07/14/23	fs	07/21/23	acs	0.00010	
Lead	<0.00050 mg/L	0.0028	5	07/14/23	fs	07/21/23	acs	0.00050	
Molybdenum	0.00082 mg/L	0.0012	1	07/14/23	fs	07/21/23	acs	J	0.00025
Selenium	0.00011 mg/L	0.00050	1	07/14/23	fs	07/21/23	acs	J	0.00010
Thallium	<0.00038 mg/L	0.0019	5	07/14/23	fs	07/21/23	acs	0.00038	

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23F1319

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23F1319-16	Date Collected:	06/27/23 13:40	Matrix:	Ground Water
Sample ID:	MW-30	Date Received:	06/29/23 08:33		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

WET CHEMISTRY

Analysis Method: EPA 300.0 Rev. 2.1

Batch: T138062

Fluoride	0.91 mg/L	0.10	5	06/29/23	mr	06/29/23	mr	N	0.055
Chloride	110 mg/L	7.5	50	06/29/23	mr	06/30/23	mr		6.0
Sulfate as SO ₄	940 mg/L	30	50	06/29/23	mr	06/30/23	mr		4.1

Analysis Method: SM 2320 B-11

Batch: T138223

Bicarbonate Alkalinity as CaCO ₃ at pH 4.5	<0.16 mg/L	5.0	1	07/06/23	mr	07/06/23	mr	N	0.16
Carbonate Alkalinity as CaCO ₃ at pH 8.2	<0.16 mg/L	5.0	1	07/06/23	mr	07/06/23	mr	N	0.16
Total Alkalinity as CaCO ₃ at pH 4.5	<0.16 mg/L	5.0	1	07/06/23	mr	07/06/23	mr		0.16

Analysis Method: SM 2540 C-15

Batch: T138108

Total Dissolved Solids	2800 mg/L	20	2	06/30/23	mr	06/30/23	mr	900, N	
------------------------	-----------	----	---	----------	----	----------	----	--------	--

Analysis Method: SM 2540 D-15

Batch: T138069

Total Suspended Solids	< mg/L	4.0	1.010101	06/29/23	mr	06/29/23	mr		
------------------------	--------	-----	----------	----------	----	----------	----	--	--

Analysis Method: SM 4500-H+ B-11

Batch: T138106

pH	2.08 pH Units	1	06/27/23	sb	06/29/23	sb	511, pH		
----	---------------	---	----------	----	----------	----	---------	--	--

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23F1319

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23F1319-17	Date Collected:	06/27/23 14:30	Matrix:	Ground Water
Sample ID:	MW-31	Date Received:	06/29/23 08:33		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

METALS, TOTAL

Analysis Method: EPA 7470A

Batch: T138485

Mercury	<0.00016 mg/L	0.00020	1	07/13/23	fs	07/14/23	jma	0.00016
---------	---------------	---------	---	----------	----	----------	-----	---------

METALS, TOTAL

Analysis Method: EPA 200.7 Rev. 4.4

Batch: T138479

Boron	5.4 mg/L	0.044	5	07/14/23	fs	07/27/23	ckd	0.0082	
Calcium	130 mg/L	2.6	10	07/14/23	fs	07/27/23	ckd	0.76	
Lithium	0.056 mg/L	0.012	5	07/14/23	fs	07/27/23	ckd	N	0.0094
Magnesium	34 mg/L	0.10	1	07/14/23	fs	07/21/23	jma	0.010	
Potassium	12 mg/L	0.25	1	07/14/23	fs	07/21/23	jma	0.036	
Sodium	64 mg/L	0.12	1	07/14/23	fs	07/21/23	jma	0.088	

Analysis Method: EPA 200.8 Rev. 5.4

Batch: T138479

Antimony	<0.00010 mg/L	0.00025	1	07/14/23	fs	07/21/23	acs	0.00010	
Arsenic	0.0016 mg/L	0.00055	1	07/14/23	fs	07/21/23	acs	0.00010	
Barium	0.23 mg/L	0.0025	1	07/14/23	fs	07/21/23	acs	0.00068	
Beryllium	<0.000052 mg/L	0.00025	1	07/14/23	fs	07/21/23	acs	0.000052	
Cadmium	<0.000075 mg/L	0.00025	1	07/14/23	fs	07/21/23	acs	0.000075	
Chromium	0.0023 mg/L	0.00025	1	07/14/23	fs	07/21/23	acs	0.00020	
Cobalt	0.00018 mg/L	0.00052	1	07/14/23	fs	07/21/23	acs	J	0.00010
Lead	<0.00010 mg/L	0.00055	1	07/14/23	fs	07/21/23	acs	0.00010	
Molybdenum	0.0018 mg/L	0.0012	1	07/14/23	fs	07/21/23	acs	0.00025	
Selenium	0.00012 mg/L	0.00050	1	07/14/23	fs	07/21/23	acs	J	0.00010
Thallium	<0.000075 mg/L	0.00038	1	07/14/23	fs	07/21/23	acs	0.000075	

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23F1319

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23F1319-17	Date Collected:	06/27/23 14:30	Matrix:	Ground Water
Sample ID:	MW-31	Date Received:	06/29/23 08:33		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

WET CHEMISTRY

Analysis Method: EPA 300.0 Rev. 2.1

Batch: T138062

Fluoride	4.7 mg/L	0.10	5	06/29/23	mr	06/29/23	mr	N	0.055
Chloride	110 mg/L	1.5	10	06/29/23	mr	06/30/23	mr		1.2
Sulfate as SO ₄	120 mg/L	6.0	10	06/29/23	mr	06/30/23	mr		0.82

Analysis Method: SM 2320 B-11

Batch: T138223

Bicarbonate Alkalinity as CaCO ₃ at pH 4.5	340 mg/L	5.0	1	07/06/23	mr	07/06/23	mr	N	0.16
Carbonate Alkalinity as CaCO ₃ at pH 8.2	<0.16 mg/L	5.0	1	07/06/23	mr	07/06/23	mr	N	0.16
Total Alkalinity as CaCO ₃ at pH 4.5	340 mg/L	5.0	1	07/06/23	mr	07/06/23	mr		0.16

Analysis Method: SM 2540 C-15

Batch: T138108

Total Dissolved Solids	760 mg/L	20	2	06/30/23	mr	06/30/23	mr	N	
------------------------	----------	----	---	----------	----	----------	----	---	--

Analysis Method: SM 2540 D-15

Batch: T138069

Total Suspended Solids	< mg/L	4.0	1	06/29/23	mr	06/29/23	mr		
------------------------	--------	-----	---	----------	----	----------	----	--	--

Analysis Method: SM 4500-H+ B-11

Batch: T138106

pH	7.57 pH Units		1	06/27/23	sb	06/29/23	sb	511, pHi	
----	---------------	--	---	----------	----	----------	----	----------	--

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23F1319

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23F1319-18	Date Collected:	06/27/23 15:40	Matrix:	Ground Water
Sample ID:	MW-32	Date Received:	06/29/23 08:33		
PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY NOTES LOD

METALS, TOTAL

Analysis Method: EPA 7470A

Batch: T138485

Mercury	<0.00016 mg/L	0.00020	1	07/13/23	fs	07/14/23	jma	0.00016
---------	---------------	---------	---	----------	----	----------	-----	---------

METALS, TOTAL

Analysis Method: EPA 200.7 Rev. 4.4

Batch: T138479

Boron	3.9 mg/L	0.044	5	07/14/23	fs	07/27/23	ckd	0.0082
Calcium	150 mg/L	2.6	10	07/14/23	fs	07/27/23	ckd	0.76
Lithium	0.13 mg/L	0.012	5	07/14/23	fs	07/27/23	ckd	N 0.0094
Magnesium	28 mg/L	0.10	1	07/14/23	fs	07/21/23	jma	0.010
Potassium	12 mg/L	0.25	1	07/14/23	fs	07/21/23	jma	0.036
Sodium	33 mg/L	0.12	1	07/14/23	fs	07/21/23	jma	0.088

Analysis Method: EPA 200.8 Rev. 5.4

Batch: T138479

Antimony	<0.00010 mg/L	0.00025	1	07/14/23	fs	07/21/23	acs	0.00010
Arsenic	0.00058 mg/L	0.00055	1	07/14/23	fs	07/21/23	acs	0.00010
Barium	0.37 mg/L	0.0025	1	07/14/23	fs	07/21/23	acs	0.00068
Beryllium	<0.000052 mg/L	0.00025	1	07/14/23	fs	07/21/23	acs	0.000052
Cadmium	<0.000075 mg/L	0.00025	1	07/14/23	fs	07/21/23	acs	0.000075
Chromium	0.00032 mg/L	0.00025	1	07/14/23	fs	07/21/23	acs	0.00020
Cobalt	0.00068 mg/L	0.00052	1	07/14/23	fs	07/21/23	acs	0.00010
Lead	0.00014 mg/L	0.00055	1	07/14/23	fs	07/21/23	acs	J 0.00010
Molybdenum	0.0047 mg/L	0.0012	1	07/14/23	fs	07/21/23	acs	0.00025
Selenium	<0.00010 mg/L	0.00050	1	07/14/23	fs	07/21/23	acs	0.00010
Thallium	<0.000075 mg/L	0.00038	1	07/14/23	fs	07/21/23	acs	0.000075

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23F1319

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23F1319-18	Date Collected:	06/27/23 15:40	Matrix:	Ground Water
Sample ID:	MW-32	Date Received:	06/29/23 08:33		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

WET CHEMISTRY

Analysis Method: EPA 300.0 Rev. 2.1

Batch: T138062

Fluoride	1.4 mg/L	0.10	5	06/29/23	mr	06/29/23	mr	N	0.055
Chloride	41 mg/L	0.75	5	06/29/23	mr	06/29/23	mr		0.60
Sulfate as SO ₄	48 mg/L	3.0	5	06/29/23	mr	06/29/23	mr		0.41

Analysis Method: SM 2320 B-11

Batch: T138223

Bicarbonate Alkalinity as CaCO ₃ at pH 4.5	440 mg/L	5.0	1	07/06/23	mr	07/06/23	mr	N	0.16
Carbonate Alkalinity as CaCO ₃ at pH 8.2	<0.16 mg/L	5.0	1	07/06/23	mr	07/06/23	mr	N	0.16
Total Alkalinity as CaCO ₃ at pH 4.5	440 mg/L	5.0	1	07/06/23	mr	07/06/23	mr		0.16

Analysis Method: SM 2540 C-15

Batch: T138108

Total Dissolved Solids	600 mg/L	19	1.886792	06/30/23	mr	06/30/23	mr	N	
------------------------	----------	----	----------	----------	----	----------	----	---	--

Analysis Method: SM 2540 D-15

Batch: T138069

Total Suspended Solids	29 mg/L	4.0	0.9803922	06/29/23	mr	06/29/23	mr		
------------------------	---------	-----	-----------	----------	----	----------	----	--	--

Analysis Method: SM 4500-H+ B-11

Batch: T138106

pH	7.34 pH Units	1	06/27/23	sb	06/29/23	sb	511, pHj		
----	---------------	---	----------	----	----------	----	----------	--	--

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23F1319

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23F1319-19	Date Collected:	06/27/23 10:25	Matrix:	Ground Water
Sample ID:	MW-33	Date Received:	06/29/23 08:33		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

METALS, TOTAL

Analysis Method: EPA 7470A

Batch: T138485

Mercury	<0.00016 mg/L	0.00020	1	07/13/23	fs	07/14/23	jma	0.00016
---------	---------------	---------	---	----------	----	----------	-----	---------

METALS, TOTAL

Analysis Method: EPA 200.7 Rev. 4.4

Batch: T138479

Boron	0.11 mg/L	0.044	5	07/14/23	fs	07/27/23	ckd	0.0082	
Calcium	150 mg/L	2.6	10	07/14/23	fs	07/27/23	ckd	0.76	
Lithium	<0.0094 mg/L	0.012	5	07/14/23	fs	07/27/23	ckd	N	0.0094
Magnesium	16 mg/L	0.10	1	07/14/23	fs	07/21/23	jma	0.010	
Potassium	4.4 mg/L	0.25	1	07/14/23	fs	07/21/23	jma	0.036	
Sodium	23 mg/L	0.12	1	07/14/23	fs	07/21/23	jma	0.088	

Analysis Method: EPA 200.8 Rev. 5.4

Batch: T138479

Antimony	0.00020 mg/L	0.00025	1	07/14/23	fs	07/21/23	acs	J	0.00010
Arsenic	0.0032 mg/L	0.00055	1	07/14/23	fs	07/21/23	acs		0.00010
Barium	0.088 mg/L	0.0025	1	07/14/23	fs	07/21/23	acs		0.00068
Beryllium	<0.000052 mg/L	0.00025	1	07/14/23	fs	07/21/23	acs		0.000052
Cadmium	<0.000075 mg/L	0.00025	1	07/14/23	fs	07/21/23	acs		0.000075
Chromium	0.0050 mg/L	0.00025	1	07/14/23	fs	07/21/23	acs		0.00020
Cobalt	0.00039 mg/L	0.00052	1	07/14/23	fs	07/21/23	acs	J	0.00010
Lead	0.00015 mg/L	0.00055	1	07/14/23	fs	07/21/23	acs	J	0.00010
Molybdenum	0.00068 mg/L	0.0012	1	07/14/23	fs	07/21/23	acs	J	0.00025
Selenium	0.00033 mg/L	0.00050	1	07/14/23	fs	07/21/23	acs	J	0.00010
Thallium	<0.000075 mg/L	0.00038	1	07/14/23	fs	07/21/23	acs		0.000075

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23F1319

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23F1319-19	Date Collected:	06/27/23 10:25	Matrix:	Ground Water
Sample ID:	MW-33	Date Received:	06/29/23 08:33		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

WET CHEMISTRY

Analysis Method: EPA 300.0 Rev. 2.1

Batch: T138062

Fluoride	0.26 mg/L	0.10	5	06/29/23	mr	06/29/23	mr	N	0.055
Chloride	20 mg/L	0.75	5	06/29/23	mr	06/29/23	mr		0.60
Sulfate as SO ₄	4.3 mg/L	3.0	5	06/29/23	mr	06/29/23	mr		0.41

Analysis Method: SM 2320 B-11

Batch: T138223

Bicarbonate Alkalinity as CaCO ₃ at pH 4.5	440 mg/L	5.0	1	07/06/23	mr	07/06/23	mr	N	0.16
Carbonate Alkalinity as CaCO ₃ at pH 8.2	<0.16 mg/L	5.0	1	07/06/23	mr	07/06/23	mr	N	0.16
Total Alkalinity as CaCO ₃ at pH 4.5	440 mg/L	5.0	1	07/06/23	mr	07/06/23	mr		0.16

Analysis Method: SM 2540 C-15

Batch: T138108

Total Dissolved Solids	600 mg/L	20	2	06/30/23	mr	06/30/23	mr	N	
------------------------	----------	----	---	----------	----	----------	----	---	--

Analysis Method: SM 2540 D-15

Batch: T138069

Total Suspended Solids	21 mg/L	4.0	1	06/29/23	mr	06/29/23	mr		
------------------------	---------	-----	---	----------	----	----------	----	--	--

Analysis Method: SM 4500-H+ B-11

Batch: T138106

pH	7.03 pH Units		1	06/27/23	sb	06/29/23	sb	511, pHm	
----	---------------	--	---	----------	----	----------	----	----------	--

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23F1319

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23F1319-20	Date Collected:	06/27/23 11:10	Matrix:	Ground Water
Sample ID:	MW-34	Date Received:	06/29/23 08:33		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

METALS, TOTAL

Analysis Method: EPA 7470A

Batch: T138485

Mercury	<0.00016 mg/L	0.00020	1	07/13/23	fs	07/14/23	jma	0.00016
---------	---------------	---------	---	----------	----	----------	-----	---------

METALS, TOTAL

Analysis Method: EPA 200.7 Rev. 4.4

Batch: T138479

Boron	4.0 mg/L	0.044	5	07/14/23	fs	07/27/23	ckd	0.0082	
Calcium	220 mg/L	2.6	10	07/14/23	fs	07/27/23	ckd	0.76	
Lithium	0.088 mg/L	0.012	5	07/14/23	fs	07/27/23	ckd	N	0.0094
Magnesium	27 mg/L	0.10	1	07/14/23	fs	07/21/23	jma	0.010	
Potassium	12 mg/L	0.25	1	07/14/23	fs	07/21/23	jma	0.036	
Sodium	38 mg/L	0.12	1	07/14/23	fs	07/21/23	jma	0.088	

Analysis Method: EPA 200.8 Rev. 5.4

Batch: T138479

Antimony	0.00016 mg/L	0.00025	1	07/14/23	fs	07/21/23	acs	J	0.00010
Arsenic	0.0013 mg/L	0.00055	1	07/14/23	fs	07/21/23	acs		0.00010
Barium	0.53 mg/L	0.0025	1	07/14/23	fs	07/21/23	acs		0.00068
Beryllium	<0.000052 mg/L	0.00025	1	07/14/23	fs	07/21/23	acs		0.000052
Cadmium	<0.000075 mg/L	0.00025	1	07/14/23	fs	07/21/23	acs		0.000075
Chromium	0.034 mg/L	0.00025	1	07/14/23	fs	07/21/23	acs		0.00020
Cobalt	0.0018 mg/L	0.00052	1	07/14/23	fs	07/21/23	acs		0.00010
Lead	0.00087 mg/L	0.00055	1	07/14/23	fs	07/21/23	acs		0.00010
Molybdenum	0.00030 mg/L	0.0012	1	07/14/23	fs	07/21/23	acs	J	0.00025
Selenium	0.00030 mg/L	0.00050	1	07/14/23	fs	07/21/23	acs	J	0.00010
Thallium	<0.000075 mg/L	0.00038	1	07/14/23	fs	07/21/23	acs		0.000075

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23F1319

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23F1319-20	Date Collected:	06/27/23 11:10	Matrix:	Ground Water
Sample ID:	MW-34	Date Received:	06/29/23 08:33		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

WET CHEMISTRY

Analysis Method: EPA 300.0 Rev. 2.1

Batch: T138062

Fluoride	0.26 mg/L	0.10	5	06/29/23	mr	06/29/23	mr	N	0.055
Chloride	23 mg/L	0.75	5	06/29/23	mr	06/29/23	mr		0.60
Sulfate as SO ₄	<0.41 mg/L	3.0	5	06/29/23	mr	06/29/23	mr		0.41

Analysis Method: SM 2320 B-11

Batch: T138223

Bicarbonate Alkalinity as CaCO ₃ at pH 4.5	970 mg/L	10	2	07/06/23	mr	07/06/23	mr	N	0.31
Carbonate Alkalinity as CaCO ₃ at pH 8.2	<0.31 mg/L	10	2	07/06/23	mr	07/06/23	mr	N	0.31
Total Alkalinity as CaCO ₃ at pH 4.5	970 mg/L	10	2	07/06/23	mr	07/06/23	mr		0.31

Analysis Method: SM 2540 C-15

Batch: T138108

Total Dissolved Solids	820 mg/L	21	2.083333	06/30/23	mr	06/30/23	mr	N	
------------------------	----------	----	----------	----------	----	----------	----	---	--

Analysis Method: SM 2540 D-15

Batch: T138069

Total Suspended Solids	170 mg/L	4.0	1.010101	06/29/23	mr	06/29/23	mr		
------------------------	----------	-----	----------	----------	----	----------	----	--	--

Analysis Method: SM 4500-H+ B-11

Batch: T138106

pH	6.56 pH Units	1	06/27/23	sb	06/29/23	sb	511, pHn		
----	---------------	---	----------	----	----------	----	----------	--	--

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

ANALYTICAL RESULTS

Trace Project ID: 23F1319

Client Project ID: City of Grand Haven - Harbor Island

Trace ID: 23F1319-21 Date Collected: 06/27/23 09:00 Matrix: Ground Water
Sample ID: MWT-12 Date Received: 06/29/23 08:33

PARAMETERS	RESULTS	UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------	-------	-----	----------	-------------	-------------	-------	-----

METALS, TOTAL

Analysis Method: EPA 7470A

Batch: T138526

Mercury <0.00016 mg/L 0.00020 1 07/13/23 fs 07/14/23 jma 0.00016

METALS, TOTAL

Analysis Method: EPA 200.7 Rev. 4.4

Batch: T138527

Boron	0.34 mg/L	0.0088	1	07/14/23	fs	07/27/23	ckd		0.0016
Calcium	80 mg/L	0.26	1	07/14/23	fs	07/21/23	jma		0.076
Lithium	0.0055 mg/L	0.0025	1	07/14/23	fs	07/27/23	ckd	N	0.0019
Magnesium	17 mg/L	0.10	1	07/14/23	fs	07/21/23	jma		0.010
Potassium	1.4 mg/L	0.25	1	07/14/23	fs	07/21/23	jma		0.036
Sodium	12 mg/L	0.12	1	07/14/23	fs	07/21/23	jma		0.088

Analysis Method: EPA 200.8 Rev. 5.4

Batch: T138527

Antimony	0.00072 mg/L	0.00025	1	07/14/23	fs	07/21/23	acs	0.00010
Arsenic	0.0033 mg/L	0.00055	1	07/14/23	fs	07/21/23	acs	0.00010
Barium	0.048 mg/L	0.0025	1	07/14/23	fs	07/21/23	acs	0.00068
Beryllium	<0.000052 mg/L	0.00025	1	07/14/23	fs	07/21/23	acs	0.000052
Cadmium	0.0029 mg/L	0.00025	1	07/14/23	fs	07/21/23	acs	0.000075
Chromium	<0.00020 mg/L	0.00025	1	07/14/23	fs	07/21/23	acs	0.00020
Cobalt	0.00056 mg/L	0.00052	1	07/14/23	fs	07/21/23	acs	0.00010
Lead	0.00017 mg/L	0.00055	1	07/14/23	fs	07/21/23	acs	J 0.00010
Molybdenum	0.0097 mg/L	0.0012	1	07/14/23	fs	07/21/23	acs	0.00025
Selenium	0.00022 mg/L	0.00050	1	07/14/23	fs	07/21/23	acs	J 0.00010
Thallium	<0.000075 mg/L	0.00038	1	07/14/23	fs	07/21/23	acs	0.000075

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23F1319

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23F1319-21	Date Collected:	06/27/23 09:00	Matrix:	Ground Water
Sample ID:	MWT-12	Date Received:	06/29/23 08:33		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

WET CHEMISTRY

Analysis Method: EPA 300.0 Rev. 2.1

Batch: T138064

Fluoride	0.26 mg/L	0.10	5	06/29/23	mr	06/29/23	mr	N	0.055
Chloride	17 mg/L	0.75	5	06/29/23	mr	06/29/23	mr		0.60
Sulfate as SO ₄	110 mg/L	6.0	10	06/29/23	mr	06/30/23	mr		0.82

Analysis Method: SM 2320 B-11

Batch: T138223

Bicarbonate Alkalinity as CaCO ₃ at pH 4.5	140 mg/L	5.0	1	07/06/23	mr	07/06/23	mr	N	0.16
Carbonate Alkalinity as CaCO ₃ at pH 8.2	<0.16 mg/L	5.0	1	07/06/23	mr	07/06/23	mr	N	0.16
Total Alkalinity as CaCO ₃ at pH 4.5	140 mg/L	5.0	1	07/06/23	mr	07/06/23	mr		0.16

Analysis Method: SM 2540 C-15

Batch: T138108

Total Dissolved Solids	350 mg/L	21	2.083333	06/30/23	mr	06/30/23	mr	N	
------------------------	----------	----	----------	----------	----	----------	----	---	--

Analysis Method: SM 2540 D-15

Batch: T138069

Total Suspended Solids	3.0 mg/L	4.0	1	06/29/23	mr	06/29/23	mr	J	
------------------------	----------	-----	---	----------	----	----------	----	---	--

Analysis Method: SM 4500-H+ B-11

Batch: T138106

pH	7.42 pH Units	1	06/27/23	sb	06/29/23	sb	511, pH	
----	---------------	---	----------	----	----------	----	---------	--

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23F1319

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23F1319-22	Date Collected:	06/27/23 13:40	Matrix:	Ground Water
Sample ID:	MWT-30	Date Received:	06/29/23 08:33		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

METALS, TOTAL

Analysis Method: EPA 7470A

Batch: T138526

Mercury	<0.00016 mg/L	0.00020	1	07/13/23	fs	07/14/23	jma	0.00016
---------	---------------	---------	---	----------	----	----------	-----	---------

METALS, TOTAL

Analysis Method: EPA 200.7 Rev. 4.4

Batch: T138527

Boron	1.9 mg/L	0.044	5	07/14/23	fs	07/27/23	ckd	0.0082	
Calcium	490 mg/L	5.1	20	07/14/23	fs	07/27/23	ckd	1.5	
Lithium	0.14 mg/L	0.012	5	07/14/23	fs	07/27/23	ckd	N	0.0094
Magnesium	130 mg/L	1.0	20	07/14/23	fs	07/27/23	ckd	0.20	
Potassium	12 mg/L	0.25	1	07/14/23	fs	07/21/23	jma	0.036	
Sodium	100 mg/L	2.5	20	07/14/23	fs	07/27/23	ckd	1.8	

Analysis Method: EPA 200.8 Rev. 5.4

Batch: T138527

Antimony	<0.00050 mg/L	0.0012	5	07/14/23	fs	07/21/23	acs	0.00050	
Arsenic	0.00023 mg/L	0.00055	1	07/14/23	fs	07/21/23	acs	J	0.00010
Barium	0.065 mg/L	0.012	5	07/14/23	fs	07/21/23	acs	0.0034	
Beryllium	<0.000052 mg/L	0.00025	1	07/14/23	fs	07/21/23	acs	0.000052	
Cadmium	<0.000075 mg/L	0.00025	1	07/14/23	fs	07/21/23	acs	0.000075	
Chromium	0.011 mg/L	0.00025	1	07/14/23	fs	07/21/23	acs	0.00020	
Cobalt	0.0011 mg/L	0.00052	1	07/14/23	fs	07/21/23	acs	0.00010	
Lead	<0.00050 mg/L	0.0028	5	07/14/23	fs	07/21/23	acs	0.00050	
Molybdenum	0.00074 mg/L	0.0012	1	07/14/23	fs	07/21/23	acs	J	0.00025
Selenium	0.00012 mg/L	0.00050	1	07/14/23	fs	07/21/23	acs	J	0.00010
Thallium	<0.00038 mg/L	0.0019	5	07/14/23	fs	07/21/23	acs	0.00038	

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23F1319

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23F1319-22	Date Collected:	06/27/23 13:40	Matrix:	Ground Water
Sample ID:	MWT-30	Date Received:	06/29/23 08:33		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

WET CHEMISTRY

Analysis Method: EPA 300.0 Rev. 2.1

Batch: T138064

Fluoride	1.0 mg/L	0.10	5	06/29/23	mr	06/29/23	mr	N	0.055
Chloride	110 mg/L	7.5	50	06/29/23	mr	06/30/23	mr		6.0
Sulfate as SO ₄	940 mg/L	30	50	06/29/23	mr	06/30/23	mr		4.1

Analysis Method: SM 2320 B-11

Batch: T138223

Bicarbonate Alkalinity as CaCO ₃ at pH 4.5	670 mg/L	5.0	1	07/06/23	mr	07/06/23	mr	N	0.16
Carbonate Alkalinity as CaCO ₃ at pH 8.2	<0.16 mg/L	5.0	1	07/06/23	mr	07/06/23	mr	N	0.16
Total Alkalinity as CaCO ₃ at pH 4.5	670 mg/L	5.0	1	07/06/23	mr	07/06/23	mr		0.16

Analysis Method: SM 2540 C-15

Batch: T138108

Total Dissolved Solids	2400 mg/L	20	2	06/30/23	mr	06/30/23	mr	N	
------------------------	-----------	----	---	----------	----	----------	----	---	--

Analysis Method: SM 2540 D-15

Batch: T138069

Total Suspended Solids	5.0 mg/L	4.0	1	06/29/23	mr	06/29/23	mr		
------------------------	----------	-----	---	----------	----	----------	----	--	--

Analysis Method: SM 4500-H+ B-11

Batch: T138106

pH	7.03 pH Units		1	06/27/23	sb	06/29/23	sb	511, pHR	
----	---------------	--	---	----------	----	----------	----	----------	--

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23F1319

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23F1319-23	Date Collected:	06/28/23 13:35	Matrix:	Surface Water
Sample ID:	SG-02	Date Received:	06/29/23 08:33		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

METALS, TOTAL

Analysis Method: EPA 7470A

Batch: T138526

Mercury	<0.00016 mg/L	0.00020	1	07/13/23	fs	07/14/23	jma	0.00016
---------	---------------	---------	---	----------	----	----------	-----	---------

METALS, TOTAL

Analysis Method: EPA 200.7 Rev. 4.4

Batch: T138527

Boron	5.6 mg/L	0.0088	1	07/14/23	fs	07/27/23	ckd	0.0016	
Calcium	210 mg/L	5.1	20	07/14/23	fs	07/27/23	ckd	1.5	
Lithium	0.067 mg/L	0.0025	1	07/14/23	fs	07/27/23	ckd	N	0.0019
Magnesium	53 mg/L	0.10	1	07/14/23	fs	07/21/23	jma	0.010	
Potassium	18 mg/L	0.25	1	07/14/23	fs	07/21/23	jma	0.036	
Sodium	52 mg/L	0.12	1	07/14/23	fs	07/21/23	jma	0.088	

Analysis Method: EPA 200.8 Rev. 5.4

Batch: T138527

Antimony	0.00085 mg/L	0.00025	1	07/14/23	fs	07/21/23	acs	0.00010	
Arsenic	0.0037 mg/L	0.00055	1	07/14/23	fs	07/21/23	acs	0.00010	
Barium	0.13 mg/L	0.0025	1	07/14/23	fs	07/21/23	acs	0.00068	
Beryllium	0.00029 mg/L	0.00025	1	07/14/23	fs	07/21/23	acs	0.000052	
Cadmium	<0.000075 mg/L	0.00025	1	07/14/23	fs	07/21/23	acs	0.000075	
Chromium	0.00091 mg/L	0.00025	1	07/14/23	fs	07/21/23	acs	0.00020	
Cobalt	0.00040 mg/L	0.00052	1	07/14/23	fs	07/21/23	acs	J	0.00010
Lead	0.00050 mg/L	0.00055	1	07/14/23	fs	07/21/23	acs	J	0.00010
Molybdenum	0.0072 mg/L	0.0012	1	07/14/23	fs	07/21/23	acs	0.00025	
Selenium	0.0013 mg/L	0.00050	1	07/14/23	fs	07/21/23	acs	0.00010	
Thallium	<0.000075 mg/L	0.00038	1	07/14/23	fs	07/21/23	acs	0.000075	

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23F1319

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23F1319-23	Date Collected:	06/28/23 13:35	Matrix:	Surface Water
Sample ID:	SG-02	Date Received:	06/29/23 08:33		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

WET CHEMISTRY

Analysis Method: EPA 300.0 Rev. 2.1

Batch: T138064

Fluoride	4.6 mg/L	0.10	5	06/29/23	mr	06/29/23	mr	N	0.055
Chloride	86 mg/L	0.75	5	06/29/23	mr	06/29/23	mr		0.60
Sulfate as SO ₄	620 mg/L	30	50	06/29/23	mr	06/30/23	mr		4.1

Analysis Method: SM 2320 B-11

Batch: T138223

Bicarbonate Alkalinity as CaCO ₃ at pH 4.5	73 mg/L	5.0	1	07/06/23	mr	07/06/23	mr	N	0.16
Carbonate Alkalinity as CaCO ₃ at pH 8.2	<0.16 mg/L	5.0	1	07/06/23	mr	07/06/23	mr	N	0.16
Total Alkalinity as CaCO ₃ at pH 4.5	73 mg/L	5.0	1	07/06/23	mr	07/06/23	mr		0.16

Analysis Method: SM 2540 C-15

Batch: T138141

Total Dissolved Solids	1200 mg/L	20	2	07/05/23	ljs	07/05/23	ljs	N	
------------------------	-----------	----	---	----------	-----	----------	-----	---	--

Analysis Method: SM 2540 D-15

Batch: T138069

Total Suspended Solids	30 mg/L	4.0	1	06/29/23	mr	06/29/23	mr		
------------------------	---------	-----	---	----------	----	----------	----	--	--

Analysis Method: SM 4500-H+ B-11

Batch: T138106

pH	8.33 pH Units		1	06/28/23	sb	06/29/23	sb	pHr	
----	---------------	--	---	----------	----	----------	----	-----	--

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23F1319

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23F1319-24	Date Collected:	06/28/23 13:25	Matrix:	Surface Water
Sample ID:	SG-03	Date Received:	06/29/23 08:33		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

METALS, TOTAL

Analysis Method: EPA 7470A

Batch: T138526

Mercury	<0.00016 mg/L	0.00020	1	07/13/23	fs	07/14/23	jma	0.00016
---------	---------------	---------	---	----------	----	----------	-----	---------

METALS, TOTAL

Analysis Method: EPA 200.7 Rev. 4.4

Batch: T138527

Boron	5.8 mg/L	0.0088	1	07/14/23	fs	07/27/23	ckd	0.0016	
Calcium	220 mg/L	5.1	20	07/14/23	fs	07/27/23	ckd	1.5	
Lithium	0.067 mg/L	0.0025	1	07/14/23	fs	07/27/23	ckd	N	0.0019
Magnesium	56 mg/L	0.10	1	07/14/23	fs	07/21/23	jma	0.010	
Potassium	19 mg/L	0.25	1	07/14/23	fs	07/21/23	jma	0.036	
Sodium	57 mg/L	0.12	1	07/14/23	fs	07/21/23	jma	0.088	

Analysis Method: EPA 200.8 Rev. 5.4

Batch: T138527

Antimony	0.00088 mg/L	0.00025	1	07/14/23	fs	07/21/23	acs	0.00010	
Arsenic	0.0040 mg/L	0.00055	1	07/14/23	fs	07/21/23	acs	0.00010	
Barium	0.13 mg/L	0.0025	1	07/14/23	fs	07/21/23	acs	0.00068	
Beryllium	0.00040 mg/L	0.00025	1	07/14/23	fs	07/21/23	acs	0.000052	
Cadmium	<0.000075 mg/L	0.00025	1	07/14/23	fs	07/21/23	acs	0.000075	
Chromium	0.0012 mg/L	0.00025	1	07/14/23	fs	07/21/23	acs	0.000020	
Cobalt	0.00043 mg/L	0.00052	1	07/14/23	fs	07/21/23	acs	J	0.00010
Lead	0.00076 mg/L	0.00055	1	07/14/23	fs	07/21/23	acs	0.00010	
Molybdenum	0.0069 mg/L	0.0012	1	07/14/23	fs	07/21/23	acs	0.00025	
Selenium	0.0012 mg/L	0.00050	1	07/14/23	fs	07/21/23	acs	0.00010	
Thallium	<0.000075 mg/L	0.00038	1	07/14/23	fs	07/21/23	acs	0.000075	

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23F1319

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23F1319-24	Date Collected:	06/28/23 13:25	Matrix:	Surface Water
Sample ID:	SG-03	Date Received:	06/29/23 08:33		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

WET CHEMISTRY

Analysis Method: EPA 300.0 Rev. 2.1

Batch: T138064

Fluoride	4.6 mg/L	0.10	5	06/29/23	mr	06/29/23	mr	N	0.055
Chloride	86 mg/L	0.75	5	06/29/23	mr	06/29/23	mr		0.60
Sulfate as SO ₄	620 mg/L	30	50	06/29/23	mr	06/30/23	mr		4.1

Analysis Method: SM 2320 B-11

Batch: T138223

Bicarbonate Alkalinity as CaCO ₃ at pH 4.5	73 mg/L	5.0	1	07/06/23	mr	07/06/23	mr	N	0.16
Carbonate Alkalinity as CaCO ₃ at pH 8.2	<0.16 mg/L	5.0	1	07/06/23	mr	07/06/23	mr	N	0.16
Total Alkalinity as CaCO ₃ at pH 4.5	73 mg/L	5.0	1	07/06/23	mr	07/06/23	mr		0.16

Analysis Method: SM 2540 C-15

Batch: T138141

Total Dissolved Solids	1200 mg/L	20	2	07/05/23	ljs	07/05/23	ljs	N	
------------------------	-----------	----	---	----------	-----	----------	-----	---	--

Analysis Method: SM 2540 D-15

Batch: T138069

Total Suspended Solids	34 mg/L	4.0	1	06/29/23	mr	06/29/23	mr		
------------------------	---------	-----	---	----------	----	----------	----	--	--

Analysis Method: SM 4500-H+ B-11

Batch: T138106

pH	8.41 pH Units		1	06/28/23	sb	06/29/23	sb	pHs	
----	---------------	--	---	----------	----	----------	----	-----	--

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23F1319

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23F1319-25	Date Collected:	06/28/23 13:10	Matrix:	Surface Water
Sample ID:	SG-04R	Date Received:	06/29/23 08:33		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

METALS, TOTAL

Analysis Method: EPA 7470A

Batch: T138526

Mercury	<0.00016 mg/L	0.00020	1	07/13/23	fs	07/14/23	jma	0.00016
---------	---------------	---------	---	----------	----	----------	-----	---------

METALS, TOTAL

Analysis Method: EPA 200.7 Rev. 4.4

Batch: T138527

Boron	5.0 mg/L	0.0088	1	07/14/23	fs	07/27/23	ckd	0.0016	
Calcium	600 mg/L	5.1	20	07/14/23	fs	07/27/23	ckd	1.5	
Lithium	0.072 mg/L	0.0025	1	07/14/23	fs	07/27/23	ckd	N	0.0019
Magnesium	53 mg/L	0.10	1	07/14/23	fs	07/21/23	jma	0.010	
Potassium	17 mg/L	0.25	1	07/14/23	fs	07/21/23	jma	0.036	
Sodium	39 mg/L	0.12	1	07/14/23	fs	07/21/23	jma	0.088	

Analysis Method: EPA 200.8 Rev. 5.4

Batch: T138527

Antimony	0.0013 mg/L	0.0012	5	07/14/23	fs	07/21/23	acs	0.00050	
Arsenic	0.0043 mg/L	0.00055	1	07/14/23	fs	07/21/23	acs	0.00010	
Barium	0.040 mg/L	0.012	5	07/14/23	fs	07/21/23	acs	0.0034	
Beryllium	0.00012 mg/L	0.00025	1	07/14/23	fs	07/21/23	acs	J	0.000052
Cadmium	<0.000075 mg/L	0.00025	1	07/14/23	fs	07/21/23	acs	0.000075	
Chromium	0.0010 mg/L	0.00025	1	07/14/23	fs	07/21/23	acs	0.00020	
Cobalt	0.0011 mg/L	0.00052	1	07/14/23	fs	07/21/23	acs	0.00010	
Lead	0.0025 mg/L	0.0028	5	07/14/23	fs	07/21/23	acs	J	0.00050
Molybdenum	0.013 mg/L	0.0012	1	07/14/23	fs	07/21/23	acs	0.00025	
Selenium	0.0023 mg/L	0.00050	1	07/14/23	fs	07/21/23	acs	0.00010	
Thallium	<0.00038 mg/L	0.0019	5	07/14/23	fs	07/21/23	acs	0.00038	

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23F1319

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23F1319-25	Date Collected:	06/28/23 13:10	Matrix:	Surface Water
Sample ID:	SG-04R	Date Received:	06/29/23 08:33		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

WET CHEMISTRY

Analysis Method: EPA 300.0 Rev. 2.1

Batch: T138064

Fluoride	5.0 mg/L	0.10	5	06/29/23	mr	06/29/23	mr	N	0.055
Chloride	33 mg/L	0.75	5	06/29/23	mr	06/29/23	mr		0.60
Sulfate as SO ₄	1600 mg/L	60	100	06/29/23	mr	06/30/23	mr		8.2

Analysis Method: SM 2320 B-11

Batch: T138223

Bicarbonate Alkalinity as CaCO ₃ at pH 4.5	50 mg/L	5.0	1	07/06/23	mr	07/06/23	mr	N	0.16
Carbonate Alkalinity as CaCO ₃ at pH 8.2	<0.16 mg/L	5.0	1	07/06/23	mr	07/06/23	mr	N	0.16
Total Alkalinity as CaCO ₃ at pH 4.5	50 mg/L	5.0	1	07/06/23	mr	07/06/23	mr		0.16

Analysis Method: SM 2540 C-15

Batch: T138141

Total Dissolved Solids	2500 mg/L	20	2	07/05/23	ljs	07/05/23	ljs	N	
------------------------	-----------	----	---	----------	-----	----------	-----	---	--

Analysis Method: SM 2540 D-15

Batch: T138069

Total Suspended Solids	23 mg/L	4.0	1	06/29/23	mr	06/29/23	mr		
------------------------	---------	-----	---	----------	----	----------	----	--	--

Analysis Method: SM 4500-H+ B-11

Batch: T138106

pH	8.25 pH Units		1	06/28/23	sb	06/29/23	sb	pHt	
----	---------------	--	---	----------	----	----------	----	-----	--

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23F1319

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23F1319-26	Date Collected:	06/28/23 12:50	Matrix:	Surface Water
Sample ID:	SG-05	Date Received:	06/29/23 08:33		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

METALS, TOTAL

Analysis Method: EPA 7470A

Batch: T138526

Mercury	<0.00016 mg/L	0.00020	1	07/13/23	fs	07/14/23	jma	0.00016
---------	---------------	---------	---	----------	----	----------	-----	---------

METALS, TOTAL

Analysis Method: EPA 200.7 Rev. 4.4

Batch: T138527

Boron	0.46 mg/L	0.0088	1	07/14/23	fs	07/27/23	ckd	0.0016	
Calcium	34 mg/L	0.26	1	07/14/23	fs	07/21/23	jma	0.076	
Lithium	0.022 mg/L	0.0025	1	07/14/23	fs	07/27/23	ckd	N	0.0019
Magnesium	21 mg/L	0.10	1	07/14/23	fs	07/21/23	jma	0.010	
Potassium	0.31 mg/L	0.25	1	07/14/23	fs	07/21/23	jma	0.036	
Sodium	44 mg/L	0.12	1	07/14/23	fs	07/21/23	jma	0.088	

Analysis Method: EPA 200.8 Rev. 5.4

Batch: T138527

Antimony	0.0010 mg/L	0.00025	1	07/14/23	fs	07/21/23	acs	0.00010
Arsenic	0.0024 mg/L	0.00055	1	07/14/23	fs	07/21/23	acs	0.00010
Barium	0.11 mg/L	0.0025	1	07/14/23	fs	07/21/23	acs	0.00068
Beryllium	<0.000052 mg/L	0.00025	1	07/14/23	fs	07/21/23	acs	0.000052
Cadmium	0.00011 mg/L	0.00025	1	07/14/23	fs	07/21/23	acs	J 0.000075
Chromium	0.00049 mg/L	0.00025	1	07/14/23	fs	07/21/23	acs	0.00020
Cobalt	0.00032 mg/L	0.00052	1	07/14/23	fs	07/21/23	acs	J 0.00010
Lead	0.0040 mg/L	0.00055	1	07/14/23	fs	07/21/23	acs	0.00010
Molybdenum	0.0087 mg/L	0.0012	1	07/14/23	fs	07/21/23	acs	0.00025
Selenium	0.00038 mg/L	0.00050	1	07/14/23	fs	07/21/23	acs	J 0.00010
Thallium	<0.000075 mg/L	0.00038	1	07/14/23	fs	07/21/23	acs	0.000075

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23F1319

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23F1319-26	Date Collected:	06/28/23 12:50	Matrix:	Surface Water
Sample ID:	SG-05	Date Received:	06/29/23 08:33		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

WET CHEMISTRY

Analysis Method: EPA 300.0 Rev. 2.1

Batch: T138064

Fluoride	0.42 mg/L	0.10	5	06/29/23	mr	06/29/23	mr	N	0.055
Chloride	64 mg/L	0.75	5	06/29/23	mr	06/29/23	mr		0.60
Sulfate as SO ₄	38 mg/L	3.0	5	06/29/23	mr	06/29/23	mr		0.41

Analysis Method: SM 2320 B-11

Batch: T138223

Bicarbonate Alkalinity as CaCO ₃ at pH 4.5	65 mg/L	5.0	1	07/06/23	mr	07/06/23	mr	N	0.16
Carbonate Alkalinity as CaCO ₃ at pH 8.2	46 mg/L	5.0	1	07/06/23	mr	07/06/23	mr	N	0.16
Total Alkalinity as CaCO ₃ at pH 4.5	110 mg/L	5.0	1	07/06/23	mr	07/06/23	mr		0.16

Analysis Method: SM 2540 C-15

Batch: T138141

Total Dissolved Solids	320 mg/L	20	2	07/05/23	ljs	07/05/23	ljs	N	
------------------------	----------	----	---	----------	-----	----------	-----	---	--

Analysis Method: SM 2540 D-15

Batch: T138069

Total Suspended Solids	14 mg/L	4.0	1	06/29/23	mr	06/29/23	mr		
------------------------	---------	-----	---	----------	----	----------	----	--	--

Analysis Method: SM 4500-H+ B-11

Batch: T138106

pH	9.72 pH Units		1	06/28/23	sb	06/29/23	sb	pHt	
----	---------------	--	---	----------	----	----------	----	-----	--

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

QUALITY CONTROL RESULTS

Trace Project ID: 23F1319

Client Project ID: City of Grand Haven - Harbor Island

QC Batch: T138485	Analysis Description: Mercury, Total, EPA 7470/7471
QC Batch Method: EPA 7470A Prep	Analysis Method: EPA 7470A

METHOD BLANK: T138485-BLK1

Parameter	Units	Blank Result	Reporting Limit	Notes
Mercury	mg/L	<0.00020	0.00020	

LABORATORY CONTROL SAMPLE: T138485-BS1

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limit	Notes
Mercury	mg/L	0.00200	0.00206	103	77-122	

MATRIX SPIKE / MATRIX SPIKE DUPLICATE: T138485-MSD1

Original: 23F1319-01

Parameter	Units	Original Result	Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limit	RPD	Max RPD	Notes
Mercury	mg/L	0	0.00200	0.00206	0.00204	103	102	76-123	1	20	

Trace Project ID: 23F1319

Client Project ID: City of Grand Haven - Harbor Island

QC Batch: T138526

Analysis Description: Mercury, Total, EPA 7470/7471

QC Batch Method: EPA 7470A Prep

Analysis Method: EPA 7470A

METHOD BLANK: T138526-BLK1

Parameter	Units	Blank Result	Reporting Limit	Notes
Mercury	mg/L	<0.000050	0.000050	

LABORATORY CONTROL SAMPLE: T138526-BS1

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limit	Notes
Mercury	mg/L	0.00200	0.00202	101	77-122	

MATRIX SPIKE / MATRIX SPIKE DUPLICATE: T138526-MSD1

Original: 23F1319-21

Parameter	Units	Original Result	Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limit	RPD	Max RPD	Notes
Mercury	mg/L	0	0.00200	0.00204	0.00204	102	102	76-123	0	20	

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

Trace Project ID: 23F1319
Client Project ID: City of Grand Haven - Harbor Island

QC Batch: T138479	Analysis Description: Calcium, Total
QC Batch Method: EPA 200.2	Analysis Method: EPA 200.7 Rev. 4.4

METHOD BLANK: T138479-BLK1

Parameter	Units	Blank Result	Reporting Limit	Notes
Boron	mg/L	0.00199	0.0088	J
Calcium	mg/L	<0.26	0.26	
Potassium	mg/L	<0.25	0.25	
Lithium	mg/L	<0.0025	0.0025	
Magnesium	mg/L	<0.10	0.10	
Sodium	mg/L	<0.12	0.12	

LABORATORY CONTROL SAMPLE: T138479-BS1

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limit	Notes
Boron	mg/L	1.60	1.66	104	85-115	
Calcium	mg/L	16.0	17.0	106	85-115	
Potassium	mg/L	16.0	15.5	97	85-115	
Lithium	mg/L	1.60	1.60	100	85-115	
Magnesium	mg/L	16.0	15.2	95	85-115	
Sodium	mg/L	16.0	16.1	100	85-115	

MATRIX SPIKE: T138479-MS1 Original: 23F1319-01

Parameter	Units	Original Result	Spike Conc.	MS Result	MS % Rec	% Rec Unit	Notes
Boron	mg/L	149	1.60	148	-64	70-130	243
Calcium	mg/L	209	16.0	235	165	70-130	243
Potassium	mg/L	88.6	16.0	98.9	65	70-130	243
Lithium	mg/L	3.24	1.60	4.61	86	70-130	
Magnesium	mg/L	101	16.0	125	150	70-130	243
Sodium	mg/L	427	16.0	455	173	70-130	243

MATRIX SPIKE: T138479-MS2 Original: 23F1319-02

Parameter	Units	Original Result	Spike Conc.	MS Result	MS % Rec	% Rec Unit	Notes
Boron	mg/L	111	1.60	119	487	70-130	243
Calcium	mg/L	215	16.0	258	271	70-130	243
Potassium	mg/L	56.0	16.0	64.4	52	70-130	241
Lithium	mg/L	1.67	1.60	2.96	81	70-130	

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

MATRIX SPIKE: T138479-MS2Original: **23F1319-02**

Parameter	Units	Original Result	Spike Conc.	MS Result	MS % Rec	% Rec Unit	Notes
Magnesium	mg/L	61.8	16.0	77.8	100	70-130	
Sodium	mg/L	319	16.0	345	163	70-130	243

Trace Project ID: 23F1319

Client Project ID: City of Grand Haven - Harbor Island

QC Batch: T138527

Analysis Description: Sodium, Total

QC Batch Method: EPA 200.2

Analysis Method: EPA 200.7 Rev. 4.4

METHOD BLANK: T138527-BLK1

Parameter	Units	Blank Result	Reporting Limit	Notes
Boron	mg/L	0.00421	0.0088	J
Calcium	mg/L	<0.26	0.26	
Potassium	mg/L	0.0359	0.25	
Lithium	mg/L	<0.0025	0.0025	
Magnesium	mg/L	<0.10	0.10	
Sodium	mg/L	<0.12	0.12	

LABORATORY CONTROL SAMPLE: T138527-BS1

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limit	Notes
Boron	mg/L	1.60	1.68	105	85-115	
Calcium	mg/L	16.0	16.9	106	85-115	
Potassium	mg/L	16.0	15.8	99	85-115	
Lithium	mg/L	1.60	1.65	103	85-115	
Magnesium	mg/L	16.0	15.3	96	85-115	
Sodium	mg/L	16.0	16.2	101	85-115	

MATRIX SPIKE: T138527-MS1Original: **23F1319-21**

Parameter	Units	Original Result	Spike Conc.	MS Result	MS % Rec	% Rec Unit	Notes
Boron	mg/L	0.343	1.60	1.98	102	70-130	
Calcium	mg/L	79.6	16.0	91.3	73	70-130	
Potassium	mg/L	1.44	16.0	17.1	98	70-130	
Lithium	mg/L	0	1.60	1.58	99	70-130	
Magnesium	mg/L	17.1	16.0	31.3	89	70-130	
Sodium	mg/L	12.3	16.0	27.6	95	70-130	

Trace Project ID: 23F1319

Client Project ID: City of Grand Haven - Harbor Island

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

QC Batch: T138479
QC Batch Method: EPA 200.2

Analysis Description: Thallium, Total
Analysis Method: EPA 200.8 Rev. 5.4

METHOD BLANK: T138479-BLK1

Parameter	Units	Blank Result	Reporting Limit	Notes
Arsenic	mg/L	0.000141	0.00055	J
Barium	mg/L	<0.0025	0.0025	
Beryllium	mg/L	0.000110	0.00025	J
Cadmium	mg/L	0.000148	0.00025	J
Cobalt	mg/L	0.000264	0.00052	J
Chromium	mg/L	<0.00025	0.00025	
Molybdenum	mg/L	0.000363	0.0012	J
Lead	mg/L	0.000158	0.00055	J
Antimony	mg/L	<0.00025	0.00025	
Selenium	mg/L	0.000143	0.00050	J
Thallium	mg/L	0.000157	0.00038	J

LABORATORY CONTROL SAMPLE: T138479-BS1

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limit	Notes
Arsenic	mg/L	0.100	0.101	101	85-115	
Barium	mg/L	1.60	1.68	105	85-115	
Beryllium	mg/L	0.200	0.210	105	85-115	
Cadmium	mg/L	0.0500	0.0533	107	85-115	
Cobalt	mg/L	1.60	1.59	99	85-115	
Chromium	mg/L	0.0500	0.0521	104	85-115	
Molybdenum	mg/L	1.60	1.52	95	85-115	
Lead	mg/L	0.100	0.103	103	85-115	
Antimony	mg/L	0.100	0.107	107	85-115	
Selenium	mg/L	0.100	0.0989	99	85-115	
Thallium	mg/L	0.100	0.100	100	85-115	

MATRIX SPIKE: T138479-MS1 Original: 23F1319-01

Parameter	Units	Original Result	Spike Conc.	MS Result	MS % Rec	% Rec Unit	Notes
Arsenic	mg/L	0.00189	0.100	0.101	99	70-130	
Barium	mg/L	0.294	1.60	2.00	107	70-130	
Beryllium	mg/L	0.000364	0.200	0.221	110	70-130	
Cadmium	mg/L	0.000343	0.0500	0.0506	100	70-130	
Cobalt	mg/L	0.00445	1.60	1.62	101	70-130	
Chromium	mg/L	0.00433	0.0500	0.0605	112	70-130	

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

MATRIX SPIKE: T138479-MS1

Original: **23F1319-01**

Parameter	Units	Original Result	Spike Conc.	MS Result	MS % Rec	% Rec Unit	Notes
Molybdenum	mg/L	0	1.60	1.61	101	70-130	
Lead	mg/L	0.00526	0.100	0.101	95	70-130	
Antimony	mg/L	0.000709	0.100	0.112	111	70-130	
Selenium	mg/L	0.000758	0.100	0.0693	69	70-130	241
Thallium	mg/L	0	0.100	0.0925	93	70-130	

MATRIX SPIKE: T138479-MS2

Original: **23F1319-02**

Parameter	Units	Original Result	Spike Conc.	MS Result	MS % Rec	% Rec Unit	Notes
Arsenic	mg/L	0.00961	0.100	0.110	101	70-130	
Barium	mg/L	0.467	1.60	2.18	107	70-130	
Beryllium	mg/L	0.000324	0.200	0.218	109	70-130	
Cadmium	mg/L	0	0.0500	0.0500	100	70-130	
Cobalt	mg/L	0.00887	1.60	1.68	104	70-130	
Chromium	mg/L	0.0679	0.0500	0.112	88	70-130	
Molybdenum	mg/L	0.00616	1.60	1.58	98	70-130	
Lead	mg/L	0.00394	0.100	0.0945	91	70-130	
Antimony	mg/L	0	0.100	0.109	109	70-130	
Selenium	mg/L	0.00144	0.100	0.0918	90	70-130	
Thallium	mg/L	0	0.100	0.0891	89	70-130	

Trace Project ID: 23F1319

Client Project ID: City of Grand Haven - Harbor Island

QC Batch: T138527

QC Batch Method: EPA 200.2

Analysis Description: Cadmium, Total

Analysis Method: EPA 200.8 Rev. 5.4

METHOD BLANK: T138527-BLK1

Parameter	Units	Blank Result	Reporting Limit	Notes
Arsenic	mg/L	<0.00055	0.00055	
Barium	mg/L	<0.0025	0.0025	
Beryllium	mg/L	<0.00025	0.00025	
Cadmium	mg/L	<0.00025	0.00025	
Cobalt	mg/L	<0.00052	0.00052	
Chromium	mg/L	<0.00025	0.00025	
Molybdenum	mg/L	<0.0012	0.0012	
Lead	mg/L	<0.00055	0.00055	
Antimony	mg/L	<0.00025	0.00025	
Selenium	mg/L	<0.00050	0.00050	

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

METHOD BLANK: T138527-BLK1

Parameter	Units	Blank Result	Reporting Limit	Notes
Thallium	mg/L	<0.00038	0.00038	

LABORATORY CONTROL SAMPLE: T138527-BS1

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limit	Notes
Arsenic	mg/L	0.100	0.0923	92	85-115	
Barium	mg/L	1.60	1.55	97	85-115	
Beryllium	mg/L	0.200	0.174	87	85-115	
Cadmium	mg/L	0.0500	0.0482	96	85-115	
Cobalt	mg/L	1.60	1.41	88	85-115	
Chromium	mg/L	0.0500	0.0461	92	85-115	
Molybdenum	mg/L	1.60	1.38	86	85-115	
Lead	mg/L	0.100	0.0918	92	85-115	
Antimony	mg/L	0.100	0.0989	99	85-115	
Selenium	mg/L	0.100	0.0927	93	85-115	
Thallium	mg/L	0.100	0.0890	89	85-115	

MATRIX SPIKE: T138527-MS1

Original: 23F1319-21

Parameter	Units	Original Result	Spike Conc.	MS Result	MS % Rec	% Rec Unit	Notes
Arsenic	mg/L	0.00326	0.100	0.104	100	70-130	
Barium	mg/L	0.0478	1.60	1.74	106	70-130	
Beryllium	mg/L	0	0.200	0.191	95	70-130	
Cadmium	mg/L	0.00286	0.0500	0.0558	106	70-130	
Cobalt	mg/L	0.000557	1.60	1.51	94	70-130	
Chromium	mg/L	0	0.0500	0.0515	103	70-130	
Molybdenum	mg/L	0.00970	1.60	1.53	95	70-130	
Lead	mg/L	0	0.100	0.0984	98	70-130	
Antimony	mg/L	0.000722	0.100	0.108	107	70-130	
Selenium	mg/L	0	0.100	0.0963	96	70-130	
Thallium	mg/L	0	0.100	0.0953	95	70-130	

Trace Project ID: 23F1319

Client Project ID: City of Grand Haven - Harbor Island

QC Batch: T138062
QC Batch Method: IC Prep W

Analysis Description: Chloride
Analysis Method: EPA 300.0 Rev. 2.1

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

METHOD BLANK: T138062-BLK1

Parameter	Units	Blank Result	Reporting Limit	Notes
Chloride	mg/L	<0.15	0.15	
Fluoride	mg/L	<0.020	0.020	
Sulfate as SO ₄	mg/L	<1.0	1.0	

LABORATORY CONTROL SAMPLE: T138062-BS1

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limit	Notes
Chloride	mg/L	5.00	5.07	101	90-110	
Fluoride	mg/L	1.00	1.08	108	90-110	
Sulfate as SO ₄	mg/L	5.00	4.83	97	90-110	

MATRIX SPIKE: T138062-MS1 Original: 23F1319-06

Parameter	Units	Original Result	Spike Conc.	MS Result	MS % Rec	% Rec Unit	Notes
Chloride	mg/L	13.5	25.0	37.8	97	80-120	
Fluoride	mg/L	0.0803	5.00	5.03	99	80-120	
Sulfate as SO ₄	mg/L	18.0	25.0	42.9	99	80-120	

MATRIX SPIKE: T138062-MS2 Original: 23F1319-07

Parameter	Units	Original Result	Spike Conc.	MS Result	MS % Rec	% Rec Unit	Notes
Chloride	mg/L	29.0	25.0	53.4	98	80-120	
Fluoride	mg/L	1.03	5.00	6.06	101	80-120	
Sulfate as SO ₄	mg/L	0	25.0	23.2	93	80-120	

Trace Project ID: 23F1319

Client Project ID: City of Grand Haven - Harbor Island

QC Batch: T138064
QC Batch Method: IC Prep W

Analysis Description: Chloride
Analysis Method: EPA 300.0 Rev. 2.1

METHOD BLANK: T138064-BLK1

Parameter	Units	Blank Result	Reporting Limit	Notes
Chloride	mg/L	<0.15	0.15	
Fluoride	mg/L	<0.020	0.020	
Sulfate as SO ₄	mg/L	<1.0	1.0	

LABORATORY CONTROL SAMPLE: T138064-BS1

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limit	Notes

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

LABORATORY CONTROL SAMPLE: T138064-BS1

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limit	Notes
Chloride	mg/L	5.00	<10	101	90-110	J
Fluoride	mg/L	1.00	1.08	108	90-110	
Sulfate as SO4	mg/L	5.00	4.83	97	90-110	

MATRIX SPIKE: T138064-MS1 Original: 23F1319-26

Parameter	Units	Original Result	Spike Conc.	MS Result	MS % Rec	% Rec Unit	Notes
Chloride	mg/L	64.5	25.0	90.0	102	80-120	
Fluoride	mg/L	0.420	5.00	5.50	102	80-120	
Sulfate as SO4	mg/L	38.1	25.0	63.7	102	80-120	

Trace Project ID: 23F1319

Client Project ID: City of Grand Haven - Harbor Island

QC Batch: T138140

Analysis Description: Alkalinity, Carbonate

QC Batch Method: SM 2320 B-11

Analysis Method: SM 2320 B-11

LABORATORY CONTROL SAMPLE: T138140-BS1

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limit	Notes
Bicarbonate Alkalinity as CaCO3 at pH 4.5	mg/L	100	94.2	94	88-112	
Carbonate Alkalinity as CaCO3 at pH 8.2	mg/L	100	94.2	94	88-112	
Total Alkalinity as CaCO3 at pH 4.5	mg/L	100	94.2	94	88-112	

Trace Project ID: 23F1319

Client Project ID: City of Grand Haven - Harbor Island

QC Batch: T138223

Analysis Description: Alkalinity, Total

QC Batch Method: SM 2320 B-11

Analysis Method: SM 2320 B-11

LABORATORY CONTROL SAMPLE: T138223-BS1

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limit	Notes
Bicarbonate Alkalinity as CaCO3 at pH 4.5	mg/L	100	98.7	99	88-112	
Carbonate Alkalinity as CaCO3 at pH 8.2	mg/L	100	98.7	99	88-112	
Total Alkalinity as CaCO3 at pH 4.5	mg/L	100	98.7	99	88-112	

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

SAMPLE DUPLICATE: T138223-DUP1

Original: 23F1319-23

Parameter	Units	Original Result	DUP Result	RPD	Max RPD	Notes
Bicarbonate Alkalinity as CaCO ₃ at pH 4.5	mg/L	72.7	72.0	0.9	20	
Carbonate Alkalinity as CaCO ₃ at pH 8.2	mg/L	0	<5.0		20	
Total Alkalinity as CaCO ₃ at pH 4.5	mg/L	72.7	72.0	0.9	20	

Trace Project ID: 23F1319

Client Project ID: City of Grand Haven - Harbor Island

QC Batch: T138399

Analysis Description: Alkalinity, Bicarbonate

QC Batch Method: SM 2320 B-11

Analysis Method: SM 2320 B-11

LABORATORY CONTROL SAMPLE: T138399-BS1

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limit	Notes
Bicarbonate Alkalinity as CaCO ₃ at pH 4.5	mg/L	100	101	101	88-112	
Carbonate Alkalinity as CaCO ₃ at pH 8.2	mg/L	100	101	101	88-112	
Total Alkalinity as CaCO ₃ at pH 4.5	mg/L	100	101	101	88-112	

SAMPLE DUPLICATE: T138399-DUP1

Original: 23F1319-02

Parameter	Units	Original Result	DUP Result	RPD	Max RPD	Notes
Bicarbonate Alkalinity as CaCO ₃ at pH 4.5	mg/L	458	461	0.7	20	
Carbonate Alkalinity as CaCO ₃ at pH 8.2	mg/L	0	<5.0		20	
Total Alkalinity as CaCO ₃ at pH 4.5	mg/L	458	461	0.7	20	

Trace Project ID: 23F1319

Client Project ID: City of Grand Haven - Harbor Island

QC Batch: T138108

Analysis Description: Total Dissolved Solids

QC Batch Method: SM 2540 C-15

Analysis Method: SM 2540 C-15

METHOD BLANK: T138108-BLK1

Parameter	Units	Blank Result	Reporting Limit	Notes
Total Dissolved Solids	mg/L	<10	10	

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

LABORATORY CONTROL SAMPLE: T138108-BS1

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limit	Notes
Total Dissolved Solids	mg/L	500	484	97	80-120	

SAMPLE DUPLICATE: T138108-DUP1

Original: 23F1319-11

Parameter	Units	Original Result	DUP Result	RPD	Max RPD	Notes
Total Dissolved Solids	mg/L	328	339	3	10	

Trace Project ID: 23F1319

Client Project ID: City of Grand Haven - Harbor Island

QC Batch: T138109

Analysis Description: Total Dissolved Solids

QC Batch Method: SM 2540 C-15

Analysis Method: SM 2540 C-15

METHOD BLANK: T138109-BLK1

Parameter	Units	Blank Result	Reporting Limit	Notes
Total Dissolved Solids	mg/L	<10	10	

LABORATORY CONTROL SAMPLE: T138109-BS1

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limit	Notes
Total Dissolved Solids	mg/L	500	484	97	80-120	

SAMPLE DUPLICATE: T138109-DUP1

Original: 23F1319-02

Parameter	Units	Original Result	DUP Result	RPD	Max RPD	Notes
Total Dissolved Solids	mg/L	2100	1700	21	10	623

Trace Project ID: 23F1319

Client Project ID: City of Grand Haven - Harbor Island

QC Batch: T138141

Analysis Description: Total Dissolved Solids

QC Batch Method: SM 2540 C-15

Analysis Method: SM 2540 C-15

METHOD BLANK: T138141-BLK1

Parameter	Units	Blank Result	Reporting Limit	Notes
Total Dissolved Solids	mg/L	1.00	10	J

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

LABORATORY CONTROL SAMPLE: T138141-BS1

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limit	Notes
Total Dissolved Solids	mg/L	500	480	96	80-120	

SAMPLE DUPLICATE: T138141-DUP1

Original: 23F1319-03

Parameter	Units	Original Result	DUP Result	RPD	Max RPD	Notes
Total Dissolved Solids	mg/L	2320	2340	1	10	

Trace Project ID: 23F1319

Client Project ID: City of Grand Haven - Harbor Island

QC Batch: T138052

Analysis Description: Total Suspended Solids

QC Batch Method: SM 2540 D-15

Analysis Method: SM 2540 D-15

METHOD BLANK: T138052-BLK1

Parameter	Units	Blank Result	Reporting Limit	Notes
Total Suspended Solids	mg/L	1.00	4.0	J

LABORATORY CONTROL SAMPLE: T138052-BS1

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limit	Notes
Total Suspended Solids	mg/L	100	90.2	90	85-115	

Trace Project ID: 23F1319

Client Project ID: City of Grand Haven - Harbor Island

QC Batch: T138069

Analysis Description: Total Suspended Solids

QC Batch Method: SM 2540 D-15

Analysis Method: SM 2540 D-15

METHOD BLANK: T138069-BLK1

Parameter	Units	Blank Result	Reporting Limit	Notes
Total Suspended Solids	mg/L	<4.0	4.0	

LABORATORY CONTROL SAMPLE: T138069-BS1

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limit	Notes
Total Suspended Solids	mg/L	100	114	114	85-115	

Trace Project ID: 23F1319

Client Project ID: City of Grand Haven - Harbor Island

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

QC Batch: T138106
QC Batch Method: *** DEFAULT PREP ***

Analysis Description: pH, SM 4500
Analysis Method: SM 4500-H+ B-11

SAMPLE DUPLICATE: T138106-DUP1

Original: 23F1319-01

Parameter	Units	Original Result	DUP Result	RPD	Max RPD	Notes
pH	pH Units	7.61	7.64	0.4	20	pHa

SAMPLE DUPLICATE: T138106-DUP2

Original: 23F1319-21

Parameter	Units	Original Result	DUP Result	RPD	Max RPD	Notes
pH	pH Units	7.42	7.35	0.9	20	pHq

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

TRACE
ANALYTICAL LABORATORIES, INC.

Report Results To:

Company Name: HDR, Inc.	PO#: 10337505.006
Report To: Molly Reeves	Contact Name: Lara Zawaideh
Mailing Address: 1000 Oakbrook Drive, Suite 200	Billing Address (if different):
City, State, Zip Code: Ann Arbor, MI 48104	City, State, Zip Code:
Office Phone: _____	Phone Number: 734.263.7138
Email Address: molly.reeves@hdrinc.com	Billing Email Address: lara.zawaideh@hdrinc.com

Requested Turnaround Times (TAT)

- Standard: 5-10 Business Days
- 3 Business Days*
- 1 Business Day*

*Rush TAT Requires Prior Approval

Project Name: City of Grand Haven - Harbor Island

Sampled By (print):

Trace No.	Sample Collection Date	Sample Collection Time	Sample ID/Name	Metals Field Filtered (Y or N)		Number of Containers	Preservation	Analysis Requested
				Metals	Field Filtered (Y or N)			
1	6/28/13	850	MNN-01R	N	NN	6	40 CFR Appendix III to Part 257	
2	6/27/13	1605	MNN-02	N	NN	6	40 CFR Appendix IV to Part 257	
3	6/28/13	1100	MNN-03	N	NN	6	Additional MI Part 115 Metals	
4	6/28/13	955	MNN-04	N	NN	6	Total Suspended Solids (TSS)	
5	6/18/13	1200	MNN-06	N	NN	6	See attached list. AB	
6	6/28/13	1200	MNN-07	N	NN	6		
7	6/27/13	1720	MNN-08	N	NN	6		
8	6/27/13	1445	MNN-09	N	NN	6		
9	6/27/13	1730	MNN-10	N	NN	6		
10	6/28/13	1210	MNN-11	N	NN	6		

Please Sign

Released By: Mark J. Bef Received By: Bruce M. P.

Date: 6/29/13 Time: 03:33

Released By: Received By: Date: Time:

Check this box if you would not like your samples analyzed if received outside of the conditions outlined in the Trace Sample Acceptance Policy at www.trace-labs.com/downloads.

In executing this Chain of Custody, the client acknowledges the terms as set forth at www.trace-labs.com/terms-of-agreement.

CHAIN-OF-CUSTODY RECORD

Page 1 of 3

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673

Phone 231-773-5998
Fax 888-979-4469
www.trace-labs.com

Trace ID No. 23F1319
Date 6/21/13

Trace Use:

Logged By: BL
Checked By: SBS/LK/B

Soil Volatiles Preserved (circle if applicable):
MeOH Low Level Lab

Sample Collection Time (hrs):
See attached list. AB

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

TRACE
ANALYTICAL LABORATORIES, INC.

Report Results To:

Company Name: HDR, Inc.	PO #: 10337505.006
Report To: Molly Reeves	Contact Name: Lara Zawaideh
Mailing Address: 1000 Oakbrook Drive, Suite 200	Billing Address (if different):
City, State, Zip Code: Ann Arbor, MI 48104	City, State, Zip Code:
Office Phone: Cell Phone: 734.263.7138	Phone Number: 734.223.9074
Email Address: molly.reeves@hdrlinc.com	Billing Email Address: lara.zawaideh@hdrlinc.com

Requested Turnaround Times (TAT)

- Standard: 5-10 Business days
 3 Business Days*
 1 Business Day*

* Rush TAT Requires Prior Approval

Matrix Key:	Preservation		Analysis Requested
	WW = Wastewater	DW = Drinking Water	
WW = Wastewater	O = Oil	A = Air	
DW = Drinking Water	W = Wipes	U = Unknown	
GW = Groundwater	S = Solid		
LW = Liquid Waste	SL = Sludge		

40 CFR Appendix III to Part 257

40 CFR Appendix IV to Part 257

Additional MI Part 115 Metals

Total Suspended Solids (TSS)

See attached list AB

Trace Use:	Logged By: <i>b/</i>
Trace ID No.	Checked By: <i>SB/KB</i>
Phone 231-773-5998	Fax 888-979-4469
www.trace-labs.com	www.trace-labs.com
Soil Volatiles Preserved (circle if applicable):	
MeOH	Low Level
Lab	
Sample Collection Time (Hrs):	

Page <u>2</u> of <u>3</u>
Trace ID No. <u>23F1319</u>

Project Name: City of Grand Haven - Harbor Island		Sampled By (print):							
Trace No.	Sample Collection Date	Sample Collection Time	Sample ID/Name	Metals Field Filtered (Y or N)	Matrix - see above →	Number of Containers	Preservation	Analysis Requested	
11	6/27/13	4:00	MNN-12	N	GW	6			
12	6/27/13	11:00	MNN-18	N	GW	6	S		
13	6/28/13	10:30	MNN-19	N	GW	6	S		
14	6/28/13	9:00	MNW-20	N	GW	6	S		
15	6/27/13	12:05	MNW-27	N	GW	6	S		
16	6/27/13	1:34:00	MNN-30	N	GW	6	S		
17	6/27/13	1:43:00	MNN-31	N	GW	6	S		
18	6/27/13	1:54:00	MNW-32	N	GW	6	S		
19	6/27/13	10:25	MNN-33	N	GW	6	S		
20	6/27/13	11:10	MNN-34	N	GW	6	S		
Released by:		Received By:	Date:	Time:	Released By:		Received By:	Date:	Time:
1) <i>Andrea Brey</i>		<i>Kathy M</i>	6/29/13	8:33	2)				
3)					4)				
In executing this Chain of Custody, the client acknowledges the terms as set forth at www.trace-labs.com/terms-of-agreement.									

Check this box if you would not like your samples analyzed if received outside of the conditions outlined in the Trace Sample Acceptance Policy at www.trace-labs.com/downloads.

ナカロ

Trace Analytical Laboratories, Inc.
2241 Black Creek Road

Phone 231.773.5998
Fax 888.979.4469

Page 3 of 3

Page 3 of 3

Company Name:	HDR, Inc.	PO #:	10337505.006
Report To:	Molly Reeves	Contact Name:	Lara Zawaideh
Mailing Address:	1000 Oakbrook Drive, Suite 200	Billing Address (if different):	
City, State, Zip Code:	Ann Arbor, MI 48104	City, State, Zip Code:	
Office Phone:	Cell Phone:	Phone Number:	734.223.9074
Email Address:	molly.reeves@hdriinc.com	Billing Email Address:	lara.zawaideh@hdriinc.com

Logged By:	<i>BR</i>
Checked By:	<i>SRB HKC</i>
Soil Volatiles Preserved (circle if applicable):	<input checked="" type="checkbox"/> MeOH <input type="checkbox"/> Low Level <input type="checkbox"/> Lab
Sample Collection Time (Hrs):	

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

23F1319

HDR Michigan Inc.

Project Manager: Jon Mink

Sample Log In Checklist

Date:	6/29/23		Original Observation	Corrected Temperature							
Time:	929			IR-9 (CF: 0.0°C)							
Logged by:	SK			IR-10 (CF: 0.0°C)							
Package Description:	cooler			IR-12 (CF: +0.1°C)							
Package Temp °C	2.4	2.4	SR1 (CF: 0.0°C)								
Representative Sample Temp °C	9.7	9.7	SR2 (CF: -0.1°C)								
			Temp Blank								
			Client Sample								

Sample Receipt

Yes No

- Received on ice or other coolant
 Ice still present upon receipt
 Custody seals present
 Trace Courier Client Drop-off

Yes No Custody seals intact (if applicable)
 UPS Fed Ex US Mail Other

Sample Condition

Yes No N/A

- All sample containers arrived unbroken and labeled
 Sufficient sample to run requested analyses
 Correct chemical preservative added to samples
 Samples preserved at Trace
 Chemical preservation verified, check EMD pH test strip used (if applicable)
 pH 0-2.5 (Lot: HC201854) pH 11.0-13.0 (Lot: HC022540) Other
 Air bubbles absent from VOAs

Chain of Custody (COC)

Yes No

- All bottle labels agree with COC
 COC filled out properly
 COC signed by client

Notes:

MW-02, MW-08, MW-04, MW-01R

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

23F1319
HDR Michigan Inc.

Project Manager: Jon Mink

Sample Log In Checklist

Date:	4/29/23		Original Observation	Corrected Temperature
Time:	910			
Logged by:	SK			
Package Description:	Cooler			
Package Temp °C	-0.1	-0.1	IR-9 (CF: 0.0°C)	IR-10 (CF: 0.0°C)
Representative Sample Temp °C	7.1	7.1	IR-12 (CF: +0.1°C)	SR1 (CF: 0.0°C)
			SR2 (CF: -0.1°C)	Temp Blank
				Client Sample

Sample Receipt

Yes No

- Received on ice or other coolant
 Ice still present upon receipt
 Custody seals present
 Trace Courier Client Drop-off

Yes No Custody seals intact (if applicable)
 UPS Fed Ex US Mail Other

Sample Condition

Yes No N/A

- All sample containers arrived unbroken and labeled
 Sufficient sample to run requested analyses
 Correct chemical preservative added to samples
 Samples preserved at Trace
 Chemical preservation verified, check EMD pH test strip used (if applicable)
 pH 0-2.5 (Lot: HC201854) pH 11.0-13.0 (Lot: HC022540) Other
 Air bubbles absent from VOAs

Chain of Custody (COC)

Yes No

- All bottle labels agree with COC
 COC filled out properly
 COC signed by client

Notes:

MN-19, MN-04, MN-20, MN-10

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

23F1319
HDR Michigan Inc.

Project Manager: Jon Mink

Sample Log In Checklist

Date:	<i>10/29/23</i>		Original Observation	Corrected Temperature							
Time:	<i>10:15</i>				IR-9 (CF: 0.0°C)	IR-10 (CF: 0.0°C)	IR-12 (CF: +0.1°C)	SR1 (CF: 0.0°C)	SR2 (CF: -0.1°C)	Temp Blank	Client Sample
Logged by:	<i>JLB</i>										
Package Description:	<i>Ceder</i>										
Package Temp °C	1.4	1.4									
Representative Sample Temp °C	7.5	7.4									

Sample Receipt

Yes No

- Received on ice or other coolant
- Ice still present upon receipt
- Custody seals present
- Trace Courier Client Drop-off

Yes No Custody seals intact (if applicable)
 UPS Fed Ex US Mail Other

Sample Condition

Yes No N/A

- | | | |
|-------------------------------------|--------------------------|---|
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | All sample containers arrived unbroken and labeled |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | Sufficient sample to run requested analyses |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | Correct chemical preservative added to samples |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | Samples preserved at Trace |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | Chemical preservation verified, check EMD pH test strip used (if applicable) |
| | | <input checked="" type="checkbox"/> pH 0-2.5 (Lot: HC201854) <input type="checkbox"/> pH 11.0-13.0 (Lot: HC022540) <input type="checkbox"/> Other |
| <input type="checkbox"/> | <input type="checkbox"/> | Air bubbles absent from VOAs |

Chain of Custody (COC)

Yes No

- All bottle labels agree with COC
- COC filled out properly
- COC signed by client

Notes: *MWT 12*

MWT 12

MWT 34

MWT 33

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

23F1319

HDR Michigan Inc.

Project Manager: Jon Mink

Sample Log In Checklist

Date:	6/29/23	Original Observation	Corrected Temperature
Time:	9:30		
Logged by:	JKB		
Package Description:	Cooler		
Package Temp °C	5.3	5.3	IR-9 (CF: 0.0°C)
Representative Sample Temp °C	5.0	4.9	IR-10 (CF: 0.0°C)
			IR-12 (CF: +0.1°C)
			SR1 (CF: 0.0°C)
			SR2 (CF: -0.1°C)
			Temp Blank
			Client Sample

Sample Receipt

Yes No

- Received on ice or other coolant
- Ice still present upon receipt
- Custody seals present
- Trace Courier
- Client Drop-off

Yes No Custody seals intact (if applicable)
 UPS Fed Ex US Mail Other

Sample Condition

Yes No N/A

- All sample containers arrived unbroken and labeled
- Sufficient sample to run requested analyses
- Correct chemical preservative added to samples
- Samples preserved at Trace *HNO3 added at 9:37 on 6/29/23*
- Chemical preservation verified, check EMD pH test strip used (if applicable)

pH 0-2.5 (Lot: HC201854) pH 11.0-13.0 (Lot: HC022540) Other

Air bubbles absent from VOAs

Chain of Custody (COC)

Yes No

- All bottle labels agree with COC
- COC filled out properly
- COC signed by client

Notes: MW-03

MW-11

SG-02

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

23F1319

HDR Michigan Inc.

Project Manager: Jon Mink

Sample Log In Checklist

Date:	10/29/23	Original Observation	Corrected Temperature	IR-9 (CF: 0.0°C)	IR-10 (CF: 0.0°C)	IR-12 (CF: -0.1°C)	SR1 (CF: 0.0°C)	SR2 (CF: -0.1°C)	Temp Blank	Client Sample
Time:	9:45									
Logged by:	ICB									
Package Description:	Cooler									
Package Temp °C	5.8	5.8								
Representative Sample Temp °C	11.5	11.4								

Sample Receipt

- Yes No
- Received on ice or other coolant
 Ice still present upon receipt
 Custody seals present
 Trace Courier Client Drop-off

Yes No Custody seals intact (if applicable)
 UPS Fed Ex US Mail Other

Sample Condition

- Yes No N/A
- All sample containers arrived unbroken and labeled
 Sufficient sample to run requested analyses
 Correct chemical preservative added to samples
 Samples preserved at Trace
 Chemical preservation verified, check EMD pH test strip used (if applicable)
 pH 0-2.5 (Lot: HC201854) pH 11.0-13.0 (Lot: HC022540) Other
 Air bubbles absent from VOAs

Chain of Custody (COC)

- Yes No
- All bottle labels agree with COC
 COC filled out properly
 COC signed by client

Notes: MW- 18

MW- 07

MW- 31

MW- 32

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

23F1319
HDR Michigan Inc.

Project Manager: Jon Mink

Sample Log In Checklist

Date:	10/29/23	Original Observation	Corrected Temperature								
Time:	10:02			IR-9 (CF: 0.0°C)							
Logged by:	ICB			IR-10 (CF: 0.0°C)							
Package Description:	Coder			IR-12 (CF: +0.1°C)							
Package Temp °C	0.5	0.5	/	SR1 (CF: 0.0°C)							
Representative Sample Temp °C	4.7	4.6	/	SR2 (CF: -0.1°C)							
				Temp Blank							
				Client Sample							

Sample Receipt

Yes No

- Received on ice or other coolant
- Ice still present upon receipt
- Custody seals present
- Trace Courier
- Client Drop-off

Yes No Custody seals intact (if applicable)
 UPS Fed Ex US Mail Other

Sample Condition

Yes No N/A

- All sample containers arrived unbroken and labeled
- Sufficient sample to run requested analyses
- Correct chemical preservative added to samples
- Samples preserved at Trace
- Chemical preservation verified, check EMD pH test strip used (if applicable)
 - pH 0-2.5 (Lot: HC201854)
 - pH 11.0-13.0 (Lot: HC022540)
 - Other
- Air bubbles absent from VOAs

Chain of Custody (COC)

Yes No

- All bottle labels agree with COC
- COC filled out properly
- COC signed by client

Notes: SG 04R

SG 03
SG 05

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

23F1319

HDR Michigan Inc.

Project Manager: Jon Mink

Sample Log In Checklist

Date:	4/29/23		Original Observation	Corrected Temperature				
Time:	9:42			IR-9 (CF: 0.0°C)				
Logged by:	SK			IR-10 (CF: 0.0°C)				
Package Description:	Cooler			IR-12 (CF: +0.1°C)				
Package Temp °C	9.1	9.1	SR1 (CF: 0.0°C)					
Representative Sample Temp °C	10.2	10.2	SR2 (CF: -0.1°C)					
			Temp Blank					
			Client Sample					

Sample Receipt

Yes No

- Received on ice or other coolant
 Ice still present upon receipt
 Custody seals present Yes No Custody seals intact (if applicable)
 Trace Courier Client Drop-off UPS Fed Ex US Mail Other

4/29/23 SK

Sample Condition

Yes No N/A

- All sample containers arrived unbroken and labeled
 Sufficient sample to run requested analyses
 Correct chemical preservative added to samples
 Samples preserved at Trace
 Chemical preservation verified, check EMD pH test strip used (if applicable)
 pH 0-2.5 (Lot: HC201854) pH 11.0-13.0 (Lot: HC022540) Other
 Air bubbles absent from VOA's

Chain of Custody (COC)

Yes No

- All bottle labels agree with COC
 COC filled out properly
 COC signed by client

Notes:

MW-27, MW-09, MW-30, MW-30

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

September 06, 2023

Ms. Molly Reeves
HDR Michigan Inc.
5405 Data Court
Ann Arbor, MI 48108

Phone: (734) 263-7138

RE: Trace Project 23F1319
Client Project City of Grand Haven - Harbor Island

Dear Ms. Reeves:

Enclosed are your analytical results. The results of this report relate only to the samples listed in the body of this report.

All reports were examined through Trace's validation process to ensure that requirements for quality and completeness were satisfied. All reported analytical results were obtained in accordance with the methods referenced on the reports. Every practical effort was made to meet the reporting limit specifications for this work, however, some results may have raised reporting limits to correct for percent solids.

If you have questions concerning this report, please contact me at 231.773.5998 or by email at jmink@trace-labs.com.

Sincerely,

A handwritten signature in black ink that reads "Jon Mink".

Jon Mink
Senior Project Manager
Enclosures



Wisconsin Accreditation No. FID: 998044080 / TNI EL V1:2016

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

SAMPLE SUMMARY

Trace Project ID: 23F1319
Client Project ID: City of Grand Haven - Harbor Island

Trace ID	Sample ID	Matrix	Collected By	Date Collected	Date Received
23F1319-01	MW-01R	Ground Water	Client	06/28/23 08:50	06/29/23 08:33
23F1319-02	MW-02	Ground Water	Client	06/27/23 16:05	06/29/23 08:33
23F1319-03	MW-03	Ground Water	Client	06/28/23 11:00	06/29/23 08:33
23F1319-04	MW-04	Ground Water	Client	06/28/23 09:55	06/29/23 08:33
23F1319-05	MW-06	Ground Water	Client	06/28/23 12:00	06/29/23 08:33
23F1319-06	MW-07	Ground Water	Client	06/27/23 12:00	06/29/23 08:33
23F1319-07	MW-08	Ground Water	Client	06/27/23 17:20	06/29/23 08:33
23F1319-08	MW-09	Ground Water	Client	06/27/23 14:45	06/29/23 08:33
23F1319-09	MW-10	Ground Water	Client	06/27/23 17:30	06/29/23 08:33
23F1319-10	MW-11	Ground Water	Client	06/28/23 12:10	06/29/23 08:33
23F1319-11	MW-12	Ground Water	Client	06/27/23 09:00	06/29/23 08:33
23F1319-12	MW-18	Ground Water	Client	06/27/23 11:00	06/29/23 08:33
23F1319-13	MW-19	Ground Water	Client	06/28/23 10:30	06/29/23 08:33
23F1319-14	MW-20	Ground Water	Client	06/28/23 09:00	06/29/23 08:33
23F1319-15	MW-27	Ground Water	Client	06/27/23 12:05	06/29/23 08:33
23F1319-16	MW-30	Ground Water	Client	06/27/23 13:40	06/29/23 08:33
23F1319-17	MW-31	Ground Water	Client	06/27/23 14:30	06/29/23 08:33
23F1319-18	MW-32	Ground Water	Client	06/27/23 15:40	06/29/23 08:33
23F1319-19	MW-33	Ground Water	Client	06/27/23 10:25	06/29/23 08:33
23F1319-20	MW-34	Ground Water	Client	06/27/23 11:10	06/29/23 08:33
23F1319-21	MWT-12	Ground Water	Client	06/27/23 09:00	06/29/23 08:33
23F1319-22	MWT-30	Ground Water	Client	06/27/23 13:40	06/29/23 08:33
23F1319-23	SG-02	Surface Water	Client	06/28/23 13:35	06/29/23 08:33
23F1319-24	SG-03	Surface Water	Client	06/28/23 13:25	06/29/23 08:33
23F1319-25	SG-04R	Surface Water	Client	06/28/23 13:10	06/29/23 08:33
23F1319-26	SG-05	Surface Water	Client	06/28/23 12:50	06/29/23 08:33

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

AN EXPLANATION OF TERMS AND SYMBOLS WHICH MAY OCCUR IN THIS REPORT

DEFINITIONS

LCS	Laboratory Control Sample
LCSD	Laboratory Control Sample Duplicate
MS	Matrix Spike
MSD	Matrix Spike Duplicate
RPD	Relative Percent Difference
DUP	Matrix Duplicate
LOQ	Limit of Quantitation
LOD	Limit of Detection
J	Estimated result greater than the LOD but less than the LOQ
<, ND or U	Indicates the compound was analyzed for but not detected
*	Indicates a result that exceeds its associated MCL or Surrogate control limits
N	Indicates that the compound has not been evaluated by NELAC
NA	Indicates that the compound is not available.

NOTE: Samples for volatiles that have been extracted with a water miscible solvent were corrected for the total volume of the solvent/water mixture.

Solid matrices Method Blanks are at 100% solids as such results are the same wet or dry.

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23F1319

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23F1319-01	Date Collected:	06/28/23 08:50	Matrix:	Ground Water
Sample ID:	MW-01R	Date Received:	06/29/23 08:33		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

METALS, TOTAL

Analysis Method: EPA 200.7 Rev. 4.4

Batch: T138479

Iron	0.48 mg/L	0.050	1	07/14/23	fs	07/21/23	jma	0.026
------	-----------	-------	---	----------	----	----------	-----	-------

Analysis Method: EPA 200.8 Rev. 5.4

Batch: T138479

Copper	0.0013 mg/L	0.00025	1	07/14/23	fs	07/21/23	acs	0.00020
Nickel	0.0053 mg/L	0.0012	1	07/14/23	fs	07/21/23	acs	0.00065
Silver	<0.000050 mg/L	0.000050	1	07/14/23	fs	07/21/23	acs	0.000050
Vanadium	0.0046 mg/L	0.0012	1	07/14/23	fs	07/21/23	acs	0.00062
Zinc	0.0085 mg/L	0.0012	1	07/14/23	fs	07/21/23	acs	0.0012

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23F1319

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23F1319-02	Date Collected:	06/27/23 16:05	Matrix:	Ground Water
Sample ID:	MW-02	Date Received:	06/29/23 08:33		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

METALS, TOTAL

Analysis Method: EPA 200.7 Rev. 4.4

Batch: T138479

Iron	24 mg/L	0.050	1	07/14/23	fs	07/21/23	jma	0.026
------	---------	-------	---	----------	----	----------	-----	-------

Analysis Method: EPA 200.8 Rev. 5.4

Batch: T138479

Copper	0.0026 mg/L	0.00025	1	07/14/23	fs	07/21/23	acs	0.00020
Nickel	0.025 mg/L	0.0012	1	07/14/23	fs	07/21/23	acs	0.00065
Silver	<0.000050 mg/L	0.000050	1	07/14/23	fs	07/21/23	acs	0.000050
Vanadium	0.0067 mg/L	0.0012	1	07/14/23	fs	07/21/23	acs	0.00062
Zinc	0.0027 mg/L	0.0012	1	07/14/23	fs	07/21/23	acs	0.0012

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23F1319

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23F1319-03	Date Collected:	06/28/23 11:00	Matrix:	Ground Water
Sample ID:	MW-03	Date Received:	06/29/23 08:33		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

METALS, TOTAL

Analysis Method: EPA 200.7 Rev. 4.4

Batch: T138479

Iron	0.31 mg/L	0.050	1	07/14/23	fs	07/21/23	jma	0.026
------	-----------	-------	---	----------	----	----------	-----	-------

Analysis Method: EPA 200.8 Rev. 5.4

Batch: T138479

Copper	0.00030 mg/L	0.00025	1	07/14/23	fs	07/21/23	acs	0.00020
Nickel	0.0016 mg/L	0.0012	1	07/14/23	fs	07/21/23	acs	0.00065
Silver	<0.000050 mg/L	0.000050	1	07/14/23	fs	07/21/23	acs	0.000050
Vanadium	<0.00062 mg/L	0.0012	1	07/14/23	fs	07/21/23	acs	0.00062
Zinc	0.0019 mg/L	0.0012	1	07/14/23	fs	07/21/23	acs	0.0012

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23F1319

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23F1319-04	Date Collected:	06/28/23 09:55	Matrix:	Ground Water
Sample ID:	MW-04	Date Received:	06/29/23 08:33		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

METALS, TOTAL

Analysis Method: EPA 200.7 Rev. 4.4

Batch: T138479

Iron	6.8 mg/L	0.050	1	07/14/23	fs	07/21/23	jma	0.026
------	----------	-------	---	----------	----	----------	-----	-------

Analysis Method: EPA 200.8 Rev. 5.4

Batch: T138479

Copper	<0.000020 mg/L	0.00025	1	07/14/23	fs	07/21/23	acs	0.000020
Nickel	0.022 mg/L	0.0012	1	07/14/23	fs	07/21/23	acs	0.00065
Silver	<0.000050 mg/L	0.000050	1	07/14/23	fs	07/21/23	acs	0.000050
Vanadium	<0.000062 mg/L	0.0012	1	07/14/23	fs	07/21/23	acs	0.000062
Zinc	<0.0012 mg/L	0.0012	1	07/14/23	fs	07/21/23	acs	0.0012

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23F1319

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23F1319-05	Date Collected:	06/28/23 12:00	Matrix:	Ground Water
Sample ID:	MW-06	Date Received:	06/29/23 08:33		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

METALS, TOTAL

Analysis Method: EPA 200.7 Rev. 4.4

Batch: T138479

Iron	18 mg/L	0.050	1	07/14/23	fs	07/21/23	jma	0.026
------	---------	-------	---	----------	----	----------	-----	-------

Analysis Method: EPA 200.8 Rev. 5.4

Batch: T138479

Copper	<0.000020 mg/L	0.00025	1	07/14/23	fs	07/21/23	acs	0.000020	
Nickel	0.0010 mg/L	0.0012	1	07/14/23	fs	07/21/23	acs	J	0.00065
Silver	<0.000050 mg/L	0.000050	1	07/14/23	fs	07/21/23	acs	0.000050	
Vanadium	<0.000062 mg/L	0.0012	1	07/14/23	fs	07/21/23	acs	0.000062	
Zinc	0.0018 mg/L	0.0012	1	07/14/23	fs	07/21/23	acs	0.0012	

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23F1319

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23F1319-06	Date Collected:	06/27/23 12:00	Matrix:	Ground Water
Sample ID:	MW-07	Date Received:	06/29/23 08:33		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

METALS, TOTAL

Analysis Method: EPA 200.7 Rev. 4.4

Batch: T138479

Iron	17 mg/L	0.050	1	07/14/23	fs	07/21/23	jma	0.026
------	---------	-------	---	----------	----	----------	-----	-------

Analysis Method: EPA 200.8 Rev. 5.4

Batch: T138479

Copper	<0.000020 mg/L	0.00025	1	07/14/23	fs	07/21/23	acs	0.000020
Nickel	<0.000065 mg/L	0.0012	1	07/14/23	fs	07/21/23	acs	0.000065
Silver	<0.000050 mg/L	0.000050	1	07/14/23	fs	07/21/23	acs	0.000050
Vanadium	<0.000062 mg/L	0.0012	1	07/14/23	fs	07/21/23	acs	0.000062
Zinc	<0.0012 mg/L	0.0012	1	07/14/23	fs	07/21/23	acs	0.0012

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23F1319

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23F1319-07	Date Collected:	06/27/23 17:20	Matrix:	Ground Water
Sample ID:	MW-08	Date Received:	06/29/23 08:33		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

METALS, TOTAL

Analysis Method: EPA 200.7 Rev. 4.4

Batch: T138479

Iron	15 mg/L	0.050	1	07/14/23	fs	07/21/23	jma	0.026
------	---------	-------	---	----------	----	----------	-----	-------

Analysis Method: EPA 200.8 Rev. 5.4

Batch: T138479

Copper	<0.000020 mg/L	0.00025	1	07/14/23	fs	07/21/23	acs	0.000020
Nickel	0.0011 mg/L	0.0012	1	07/14/23	fs	07/21/23	acs	J 0.00065
Silver	<0.000050 mg/L	0.000050	1	07/14/23	fs	07/21/23	acs	0.000050
Vanadium	<0.000062 mg/L	0.0012	1	07/14/23	fs	07/21/23	acs	0.000062
Zinc	0.0018 mg/L	0.0012	1	07/14/23	fs	07/21/23	acs	0.0012

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23F1319

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23F1319-08	Date Collected:	06/27/23 14:45	Matrix:	Ground Water
Sample ID:	MW-09	Date Received:	06/29/23 08:33		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

METALS, TOTAL

Analysis Method: EPA 200.7 Rev. 4.4

Batch: T138479

Iron	19 mg/L	0.050	1	07/14/23	fs	07/21/23	jma	0.026
------	---------	-------	---	----------	----	----------	-----	-------

Analysis Method: EPA 200.8 Rev. 5.4

Batch: T138479

Copper	<0.000020 mg/L	0.00025	1	07/14/23	fs	07/21/23	acs	0.000020
Nickel	0.0012 mg/L	0.0012	1	07/14/23	fs	07/21/23	acs	0.00065
Silver	<0.000050 mg/L	0.000050	1	07/14/23	fs	07/21/23	acs	0.000050
Vanadium	<0.000062 mg/L	0.0012	1	07/14/23	fs	07/21/23	acs	0.000062
Zinc	<0.0012 mg/L	0.0012	1	07/14/23	fs	07/21/23	acs	0.0012

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23F1319

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23F1319-09	Date Collected:	06/27/23 17:30	Matrix:	Ground Water
Sample ID:	MW-10	Date Received:	06/29/23 08:33		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

METALS, TOTAL

Analysis Method: EPA 200.7 Rev. 4.4

Batch: T138479

Iron	4.5 mg/L	0.050	1	07/14/23	fs	07/21/23	jma	0.026
------	----------	-------	---	----------	----	----------	-----	-------

Analysis Method: EPA 200.8 Rev. 5.4

Batch: T138479

Copper	<0.000020 mg/L	0.00025	1	07/14/23	fs	07/21/23	acs	0.000020
Nickel	0.00088 mg/L	0.0012	1	07/14/23	fs	07/21/23	acs	J 0.00065
Silver	<0.000050 mg/L	0.000050	1	07/14/23	fs	07/21/23	acs	0.000050
Vanadium	<0.000062 mg/L	0.0012	1	07/14/23	fs	07/21/23	acs	0.000062
Zinc	0.0012 mg/L	0.0012	1	07/14/23	fs	07/21/23	acs	0.0012

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23F1319

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23F1319-10	Date Collected:	06/28/23 12:10	Matrix:	Ground Water
Sample ID:	MW-11	Date Received:	06/29/23 08:33		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

METALS, TOTAL

Analysis Method: EPA 200.7 Rev. 4.4

Batch: T138479

Iron	4.2 mg/L	0.050	1	07/14/23	fs	07/21/23	jma	0.026
------	----------	-------	---	----------	----	----------	-----	-------

Analysis Method: EPA 200.8 Rev. 5.4

Batch: T138479

Copper	0.00056 mg/L	0.00025	1	07/14/23	fs	07/21/23	acs	0.00020
Nickel	0.0013 mg/L	0.0012	1	07/14/23	fs	07/21/23	acs	0.00065
Silver	<0.000050 mg/L	0.000050	1	07/14/23	fs	07/21/23	acs	0.000050
Vanadium	<0.00062 mg/L	0.0012	1	07/14/23	fs	07/21/23	acs	0.00062
Zinc	0.0049 mg/L	0.0012	1	07/14/23	fs	07/21/23	acs	0.0012

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23F1319

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23F1319-11	Date Collected:	06/27/23 09:00	Matrix:	Ground Water
Sample ID:	MW-12	Date Received:	06/29/23 08:33		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

METALS, TOTAL

Analysis Method: EPA 200.7 Rev. 4.4

Batch: T138479

Iron	0.051 mg/L	0.050	1	07/14/23	fs	07/21/23	jma	0.026
------	------------	-------	---	----------	----	----------	-----	-------

Analysis Method: EPA 200.8 Rev. 5.4

Batch: T138479

Copper	0.0012 mg/L	0.00025	1	07/14/23	fs	07/21/23	acs	0.00020
Nickel	0.0031 mg/L	0.0012	1	07/14/23	fs	07/21/23	acs	0.00065
Silver	<0.000050 mg/L	0.000050	1	07/14/23	fs	07/21/23	acs	0.000050
Vanadium	0.0012 mg/L	0.0012	1	07/14/23	fs	07/21/23	acs	0.00062
Zinc	0.0085 mg/L	0.0012	1	07/14/23	fs	07/21/23	acs	0.0012

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23F1319

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23F1319-12	Date Collected:	06/27/23 11:00	Matrix:	Ground Water
Sample ID:	MW-18	Date Received:	06/29/23 08:33		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

METALS, TOTAL

Analysis Method: EPA 200.7 Rev. 4.4

Batch: T138479

Iron	5.8 mg/L	0.050	1	07/14/23	fs	07/21/23	jma	0.026
------	----------	-------	---	----------	----	----------	-----	-------

Analysis Method: EPA 200.8 Rev. 5.4

Batch: T138479

Copper	0.00088 mg/L	0.00025	1	07/14/23	fs	07/21/23	acs	0.00020
Nickel	0.0075 mg/L	0.0012	1	07/14/23	fs	07/21/23	acs	0.00065
Silver	<0.000050 mg/L	0.000050	1	07/14/23	fs	07/21/23	acs	0.000050
Vanadium	<0.00062 mg/L	0.0012	1	07/14/23	fs	07/21/23	acs	0.00062
Zinc	0.061 mg/L	0.0012	1	07/14/23	fs	07/21/23	acs	0.0012

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23F1319

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23F1319-13	Date Collected:	06/28/23 10:30	Matrix:	Ground Water
Sample ID:	MW-19	Date Received:	06/29/23 08:33		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

METALS, TOTAL

Analysis Method: EPA 200.7 Rev. 4.4

Batch: T138479

Iron	16 mg/L	0.050	1	07/14/23	fs	07/21/23	jma	0.026
------	---------	-------	---	----------	----	----------	-----	-------

Analysis Method: EPA 200.8 Rev. 5.4

Batch: T138479

Copper	<0.000020 mg/L	0.00025	1	07/14/23	fs	07/21/23	acs	0.000020
Nickel	0.0015 mg/L	0.0012	1	07/14/23	fs	07/21/23	acs	0.00065
Silver	<0.000050 mg/L	0.000050	1	07/14/23	fs	07/21/23	acs	0.000050
Vanadium	<0.000062 mg/L	0.0012	1	07/14/23	fs	07/21/23	acs	0.000062
Zinc	<0.0012 mg/L	0.0012	1	07/14/23	fs	07/21/23	acs	0.0012

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23F1319

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23F1319-14	Date Collected:	06/28/23 09:00	Matrix:	Ground Water
Sample ID:	MW-20	Date Received:	06/29/23 08:33		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

METALS, TOTAL

Analysis Method: EPA 200.7 Rev. 4.4

Batch: T138479

Iron	18 mg/L	0.050	1	07/14/23	fs	07/21/23	jma	0.026
------	---------	-------	---	----------	----	----------	-----	-------

Analysis Method: EPA 200.8 Rev. 5.4

Batch: T138479

Copper	0.00036 mg/L	0.00025	1	07/14/23	fs	07/21/23	acs	0.00020
Nickel	0.0098 mg/L	0.0012	1	07/14/23	fs	07/21/23	acs	0.00065
Silver	<0.000050 mg/L	0.000050	1	07/14/23	fs	07/21/23	acs	0.000050
Vanadium	<0.00062 mg/L	0.0012	1	07/14/23	fs	07/21/23	acs	0.00062
Zinc	0.030 mg/L	0.0012	1	07/14/23	fs	07/21/23	acs	0.0012

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23F1319

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23F1319-15	Date Collected:	06/27/23 12:05	Matrix:	Ground Water
Sample ID:	MW-27	Date Received:	06/29/23 08:33		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

METALS, TOTAL

Analysis Method: EPA 200.7 Rev. 4.4

Batch: T138479

Iron	9.4 mg/L	0.050	1	07/14/23	fs	07/21/23	jma	0.026
------	----------	-------	---	----------	----	----------	-----	-------

Analysis Method: EPA 200.8 Rev. 5.4

Batch: T138479

Copper	<0.00020 mg/L	0.00025	1	07/14/23	fs	07/21/23	acs	0.00020
Nickel	0.00067 mg/L	0.0012	1	07/14/23	fs	07/21/23	acs	J 0.00065
Silver	<0.000050 mg/L	0.000050	1	07/14/23	fs	07/21/23	acs	0.000050
Vanadium	0.00082 mg/L	0.0012	1	07/14/23	fs	07/21/23	acs	J 0.00062
Zinc	<0.0012 mg/L	0.0012	1	07/14/23	fs	07/21/23	acs	0.0012

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23F1319

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23F1319-16	Date Collected:	06/27/23 13:40	Matrix:	Ground Water
Sample ID:	MW-30	Date Received:	06/29/23 08:33		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

METALS, TOTAL

Analysis Method: EPA 200.7 Rev. 4.4

Batch: T138479

Iron	2.9 mg/L	0.050	1	07/14/23	fs	07/21/23	jma	0.026
------	----------	-------	---	----------	----	----------	-----	-------

Analysis Method: EPA 200.8 Rev. 5.4

Batch: T138479

Copper	<0.000020 mg/L	0.00025	1	07/14/23	fs	07/21/23	acs	0.000020
Nickel	0.0021 mg/L	0.0012	1	07/14/23	fs	07/21/23	acs	0.00065
Silver	<0.000050 mg/L	0.000050	1	07/14/23	fs	07/21/23	acs	0.000050
Vanadium	<0.000062 mg/L	0.0012	1	07/14/23	fs	07/21/23	acs	0.000062
Zinc	<0.0012 mg/L	0.0012	1	07/14/23	fs	07/21/23	acs	0.0012

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23F1319

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23F1319-17	Date Collected:	06/27/23 14:30	Matrix:	Ground Water
Sample ID:	MW-31	Date Received:	06/29/23 08:33		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

METALS, TOTAL

Analysis Method: EPA 200.7 Rev. 4.4

Batch: T138479

Iron	0.92 mg/L	0.050	1	07/14/23	fs	07/21/23	jma	0.026
------	-----------	-------	---	----------	----	----------	-----	-------

Analysis Method: EPA 200.8 Rev. 5.4

Batch: T138479

Copper	<0.000020 mg/L	0.00025	1	07/14/23	fs	07/21/23	acs	0.000020
Nickel	<0.000065 mg/L	0.0012	1	07/14/23	fs	07/21/23	acs	0.000065
Silver	<0.000050 mg/L	0.000050	1	07/14/23	fs	07/21/23	acs	0.000050
Vanadium	<0.000062 mg/L	0.0012	1	07/14/23	fs	07/21/23	acs	0.000062
Zinc	<0.0012 mg/L	0.0012	1	07/14/23	fs	07/21/23	acs	0.0012

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23F1319

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23F1319-18	Date Collected:	06/27/23 15:40	Matrix:	Ground Water
Sample ID:	MW-32	Date Received:	06/29/23 08:33		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

METALS, TOTAL

Analysis Method: EPA 200.7 Rev. 4.4

Batch: T138479

Iron	15 mg/L	0.050	1	07/14/23	fs	07/21/23	jma	0.026
------	---------	-------	---	----------	----	----------	-----	-------

Analysis Method: EPA 200.8 Rev. 5.4

Batch: T138479

Copper	<0.000020 mg/L	0.00025	1	07/14/23	fs	07/21/23	acs	0.000020
Nickel	0.0012 mg/L	0.0012	1	07/14/23	fs	07/21/23	acs	0.00065
Silver	<0.000050 mg/L	0.000050	1	07/14/23	fs	07/21/23	acs	0.000050
Vanadium	<0.000062 mg/L	0.0012	1	07/14/23	fs	07/21/23	acs	0.00062
Zinc	0.0026 mg/L	0.0012	1	07/14/23	fs	07/21/23	acs	0.0012

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23F1319

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23F1319-19	Date Collected:	06/27/23 10:25	Matrix:	Ground Water
Sample ID:	MW-33	Date Received:	06/29/23 08:33		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

METALS, TOTAL

Analysis Method: EPA 200.7 Rev. 4.4

Batch: T138479

Iron	7.7 mg/L	0.050	1	07/14/23	fs	07/21/23	jma	0.026
------	----------	-------	---	----------	----	----------	-----	-------

Analysis Method: EPA 200.8 Rev. 5.4

Batch: T138479

Copper	0.0011 mg/L	0.00025	1	07/14/23	fs	07/21/23	acs	0.00020
Nickel	0.0081 mg/L	0.0012	1	07/14/23	fs	07/21/23	acs	0.00065
Silver	<0.000050 mg/L	0.000050	1	07/14/23	fs	07/21/23	acs	0.000050
Vanadium	0.00065 mg/L	0.0012	1	07/14/23	fs	07/21/23	acs	J 0.00062
Zinc	<0.0012 mg/L	0.0012	1	07/14/23	fs	07/21/23	acs	0.0012

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23F1319

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23F1319-20	Date Collected:	06/27/23 11:10	Matrix:	Ground Water
Sample ID:	MW-34	Date Received:	06/29/23 08:33		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

METALS, TOTAL

Analysis Method: EPA 200.7 Rev. 4.4

Batch: T138479

Iron	77 mg/L	0.050	1	07/14/23	fs	07/21/23	jma	0.026
------	---------	-------	---	----------	----	----------	-----	-------

Analysis Method: EPA 200.8 Rev. 5.4

Batch: T138479

Copper	0.00045 mg/L	0.00025	1	07/14/23	fs	07/21/23	acs	0.00020
Nickel	0.0020 mg/L	0.0012	1	07/14/23	fs	07/21/23	acs	0.00065
Silver	<0.000050 mg/L	0.000050	1	07/14/23	fs	07/21/23	acs	0.000050
Vanadium	0.00069 mg/L	0.0012	1	07/14/23	fs	07/21/23	acs	J 0.00062
Zinc	0.0018 mg/L	0.0012	1	07/14/23	fs	07/21/23	acs	0.0012

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23F1319

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23F1319-21	Date Collected:	06/27/23 09:00	Matrix:	Ground Water
Sample ID:	MWT-12	Date Received:	06/29/23 08:33		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

METALS, TOTAL

Analysis Method: EPA 200.7 Rev. 4.4

Batch: T138527

Iron	0.062 mg/L	0.050	1	07/14/23	fs	07/21/23	jma	0.026
------	------------	-------	---	----------	----	----------	-----	-------

Analysis Method: EPA 200.8 Rev. 5.4

Batch: T138527

Copper	0.0013 mg/L	0.00025	1	07/14/23	fs	07/21/23	acs	0.00020
Nickel	0.0033 mg/L	0.0012	1	07/14/23	fs	07/21/23	acs	0.00065
Silver	<0.000050 mg/L	0.000050	1	07/14/23	fs	07/21/23	acs	0.000050
Vanadium	0.0012 mg/L	0.0012	1	07/14/23	fs	07/21/23	acs	0.00062
Zinc	0.0096 mg/L	0.0012	1	07/14/23	fs	07/21/23	acs	0.0012

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23F1319

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23F1319-22	Date Collected:	06/27/23 13:40	Matrix:	Ground Water
Sample ID:	MWT-30	Date Received:	06/29/23 08:33		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

METALS, TOTAL

Analysis Method: EPA 200.7 Rev. 4.4

Batch: T138527

Iron	2.7 mg/L	0.050	1	07/14/23	fs	07/21/23	jma	0.026
------	----------	-------	---	----------	----	----------	-----	-------

Analysis Method: EPA 200.8 Rev. 5.4

Batch: T138527

Copper	<0.000020 mg/L	0.00025	1	07/14/23	fs	07/21/23	acs	0.00020
Nickel	0.0017 mg/L	0.0012	1	07/14/23	fs	07/21/23	acs	0.00065
Silver	<0.000050 mg/L	0.000050	1	07/14/23	fs	07/21/23	acs	0.000050
Vanadium	<0.000062 mg/L	0.0012	1	07/14/23	fs	07/21/23	acs	0.00062
Zinc	0.0015 mg/L	0.0012	1	07/14/23	fs	07/21/23	acs	0.0012

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23F1319

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23F1319-23	Date Collected:	06/28/23 13:35	Matrix:	Surface Water
Sample ID:	SG-02	Date Received:	06/29/23 08:33		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

METALS, TOTAL

Analysis Method: EPA 200.7 Rev. 4.4

Batch: T138527

Iron	0.27 mg/L	0.050	1	07/14/23	fs	07/21/23	jma	0.026
------	-----------	-------	---	----------	----	----------	-----	-------

Analysis Method: EPA 200.8 Rev. 5.4

Batch: T138527

Copper	0.0012 mg/L	0.00025	1	07/14/23	fs	07/21/23	acs	0.00020
Nickel	0.0036 mg/L	0.0012	1	07/14/23	fs	07/21/23	acs	0.00065
Silver	<0.000050 mg/L	0.000050	1	07/14/23	fs	07/21/23	acs	0.000050
Vanadium	0.0014 mg/L	0.0012	1	07/14/23	fs	07/21/23	acs	0.00062
Zinc	0.0024 mg/L	0.0012	1	07/14/23	fs	07/21/23	acs	0.0012

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23F1319

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23F1319-24	Date Collected:	06/28/23 13:25	Matrix:	Surface Water
Sample ID:	SG-03	Date Received:	06/29/23 08:33		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

METALS, TOTAL

Analysis Method: EPA 200.7 Rev. 4.4

Batch: T138527

Iron	0.31 mg/L	0.050	1	07/14/23	fs	07/21/23	jma	0.026
------	-----------	-------	---	----------	----	----------	-----	-------

Analysis Method: EPA 200.8 Rev. 5.4

Batch: T138527

Copper	0.0013 mg/L	0.00025	1	07/14/23	fs	07/21/23	acs	0.00020
Nickel	0.0036 mg/L	0.0012	1	07/14/23	fs	07/21/23	acs	0.00065
Silver	<0.000050 mg/L	0.000050	1	07/14/23	fs	07/21/23	acs	0.000050
Vanadium	0.0020 mg/L	0.0012	1	07/14/23	fs	07/21/23	acs	0.00062
Zinc	0.0029 mg/L	0.0012	1	07/14/23	fs	07/21/23	acs	0.0012

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23F1319

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23F1319-25	Date Collected:	06/28/23 13:10	Matrix:	Surface Water
Sample ID:	SG-04R	Date Received:	06/29/23 08:33		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

METALS, TOTAL

Analysis Method: EPA 200.7 Rev. 4.4

Batch: T138527

Iron	0.31 mg/L	0.050	1	07/14/23	fs	07/21/23	jma	0.026
------	-----------	-------	---	----------	----	----------	-----	-------

Analysis Method: EPA 200.8 Rev. 5.4

Batch: T138527

Copper	0.0018 mg/L	0.00025	1	07/14/23	fs	07/21/23	acs	0.00020
Nickel	0.0055 mg/L	0.0012	1	07/14/23	fs	07/21/23	acs	0.00065
Silver	<0.000050 mg/L	0.000050	1	07/14/23	fs	07/21/23	acs	0.000050
Vanadium	0.0041 mg/L	0.0012	1	07/14/23	fs	07/21/23	acs	0.00062
Zinc	0.0070 mg/L	0.0012	1	07/14/23	fs	07/21/23	acs	0.0012

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23F1319

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23F1319-26	Date Collected:	06/28/23 12:50	Matrix:	Surface Water
Sample ID:	SG-05	Date Received:	06/29/23 08:33		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

METALS, TOTAL

Analysis Method: EPA 200.7 Rev. 4.4

Batch: T138527

Iron	0.74 mg/L	0.050	1	07/14/23	fs	07/21/23	jma	0.026
------	-----------	-------	---	----------	----	----------	-----	-------

Analysis Method: EPA 200.8 Rev. 5.4

Batch: T138527

Copper	0.0028 mg/L	0.00025	1	07/14/23	fs	07/21/23	acs	0.00020
Nickel	0.0034 mg/L	0.0012	1	07/14/23	fs	07/21/23	acs	0.00065
Silver	<0.000050 mg/L	0.000050	1	07/14/23	fs	07/21/23	acs	0.000050
Vanadium	0.0012 mg/L	0.0012	1	07/14/23	fs	07/21/23	acs	0.00062
Zinc	0.0090 mg/L	0.0012	1	07/14/23	fs	07/21/23	acs	0.0012

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

QUALITY CONTROL RESULTS

Trace Project ID: 23F1319

Client Project ID: City of Grand Haven - Harbor Island

QC Batch: T138479	Analysis Description: Iron, Total
QC Batch Method: EPA 200.2	Analysis Method: EPA 200.7 Rev. 4.4

METHOD BLANK: T138479-BLK1

Parameter	Units	Blank Result	Reporting Limit	Notes
Iron	mg/L	<0.050	0.050	

LABORATORY CONTROL SAMPLE: T138479-BS1

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limit	Notes
Iron	mg/L	16.0	15.6	98	85-115	

MATRIX SPIKE: T138479-MS1 Original: 23F1319-01

Parameter	Units	Original Result	Spike Conc.	MS Result	MS % Rec	% Rec Unit	Notes
Iron	mg/L	0.477	16.0	16.2	98	70-130	

MATRIX SPIKE: T138479-MS2 Original: 23F1319-02

Parameter	Units	Original Result	Spike Conc.	MS Result	MS % Rec	% Rec Unit	Notes
Iron	mg/L	23.6	16.0	40.0	102	70-130	

Trace Project ID: 23F1319

Client Project ID: City of Grand Haven - Harbor Island

QC Batch: T138527	Analysis Description: Iron, Total
QC Batch Method: EPA 200.2	Analysis Method: EPA 200.7 Rev. 4.4

METHOD BLANK: T138527-BLK1

Parameter	Units	Blank Result	Reporting Limit	Notes
Iron	mg/L	<0.050	0.050	

LABORATORY CONTROL SAMPLE: T138527-BS1

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limit	Notes
Iron	mg/L	16.0	15.5	97	85-115	

MATRIX SPIKE: T138527-MS1 Original: 23F1319-21

Parameter	Units	Original Result	Spike Conc.	MS Result	MS % Rec	% Rec Unit	Notes
-----------	-------	-----------------	-------------	-----------	----------	------------	-------

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

MATRIX SPIKE: T138527-MS1

Original: 23F1319-21

Parameter	Units	Original Result	Spike Conc.	MS Result	MS % Rec	% Rec Unit	Notes
Iron	mg/L	0	16.0	15.6	97	70-130	

Trace Project ID: 23F1319

Client Project ID: City of Grand Haven - Harbor Island

QC Batch: T138479

Analysis Description: Nickel, Total

QC Batch Method: EPA 200.2

Analysis Method: EPA 200.8 Rev. 5.4

METHOD BLANK: T138479-BLK1

Parameter	Units	Blank Result	Reporting Limit	Notes
Silver	mg/L	<0.000050	0.000050	
Copper	mg/L	0.000317	0.00025	
Nickel	mg/L	<0.0012	0.0012	
Vanadium	mg/L	<0.0012	0.0012	
Zinc	mg/L	<0.0012	0.0012	

LABORATORY CONTROL SAMPLE: T138479-BS1

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limit	Notes
Silver	mg/L	0.0500	0.0573	115	85-115	
Copper	mg/L	1.60	1.46	91	85-115	
Nickel	mg/L	1.60	1.48	93	85-115	
Vanadium	mg/L	1.60	1.64	103	85-115	
Zinc	mg/L	1.60	1.61	101	85-115	

MATRIX SPIKE: T138479-MS1

Original: 23F1319-01

Parameter	Units	Original Result	Spike Conc.	MS Result	MS % Rec	% Rec Unit	Notes
Silver	mg/L	0	0.0500	0.0534	107	70-130	
Copper	mg/L	0.00132	1.60	1.43	89	70-130	
Nickel	mg/L	0.00531	1.60	1.45	90	70-130	
Vanadium	mg/L	0.00459	1.60	1.85	115	70-130	
Zinc	mg/L	0.00853	1.60	1.45	90	70-130	

MATRIX SPIKE: T138479-MS2

Original: 23F1319-02

Parameter	Units	Original Result	Spike Conc.	MS Result	MS % Rec	% Rec Unit	Notes
Silver	mg/L	0	0.0500	0.0527	105	70-130	
Copper	mg/L	0.00263	1.60	1.44	90	70-130	
Nickel	mg/L	0.0248	1.60	1.51	93	70-130	

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

MATRIX SPIKE: T138479-MS2Original: **23F1319-02**

Parameter	Units	Original Result	Spike Conc.	MS Result	MS % Rec	% Rec Unit	Notes
Vanadium	mg/L	0.00670	1.60	1.88	117	70-130	
Zinc	mg/L	0	1.60	1.47	92	70-130	

Trace Project ID: 23F1319

Client Project ID: City of Grand Haven - Harbor Island

QC Batch: T138527

Analysis Description: Copper, Total

QC Batch Method: EPA 200.2

Analysis Method: EPA 200.8 Rev. 5.4

METHOD BLANK: T138527-BLK1

Parameter	Units	Blank Result	Reporting Limit	Notes
Silver	mg/L	<0.000050	0.000050	
Copper	mg/L	<0.00025	0.00025	
Nickel	mg/L	<0.0012	0.0012	
Vanadium	mg/L	<0.0012	0.0012	
Zinc	mg/L	<0.0012	0.0012	

LABORATORY CONTROL SAMPLE: T138527-BS1

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limit	Notes
Silver	mg/L	0.0500	0.0531	106	85-115	
Copper	mg/L	1.60	1.36	85	85-115	
Nickel	mg/L	1.60	1.38	86	85-115	
Vanadium	mg/L	1.60	1.38	86	85-115	
Zinc	mg/L	1.60	1.45	90	85-115	

MATRIX SPIKE: T138527-MS1Original: **23F1319-21**

Parameter	Units	Original Result	Spike Conc.	MS Result	MS % Rec	% Rec Unit	Notes
Silver	mg/L	0	0.0500	0.0565	113	70-130	
Copper	mg/L	0.00127	1.60	1.37	85	70-130	
Nickel	mg/L	0.00334	1.60	1.40	87	70-130	
Vanadium	mg/L	0	1.60	1.53	95	70-130	
Zinc	mg/L	0.00958	1.60	1.53	95	70-130	

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

TRACE
ANALYTICAL LABORATORIES, INC.

Report Results To:

Company Name: HDR, Inc.	PO#: 10337505.006
Report To: Molly Reeves	Contact Name: Lara Zawaideh
Mailing Address: 1000 Oakbrook Drive, Suite 200	Billing Address (if different):
City, State, Zip Code: Ann Arbor, MI 48104	City, State, Zip Code:
Office Phone: _____	Phone Number: 734.263.7138
Email Address: molly.reeves@hdrinc.com	Billing Email Address: lara.zawaideh@hdrinc.com

Requested Turnaround Times (TAT)

- Standard: 5-10 Business days
- 3 Business Days*
- 1 Business Day*

*Rush TAT Requires Prior Approval

Project Name: City of Grand Haven - Harbor Island

Sampled By (print):

Trace No.	Sample Collection Date	Sample Collection Time	Sample ID/Name	Metals Field Filtered (Y or N)		Number of Containers	Preservation	Analysis Requested
				Metals	Field Filtered (Y or N)			
1	6/28/13	850	MNN-01R	N	NN	6	40 CFR Appendix III to Part 257	
2	6/27/13	1605	MNN-02	N	NN	6	40 CFR Appendix IV to Part 257	
3	6/28/13	1100	MNN-03	N	NN	6	Additional MI Part 115 Metals	
4	6/28/13	955	MNN-04	N	NN	6	Total Suspended Solids (TSS)	
5	6/18/13	1200	MNN-06	N	NN	6	See attached list. AB	
6	6/28/13	1200	MNN-07	N	NN	6		
7	6/27/13	1720	MNN-08	N	NN	6		
8	6/27/13	1445	MNN-09	N	NN	6		
9	6/27/13	1730	MNN-10	N	NN	6		
10	6/28/13	1210	MNN-11	N	NN	6		

Please Sign

Released By: Mark J. Bef Received By: Bruce M. P.

Released By: Received By: Date: 6/29/13 Time: 033

Released By: Received By: Date: Time:

Check this box if you would not like your samples analyzed if received outside of the conditions outlined in the Trace Sample Acceptance Policy at www.trace-labs.com/downloads.

In executing this Chain of Custody, the client acknowledges the terms as set forth at www.trace-labs.com/terms-of-agreement.

CHAIN-OF-CUSTODY RECORD

Page 1 of 3

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673

Phone 231-773-5998
Fax 888-979-4469
www.trace-labs.com

Trace ID No. 23F1319
Date 6/21/13

Trace Use:

Logged By: BJ
Checked By: SBS/LK/B

Soil Volatiles Preserved (circle if applicable):
MeOH Low Level Lab

Sample Collection Time (hrs):
0011. 6/21/13

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

TRACE
ANALYTICAL LABORATORIES, INC.

Report Results To:

Company Name: HDR, Inc.	PO #: 10337505.006
Report To: Molly Reeves	Contact Name: Lara Zawaideh
Mailing Address: 1000 Oakbrook Drive, Suite 200	Billing Address (if different):
City, State, Zip Code: Ann Arbor, MI 48104	City, State, Zip Code:
Office Phone: Cell Phone: 734.263.7138	Phone Number: 734.223.9074
Email Address: molly.reeves@hdrlinc.com	Billing Email Address: lara.zawaideh@hdrlinc.com

Requested Turnaround Times (TAT)

- Standard: 5-10 Business days
 3 Business Days*
 1 Business Day*

* Rush TAT Requires Prior Approval

Project Name: City of Grand Haven - Harbor Island			
Sampled By (print):			
Trace No.	Sample Collection Date	Sample Collection Time	Sample ID/Name
11	6/27/13	4:00	MNN-12
12	6/27/13	11:00	MNN-18
13	6/28/13	10:30	MNN-19
14	6/28/13	9:00	MNW-20
15	6/27/13	12:05	MNW-21
16	6/27/13	1:34P	MNN-30
17	6/27/13	1:43P	MNN-31
18	6/27/13	1:54P	MNN-32
19	6/27/13	10:25	MNN-33
20	6/27/13	11:10	MNN-34
Released by: Received By Date Time			
1) <i>Andrea Brey</i> <i>Kathy M</i> 6/29/13 8:33 2)			
3) _____ 4)			

Please Sign _____

Check this box if you would not like your samples analyzed if received outside of the conditions outlined in the Trace Sample Acceptance Policy at www.trace-labs.com/downloads.

CHAIN-OF-CUSTODY RECORD

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673
Phone 231-773-5998
Fax 888-979-4469
www.trace-labs.com

Page 2 of 3
Trace ID No. 23F1319

Bill To:	PO #: 10337505.006
Matrix Use:	Logged By: <i>b/</i>
WW = Wastewater	Checked By: <i>SBS/KB</i>
DW = Drinking Water	Soil Volatiles Preserved (circle if applicable):
GW = Groundwater	MeOH Low Level Lab
LW = Liquid Waste	Sample Collection Time (hrs):
SL = Sludge	
Analysis Requested	
40 CFR Appendix III to Part 257	
40 CFR Appendix IV to Part 257	
Additional MI Part 115 Metals	
Total Suspended Solids (TSS)	
See attached list AB	
Remarks/Notes	
Possible Health Hazards?	

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

111

ANALYTICAL LABORATORIES, INC.

Trace Analytical Laboratories
2241 Black Creek Road
Muskegon, MI 49444-2673

Phone 231.773.5998
Fax 888.979.4469
www.trace-labs.com

Page 3 of 3

CHAIN-OF-CUSTODY RECORD

Company Name:	HDR, Inc.	PO #:	10337505.006
Report To:	Molly Reeves	Contact Name:	Lara Zawaideh
Mailing Address:	1000 Oakbrook Drive, Suite 200	Billing Address (if different):	
City, State, Zip Code:	Ann Arbor, MI 48104	City, State, Zip Code:	
Office Phone:	Cell Phone:	Phone Number:	734.223.9074
Email Address:	molly.reeves@hdrinc.com	Billing Email Address:	lara.zawaideh@hdrinc.com

trace use:
Logged By: *BV*
Checked By: *SRKCS*
Soil Volatiles Preserved (circle if applicable):
MeOH Low Level Lab
Sample Collection Time (Hrs):

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

ACE_Wisconsin_QC FINAL 09 06 23 1620

Page 35 of 42

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

23F1319

HDR Michigan Inc.

Project Manager: Jon Mink

Sample Log In Checklist

Date:	6/29/23		Original Observation	Corrected Temperature
Time:	929			
Logged by:	SK			
Package Description:	cooler			
Package Temp °C	2.4	2.4	IR-9 (CF: 0.0°C)	IR-10 (CF: 0.0°C)
Representative Sample Temp °C	9.7	9.7	IR-12 (CF: +0.1°C)	SR1 (CF: 0.0°C)
			SR2 (CF: -0.1°C)	Temp Blank
				Client Sample

Sample Receipt

Yes No

- Received on ice or other coolant
 Ice still present upon receipt
 Custody seals present
 Trace Courier Client Drop-off

Yes No Custody seals intact (if applicable)
 UPS Fed Ex US Mail Other

Sample Condition

Yes No N/A

- All sample containers arrived unbroken and labeled
 Sufficient sample to run requested analyses
 Correct chemical preservative added to samples
 Samples preserved at Trace
 Chemical preservation verified, check EMD pH test strip used (if applicable)
 pH 0-2.5 (Lot: HC201854) pH 11.0-13.0 (Lot: HC022540) Other
 Air bubbles absent from VOAs

Chain of Custody (COC)

Yes No

- All bottle labels agree with COC
 COC filled out properly
 COC signed by client

Notes:

MW-02, MW-08, MW-04, MW-01R

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

23F1319
HDR Michigan Inc.

Project Manager: Jon Mink

Sample Log In Checklist

Date:	4/29/23		Original Observation	Corrected Temperature
Time:	910			
Logged by:	SK			
Package Description:	Cooler			
Package Temp °C	-0.1	-0.1	IR-9 (CF: 0.0°C)	IR-10 (CF: 0.0°C)
Representative Sample Temp °C	7.1	7.1	IR-12 (CF: +0.1°C)	SR1 (CF: 0.0°C)
			SR2 (CF: -0.1°C)	Temp Blank
				Client Sample

Sample Receipt

Yes No

- Received on ice or other coolant
 Ice still present upon receipt
 Custody seals present
 Trace Courier Client Drop-off

Yes No Custody seals intact (if applicable)
 UPS Fed Ex US Mail Other

Sample Condition

Yes No N/A

- All sample containers arrived unbroken and labeled
 Sufficient sample to run requested analyses
 Correct chemical preservative added to samples
 Samples preserved at Trace
 Chemical preservation verified, check EMD pH test strip used (if applicable)
 pH 0-2.5 (Lot: HC201854) pH 11.0-13.0 (Lot: HC022540) Other
 Air bubbles absent from VOAs

Chain of Custody (COC)

Yes No

- All bottle labels agree with COC
 COC filled out properly
 COC signed by client

Notes:

MN-19, MN-04, MN-20, MN-10

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

23F1319
HDR Michigan Inc.

Project Manager: Jon Mink

Sample Log In Checklist

Date:	<i>10/29/23</i>		Original Observation	Corrected Temperature							
Time:	<i>10:15</i>				IR-9 (CF: 0.0°C)	IR-10 (CF: 0.0°C)	IR-12 (CF: +0.1°C)	SR1 (CF: 0.0°C)	SR2 (CF: -0.1°C)	Temp Blank	Client Sample
Logged by:	<i>JLB</i>										
Package Description:	<i>Ceder</i>										
Package Temp °C	1.4	1.4									
Representative Sample Temp °C	7.5	7.4									

Sample Receipt

Yes No

- Received on ice or other coolant
- Ice still present upon receipt
- Custody seals present
- Trace Courier Client Drop-off

Yes No Custody seals intact (if applicable)
 UPS Fed Ex US Mail Other

Sample Condition

Yes No N/A

- | | | |
|-------------------------------------|--------------------------|---|
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | All sample containers arrived unbroken and labeled |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | Sufficient sample to run requested analyses |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | Correct chemical preservative added to samples |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | Samples preserved at Trace |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | Chemical preservation verified, check EMD pH test strip used (if applicable) |
| | | <input checked="" type="checkbox"/> pH 0-2.5 (Lot: HC201854) <input type="checkbox"/> pH 11.0-13.0 (Lot: HC022540) <input type="checkbox"/> Other |
| <input type="checkbox"/> | <input type="checkbox"/> | Air bubbles absent from VOAs |

Chain of Custody (COC)

Yes No

- All bottle labels agree with COC
- COC filled out properly
- COC signed by client

Notes: *MWT 12*

MWT 12

MWT 34

MWT 33

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

23F1319

HDR Michigan Inc.

Project Manager: Jon Mink

Sample Log In Checklist

Date:	6/29/23	Original Observation	Corrected Temperature
Time:	9:30		
Logged by:	JKB		
Package Description:	Cooler		
Package Temp °C	5.3	5.3	IR-9 (CF: 0.0°C)
Representative Sample Temp °C	5.0	4.9	IR-10 (CF: 0.0°C)
			IR-12 (CF: +0.1°C)
			SR1 (CF: 0.0°C)
			SR2 (CF: -0.1°C)
			Temp Blank
			Client Sample

Sample Receipt

Yes No

- Received on ice or other coolant
- Ice still present upon receipt
- Custody seals present
- Trace Courier
- Client Drop-off

Yes No Custody seals intact (if applicable)
 UPS Fed Ex US Mail Other

Sample Condition

Yes No N/A

- All sample containers arrived unbroken and labeled
- Sufficient sample to run requested analyses
- Correct chemical preservative added to samples
- Samples preserved at Trace *HNO3 added at 9:37 on 6/29/23*
- Chemical preservation verified, check EMD pH test strip used (if applicable)

pH 0-2.5 (Lot: HC201854) pH 11.0-13.0 (Lot: HC022540) Other
 Air bubbles absent from VOAs

Chain of Custody (COC)

Yes No

- All bottle labels agree with COC
- COC filled out properly
- COC signed by client

Notes: *MW-03*

MW-11

SG-02

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

23F1319

HDR Michigan Inc.

Project Manager: Jon Mink

Sample Log In Checklist

Date:	10/29/23	Original Observation	Corrected Temperature					
Time:	9:45							
Logged by:	ICB							
Package Description:	Cooler							
Package Temp °C	5.8	5.8						
Representative Sample Temp °C	11.5	11.4						

Sample Receipt

- Yes No
- Received on ice or other coolant
 - Ice still present upon receipt
 - Custody seals present
 - Trace Courier Client Drop-off

Yes No Custody seals intact (if applicable)
 UPS Fed Ex US Mail Other

Sample Condition

- | Yes | No | N/A | |
|-------------------------------------|--------------------------|-------------------------------------|---|
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | All sample containers arrived unbroken and labeled |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Sufficient sample to run requested analyses |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Correct chemical preservative added to samples |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | Samples preserved at Trace |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | Chemical preservation verified, check EMD pH test strip used (if applicable) |
| <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | pH 0-2.5 (Lot: HC201854) <input type="checkbox"/> pH 11.0-13.0 (Lot: HC022540) <input type="checkbox"/> Other |
| <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | Air bubbles absent from VOAs |

Chain of Custody (COC)

- Yes No
- All bottle labels agree with COC
 - COC filled out properly
 - COC signed by client

Notes: MW- 18

MW- 07

MW- 31

MW- 32

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

23F1319

HDR Michigan Inc.

Project Manager: Jon Mink

Sample Log In Checklist

Date:	6/29/23	Original Observation	Corrected Temperature						
Time:	10:02			IR-9 (CF: 0.0°C)					
Logged by:	ICB			IR-10 (CF: 0.0°C)					
Package Description:	Coder			IR-12 (CF: +0.1°C)					
Package Temp °C	0.5	0.5		SR1 (CF: 0.0°C)					
Representative Sample Temp °C	4.7	4.6		SR2 (CF: -0.1°C)					
				Temp Blank					
				Client Sample					

Sample Receipt

Yes No

- Received on ice or other coolant
 Ice still present upon receipt
 Custody seals present
 Trace Courier Client Drop-off

Yes No Custody seals intact (if applicable)
 UPS Fed Ex US Mail Other

Sample Condition

Yes No N/A

- All sample containers arrived unbroken and labeled
 Sufficient sample to run requested analyses
 Correct chemical preservative added to samples
 Samples preserved at Trace
 Chemical preservation verified, check EMD pH test strip used (if applicable)
 pH 0-2.5 (Lot: HC201854) pH 11.0-13.0 (Lot: HC022540) Other
 Air bubbles absent from VOAs

Chain of Custody (COC)

Yes No

- All bottle labels agree with COC
 COC filled out properly
 COC signed by client

Notes: SG 04R

SG 03
SG 05

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

23F1319

HDR Michigan Inc.

Project Manager: Jon Mink

Sample Log In Checklist

Date:	4/29/23		Original Observation	Corrected Temperature	IR-9 (CF: 0.0°C)	IR-10 (CF: 0.0°C)	IR-12 (CF: +0.1°C)	SR1 (CF: 0.0°C)	SR2 (CF: -0.1°C)	Temp Blank	Client Sample
Time:	9:42										
Logged by:	SK										
Package Description:	Cooler										
Package Temp °C	9.1	9.1	9.1	9.1	9.1	9.1	9.1	9.1	9.1	9.1	9.1
Representative Sample Temp °C	10.2	10.2	10.2	10.2	10.2	10.2	10.2	10.2	10.2	10.2	10.2

Sample Receipt

Yes No

- Received on ice or other coolant
 Ice still present upon receipt
 Custody seals present
 Trace Courier Client Drop-off

Yes No Custody seals intact (if applicable)
 UPS Fed Ex US Mail Other

4/29/23 SK

Sample Condition

Yes No N/A

- All sample containers arrived unbroken and labeled
 Sufficient sample to run requested analyses
 Correct chemical preservative added to samples
 Samples preserved at Trace
 Chemical preservation verified, check EMD pH test strip used (if applicable)
 pH 0-2.5 (Lot: HC201854) pH 11.0-13.0 (Lot: HC022540) Other
 Air bubbles absent from VOAs

Chain of Custody (COC)

Yes No

- All bottle labels agree with COC
 COC filled out properly
 COC signed by client

Notes:

MW-27, MW-09, MW-30, MW-30

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

ANALYTICAL REPORT

PREPARED FOR

Attn: Jon Mink
Trace Analytical Laboratories
2241 Black Creek Road
Muskegon MI 49444

Generated 8/10/2023 6:22 PM

JOB DESCRIPTION

23F1321 - Harbor Island

JOB NUMBER

810-68124-1

Eurofins Eaton Analytical South Bend

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Eaton Analytical, LLC Project Manager.

Authorization



Generated
8/10/2023 6:22 PM

Authorized for release by
Karen Fullmer, Project Manager
Karen.Fullmer@et.eurofinsus.com
574 233-4777

Table of Contents

Cover Page	1
Data Summaries	4
Definitions	4
Case Narrative	5
Detection Summary	6
Client Sample Results	8
Action Limits	21
Tracer/Carrier Summary	27
QC Sample Results	29
QC Association	33
Chronicle	35
Certification Summary	42
Method Summary	43
Sample Summary	44
Reagent Traceability	45
COAs	47
Subcontracted Data	132
Shipping and Receiving Documents	133
Client Chain of Custody	134
Sample Receipt Checklist	142

Definitions/Glossary

Client: Trace Analytical Laboratories
Project/Site: 23F1321 - Harbor Island

Job ID: 810-68124-1

Qualifiers

Rad

Qualifier	Qualifier Description
U	Result is less than the sample detection limit.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

**Job Narrative
810-68124-1**

Receipt

The samples were received on 6/30/2023 9:00 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice.

Gas Flow Proportional Counter

Method 903.0: Radium-226 batch 619283 Any minimum detectable concentration (MDC), critical value (DLC), or Safe Drinking Water Act detection limit (SDWA DL) is sample-specific unless otherwise stated elsewhere in this narrative. Radiochemistry sample results are reported with the count date/time applied as the Activity Reference Date. MW-01R (810-68124-1), MW-02 (810-68124-2), MW-03 (810-68124-3), MW-04 (810-68124-4), MW-06 (810-68124-5), MW-07 (810-68124-6), MW-08 (810-68124-7), MW-09 (810-68124-8), MW-10 (810-68124-9), MW-11 (810-68124-10), MW-12 (810-68124-11), MW-18 (810-68124-12), MW-19 (810-68124-13), MW-20 (810-68124-14), MW-27 (810-68124-15), (LCS 160-619283/2-A), (MB 160-619283/1-A), (500-235842-C-20-A) and (500-235842-E-20-C DU)

Method 903.0: Radium-226 batch 619466 Any minimum detectable concentration (MDC), critical value (DLC), or Safe Drinking Water Act detection limit (SDWA DL) is sample-specific unless otherwise stated elsewhere in this narrative. Radiochemistry sample results are reported with the count date/time applied as the Activity Reference Date. SG-03 (810-68124-24), (LCS 160-619466/2-A), (MB 160-619466/1-A), (380-53265-A-1-A) and (380-53265-C-1-C DU)

Method 903.0: Radium-226 batch 620620 Any minimum detectable concentration (MDC), critical value (DLC), or Safe Drinking Water Act detection limit (SDWA DL) is sample-specific unless otherwise stated elsewhere in this narrative. Radiochemistry sample results are reported with the count date/time applied as the Activity Reference Date. MW-30 (810-68124-16), MW-31 (810-68124-17), MW-32 (810-68124-18), MW-33 (810-68124-19), MW-34 (810-68124-20), MWT-12 (810-68124-21), MWT-30 (810-68124-22), SG-02 (810-68124-23), SG-04R (810-68124-25), SG-05 (810-68124-26), (LCS 160-620620/2-A), (MB 160-620620/1-A) and (810-68124-B-21-A DU)

Method 904.0: Radium-228 batch 619284 Any minimum detectable concentration (MDC), critical value (DLC), or Safe Drinking Water Act detection limit (SDWA DL) is sample-specific unless otherwise stated elsewhere in this narrative. Radiochemistry sample results are reported with the count date/time applied as the Activity Reference Date. MW-01R (810-68124-1), MW-02 (810-68124-2), MW-03 (810-68124-3), MW-04 (810-68124-4), MW-06 (810-68124-5), MW-07 (810-68124-6), MW-08 (810-68124-7), MW-09 (810-68124-8), MW-10 (810-68124-9), MW-11 (810-68124-10), MW-12 (810-68124-11), MW-18 (810-68124-12), MW-19 (810-68124-13), MW-20 (810-68124-14), MW-27 (810-68124-15), (LCS 160-619284/2-A), (MB 160-619284/1-A), (500-235842-C-20-B) and (500-235842-E-20-D DU)

Method 904.0: Radium-228 batch 619467 Any minimum detectable concentration (MDC), critical value (DLC), or Safe Drinking Water Act detection limit (SDWA DL) is sample-specific unless otherwise stated elsewhere in this narrative. Radiochemistry sample results are reported with the count date/time applied as the Activity Reference Date. SG-03 (810-68124-24), (LCS 160-619467/2-A), (MB 160-619467/1-A), (380-53265-A-1-B) and (380-53265-C-1-D DU)

Method 904.0: Radium-228 batch 620621 Any minimum detectable concentration (MDC), critical value (DLC), or Safe Drinking Water Act detection limit (SDWA DL) is sample-specific unless otherwise stated elsewhere in this narrative. Radiochemistry sample results are reported with the count date/time applied as the Activity Reference Date. MW-30 (810-68124-16), MW-31 (810-68124-17), MW-32 (810-68124-18), MW-33 (810-68124-19), MW-34 (810-68124-20), MWT-12 (810-68124-21), MWT-30 (810-68124-22), SG-02 (810-68124-23), SG-04R (810-68124-25), SG-05 (810-68124-26), (LCS 160-620621/2-B), (MB 160-620621/1-B) and (810-68124-B-21-B DU)

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Rad

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Detection Summary

Client: Trace Analytical Laboratories
Project/Site: 23F1321 - Harbor Island

Job ID: 810-68124-1

Client Sample ID: MW-01R

Lab Sample ID: 810-68124-1

No Detections.

Client Sample ID: MW-02

Lab Sample ID: 810-68124-2

No Detections.

Client Sample ID: MW-03

Lab Sample ID: 810-68124-3

No Detections.

Client Sample ID: MW-04

Lab Sample ID: 810-68124-4

No Detections.

Client Sample ID: MW-06

Lab Sample ID: 810-68124-5

No Detections.

Client Sample ID: MW-07

Lab Sample ID: 810-68124-6

No Detections.

Client Sample ID: MW-08

Lab Sample ID: 810-68124-7

No Detections.

Client Sample ID: MW-09

Lab Sample ID: 810-68124-8

No Detections.

Client Sample ID: MW-10

Lab Sample ID: 810-68124-9

No Detections.

Client Sample ID: MW-11

Lab Sample ID: 810-68124-10

No Detections.

Client Sample ID: MW-12

Lab Sample ID: 810-68124-11

No Detections.

Client Sample ID: MW-18

Lab Sample ID: 810-68124-12

No Detections.

Client Sample ID: MW-19

Lab Sample ID: 810-68124-13

No Detections.

Client Sample ID: MW-20

Lab Sample ID: 810-68124-14

No Detections.

Client Sample ID: MW-27

Lab Sample ID: 810-68124-15

No Detections.

Client Sample ID: MW-30

Lab Sample ID: 810-68124-16

No Detections.

This Detection Summary does not include radiochemical test results.

Eurofins Eaton Analytical South Bend

Detection Summary

Client: Trace Analytical Laboratories
Project/Site: 23F1321 - Harbor Island

Job ID: 810-68124-1

Client Sample ID: MW-31

Lab Sample ID: 810-68124-17

No Detections.

Client Sample ID: MW-32

Lab Sample ID: 810-68124-18

No Detections.

Client Sample ID: MW-33

Lab Sample ID: 810-68124-19

No Detections.

Client Sample ID: MW-34

Lab Sample ID: 810-68124-20

No Detections.

Client Sample ID: MWT-12

Lab Sample ID: 810-68124-21

No Detections.

Client Sample ID: MWT-30

Lab Sample ID: 810-68124-22

No Detections.

Client Sample ID: SG-02

Lab Sample ID: 810-68124-23

No Detections.

Client Sample ID: SG-03

Lab Sample ID: 810-68124-24

No Detections.

Client Sample ID: SG-04R

Lab Sample ID: 810-68124-25

No Detections.

Client Sample ID: SG-05

Lab Sample ID: 810-68124-26

No Detections.

This Detection Summary does not include radiochemical test results.

Eurofins Eaton Analytical South Bend

Client Sample Results

Client: Trace Analytical Laboratories
 Project/Site: 23F1321 - Harbor Island

Job ID: 810-68124-1

Client Sample ID: MW-01R

Date Collected: 06/28/23 08:50

Date Received: 06/30/23 09:00

Lab Sample ID: 810-68124-1

Matrix: Ground Water

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.0854	U	0.101	0.101	1.00	0.164	pCi/L	07/07/23 08:55	07/31/23 14:28	1
Carrier										
Ba Carrier	92.5			Limits				Prepared	Analyzed	Dil Fac
			30 - 110					07/07/23 08:55	07/31/23 14:28	1

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	0.515	U	0.362	0.365	1.00	0.534	pCi/L	07/07/23 08:58	07/26/23 12:09	1
Carrier										
Ba Carrier	92.5			Limits				Prepared	Analyzed	Dil Fac
			30 - 110					07/07/23 08:58	07/26/23 12:09	1
Y Carrier	90.8			30 - 110				07/07/23 08:58	07/26/23 12:09	1

Method: TAL-STL Ra226_Ra228 Pos - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium 226 and 228	0.601		0.376	0.379	5.00	0.534	pCi/L		08/09/23 15:06	1

Client Sample ID: MW-02

Date Collected: 06/27/23 16:05

Date Received: 06/30/23 09:00

Lab Sample ID: 810-68124-2

Matrix: Ground Water

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.714		0.200	0.210	1.00	0.159	pCi/L	07/07/23 08:55	07/31/23 14:28	1
Carrier										
Ba Carrier	91.0			Limits				Prepared	Analyzed	Dil Fac
			30 - 110					07/07/23 08:55	07/31/23 14:28	1

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	0.957		0.577	0.583	1.00	0.866	pCi/L	07/07/23 08:58	07/26/23 12:09	1
Carrier										
Ba Carrier	91.0			Limits				Prepared	Analyzed	Dil Fac
			30 - 110					07/07/23 08:58	07/26/23 12:09	1
Y Carrier	90.1			30 - 110				07/07/23 08:58	07/26/23 12:09	1

Method: TAL-STL Ra226_Ra228 Pos - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium 226 and 228	1.67		0.611	0.620	5.00	0.866	pCi/L		08/09/23 15:06	1

Eurofins Eaton Analytical South Bend

Client Sample Results

Client: Trace Analytical Laboratories
 Project/Site: 23F1321 - Harbor Island

Job ID: 810-68124-1

Client Sample ID: MW-03

Date Collected: 06/28/23 11:00
 Date Received: 06/30/23 09:00

Lab Sample ID: 810-68124-3

Matrix: Ground Water

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.0840	U	0.123	0.123	1.00	0.209	pCi/L	07/07/23 08:55	07/31/23 14:28	1
<i>Carrier</i>	%Yield	Qualifier	<i>Limits</i>					<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
Ba Carrier	88.7		30 - 110					07/07/23 08:55	07/31/23 14:28	1

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	1.18		0.617	0.626	1.00	0.892	pCi/L	07/07/23 08:58	07/26/23 12:09	1
<i>Carrier</i>	%Yield	Qualifier	<i>Limits</i>					<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
Ba Carrier	88.7		30 - 110					07/07/23 08:58	07/26/23 12:09	1
Y Carrier	85.6		30 - 110					07/07/23 08:58	07/26/23 12:09	1

Method: TAL-STL Ra226_Ra228 Pos - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium 226 and 228	1.26		0.629	0.638	5.00	0.892	pCi/L		08/09/23 15:06	1

Client Sample ID: MW-04

Date Collected: 06/28/23 09:55
 Date Received: 06/30/23 09:00

Lab Sample ID: 810-68124-4

Matrix: Ground Water

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.232		0.135	0.137	1.00	0.186	pCi/L	07/07/23 08:55	07/31/23 14:28	1
<i>Carrier</i>	%Yield	Qualifier	<i>Limits</i>					<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
Ba Carrier	88.2		30 - 110					07/07/23 08:55	07/31/23 14:28	1

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	0.963		0.472	0.480	1.00	0.676	pCi/L	07/07/23 08:58	07/26/23 12:09	1
<i>Carrier</i>	%Yield	Qualifier	<i>Limits</i>					<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
Ba Carrier	88.2		30 - 110					07/07/23 08:58	07/26/23 12:09	1
Y Carrier	86.0		30 - 110					07/07/23 08:58	07/26/23 12:09	1

Method: TAL-STL Ra226_Ra228 Pos - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium 226 and 228	1.20		0.491	0.499	5.00	0.676	pCi/L		08/09/23 15:06	1

Client Sample Results

Client: Trace Analytical Laboratories
Project/Site: 23F1321 - Harbor Island

Job ID: 810-68124-1

Client Sample ID: MW-06

Date Collected: 06/28/23 12:00

Date Received: 06/30/23 09:00

Lab Sample ID: 810-68124-5

Matrix: Ground Water

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.331		0.157	0.160	1.00	0.196	pCi/L	07/07/23 08:55	07/31/23 14:28	1
Carrier										
Ba Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
	94.0		30 - 110					07/07/23 08:55	07/31/23 14:28	1

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.493	U	0.390	0.392	1.00	0.606	pCi/L	07/07/23 08:58	07/26/23 12:12	1
Carrier										
Ba Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
	94.0		30 - 110					07/07/23 08:58	07/26/23 12:12	1
Y Carrier			104	30 - 110				07/07/23 08:58	07/26/23 12:12	1

Method: TAL-STL Ra226_Ra228 Pos - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium 226 and 228	0.824		0.420	0.423	5.00	0.606	pCi/L		08/09/23 15:06	1

Client Sample ID: MW-07

Date Collected: 06/27/23 12:00

Date Received: 06/30/23 09:00

Lab Sample ID: 810-68124-6

Matrix: Ground Water

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.341		0.161	0.164	1.00	0.200	pCi/L	07/07/23 08:55	07/31/23 14:29	1
Carrier										
Ba Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
	88.7		30 - 110					07/07/23 08:55	07/31/23 14:29	1

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.133	U	0.392	0.392	1.00	0.697	pCi/L	07/07/23 08:58	07/26/23 12:12	1
Carrier										
Ba Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
	88.7		30 - 110					07/07/23 08:58	07/26/23 12:12	1
Y Carrier			88.6	30 - 110				07/07/23 08:58	07/26/23 12:12	1

Method: TAL-STL Ra226_Ra228 Pos - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium 226 and 228	0.474	U	0.424	0.425	5.00	0.697	pCi/L		08/09/23 15:06	1

Client Sample Results

Client: Trace Analytical Laboratories
Project/Site: 23F1321 - Harbor Island

Job ID: 810-68124-1

Client Sample ID: MW-08

Date Collected: 06/27/23 17:20

Date Received: 06/30/23 09:00

Lab Sample ID: 810-68124-7

Matrix: Ground Water

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.190		0.132	0.133	1.00	0.189	pCi/L	07/07/23 08:55	07/31/23 14:29	1
Carrier										
Ba Carrier	%Yield	Qualifier	Limits	30 - 110				Prepared	Analyzed	Dil Fac

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.153	U	0.345	0.345	1.00	0.606	pCi/L	07/07/23 08:58	07/26/23 12:12	1
Carrier										
Ba Carrier	%Yield	Qualifier	Limits	30 - 110				Prepared	Analyzed	Dil Fac
Y Carrier	94.0		30 - 110					07/07/23 08:58	07/26/23 12:12	1

Method: TAL-STL Ra226_Ra228 Pos - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium 226 and 228	0.343	U	0.369	0.370	5.00	0.606	pCi/L		08/09/23 15:06	1

Client Sample ID: MW-09

Date Collected: 06/27/23 14:45

Date Received: 06/30/23 09:00

Lab Sample ID: 810-68124-8

Matrix: Ground Water

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	-0.0269	U	0.0856	0.0856	1.00	0.186	pCi/L	07/07/23 08:55	07/31/23 14:29	1
Carrier										
Ba Carrier	%Yield	Qualifier	Limits	30 - 110				Prepared	Analyzed	Dil Fac

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	-0.0748	U	0.387	0.388	1.00	0.742	pCi/L	07/07/23 08:58	07/26/23 12:12	1
Carrier										
Ba Carrier	%Yield	Qualifier	Limits	30 - 110				Prepared	Analyzed	Dil Fac
Y Carrier	93.7		30 - 110					07/07/23 08:58	07/26/23 12:12	1

Method: TAL-STL Ra226_Ra228 Pos - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium 226 and 228	0.000	U	0.396	0.397	5.00	0.742	pCi/L		08/09/23 15:06	1

Client Sample Results

Client: Trace Analytical Laboratories
Project/Site: 23F1321 - Harbor Island

Job ID: 810-68124-1

Client Sample ID: MW-10

Date Collected: 06/27/23 17:30

Date Received: 06/30/23 09:00

Lab Sample ID: 810-68124-9

Matrix: Ground Water

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.132	U	0.118	0.118	1.00	0.179	pCi/L	07/07/23 08:55	07/31/23 14:29	1
<i>Carrier</i>	%Yield	Qualifier	<i>Limits</i>					<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
Ba Carrier	87.9		30 - 110					07/07/23 08:55	07/31/23 14:29	1

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	0.195	U	0.431	0.431	1.00	0.752	pCi/L	07/07/23 08:58	07/26/23 12:12	1
<i>Carrier</i>	%Yield	Qualifier	<i>Limits</i>					<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
Ba Carrier	87.9		30 - 110					07/07/23 08:58	07/26/23 12:12	1
Y Carrier	86.4		30 - 110					07/07/23 08:58	07/26/23 12:12	1

Method: TAL-STL Ra226_Ra228 Pos - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium 226 and 228	0.326	U	0.447	0.447	5.00	0.752	pCi/L		08/09/23 15:06	1

Client Sample ID: MW-11

Date Collected: 06/28/23 12:10

Date Received: 06/30/23 09:00

Lab Sample ID: 810-68124-10

Matrix: Ground Water

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.243		0.119	0.121	1.00	0.147	pCi/L	07/07/23 08:55	07/31/23 14:29	1
<i>Carrier</i>	%Yield	Qualifier	<i>Limits</i>					<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
Ba Carrier	91.7		30 - 110					07/07/23 08:55	07/31/23 14:29	1

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	0.726	U	0.642	0.646	1.00	1.00	pCi/L	07/07/23 08:58	07/26/23 12:12	1
<i>Carrier</i>	%Yield	Qualifier	<i>Limits</i>					<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
Ba Carrier	91.7		30 - 110					07/07/23 08:58	07/26/23 12:12	1
Y Carrier	42.6		30 - 110					07/07/23 08:58	07/26/23 12:12	1

Method: TAL-STL Ra226_Ra228 Pos - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium 226 and 228	0.970	U	0.653	0.657	5.00	1.00	pCi/L		08/09/23 15:06	1

Client Sample Results

Client: Trace Analytical Laboratories
 Project/Site: 23F1321 - Harbor Island

Job ID: 810-68124-1

Client Sample ID: MW-12

Date Collected: 06/27/23 09:00

Date Received: 06/30/23 09:00

Lab Sample ID: 810-68124-11

Matrix: Ground Water

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.0488	U	0.0725	0.0726	1.00	0.124	pCi/L	07/07/23 08:55	07/31/23 15:58	1
<i>Carrier</i>	%Yield	Qualifier	<i>Limits</i>					Prepared	Analyzed	Dil Fac
Ba Carrier	87.9		30 - 110					07/07/23 08:55	07/31/23 15:58	1

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	0.0196	U	0.317	0.317	1.00	0.590	pCi/L	07/07/23 08:58	07/26/23 12:12	1
<i>Carrier</i>	%Yield	Qualifier	<i>Limits</i>					Prepared	Analyzed	Dil Fac
Ba Carrier	87.9		30 - 110					07/07/23 08:58	07/26/23 12:12	1
Y Carrier	84.5		30 - 110					07/07/23 08:58	07/26/23 12:12	1

Method: TAL-STL Ra226_Ra228 Pos - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium 226 and 228	0.0684	U	0.325	0.325	5.00	0.590	pCi/L	08/09/23 15:06		1

Client Sample ID: MW-18

Date Collected: 06/27/23 11:00

Date Received: 06/30/23 09:00

Lab Sample ID: 810-68124-12

Matrix: Ground Water

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.0782	U	0.0792	0.0795	1.00	0.124	pCi/L	07/07/23 08:55	07/31/23 15:58	1
<i>Carrier</i>	%Yield	Qualifier	<i>Limits</i>					Prepared	Analyzed	Dil Fac
Ba Carrier	89.7		30 - 110					07/07/23 08:55	07/31/23 15:58	1

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	-0.407	U	0.415	0.416	1.00	0.872	pCi/L	07/07/23 08:58	07/26/23 12:13	1
<i>Carrier</i>	%Yield	Qualifier	<i>Limits</i>					Prepared	Analyzed	Dil Fac
Ba Carrier	89.7		30 - 110					07/07/23 08:58	07/26/23 12:13	1
Y Carrier	60.2		30 - 110					07/07/23 08:58	07/26/23 12:13	1

Method: TAL-STL Ra226_Ra228 Pos - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium 226 and 228	0.0782	U	0.422	0.424	5.00	0.872	pCi/L	08/09/23 15:06		1

Eurofins Eaton Analytical South Bend

Client Sample Results

Client: Trace Analytical Laboratories
Project/Site: 23F1321 - Harbor Island

Job ID: 810-68124-1

Client Sample ID: MW-19

Date Collected: 06/28/23 10:30

Date Received: 06/30/23 09:00

Lab Sample ID: 810-68124-13

Matrix: Ground Water

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.106	U	0.0876	0.0882	1.00	0.129	pCi/L	07/07/23 08:55	07/31/23 15:59	1
Carrier										
Ba Carrier	89.4			Limits				Prepared	Analyzed	Dil Fac
				30 - 110				07/07/23 08:55	07/31/23 15:59	1

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	0.0244	U	0.304	0.304	1.00	0.561	pCi/L	07/07/23 08:58	07/26/23 12:13	1
Carrier										
Ba Carrier	89.4			Limits				Prepared	Analyzed	Dil Fac
				30 - 110				07/07/23 08:58	07/26/23 12:13	1
Y Carrier	87.9			Limits				07/07/23 08:58	07/26/23 12:13	1

Method: TAL-STL Ra226_Ra228 Pos - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium 226 and 228	0.130	U	0.316	0.317	5.00	0.561	pCi/L		08/09/23 15:06	1

Client Sample ID: MW-20

Date Collected: 06/28/23 09:00

Date Received: 06/30/23 09:00

Lab Sample ID: 810-68124-14

Matrix: Ground Water

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.0371	U	0.0681	0.0682	1.00	0.122	pCi/L	07/07/23 08:55	07/31/23 15:59	1
Carrier										
Ba Carrier	85.4			Limits				Prepared	Analyzed	Dil Fac
				30 - 110				07/07/23 08:55	07/31/23 15:59	1

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	0.0349	U	0.248	0.248	1.00	0.467	pCi/L	07/07/23 08:58	07/26/23 12:13	1
Carrier										
Ba Carrier	85.4			Limits				Prepared	Analyzed	Dil Fac
				30 - 110				07/07/23 08:58	07/26/23 12:13	1
Y Carrier	86.7			Limits				07/07/23 08:58	07/26/23 12:13	1

Method: TAL-STL Ra226_Ra228 Pos - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium 226 and 228	0.0720	U	0.257	0.257	5.00	0.467	pCi/L		08/09/23 15:06	1

Eurofins Eaton Analytical South Bend

Client Sample Results

Client: Trace Analytical Laboratories
 Project/Site: 23F1321 - Harbor Island

Job ID: 810-68124-1

Client Sample ID: MW-27

Date Collected: 06/27/23 12:05

Date Received: 06/30/23 09:00

Lab Sample ID: 810-68124-15

Matrix: Ground Water

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.458		0.172	0.177	1.00	0.181	pCi/L	07/07/23 08:55	07/31/23 15:59	1
Carrier										
Ba Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
	91.5		30 - 110					07/07/23 08:55	07/31/23 15:59	1

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.382	U	0.365	0.367	1.00	0.578	pCi/L	07/07/23 08:58	07/26/23 12:13	1
Carrier										
Ba Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
	91.5		30 - 110					07/07/23 08:58	07/26/23 12:13	1
Y Carrier			86.7	30 - 110				07/07/23 08:58	07/26/23 12:13	1

Method: TAL-STL Ra226_Ra228 Pos - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium 226 and 228	0.840		0.403	0.407	5.00	0.578	pCi/L		08/09/23 15:06	1

Client Sample ID: MW-30

Date Collected: 06/27/23 13:40

Date Received: 06/30/23 09:00

Lab Sample ID: 810-68124-16

Matrix: Ground Water

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.0986		0.0653	0.0659	1.00	0.0857	pCi/L	07/18/23 11:01	08/09/23 07:40	1
Carrier										
Ba Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
	88.7		30 - 110					07/18/23 11:01	08/09/23 07:40	1

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.487	U	0.371	0.374	1.00	0.566	pCi/L	07/18/23 11:12	07/27/23 13:10	1
Carrier										
Ba Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
	88.7		30 - 110					07/18/23 11:12	07/27/23 13:10	1
Y Carrier			78.1	30 - 110				07/18/23 11:12	07/27/23 13:10	1

Method: TAL-STL Ra226_Ra228 Pos - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium 226 and 228	0.586		0.377	0.380	5.00	0.566	pCi/L		08/09/23 15:06	1

Eurofins Eaton Analytical South Bend

Client Sample Results

Client: Trace Analytical Laboratories
 Project/Site: 23F1321 - Harbor Island

Job ID: 810-68124-1

Client Sample ID: MW-31

Date Collected: 06/27/23 14:30

Date Received: 06/30/23 09:00

Lab Sample ID: 810-68124-17

Matrix: Ground Water

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.270		0.100	0.103	1.00	0.0994	pCi/L	07/18/23 11:01	08/09/23 07:40	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	89.2		30 - 110					07/18/23 11:01	08/09/23 07:40	1

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.310	U	0.307	0.308	1.00	0.489	pCi/L	07/18/23 11:12	07/27/23 13:10	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	89.2		30 - 110					07/18/23 11:12	07/27/23 13:10	1
Y Carrier	82.6		30 - 110					07/18/23 11:12	07/27/23 13:10	1

Method: TAL-STL Ra226_Ra228 Pos - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium 226 and 228	0.580		0.323	0.325	5.00	0.489	pCi/L		08/09/23 15:06	1

Client Sample ID: MW-32

Lab Sample ID: 810-68124-18

Date Collected: 06/27/23 15:40

Date Received: 06/30/23 09:00

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.0850	U	0.0652	0.0656	1.00	0.0916	pCi/L	07/18/23 11:01	08/09/23 07:40	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	94.7		30 - 110					07/18/23 11:01	08/09/23 07:40	1

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.496	U	0.392	0.395	1.00	0.607	pCi/L	07/18/23 11:12	07/27/23 13:10	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	94.7		30 - 110					07/18/23 11:12	07/27/23 13:10	1
Y Carrier	79.3		30 - 110					07/18/23 11:12	07/27/23 13:10	1

Method: TAL-STL Ra226_Ra228 Pos - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium 226 and 228	0.581	U	0.397	0.400	5.00	0.607	pCi/L		08/09/23 15:06	1

Client Sample Results

Client: Trace Analytical Laboratories
 Project/Site: 23F1321 - Harbor Island

Job ID: 810-68124-1

Client Sample ID: MW-33

Date Collected: 06/27/23 10:25

Date Received: 06/30/23 09:00

Lab Sample ID: 810-68124-19

Matrix: Ground Water

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.154		0.107	0.108	1.00	0.151	pCi/L	07/18/23 11:01	08/09/23 07:40	1
<i>Carrier</i>	%Yield	Qualifier	<i>Limits</i>					Prepared	Analyzed	Dil Fac
Ba Carrier	81.9		30 - 110					07/18/23 11:01	08/09/23 07:40	1

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	0.674	U	0.506	0.510	1.00	0.768	pCi/L	07/18/23 11:12	07/27/23 13:11	1
<i>Carrier</i>	%Yield	Qualifier	<i>Limits</i>					Prepared	Analyzed	Dil Fac
Ba Carrier	81.9		30 - 110					07/18/23 11:12	07/27/23 13:11	1
Y Carrier	79.3		30 - 110					07/18/23 11:12	07/27/23 13:11	1

Method: TAL-STL Ra226_Ra228 Pos - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium 226 and 228	0.828		0.517	0.521	5.00	0.768	pCi/L		08/09/23 15:06	1

Client Sample ID: MW-34

Date Collected: 06/27/23 11:10

Date Received: 06/30/23 09:00

Lab Sample ID: 810-68124-20

Matrix: Ground Water

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.357		0.125	0.129	1.00	0.113	pCi/L	07/18/23 11:01	08/09/23 07:42	1
<i>Carrier</i>	%Yield	Qualifier	<i>Limits</i>					Prepared	Analyzed	Dil Fac
Ba Carrier	91.0		30 - 110					07/18/23 11:01	08/09/23 07:42	1

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	2.44		0.762	0.794	1.00	0.954	pCi/L	07/18/23 11:12	07/27/23 13:11	1
<i>Carrier</i>	%Yield	Qualifier	<i>Limits</i>					Prepared	Analyzed	Dil Fac
Ba Carrier	91.0		30 - 110					07/18/23 11:12	07/27/23 13:11	1
Y Carrier	78.5		30 - 110					07/18/23 11:12	07/27/23 13:11	1

Method: TAL-STL Ra226_Ra228 Pos - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium 226 and 228	2.79		0.772	0.804	5.00	0.954	pCi/L		08/09/23 15:06	1

Eurofins Eaton Analytical South Bend

Client Sample Results

Client: Trace Analytical Laboratories
Project/Site: 23F1321 - Harbor Island

Job ID: 810-68124-1

Client Sample ID: MWT-12

Date Collected: 06/27/23 09:00

Date Received: 06/30/23 09:00

Lab Sample ID: 810-68124-21

Matrix: Ground Water

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.0612	U	0.0604	0.0606	1.00	0.0940	pCi/L	07/18/23 11:01	08/09/23 07:42	1
<i>Carrier</i>	%Yield	Qualifier	<i>Limits</i>					<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
Ba Carrier	94.7		30 - 110					07/18/23 11:01	08/09/23 07:42	1

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	0.312	U	0.312	0.313	1.00	0.501	pCi/L	07/18/23 11:12	07/27/23 13:13	1
<i>Carrier</i>	%Yield	Qualifier	<i>Limits</i>					<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
Ba Carrier	94.7		30 - 110					07/18/23 11:12	07/27/23 13:13	1
Y Carrier	83.4		30 - 110					07/18/23 11:12	07/27/23 13:13	1

Method: TAL-STL Ra226_Ra228 Pos - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium 226 and 228	0.373	U	0.318	0.319	5.00	0.501	pCi/L		08/09/23 15:06	1

Client Sample ID: MWT-30

Lab Sample ID: 810-68124-22

Date Collected: 06/27/23 13:40

Date Received: 06/30/23 09:00

Matrix: Ground Water

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.0528	U	0.0554	0.0556	1.00	0.0863	pCi/L	07/18/23 11:01	08/09/23 07:42	1
<i>Carrier</i>	%Yield	Qualifier	<i>Limits</i>					<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
Ba Carrier	95.2		30 - 110					07/18/23 11:01	08/09/23 07:42	1

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	0.224	U	0.277	0.278	1.00	0.459	pCi/L	07/18/23 11:12	07/27/23 13:13	1
<i>Carrier</i>	%Yield	Qualifier	<i>Limits</i>					<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
Ba Carrier	95.2		30 - 110					07/18/23 11:12	07/27/23 13:13	1
Y Carrier	84.9		30 - 110					07/18/23 11:12	07/27/23 13:13	1

Method: TAL-STL Ra226_Ra228 Pos - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium 226 and 228	0.276	U	0.282	0.284	5.00	0.459	pCi/L		08/09/23 15:06	1

Client Sample Results

Client: Trace Analytical Laboratories
 Project/Site: 23F1321 - Harbor Island

Job ID: 810-68124-1

Client Sample ID: SG-02

Date Collected: 06/28/23 13:35

Date Received: 06/30/23 09:00

Lab Sample ID: 810-68124-23

Matrix: Ground Water

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.456		0.141	0.146	1.00	0.129	pCi/L	07/18/23 11:01	08/09/23 07:42	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	69.6		30 - 110					07/18/23 11:01	08/09/23 07:42	1

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.981		0.542	0.549	1.00	0.777	pCi/L	07/18/23 11:12	07/27/23 13:13	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	69.6		30 - 110					07/18/23 11:12	07/27/23 13:13	1
Y Carrier	78.1		30 - 110					07/18/23 11:12	07/27/23 13:13	1

Method: TAL-STL Ra226_Ra228 Pos - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium 226 and 228	1.44		0.560	0.568	5.00	0.777	pCi/L		08/09/23 15:06	1

Client Sample ID: SG-03

Date Collected: 06/01/23 13:25

Date Received: 06/30/23 09:00

Lab Sample ID: 810-68124-24

Matrix: Ground Water

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.353		0.156	0.159	1.00	0.189	pCi/L	07/10/23 11:12	08/01/23 07:58	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	93.5		30 - 110					07/10/23 11:12	08/01/23 07:58	1

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.125	U	0.366	0.366	1.00	0.653	pCi/L	07/10/23 11:16	07/26/23 12:03	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	93.5		30 - 110					07/10/23 11:16	07/26/23 12:03	1
Y Carrier	88.6		30 - 110					07/10/23 11:16	07/26/23 12:03	1

Method: TAL-STL Ra226_Ra228 Pos - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium 226 and 228	0.478	U	0.398	0.399	5.00	0.653	pCi/L		08/01/23 14:56	1

Client Sample Results

Client: Trace Analytical Laboratories
Project/Site: 23F1321 - Harbor Island

Job ID: 810-68124-1

Client Sample ID: SG-04R

Date Collected: 06/28/23 13:10

Date Received: 06/30/23 09:00

Lab Sample ID: 810-68124-25

Matrix: Ground Water

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.233		0.127	0.129	1.00	0.151	pCi/L	07/18/23 11:01	08/09/23 07:43	1
Carrier										
Ba Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
	51.3		30 - 110					07/18/23 11:01	08/09/23 07:43	1

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	1.59		0.743	0.757	1.00	1.00	pCi/L	07/18/23 11:12	07/27/23 13:13	1
Carrier										
Ba Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
	51.3		30 - 110					07/18/23 11:12	07/27/23 13:13	1
Y Carrier			82.6	30 - 110				07/18/23 11:12	07/27/23 13:13	1

Method: TAL-STL Ra226_Ra228 Pos - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium 226 and 228	1.82		0.754	0.768	5.00	1.00	pCi/L		08/09/23 15:06	1

Client Sample ID: SG-05

Date Collected: 06/28/23 12:50

Date Received: 06/30/23 09:00

Lab Sample ID: 810-68124-26

Matrix: Ground Water

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.0660	U	0.0914	0.0915	1.00	0.154	pCi/L	07/18/23 11:01	08/09/23 07:47	1
Carrier										
Ba Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
	61.1		30 - 110					07/18/23 11:01	08/09/23 07:47	1

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.372	U	0.490	0.491	1.00	0.818	pCi/L	07/18/23 11:12	07/27/23 13:13	1
Carrier										
Ba Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
	61.1		30 - 110					07/18/23 11:12	07/27/23 13:13	1
Y Carrier			78.9	30 - 110				07/18/23 11:12	07/27/23 13:13	1

Method: TAL-STL Ra226_Ra228 Pos - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium 226 and 228	0.438	U	0.498	0.499	5.00	0.818	pCi/L		08/09/23 15:06	1

Action Limit Summary

Client: Trace Analytical Laboratories
Project/Site: 23F1321 - Harbor Island

Job ID: 810-68124-1

Client Sample ID: MW-01R

Lab Sample ID: 810-68124-1

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL Limit	RL	Method	Prep Type
Radium 226 and 228	0.601		pCi/L	5	5.00	Ra226_Ra228 Pos	Total/NA

Client Sample ID: MW-02

Lab Sample ID: 810-68124-2

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL Limit	RL	Method	Prep Type
Radium 226 and 228	1.67		pCi/L	5	5.00	Ra226_Ra228 Pos	Total/NA

Client Sample ID: MW-03

Lab Sample ID: 810-68124-3

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL Limit	RL	Method	Prep Type
Radium 226 and 228	1.26		pCi/L	5	5.00	Ra226_Ra228 Pos	Total/NA

Client Sample ID: MW-04

Lab Sample ID: 810-68124-4

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL Limit	RL	Method	Prep Type
Radium 226 and 228	1.20		pCi/L	5	5.00	Ra226_Ra228 Pos	Total/NA

Client Sample ID: MW-06

Lab Sample ID: 810-68124-5

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL Limit	RL	Method	Prep Type
Radium 226 and 228	0.824		pCi/L	5	5.00	Ra226_Ra228 Pos	Total/NA

Action Limit Summary

Client: Trace Analytical Laboratories
Project/Site: 23F1321 - Harbor Island

Job ID: 810-68124-1

Client Sample ID: MW-07

Lab Sample ID: 810-68124-6

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL Limit	RL	Method	Prep Type
Radium 226 and 228	0.474	U	pCi/L	5	5.00	Ra226_Ra228 Pos	Total/NA

Client Sample ID: MW-08

Lab Sample ID: 810-68124-7

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL Limit	RL	Method	Prep Type
Radium 226 and 228	0.343	U	pCi/L	5	5.00	Ra226_Ra228 Pos	Total/NA

Client Sample ID: MW-09

Lab Sample ID: 810-68124-8

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL Limit	RL	Method	Prep Type
Radium 226 and 228	0.000	U	pCi/L	5	5.00	Ra226_Ra228 Pos	Total/NA

Client Sample ID: MW-10

Lab Sample ID: 810-68124-9

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL Limit	RL	Method	Prep Type
Radium 226 and 228	0.326	U	pCi/L	5	5.00	Ra226_Ra228 Pos	Total/NA

Client Sample ID: MW-11

Lab Sample ID: 810-68124-10

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL Limit	RL	Method	Prep Type
Radium 226 and 228	0.970	U	pCi/L	5	5.00	Ra226_Ra228 Pos	Total/NA

Action Limit Summary

Client: Trace Analytical Laboratories
Project/Site: 23F1321 - Harbor Island

Job ID: 810-68124-1

Client Sample ID: MW-12

Lab Sample ID: 810-68124-11

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL Limit	RL	Method	Prep Type
Radium 226 and 228	0.0684	U	pCi/L	5	5.00	Ra226_Ra228 Pos	Total/NA

Client Sample ID: MW-18

Lab Sample ID: 810-68124-12

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL Limit	RL	Method	Prep Type
Radium 226 and 228	0.0782	U	pCi/L	5	5.00	Ra226_Ra228 Pos	Total/NA

Client Sample ID: MW-19

Lab Sample ID: 810-68124-13

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL Limit	RL	Method	Prep Type
Radium 226 and 228	0.130	U	pCi/L	5	5.00	Ra226_Ra228 Pos	Total/NA

Client Sample ID: MW-20

Lab Sample ID: 810-68124-14

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL Limit	RL	Method	Prep Type
Radium 226 and 228	0.0720	U	pCi/L	5	5.00	Ra226_Ra228 Pos	Total/NA

Client Sample ID: MW-27

Lab Sample ID: 810-68124-15

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL Limit	RL	Method	Prep Type
Radium 226 and 228	0.840		pCi/L	5	5.00	Ra226_Ra228 Pos	Total/NA

Action Limit Summary

Client: Trace Analytical Laboratories
Project/Site: 23F1321 - Harbor Island

Job ID: 810-68124-1

Client Sample ID: MW-30

Lab Sample ID: 810-68124-16

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL Limit	RL	Method	Prep Type
Radium 226 and 228	0.586		pCi/L	5	5.00	Ra226_Ra228 Pos	Total/NA

Client Sample ID: MW-31

Lab Sample ID: 810-68124-17

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL Limit	RL	Method	Prep Type
Radium 226 and 228	0.580		pCi/L	5	5.00	Ra226_Ra228 Pos	Total/NA

Client Sample ID: MW-32

Lab Sample ID: 810-68124-18

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL Limit	RL	Method	Prep Type
Radium 226 and 228	0.581	U	pCi/L	5	5.00	Ra226_Ra228 Pos	Total/NA

Client Sample ID: MW-33

Lab Sample ID: 810-68124-19

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL Limit	RL	Method	Prep Type
Radium 226 and 228	0.828		pCi/L	5	5.00	Ra226_Ra228 Pos	Total/NA

Client Sample ID: MW-34

Lab Sample ID: 810-68124-20

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL Limit	RL	Method	Prep Type
Radium 226 and 228	2.79		pCi/L	5	5.00	Ra226_Ra228 Pos	Total/NA

Action Limit Summary

Client: Trace Analytical Laboratories
Project/Site: 23F1321 - Harbor Island

Job ID: 810-68124-1

Client Sample ID: MWT-12

Lab Sample ID: 810-68124-21

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL Limit	RL	Method	Prep Type
Radium 226 and 228	0.373	U	pCi/L	5	5.00	Ra226_Ra228 Pos	Total/NA

Client Sample ID: MWT-30

Lab Sample ID: 810-68124-22

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL Limit	RL	Method	Prep Type
Radium 226 and 228	0.276	U	pCi/L	5	5.00	Ra226_Ra228 Pos	Total/NA

Client Sample ID: SG-02

Lab Sample ID: 810-68124-23

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL Limit	RL	Method	Prep Type
Radium 226 and 228	1.44		pCi/L	5	5.00	Ra226_Ra228 Pos	Total/NA

Client Sample ID: SG-03

Lab Sample ID: 810-68124-24

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL Limit	RL	Method	Prep Type
Radium 226 and 228	0.478	U	pCi/L	5	5.00	Ra226_Ra228 Pos	Total/NA

Client Sample ID: SG-04R

Lab Sample ID: 810-68124-25

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL Limit	RL	Method	Prep Type
Radium 226 and 228	1.82		pCi/L	5	5.00	Ra226_Ra228 Pos	Total/NA

Action Limit Summary

Client: Trace Analytical Laboratories
Project/Site: 23F1321 - Harbor Island

Job ID: 810-68124-1

Client Sample ID: SG-05

Lab Sample ID: 810-68124-26

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL Limit	RL	Method	Prep Type
Radium 226 and 228	0.438	U	pCi/L	5	5.00	Ra226_Ra228 Pos	Total/NA

Tracer/Carrier Summary

Client: Trace Analytical Laboratories
Project/Site: 23F1321 - Harbor Island

Job ID: 810-68124-1

Method: 903.0 - Radium-226 (GFPC)

Matrix: Drinking Water

Prep Type: Total/NA

Percent Yield (Acceptance Limits)

Lab Sample ID	Client Sample ID	Ba (30-110)
LCS 160-619283/2-A	Lab Control Sample	93.5
LCS 160-619466/2-A	Lab Control Sample	99.0
LCS 160-620620/2-A	Lab Control Sample	96.2
MB 160-619283/1-A	Method Blank	97.2
MB 160-619466/1-A	Method Blank	98.2
MB 160-620620/1-A	Method Blank	101

Tracer/Carrier Legend

Ba = Ba Carrier

Method: 903.0 - Radium-226 (GFPC)

Matrix: Ground Water

Prep Type: Total/NA

Percent Yield (Acceptance Limits)

Lab Sample ID	Client Sample ID	Ba (30-110)
810-68124-1	MW-01R	92.5
810-68124-2	MW-02	91.0
810-68124-3	MW-03	88.7
810-68124-4	MW-04	88.2
810-68124-5	MW-06	94.0
810-68124-6	MW-07	88.7
810-68124-7	MW-08	94.0
810-68124-8	MW-09	93.7
810-68124-9	MW-10	87.9
810-68124-10	MW-11	91.7
810-68124-11	MW-12	87.9
810-68124-12	MW-18	89.7
810-68124-13	MW-19	89.4
810-68124-14	MW-20	85.4
810-68124-15	MW-27	91.5
810-68124-16	MW-30	88.7
810-68124-17	MW-31	89.2
810-68124-18	MW-32	94.7
810-68124-19	MW-33	81.9
810-68124-20	MW-34	91.0
810-68124-21	MWT-12	94.7
810-68124-21 DU	MWT-12	90.2
810-68124-22	MWT-30	95.2
810-68124-23	SG-02	69.6
810-68124-24	SG-03	93.5
810-68124-25	SG-04R	51.3
810-68124-26	SG-05	61.1

Tracer/Carrier Legend

Ba = Ba Carrier

Tracer/Carrier Summary

Client: Trace Analytical Laboratories
 Project/Site: 23F1321 - Harbor Island

Job ID: 810-68124-1

Method: 904.0 - Radium-228 (GFPC)

Matrix: Drinking Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID			Percent Yield (Acceptance Limits)			
		Ba (30-110)	Y (30-110)				
LCS 160-619284/2-A	Lab Control Sample	93.5	85.2				
LCS 160-619467/2-A	Lab Control Sample	99.0	85.2				
LCS 160-620621/2-B	Lab Control Sample	96.2	86.4				
MB 160-619284/1-A	Method Blank	97.2	81.1				
MB 160-619467/1-A	Method Blank	98.2	81.5				
MB 160-620621/1-B	Method Blank	101	83.7				

Tracer/Carrier Legend

Ba = Ba Carrier

Y = Y Carrier

Method: 904.0 - Radium-228 (GFPC)

Matrix: Ground Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID			Percent Yield (Acceptance Limits)			
		Ba (30-110)	Y (30-110)				
810-68124-1	MW-01R	92.5	90.8				
810-68124-2	MW-02	91.0	90.1				
810-68124-3	MW-03	88.7	85.6				
810-68124-4	MW-04	88.2	86.0				
810-68124-5	MW-06	94.0	104				
810-68124-6	MW-07	88.7	88.6				
810-68124-7	MW-08	94.0	92.7				
810-68124-8	MW-09	93.7	83.7				
810-68124-9	MW-10	87.9	86.4				
810-68124-10	MW-11	91.7	42.6				
810-68124-11	MW-12	87.9	84.5				
810-68124-12	MW-18	89.7	60.2				
810-68124-13	MW-19	89.4	87.9				
810-68124-14	MW-20	85.4	86.7				
810-68124-15	MW-27	91.5	86.7				
810-68124-16	MW-30	88.7	78.1				
810-68124-17	MW-31	89.2	82.6				
810-68124-18	MW-32	94.7	79.3				
810-68124-19	MW-33	81.9	79.3				
810-68124-20	MW-34	91.0	78.5				
810-68124-21	MWT-12	94.7	83.4				
810-68124-21 DU	MWT-12	90.2	82.2				
810-68124-22	MWT-30	95.2	84.9				
810-68124-23	SG-02	69.6	78.1				
810-68124-24	SG-03	93.5	88.6				
810-68124-25	SG-04R	51.3	82.6				
810-68124-26	SG-05	61.1	78.9				

Tracer/Carrier Legend

Ba = Ba Carrier

Y = Y Carrier

QC Sample Results

Client: Trace Analytical Laboratories
Project/Site: 23F1321 - Harbor Island

Job ID: 810-68124-1

Method: 903.0 - Radium-226 (GFPC)

Lab Sample ID: MB 160-619283/1-A

Matrix: Drinking Water

Analysis Batch: 622151

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 619283

Analyte	Result	MB	MB	Count		Total		RL	MDC	Unit	Prepared	Analyzed	Dil Fac
				Uncert.	(2σ+/-)	Uncert.	(2σ+/-)						
Radium-226	0.01329	U	U	0.0562		0.0563		1.00	0.115	pCi/L	07/07/23 08:55	07/31/23 14:19	1
Carrier		MB	MB								Prepared	Analyzed	Dil Fac
Ba Carrier	97.2	%Yield	Qualifier	Limits	30 - 110						07/07/23 08:55	07/31/23 14:19	1

Lab Sample ID: LCS 160-619283/2-A

Matrix: Drinking Water

Analysis Batch: 622151

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 619283

Analyte	Result	Spike Added	LCS		Total		RL	MDC	Unit	%Rec	Limits	Dil Fac
			Result	Qual	Uncert.	(2σ+/-)						
Radium-226	11.3		9.982		1.08		1.00	0.113	pCi/L	88	80 - 120	
Carrier		LCS	LCS									
Ba Carrier	93.5	%Yield	Qualifier	Limits	30 - 110							

Lab Sample ID: MB 160-619466/1-A

Matrix: Drinking Water

Analysis Batch: 622360

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 619466

Analyte	Result	MB	MB	Count		Total		RL	MDC	Unit	Prepared	Analyzed	Dil Fac
				Uncert.	(2σ+/-)	Uncert.	(2σ+/-)						
Radium-226	0.0000	U	U	0.0477		0.0477		1.00	0.103	pCi/L	07/10/23 09:20	08/01/23 07:39	1
Carrier		MB	MB								Prepared	Analyzed	Dil Fac
Ba Carrier	98.2	%Yield	Qualifier	Limits	30 - 110						07/10/23 09:20	08/01/23 07:39	1

Lab Sample ID: LCS 160-619466/2-A

Matrix: Drinking Water

Analysis Batch: 622360

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 619466

Analyte	Result	Spike Added	LCS		Total		RL	MDC	Unit	%Rec	Limits	Dil Fac
			Result	Qual	Uncert.	(2σ+/-)						
Radium-226	11.3		11.05		1.16		1.00	0.108	pCi/L	98	80 - 120	
Carrier		LCS	LCS									
Ba Carrier	99.0	%Yield	Qualifier	Limits	30 - 110							

Lab Sample ID: MB 160-620620/1-A

Matrix: Drinking Water

Analysis Batch: 623571

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 620620

Analyte	Result	MB	MB	Count		Total		RL	MDC	Unit	Prepared	Analyzed	Dil Fac
				Uncert.	(2σ+/-)	Uncert.	(2σ+/-)						
Radium-226	0.003790	U	U	0.0418		0.0418		1.00	0.0858	pCi/L	07/18/23 11:01	08/09/23 07:38	1

QC Sample Results

Client: Trace Analytical Laboratories
Project/Site: 23F1321 - Harbor Island

Job ID: 810-68124-1

Method: 903.0 - Radium-226 (GFPC) (Continued)

Lab Sample ID: MB 160-620620/1-A

Matrix: Drinking Water

Analysis Batch: 623571

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 620620

Carrier	MB	MB	
	%Yield	Qualifier	Limits
Ba Carrier	101		30 - 110

Prepared 07/18/23 11:01 **Analyzed** 08/09/23 07:38 **Dil Fac** 1

Lab Sample ID: LCS 160-620620/2-A

Matrix: Drinking Water

Analysis Batch: 623571

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 620620

Analyte			Spike Added	LCS Result	LCS Qual	Total		Uncert. (2σ+/-)	RL	MDC	Unit	%Rec	Limits
	LCS	LCS				Uncert.	(2σ+/-)						
Radium-226			11.3	9.902		1.03		1.00		0.120	pCi/L	87	80 - 120
Carrier	LCS	LCS											
	%Yield	Qualifier		Limits									
Ba Carrier	96.2			30 - 110									

Lab Sample ID: 810-68124-21 DU

Matrix: Ground Water

Analysis Batch: 623571

Client Sample ID: MWT-12

Prep Type: Total/NA

Prep Batch: 620620

Analyte	Sample		DU		Total		Uncert. (2σ+/-)	RL	MDC	Unit	RER	Limit
	Result	Qual	Result	Qual	Uncert.	(2σ+/-)						
Radium-226	0.0612	U	0.1026		0.0665		1.00		0.0835	pCi/L	0.33	1
Carrier	DU		DU									
	%Yield	Qualifier		Limits								
Ba Carrier	90.2			30 - 110								

Method: 904.0 - Radium-228 (GFPC)

Lab Sample ID: MB 160-619284/1-A

Matrix: Drinking Water

Analysis Batch: 621719

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 619284

Analyte	MB		Count		Total		Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac		
	Result	MB	Qualifier	Uncert.	(2σ+/-)										
Radium-228	0.1032	U		0.246	0.246		0.246	1.00	0.439	pCi/L	07/07/23 08:58	07/26/23 12:04	1		
Carrier	MB		MB												
	%Yield	Qualifier		Limits									Prepared	Analyzed	Dil Fac
Ba Carrier	97.2			30 - 110									07/07/23 08:58	07/26/23 12:04	1
Y Carrier	81.1			30 - 110									07/07/23 08:58	07/26/23 12:04	1

Lab Sample ID: LCS 160-619284/2-A

Matrix: Drinking Water

Analysis Batch: 621719

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 619284

Analyte			Spike Added	LCS Result	LCS Qual	Total		Uncert. (2σ+/-)	RL	MDC	Unit	%Rec	Limits
	LCS	LCS				Uncert.	(2σ+/-)						
Radium-228			8.01	8.297		1.17		1.00		0.534	pCi/L	104	80 - 120

QC Sample Results

Client: Trace Analytical Laboratories
Project/Site: 23F1321 - Harbor Island

Job ID: 810-68124-1

Method: 904.0 - Radium-228 (GFPC) (Continued)

Lab Sample ID: LCS 160-619284/2-A

Matrix: Drinking Water

Analysis Batch: 621719

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 619284

Carrier	LCS	LCS	Limits
	%Yield	Qualifier	
Ba Carrier	93.5		30 - 110
Y Carrier	85.2		30 - 110

Lab Sample ID: MB 160-619467/1-A

Matrix: Drinking Water

Analysis Batch: 621778

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 619467

Analyte	MB		MB		Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
	Result	Qualifier	(2σ+/-)	(2σ+/-)								
Radium-228	0.7359		0.368	0.374	1.00	0.511	pCi/L	07/10/23 09:22	07/26/23 11:59	1		

Lab Sample ID: LCS 160-619467/2-A

Matrix: Drinking Water

Analysis Batch: 621778

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 619467

Analyte	Spike		LCS		Uncert. (2σ+/-)	Total	RL	MDC	Unit	%Rec	Limits	Dil Fac
	Added	Result	Result	Qual								
Radium-228	8.01	8.463	1.16	1.00	0.448	pCi/L	106	80 - 120				

Carrier %Yield Qualifier Limits

Ba Carrier	99.0		30 - 110
Y Carrier	85.2		30 - 110

Lab Sample ID: MB 160-620621/1-B

Matrix: Drinking Water

Analysis Batch: 621813

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 620621

Analyte	MB		MB		Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
	Result	Qualifier	(2σ+/-)	(2σ+/-)								
Radium-228	0.08436	U	0.278	0.278	1.00	0.497	pCi/L	07/18/23 11:12	07/27/23 13:10	1		

Carrier %Yield Qualifier Limits

Ba Carrier	101		30 - 110
Y Carrier	83.7		30 - 110

Lab Sample ID: LCS 160-620621/2-B

Matrix: Drinking Water

Analysis Batch: 621813

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 620621

Analyte	Spike		LCS		Uncert. (2σ+/-)	Total	RL	MDC	Unit	%Rec	Limits	Dil Fac
	Added	Result	Result	Qual								
Radium-228	8.01	8.616	1.18	1.00	0.446	pCi/L	108	80 - 120				

QC Sample Results

Client: Trace Analytical Laboratories
 Project/Site: 23F1321 - Harbor Island

Job ID: 810-68124-1

Method: 904.0 - Radium-228 (GFPC) (Continued)

Lab Sample ID: LCS 160-620621/2-B

Matrix: Drinking Water

Analysis Batch: 621813

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 620621

<i>Carrier</i>	<i>LCS</i>	<i>LCS</i>	<i>Limits</i>
	<i>%Yield</i>	<i>Qualifier</i>	
Ba Carrier	96.2		30 - 110
Y Carrier	86.4		30 - 110

Lab Sample ID: 810-68124-21 DU

Matrix: Ground Water

Analysis Batch: 621813

Client Sample ID: MWT-12
Prep Type: Total/NA
Prep Batch: 620621

<i>Analyte</i>	<i>Sample</i>	<i>Sample</i>	<i>DU</i>		<i>DU</i>		<i>Uncert.</i>	<i>Total</i>		<i>RER</i>	<i>Limit</i>
	<i>Result</i>	<i>Qual</i>	<i>Result</i>	<i>Qual</i>	<i>(2σ+/-)</i>	<i>RL</i>		<i>MDC</i>	<i>Unit</i>		
Radium-228	0.312	U	0.3802	U	0.364	1.00	0.579	pCi/L		0.10	1

<i>Carrier</i>	<i>DU</i>	<i>DU</i>	<i>Limits</i>
	<i>%Yield</i>	<i>Qualifier</i>	
Ba Carrier	90.2		30 - 110
Y Carrier	82.2		30 - 110

QC Association Summary

Client: Trace Analytical Laboratories
 Project/Site: 23F1321 - Harbor Island

Job ID: 810-68124-1

Rad

Prep Batch: 619283

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
810-68124-1	MW-01R	Total/NA	Ground Water	PrecSep-21	
810-68124-2	MW-02	Total/NA	Ground Water	PrecSep-21	
810-68124-3	MW-03	Total/NA	Ground Water	PrecSep-21	
810-68124-4	MW-04	Total/NA	Ground Water	PrecSep-21	
810-68124-5	MW-06	Total/NA	Ground Water	PrecSep-21	
810-68124-6	MW-07	Total/NA	Ground Water	PrecSep-21	
810-68124-7	MW-08	Total/NA	Ground Water	PrecSep-21	
810-68124-8	MW-09	Total/NA	Ground Water	PrecSep-21	
810-68124-9	MW-10	Total/NA	Ground Water	PrecSep-21	
810-68124-10	MW-11	Total/NA	Ground Water	PrecSep-21	
810-68124-11	MW-12	Total/NA	Ground Water	PrecSep-21	
810-68124-12	MW-18	Total/NA	Ground Water	PrecSep-21	
810-68124-13	MW-19	Total/NA	Ground Water	PrecSep-21	
810-68124-14	MW-20	Total/NA	Ground Water	PrecSep-21	
810-68124-15	MW-27	Total/NA	Ground Water	PrecSep-21	
MB 160-619283/1-A	Method Blank	Total/NA	Drinking Water	PrecSep-21	
LCS 160-619283/2-A	Lab Control Sample	Total/NA	Drinking Water	PrecSep-21	

Prep Batch: 619284

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
810-68124-1	MW-01R	Total/NA	Ground Water	PrecSep_0	
810-68124-2	MW-02	Total/NA	Ground Water	PrecSep_0	
810-68124-3	MW-03	Total/NA	Ground Water	PrecSep_0	
810-68124-4	MW-04	Total/NA	Ground Water	PrecSep_0	
810-68124-5	MW-06	Total/NA	Ground Water	PrecSep_0	
810-68124-6	MW-07	Total/NA	Ground Water	PrecSep_0	
810-68124-7	MW-08	Total/NA	Ground Water	PrecSep_0	
810-68124-8	MW-09	Total/NA	Ground Water	PrecSep_0	
810-68124-9	MW-10	Total/NA	Ground Water	PrecSep_0	
810-68124-10	MW-11	Total/NA	Ground Water	PrecSep_0	
810-68124-11	MW-12	Total/NA	Ground Water	PrecSep_0	
810-68124-12	MW-18	Total/NA	Ground Water	PrecSep_0	
810-68124-13	MW-19	Total/NA	Ground Water	PrecSep_0	
810-68124-14	MW-20	Total/NA	Ground Water	PrecSep_0	
810-68124-15	MW-27	Total/NA	Ground Water	PrecSep_0	
MB 160-619284/1-A	Method Blank	Total/NA	Drinking Water	PrecSep_0	
LCS 160-619284/2-A	Lab Control Sample	Total/NA	Drinking Water	PrecSep_0	

Prep Batch: 619466

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
810-68124-24	SG-03	Total/NA	Ground Water	PrecSep-21	
MB 160-619466/1-A	Method Blank	Total/NA	Drinking Water	PrecSep-21	
LCS 160-619466/2-A	Lab Control Sample	Total/NA	Drinking Water	PrecSep-21	

Prep Batch: 619467

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
810-68124-24	SG-03	Total/NA	Ground Water	PrecSep_0	
MB 160-619467/1-A	Method Blank	Total/NA	Drinking Water	PrecSep_0	
LCS 160-619467/2-A	Lab Control Sample	Total/NA	Drinking Water	PrecSep_0	

QC Association Summary

Client: Trace Analytical Laboratories
 Project/Site: 23F1321 - Harbor Island

Job ID: 810-68124-1

Rad

Prep Batch: 620620

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
810-68124-16	MW-30	Total/NA	Ground Water	PrecSep-21	
810-68124-17	MW-31	Total/NA	Ground Water	PrecSep-21	
810-68124-18	MW-32	Total/NA	Ground Water	PrecSep-21	
810-68124-19	MW-33	Total/NA	Ground Water	PrecSep-21	
810-68124-20	MW-34	Total/NA	Ground Water	PrecSep-21	
810-68124-21	MWT-12	Total/NA	Ground Water	PrecSep-21	
810-68124-22	MWT-30	Total/NA	Ground Water	PrecSep-21	
810-68124-23	SG-02	Total/NA	Ground Water	PrecSep-21	
810-68124-25	SG-04R	Total/NA	Ground Water	PrecSep-21	
810-68124-26	SG-05	Total/NA	Ground Water	PrecSep-21	
MB 160-620620/1-A	Method Blank	Total/NA	Drinking Water	PrecSep-21	
LCS 160-620620/2-A	Lab Control Sample	Total/NA	Drinking Water	PrecSep-21	
810-68124-21 DU	MWT-12	Total/NA	Ground Water	PrecSep-21	

Prep Batch: 620621

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
810-68124-16	MW-30	Total/NA	Ground Water	PrecSep_0	
810-68124-17	MW-31	Total/NA	Ground Water	PrecSep_0	
810-68124-18	MW-32	Total/NA	Ground Water	PrecSep_0	
810-68124-19	MW-33	Total/NA	Ground Water	PrecSep_0	
810-68124-20	MW-34	Total/NA	Ground Water	PrecSep_0	
810-68124-21	MWT-12	Total/NA	Ground Water	PrecSep_0	
810-68124-22	MWT-30	Total/NA	Ground Water	PrecSep_0	
810-68124-23	SG-02	Total/NA	Ground Water	PrecSep_0	
810-68124-25	SG-04R	Total/NA	Ground Water	PrecSep_0	
810-68124-26	SG-05	Total/NA	Ground Water	PrecSep_0	
MB 160-620621/1-B	Method Blank	Total/NA	Drinking Water	PrecSep_0	
LCS 160-620621/2-B	Lab Control Sample	Total/NA	Drinking Water	PrecSep_0	
810-68124-21 DU	MWT-12	Total/NA	Ground Water	PrecSep_0	

Lab Chronicle

Client: Trace Analytical Laboratories
 Project/Site: 23F1321 - Harbor Island

Job ID: 810-68124-1

Client Sample ID: MW-01R

Date Collected: 06/28/23 08:50

Date Received: 06/30/23 09:00

Lab Sample ID: 810-68124-1

Matrix: Ground Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	PrecSep-21			619283	SRH	EET SL	07/07/23 08:55
Total/NA	Analysis	903.0		1	622291	FLC	EET SL	07/31/23 14:28
Total/NA	Prep	PrecSep_0			619284	SRH	EET SL	07/07/23 08:58
Total/NA	Analysis	904.0		1	621777	FLC	EET SL	07/26/23 12:09
Total/NA	Analysis	Ra226_Ra228 Pos		1	623606	EMH	EET SL	08/09/23 15:06

Client Sample ID: MW-02

Date Collected: 06/27/23 16:05

Date Received: 06/30/23 09:00

Lab Sample ID: 810-68124-2

Matrix: Ground Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	PrecSep-21			619283	SRH	EET SL	07/07/23 08:55
Total/NA	Analysis	903.0		1	622291	FLC	EET SL	07/31/23 14:28
Total/NA	Prep	PrecSep_0			619284	SRH	EET SL	07/07/23 08:58
Total/NA	Analysis	904.0		1	621777	FLC	EET SL	07/26/23 12:09
Total/NA	Analysis	Ra226_Ra228 Pos		1	623606	EMH	EET SL	08/09/23 15:06

Client Sample ID: MW-03

Date Collected: 06/28/23 11:00

Date Received: 06/30/23 09:00

Lab Sample ID: 810-68124-3

Matrix: Ground Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	PrecSep-21			619283	SRH	EET SL	07/07/23 08:55
Total/NA	Analysis	903.0		1	622291	FLC	EET SL	07/31/23 14:28
Total/NA	Prep	PrecSep_0			619284	SRH	EET SL	07/07/23 08:58
Total/NA	Analysis	904.0		1	621777	FLC	EET SL	07/26/23 12:09
Total/NA	Analysis	Ra226_Ra228 Pos		1	623606	EMH	EET SL	08/09/23 15:06

Client Sample ID: MW-04

Date Collected: 06/28/23 09:55

Date Received: 06/30/23 09:00

Lab Sample ID: 810-68124-4

Matrix: Ground Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	PrecSep-21			619283	SRH	EET SL	07/07/23 08:55
Total/NA	Analysis	903.0		1	622291	FLC	EET SL	07/31/23 14:28
Total/NA	Prep	PrecSep_0			619284	SRH	EET SL	07/07/23 08:58
Total/NA	Analysis	904.0		1	621777	FLC	EET SL	07/26/23 12:09
Total/NA	Analysis	Ra226_Ra228 Pos		1	623606	EMH	EET SL	08/09/23 15:06

Lab Chronicle

Client: Trace Analytical Laboratories
 Project/Site: 23F1321 - Harbor Island

Job ID: 810-68124-1

Client Sample ID: MW-06

Date Collected: 06/28/23 12:00

Date Received: 06/30/23 09:00

Lab Sample ID: 810-68124-5

Matrix: Ground Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	PrecSep-21			619283	SRH	EET SL	07/07/23 08:55
Total/NA	Analysis	903.0		1	622293	FLC	EET SL	07/31/23 14:28
Total/NA	Prep	PrecSep_0			619284	SRH	EET SL	07/07/23 08:58
Total/NA	Analysis	904.0		1	621779	FLC	EET SL	07/26/23 12:12
Total/NA	Analysis	Ra226_Ra228 Pos		1	623606	EMH	EET SL	08/09/23 15:06

Client Sample ID: MW-07

Date Collected: 06/27/23 12:00

Date Received: 06/30/23 09:00

Lab Sample ID: 810-68124-6

Matrix: Ground Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	PrecSep-21			619283	SRH	EET SL	07/07/23 08:55
Total/NA	Analysis	903.0		1	622293	FLC	EET SL	07/31/23 14:29
Total/NA	Prep	PrecSep_0			619284	SRH	EET SL	07/07/23 08:58
Total/NA	Analysis	904.0		1	621779	FLC	EET SL	07/26/23 12:12
Total/NA	Analysis	Ra226_Ra228 Pos		1	623606	EMH	EET SL	08/09/23 15:06

Client Sample ID: MW-08

Date Collected: 06/27/23 17:20

Date Received: 06/30/23 09:00

Lab Sample ID: 810-68124-7

Matrix: Ground Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	PrecSep-21			619283	SRH	EET SL	07/07/23 08:55
Total/NA	Analysis	903.0		1	622293	FLC	EET SL	07/31/23 14:29
Total/NA	Prep	PrecSep_0			619284	SRH	EET SL	07/07/23 08:58
Total/NA	Analysis	904.0		1	621779	FLC	EET SL	07/26/23 12:12
Total/NA	Analysis	Ra226_Ra228 Pos		1	623606	EMH	EET SL	08/09/23 15:06

Client Sample ID: MW-09

Date Collected: 06/27/23 14:45

Date Received: 06/30/23 09:00

Lab Sample ID: 810-68124-8

Matrix: Ground Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	PrecSep-21			619283	SRH	EET SL	07/07/23 08:55
Total/NA	Analysis	903.0		1	622293	FLC	EET SL	07/31/23 14:29
Total/NA	Prep	PrecSep_0			619284	SRH	EET SL	07/07/23 08:58
Total/NA	Analysis	904.0		1	621779	FLC	EET SL	07/26/23 12:12
Total/NA	Analysis	Ra226_Ra228 Pos		1	623606	EMH	EET SL	08/09/23 15:06

Lab Chronicle

Client: Trace Analytical Laboratories
 Project/Site: 23F1321 - Harbor Island

Job ID: 810-68124-1

Client Sample ID: MW-10

Date Collected: 06/27/23 17:30

Date Received: 06/30/23 09:00

Lab Sample ID: 810-68124-9

Matrix: Ground Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	PrecSep-21			619283	SRH	EET SL	07/07/23 08:55
Total/NA	Analysis	903.0		1	622293	FLC	EET SL	07/31/23 14:29
Total/NA	Prep	PrecSep_0			619284	SRH	EET SL	07/07/23 08:58
Total/NA	Analysis	904.0		1	621779	FLC	EET SL	07/26/23 12:12
Total/NA	Analysis	Ra226_Ra228 Pos		1	623606	EMH	EET SL	08/09/23 15:06

Client Sample ID: MW-11

Date Collected: 06/28/23 12:10

Date Received: 06/30/23 09:00

Lab Sample ID: 810-68124-10

Matrix: Ground Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	PrecSep-21			619283	SRH	EET SL	07/07/23 08:55
Total/NA	Analysis	903.0		1	622293	FLC	EET SL	07/31/23 14:29
Total/NA	Prep	PrecSep_0			619284	SRH	EET SL	07/07/23 08:58
Total/NA	Analysis	904.0		1	621779	FLC	EET SL	07/26/23 12:12
Total/NA	Analysis	Ra226_Ra228 Pos		1	623606	EMH	EET SL	08/09/23 15:06

Client Sample ID: MW-12

Date Collected: 06/27/23 09:00

Date Received: 06/30/23 09:00

Lab Sample ID: 810-68124-11

Matrix: Ground Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	PrecSep-21			619283	SRH	EET SL	07/07/23 08:55
Total/NA	Analysis	903.0		1	622151	FLC	EET SL	07/31/23 15:58
Total/NA	Prep	PrecSep_0			619284	SRH	EET SL	07/07/23 08:58
Total/NA	Analysis	904.0		1	621779	FLC	EET SL	07/26/23 12:12
Total/NA	Analysis	Ra226_Ra228 Pos		1	623606	EMH	EET SL	08/09/23 15:06

Client Sample ID: MW-18

Date Collected: 06/27/23 11:00

Date Received: 06/30/23 09:00

Lab Sample ID: 810-68124-12

Matrix: Ground Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	PrecSep-21			619283	SRH	EET SL	07/07/23 08:55
Total/NA	Analysis	903.0		1	622151	FLC	EET SL	07/31/23 15:58
Total/NA	Prep	PrecSep_0			619284	SRH	EET SL	07/07/23 08:58
Total/NA	Analysis	904.0		1	621779	FLC	EET SL	07/26/23 12:13
Total/NA	Analysis	Ra226_Ra228 Pos		1	623606	EMH	EET SL	08/09/23 15:06

Lab Chronicle

Client: Trace Analytical Laboratories
 Project/Site: 23F1321 - Harbor Island

Job ID: 810-68124-1

Client Sample ID: MW-19

Date Collected: 06/28/23 10:30

Date Received: 06/30/23 09:00

Lab Sample ID: 810-68124-13

Matrix: Ground Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	PrecSep-21			619283	SRH	EET SL	07/07/23 08:55
Total/NA	Analysis	903.0		1	622151	FLC	EET SL	07/31/23 15:59
Total/NA	Prep	PrecSep_0			619284	SRH	EET SL	07/07/23 08:58
Total/NA	Analysis	904.0		1	621779	FLC	EET SL	07/26/23 12:13
Total/NA	Analysis	Ra226_Ra228 Pos		1	623606	EMH	EET SL	08/09/23 15:06

Client Sample ID: MW-20

Date Collected: 06/28/23 09:00

Date Received: 06/30/23 09:00

Lab Sample ID: 810-68124-14

Matrix: Ground Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	PrecSep-21			619283	SRH	EET SL	07/07/23 08:55
Total/NA	Analysis	903.0		1	622151	FLC	EET SL	07/31/23 15:59
Total/NA	Prep	PrecSep_0			619284	SRH	EET SL	07/07/23 08:58
Total/NA	Analysis	904.0		1	621779	FLC	EET SL	07/26/23 12:13
Total/NA	Analysis	Ra226_Ra228 Pos		1	623606	EMH	EET SL	08/09/23 15:06

Client Sample ID: MW-27

Date Collected: 06/27/23 12:05

Date Received: 06/30/23 09:00

Lab Sample ID: 810-68124-15

Matrix: Ground Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	PrecSep-21			619283	SRH	EET SL	07/07/23 08:55
Total/NA	Analysis	903.0		1	622151	FLC	EET SL	07/31/23 15:59
Total/NA	Prep	PrecSep_0			619284	SRH	EET SL	07/07/23 08:58
Total/NA	Analysis	904.0		1	621779	FLC	EET SL	07/26/23 12:13
Total/NA	Analysis	Ra226_Ra228 Pos		1	623606	EMH	EET SL	08/09/23 15:06

Client Sample ID: MW-30

Date Collected: 06/27/23 13:40

Date Received: 06/30/23 09:00

Lab Sample ID: 810-68124-16

Matrix: Ground Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	PrecSep-21			620620	BMP	EET SL	07/18/23 11:01
Total/NA	Analysis	903.0		1	623571	FLC	EET SL	08/09/23 07:40
Total/NA	Prep	PrecSep_0			620621	BMP	EET SL	07/18/23 11:12
Total/NA	Analysis	904.0		1	621813	FLC	EET SL	07/27/23 13:10
Total/NA	Analysis	Ra226_Ra228 Pos		1	623606	EMH	EET SL	08/09/23 15:06

Lab Chronicle

Client: Trace Analytical Laboratories
 Project/Site: 23F1321 - Harbor Island

Job ID: 810-68124-1

Client Sample ID: MW-31

Date Collected: 06/27/23 14:30

Date Received: 06/30/23 09:00

Lab Sample ID: 810-68124-17

Matrix: Ground Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	PrecSep-21			620620	BMP	EET SL	07/18/23 11:01
Total/NA	Analysis	903.0		1	623571	FLC	EET SL	08/09/23 07:40
Total/NA	Prep	PrecSep_0			620621	BMP	EET SL	07/18/23 11:12
Total/NA	Analysis	904.0		1	621813	FLC	EET SL	07/27/23 13:10
Total/NA	Analysis	Ra226_Ra228 Pos		1	623606	EMH	EET SL	08/09/23 15:06

Client Sample ID: MW-32

Date Collected: 06/27/23 15:40

Date Received: 06/30/23 09:00

Lab Sample ID: 810-68124-18

Matrix: Ground Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	PrecSep-21			620620	BMP	EET SL	07/18/23 11:01
Total/NA	Analysis	903.0		1	623571	FLC	EET SL	08/09/23 07:40
Total/NA	Prep	PrecSep_0			620621	BMP	EET SL	07/18/23 11:12
Total/NA	Analysis	904.0		1	621813	FLC	EET SL	07/27/23 13:10
Total/NA	Analysis	Ra226_Ra228 Pos		1	623606	EMH	EET SL	08/09/23 15:06

Client Sample ID: MW-33

Date Collected: 06/27/23 10:25

Date Received: 06/30/23 09:00

Lab Sample ID: 810-68124-19

Matrix: Ground Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	PrecSep-21			620620	BMP	EET SL	07/18/23 11:01
Total/NA	Analysis	903.0		1	623571	FLC	EET SL	08/09/23 07:40
Total/NA	Prep	PrecSep_0			620621	BMP	EET SL	07/18/23 11:12
Total/NA	Analysis	904.0		1	621813	FLC	EET SL	07/27/23 13:11
Total/NA	Analysis	Ra226_Ra228 Pos		1	623606	EMH	EET SL	08/09/23 15:06

Client Sample ID: MW-34

Date Collected: 06/27/23 11:10

Date Received: 06/30/23 09:00

Lab Sample ID: 810-68124-20

Matrix: Ground Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	PrecSep-21			620620	BMP	EET SL	07/18/23 11:01
Total/NA	Analysis	903.0		1	623571	FLC	EET SL	08/09/23 07:42
Total/NA	Prep	PrecSep_0			620621	BMP	EET SL	07/18/23 11:12
Total/NA	Analysis	904.0		1	621813	FLC	EET SL	07/27/23 13:11
Total/NA	Analysis	Ra226_Ra228 Pos		1	623606	EMH	EET SL	08/09/23 15:06

Lab Chronicle

Client: Trace Analytical Laboratories
 Project/Site: 23F1321 - Harbor Island

Job ID: 810-68124-1

Client Sample ID: MWT-12

Date Collected: 06/27/23 09:00

Date Received: 06/30/23 09:00

Lab Sample ID: 810-68124-21

Matrix: Ground Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	PrecSep-21			620620	BMP	EET SL	07/18/23 11:01
Total/NA	Analysis	903.0		1	623571	FLC	EET SL	08/09/23 07:42
Total/NA	Prep	PrecSep_0			620621	BMP	EET SL	07/18/23 11:12
Total/NA	Analysis	904.0		1	621813	FLC	EET SL	07/27/23 13:13
Total/NA	Analysis	Ra226_Ra228 Pos		1	623606	EMH	EET SL	08/09/23 15:06

Client Sample ID: MWT-30

Date Collected: 06/27/23 13:40

Date Received: 06/30/23 09:00

Lab Sample ID: 810-68124-22

Matrix: Ground Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	PrecSep-21			620620	BMP	EET SL	07/18/23 11:01
Total/NA	Analysis	903.0		1	623571	FLC	EET SL	08/09/23 07:42
Total/NA	Prep	PrecSep_0			620621	BMP	EET SL	07/18/23 11:12
Total/NA	Analysis	904.0		1	621813	FLC	EET SL	07/27/23 13:13
Total/NA	Analysis	Ra226_Ra228 Pos		1	623606	EMH	EET SL	08/09/23 15:06

Client Sample ID: SG-02

Date Collected: 06/28/23 13:35

Date Received: 06/30/23 09:00

Lab Sample ID: 810-68124-23

Matrix: Ground Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	PrecSep-21			620620	BMP	EET SL	07/18/23 11:01
Total/NA	Analysis	903.0		1	623571	FLC	EET SL	08/09/23 07:42
Total/NA	Prep	PrecSep_0			620621	BMP	EET SL	07/18/23 11:12
Total/NA	Analysis	904.0		1	621813	FLC	EET SL	07/27/23 13:13
Total/NA	Analysis	Ra226_Ra228 Pos		1	623606	EMH	EET SL	08/09/23 15:06

Client Sample ID: SG-03

Date Collected: 06/01/23 13:25

Date Received: 06/30/23 09:00

Lab Sample ID: 810-68124-24

Matrix: Ground Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	PrecSep-21			619466	KAC	EET SL	07/10/23 11:12
Total/NA	Analysis	903.0		1	622368	FLC	EET SL	08/01/23 07:58
Total/NA	Prep	PrecSep_0			619467	KAC	EET SL	07/10/23 11:16
Total/NA	Analysis	904.0		1	621719	FLC	EET SL	07/26/23 12:03
Total/NA	Analysis	Ra226_Ra228 Pos		1	622501	SCB	EET SL	08/01/23 14:56

Lab Chronicle

Client: Trace Analytical Laboratories
Project/Site: 23F1321 - Harbor Island

Job ID: 810-68124-1

Client Sample ID: SG-04R

Date Collected: 06/28/23 13:10

Date Received: 06/30/23 09:00

Lab Sample ID: 810-68124-25

Matrix: Ground Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	PrecSep-21			620620	BMP	EET SL	07/18/23 11:01
Total/NA	Analysis	903.0		1	623571	FLC	EET SL	08/09/23 07:43
Total/NA	Prep	PrecSep_0			620621	BMP	EET SL	07/18/23 11:12
Total/NA	Analysis	904.0		1	621813	FLC	EET SL	07/27/23 13:13
Total/NA	Analysis	Ra226_Ra228 Pos		1	623606	EMH	EET SL	08/09/23 15:06

Client Sample ID: SG-05

Date Collected: 06/28/23 12:50

Date Received: 06/30/23 09:00

Lab Sample ID: 810-68124-26

Matrix: Ground Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	PrecSep-21			620620	BMP	EET SL	07/18/23 11:01
Total/NA	Analysis	903.0		1	623585	FLC	EET SL	08/09/23 07:47
Total/NA	Prep	PrecSep_0			620621	BMP	EET SL	07/18/23 11:12
Total/NA	Analysis	904.0		1	621813	FLC	EET SL	07/27/23 13:13
Total/NA	Analysis	Ra226_Ra228 Pos		1	623606	EMH	EET SL	08/09/23 15:06

Laboratory References:

EET SL = Eurofins St. Louis, 13715 Rider Trail North, Earth City, MO 63045, TEL (314)298-8566

Accreditation/Certification Summary

Client: Trace Analytical Laboratories
 Project/Site: 23F1321 - Harbor Island

Job ID: 810-68124-1

Laboratory: Eurofins St. Louis

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Alaska (UST)	State	20-001	05-06-25
ANAB	Dept. of Defense ELAP	L2305	04-06-25
ANAB	Dept. of Energy	L2305.01	04-06-25
ANAB	ISO/IEC 17025	L2305	04-06-25
Arizona	State	AZ0813	12-08-23
California	Los Angeles County Sanitation Districts	10259	06-30-22 *
California	State	2886	06-30-23 *
Connecticut	State	PH-0241	03-31-25
Florida	NELAP	E87689	06-30-24
HI - RadChem Recognition	State	n/a	06-30-24
Illinois	NELAP	200023	11-30-23
Iowa	State	373	12-01-24
Kansas	NELAP	E-10236	10-31-23
Kentucky (DW)	State	KY90125	12-31-23
Kentucky (WW)	State	KY90125 (Permit KY0004049)	12-31-23
Louisiana	NELAP	04080	06-30-22 *
Louisiana (All)	NELAP	04080	06-30-24
Louisiana (DW)	State	LA011	12-31-23
Maryland	State	310	09-30-24
Massachusetts	State	M-MO054	06-30-24
MI - RadChem Recognition	State	9005	06-30-24
Missouri	State	780	06-30-25
Nevada	State	MO000542020-1	08-31-23
New Jersey	NELAP	MO002	06-30-24
New Mexico	State	MO00054	06-30-24
New York	NELAP	11616	03-31-24
North Carolina (DW)	State	29700	07-31-24
North Dakota	State	R-207	06-30-23 *
Oklahoma	NELAP	9997	08-31-23
Oregon	NELAP	4157	09-01-23
Pennsylvania	NELAP	68-00540	02-28-24
South Carolina	State	85002001	06-30-23 *
Texas	NELAP	T104704193	07-31-24
US Fish & Wildlife	US Federal Programs	058448	07-31-24
USDA	US Federal Programs	P330-17-00028	05-18-26
Utah	NELAP	MO000542021-14	07-31-23 *
Virginia	NELAP	10310	06-15-25
Washington	State	C592	08-30-23
West Virginia DEP	State	381	10-31-23

* Accreditation/Certification renewal pending - accreditation/certification considered valid.

Method Summary

Client: Trace Analytical Laboratories
Project/Site: 23F1321 - Harbor Island

Job ID: 810-68124-1

Method	Method Description	Protocol	Laboratory
903.0	Radium-226 (GFPC)	EPA	EET SL
904.0	Radium-228 (GFPC)	EPA	EET SL
Ra226_Ra228	Combined Radium-226 and Radium-228	TAL-STL	EET SL
Pos			
PrecSep_0	Preparation, Precipitate Separation	None	EET SL
PrecSep-21	Preparation, Precipitate Separation (21-Day In-Growth)	None	EET SL

Protocol References:

EPA = US Environmental Protection Agency

None = None

TAL-STL = TestAmerica Laboratories, St. Louis, Facility Standard Operating Procedure.

Laboratory References:

EET SL = Eurofins St. Louis, 13715 Rider Trail North, Earth City, MO 63045, TEL (314)298-8566

Sample Summary

Client: Trace Analytical Laboratories
Project/Site: 23F1321 - Harbor Island

Job ID: 810-68124-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
810-68124-1	MW-01R	Ground Water	06/28/23 08:50	06/30/23 09:00
810-68124-2	MW-02	Ground Water	06/27/23 16:05	06/30/23 09:00
810-68124-3	MW-03	Ground Water	06/28/23 11:00	06/30/23 09:00
810-68124-4	MW-04	Ground Water	06/28/23 09:55	06/30/23 09:00
810-68124-5	MW-06	Ground Water	06/28/23 12:00	06/30/23 09:00
810-68124-6	MW-07	Ground Water	06/27/23 12:00	06/30/23 09:00
810-68124-7	MW-08	Ground Water	06/27/23 17:20	06/30/23 09:00
810-68124-8	MW-09	Ground Water	06/27/23 14:45	06/30/23 09:00
810-68124-9	MW-10	Ground Water	06/27/23 17:30	06/30/23 09:00
810-68124-10	MW-11	Ground Water	06/28/23 12:10	06/30/23 09:00
810-68124-11	MW-12	Ground Water	06/27/23 09:00	06/30/23 09:00
810-68124-12	MW-18	Ground Water	06/27/23 11:00	06/30/23 09:00
810-68124-13	MW-19	Ground Water	06/28/23 10:30	06/30/23 09:00
810-68124-14	MW-20	Ground Water	06/28/23 09:00	06/30/23 09:00
810-68124-15	MW-27	Ground Water	06/27/23 12:05	06/30/23 09:00
810-68124-16	MW-30	Ground Water	06/27/23 13:40	06/30/23 09:00
810-68124-17	MW-31	Ground Water	06/27/23 14:30	06/30/23 09:00
810-68124-18	MW-32	Ground Water	06/27/23 15:40	06/30/23 09:00
810-68124-19	MW-33	Ground Water	06/27/23 10:25	06/30/23 09:00
810-68124-20	MW-34	Ground Water	06/27/23 11:10	06/30/23 09:00
810-68124-21	MWT-12	Ground Water	06/27/23 09:00	06/30/23 09:00
810-68124-22	MWT-30	Ground Water	06/27/23 13:40	06/30/23 09:00
810-68124-23	SG-02	Ground Water	06/28/23 13:35	06/30/23 09:00
810-68124-24	SG-03	Ground Water	06/01/23 13:25	06/30/23 09:00
810-68124-25	SG-04R	Ground Water	06/28/23 13:10	06/30/23 09:00
810-68124-26	SG-05	Ground Water	06/28/23 12:50	06/30/23 09:00

REAGENT TRACEABILITY SUMMARY

Lab Name: Eurofins St. Louis

Job No.: 810-68124-1

SDG No.:

Reagent ID	Exp Date	Prep Date	Dilutant Used	Reagent Final Volume	Parent Reagent		Analyte	Concentration		
					Reagent ID	Volume Added				
Ba carrier_00132	05/04/24	05/25/23	DI Water, Lot N/A	1000 mL	BaCl2_00011	39.5518 g	Ba Carrier	39.5518 mg/mL		
					Nitric Acid 01898	5 mL	Barium Chloride	39.5518 mg/mL		
	.BaCl2_00011	05/05/28	Acros Organics (Fisher), Lot A0427481		(Purchased Reagent)		Nitric acid	0.08 mg/mL		
.Nitric Acid 01898	05/24/24		Fisher Chemical, Lot 22845		(Purchased Reagent)		Ba Carrier	100 %		
							Barium Chloride	100 %		
							Nitric acid	16 mol/L		
Ra-226_00022	12/06/19	08/24/16	1M HNO3, Lot n/a	100 mL			Ra	7534.61 dpm/mL		
					Ra-226_00021	5.0595 g	Radium-226	7534.61 dpm/mL		
							Rn-222	7534.61 dpm/mL		
							Total Alpha Emitting Radium Isotopes	7534.61 dpm/mL		
.Ra-226_00021	09/01/53	NIST, Lot 4967A			(Purchased Reagent)		Radium-226	2482 Bq/g		
							Rn-222	2482 Bq/g		
							Total Alpha Emitting Radium Isotopes	2482 Bq/g		
Ra-226_00025							Gross Alpha			
							Gross Beta			
					Ra-226_00024	4.9774 g	Ra	8409.79 dpm/mL		
							Radium-226	8409.79 dpm/mL		
							Rn-222	8409.79 dpm/mL		
.Ra-226_00024	12/05/66	Eckert & Ziegler, Lot 104858			(Purchased Reagent)		Total Alpha Emitting Radium Isotopes	8409.79 dpm/mL		
							Ra	2815.99 Bq/g		
							Radium-226	2815.99 Bq/g		
							Rn-222	2815.99 Bq/g		
Ra-226_00041	09/15/23	09/15/22	0.1M HCl, Lot N/A	500 mL	Ra-226_00025	15 mL	Total Alpha Emitting Radium Isotopes	2815.99 Bq/g		
							Ra	252.294 dpm/mL		
							Radium-226	252.294 dpm/mL		
							Rn-222	252.294 dpm/mL		
.Ra-226_00025	09/18/22	12/08/16	0.1M HCl, Lot N/A	100 mL	Ra-226_00024	4.9774 g	Ra	8409.79 dpm/mL		
							Radium-226	8409.79 dpm/mL		
							Rn-222	8409.79 dpm/mL		

REAGENT TRACEABILITY SUMMARY

Lab Name: Eurofins St. Louis

Job No.: 810-68124-1

SDG No.: _____

Reagent ID	Exp Date	Prep Date	Dilutant Used	Reagent Final Volume	Parent Reagent		Analyte	Concentration			
					Reagent ID	Volume Added					
..Ra-226_00024	12/05/66	Eckert & Ziegler, Lot 104858			(Purchased Reagent)		Total Alpha Emitting Radium Isotopes	8409.79 dpm/mL			
							Ra	2815.99 Bq/g			
							Radium-226	2815.99 Bq/g			
							Rn-222	2815.99 Bq/g			
							Total Alpha Emitting Radium Isotopes	2815.99 Bq/g			
Ra-228_00051	10/03/23	10/03/22	0.1M HCl, Lot N/A	1 L	Ra-228_00050	5.00238 g	Radium-228	20.496 dpm/mL			
.Ra-228_00050	10/03/23	Eckert & Ziegler, Lot 121695			(Purchased Reagent)		Radium-228	68.2874 Bq/g			
Sr-90_00004	09/17/59	06/21/11	0.1M HCL, Lot 0	100 mL	Sr-90_00001	5.0139 g	Gross Beta	45120.6 dpm/mL			
							Sr	22560.3 dpm/mL			
							Sr-90	22560.3 dpm/mL			
.Sr-90_00001	09/17/59	Eckert & Ziegler, Lot 80573-334			(Purchased Reagent)		Gross Beta	14998.5 Bq/g			
							Sr	7499.25 Bq/g			
							Sr-90	7499.25 Bq/g			
Sr-90_00018					Sr-90_00017	4.9997 g	Gross Alpha				
							Gross Beta	44774.2 dpm/mL			
							Sr-90	22387.1 dpm/mL			
.Sr-90_00017	11/29/62	Analytics, Lot 92352			(Purchased Reagent)		Gross Beta	14925.6 Bq/g			
							Sr-90	7462.82 Bq/g			
Th-230_00052	11/12/22	11/15/19	0.5 M HNO3, Lot n/a	100 mL	Th-230_00051	5.0493 g	Gross Alpha	2254.57 dpm/mL			
							Th-230	2254.57 dpm/mL			
.Th-230_00051	11/15/20	Eckect & Ziegler, Lot 114474			(Purchased Reagent)		Gross Alpha	744.187 Bq/g			
							Th-230	744.187 Bq/g			
Th-230_00056					Th-230_00054	5.0402 g	Gross Beta				
							Gross Alpha	2289.58 dpm/mL			
							Th-230	2289.58 dpm/mL			
.Th-230_00054	11/15/20	Eckect & Ziegler, Lot 114475			(Purchased Reagent)		Gross Alpha	757.106 Bq/g			
							Th-230	757.106 Bq/g			
Y Carrier 00086	07/06/24	CPI, Lot 2315059-1L			(Purchased Reagent)		Y Carrier	10000 mg/L			

Reagent

Ba carrier_00132

Standardization of Carrier

#	Tare Wght (g)	Gross Wght (g)	Net Wght (g)	Z Score
1	8.7862	8.8265	0.0403	1.3355
2	8.8555	8.8950	0.0395	0.7324
3	8.8724	8.9124	0.0400	0.5601
4	8.8617	8.9016	0.0399	0.3016
5	8.8551	8.8949	0.0398	0.0431
6	8.8333	8.8725	0.0392	1.5078

Average: 0.0398 Standardized value

StDev: 0.0004

StDev %: 0.97%

Carrier Reagent ID: Ba Carrier_00132

ID from TALS or lot number

Record the Reagent IDs of all chemicals used to create this carrier in the spaces below.

Reagent ID: Sulfuric Acid - 2419003

Reagent ID:

Reagent ID:

Reagent ID:

Reagent ID:

Reagent ID:

Reagent ID:

SOP Reference: ST-RC-0002, ST-RC-0041

SOP reference containing prep procedure must be documented

Minimum Criteria:

- Z Score must be within 3 sigma (2.58) and no more than one score outside of 2 sigma (1.96)
- 4 points required
- Any criteria stipulated in the above referenced SOP must be satisfied in addition.

Carrier: 0

Standardized Value: 0.0398

Carrier Reagent or Lot ID: Ba Carrier_00132

Approved By:

Date Approved: 5/26/2023

Reagent

Ra-226_00021



National Institute of Standards & Technology

Certificate

Standard Reference Material® 4967A

Radium-226 Radioactivity Standard

This Standard Reference Material (SRM) consists of a solution of a standardized and certified quantity of radioactive radium-226 in a suitably stable and homogeneous matrix. It is intended primarily for the calibration of instruments that are used to measure radioactivity and for the monitoring of radiochemical procedures. A unit of SRM 4967A consists of approximately 5 mL of a hydrochloric acid and barium chloride solution, whose composition is specified in Table 1 and 2, contained in a flame-sealed borosilicate-glass ampoule [1].

The certified radium-226 massic activity value, at a Reference Time of 1200 EST, 01 September 2003, is:

$$(2482 \pm 30) \text{ Bq}\cdot\text{g}^{-1}$$

A NIST certified value, as used within the context of this certificate, is a value for which NIST has the highest confidence in its uncertainty assessment. It is a "measurement result" [2] obtained directly or indirectly from a "primary reference measurement procedure" [3]. The certified value is traceable to the derived SI unit, becquerel (Bq).

Additional physical, chemical, and radiological properties for this SRM, as well as details on the standardization method, are given in Table 1 and 2. Uncertainties for the certified quantities are expanded ($k = 2$). The uncertainties are calculated according to the ISO and NIST Guides [4,5]. Table 3 contains a specification of the components that comprise the uncertainty analyses.

Expiration of Certification: The certification of SRM 4967A is valid indefinitely, within the measurement uncertainty specified, provided that the SRM is handled and stored properly and that no evaporation or change in composition has occurred. The solution matrix, in an unopened ampoule, is homogeneous and stable within its half-life-dependent useful lifetime provided the SRM is handled in accordance with instructions given in this certificate (see "Instructions for Handling and Storage"). Periodic recertification of this SRM is not required. The certification is nullified if the SRM is damaged, contaminated, or otherwise modified.

Maintenance of Certification: NIST will monitor this SRM over the period of its certification. If substantive technical changes occur that affect the certification, NIST will notify the purchaser. Registration (see attached sheet) will facilitate notification.

Radiological and chemical hazard: Consult the Safety Data Sheet (SDS), enclosed with the SRM shipment, for radiological and chemical hazard information.

This SRM was prepared in the NIST Physical Measurement Laboratory, Radiation Physics Division, under the direction of M.P. Unterweger, Group Leader of the Radioactivity Group. The overall production, technical direction, and physical measurement leading to certification were provided by R. Collé and P. Volkovitsky of the NIST Radiation Physics Division, Radioactivity Group. Statistical consultation was provided by S.D. Leigh of the NIST Statistical Engineering Division.

Support aspects involved in the issuance of this SRM were coordinated through the NIST Office of Reference Materials.

Lisa R. Karam, Chief
Radiation Physics Division

Gaithersburg, Maryland 20899
Certificate Issue Date: 03 September 2013
See Certificate Revision History on Last Page

Robert L. Watters, Jr., Director
Office of Reference Materials

Table 3. Uncertainty Evaluation for the Massic Activity of SRM 4967A

Uncertainty component		Assessment Type ^(a)	Relative standard uncertainty contribution on massic activity of ^{226}Ra (%)
1	Calibration of the “1947 (1967 recalibrated) series” of radium-226 solution standards in terms of mass of radium-226 ^(b)	B	0.34
2	Ratio of the mass of radium-226 in SRM 4967A to the mass of radium-226 in the “1947 (1967 recalibrated) series” of radium-226 solution standards. Weighted mean of the ratios obtained using seven different comparisons.	B	0.15
3	Corrections for the decay of radium-226. Standard uncertainty of the radium-226 half-life.	A	0.007
4	Gravimetric measurements	B	0.10
5	Conversion of radium-226 mass to activity. Standard uncertainty of the radium-226 half-life. ^(c)	A	0.44
6	Photon emitting impurities. Limit of detection.	B	0.01
Relative combined standard uncertainty			0.6
Relative expanded uncertainty ($k = 2$)			1.2

^(a) Letter A denotes evaluation by statistical methods; B denotes evaluation by other methods.

^(b) For further details on NBS/NIST radium series calibrations refer to reference [8]. The 1967 recalibrations of the “1947 series” and of the “1957 series” were made using pressurized “ 4π ” γ ionization chamber (PIC) “A”. The master solution for SRM 4967A was directly compared with the “1947 (1967 recalibrated) series” of radium-226 solution standards using PIC “A”, and was compared with the solutions of the “1992 series” of radium solution standards (SRM 4967) using PIC “A”, pulse-ionization-chamber radon analyses (see references [9] and [10]), and germanium photon spectrometry. The radium-226 in SRM 4967A was chemically purified approximately 55 years from the reference time. The lead-210 and its daughter radionuclides are still not in equilibrium as of the 2013 certificate issue date.

^(c) The U.S National Standards for radium-226 are certified in terms of mass of radium-226, as were all radium-226 SRMs prior to the “1992 series”. Beginning with “1992 series”, radium-226 solution SRMs are now certified in terms of the massic activity of radium-226. The relative standard uncertainty of the activity of radium-226 per unit mass of radium-226 is determined by the relative standard uncertainty of λ (i.e., of the half-life). The relative standard uncertainties of the atomic weight of radium-226 and of Avogadro’s number are negligible.

Table 1. Certified Massic Activity of SRM 4967A

Radionuclide	Radium-226
Reference time	1200 EST, 01 September 2003
Massic activity of the solution	2482 Bq·g ⁻¹
Relative expanded uncertainty (<i>k</i> = 2)	1.20 %

Table 2. Uncertified Information of SRM 4967A

Source description	Liquid in a flame-sealed 5 mL borosilicate-glass ampoule [1]
Solution composition	1.0 mol·L ⁻¹ HCl with 80µg of BaCl ₂ per gram of solution
Solution density	(1.017 ± 0.002) g·mL ⁻¹ at 21 °C ^(a)
Solution mass	(5.086 ± 0.003) g ^(a)
Photon-Emitting Impurities	None detected ^(b)
Half-lives used	²²⁶ Ra: (1600 ± 7) a [6] ^(c) ²²² Ra: (3.8235 ± 0.0003) d [7] ^(c)
Calibration methods (and instruments)	Gravimetric dilution of SRM 4963, confirmed by comparison with solution standards, and derivatives thereof, from the NBS/NIST “1947 (1967 recalibrated) series” of radium-226 solution standards. The mass of radium-226 in these solution standards had previously been determined by comparison with the U.S. National Standards for radium-226. Conversion from mass of radium-226 to activity of radium-226 was done using the half-life of radium-226 shown above. ^(d)

^(a) The stated uncertainty is two times the standard uncertainty. See reference 5.

^(b) The estimated lower limits of detection for photon-emitting impurities, as of September 2003, expressed as massic photon mission rate, are:

- $6 \times 10^0 \text{ s}^{-1} \cdot \text{g}^{-1}$ for energies between 22 keV and 182 keV,
- $3 \times 10^0 \text{ s}^{-1} \cdot \text{g}^{-1}$ for energies between 190 keV and 347 keV,
- $8 \times 10^{-1} \text{ s}^{-1} \cdot \text{g}^{-1}$ for energies between 356 keV and 1455 keV, and
- $3 \times 10^{-1} \text{ s}^{-1} \cdot \text{g}^{-1}$ for energies between 1465 keV and 2750 keV,

provided that the photons are separated in energy by 4 keV or more from photons emitted in the decay of ²²⁶Ra and progeny.

^(c) The stated uncertainty is the standard uncertainty. See reference 5.

^(d) For further details on NBS/NIST radium series calibrations refer to reference [8]. The 1967 recalibrations of the “1947 series” and of the “1957 series” were made using pressurized “4π”γ ionization chamber (PIC) “A”. The master solution for SRM 4967A was directly compared with the “1947 (1967 recalibrated) series” of radium-226 solution standards using PIC “A”, and was compared with the solutions of the “1992 series” of radium solution standards (SRM 4967) using PIC “A”, pulse-ionization-chamber radon analyses (see references [9] and [10]), and germanium photon spectrometry. The radium-226 in SRM 4967A was chemically purified approximately 55 years from the reference time. The lead-210 and its daughter radionuclides are still not in equilibrium as of the 2013 certificate issue date.

INSTRUCTIONS FOR HANDLING AND STORAGE

Handling: If the ampoule is transported, it should be packed, marked, labeled, and shipped in accordance with the applicable national, international, and carrier regulations. The solution in the ampoule is a dangerous good (hazardous material) because of both the radioactivity and the strong acid. Only persons qualified to handle both radioactive material and alkaline and/or acidic solutions should open the ampoule. To minimize personnel exposure, appropriate shielding and/or distance should be used. Refer to the SDS for further information.

Storage: SRM 4967A should be stored and used at a temperature between 5 °C and 65 °C. The ampoule (or any subsequent container) should always be clearly marked as containing radioactive material.

REFERENCES

- [1] NIST Physical Measurement Laboratory; *Storage and Handling of Radioactive Standard Reference Materials, Ampoule Specifications and Opening Procedure*, available at <http://www.nist.gov/pml/div682/grp04/srm.cfm> (accessed Sep 2013). Note: This SRM is contained in a generic borosilicate-glass ampoule and not in the standard NIST ampoule.
- [2] JCGM 200:2012; *International Vocabulary of Metrology - Basic and General Concepts and Associated Terms (VIM)* (2008 version with Minor Corrections), 3rd edition; Joint Committee for Guides in Metrology: BIPM, Sevres Cedex, France; p. 19 (2012); available at http://www.bipm.org/utils/common/documents/jcgm/JCGM_200_2012.pdf (accessed Sep 2013).
- [3] JCGM 200:2012; *International Vocabulary of Metrology - Basic and General Concepts and Associated Terms (VIM)* (2008 version with Minor Corrections), 3rd edition; Joint Committee for Guides in Metrology: BIPM, Sevres Cedex, France; p. 18 (2012); available at http://www.bipm.org/utils/common/documents/jcgm/JCGM_200_2012.pdf (accessed Sep 2013).
- [4] JCGM 100:2008; *Guide to the Expression of Uncertainty in Measurement*; (GUM 1995 with Minor Corrections), Joint Committee for Guides in Metrology: BIPM, Sevres Cedex, France (2008); available at http://www.bipm.org/utils/common/documents/jcgm/JCGM_100_2008_E.pdf (accessed Sep 2013).
- [5] Taylor, B.N.; Kuyatt, C.E.; *Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Results*; NIST Technical Note 1297, U.S. Government Printing Office: Washington, DC (1994); available at <http://www.nist.gov/pml/pubs/index.cfm> (accessed Sep 2013).
- [6] Chisté, V.; Bé, M.M.; *January 2007, ²²⁶Ra*; LNE-LNHB/CEA Table of Radionuclides, available at http://www.nucleide.org/DDEP_WG/Nuclides/Ra-226_tables.pdf (accessed Sep 2013).
- [7] Chisté, V.; Bé, M.M.; *July 2010, ²²²Rn*; LNE-LNHB/CEA Table of Radionuclides, available at http://www.nucleide.org/DDEP_WG/Nuclides/Rn-222_tables.pdf (accessed Sep 2013).
- [8] Mann, W.B.; Stockman, L.L.; Youden, W.J.; Schwebel, A.; Mullen, P.A.; Garfinkel, S.B.; Preparation of New Solution Standards of Radium, *Journal of Research of the National Bureau of Standards* 62 (1959) 21-26.
- [9] Collé, R.; Hutchinson, J.M.R.; Unterweger, M.P.; The NIST Primary Radon-222 Measurement System, *Journal of Research of the National Institute of Standards and Technology* 95 (1990) 155-165.
- [10] Hutchinson J.M.R.; Cessna, J.; Collé R.; Hodge P.; An International Radon-In-Air Measurement Intercomparison Using a New Transfer Standard, *Applied Radiation Isotopes* 43 (1992) 175-189.

Certificate Revision History: September 2013 (Text and expiration date revised); December 2004 (Original certification date).

Users of this SRM should ensure that the Certificate in their possession is current. This can be accomplished by contacting the SRM Program: telephone (301) 975-2200; fax (301) 948-3730; e-mail srminfo@nist.gov; or via the Internet at <http://www.nist.gov/srm>.

Reagent

Ra-226_00024



1380 Seaboard Industrial Blvd.
Atlanta, Georgia 30318
Tel 404-352-8677
Fax 404-352-2837
www.ezag.com

CERTIFICATE OF CALIBRATION

Standard Reference Source

SRS Number: 104858

Source Description: 5 mL Liquid in Flame Sealed Vial

Product Code: 8226

Customer: TestAmerica St. Louis

P.O. Number: 2665998, Item 1

This standard radionuclide source was prepared gravimetrically from a master solution calibrated by Eckert & Ziegler Analytics (EZA) using a germanium gamma-ray spectrometer system. Radionuclide purity and calibration were checked by germanium gamma-ray spectrometry, liquid scintillation counting, and/or alpha spectrometry, as applicable. The nuclear decay rate and reference date for this source are given below. EZA maintains traceability to the National Institute of Standards and Technology (NIST) through a Measurements Assurance Program as described in USNRC Regulatory Guide 4.15, Revision 2, July 2007, and compliance with ANSI N42.22-1995, "Traceability of Radioactive Sources to NIST."

Reference Date: 05-December-2016 12:00 PM EST

Isotope	Half-Life, d	Activity, Bq	Uncertainty			Calibration Method**
			u_A , %	u_B , %	U , %*	
Ra-226	5.844E+05	1.408E+04	1.0	2.1	4.7	HPGe

*Uncertainty: U - Relative expanded uncertainty, $k = 2$. See NIST Technical Note 1297, "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Results." **Calibration Methods: 4π LS - 4π Liquid Scintillation Counting, HPGe - High Purity Germanium Gamma-Ray Spectrometer, IC - Ionization Chamber.

(Certificate continued on reverse side)

SRS Number: 104858

Comments:

5.00002 g 0.1 M HCl solution with approximately 30 µg/g Ba carrier.

Impurities:

γ-impurities (other than decay products) < 0.1%

This source was wipe tested in its inactive areas with leak test results < 185 Bq (5 nCi) of removable activity per ISO 9978:1992.

Source Prepared by: 
Z. Dimitrova, Radiochemist

QC Approved by: 
J. Iaht, Spectroscopist

Date: 05-DEC-16

Reagent

Ra-226_00025

SRS Number: 104858


Comments:

5.00002 g 0.1 M HCl solution with approximately 30 µg/g Ba carrier.

Impurities:

γ-impurities (other than decay products) < 0.1%

This source was wipe tested in its inactive areas with leak test results < 185 Bq (5 nCi) of removable activity per ISO 9978:1992.

Source Prepared by: 
Z. Dimitrova, Radiochemist

QC Approved by: 
J. Lahr, Spectroscopist

Date: 05-DEC-16



Eckert & Ziegler

Analytics

1380 Seaboard Industrial Blvd.
Atlanta, Georgia 30318
Tel 404-352-8677
Fax 404-352-2837
www.ezag.com

CERTIFICATE OF CALIBRATION

Standard Reference Source

SRS Number: 104858

Source Description: 5 mL Liquid in Flame Sealed Vial

Product Code: 8226

Customer: TestAmerica St. Louis

P.O. Number: 2665998, Item 1

This standard radionuclide source was prepared gravimetrically from a master solution calibrated by Eckert & Ziegler Analytics (EZA) using a germanium gamma-ray spectrometer system. Radionuclide purity and calibration were checked by germanium gamma-ray spectrometry, liquid scintillation counting, and/or alpha spectrometry, as applicable. The nuclear decay rate and reference date for this source are given below. EZA maintains traceability to the National Institute of Standards and Technology (NIST) through a Measurements Assurance Program as described in USNRC Regulatory Guide 4.15, Revision 2, July 2007, and compliance with ANSI N42.22-1995, "Traceability of Radioactive Sources to NIST."

Reference Date: 05-December-2016 12:00 PM EST

Isotope	Half-Life, d	Activity, Bq	Uncertainty			Calibration Method**
			u_A , %	u_B , %	U , %*	
Ra-226	5.844E+05	1.408E+04	1.0	2.1	4.7	HPGe

*Uncertainty: U - Relative expanded uncertainty, $k = 2$. See NIST Technical Note 1297, "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Results." **Calibration Methods: 4π LS - 4π Liquid Scintillation Counting, HPGe - High Purity Germanium Gamma-Ray Spectrometer, IC - Ionization Chamber.

(Certificate continued on reverse side)

Reagent

Ra-226_00041

Standard ID Number: Ra-226_00041 (2309057/2309056)
True Value = 113650 pCi/L or g
Date Analyzed: 9/15/2022

Radionuclide:

Ra-226

Replicates	
#1	<u>107700</u> pCi/L or g
#2	<u>110200</u> pCi/L or g
#3	<u>105600</u> pCi/L or g

Mean = 107833.331 sigma = 2302.89671.96 sigma = 4513.678

True Value minus 10% = 102285
True Value plus 10% = 125015

(True Value - 10%)
(True Value + 10%)

Accuracy:Mean value within 10% of Certified (True) Value? Yes (Acceptance Criteria)**Precision:**1.96 sigma Value Within 10% of Mean Value? Yes (Acceptance Criteria)

Standard Reverification Acceptable?

Yes1st Reviewed By/Date: Michael Koninkinger 9/15/20222nd Reviewed By/Date: Laura C. Beusen 9/16/22

MANUAL DATA ENTRY REQUIRED AT INSTRUMENT? (circle one) YES NO
If YES, data entry MUST be 2nd reviewed

1st Reviewed By/Date: _____

2nd Reviewed By/Date: _____



Reagent ID: Ra-226_00039

Description:	Ra-226 Spike	Expiration Date:	09/18/2022
No. of Bottles:	2	Laboratory:	Eurofins St. Louis
Storage Location:	RAD Separations Reagents - Rm 131	Prepared By:	Mazariegos, Chelsea M
Reagent Volume:	500.000 mL	Solvent:	0.1M HCl
Creation Date:	09/16/2021	Solvent Lot:	N/A
Open Date:			
Container(s):	2131808, 2131809		
Comment:	standard split into (2) 250 mL bottles		

Reagent Analyte Information

Analyte	Source ID	Source Exp. Date	Source Conc.	Source Conc. Units	Final Conc.	Final Conc. Units
Ra	Ra-226_00025	09/18/2022	8409.78500	dpm/mL	252.29356	dpm/mL
Ra-226	Ra-226_00025	09/18/2022	8409.78500	dpm/mL	252.29356	dpm/mL
Rn-222	Ra-226_00025	09/18/2022	8409.78500	dpm/mL	252.29356	dpm/mL
Total Alpha Emitting Radium Isotopes	Ra-226_00025	09/18/2022	8409.78500	dpm/mL	252.29356	dpm/mL

Source Reagents

Reagent	Description	Type	Expiration	Vendor	Vendor Lot #	Vendor Cat Lot #	Volume Used	Volume Units
Ra-226_00025	Ra-226 Parent		09/18/22				15.00000	mL

Decay Calculations**Raw Sample/Standard Information**

Initial Date/Time (t_0):	12/5/2022 0:00		
Decayto Date/Time (t):	9/15/22 0:00		
Initial Activity (A_0):	252.29	dpm	
Initial Aliquot:	1	mL	
Initial Conc:	252.29	dpm/mL	
*Soln. Density:		g/mL	
Nuclide:	Ra-226		
Half-Life (days):	584400	decay days	
**Decay Factor:	1.0001	-81.00	-0.00014
Decay Corr Activity:	2.5231E+02	dpm	
Decay Corr Conc:	2.5231E+02	dpm/mL	

Conversion/Calculations

Final Activity Unit:	pCi
Activity Unit Factor:	0.45045
Final Volume Unit:	L
Volume Unit Factor:	0.001
Final Concentration:	1.1365E+05 pCi/L
Allquot Volume:	1.0000E+00 L
Final Activity (A):	1.1365E+05 pCi

****** Uses basic decay equation: $A = A_0 * \exp(-\ln(2)*(t-t_0)/(half-life))$

***** Soln. Density to be used when converting from liquid expressed in mass (g) units to liquid units (mL), and is only applied in that case.

Analysis Report for Total Alpha-Emitting Radium

Batch: 581978

Operator:

SampID	WRKNO	Analyte	T _b	Aliquot	Ba Mass	Ba Yield	Trunc Yield	Ingrowth Ba Precip Time	InstID	Eff	Cal Time	Cut Date Time	Sigma	
			T _b	C ₁	C _b	CPMs _b	CPMs _d	Activity	UncTotal	MDA	DLC	MOQ		
160-46998-A-2-B	160-46998-A-2-B	Total Alpha Emitting	100.00	1000.00	0.1000mL	0.0385	96.11%	False	1.0149 9 / 15 / 22 11:30	Rad13	0.1937	2	9 / 15 / 22 10:49	1.00
160-46998-A-3-B	160-46998-A-3-B	Total Alpha Emitting	100.00	1000.00	0.1000mL	0.0395	96.11%	False	1.077E+005pCiL	5.137E+003	7.052E+003	3.423E+003	1.917E+003	7061.9826
160-46998-B-1-B	160-46998-B-1-B	Total Alpha Emitting	100.00	1000.00	0.1000mL	0.0377	97.52%	False	1.0150 9 / 15 / 22 11:30	Rad14	0.1920	2	9 / 15 / 22 10:49	1.00
		Total Alpha Emitting	100.00	1000.00	0.1000mL	0.0377	97.52%	False	1.02E+005pCiL	5.145E+003	7.146E+003	3.302E+003	1.840E+003	7145.9155
									1.0149 9 / 15 / 22 11:30	Rad10	0.1953	2	9 / 15 / 22 10:49	1.00
									5.088E+003	6.963E+003	2.951E+003	1.578E+003	6962.8945	

Laboratory Control Sample Information

SampID	WRKNO	Analyte	Activity	StdAdded	Recovery	LCL	UCL	ZFactor
					%			

Sample Duplicate Information


SampID	SamplDID	Analyte	Activity	DupActivity	RFD	RER	DER	ZFactor

Matrix Spike Information

SampID	SamplMSID	WRKNO	Analyte	Activity	MSActivity	StdAdded	Recovery	ZFactor

Blanks Information

SampID	WRKNO	Analyte	Activity	UncTotal



eurofins

Radium-226 Standard Verification

Std #: Ra-226_00039 (2131809)
Activity: 252.2935552dpm/mL
Reference Date: 12/05/2016

Ver#	D.I. H2O	Barium Carrier mL	Ra-226 Spike mL	18M Sulfuric mL	EDTA mL	Ammonium Sulfate mL	Acetic Acid mL
Ra-226 00039	N/A	2179499	2131809	2285368	2291818	2291233	2300893
1	10	1	0.1	1	15	1	2
2	10	1	0.1	1	15	1	2
3	10	1	0.1	1	15	1	2

In a clean centrifuge tube add the following:

- 10mL D.I.
- 0.1mL Radium-226 standard
- 1mL Barium Carrier
- 1mL 18M Sulfuric Acid

Heat in hot bath for 30mins **agitate every 10 mins**

Centrifuge/Decant and wash with 10mL D.I. H2O

Dissolve in 15mL EDTA

Add 1mL Ammonium Sulfate and 2mL Acetic Acid

Heat in hot bath for 30mins **agitate every 10 mins**

Centrifuge/Decant and wash with 10mL D.I. H2O

Plate with minimal D.I. H2O onto a tared planchet

Prepared by: Micha Korrinhizer
Date: 9/15/2022

PrecSep_0 Analysis Sheet

(To Accompany Samples to Instruments)

Batch Number: 160-581978

Analyst: Kortinizer, Micha L

Batch Open: 9/13/2022 5:11:00PM
Batch End: 9/13/2022 6:00:00PM

Preparation, Precipitate Separation

Input Sample Lab ID (Analytical Method)	SDG (Job #)	Matrix	Initial Amount	Final Amount	Due Date	Analytical TAT	DIV Rank	Comments 38% / 15122	Output Sample Lab ID
160-46998-B-1 (903.0_TAR)	N/A (160-46998-1)	Water	0.1 mL		10/7/22	18_Days	4	Ra-226_00039 VERIFICATION	10 169 - 46998 - B - 1 - B
160-46998-A-2 (903.0_TAR)	N/A (160-46998-1)	Water	0.1 mL		10/7/22	18_Days	4	Ra-226_00039 VERIFICATION	13 169 - 46998 - A - 2 - B
160-46998-A-3 (903.0_TAR)	N/A (160-46998-1)	Water	0.1 mL		10/7/22	18_Days	4	Ra-226_00039 VERIFICATION	14 169 - 46998 - A - 3 - B


Reagent

Ra-228_00050



Kalibrierschein / Calibration Certificate

erstellt durch das Kalibrierlaboratorium
issued by the calibration laboratory



Eckert & Ziegler Analytics, Inc.
1380 Seaboard Industrial Blvd.
Atlanta, GA 30318, USA
Tel 1-404-352-8677
Fax 1-404-352-2837

002018
D-K-19023-01-00
2022-05

Kalibrierzeichen
Calibration mark

Gegenstand <i>Object</i>	5 mL Liquid in 5 mL Flame Sealed Ampoule	Dieser Kalibrierschein dokumentiert die metrologische Rückführbarkeit auf nationale Normale zur Darstellung der Einheiten in Übereinstimmung mit dem Internationalen Einheitensystem (SI). Die DAkkS ist Unterzeichner der multilateralen Übereinkommen der European co-operation for Accreditation (EA) und der International Laboratory Accreditation Cooperation (ILAC) zur gegenseitigen Anerkennung der Kalibrierscheine. Für die Einhaltung einer angemessenen Frist zur Wiederholung der Kalibrierung ist der Benutzer verantwortlich.
Hersteller <i>Manufacturer</i>	Eckert & Ziegler Analytics, Inc.	<i>This calibration certificate documents the metrological traceability to national standards, which realize the units of measurement according to the International System of Units (SI).</i>
Typ <i>Type</i>	8328-5FSA-370BQ-D	<i>The DAkkS is signatory to the multilateral agreements of the European co-operation for Accreditation (EA) and of the International Laboratory Accreditation Cooperation (ILAC) for the mutual recognition of calibration certificates. The user is obliged to have the object recalibrated at appropriate intervals.</i>
Serien-Nr. <i>Serial number</i>	121695	
Auftraggeber <i>Customer</i>	Test America Laboratories- St. Louis	
Auftragsnummer <i>Order No.</i>	CO-053651	
Anzahl der Seiten des Kalibrierscheines <i>Number of pages of the certificate</i>	2	
Datum der Kalibrierung <i>Date of calibration</i>	31-May-2022 1200 EST (1700 UTC)	

Dieser Kalibrierschein darf nur vollständig und unverändert weiterverbreitet werden. Auszüge oder Änderungen bedürfen der Genehmigung des ausstellenden Kalibrierlaboratoriums. Kalibrierscheine sind bei Nennung des für die Freigabe Verantwortlichen in Klarschrift auch ohne Unterschrift gültig.

This calibration certificate may not be reproduced other than in full except with the permission of the issuing laboratory. Calibration certificates with the full name of the approval responsible person are valid without signature.

Datum der Ausstellung <i>Date of issue</i>	Freigabe des Kalibrierschelns durch <i>Approval of the certificate of calibration by</i>
26-May-22	Levan Tkavadze

L. Tk

002018
D-K-
19023-01-00

2022-05

- **Customer Purchase Order No.:**
GamCred001, Item 1

- **Calibration Results:**

Nuclide	Half-Life *, d	Activity, Bq	Uncertainty, %	Calibration Method
Ra-228	2.100E+03	3.416E+02	4.9	HPGe

- **Calibration Method(s):**

This standard radionuclide source was prepared gravimetrically from a master solution calibrated by Eckert & Ziegler Analytics using a germanium gamma-ray spectrometer system (HPGe).

- **Uncertainty:**

The uncertainty stated is the expanded uncertainty obtained by multiplying the standard uncertainty by the coverage factor $k = 2$. It has been determined in accordance with EA-4/02 M. The value of the measurand lies within the assigned range of values with a probability of approximately 95%. See NIST Technical Note 1297, "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Results."

- **Traceability:**

Eckert & Ziegler Analytics (EZA) maintains traceability to the National Institute of Standards and Technology through a Measurements Assurance Program as described in USNRC Regulatory Guide 4.15, Revision 2, July 2007, and compliance with ANSI N42.22-1995, "Traceability of Radioactive Sources to NIST."

- **Impurities:**

α -impurities: Ra-226 6.5E+00 Bq, other α -impurities (other than decay products) < 0.1 %
 γ -impurities (other than decay products) < 0.1 %

- **Expiration Date:**

No expiration date has been given for this source.

- **Wipe Test *:**

This source was wipe tested in its inactive areas with leak test results < 185 Bq (5 nCi) of removable activity per ISO 9978:1992.

- **Additional Information:**

- 5.00238 g of 0.1 M HCl solution with approximately 30 μ g/g Ba carrier.
- Separation date: 01-March-2018
- *Values not calibrated by EZA (i.e. published nuclear data, uncertified values, etc.)
- Date of Calibration corresponds to Reference Date for this source.
- Expiration Date refers to useful life of this source.

End of Certificate

Reagent

Ra-228_00051

Standard ID Number:
True Value =
Date Analyzed:

Ra-228	00051
8.2961	pCi/L or g
4/10/2023	

Radionuclide:
Ra-228

Replicates		
#1	9.38	pCi/L or g
#2	8.232	pCi/L or g
#3	8.417	pCi/L or g
#4	8.393	pCi/L or g
#5	8.94	pCi/L or g
#6	8.425	pCi/L or g

Mean = 8.63116667

1 sigma = 0.43830556

1.96 sigma = 0.859079

True Value minus 5% = 7.881295
True Value plus 5% = 8.710905

(True Value - 5%)
(True Value + 5%)

Accuracy:

Mean value within 5% of Certified (True) Value?

Yes _____ (Acceptance Criteria)

Precision:

1.96 sigma Value Within 10% of Mean Value?

Yes _____ (Acceptance Criteria)

Standard Reverification Acceptable?

Yes _____

1st Reviewed By/Date: Michael Konings 4/11/2023

2nd Reviewed By/Date: Sarah Beusen 4/11/23

MANUAL DATA ENTRY REQUIRED AT INSTRUMENT? (circle one) YES NO
If YES, data entry MUST be 2nd reviewed

1st Reviewed By/Date: _____

2nd Reviewed By/Date: _____

Decay Calculations**Raw Sample/Standard Information**

Initial Date/Time (t_0):	5/21/2022 0:00		
Decayto Date/Time (t):	4/10/23 0:00		
Initial Activity (A_0):	20.50 dpm		
Initial Aliquot:	1 mL		
Initial Conc:	20.49597 dpm/mL		
*Soln. Density:	1 g/mL		
Nuclide:	Ra-228		
Half-Life (days):	2100.1875	decay days	fraction
**Decay Factor:	0.8986	324.00	0.15427
Decay Corr Activity:	1.8417E+01 dpm		
Decay Corr Conc:	1.8417E+01 dpm/mL		

Conversion/Calculations

Final Activity Unit:	pCi
Activity Unit Factor:	0.45045
Final Volume Unit:	mL
Volume Unit Factor:	1.000
Final Concentration:	8.2961E+00 pCi/mL
Aliquot Volume:	1.0000E+00 mL
Final Activity (A):	8.2961E+00 pCi

** Uses basic decay equation: $A = A_0 * \exp(-\ln(2)*(t-t_0)/(half-life))$

* Soln. Density to be used when converting from liquid expressed in mass (g) units to liquid units (mL), and is only applied in that case.

Analysis Report for Radium 228
Batch: 606428

Operator:

<u>SampID</u>	<u>WRKNO</u>	<u>Aliquot</u>	<u>TruncYieldS</u>	<u>BaYield</u>	<u>Yield</u>	<u>InstrID</u>	<u>Eff</u>	<u>YIngrowth Time</u>	<u>YPrecip Time</u>	<u>CountDate Time</u>	<u>Sigma</u>	<u>CalType</u>
	<u>Analyte</u>	<u>SampCntID</u>	<u>BkgCntrDur</u>	<u>SampCnt</u>	<u>BkgCnt</u>	<u>Activity</u>	<u>UncCount</u>	<u>UncTotal</u>	<u>MDA</u>	<u>DLC</u>	<u>MOQ</u>	
160-46998-A-2-E	160-46998-A-2-E	1600.000mL	False	90.89%	84.11%	Orange17	0.4404	4/7/23 14:00	4/10/23 9:00	4/10/23 12:31	1.00	1
Ra-228		100.00	1000.00 461	312	9.380E+000 pCi/L		4.702E-001	6.381E-001	4.861E-001	2.979E-001	0.6381	
160-46998-A-2-F	160-46998-A-2-F	1000.000mL	False	95.19%	88.60%	Orange18	0.4417	4/7/23 14:00	4/10/23 9:00	4/10/23 12:31	1.00	1
Ra-228		100.00	1000.00 451	337	8.232E+000 pCi/L		4.205E-001	5.659E-001	4.543E-001	2.798E-001	0.5659	
160-46998-A-2-G	160-46998-A-2-G	1000.000mL	False	97.47%	84.11%	Orange19	0.4457	4/7/23 14:00	4/10/23 9:00	4/10/23 12:31	1.00	1
Ra-228		100.00	1000.00 457	386	8.417E+000 pCi/L		4.319E-001	5.800E-001	4.916E-001	3.054E-001	0.5800	
160-46998-A-2-H	160-46998-A-2-H	1000.000mL	False	98.48%	85.23%	Orange20	0.4422	4/7/23 14:00	4/10/23 9:00	4/10/23 12:31	1.00	1
Ra-228		100.00	1000.00 454	302	8.393E+000 pCi/L		4.234E-001	5.730E-001	4.349E-001	2.660E-001	0.5730	
160-46998-A-2-I	160-46998-A-2-I	1000.000mL	False	97.22%	82.99%	Orange21	0.4460	4/7/23 14:00	4/10/23 9:00	4/10/23 12:31	1.00	1
Ra-228		100.00	1000.00 465	275	8.940E+000 pCi/L		4.420E-001	6.037E-001	4.311E-001	2.619E-001	0.6037	
160-46998-A-2-J	160-46998-A-2-J	1000.000mL	False	94.18%	82.24%	Orange23	0.4411	4/7/23 14:00	4/10/23 9:00	4/10/23 12:31	1.00	1
Ra-228		100.00	1000.00 423	315	8.425E+000 pCi/L		4.443E-001	5.896E-001	4.813E-001	2.982E-001	0.5896	

Laboratory Control Sample Information

<u>SampID</u>	<u>WRKNO</u>	<u>ComponentName</u>	<u>Activity</u>	<u>StdAdded</u>	<u>Recovery</u>	<u>%</u>

Sample Duplicate Information

<u>SampID</u>	<u>SampDupID</u>	<u>Analyte</u>	<u>Activity</u>	<u>DunActivity</u>	<u>RPD</u>	<u>RER</u>	<u>DER</u>	<u>ZFactor</u>

Matrix Spike Information

<u>SampID</u>	<u>SampMSID</u>	<u>Analyte</u>	<u>Sample Activity</u>	<u>MS Activity</u>	<u>StdAdded</u>	<u>MS Recovery</u>	<u>%</u>

Blanks Information

<u>SampID</u>	<u>WRKNO</u>	<u>Analyte</u>	<u>Activity</u>	<u>UncTotal</u>	<u>ZFactor</u>



R a - 2 2 8 - 0 0 0 5 1

Reagent ID: Ra-228_00051

Description:	Ra-228 Spike	Expiration Date:	10/03/2023
No. of Bottles:	2	Laboratory:	Eurofins St. Louis
Storage Location:	RAD Separations Reagents - Rm 112	Prepared By:	Korrinizer, Micha L
Reagent Volume:	1.000 L	Solvent:	0.1M HCl
Creation Date:	10/03/2022	Solvent Lot:	N/A
Open Date:			
Container(s):	2318210, 2318211		
Comment:	Spike at 1mL		

Reagent Analyte Information

Analyte	Source ID	Source Exp. Date	Source Conc.	Source Conc. Units	Final Conc.	Final Conc. Units
Ra-228	Ra-228_00050	10/03/2023	68.28700	Bq/g	20.49597	dpm/mL

Source Reagents

Reagent	Description	Type	Expiration	Vendor	Vendor Lot #	Vendor Cat Lot #	Volume Used	Volume Units
Ra-228_00050	Ra-228 Ampoule	ASTD	10/03/23	Eckert & Ziegler	121695	D-K-19023-01-00	5.00238	g

Reagent

Sr-90_00001

CERTIFICATE OF CALIBRATION

Standard Radionuclide Source

80573-334
 5 mL Liquid in Flame Sealed Vial

Customer: Test America St. Louis
 P.O. No.: 2324797, Item 1

This standard radionuclide source was prepared gravimetrically from a calibrated master solution. The master solution was calibrated by liquid scintillation counting. Radionuclide purity and calibration were checked by germanium gamma-ray spectrometry and liquid scintillation counting. The nuclear decay rate and assay date for this source are given below. Eckert & Ziegler Analytics (EZA) maintains traceability to the National Institute of Standards and Technology through a Measurements Assurance Program as described in USNRC Regulatory Guide 4.1S, Revision 1, February, 1979, and compliance with ANSI N42.22-1995, "Traceability of Radioactive Sources to NIST." EZA is accredited by the Health Physics Society (HPS) for the production of NIST-traceable sources, and this source was produced in accordance with the HPS accreditation requirements. Customers may report any concerns with the accreditation program to the HPS Secretariat, 1313 Dolley Madison Blvd., Ste. 402, McLean, VA 22101.

Isotope	Half-Life, Days	Activity (Bq)	Uncertainty*, %			Reference Date (12:00 PM EST)	
			Type	u_A	u_B		
Sr-90	10515.5	3.782E+04		0.1	0.9	1.8	09/17/2009

*Uncertainty: U - Relative expanded uncertainty, $k = 2$. See NIST Technical Note 1297, "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Results."


Comments:

Impurities: γ -impurities <0.1%. 5.04317 grams 0.1M HCl solution with approximately 30 microg/g each of Sr and Y carriers. NOTE: This source also contains Y-90 in secular equilibrium with Sr-90. The Y-90 activity is equal to the Sr-90 activity. Since Sr-90 and Y-90 both decay 100% by beta emission, the total beta emission rate for the source is twice the certified Sr-90 activity. The half-life for Y-90 is 64.08 hours.

Source Prepared by: W. Mao
 W. Mao, Radiochemist

QA Approved: D. M. Montgomery
 D. M. Montgomery, QA Manager

Date: 9-22-09



Reagent

Sr-90_00017

CERTIFICATE OF CALIBRATION

Standard Radionuclide Source

92352

Sr-90 5 mL Liquid in Flame Sealed Vial

Customer: TestAmerica St. Louis
P.O. No.: 2502682, Item 1 **Product Code:** 8090-5FSA-37kBq

This standard radionuclide source was prepared gravimetrically from a master solution, calibrated by Eckert & Ziegler Analytics. The master solution was calibrated by liquid scintillation counting. Radionuclide calibration and purity were checked by germanium gamma-ray spectrometry, liquid scintillation counting, and/or alpha spectrometry, as applicable. The nuclear decay rate and reference date for this source are given below. Eckert & Ziegler Analytics (EZA) maintains traceability to the National Institute of Standards and Technology through a Measurements Assurance Program as described in USNRC Regulatory Guide 4.15, Revision 2, July 2007, and compliance with ANSI N42.22-1995, "Traceability of Radioactive Sources to NIST." EZA is accredited by the Health Physics Society (HPS) for the production of NIST-traceable sources, and this source was produced in accordance with the HPS accreditation requirements. Customers may report any concerns with the accreditation program to the HPS Secretariat, 1313 Dolley Madison Blvd., Ste. 402, McLean, VA 22101.

Isotope	Half-Life, Days	Activity (Bq)	Uncertainty*, %			Reference Date (12:00 PM EST)	
			Type	u_A	u_B		
Sr-90	1.052E+04	3.749E+04		0.1	0.9	1.8	11/29/2012


*Uncertainty: U - Relative expanded uncertainty, k = 2. See NIST Technical Note 1297, "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Results."

Comments:


Impurities: γ -impurities<0.1%.
 5.02357 g 0.1M HCl solution with approximately 30 μ g/g each Sr and Y carriers.

NOTE: This source also contains Y-90 in secular equilibrium with Sr-90. The Y-90 activity is equal to the Sr-90 activity. Since Sr-90 and Y-90 both decay 100% by beta emission, the total activity for the source is twice the certified Sr-90 activity. The half-life for Y-90 is 64.08 hours.

Source Prepared by:


 Z. Dimitrova, Radiochemist

QA Approved:


 J.D. McCorvey, Counting Room Manager

Date: 26 Nov 12



RAD12-0042

Sr-90

bursts

None

Prep/Opened: 11/28/2012

51511

Exp(1): 11/29/2062

ID Sr-90_00017

Exp(2): 11/29/2062

Sr-90 Ampoule

Reagent

Sr-90_00018



S r - 9 0 - 0 0 0 1 8

Reagent ID: Sr-90_00018

		Expiration Date:	11/29/2062
Description:	Sr-90 Calibration STD	Laboratory:	TestAmerica St. Louis
No. of Bottles:	1	Prepared By:	Hurst, Sarah
Storage Location:	RAD Separations Reagents - 1	Solvent:	0.1M HCL
Reagent Volume:	100.000 mL	Solvent Lot:	0
Creation Date:	11/28/2012		
Container(s):	51512		
Comment:	Rad12-0043		

Reagent Analyte Information

Analyte	Source ID	Source Exp. Date	Source Conc.	Source Conc. Units	Final Conc.	Final Conc. Units
Gross Beta	Sr-90_00017	11/29/2062	14925.64000	Bq/g	44774.23338	dpm/mL
Sr-90	Sr-90_00017	11/29/2062	7462.82000	Bq/g	22387.11669	dpm/mL

Source Reagents

Reagent	Description	Type	Expiration	Vendor	Vendor Lot #	Vendor Cat Lot #	Volume Used	Volume Units
Sr-90_00017	Sr-90 Ampoule	ASTD	11/29/62	Analytics	92352		4.99970	g

St. Louis Radiological Standard Reverification Form

Standard ID Number: **Sr-90_00018 (51512)**
True Value = **1976.75** pCi/sample or g
Date Analyzed: **2/10/2014**

Radionuclide:
Sr-90 (Low mass)

Replicates
#1 **1935** pCi/sample or g
#2 **1941** pCi/sample or g
#3 **1924** pCi/sample or g

Mean = 1933.333

1 sigma = 8.621678 1.96 sigma = 16.89849

True Value minus 5% = 1877.913 (True Value - 5%)
True Value plus 5% = 2075.588 (True Value + 5%)

Accuracy:

Mean value within 5% of Certified (True) Value? Yes (Acceptance Criteria)

Precision:

1.96 sigma Value Within 10% of Mean Value? Yes (Acceptance Criteria)

Standard Reverification Acceptable? Yes

Note: Criteria for reverification of radiological standards is taken from the
DOE QSAS and LANL Statements of Work

Reviewed By/Date: Jody Watson 2/10/14

SOP Reference: STL-QA-0002, Current Revision

St. Louis Radiological Standard Reverification Form

Standard ID Number: **Sr-90_00018 (51512)** Radionuclide:
True Value = **1948.75** pCi/sample or g **Sr-90 (Medium mass)**
Date Analyzed: **2/10/2014**

Replicates
#1 **1911** pCi/sample or g
#2 **1945** pCi/sample or g
#3 **1893** pCi/sample or g

Mean = 1916.333

1 sigma = 26.40707 1.96 sigma = 51.75786

True Value minus 5% = 1851.313 (True Value - 5%)
True Value plus 5% = 2046.188 (True Value + 5%)

Accuracy:

Mean value within 5% of Certified (True) Value? Yes (Acceptance Criteria)

Precision:

1.96 sigma Value Within 10% of Mean Value? Yes (Acceptance Criteria)

Standard Reverification Acceptable? Yes

Note: Criteria for reverification of radiological standards is taken from the
DOE QSAS and LANL Statements of Work

Reviewed By/Date: Jody Watson 2/10/14

SOP Reference: STL-QA-0002, Current Revision

St. Louis Radiological Standard Reverification Form

Standard ID Number: Sr-90_00018 (51512) Radionuclide:
True Value = 1992 pCi/sample or g Sr-90 (High mass)
Date Analyzed: 2/10/2014

Replicates
#1 1907 pCi/sample or g
#2 1930 pCi/sample or g
#3 1937 pCi/sample or g

Mean = 1924.667

1 sigma = 15.69501 1.96 sigma = 30.76222

True Value minus 5% = 1892.4 (True Value - 5%)
True Value plus 5% = 2091.6 (True Value + 5%)

Accuracy:

Mean value within 5% of Certified (True) Value? Yes (Acceptance Criteria)

Precision:

1.96 sigma Value Within 10% of Mean Value? Yes (Acceptance Criteria)

Standard Reverification Acceptable? Yes

Note: Criteria for reverification of radiological standards is taken from the
DOE QSAS and LANL Statements of Work

Reviewed By/Date: Jody Watson 2/10/14

SOP Reference: STL-QA-0002, Current Revision

Protean Beta ICV-ACV recoveries from March 2013			
Protean Detector	Low pCi/sample	Medium pCi/sample	High pCi/sample
0	1962	1945	1971
1	2003	1947	1995
2	1960	1965	1998
3	1988	1942	1995
4	1977	1940	1997
5	1969	1949	2013
6	1986	1938	1986
7	1969	1964	1981
Average pCi/sample	1976.75	1948.75	1992

Protean Beta ICV-ACV recoveries from February 2014			
Protean Detector	Low pCi/sample	Medium pCi/sample	High pCi/sample
4	1935	1911	1907
5	1941	1945	1930
6	1924	1893	1937
Average pCi/sample	1933.33	1916.33	1924.67

Standard ID

Strontium 90

Sr-90_00018 #51512

Cert# 92352 Ref. date 11/29/12

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Analysis Report for Gross Alpha/Beta

Batch: M122640

Operator: 63903

<u>Sample ID</u>	<u>WRKNO</u>	<u>Aliquot</u>	<u>Mass</u>	<u>Instr ID</u>	<u>CountTime</u>	<u>Ts</u>	<u>Tb</u>	<u>Dilution</u>	<u>Sigma</u>	
<u>Analyte</u>	<u>Cs</u>	<u>Cb</u>	<u>Xt</u>	<u>CPMs</u>	<u>CPMb</u>	<u>Eff</u>	<u>Activity</u>	<u>UncTot</u>	<u>MDA</u>	<u>DLC</u>
ICVABT-51512:B1	NA	1.000E+000sample	0.00513 g	Protein4	2 / 10 / 14 22:54	5.00	1000.00	1.00	2.00	
Gross Alpha	0	49	0.00	0.000E+000	4.900E-002	0.1157	-1.908E-001 pCi/sample	5.899E-002	5.452E-002	3.382E+000
Gross Beta	9072	417	0.00	1.814E+003	4.170E-001	0.4224	1.935E+03 pCi/sample	1.977E+002	4.063E+001	1.594E+000
ICVABT-51512:B2	NA	1.000E+000sample	0.11114 g	Protein4	2 / 10 / 14 23:19	5.00	1000.00	1.00	2.00	
Gross Alpha	1	49	0.00	2.000E-001	4.900E-002	0.0830	8.194E-001 pCi/sample	2.174E+000	2.172E+000	4.713E+000
Gross Beta	8432	417	0.00	1.686E+003	4.170E-001	0.3973	1.911E+03 pCi/sample	1.956E+002	4.164E+001	1.694E+000
ICVABT-51512:B3	NA	1.000E+000sample	0.18113 g	Protein4	2 / 10 / 14 23:04	5.00	1000.00	1.00	2.00	
Gross Alpha	1	49	0.00	2.000E-001	4.900E-002	0.0540	1.260E+000 pCi/sample	3.343E+000	3.340E+000	7.248E+000
Gross Beta	8054	417	0.00	1.611E+003	4.170E-001	0.3804	1.907E+03 pCi/sample	1.954E+002	4.251E+001	1.770E+000

Laboratory Control Sample Information

<u>SampID</u>	<u>WRKNO</u>	<u>Analyte</u>	<u>Activity</u>	<u>StdAdded</u>	<u>Recovery</u>	<u>LCL</u>	<u>UCL</u>	<u>ZFactor</u>
Sample Duplicate Information								
<u>Sample ID</u>	<u>Dup Sample ID</u>	<u>Analyte</u>	<u>Sample Activity</u>	<u>Dup Activity</u>	<u>RPD</u>	<u>RER</u>	<u>DER</u>	<u>ZFactor</u>
Matrix Spike Information								
<u>SampID</u>	<u>SampMSID</u>	<u>Analyte</u>	<u>Sample Activity</u>	<u>MS Activity</u>	<u>StdAdded</u>	<u>MSRecovery</u>	<u>%</u>	<u>ZFactor</u>

Blanks Information

<u>SampID</u>	<u>WRKNO</u>	<u>Analyte</u>	<u>Activity</u>	<u>UncTotal</u>	<u>ZFactor</u>

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Analysis Report for Gross Alpha/Beta

Batch: M122640

Operator: 63903

<u>Sample ID</u>	<u>WRKNO</u>	<u>Aliquot</u>	<u>Mass</u>	<u>Instr ID</u>	<u>CountTime</u>	<u>Ts</u>	<u>Tb</u>	<u>Dilution</u>	<u>Sigma</u>	
<u>Analyte</u>	<u>Cs</u>	<u>Cb</u>	<u>XI</u>	<u>CPMs</u>	<u>CPMh</u>	<u>Eff</u>	<u>Activity</u>	<u>UncTot</u>	<u>MDA</u>	<u>DLC</u>
ICVABT-51512;B1	NA	1.000E+000sample	0.0513	g	Protein5	2 / 10 / 14 23:04	5.00	1000.00	1.00	2.00
Gross Alpha	0	43	0.00	0.000E+000	4.300E-002	0.1145	-1.692E-001pCi/sample	5.510E-002	5.161E-002	3.337E+000
Gross Beta	9111	398	0.00	1.822E+003	3.980E-001	0.4228	1.941E+003pCi/sample	1.983E+002	4.068E+001	1.569E+000
ICVABT-51512;B2	NA	1.000E+000sample	0.1114	g	Protein5	2 / 10 / 14 22:54	5.00	1000.00	1.00	2.00
Gross Alpha	0	43	0.00	0.000E+000	4.300E-002	0.0823	-2.353E-001pCi/sample	7.661E-002	7.176E-002	4.639E+000
Gross Beta	8552	398	0.00	1.710E+003	3.980E-001	0.3960	1.945E+003pCi/sample	1.990E+002	4.207E+001	1.675E+000
ICVABT-51512;B3	NA	1.000E+000sample	0.1813	g	Protein5	2 / 10 / 14 23:19	5.00	1000.00	1.00	2.00
Gross Alpha	2	43	0.00	4.000E-001	4.300E-002	0.0532	3.022E+000pCi/sample	4.802E+000	4.790E+000	7.178E+000
Gross Beta	8046	398	0.00	1.609E+003	3.980E-001	0.3755	1.930E+003pCi/sample	1.977E+002	4.304E+001	1.766E+000
										7.873E-001

Laboratory Control Sample Information

<u>SampID</u>	<u>WRKNO</u>	<u>Analyte</u>	<u>Activity</u>	<u>StdAdded</u>	<u>Recovery</u>	<u>LCL</u>	<u>UCL</u>	<u>ZFactor</u>
Sample Duplicate Information								
<u>Sample ID</u>	<u>Dup Sample ID</u>	<u>Analyte</u>	<u>Sample Activity</u>	<u>Dup Activity</u>	<u>RPD</u>	<u>RER</u>	<u>DER</u>	<u>ZFactor</u>
Matrix Spike Information								
<u>SampID</u>	<u>SampMSID</u>	<u>Analyte</u>	<u>Sample Activity</u>	<u>MS Activity</u>	<u>StdAdded</u>	<u>MSRecovery</u>	<u>%</u>	<u>ZFactor</u>
Blanks Information								
<u>SampID</u>	<u>WRKNO</u>	<u>Analyte</u>	<u>Activity</u>	<u>UncTotal</u>	<u>ZFactor</u>			

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Analysis Report for Gross Alpha/Beta

Batch: M122640

Operator: 63903

Sample ID	WRKNO	Aliquot	Mass	Instr ID	CountTime	Ts	Tb	Dilution	Sigma	
Analyte	Cs	Cb	XI	CPMs	CPMb	Eff	Activity	UncTot	MDA	DLC
ICVABT-51512;B1	NA	1.000E+000sample	0.0513 g	Protein6	2 / 10 / 14 23:19	5.00	1000.00	1.00	2.00	
Gross Alpha	0	87	0.00	0.000E+000	8.700E-002	0.1165	-3.362E-001pCi/sample	8.166E-002	7.210E-002	3.776E+000
Gross Beta	8992	520	0.00	1.798E+003	5.200E-001	0.4209	1.924E+003pCi/sample	1.966E-002	4.059E+001	1.718E+000
ICVABT-51512;B2	NA	1.000E+000sample	0.1114 g	Protein6	2 / 10 / 14 23:04	5.00	1000.00	1.00	2.00	
Gross Alpha	0	87	0.00	0.000E+000	8.700E-002	0.0842	-4.657E-001pCi/sample	1.131E-001	9.985E-002	5.230E+000
Gross Beta	8356	520	0.00	1.671E+003	5.200E-001	0.3976	1.893E+003pCi/sample	1.937E-002	4.142E+001	1.819E+000
ICVABT-51512;B3	NA	1.000E+000sample	0.1813 g	Protein6	2 / 10 / 14 22:54	5.00	1000.00	1.00	2.00	
Gross Alpha	0	87	0.00	0.000E+000	8.700E-002	0.0559	-7.014E-001pCi/sample	1.703E-001	1.504E-001	7.877E+000
Gross Beta	8127	520	0.00	1.625E+003	5.200E-001	0.3778	1.937E+003pCi/sample	1.985E-002	4.300E+001	1.914E+000

Laboratory Control Sample Information

SampID	WRKNO	Analyte	Activity	StdAdded	Recovery	LCL	UCL	ZFactor
Sample Duplicate Information								
Sample ID	Dup Sample ID	Analyte	Sample Activity	Dup Activity	RPD	RER	DER	ZFactor
					%			
Matrix Spike Information								
SampID	SampMSID	Analyte	Sample Activity	MS Activity	StdAdded	MS Recovery	ZFactor	%
Blanks Information								
SampID	WRKNO	Analyte	Activity	UncTotal	ZFactor			

TestAmerica St. Louis

Standards Preparation Logbook Record

Nov-28-2012

Logbook: \\Qstlmo01\Stdslog\RAD_STD.std

RAD12-0042, Sr-90 Sr-90_00017 #51511

Analyst: hursts

Vendor: Analytics Lot No.: 92352
Solvent: None
Date Prep./Opened: 11-28-2012
Date Expires(1): 11-29-2062 (50 Years)
Date Expires(2): 11-29-2062 (50 Years)
Cert: 92352 Activity: 37490Bq Mass: 5.02357 Ref. Date: 11/29/12

Component	Initial Conc (dpm/g)	Final Conc (dpm/g)
Sr-90	447,769	447,769

RAD12-0043, Sr-90 Calibration STD Sr-90_00018 #51512

Analyst: hursts

Solvent: None Volume (ml): 100.00
Date Prep./Opened: 11-28-2012
Date Expires(1): 11-29-2062 (50 Years)
Date Expires(2): 11-29-2062 (50 Years)

Parent Std No.: RAD12-0042, Sr-90	Aliquot Amount (g): 4.9997	
Parent Date Expires(1): 11-29-2062	Parent Date Expires(2): 11-29-2062	
Component	Initial Conc (dpm/g)	Final Conc (dpm/mL)
Sr-90	447,769	22,387

Reviewed By:

Page 1 of 1

St. Louis Radiological Standard Reverification Form

Standard ID Number:
True Value = pCi/L or g
Date Analyzed:

Radionuclide:

Replicates
#1 pCi/L or g
#2 pCi/L or g
#3 pCi/L or g

Mean = 1979

1 sigma = 31.32092 1.96 sigma = 61.389

True Value minus 5% = 1915.865 (True Value - 5%)
True Value plus 5% = 2117.535 (True Value + 5%)

Accuracy:

Mean value within 5% of Certified (True) Value? Yes (Acceptance Criteria)

Precision:

1.96 sigma Value Within 10% of Mean Value? Yes (Acceptance Criteria)

Standard Reverification Acceptable? Yes

Note: Criteria for reverification of radiological standards is taken from the
DOE QSAS and LANL Statements of Work

Reviewed By/Date:

 11/30/12

SOP Reference: STL-QA-0002, Current Revision

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Analysis Report for Gross Alpha/Beta

Batch: M122629

Operator: 63903

Sample ID	WRKNO	Aliquot	Mass	Instr ID	CountTime	Ts	Tb	Dilution	Sigma	
	Analyte	Cs	Cb	CPMs	CPMb	Eff	Activity	UncTot	MDA	DLC
verification-1b	NA	1.00E+000sample	0.0536	g	Purple16	11/30/12 10:42	8.00	1000.00	1.00	1.00
	Gross Alpha	123	175	0.00	1.538E+001	1.750E-001	0.4314	1.587E+001pCi/sample	1.448E+000	8.638E-001
	Gross Beta	14954	485	0.00	1.869E+003	4.850E-001	0.4285	1.964E+003pCi/sample	1.607E+001	1.211E+000
verification-2b	NA	1.00E+000sample	0.0529	g	Purple17	11/30/12 10:43	8.00	1000.00	1.00	1.00
	Gross Alpha	53	87	0.00	6.625E+000	8.700E-002	0.1306	2.254E+001pCi/sample	3.391E+000	3.138E+000
	Gross Beta	15152	362	0.00	1.894E+003	3.620E-001	0.4356	1.958E+003pCi/sample	9.919E+001	1.591E+001
verification-3b	NA	1.00E+000sample	0.0528	g	Purple18	11/30/12 10:43	8.00	1000.00	1.00	1.00
	Gross Alpha	85	62	0.00	1.063E+001	6.200E-002	0.1313	3.624E+001pCi/sample	4.462E+000	3.954E+000
	Gross Beta	15378	395	0.00	1.922E+003	3.950E-001	0.4296	2.015E+003pCi/sample	1.020E+002	1.625E+001

Laboratory Control Sample Information

Sample ID	WRKNO	Analyte	Activity	StdAdded	Recovery	LCL	UCL	ZFactor
					%			

Sample Duplicate Information

Sample ID	Dup Sample ID	Analyte	Sample Activity	Dup Activity	RPD	RER	DER	ZFactor

Matrix Spike Information

SampID	SampMSID	Analyte	Sample Activity	MS Activity	StdAdded	MSRecovery	ZFactor
						%	

Blanks Information

SampID	WRKNO	Analyte	Activity	UncTotal	ZFactor

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Prep Report for Gross Alpha/Beta

Batch: M122629

Prep Analyst: 250

SampID	WRKNO	Aliquot	Gross	Tare	Mass	Dilution
verification-1b	NA	1.000E+000 sample	purple 8.7067 g	8.6531 g	0.0536 g	1.00
			16			
verification-2b	NA	1.000E+000 sample	8.6615 g	8.6086 g	0.0529 g	1.00
			17			
verification-3b	NA	1.000E+000 sample	8.6935 g	8.6407 g	0.0528 g	1.00
			18			

Spike Information

Sample ID	Standard ID	Analyte	Std Conc	Aliquot	Ref Date	Std Added
	Rad12-0043	SR-80	22,387 $\frac{\text{dpm}}{\text{mL}}$	0.1mL	11-28-12	
MS		LM			11-28-12	

Spiked By

Spike Verified By

Spike Date

Standard Operating Procedures

SOPNumber	Title	Revision
<input type="checkbox"/>		
	11/30/12	
Reviewed By	Review Date	
MS	11/28/12	11/28/12
Analyst/Relinquished By	Release Date	Received By

Balance ID / Initials / Date

MS
11/30/12
~~MS~~ 1123433897/MS/11-28-12

Reagent

Th-230_00051



Eckert & Ziegler

Analytics

1380 Seaboard Industrial Blvd.
Atlanta, Georgia 30318
Tel 404-352-8677
Fax 404-352-2837
www.ezag.com

CERTIFICATE OF CALIBRATION
Standard Reference Source

SRS Number: 114474

Source Description: 5 mL Liquid in Flame Sealed Ampoule

Product Code: 8230

Customer: Test America Laboratories- St. Louis

P.O. Number: 3053229, Item 1

This standard radionuclide source was prepared gravimetrically from a master solution calibrated by Eckert & Ziegler Analytics (EZA). The master solution was calibrated by liquid scintillation counting. Radionuclide calibration and purity were checked by germanium gamma-ray spectrometry, liquid scintillation counting, and/or alpha spectrometry, as applicable. The nuclear decay rate and reference date for this source are given below. EZA maintains traceability to the National Institute of Standards and Technology (NIST) through a Measurements Assurance Program as described in USNRC Regulatory Guide 4.15, Revision 2, July 2007, and compliance with ANSI N42.22-1995, "Traceability of Radioactive Sources to NIST."

Reference Date: 29-October-2019

12:00 PM EST

Isotope	Half-Life, d	Activity, Bq	Uncertainty			Calibration Method**
			u_A , %	u_B , %	U , %*	
Th-230	2.763E+07	3.786E+03	0.3	1.0	2.0	4π LS

*Uncertainty: U - Relative expanded uncertainty, $k = 2$. See NIST Technical Note 1297, "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Results." **Calibration Methods: 4π LS - 4π Liquid Scintillation Counting, HPGe - High Purity Germanium Gamma-Ray Spectrometer, IC - Ionization Chamber.

(Certificate continued on reverse side)

Th-230-00051

Reagent

Th-230_00052

Standard ID Number: Th-230_00053
True Value = 20311 pCi/L or g
Date Analyzed: 11/16/2019

Radionuclide: Th-230

Replicates
#1 19840 pCi/L or g
#2 20910 pCi/L or g
#3 19879 pCi/L or g

Mean = 20209.667

1 sigma = 606.81985 1.96 sigma = 1189.367

True Value minus 5% = 19295.45 (True Value - 5%)
True Value plus 5% = 21326.55 (True Value + 5%)

Accuracy:

Mean value within 5% of Certified (True) Value? Yes (Acceptance Criteria)

Precision:

1.96 sigma Value Within 10% of Mean Value? Yes (Acceptance Criteria)

Standard Reverification Acceptable?Yes

Note: Criteria for reverification of radiological standards is taken from the
DoD/DOE Consolidated QSM and LANL Statements of Work

1st Reviewed By/Date: TJR 11/18/19

2nd Reviewed By/Date: CHP 11/18/19

Decay Calculations**Raw Sample/Standard Information**

Initial Date/Time (t_0):	10/29/2019 0:00		
Decayto Date/Time (t):	11/16/19 0:00		
Initial Activity (A_0):	45.09 dpm		
Initial Aliquot:	1 mL		
Initial Conc:	45.0915 dpm/mL		
*Soln. Density:	1 g/mL		
Nuclide:	Th-230		
Half-Life (days):	27539850	decay days	fraction
**Decay Factor:	1.0000	18.00	0.00000
Decay Corr Activity:	4.5091E+01 dpm		
Decay Corr Conc:	4.5091E+01 dpm/mL		

Conversion/Calculations

Final Activity Unit:	pCi
Activity Unit Factor:	0.45045
Final Volume Unit:	L
Volume Unit Factor:	0.001
Final Concentration:	2.0311E+04 pCi/L
Aliquot Volume:	1.0000E+00 L
Final Activity (A):	2.0311E+04 pCi

** Uses basic decay equation: $A = A_0 * \exp(-\ln(2)*(t-t_0)/(half-life))$

* Soln. Density to be used when converting from liquid expressed in mass (g) units to liquid units (mL), and is only applied in that case.

Sample Name: 160-36383-A-1-A
 Spectrum #1 Analysis #1
 : 160-36383-A-1-A
 Sample Collection Date: 11/15/2019 12:00:00PM
 Comment:

Sample

Sample Volume : 0.00 Sample Units: L
 First Stage Dilution: N/A
 Aliquot: N/A Aliquot Fraction: N/A
 Dilution 2: N/A
 Lab Preparation:

Batch Name: 450711
 AnalysisResultsID: 246263
 Description:

Batch

Client Name: Undefined
 Client Contact:
 Analyst: 60040

Tracer Name: Th-229_00028

Tracer


Tracer Nuclide: Th-229
 Tracer Recovery: 92.98%

Tracer Activity: 66.16 DPM / mL x (Vol.) 0.10 mL = 6.62 DPM
 Tracer Ref. Date: 8/29/2018 9:44:32AM

Acquisition

Detector: AV244 SN: 51-005EE3
 Acquisition Start Date: 11/16/2019 1:40:35PM
 Live Time: 960.00 min.
 Real Time: 960.01 min.
 Background Date: 11/9/2019 2:31:27PM
 Bkgd Info: Sample: ICB;AV244; Det: AV244; Spectrum #1; 11/9/2019 2:31:27 PM

Energy Calibration: IC-1370619;AV244-11152018
 Efficiency Calibration: IC-1370619;AV244-11152018
 Calibration Date: 11/15/2018 10:58:47PM
 Energy Cal: Gain = 7.4575 keV / Ch
 Offset = 3,366.95 keV
 Quadratic = 0.0000 keV / Ch²
 Efficiency: 28.89% +/- 0.24% TPU(2 sigma)


General Analysis

Analysis Method: Interactive ROI Analysis
 Decay Correction: 11/16/2019 1:38:32PM
 MDA Constants: K α = 1.64, K β = 1.64

Nuclide Library: Thorium
 MDA Source: Background

Nuclide Summary (ROI)

Nuclide	Peak Energy keV	Peak Expected keV	Peak Diff keV	ROI Start keV	ROI End keV	FWHM keV	B.R. %	Gross Counts	Bkgd Counts	Net Counts	Activity	Units
Th-232	3971.0	4,010.0	-39.0	3724.9	4075.4	.3	100.2	11	2.0000	9.00	5.229E+001	pCi/L
Th-230	4649.7	4,687.5	-37.8	4455.8	4739.1	34.6	99.7	3399	1.0000	3398.00	1.984E+004	pCi/L
Th-229	4828.6	4,845.3	-16.7	4739.1	5097.1	73.2	99.6	1706	6.0000	1700.00	9.237E+003	pCi/L
Th-228	5417.8	5,423.3	-5.5	5209.0	5552.0	.9	99.8	45	19.0000	26.00	1.517E+002	pCi/L

Alpha-Spectroscopy Analysis Report

TestAmerica St. Louis
13715 Rider Trail North
Earth City, MO 63045
10:28:03AM 11/18/2019

Sample Name: 160-36383-A-1-B Type: Sample
Spectrum #1 Analysis #1
: 160-36383-A-1-B
Sample Collection Date: 11/15/2019 12:00:00PM
Comment:

Sample

Sample Volume : 0.00 Sample Units: L
First Stage Dilution: N/A
Aliquot: N/A Aliquot Fraction: N/A
Dilution 2: N/A
Lab Preparation:

Batch Name: 450711
AnalysisResultsID: 246269
Description:

Batch

Client Name: Undefined
Client Contact:
Analyst: 60040

Tracer Name: Th-229_00028

Tracer

Tracer Nuclide: Th-229
Tracer Recovery: 94.23%


Tracer Activity: 66.16 DPM / mL x (Vol.) 0.10 mL = 6.62 DPM

Tracer Ref. Date: 8/29/2018 9:44:32AM

Acquisition

Detector: AV245 SN: 49-037W4
Acquisition Start Date: 11/16/2019 1:40:35PM
Live Time: 960.00 min.
Real Time: 960.04 min.
Background Date: 11/9/2019 2:31:27PM
Bkgd Info: Sample: ICB;AV245; Det: AV245; Spectrum #1; 11/9/2019 2:31:27 PM

Energy Calibration: IC-1370620;AV245-11152018
Efficiency Calibration: IC-1370620;AV245-11152018
Calibration Date: 11/15/2018 10:58:51PM
Energy Cal: Gain = 7.4575 keV / Ch
Offset = 3,366.95 keV
Quadratic = 0.0000 keV / Ch²
Efficiency: 26.18% +/- 0.24% TPU(2 sigma)



General Analysis

Analysis Method: Interactive ROI Analysis
Decay Correction: 11/16/2019 1:38:32PM
MDA Constants: K α = 1.64, K β = 1.64

Nuclide Library: Thorium
MDA Source: Background

Nuclide Summary (ROI)

Nuclide	Peak Energy keV	Peak Expected keV	Peak Diff keV	ROI Start keV	ROI End keV	FWHM keV	B.R. %	Gross Counts	Bkgd Counts	Net Counts	Activity	Units
Th-232	3971.0	4,010.0	-39.0	3724.9	4075.4	10.5	100.2	4	0.0000	4.00	2.531E+001	pCi/L
Th-230	4686.9	4,687.5	-0.6	4455.8	4731.7	30.4	99.7	3292	4.0000	3288.00	2.091E+004	pCi/L
Th-229	4858.5	4,845.3	13.2	4731.7	5097.1	80.2	99.6	1567	6.0000	1561.00	9.361E+003	pCi/L
Th-228	5417.8	5,423.3	-5.5	5209.0	5552.0	227.6	99.8	38	16.0000	22.00	1.398E+002	pCi/L

Alpha-Spectroscopy Analysis Report

TestAmerica St. Louis
13715 Rider Trail North
Earth City, MO 63045
9:08:38AM 11/18/2019

Sample Name: 160-36383-A-1-C
Spectrum #1 Analysis #1
: 160-36383-A-1-C
Sample Collection Date: 11/15/2019 12:00:00PM
Comment:

Sample

Sample Volume : 0.00 Sample Units: L
First Stage Dilution: N/A
Aliquot: N/A Aliquot Fraction: N/A
Dilution 2: N/A
Lab Preparation:

Batch Name: 450711
AnalysisResultsID: 246265
Description:

Batch

Client Name: Undefined
Client Contact:
Analyst: 60040

Tracer Name: Th-229_00028
Tracer Activity: 66.16 DPM / mL x (Vol.) 0.10 mL = 6.62 DPM
Tracer Ref. Date: 8/29/2018 9:44:32AM


Tracer

Tracer Nuclide: Th-229
Tracer Recovery: 102.72%

Detector: AV246 SN: 51-005Q2
Acquisition Start Date: 11/16/2019 1:40:36PM
Live Time: 960.00 min.
Real Time: 960.01 min.
Background Date: 11/9/2019 2:31:27PM
Bkgd Info: Sample: ICB; Det: AV246; Spectrum #1; 11/9/2019 2:31:27 PM

Acquisition

Energy Calibration: IC-7107;AV246-11152018
Efficiency Calibration:IC-7107;AV246-11152018
Calibration Date: 11/15/2018 10:58:54PM
Energy Cal: Gain = 7.4575 keV / Ch
Offset = 3,366.95 keV
Quadratic = 0.0000 keV / Ch²
Efficiency: 26.21% +/- 0.30% TPU(2 sigma)



Analysis Method: Interactive ROI Analysis
Decay Correction: 11/16/2019 1:38:32PM
MDA Constants: K_a = 1.64, K_b = 1.64

Nuclide Library: Thorium
MDA Source: Background

Nuclide Summary (ROI)

Nuclide	Peak Energy keV	Peak Expected keV	Peak Diff keV	ROI Start keV	ROI End keV	FWHM keV	B.R. %	Gross Counts	Bkgd Counts	Net Counts	Activity	Units
Th-232	3971.0	4,010.0	-39.0	3724.9	4075.4	29.9	100.2	8	2.0000	6.00	3.479E+001	pCi/L
Th-230	4649.7	4,687.5	-37.8	4455.8	4679.5	46.7	23.499.7	3412	1.0000	3411.00	8.479E+004	pCi/L
Th-229	4828.6	4,845.3	-16.7	4686.9	5097.1	70.6	99.8	1711	5.0000	1706.00	1.020E+004	pCi/L
Th-228	5417.8	5,423.3	-5.5	5209.0	5552.0	.0	99.8	84	14.0000	70.00	4.077E+002	pCi/L

$$34700, \frac{.234}{.997} = 19879$$

Sample Name: 160-36383-A-1-D Type: Sample
 Spectrum #1 Analysis #1
 : 160-36383-A-1-D
 Sample Collection Date: 11/15/2019 12:00:00PM
 Comment:

Sample

Sample Volume : 0.00 Sample Units: L
 First Stage Dilution: N/A
 Aliquot: N/A Aliquot Fraction: N/A
 Dilution 2: N/A
 Lab Preparation:

Batch Name: 450711
 AnalysisResultsID: 246266
 Description:

Batch

Client Name: Undefined
 Client Contact:
 Analyst: 60040

Tracer Name: Th-230_00053
 Tracer Activity: 45.09 DPM / mL x (Vol.) 0.30 mL = 13.53 DPM
 Tracer Ref. Date: 10/29/2019 9:30:47AM


Tracer

Tracer Nuclide: Th-230
 Tracer Recovery: 94.74%

Detector: AV247 SN: 51-027F3
 Acquisition Start Date: 11/16/2019 1:40:36PM
 Live Time: 960.00 min.
 Real Time: 960.00 min.
 Background Date: 11/9/2019 2:31:27PM
 Bkgd Info: Sample: ICB; Det: AV247; Spectrum #1; 11/9/2019
 2:31:27 PM

Acquisition

Energy Calibration: IC-8874;AV247-11152018
 Efficiency Calibration:IC-8874;AV247-11152018
 Calibration Date: 11/16/2018 11:45:39AM
 Energy Cal: Gain = 7.4575 keV / Ch
 Offset = 3,366.95 keV
 Quadratic = 0.0000 keV / Ch²
 Efficiency: 26.31% +/- 0.37% TPU(2 sigma)


General Analysis

Analysis Method: ROI Analysis, Set Name = Thorium_Th-230 (T)

Decay Correction: 11/16/2019 1:38:32PM

MDA Constants: K α = 1.64, K β = 1.64

Nuclide Library: Thorium

MDA Source: Background

Nuclide Summary (ROI)

Nuclide	Peak Energy keV	Peak Expected keV	Peak Diff keV	ROI Start keV	ROI End keV	FWHM keV	B.R. %	Gross Counts	Bkgd Counts	Net Counts	Activity	Units
Th-232	3971.0	4,010.0	-39.0	3724.9	4075.4	32.5	100.2	4	0.0000	4.00	2.505E+001	pCi/L
Th-230	4649.7	4,687.5	-37.8	4455.8	4716.8	19.6	99.7	3227	0.0000	3227.00	1.924E+004	pCi/L
Th-229	4828.6	4,845.3	-16.7	4716.8	5097.1	42.6	99.6	19	9.0000	10.00	6.298E+001	pCi/L
Th-228	5417.8	5,423.3	-5.5	5209.0	5552.0	43.0	99.8	22	12.0000	10.00	6.290E+001	pCi/L

Sample Name: 160-36383-A-1-E Type: Sample
 Spectrum #1 Analysis #1
 : 160-36383-A-1-E
 Sample Collection Date: 11/15/2019 12:00:00PM
 Comment:

Sample

Sample Volume : 0.00 Sample Units: L
 First Stage Dilution: N/A
 Aliquot: N/A Aliquot Fraction: N/A
 Dilution 2: N/A
 Lab Preparation:

Batch Name: 450711
 AnalysisResultsID: 246267
 Description:

Batch

Client Name: Undefined
 Client Contact:
 Analyst: 60040

Tracer Name: Th-230_00053


Tracer

Tracer Nuclide: Th-230
 Tracer Recovery: 110.62%

Tracer Activity: 45.09 DPM / mL x (Vol.) 0.30 mL = 13.53 DPM
 Tracer Ref. Date: 10/29/2019 9:30:47AM

Acquisition

Detector: AV249 SN: 51-005EE5
 Acquisition Start Date: 11/16/2019 1:40:36PM
 Live Time: 960.00 min.
 Real Time: 960.01 min.
 Background Date: 11/9/2019 2:31:28PM
 Bkgd Info: Sample: ICB; Det: AV249; Spectrum #1; 11/9/2019
 2:31:28 PM
 Energy Calibration: IC-9520;AV249-11152018
 Efficiency Calibration: IC-9520;AV249-11152018
 Calibration Date: 11/15/2018 10:59:03PM
 Energy Cal: Gain = 7.4575 keV / Ch
 Offset = 3,366.95 keV
 Quadratic = 0.0000 keV / Ch²
 Efficiency: 23.81% +/- 0.34% TPU(2 sigma)


General Analysis

Analysis Method: ROI Analysis, Set Name = Thorium_Th-230 (T)

Decay Correction: 11/16/2019 1:38:32PM

MDA Constants: K_a = 1.64, K_B = 1.64


Nuclide Library: Thorium

MDA Source: Background

Nuclide Summary (ROI)

Nuclide	Peak Energy keV	Peak Expected keV	Peak Diff keV	ROI Start keV	ROI End keV	FWHM keV	B.R. %	Gross Counts	Bkgd Counts	Net Counts	Activity	Units
Th-232	3971.0	4,010.0	-39.0	3724.9	4075.4	9.5	100.2	5	1.0000	4.00	2.371E+001	pCi/L
Th-230	4649.7	4,687.5	-37.8	4455.8	4716.8	65.6	99.7	3411	1.0000	3410.00	2.247E+004	pCi/L
Th-229	4828.6	4,845.3	-16.7	4716.8	5097.1	39.7	99.6	19	7.0000	12.00	7.152E+001	pCi/L
Th-228	5417.8	5,423.3	-5.5	5209.0	5552.0	186.1	99.8	17	13.0000	4.00	2.381E+001	pCi/L

Sample Name: 160-36383-A-1-F	Type: Sample	Sample	Sample Volume : 0.00	Sample Units: L
Spectrum #1 Analysis #1			First Stage Dilution: N/A	
: 160-36383-A-1-F			Aliquot: N/A Aliquot Fraction: N/A	
Sample Collection Date: 11/15/2019 12:00:00PM			Dilution 2: N/A	
Comment:			Lab Preparation:	
Batch Name: 450711	Batch		Client Name: Undefined	
AnalysisResultsID: 246268			Client Contact:	
Description:			Analyst: 60040	
Tracer Name: Th-230_00053	Tracer		Tracer Nuclide: Th-230	
Tracer Activity: 45.09 DPM / mL x (Vol.) 0.30 mL = 13.53 DPM			Tracer Recovery: 107.83%	
Tracer Ref. Date: 10/29/2019 9:30:47AM				
Detector: AV250	Acquisition		Energy Calibration: IC-9792;AV250-11152018	
SN: 47-052x7			Efficiency Calibration:IC-9792;AV250-11152018	
Acquisition Start Date: 11/16/2019 1:40:36PM			Calibration Date: 11/15/2018 10:59:07PM	
Live Time: 960.00 min.			Energy Cal: Gain = 7.4575 keV / Ch	
Real Time: 960.00 min.			Offset = 3,366.95 keV	
Background Date: 11/9/2019 2:31:28PM			Quadratic = 0.0000 keV / Ch ²	
Bkgd Info: Sample: ICB;AV250; Det: AV250; Spectrum #1; 11/9/2019 2:31:28 PM			Efficiency: 22.66% +/- 0.28% TPU(2 sigma)	



Analysis Method: ROI Analysis, Set Name = Thorium_Th-230 (T)

Decay Correction: 11/16/2019 1:38:32PM

MDA Constants: K α = 1.64, K β = 1.64

Nuclide Library: Thorium

MDA Source: Background

Nuclide Summary (ROI)

Nuclide	Peak Energy keV	Peak Expected keV	Peak Diff keV	ROI Start keV	ROI End keV	FWHM keV	B.R. %	Gross Counts	Bkgd Counts	Net Counts	Activity	Units
Th-232	3971.0	4,010.0	-39.0	3724.9	4075.4	10.4	100.2	3	7.0000	-4.00	2.556E+001	pCi/L
Th-230	4649.7	4,687.5	-37.8	4455.8	4716.8	19.5	99.7	3168	5.0000	3163.00	2.190E+004	pCi/L
Th-229	4828.6	4,845.3	-16.7	4716.8	5097.1	51.0	99.6	20	7.0000	13.00	8.353E+001	pCi/L
Th-228	5417.8	5,423.3	-5.5	5209.0	5552.0	134.4	99.8	17	16.0000	1.00	6.418E+000	pCi/L

Rad Worksheet

Batch Number: 160-450711

Method: Event Chrom

Analyst: Marriages Change in

Date Open: Nov 15 2019 4:08PM
Batch End: Nov 15 2019 4:41PM

Lab ID	Client ID	Method Chain	Basis	Initial weight/volume of sample	Th-229_00028	Th-230_00053	Th-230_00057
160-36383-A-1	Th-230 Std Verify 1	ExtChrom_Actin, A01R_Th	T	0.3 mL	0.1 mL	0.3 mL	0.3 mL
160-36383-A-1	Th-230 Std Verify 1	ExtChrom_Actin, A01R_Th	T	0.3 mL	0.1 mL	0.3 mL	0.3 mL
160-36383-A-1	Th-230 Std Verify 1	ExtChrom_Actin, A01R_Th	T	0.3 mL	0.1 mL	0.3 mL	0.3 mL
160-36383-A-1	Th-230 Std Verify 1	ExtChrom_Actin, A01R_Th	T	0.3 mL	0.3 mL	0.3 mL	0.3 mL
160-36383-A-1	Th-230 Std Verify 1	ExtChrom_Actin, A01R_Th	T	0.3 mL	0.3 mL	0.3 mL	0.3 mL
160-36383-A-1	Th-230 Std Verify 1	ExtChrom_Actin, A01R_Th	T	0.3 mL	0.3 mL	0.3 mL	0.3 mL
160-36383-A-2	Th-230 Std Verify 1	ExtChrom_Actin, A01R_Th	T	0.3 mL	0.1 mL	0.3 mL	0.3 mL
160-36383-A-2	Th-230 Std Verify 1	ExtChrom_Actin, A01R_Th	T	0.3 mL	0.1 mL	0.3 mL	0.3 mL
160-36383-A-2	Th-230 Std Verify 1	ExtChrom_Actin, A01R_Th	T	0.3 mL	0.1 mL	0.3 mL	0.3 mL
160-36383-A-2	Th-230 Std Verify 1	ExtChrom_Actin, A01R_Th	T	0.3 mL	0.3 mL	0.3 mL	0.3 mL
160-36383-A-2	Th-230 Std Verify 1	ExtChrom_Actin, A01R_Th	T	0.3 mL	0.3 mL	0.3 mL	0.3 mL
160-36383-A-2	Th-230 Std Verify 1	ExtChrom_Actin, A01R_Th	T	0.3 mL	0.3 mL	0.3 mL	0.3 mL

Balance (D)

Analyst ID - Reagent Drop:

KLH per CMM

RAD-104

N/A

N/A

۲۰۱

CMM

11/15/2019

ST 80 0100

31-RCU-0100

08/10/2023

Batch: 450711

Analysis: Thorium, Isotopic by Alpha Spectroscopy

Review Item	Yes	No	N/A	2 Rvw	Analytical Due Date
Rad Prep					Lot Number
1 Are all samples on batch sheet present or removed from batch?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	160-36383-A-1-A
2 Are all samples, QC and methods in compliance with client requirements?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	160-36383-A-1-B
3 Were forms checked for transcription errors?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	160-36383-A-1-C
4 Are all TALS entries complete? (End Dates and appropriate worksheet fields completed)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	160-36383-A-1-D
5 Are all problems and deviations documented? (NCM printed and attached with paperwork)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	160-36383-A-1-E
6 Does this batch contain re-extracts?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	160-36383-A-1-F
Sample Analysis					160-36383-A-2-A
1 Are carrier/tracer yields within acceptance limits?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	160-36383-A-2-B
2 Were all sample holding times met?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	160-36383-A-2-C
3 If alpha or LSC, were samples analyzed using normal ROI's, and were spectra evaluated for interferences?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	160-36383-A-2-D
QC Samples					160-36383-A-2-E
1 Is the blank activity <= MDA	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	160-36383-A-2-F
2 Is the blank activity <= client CRDL?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
3 If blank activity exceeds limit, is sample activity >= 5X blank activity?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
4 Is LCS recovery within acceptance limits?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
5 Is duplicate precision (e.g. RPD/RER/DER/z-score) within acceptance limits?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
6 Is MS/MSD recovery within acceptance limits?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
7 Do samples meet CRDL?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
8 Is the absolute value of any negative result < 3sigma uncert.?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
Other					
1 Are all nonconformances documented and noted?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
2 Were manual data entries and/or calculations checked?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
Data Packaging					
1 Run logs included?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
2 Daily checks included?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3 Backgrounds included?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
4 Calibrations included?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Batch: 450711

Analysis: Thorium, Isotopic by Alpha Spectroscopy

Comments:

Prep Analyst: cmm

Date: 11/15/2019

Analyst: _____

Date: _____

Second Level Reviewer: _____

Date: _____

Date Uploaded: _____

Date Verified: _____

Date Review Released: _____

ExtChrom_Actin Analysis Sheet

(To Accompany Samples to Instruments)

Batch Number: 160-450711

Analyst: Mazariegos, Chelsea M

Batch Open: 11/15/2019 4:08:00PM

Preparation, Extraction Chromatography Resin Actinide Separation

卷之三

Input Sample Lab ID (Analytical Method)		SDG (Job #)	Matrix	Initial Amount	Final Amount	Due Date	Analytical TAT	Div Rank	Comments	Output Sample Lab ID
1	160-36383-A-1 (A01R_Th)	N/A (160-36383-1)	Water	0.3 mL	12/12/19	18_Days	2	/ 06/05/	2044	
2	160-36383-A-1 (A01R_Th)	N/A (160-36383-1)	Water	0.3 mL	12/12/19	18_Days	2	/ 06/05/	2045	
3	160-36383-A-1 (A01R_Th)	N/A (160-36383-1)	Water	0.3 mL	12/12/19	18_Days	2	/ 06/05/	2046	
4	160-36383-A-1 (A01R_Th)	N/A (160-36383-1)	Water	0.3 mL	12/12/19	18_Days	2	/ 06/05/	2047	
5	160-36383-A-1 (A01R_Th)	N/A (160-36383-1)	Water	0.3 mL	12/12/19	18_Days	2	/ 06/05/	2048	
6	160-36383-A-1 (A01R_Th)	N/A (160-36383-1)	Water	0.3 mL	12/12/19	18_Days	2	/ 06/05/	2049	
7	160-36383-A-2 (A01R_Th)	N/A (160-36383-1)	Water	0.3 mL	12/12/19	18_Days	2	/ 06/05/	2050	
8	160-36383-A-2 (A01R_Th)	N/A (160-36383-1)	Water	0.3 mL	12/12/19	18_Days	2	/ 06/05/	2051	
9	160-36383-A-2 (A01R_Th)	N/A (160-36383-1)	Water	0.3 mL	12/12/19	18_Days	2	/ 06/05/	2052	
10	160-36383-A-2 (A01R_Th)	N/A (160-36383-1)	Water	0.3 mL	12/12/19	18_Days	2	/ 06/05/	2053	
11	160-36383-A-2 (A01R_Th)	N/A (160-36383-1)	Water	0.3 mL	12/12/19	18_Days	2	/ 06/05/	2054	
12	160-36383-A-2 (A01R_Th)	N/A (160-36383-1)	Water	0.3 mL	12/12/19	18_Days	2	/ 06/05/	2055	
13	160-36383-A-2 (A01R_Th)	N/A (160-36383-1)	Water	0.3 mL	12/12/19	18_Days	2	/ 06/05/	2056	
14	160-36383-A-2 (A01R_Th)	N/A (160-36383-1)	Water	0.3 mL	12/12/19	18_Days	2	/ 06/05/	2057	
15	160-36383-A-2 (A01R_Th)	N/A (160-36383-1)	Water	0.3 mL	12/12/19	18_Days	2	/ 06/05/	2058	
16	160-36383-A-2 (A01R_Th)	N/A (160-36383-1)	Water	0.3 mL	12/12/19	18_Days	2	/ 06/05/	2059	

ExtChrom_Actin Analysis Sheet

(To Accompany Samples to Instruments)

Batch Number: 160-450711

Analyst: Mazariegos, Chelsea M

Batch Open: 11/15/2019 4:08:00PM
Batch End: 11/15/2019 4:41:00PM

Isotopic Thorium (Alpha Spectrometry)

Input Sample Lab ID (Analytical Method)	(Sub-List)	Analytes
1 (A01R_Th)	(Standard Target List)	Th-228, Th-229, Th-230, Th-232
2 (A01R_Th)	(Standard Target List)	Th-228, Th-229, Th-230, Th-232
3 (A01R_Th)	(Standard Target List)	Th-228, Th-229, Th-230, Th-232
4 (A01R_Th)	(Standard Target List)	Th-228, Th-229, Th-230, Th-232
5 (A01R_Th)	(Standard Target List)	Th-228, Th-229, Th-230, Th-232
6 (A01R_Th)	(Standard Target List)	Th-228, Th-229, Th-230, Th-232
7 (A01R_Th)	(Standard Target List)	Th-228, Th-229, Th-230, Th-232
8 (A01R_Th)	(Standard Target List)	Th-228, Th-229, Th-230, Th-232
9 (A01R_Th)	(Standard Target List)	Th-228, Th-229, Th-230, Th-232
10 (A01R_Th)	(Standard Target List)	Th-228, Th-229, Th-230, Th-232
11 (A01R_Th)	(Standard Target List)	Th-228, Th-229, Th-230, Th-232
12 (A01R_Th)	(Standard Target List)	Th-228, Th-229, Th-230, Th-232

Analytes that are not being reported will be displayed in [...] brackets. Analytes that are not being reported but are on the spike list will be displayed in (...) parentheses.

ExtChrom_Actin Analysis Sheet

(To Accompany Samples to Instruments)

Batch Number: 160-450711

Analyst: Mazariegos, Chelsea M

Batch Open: 11/15/2019 4:08:00PM
Batch End: 11/15/2019 4:41:00PM

Batch Notes

Balance ID	N/A
Analyst ID - Reagent Drop	CMM
Analyst ID - Reagent Drop Witness	KLH per CMM
Pipette ID	RAD104
Analyst ID - Column	N/A
Column Date	N/A
Analyst ID - CoPrecipitation	CMM
CoPrecipitation Date	11/15/2019
SOP Number	ST-RC-0100
Batch Comment	

Comments

ExtChrom_Actin Analysis Sheet

(To Accompany Samples to Instruments)

Batch Number: 160-450711

Analyst: Mazariegos, Chelsea M

Batch Open: 11/15/2019 4:08:00PM
Batch End: 11/15/2019 4:41:00PM

Reagent Additions Worksheet

Lab ID	Reagent Code	Amount Added	Final Amount	By	Witness
160-36383-A-1	Th-229_00028	0.1 mL			
160-36383-A-1	Th-230_00053	0.3 mL			
160-36383-A-1	Th-229_00028	0.1 mL			
160-36383-A-1	Th-230_00053	0.3 mL			
160-36383-A-1	Th-229_00028	0.1 mL			
160-36383-A-1	Th-230_00053	0.3 mL			
160-36383-A-1	Th-230_00053	0.3 mL			
160-36383-A-1	Th-230_00053	0.3 mL			
160-36383-A-1	Th-230_00053	0.3 mL			
160-36383-A-2	Th-229_00028	0.1 mL			
160-36383-A-2	Th-230_00057	0.3 mL			
160-36383-A-2	Th-229_00028	0.1 mL			
160-36383-A-2	Th-230_00057	0.3 mL			
160-36383-A-2	Th-230_00057	0.3 mL			
160-36383-A-2	Th-230_00057	0.3 mL			

ExtChrom_Actin Analysis Sheet

(To Accompany Samples to Instruments)

Batch Number: 160-450711

Analyst: Mazariegos, Chelsea M

Batch Open: 11/15/2019 4:08:00PM
Batch End: 11/15/2019 4:41:00PM

160-36383-A-2

Th-230_00057

0.3 mL

Reagent	Amount/Units	Lot#:

Other Reagents:

Lot#:

Rad Worksheet

Batch Number: 160-450711
Method: ExtChrom
Analyst: Mazariegos, Chels

Date Open: Nov 15 2019 4:08PM
Batch End: Nov 15 2019 4:41PM

Balance ID:
Analyst ID - I
Analyst ID - II
Analyst ID - III
Pipette ID:
Analyst ID - C
Column Date:
Analyst ID - C
COPrecipitation
SOP Number:

N/A CMM KLH per CMM RAD104 N/A N/A CMM 11/15/2019 ST-FBC-0100

Reagent

Th-230_00054



Eckert & Ziegler

Analytics

1380 Seaboard Industrial Blvd.
Atlanta, Georgia 30318
Tel 404-352-8677
Fax 404-352-2837
www.ezag.com

CERTIFICATE OF CALIBRATION
Standard Reference Source

SRS Number: 114475

Source Description: 5 mL Liquid in Flame Sealed Ampoule

Product Code: 8230

Customer: Test America Laboratories- St. Louis

P.O. Number: 3053229, Item 1

This standard radionuclide source was prepared gravimetrically from a master solution calibrated by Eckert & Ziegler Analytics (EZA). The master solution was calibrated by liquid scintillation counting. Radionuclide calibration and purity were checked by germanium gamma-ray spectrometry, liquid scintillation counting, and/or alpha spectrometry, as applicable. The nuclear decay rate and reference date for this source are given below. EZA maintains traceability to the National Institute of Standards and Technology (NIST) through a Measurements Assurance Program as described in USNRC Regulatory Guide 4.15, Revision 2, July 2007, and compliance with ANSI N42.22-1995, "Traceability of Radioactive Sources to NIST."

Reference Date: 29-October-2019

12:00 PM EST

Isotope	Half-Life, d	Activity, Bq	Uncertainty			Calibration Method**
			u_A , %	u_B , %	U , %*	
Th-230	2.783E+07	3.843E+03	0.2	1.0	2.0	4π LS

*Uncertainty: U - Relative expanded uncertainty, $k = 2$. See NIST Technical Note 1297, "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Results." **Calibration Methods: 4π LS - 4π Liquid Scintillation Counting, HPGe - High Purity Germanium Gamma-Ray Spectrometer, IC - Ionization Chamber.

(Certificate continued on reverse side)

Reagent

Th-230_00056

Standard ID Number: Th-230_00057
True Value = 20627 pCi/L or g
Date Analyzed: 11/16/2019

Radionuclide:
Th-230

Replicates
#1 19791 pCi/L or g
#2 20695 pCi/L or g
#3 18802 pCi/L or g

Mean = 19762.667

1 sigma = 946.818 1.96 sigma = 1855.763

True Value minus 5% = 19595.65 (True Value - 5%)
True Value plus 5% = 21658.35 (True Value + 5%)

Accuracy:

Mean value within 5% of Certified (True) Value?

Yes (Acceptance Criteria)

Precision:

1.96 sigma Value Within 10% of Mean Value?

Yes (Acceptance Criteria)

Standard Reverification Acceptable? Yes

Note: Criteria for reverification of radiological standards is taken from the
DoD/DOE Consolidated QSM and LANL Statements of Work

1st Reviewed By/Date: TJR 11/18/19

2nd Reviewed By/Date: CJP 11/18/19

Decay Calculations**Raw Sample/Standard Information**

Initial Date/Time (t_0):	10/29/2019 0:00		
Decayto Date/Time (t):	11/16/19 0:00		
Initial Activity (A_0):	45.79 dpm		
Initial Aliquot:	1 mL		
Initial Conc:	45.7916 dpm/mL		
*Soln. Density:	1 g/mL		
Nuclide:	Th-230		
Half-Life (days):	27539850	decay days	fraction
**Decay Factor:	1.0000	18.00	0.00000
Decay Corr Activity:	4.5792E+01 dpm		
Decay Corr Conc:	4.5792E+01 dpm/mL		

Conversion/Calculations

Final Activity Unit:	pCi
Activity Unit Factor:	0.45045
Final Volume Unit:	L
Volume Unit Factor:	0.001
Final Concentration:	2.0627E+04 pCi/L
Aliquot Volume:	1.0000E+00 L
Final Activity (A):	2.0627E+04 pCi

** Uses basic decay equation: $A = A_0 * \exp(-\ln(2)*(t-t_0)/(half-life))$

* Soln. Density to be used when converting from liquid expressed in mass (g) units to liquid units (mL), and is only applied in that case.

Alpha-Spectroscopy Analysis Report

TestAmerica St. Louis

13715 Rider Trail North

Earth City, MO 63045

5:43:23AM

11/17/2019

Sample
 Sample Name: 160-36383-A-2-A

Spectrum #1 Analysis #1

Sample Volume : 0.0003L

Aliquot: N/A Aliquot Fraction: N/A

Sample Collection Date: 11/15/2019 12:00:00PM

Batch

Batch Name: 450711

Analyst: 60040

AnalysisID: 775471

Tracer

Tracer Name: Th-229_00028

Tracer Nuclide: Th-229

Tracer Activity: 66.16 DPM/mL x (Vol.)0.10 mL = 6.62 DPM

Tracer Recovery: 101.73%

Tracer Ref. Date: 8/29/2018 12:00:31PM

Acquisition

Detector: AV1

Calibration Name: IC-7107;AV1-05142018

Serial Number: 49-188 AA4

Calibration Date: 5/14/2018 6:23:45PM

Acquisition Start Date: 11/16/2019 1:42:29PM

Gain = 7.4575 keV / Ch

Live Time: 960.00 min.

Offset = 3,366.95 keV

Real Time: 960.03 min.


 Quadratic = 0.0000 keV / Ch²

Background Date: 11/13/2019 1:56:34PM

Efficiency: 24.36% +/- 0.28% TPU(2 sigma)

Background Info: Sample: ICB;Det: AV1; Spectrum #2;

Nov-13-2019 13:56


General Analysis

Analysis Method: ROI Analysis, Set Name = Thorium_Th-229 (T)

Nuclide Library: Thorium

Decay Correction: 11/16/2019 1:41:05PM

MDA Source: Background

 MDA Constants: K_α = 1.65 , K_β = 1.65

Nuclide Summary (ROI)

Nuclide	Peak Energy keV	Peak Expected keV	Peak Diff keV	ROI Start keV	ROI End keV	FWHM keV	B.R. %	Gross Counts	Bkgd Counts	Net Counts	Activity	Units
Th-232	3971.0	4,010.0	-39.0	3724.9	4075.4	32.5	100.2	9	4.0000	5.00	31.497	pCi/L
Th-230	4649.7	4,687.5	-37.8	4455.8	4716.8	23.5	99.7	3137	11.0000	3126.00	19,790.970	pCi/L
Th-229	4828.6	4,845.3	-16.7	4716.8	5097.1	78.3	99.6	1571	3.0000	1568.00	10,105.280	pCi/L
Th-228	5417.8	5,423.3	-5.5	5209.0	5552.0	27.5	99.8	51	7.0000	44.00	278.400	pCi/L

Alpha-Spectroscopy Analysis Report

TestAmerica St. Louis
13715 Rider Trail North
Earth City, MO 63045
8:51:27AM 11/18/2019

Sample Name: 160-36383-A-2-B
Sample Type: Sample
: 160-36383-A-2-B
Sample Collection Date: 11/15/2019 12:00:00PM

Sample

Spectrum #1 Analysis #1
Sample Volume : 0.0003L
Aliquot: N/A Aliquot Fraction: N/A

Batch Name: 450711
AnalysisID: 775566

Batch

Analyst: 60040

Tracer Name: Th-229_00028
Tracer Activity: 66.16 DPM/mL x (Vol.)0.10 mL = 6.62 DPM
Tracer Ref. Date: 8/29/2018 12:00:31PM


Tracer

Tracer Nuclide: Th-229
Tracer Recovery: 102.38%

Detector: AV3
Serial Number: 49-202 FF7
Acquisition Start Date: 11/16/2019 1:42:31PM
Live Time: 960.00 min.
Real Time: 960.03 min.
Background Date: 11/13/2019 1:56:37PM
Background Info: Sample: ICB;AV3; Det: AV3; Spectrum #2;
Nov-13-2019 13:56

Acquisition

Calibration Name: IC-8877;AV3-05142018
Calibration Date: 5/14/2018 6:25:15PM
Gain = 7.4575 keV / Ch
Offset = 3,366.95 keV
Energy Cal: Quadratic = 0.0000 keV / Ch²
Efficiency: 24.44% +/- 0.30% TPU(2 sigma)



General Analysis

Analysis Method: ROI Analysis, Set Name = Thorium_Th-229 (T)
Decay Correction: 11/16/2019 1:41:05PM
MDA Constants: K α = 1.65 , K β = 1.65

Nuclide Library: Thorium
MDA Source: Background

Nuclide Summary (ROI)

Nuclide	Peak Energy keV	Peak Expected keV	Peak Diff keV	ROI Start keV	ROI End keV	FWHM keV	B.R. %	Gross Counts	Bkgd Counts	Net Counts	Activity	Units
Th-232	3971.0	4,010.0	-39.0	3724.9	4075.4	12.1	100.2	14	16.0000	-2.00	-12.480	pCi/L
Th-230	4649.7	4,687.5	-37.8	4455.8	4731.7	22.3	99.7	3313	13.0000	3300.00	20,694.600	pCi/L
Th-229	4828.6	4,845.3	-16.7	4731.7	5097.1	82.4	99.6	1591	8.0000	1583.00	10,169.700	pCi/L
Th-228	5417.8	5,423.3	-5.5	5209.0	5552.0	18.4	99.8	79	4.0000	75.00	470.050	pCi/L

Alpha-Spectroscopy Analysis Report

TestAmerica St. Louis
13715 Rider Trail North
Earth City, MO 63045
5:42:33AM 11/17/2019

Sample Name: 160-36383-A-2-C
Sample Type: Sample
Batch ID: 160-36383-A-2-C
Sample Collection Date: 11/15/2019 12:00:00PM

Sample

Spectrum #1 Analysis #1
Sample Volume : 0.0003L
Aliquot: N/A Aliquot Fraction: N/A

Batch Name: 450711
AnalysisID: 775467

Batch

Analyst: 60040

Tracer Name: Th-229_00028
Tracer Activity: 66.16 DPM/mL x (Vol.)0.10 mL = 6.62 DPM
Tracer Ref. Date: 8/29/2018 12:00:31PM


Tracer

Tracer Nuclide: Th-229
Tracer Recovery: 116.50%

Detector: AV4
Serial Number: 46-033Q4
Acquisition Start Date: 11/16/2019 1:42:33PM
Live Time: 960.00 min.
Real Time: 960.03 min.
Background Date: 11/13/2019 1:54:23PM
Background Info: Sample: ICB;Det: AV4; Spectrum #2;
Nov-13-2019 13:54

Acquisition

Calibration Name: IC-9520;AV4-05142018
Calibration Date: 5/14/2018 6:25:34PM
Gain = 7.4575 keV / Ch
Offset = 3,366.95 keV
Energy Cal: Quadratic = 0.0000 keV / Ch²
Efficiency: 22.79% +/- 0.33% TPU(2 sigma)



General Analysis

Analysis Method: ROI Analysis, Set Name = Thorium_Th-229 (T)
Decay Correction: 11/16/2019 1:41:05PM
MDA Constants: K α = 1.65 , K β = 1.65

Nuclide Library: Thorium
MDA Source: Background

Nuclide Summary (ROI)

Nuclide	Peak Energy keV	Peak Expected keV	Peak Diff keV	ROI Start keV	ROI End keV	FWHM keV	B.R. %	Gross Counts	Bkgd Counts	Net Counts	Activity	Units
Th-232	3971.0	4,010.0	-39.0	3724.9	4075.4	305.2	100.2	9	7.0000	2.00	11.759	pCi/L
Th-230	4649.7	4,687.5	-37.8	4455.8	4716.8	24.7	99.7	3184	2.0000	3182.00	18,802.470	pCi/L
Th-229	4828.6	4,845.3	-16.7	4716.8	5097.1	87.4	99.6	1685	5.0000	1680.00	11,572.560	pCi/L
Th-228	5417.8	5,423.3	-5.5	5209.0	5552.0	29.2	99.8	33	7.0000	26.00	153.542	pCi/L

Alpha-Spectroscopy Analysis Report

TestAmerica St. Louis
13715 Rider Trail North
Earth City, MO 63045
9:42:35AM 11/18/2019

Sample Name: 160-36383-A-2-D
Sample Type: Sample
: 160-36383-A-2-D
Sample Collection Date: 11/15/2019 12:00:00PM

Sample

Spectrum #1 Analysis #1
Sample Volume : 0.0003L
Aliquot: N/A Aliquot Fraction: N/A

Batch Name: 450711
AnalysisID: 775571

Batch

Analyst: 60040

Tracer Name: Th-230_00057
Tracer Activity: 45.79 DPM/mL x (Vol.)0.30 mL = 13.74 DPM
Tracer Ref. Date: 10/29/2019 11:00:53AM


Tracer

Tracer Nuclide: Th-230
Tracer Recovery: 89.46%

Detector: AV14
Serial Number: 50-060W4
Acquisition Start Date: 11/16/2019 1:42:42PM
Live Time: 960.00 min.
Real Time: 960.01 min.
Background Date: 11/13/2019 1:54:35PM
Background Info: Sample: ICB; Det: AV14; Spectrum #2;
Nov-13-2019 13:54

Acquisition

Calibration Name: IC-1370622;AV14-05142018
Calibration Date: 5/14/2018 6:27:53PM
Gain = 7.4575 keV / Ch
Energy Cal: Offset = 3,366.95 keV
Quadratic = 0.0000 keV / Ch²
Efficiency: 26.40% +/- 0.23% TPU(2 sigma)



General Analysis

Analysis Method: ROI Analysis, Set Name = Thorium_Th-230 (T)

Nuclide Library: Thorium

Decay Correction: 11/16/2019 1:41:05PM

MDA Source: Background

MDA Constants: K_α = 1.65, K_β = 1.65

Nuclide Summary (ROI)

Nuclide	Peak Energy keV	Peak Expected keV	Peak Diff keV	ROI Start keV	ROI End keV	FWHM keV	B.R. %	Gross Counts	Bkgd Counts	Net Counts	Activity	Units
Th-232	3971.0	4,010.0	-39.0	3724.9	4075.4	15.9	100.2	9	2.0000	7.00	46.270	pCi/L
Th-230	4649.7	4,687.5	-37.8	4455.8	4739.1	63.3	99.7	3108	3.0000	3105.00	18,452.200	pCi/L
Th-229	4828.6	4,845.3	-16.7	4739.1	5097.1	306.2	99.6	18	3.0000	15.00	99.700	pCi/L
Th-228	5417.8	5,423.3	-5.5	5209.0	5552.0	223.9	99.8	14	11.0000	3.00	19.917	pCi/L

Alpha-Spectroscopy Analysis Report

TestAmerica St. Louis
13715 Rider Trail North
Earth City, MO 63045
9:42:50AM 11/18/2019

Sample Name: 160-36383-A-2-E
Sample Type: Sample
: 160-36383-A-2-E
Sample Collection Date: 11/15/2019 12:00:00PM

Sample

Spectrum #1 Analysis #1
Sample Volume : 0.0003L
Aliquot: N/A Aliquot Fraction: N/A

Batch Name: 450711
AnalysisID: 775569

Batch

Analyst: 60040

Tracer Name: Th-230_00057
Tracer Activity: 45.79 DPM/mL x (Vol.)0.30 mL = 13.74 DPM
Tracer Ref. Date: 10/29/2019 11:00:53AM


Tracer

Tracer Nuclide: Th-230
Tracer Recovery: 86.22%

Detector: AV15
Serial Number: 41-172C5
Acquisition Start Date: 11/16/2019 1:42:43PM
Live Time: 960.00 min.
Real Time: 960.01 min.
Background Date: 11/13/2019 1:54:37PM
Background Info: Sample: ICB; Det: AV15; Spectrum #2;
Nov-13-2019 13:54

Acquisition

Calibration Name: IC-1370619;AV15-05142018
Calibration Date: 5/14/2018 6:28:04PM
Gain = 7.4575 keV / Ch
Energy Cal: Offset = 3,366.95 keV
Quadratic = 0.0000 keV / Ch²
Efficiency: 27.26% +/- 0.23% TPU(2 sigma)



General Analysis

Analysis Method: ROI Analysis, Set Name = Thorium_Th-230 (T)

Nuclide Library: Thorium

Decay Correction: 11/16/2019 1:41:05PM

MDA Source: Background

MDA Constants: K α = 1.65, K β = 1.65

Nuclide Summary (ROI)

Nuclide	Peak Energy keV	Peak Expected keV	Peak Diff keV	ROI Start keV	ROI End keV	FWHM keV	B.R. %	Gross Counts	Bkgd Counts	Net Counts	Activity	Units
Th-232	3971.0	4,010.0	-39.0	3724.9	4075.4	29.5	100.2	5	5.0000	0.00	0.000	pCi/L
Th-230	4649.7	4,687.5	-37.8	4455.8	4716.8	33.0	99.7	3098	8.0000	3090.00	17,785.010	pCi/L
Th-229	4828.6	4,845.3	-16.7	4716.8	5097.1	60.9	99.6	19	9.0000	10.00	66.789	pCi/L
Th-228	5417.8	5,423.3	-5.5	5209.0	5552.0	55.9	99.8	4	6.0000	-2.00	-13.343	pCi/L

Alpha-Spectroscopy Analysis Report

TestAmerica St. Louis
13715 Rider Trail North
Earth City, MO 63045
9:43:04AM 11/18/2019

Sample Name: 160-36383-A-2-F
Sample Type: Sample
Batch ID: 160-36383-A-2-F
Sample Collection Date: 11/15/2019 12:00:00PM

Sample

Spectrum #1 Analysis #1
Sample Volume : 0.0003L
Aliquot: N/A Aliquot Fraction: N/A

Batch Name: 450711
AnalysisID: 775570

Batch

Analyst: 60040

Tracer Name: Th-230_00057
Tracer Activity: 45.79 DPM/mL x (Vol.)0.30 mL = 13.74 DPM
Tracer Ref. Date: 10/29/2019 11:00:53AM


Tracer

Tracer Nuclide: Th-230
Tracer Recovery: 93.47%

Detector: AV16
Serial Number: 51-082B6
Acquisition Start Date: 11/16/2019 1:42:45PM
Live Time: 960.00 min.
Real Time: 960.01 min.
Background Date: 11/13/2019 1:54:38PM
Background Info: Sample: ICB; Det: AV16; Spectrum #2;
Nov-13-2019 13:54

Acquisition

Calibration Name: IC-137620;AV16-05142018
Calibration Date: 5/14/2018 6:28:17PM
Gain = 7.4575 keV / Ch
Energy Cal: Offset = 3,366.95 keV
Quadratic = 0.0000 keV / Ch²
Efficiency: 26.96% +/- 0.24% TPU(2 sigma)



General Analysis

Analysis Method: ROI Analysis, Set Name = Thorium_Th-230 (T)

Nuclide Library: Thorium

Decay Correction: 11/16/2019 1:41:05PM

MDA Source: Background

MDA Constants: K_α = 1.65 , K_B = 1.65

Nuclide Summary (ROI)

Nuclide	Peak Energy keV	Peak Expected keV	Peak Diff keV	ROI Start keV	ROI End keV	FWHM keV	B.R. %	Gross Counts	Bkgd Counts	Net Counts	Activity	Units
Th-232	3971.0	4,010.0	-39.0	3724.9	4075.4	23.8	100.2	7	1.0000	6.00	37.170	pCi/L
Th-230	4649.7	4,687.5	-37.8	4455.8	4716.8	42.4	99.7	3321	8.0000	3313.00	19,279.790	pCi/L
Th-229	4828.6	4,845.3	-16.7	4716.8	5097.1	.0	99.6	28	6.0000	22.00	137.046	pCi/L
Th-228	5417.8	5,423.3	-5.5	5209.0	5552.0	10.3	99.8	6	5.0000	1.00	6.222	pCi/L

Rad Worksheet

Batch Number: 160-450711

Method: EtchChrom

Avalos: Mazziecca *Chelsea M*

Date Open: Nov 15 2019 4:08PM
Batch End: Nov 15 2019 4:41PM

Date Open: Nov 15 2019 4:08PM
Batch End: Nov 15 2019 4:11PM

15

Balancile ID: Analyst ID - Reagent Drop:

KLH per CMM
RAD104

三

四

13

三

11/15/2019 ST-RC-0100

08/10/2023

Radiochemistry Data Review Checklist

Batch: 450711

Analysis: Thorium, Isotopic by Alpha Spectroscopy

Review Item	Yes	No	N/A	2 Rvw	Lot Number	Analytical Due Date
Rad Prep						
1 Are all samples on batch sheet present or removed from batch?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	160-36383-A-1-A	
2 Are all samples, QC and methods in compliance with client requirements?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	160-36383-A-1-B	
3 Were forms checked for transcription errors?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	160-36383-A-1-C	
4 Are all TALS entries complete? (End Dates and appropriate worksheet fields completed)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	160-36383-A-1-D	
5 Are all problems and deviations documented? (NCM printed and attached with paperwork)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	160-36383-A-1-E	
6 Does this batch contain re-extracts?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	160-36383-A-1-F	
Sample Analysis						
1 Are carrier/tracer yields within acceptance limits?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	160-36383-A-2-A	
2 Were all sample holding times met?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	160-36383-A-2-B	
3 If alpha or LSC, were samples analyzed using normal ROI's, and were spectra evaluated for interferences?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	160-36383-A-2-C	
QC Samples						
1 Is the blank activity <= MDA	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	160-36383-A-2-D	
2 Is the blank activity <= client CRDL?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	160-36383-A-2-E	
3 If blank activity exceeds limit, is sample activity >/= 5X blank activity?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	160-36383-A-2-F	
4 Is LCS recovery within acceptance limits?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
5 Is duplicate precision (e.g. RPD/RER/DER/z-score) within acceptance limits?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
6 Is MS/MSD recovery within acceptance limits?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
7 Do samples meet CRDL?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
8 Is the absolute value of any negative result < 3sigma uncert.?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
Other						
1 Are all nonconformances documented and noted?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
2 Were manual data entries and/or calculations checked?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
Data Packaging						
1 Run logs included?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
2 Daily checks included?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
3 Backgrounds included?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
4 Calibrations included?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		

Batch: 450711

Analysis: Thorium, Isotopic by Alpha Spectroscopy

Comments:

Prep Analyst: CMM

Date: 11/15/2019

Analyst: _____

Date: _____

Second Level Reviewer: _____

Date: _____

Date Uploaded: _____

Date Verified: _____

Date Review Released: _____

ExtChrom_Actin Analysis Sheet
 (To Accompany Samples to Instruments)

Batch Number: 160-450711

Analyst: Mazariegos, Chelsea M

QWOM
 11/15/19
 2019

Batch Open: 11/15/2019 4:08:00PM
 Batch End: 11/15/2019 4:41:00PM

Preparation, Extraction Chromatography Resin Actinide Separation

TA
 1.00 μ L

Input Sample Lab ID (Analytical Method)	SDG (Job #)	Matrix	Initial Amount	Final Amount	Due Date	Analytical TAT	Dlv Rank	Comments	Output Sample Lab ID
160-36383-A-1 (A01R_Th)	N/A (160-36383-1)	Water	0.3 mL		12/12/19	18_Days	2	/ 05/2019	160-36383-A-1-A
160-36383-A-1 (A01R_Th)	N/A (160-36383-1)	Water	0.3 mL		12/12/19	18_Days	2	/ 05/2019	160-36383-A-1-B
160-36383-A-1 (A01R_Th)	N/A (160-36383-1)	Water	0.3 mL		12/12/19	18_Days	2	/ 05/2019	160-36383-A-1-C
160-36383-A-1 (A01R_Th)	N/A (160-36383-1)	Water	0.3 mL		12/12/19	18_Days	2	/ 05/2019	160-36383-A-1-D
160-36383-A-1 (A01R_Th)	N/A (160-36383-1)	Water	0.3 mL		12/12/19	18_Days	2	/ 05/2019	160-36383-A-1-E
160-36383-A-1 (A01R_Th)	N/A (160-36383-1)	Water	0.3 mL		12/12/19	18_Days	2	/ 05/2019	160-36383-A-1-F
160-36383-A-2 (A01R_Th)	N/A (160-36383-1)	Water	0.3 mL		12/12/19	18_Days	2	/ 05/2019	160-36383-A-2-A
160-36383-A-2 (A01R_Th)	N/A (160-36383-1)	Water	0.3 mL		12/12/19	18_Days	2	/ 05/2019	160-36383-A-2-B
160-36383-A-2 (A01R_Th)	N/A (160-36383-1)	Water	0.3 mL		12/12/19	18_Days	2	/ 05/2019	160-36383-A-2-C
160-36383-A-2 (A01R_Th)	N/A (160-36383-1)	Water	0.3 mL		12/12/19	18_Days	2	/ 05/2019	160-36383-A-2-D
160-36383-A-2 (A01R_Th)	N/A (160-36383-1)	Water	0.3 mL		12/12/19	18_Days	2	/ 05/2019	160-36383-A-2-E
160-36383-A-2 (A01R_Th)	N/A (160-36383-1)	Water	0.3 mL		12/12/19	18_Days	2	/ 05/2019	160-36383-A-2-F

ExtChrom_Actin Analysis Sheet

(To Accompany Samples to Instruments)

Batch Number: 160-450711

Analyst: Mazariegos, Chelsea M

Batch Open: 11/15/2019 4:08:00PM
Batch End: 11/15/2019 4:41:00PM

Isotopic Thorium (Alpha Spectrometry)

Input Sample Lab ID (Analytical Method)	Lab ID (Sub-List)	Analytes
1 (A01R_Th)	(Standard Target List)	Th-228, Th-229, Th-230, Th-232
2 (A01R_Th)	(Standard Target List)	Th-228, Th-229, Th-230, Th-232
3 (A01R_Th)	(Standard Target List)	Th-228, Th-229, Th-230, Th-232
4 (A01R_Th)	(Standard Target List)	Th-228, Th-229, Th-230, Th-232
5 (A01R_Th)	(Standard Target List)	Th-228, Th-229, Th-230, Th-232
6 (A01R_Th)	(Standard Target List)	Th-228, Th-229, Th-230, Th-232
7 (A01R_Th)	(Standard Target List)	Th-228, Th-229, Th-230, Th-232
8 (A01R_Th)	(Standard Target List)	Th-228, Th-229, Th-230, Th-232
9 (A01R_Th)	(Standard Target List)	Th-228, Th-229, Th-230, Th-232
10 (A01R_Th)	(Standard Target List)	Th-228, Th-229, Th-230, Th-232
11 (A01R_Th)	(Standard Target List)	Th-228, Th-229, Th-230, Th-232
12 (A01R_Th)	(Standard Target List)	Th-228, Th-229, Th-230, Th-232

Analytes that are not being reported with be displayed in [...] brackets. Analytes that are not being reported but are on the spike list will be displayed in (...) parentheses.

ExtChrom_Actin Analysis Sheet

(To Accompany Samples to Instruments)

Batch Number: 160-450711

Analyst: Mazariegos, Chelsea M

Batch Open: 11/15/2019 4:08:00PM
Batch End: 11/15/2019 4:41:00PM

Batch Notes

Balance ID	N/A
Analyst ID - Reagent Drop	CMM
Analyst ID - Reagent Drop Witness	KLH per CMM
Pipette ID	RAD104
Analyst ID - Column	N/A
Column Date	N/A
Analyst ID - CoPrecipitation	CMM
CoPrecipitation Date	11/15/2019
SOP Number	ST-RC-0100
Batch Comment	

Comments

ExtChrom_Actin Analysis Sheet

(To Accompany Samples to Instruments)

Batch Number: 160-450711

Analyst: Mazariegos, Chelsea M

Batch Open: 11/15/2019 4:08:00PM
 Batch End: 11/15/2019 4:41:00PM

Reagent Additions Worksheet

Lab ID	Reagent Code	Amount Added	Final Amount	By	Witness
160-36383-A-1	Th-229_000028	0.1 mL			
160-36383-A-1	Th-230_000053	0.3 mL			
160-36383-A-1	Th-229_000028	0.1 mL			
160-36383-A-1	Th-230_000053	0.3 mL			
160-36383-A-1	Th-229_000028	0.1 mL			
160-36383-A-1	Th-230_000053	0.3 mL			
160-36383-A-1	Th-230_000053	0.3 mL			
160-36383-A-1	Th-230_000053	0.3 mL			
160-36383-A-2	Th-229_000028	0.1 mL			
160-36383-A-2	Th-230_000057	0.3 mL			
160-36383-A-2	Th-229_000028	0.1 mL			
160-36383-A-2	Th-230_000057	0.3 mL			
160-36383-A-2	Th-229_000028	0.1 mL			
160-36383-A-2	Th-230_000057	0.3 mL			
160-36383-A-2	Th-230_000057	0.3 mL			
160-36383-A-2	Th-230_000057	0.3 mL			

ExtChrom_Actin Analysis Sheet

(To Accompany Samples to Instruments)

Batch Number: 160-450711

Analyst: Mazariegos, Chelsea M

Batch Open: 11/15/2019 4:08:00PM
Batch End: 11/15/2019 4:41:00PM

Batch End: 11/15/2019 4:41:00PM

Rad Worksheet

Batch Number: 160-450711
Method: ExtChrom
Analyst: Mazariegos, Chelsea

Date Open: Nov 15 2019 4:08PM
Batch End: Nov 15 2019 4:41PM

Lab ID	Client ID	Method Chain	Basis	Initial weight/volume of sample	Th-229_00028	Th-230_00053	Th-230_00057
160-36383-A-1	Th-230 Std Verify 1	ExtChrom_Actin, A01R_Th	T	0.3 mL	0.1 mL	0.3 mL	0.3 mL
160-36383-A-1	Th-230 Std Verify 1	ExtChrom_Actin, A01R_Th	T	0.3 mL	0.1 mL	0.3 mL	0.3 mL
160-36383-A-1	Th-230 Std Verify 1	ExtChrom_Actin, A01R_Th	T	0.3 mL	0.1 mL	0.3 mL	0.3 mL
160-36383-A-1	Th-230 Std Verify 1	ExtChrom_Actin, A01R_Th	T	0.3 mL	0.3 mL	0.3 mL	0.3 mL
160-36383-A-1	Th-230 Std Verify 1	ExtChrom_Actin, A01R_Th	T	0.3 mL	0.3 mL	0.3 mL	0.3 mL
160-36383-A-1	Th-230 Std Verify 1	ExtChrom_Actin, A01R_Th	T	0.3 mL	0.3 mL	0.3 mL	0.3 mL
160-36383-A-1	Th-230 Std Verify 1	ExtChrom_Actin, A01R_Th	T	0.3 mL	0.3 mL	0.3 mL	0.3 mL
160-36383-A-2	Th-230 Std Verify 1	ExtChrom_Actin, A01R_Th	T	0.3 mL	0.1 mL	0.3 mL	0.3 mL
160-36383-A-2	Th-230 Std Verify 1	ExtChrom_Actin, A01R_Th	T	0.3 mL	0.1 mL	0.3 mL	0.3 mL
160-36383-A-2	Th-230 Std Verify 1	ExtChrom_Actin, A01R_Th	T	0.3 mL	0.1 mL	0.3 mL	0.3 mL
160-36383-A-2	Th-230 Std Verify 1	ExtChrom_Actin, A01R_Th	T	0.3 mL	0.3 mL	0.3 mL	0.3 mL
160-36383-A-2	Th-230 Std Verify 1	ExtChrom_Actin, A01R_Th	T	0.3 mL	0.3 mL	0.3 mL	0.3 mL
160-36383-A-2	Th-230 Std Verify 1	ExtChrom_Actin, A01R_Th	T	0.3 mL	0.3 mL	0.3 mL	0.3 mL
160-36383-A-2	Th-230 Std Verify 1	ExtChrom_Actin, A01R_Th	T	0.3 mL	0.3 mL	0.3 mL	0.3 mL

Balance ID:
Account ID:

Analyst ID - Reagent Drop Witness

Pipette ID: 00000000000000000000000000000000

Analysel DS - Cognitiv:

Column Date:
Analyst ID - CoPrecipitation:
CoPrecipitation Date:

ST-RC-0100

08/10/2023

Subcontract Data

Shipping and Receiving Documents



Eaton Analytical

www.EurofinsUS.com/Eaton

Shaded area for EEA use only



810-68124 Chain of Custody

110 S. Hill Street
South Bend, IN 46617
T: 1.800.332.4345
F: 1.574.233.8207

Order #
Batch # _____

08/16/2023

CHAIN OF CUSTODY RECORD

Page _____ of _____

REPORT TO:				SAMPLER (Signature)			PWS ID #	STATE (sample origin)	PROJECT NAME	PO#	# OF CONTAINERS	MATRIX CODE	TURNAROUND TIME	
Jon Mink, Tim Brewer (jmink@trace-labs.com, tbrewer@trace-labs.com) Trace Analytical Laboratories, Inc., 2241 Black Creek Rd., Muskegon, MI 49444 231-773-5998				COMPLIANCE MONITORING	Yes	No	POPULATION SERVED	SOURCE WATER	23F1321	23F1321				
Accounts Payable, Trace Analytical Laboratories, Inc., 2241 Black Creek Rd., Muskegon, MI 49444					X									
LAB Number	COLLECTION			SAMPLING SITE			TEST NAME		SAMPLE REMARKS	CHLORINATED				
	DATE	TIME	AM	PM							YES	NO		
1	06/28/23	8:50			MW-01R		Radium 226/228					4	DW	SW
2	06/27/23	16:05			MW-02		Radium 226/228					4	DW	SW
3	06/28/23	11:00			MW-03		Radium 226/228					4	DW	SW
4	06/28/23	9:55			MW-04		Radium 226/228					4	DW	SW
5	06/28/23	12:00			MW-06		Radium 226/228					4	DW	SW
6	06/27/23	12:00			MW-07		Radium 226/228					4	DW	SW
7	06/27/23	17:20			MW-08		Radium 226/228					4	DW	SW
8	06/27/23	14:45			MW-09		Radium 226/228					4	DW	SW
9	06/27/23	17:30			MW-10		Radium 226/228					4	DW	SW
10	06/28/23	12:10			MW-11		Radium 226/228					4	DW	SW
11	06/27/23	9:00			MW-12		Radium 226/228					4	DW	SW
12	06/27/23	11:00			MW-18		Radium 226/228					4	DW	SW
13	06/28/23	10:30			MW-19		Radium 226/228					4	DW	SW
14	06/28/23	9:00			MW-20		Radium 226/228					4	DW	SW
RELINQUISHED BY:(Signature)			DATE	TIME	RECEIVED BY:(Signature)		DATE	TIME	LAB RESERVES THE RIGHT TO RETURN UNUSED PORTIONS OF NON-AQUEOUS SAMPLES TO CLIENT					
<i>Beverly Karch</i>			6/29/23		Fedex		6/29/23		LAB COMMENTS: Level IV with EDD from St. Louis					
RELINQUISHED BY:(Signature)			DATE	TIME	RECEIVED BY:(Signature)		DATE	TIME	<i>pH Acceptable</i>					
Fedex					<i>Kameron Williams</i>		6/30/23	09:00						
RELINQUISHED BY:(Signature)			DATE	TIME	RECEIVED FOR LABORATORY BY:		DATE	TIME	CONDITIONS UPON RECEIPT (check one):					
									<input type="checkbox"/> Iced/Wet/Blue	<input checked="" type="checkbox"/> Ambient	<input type="checkbox"/> C Upon Receipt	<input type="checkbox"/> N/A		
MATRIX CODES:			TURN-AROUND TIME (TAT) - SURCHARGES											
DW-DRINKING WATER			SW = Standard Written: (15 working days) 0%									IV* = Immediate Verbal: (3 working days) 100%		
RW-REAGENT WATER			RV* = Rush Verbal: (5 working days) 50%									IW* = Immediate Written: (3 working days) 125%		
GW-GROUND WATER			RW* = Rush Written: (5 working days) 75%									SP* = Weekend, Holiday CALL		
EW-EXPOSURE WATER												STAT* = Less than 48 hours CALL		
SW-SURFACE WATER												Samples received unannounced with less than 48 hours holding time remaining may be subject to additional charges.		
PW-POOL WATER														
WW-WASTE WATER														
* Please call, expedited service not available for all testing														

Sample analysis will be provided according to the standard EEA/Water Services Terms, which are available upon request. Any other terms proposed by Customer are deemed material alterations and are rejected unless expressly agreed to in writing by EEA.

06-LO-F0435 Issue 6.0 Effective Date: 2016-09-20



Eaton Analytical

www.EurofinsUS.com/Eaton

Shaded area for EEA use only

110 S. Hill Street
South Bend, IN 46617
T: 1.800.332.4345
F: 1.574.233.8207


Order #
Batch # _____

08/10/2023

CHAIN OF CUSTODY RECORD

Page _____ of _____

REPORT TO:				SAMPLER (Signature)	PWS ID #	STATE (sample origin)	PROJECT NAME	PO#	# OF CONTAINERS	MATRIX CODE	TURNAROUND TIME
						MI					
BILL TO:				COMPLIANCE MONITORING	Yes	No	POPULATION SERVED	SOURCE WATER	23F1321	23F1321	
Accounts Payable, Trace Analytical Laboratories, Inc., 2241 Black Creek Rd., Muskegon, MI 49444				X							
	LAB Number	COLLECTION			SAMPLING SITE			TEST NAME		SAMPLE REMARKS	CHLORINATED
		DATE	TIME	AM PM						YES	NO
1		06/27/23	12:05		MW-27			Radium 226/228			4 DW SW
2		06/27/23	13:40		MW-30			Radium 226/228			4 DW SW
3		06/27/23	14:30		MW-31			Radium 226/228			4 DW SW
4		06/27/23	15:40		MW-32			Radium 226/228			4 DW SW
5		06/27/23	10:25		MW-33			Radium 226/228			4 DW SW
6		06/27/23	11:10		MW-34			Radium 226/228			4 DW SW
7		06/27/23	9:00		MWT-12			Radium 226/228			4 DW SW
8		06/27/23	13:40		MWT-30			Radium 226/228			4 DW SW
9		06/28/23	13:35		SG-02			Radium 226/228			4 DW SW
10		06/01/23	13:25		SG-03			Radium 226/228			4 DW SW
11		06/28/23	13:10		SG-04R			Radium 226/228			4 DW SW
12		06/28/23	12:50		SG-05			Radium 226/228			4 DW SW
13											
14											

RELINQUISHED BY:(Signature)	DATE	TIME	RECEIVED BY:(Signature)	DATE	TIME	LAB RESERVES THE RIGHT TO RETURN UNUSED PORTIONS OF NON-AQUEOUS SAMPLES TO CLIENT
	6/29/23		Fedex	6/29/23		LAB COMMENTS: Level IV with EDD from St. Louis
RELINQUISHED BY:(Signature)	DATE	TIME	RECEIVED BY:(Signature)	DATE	TIME	
Fedex						
RELINQUISHED BY:(Signature)	DATE	TIME	RECEIVED FOR LABORATORY BY:	DATE	TIME	CONDITIONS UPON RECEIPT (check one):
						iced: Wet/Blue Ambient °C Upon Receipt N/A
AM PM	AM PM	AM PM	AM PM	AM PM	AM PM	

MATRIX CODES:	TURN-AROUND TIME (TAT) - SURCHARGES	
DW-DRINKING WATER	SW = Standard Written: (15 working days)	0%
RW-REAGENT WATER	RV* = Rush Verbal: (5 working days)	50%
GW-GROUND WATER	RW* = Rush Written: (5 working days)	75%
EW-EXPOSURE WATER		
SW-SURFACE WATER		
PW-POOL-WATER		
WW-WASTE WATER		
* Please call, expedited service not available for all testing		
IV* = Immediate Verbal: (3 working days)	100%	
IW* = Immediate Written: (3 working days)	125%	
SP* = Weekend, Holiday	CALL	
STAT* = Less than 48 hours	CALL	
Samples received unannounced with less than 48 hours holding time remaining may be subject to additional charges.		

Sample analysis will be provided according to the standard EEA/Water Services Terms, which are available upon request. Any other terms proposed by Customer are deemed material alterations and are rejected unless expressly agreed to in writing by EEA.

06-LO-F0435 Issue 6.0 Effective Date: 2016-09-20

Chain of Custody Record

Note: Since laboratory accreditation are subject to change, Eurofins Eaton Analytical, LLC places the ownership of method, analysis & accreditation compliance upon our subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory does not currently maintain accreditation in the State of Origin listed above, the samples must be shipped back to the Eurofins Eaton Analytical, LLC laboratory or other instructions will be provided. Any changes to accreditation status should be brought to Eurofins Eaton Analytical, LLC attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to said compliance to Eurofins Eaton Analytical, LLC.

Possible Hazard Identification

Unconfirmed **Deliverable Requested:** I, II, III, IV, Other (specify)

104

Date:

Date/Time:

卷之三

卷之三

卷之三

11

3543

10

卷之三

卷之三

Eurofins Eaton Analytical South Bend

110 S Hill Street
South Bend, IN 46617
Phone: 574-233-8207

Chain of Custody Record

eurofins Environment Testing

Client Information (Sub Contract Lab)

Client Contact:	Phone:	Sampler:	Lab P.M.	Carrier Tracking No(s):	COC No:
Shipping/Receiving Company:					810-26818.3

TestAmerica Laboratories, Inc.
Address: 13715 Rider Trail North,
City: Earth City

State, Zip: MO, 63045
Phone: 314-298-8566(Tel) 314-298-8757(Fax)

Email: Karen.Fullmer@jet.eurofinsus.com
PO #:

WO #:

Project Name: 23F1321

Site: SSOW#:

Sample Identification - Client ID (Lab ID)

Sample Identification - Client ID (Lab ID)	Sample Date	Sample Time	Sample Type (C=Comp, G=Grab)	Matrix (Inorganic, Organic, Organometallic, Aqueous)	Preservation Code:	Special Instructions/Note:
MW-33 (810-68124-19)	6/27/23	10:25	drinking Water	X X X		
MW-34 (810-68124-20)	6/27/23	11:10	drinking Water	X X X		
MWWT-12 (810-68124-21)	6/27/23	09:00	drinking Water	X X X		
MWWT-30 (810-68124-22)	6/27/23	13:40	drinking Water	X X X		
SG-02 (810-68124-23)	6/28/23	13:35	drinking Water	X X X		
SG-03 (810-68124-24)	6/1/23	13:25	drinking Water	X X X		
SG-04R (810-68124-25)	6/28/23	13:10	drinking Water	X X X		
SG-05 (810-68124-26)	6/28/23	12:50	drinking Water	X X X		

Note: Since laboratory accreditations are subject to change Eurofins Eaton Analytical LLC places the ownership of method, analyze & accreditation compliance upon our subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory does not currently maintain accreditation in the State of Origin listed above for analysis/test/matrix being analyzed, the samples must be shipped back to the Eurofins Eaton Analytical, LLC laboratory or other instructions will be provided. Any changes to accreditation status should be brought to Eurofins Eaton Analytical, LLC attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to said compliance to Eurofins Eaton Analytical, LLC.

Possible Hazard Identification

Unconfirmed

Deliverable Requested: I, II, III, IV, Other (specify)

Primary Deliverable Rank: 2

Empty Kit Relinquished by:	Date:	Time:	Method of Shipment:
Relinquished by:	Date/Time:		Company
Relinquished by:	Date/Time:		Company
Custody Seals Intact: △ Yes ▲ No	7/15/2023	16:00	Company



Chain of Custody Record

Client Information (Sub Contract Lab)		Sampler:	Lab PM: Fullmer, Karen	Carrier Tracking No(s): 810-68818.1																																																		
Client Contact:	Phone:	E-Mail: Karen.Fullmer@et.eurofinsus.com	State of Origin: Michigan	Page: 1 of 3																																																		
Shipping/Receiving Company:	Accreditations Required (See note): State - Michigan																																																					
TestAmerica Laboratories, Inc.	Address:	Due Date Requested: 8/3/2023	Analysis Requested																																																			
13715 Rider Trail North, Earth City MO, 63045	TAT Requested (days):			Total Number of contaminants:																																																		
Phone: 235F1321	Project #: 81000263																																																					
Email: Other:	SSOW#:																																																					
Field Filtered Sample (Yes or No): <input checked="" type="checkbox"/> Perform MSD/MSD (Yes or No)																																																						
904.0/PreCsep-0 EPA 903.0 - Radium 226 (SL Louis) 90226-226GFC-PI/Combined Rad226 & Rad228 (SL Louis) R226-226GFC-PI/Cesium 137 (SL Louis)																																																						
Special Instructions/Note:																																																						
<table border="1"> <thead> <tr> <th>Sample Identification - Client ID (Lab ID)</th> <th>Sample Date</th> <th>Sample Time</th> <th>Sample Type (C=comp, G=grab)</th> <th>Matrix (Water, Sewage, oil, tissue, etc.)</th> </tr> </thead> <tbody> <tr> <td>MW-01R (810-68124-1)</td> <td>6/28/23</td> <td>08:50</td> <td>drinking Water</td> <td>X X X</td> </tr> <tr> <td>MW-02 (810-68124-2)</td> <td>6/27/23</td> <td>16:05</td> <td>drinking Water</td> <td>X X X</td> </tr> <tr> <td>MW-03 (810-68124-3)</td> <td>6/28/23</td> <td>11:00</td> <td>drinking Water</td> <td>X X X</td> </tr> <tr> <td>MW-04 (810-68124-4)</td> <td>6/28/23</td> <td>09:55</td> <td>drinking Water</td> <td>X X X</td> </tr> <tr> <td>MW-06 (810-68124-5)</td> <td>6/28/23</td> <td>12:00</td> <td>drinking Water</td> <td>X X X</td> </tr> <tr> <td>MW-07 (810-68124-6)</td> <td>6/27/23</td> <td>12:00</td> <td>drinking Water</td> <td>X X X</td> </tr> <tr> <td>MW-08 (810-68124-7)</td> <td>6/27/23</td> <td>17:20</td> <td>drinking Water</td> <td>X X X</td> </tr> <tr> <td>MW-09 (810-68124-8)</td> <td>6/27/23</td> <td>14:45</td> <td>drinking Water</td> <td>X X X</td> </tr> <tr> <td>MW-10 (810-68124-9)</td> <td>6/27/23</td> <td>17:30</td> <td>drinking Water</td> <td>X X X</td> </tr> </tbody> </table>					Sample Identification - Client ID (Lab ID)	Sample Date	Sample Time	Sample Type (C=comp, G=grab)	Matrix (Water, Sewage, oil, tissue, etc.)	MW-01R (810-68124-1)	6/28/23	08:50	drinking Water	X X X	MW-02 (810-68124-2)	6/27/23	16:05	drinking Water	X X X	MW-03 (810-68124-3)	6/28/23	11:00	drinking Water	X X X	MW-04 (810-68124-4)	6/28/23	09:55	drinking Water	X X X	MW-06 (810-68124-5)	6/28/23	12:00	drinking Water	X X X	MW-07 (810-68124-6)	6/27/23	12:00	drinking Water	X X X	MW-08 (810-68124-7)	6/27/23	17:20	drinking Water	X X X	MW-09 (810-68124-8)	6/27/23	14:45	drinking Water	X X X	MW-10 (810-68124-9)	6/27/23	17:30	drinking Water	X X X
Sample Identification - Client ID (Lab ID)	Sample Date	Sample Time	Sample Type (C=comp, G=grab)	Matrix (Water, Sewage, oil, tissue, etc.)																																																		
MW-01R (810-68124-1)	6/28/23	08:50	drinking Water	X X X																																																		
MW-02 (810-68124-2)	6/27/23	16:05	drinking Water	X X X																																																		
MW-03 (810-68124-3)	6/28/23	11:00	drinking Water	X X X																																																		
MW-04 (810-68124-4)	6/28/23	09:55	drinking Water	X X X																																																		
MW-06 (810-68124-5)	6/28/23	12:00	drinking Water	X X X																																																		
MW-07 (810-68124-6)	6/27/23	12:00	drinking Water	X X X																																																		
MW-08 (810-68124-7)	6/27/23	17:20	drinking Water	X X X																																																		
MW-09 (810-68124-8)	6/27/23	14:45	drinking Water	X X X																																																		
MW-10 (810-68124-9)	6/27/23	17:30	drinking Water	X X X																																																		
Preservation Code: <input checked="" type="checkbox"/>																																																						
Method of Shipment: <input type="checkbox"/> Return To Client <input type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For Months																																																						
Primary Deliverable Rank: 2																																																						
Deliverable Requested: I, II, III, IV, Other (specify)																																																						
Possible Hazard Identification																																																						
Unconfirmed	Empty Kit Relinquished by:	Date:	Time:																																																			
Special Instructions/QC Requirements:																																																						
<p>Note: Since laboratory accreditations are subject to change, Eurofins Eaton Analytical, LLC places the ownership of method, analyte & accreditation compliance upon our subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory does not currently maintain accreditation in the State of Origin listed above for analysis/test/matrix being analyzed, the samples must be shipped back to the Eurofins Eaton Analytical, LLC laboratory or other institutions will be provided. Any changes to accreditation status should be brought to Eurofins Eaton Analytical, LLC attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to said compliance to Eurofins Eaton Analytical, LLC.</p>																																																						
<p>Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)</p> <p><input type="checkbox"/> Return To Client <input type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For Months</p>																																																						
<table border="1"> <thead> <tr> <th>Method of Shipment:</th> <th>Date/Time:</th> <th>Received by:</th> <th>Time:</th> <th>Company</th> </tr> </thead> <tbody> <tr> <td>FED EX</td> <td>Date/Time: 2023/06/27 16:00</td> <td>Company: EAT</td> <td>Received by: Suzanne Washington</td> <td>Date/Time: 2023/06/27 16:00</td> </tr> <tr> <td colspan="5">Cooler Temperature(s) °C and Other Remarks:</td> </tr> </tbody> </table>					Method of Shipment:	Date/Time:	Received by:	Time:	Company	FED EX	Date/Time: 2023/06/27 16:00	Company: EAT	Received by: Suzanne Washington	Date/Time: 2023/06/27 16:00	Cooler Temperature(s) °C and Other Remarks:																																							
Method of Shipment:	Date/Time:	Received by:	Time:	Company																																																		
FED EX	Date/Time: 2023/06/27 16:00	Company: EAT	Received by: Suzanne Washington	Date/Time: 2023/06/27 16:00																																																		
Cooler Temperature(s) °C and Other Remarks:																																																						

Since laboratory accreditations are subject to change, Eurofins Eaton Analytical, LLC places ownership of method, analyte & accreditation compliance upon our subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory does not currently maintain accreditation in the State of Origin listed above for analysis/test(s)/matrix being analyzed, the samples must be shipped back to the Eurofins Eaton Analytical, LLC laboratory or other instructions will be provided. Any changes to accreditation status should be brought to Eurofins Eaton Analytical, LLC attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to said compliance to Eurofins Eaton Analytical, LLC.

Possible Hazard Identification

卷之三

Unconfirmed

Deliverable Requested: I, II, III, IV, Other (specify)

卷之三

Empty Kit Relinquished by:

Relinquished by

Relinquished by FED EX

FEDERAL

Beilngwissen

卷之三

Gunterdorff, Sankt Peterstift, Guntersblum 800

Custody Seals [Insert.]

Delta No

Eurofins Eaton Analytical South Bend

110 S Hill Street
South Bend, IN 46617
Phone: 574-233-4777 Fax: 574-233-8207

Chain of Custody Record

Environment Testing



Client Information (Sub Contract Lab)

Client Contact:	Phone:	Sampler:	Lab PM:	Carrier Tracking No(s):	COC No
Shipping/Receiving Company:		Karen Fullmer, Karen	E-Mail:	810-29818-2	Page
Address:		Karen.Fullmer@et.eurofinsus.com	State of Origin:	Michigan	Page 2 of 3
13715 Rider Trail North,					Job #
City:					810-68124-1
Earth City					
State, Zip					
MO, 63045					
Phone:					
314-298-8566(Tel) 314-298-8757(Fax)					
Email:					
Project Name:					
23F1321					
Site:					
TAT Requested (days): 8/3/2023					
Analysis Requested					
Total Number of containers: 903.0/PrecSep_21/EPA 904.0 - Radium 226 (St. Louis) 903.0/PrecSep_21/EPA 903.0 - Radium 228 (St. Louis) R226-228GFC_P/Combined R226 & R228 GFC					
Special Instructions/Note: Other:					
Sample Identification - Client ID (Lab ID)					
MW-11 (810-68124-10)	6/28/23	12:10	Preservation Code:		
MW-12 (810-68124-11)	6/27/23	09:00	Drinking Water	X	X
MW-18 (810-68124-12)	6/27/23	11:00	Drinking Water	X	X
MW-19 (810-68124-13)	6/28/23	10:30	Drinking Water	X	X
MW-20 (810-68124-14)	6/28/23	09:00	Drinking Water	X	X
MW-27 (810-68124-15)	6/27/23	12:05	Drinking Water	X	X
MW-30 (810-68124-16)	6/27/23	13:40	Drinking Water	X	X
MW-31 (810-68124-17)	6/27/23	14:30	Drinking Water	X	X
MW-32 (810-68124-18)	6/27/23	15:40	Drinking Water	X	X
Note: Since laboratory accreditation are subject to change, Eurofins Eaton Analytical, LLC places the ownership of method, analyte & accreditation compliance upon our subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory does not currently maintain accreditation in the State of Origin listed above for analytes/test matrix being analyzed, the samples must be shipped back to the Eurofins Eaton Analytical, LLC laboratory or other instructions will be provided. Any changes to accreditation status should be brought to Eurofins Eaton Analytical, LLC attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to said compliance to Eurofins Eaton Analytical, LLC.					
Possible Hazard Identification					
Unconfirmed					
Deliverable Requested: I, II, III, IV. Other (specify)					
Primary Deliverable Rank: 2					
Empty Kit Relinquished by:	Date/Time:	Company	Received by:	FED EX	Method of Shipment:
Relinquished by:	Date/Time:	Company	Received by:	Return To Client	Date/Time:
Relinquished by:	Date/Time:	Company	Received by:	Disposal By Lab	Archive For
Special Instructions/QC Requirements:					
Cooler Temperature(s) °C and Other Remarks:					
Custody Seals Intact:	Custody Seal No.:				
△ Yes	△ No				

Note: Since laboratory accreditation is subject to change, Eurofins Eaton Analytical, LLC places the ownership of method analysis & accreditation compliance upon our subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory does not currently maintain accreditation in the State of Origin listed above for analyses/techniques being analyzed, the samples must be shipped back to the Eurofins Eaton Analytical, LLC laboratory or other institutions will be brought to Eurofins Eaton Analytical, LLC attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to compliance to Eurofins Eaton Analytical, LLC.

Possible Hazard Identification

Unconfirmed Deliverable Requested: I, I Empty Kit Relinquished by

Relinquished by:

Relinquished by:

Relinquished by:

三

Custody Seals Intact

Δ Yes Δ No

Login Sample Receipt Checklist

Client: Trace Analytical Laboratories

Job Number: 810-68124-1

Login Number: 68124

List Number: 1

Creator: Williams, Kameron

List Source: Eurofins Eaton Analytical South Bend

Question	Answer	Comment
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
Samples were received on ice.	False	Thermal preservation not required.
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	False	Thermal preservation not required.
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Samples do not require splitting or compositing.	True	
Container provided by EEA	True	

Login Sample Receipt Checklist

Client: Trace Analytical Laboratories

Job Number: 810-68124-1

Login Number: 68124

List Source: Eurofins St. Louis

List Number: 2

List Creation: 07/06/23 11:00 AM

Creator: Worthington, Sierra M

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	N/A	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

September 06, 2023

Ms. Molly Reeves
HDR Michigan Inc.
5405 Data Court
Ann Arbor, MI 48108

Phone: (734) 263-7138

RE: Trace Project 23H0444
Client Project City of Grand Haven - Harbor Island

Dear Ms. Reeves:

Enclosed are your analytical results. The results of this report relate only to the samples listed in the body of this report.

All reports were examined through Trace's validation process to ensure that requirements for quality and completeness were satisfied. All reported analytical results were obtained in accordance with the methods referenced on the reports. Every practical effort was made to meet the reporting limit specifications for this work, however, some results may have raised reporting limits to correct for percent solids.

If you have questions concerning this report, please contact me at 231.773.5998 or by email at jmink@trace-labs.com.

Sincerely,

A handwritten signature in black ink that reads "Jon Mink".

Jon Mink
Senior Project Manager
Enclosures



Wisconsin Accreditation No. FID: 998044080 / TNI EL V1:2016

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

SAMPLE SUMMARY

Trace Project ID: 23H0444
Client Project ID: City of Grand Haven - Harbor Island

Trace ID	Sample ID	Matrix	Collected By	Date Collected	Date Received
23H0444-01	MW-01R	Ground Water	AB/TB	08/08/23 14:25	08/09/23 08:35
23H0444-02	MW-02	Ground Water	AB/TB	08/08/23 10:25	08/09/23 08:35
23H0444-03	MW-03	Ground Water	AB/TB	08/07/23 15:20	08/09/23 08:35
23H0444-04	MW-04	Ground Water	AB/TB	08/07/23 14:00	08/09/23 08:35
23H0444-05	MW-06	Ground Water	AB/TB	08/08/23 14:30	08/09/23 08:35
23H0444-06	MW-07	Ground Water	AB/TB	08/07/23 14:30	08/09/23 08:35
23H0444-07	MW-08	Ground Water	AB/TB	08/08/23 12:40	08/09/23 08:35
23H0444-08	MW-09	Ground Water	AB/TB	08/08/23 09:20	08/09/23 08:35
23H0444-09	MW-10	Ground Water	AB/TB	08/08/23 11:45	08/09/23 08:35
23H0444-10	MW-11	Ground Water	AB/TB	08/08/23 16:00	08/09/23 08:35
23H0444-11	MW-12	Ground Water	AB/TB	08/07/23 16:30	08/09/23 08:35
23H0444-12	MW-18	Ground Water	AB/TB	08/08/23 15:30	08/09/23 08:35
23H0444-13	MW-19	Ground Water	AB/TB	08/07/23 17:30	08/09/23 08:35
23H0444-14	MW-20	Ground Water	AB/TB	08/07/23 16:00	08/09/23 08:35
23H0444-15	MW-27	Ground Water	AB/TB	08/07/23 12:55	08/09/23 08:35
23H0444-16	MW-30	Ground Water	AB/TB	08/08/23 09:20	08/09/23 08:35
23H0444-17	MW-31	Ground Water	AB/TB	08/08/23 11:30	08/09/23 08:35
23H0444-18	MW-32	Ground Water	AB/TB	08/08/23 13:00	08/09/23 08:35
23H0444-19	MW-33	Ground Water	AB/TB	08/07/23 12:00	08/09/23 08:35
23H0444-20	MW-34	Ground Water	AB/TB	08/07/23 11:20	08/09/23 08:35
23H0444-21	MWT-04	Ground Water	AB/TB	08/07/23 14:00	08/09/23 08:35
23H0444-22	MWT-12	Ground Water	AB/TB	08/07/23 16:30	08/09/23 08:35
23H0444-23	SG-02	Surface Water	AB/TB	08/08/23 17:05	08/09/23 08:35
23H0444-24	SG-03	Surface Water	AB/TB	08/08/23 17:15	08/09/23 08:35
23H0444-25	SG-04R	Surface Water	AB/TB	08/08/23 16:50	08/09/23 08:35
23H0444-26	SG-05	Surface Water	AB/TB	08/08/23 16:40	08/09/23 08:35
23H0444-27	SG-06	Surface Water	AB/TB	08/08/23 17:25	08/09/23 08:35

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

AN EXPLANATION OF TERMS AND SYMBOLS WHICH MAY OCCUR IN THIS REPORT

DEFINITIONS

LCS	Laboratory Control Sample
LCSD	Laboratory Control Sample Duplicate
MS	Matrix Spike
MSD	Matrix Spike Duplicate
RPD	Relative Percent Difference
DUP	Matrix Duplicate
LOQ	Limit of Quantitation
LOD	Limit of Detection
J	Estimated result greater than the LOD but less than the LOQ
<, ND or U	Indicates the compound was analyzed for but not detected
*	Indicates a result that exceeds its associated MCL or Surrogate control limits
N	Indicates that the compound has not been evaluated by NELAC
NA	Indicates that the compound is not available.

NOTE: Samples for volatiles that have been extracted with a water miscible solvent were corrected for the total volume of the solvent/water mixture.
Solid matrices Method Blanks are at 100% solids as such results are the same wet or dry.

DATA QUALIFIERS

Trace ID: 23H0444-01

Analysis: EPA 200.8 Rev. 5.4

Thallium Note 402.5 : The reporting limit was raised due to a dilution required because of sample matrix interference with the internal standards.

Analysis: SM 4500-H+ B-11

pH Note pH : The pH was analyzed at 10:47

Trace ID: 23H0444-02

Analysis: SM 4500-H+ B-11

pH Note 503 : The sample result and reporting limit must be considered estimated. The analysis was performed beyond the EPA established 24-hour hold time.

pH Note pHb : The pH was analyzed at 10:49

Trace ID: 23H0444-03

Analysis: EPA 200.8 Rev. 5.4

Lead Note 402.5 : The reporting limit was raised due to a dilution required because of sample matrix interference with the internal standards.

Thallium Note 402.5 : The reporting limit was raised due to a dilution required because of sample matrix interference with the internal standards.

Analysis: SM 4500-H+ B-11

pH Note 511 : The sample was received and, therefore, analyzed beyond the established EPA hold time. The result must be considered estimated.

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

pH

Note pHc : The pH was analyzed at 10:50

Trace ID: 23H0444-04

Analysis: SM 4500-H+ B-11

pH

Note 511 : The sample was received and, therefore, analyzed beyond the established EPA hold time. The result must be considered estimated.

pH

Note pHd : The pH was analyzed at 10:51

Trace ID: 23H0444-05

Analysis: SM 4500-H+ B-11

pH

Note pHe : The pH was analyzed at 10:52

Trace ID: 23H0444-06

Analysis: SM 4500-H+ B-11

pH

Note 511 : The sample was received and, therefore, analyzed beyond the established EPA hold time. The result must be considered estimated.

pH

Note pHf : The pH was analyzed at 10:53

Trace ID: 23H0444-07

Analysis: SM 4500-H+ B-11

pH

Note pHg : The pH was analyzed at 10:54

Trace ID: 23H0444-08

Analysis: SM 4500-H+ B-11

pH

Note 503 : The sample result and reporting limit must be considered estimated. The analysis was performed beyond the EPA established 24-hour hold time.

pH

Note pHh : The pH was analyzed at 10:55

Trace ID: 23H0444-09

Analysis: SM 4500-H+ B-11

pH

Note pHi : The pH was analyzed at 10:57

Trace ID: 23H0444-10

Analysis: SM 4500-H+ B-11

pH

Note pHj : The pH was analyzed at 10:58

Trace ID: 23H0444-11

Analysis: SM 4500-H+ B-11

pH

Note 511 : The sample was received and, therefore, analyzed beyond the established EPA hold time. The result must be considered estimated.

pH

Note pHk : The pH was analyzed at 10:59

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

Trace ID: 23H0444-12

Analysis: SM 4500-H+ B-11

pH Note pH : The pH was analyzed at 11:00

Trace ID: 23H0444-13

Analysis: SM 4500-H+ B-11

pH Note 511 : The sample was received and, therefore, analyzed beyond the established EPA hold time. The result must be considered estimated.

pH Note pHm : The pH was analyzed at 11:01

Trace ID: 23H0444-14

Analysis: SM 4500-H+ B-11

pH Note 511 : The sample was received and, therefore, analyzed beyond the established EPA hold time. The result must be considered estimated.

pH Note pHn : The pH was analyzed at 11:02

Trace ID: 23H0444-15

Analysis: SM 4500-H+ B-11

pH Note 511 : The sample was received and, therefore, analyzed beyond the established EPA hold time. The result must be considered estimated.

pH Note pHo : The pH was analyzed at 11:03

Trace ID: 23H0444-16

Analysis: EPA 200.8 Rev. 5.4

Lead Note 402.5 : The reporting limit was raised due to a dilution required because of sample matrix interference with the internal standards.

Thallium Note 402.5 : The reporting limit was raised due to a dilution required because of sample matrix interference with the internal standards.

Analysis: SM 4500-H+ B-11

pH Note 503 : The sample result and reporting limit must be considered estimated. The analysis was performed beyond the EPA established 24-hour hold time.

pH Note pHp : The pH was analyzed at 11:05

Trace ID: 23H0444-17

Analysis: SM 4500-H+ B-11

pH Note pHq : The pH was analyzed at 11:07

Trace ID: 23H0444-18

Analysis: SM 4500-H+ B-11

pH Note phr : The pH was analyzed at 11:08

Trace ID: 23H0444-19

Analysis: SM 4500-H+ B-11

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

pH Note 511 : The sample was received and, therefore, analyzed beyond the established EPA hold time. The result must be considered estimated.

pH Note pHs : The pH was analyzed at 11:09

Trace ID: 23H0444-20

Analysis: SM 4500-H+ B-11

pH Note 511 : The sample was received and, therefore, analyzed beyond the established EPA hold time. The result must be considered estimated.

pH Note pHt : The pH was analyzed at 11:10

Trace ID: 23H0444-21

Analysis: SM 4500-H+ B-11

pH Note 511 : The sample was received and, therefore, analyzed beyond the established EPA hold time. The result must be considered estimated.

pH Note pHu : The pH was analyzed at 11:14

Trace ID: 23H0444-22

Analysis: SM 4500-H+ B-11

pH Note 511 : The sample was received and, therefore, analyzed beyond the established EPA hold time. The result must be considered estimated.

pH Note pHw : The pH was analyzed at 11:16

Trace ID: 23H0444-23

Analysis: SM 4500-H+ B-11

pH Note pHx : The pH was analyzed at 11:18

Trace ID: 23H0444-24

Analysis: SM 4500-H+ B-11

pH Note pHy : The pH was analyzed at 11:19

Trace ID: 23H0444-25

Analysis: EPA 200.7 Rev. 4.4

Calcium Note 605 : The result for this analyte was quantitated from the initial calibration, but is estimated due to the amount found being above the linear range of the calibration curve.

Analysis: EPA 200.8 Rev. 5.4

Thallium Note 402.5 : The reporting limit was raised due to a dilution required because of sample matrix interference with the internal standards.

Analysis: SM 4500-H+ B-11

pH Note pHz : The pH was analyzed at 11:20

Trace ID: 23H0444-26

Analysis: SM 4500-H+ B-11

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

pH

Note pH_a : The pH was analyzed at 11:21

Trace ID: 23H0444-27

Analysis: SM 4500-H+ B-11

pH

Note pH_b : The pH was analyzed at 11:22

Trace ID: T140005-DUP1

Analysis: SM 4500-H+ B-11

pH

Note pH_a : The pH was analyzed at 10:48

Trace ID: T140005-DUP2

Analysis: SM 4500-H+ B-11

pH

Note pH_v : The pH was analyzed at 11:15

Trace ID: T140107-MS1

Analysis: EPA 200.7 Rev. 4.4

Calcium

Note 243 : The MS recovery was out of control. Because the background concentration of this analyte is greater than four times the spike amount, no data require qualification.

Trace ID: T140107-MS2

Analysis: EPA 200.7 Rev. 4.4

Potassium

Note 243 : The MS recovery was out of control. Because the background concentration of this analyte is greater than four times the spike amount, no data require qualification.

Sodium

Note 243 : The MS recovery was out of control. Because the background concentration of this analyte is greater than four times the spike amount, no data require qualification.

Trace ID: T140108-MS1

Analysis: EPA 200.7 Rev. 4.4

Potassium

Note 243 : The MS recovery was out of control. Because the background concentration of this analyte is greater than four times the spike amount, no data require qualification.

Sodium

Note 243 : The MS recovery was out of control. Because the background concentration of this analyte is greater than four times the spike amount, no data require qualification.

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23H0444

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23H0444-01	Date Collected:	08/08/23 14:25	Matrix:	Ground Water
Sample ID:	MW-01R	Date Received:	08/09/23 08:35		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

METALS, TOTAL

Analysis Method: EPA 7470A

Batch: T140112

Mercury	<0.00016 mg/L	0.00020	1	08/21/23 bJV	08/21/23 jma		0.00016
---------	---------------	---------	---	--------------	--------------	--	---------

METALS, TOTAL

Analysis Method: EPA 200.7 Rev. 4.4

Batch: T140108

Boron	140 mg/L	0.22	25	08/17/23 bJV	08/18/23 jma		0.041
Calcium	160 mg/L	6.4	25	08/17/23 bJV	08/18/23 jma		0.18
Iron	0.16 mg/L	0.050	1	08/17/23 bJV	08/18/23 jma		0.026
Lithium	3.3 mg/L	0.0025	1	08/17/23 bJV	08/18/23 jma	N	0.0019
Magnesium	96 mg/L	0.50	10	08/17/23 bJV	08/18/23 jma		0.10
Potassium	90 mg/L	2.5	10	08/17/23 bJV	08/18/23 jma		0.36
Sodium	430 mg/L	3.1	25	08/17/23 bJV	08/18/23 jma		2.2

Analysis Method: EPA 200.8 Rev. 5.4

Batch: T140108

Antimony	0.00025 mg/L	0.00025	1	08/17/23 bJV	08/18/23 acs		0.00010
Arsenic	0.0017 mg/L	0.00055	1	08/17/23 bJV	08/18/23 acs		0.00010
Barium	0.38 mg/L	0.0025	1	08/17/23 bJV	08/18/23 acs		0.00068
Beryllium	0.00035 mg/L	0.00025	1	08/17/23 bJV	08/18/23 acs		0.000052
Cadmium	<0.000075 mg/L	0.00025	1	08/17/23 bJV	08/18/23 acs		0.000075
Chromium	0.0037 mg/L	0.00025	1	08/17/23 bJV	08/18/23 acs		0.00020
Cobalt	0.0016 mg/L	0.00052	1	08/17/23 bJV	08/18/23 acs		0.00010
Copper	0.00045 mg/L	0.00025	1	08/17/23 bJV	08/18/23 acs		0.00020
Lead	0.0010 mg/L	0.0028	5	08/17/23 bJV	08/18/23 acs	J	0.00050
Molybdenum	0.00082 mg/L	0.0012	1	08/17/23 bJV	08/18/23 acs	J	0.00025
Nickel	0.0027 mg/L	0.0012	1	08/17/23 bJV	08/18/23 acs		0.00065
Selenium	0.00066 mg/L	0.00050	1	08/17/23 bJV	08/18/23 acs		0.00010
Silver	<0.000050 mg/L	0.000050	1	08/17/23 bJV	08/18/23 acs		0.000050
Thallium	<0.000038 mg/L	0.0019	5	08/17/23 bJV	08/18/23 acs		402.5 0.00038
Vanadium	0.0035 mg/L	0.0012	1	08/17/23 bJV	08/18/23 acs		0.00062
Zinc	0.0012 mg/L	0.0012	1	08/17/23 bJV	08/18/23 acs		0.0012

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23H0444

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23H0444-01	Date Collected:	08/08/23 14:25	Matrix:	Ground Water
Sample ID:	MW-01R	Date Received:	08/09/23 08:35		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

METALS, TOTAL

WET CHEMISTRY

Analysis Method: EPA 300.0 Rev. 2.1

Batch: T139804

Fluoride	14 mg/L	1.0	50	08/09/23	ans	08/10/23	ans	N	0.55
Chloride	180 mg/L	7.5	50	08/09/23	ans	08/10/23	ans		6.0
Sulfate as SO ₄	110 mg/L	30	50	08/09/23	ans	08/10/23	ans		4.1

Analysis Method: SM 2320 B-11

Batch: T139852

Bicarbonate Alkalinity as CaCO ₃ at pH 4.5	1400 mg/L	5.0	1	08/10/23	aeo	08/11/23	aeo	N	0.16
Carbonate Alkalinity as CaCO ₃ at pH 8.2	<0.16 mg/L	5.0	1	08/10/23	aeo	08/11/23	aeo	N	0.16
Total Alkalinity as CaCO ₃ at pH 4.5	1400 mg/L	5.0	1	08/10/23	aeo	08/11/23	aeo		0.16

Analysis Method: SM 2540 C-15

Batch: T139809

Total Dissolved Solids	2400 mg/L	40	4	08/09/23	mr	08/09/23	mr	N	
------------------------	-----------	----	---	----------	----	----------	----	---	--

Analysis Method: SM 2540 D-15

Batch: T139787

Total Suspended Solids	3.0 mg/L	4.0	1	08/09/23	mr	08/09/23	mr	J	
------------------------	----------	-----	---	----------	----	----------	----	---	--

Analysis Method: SM 4500-H+ B-11

Batch: T140005

pH	7.63 pH Units		1	08/08/23	mj	08/09/23	com	pH	
----	---------------	--	---	----------	----	----------	-----	----	--

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23H0444

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23H0444-02	Date Collected:	08/08/23 10:25	Matrix:	Ground Water
Sample ID:	MW-02	Date Received:	08/09/23 08:35		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

METALS, TOTAL

Analysis Method: EPA 7470A

Batch: T140112

Mercury	<0.00016 mg/L	0.00020	1	08/21/23	bjv	08/21/23	jma	0.00016
---------	---------------	---------	---	----------	-----	----------	-----	---------

METALS, TOTAL

Analysis Method: EPA 200.7 Rev. 4.4

Batch: T140108

Boron	99 mg/L	0.088	10	08/17/23	bjv	08/18/23	jma	0.016
Calcium	180 mg/L	2.6	10	08/17/23	bjv	08/18/23	jma	0.070
Iron	20 mg/L	0.050	1	08/17/23	bjv	08/18/23	jma	0.026
Lithium	1.4 mg/L	0.0025	1	08/17/23	bjv	08/18/23	jma	N
Magnesium	58 mg/L	0.50	10	08/17/23	bjv	08/18/23	jma	0.10
Potassium	46 mg/L	2.5	10	08/17/23	bjv	08/18/23	jma	0.36
Sodium	310 mg/L	3.1	25	08/17/23	bjv	08/18/23	jma	2.2

Analysis Method: EPA 200.8 Rev. 5.4

Batch: T140108

Antimony	0.00018 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs	J	0.00010
Arsenic	0.0086 mg/L	0.00055	1	08/17/23	bjv	08/18/23	acs		0.00010
Barium	0.45 mg/L	0.0025	1	08/17/23	bjv	08/18/23	acs		0.00068
Beryllium	0.00043 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs		0.000052
Cadmium	<0.000075 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs		0.000075
Chromium	0.054 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs		0.00020
Cobalt	0.0076 mg/L	0.00052	1	08/17/23	bjv	08/18/23	acs		0.00010
Copper	0.0018 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs		0.00020
Lead	0.0017 mg/L	0.00055	1	08/17/23	bjv	08/18/23	acs		0.00010
Molybdenum	0.0052 mg/L	0.0012	1	08/17/23	bjv	08/18/23	acs		0.00025
Nickel	0.022 mg/L	0.0012	1	08/17/23	bjv	08/18/23	acs		0.00065
Selenium	0.0012 mg/L	0.00050	1	08/17/23	bjv	08/18/23	acs		0.00010
Silver	<0.000050 mg/L	0.000050	1	08/17/23	bjv	08/18/23	acs		0.000050
Thallium	<0.000075 mg/L	0.00038	1	08/17/23	bjv	08/18/23	acs		0.000075
Vanadium	0.0049 mg/L	0.0012	1	08/17/23	bjv	08/18/23	acs		0.00062
Zinc	0.0041 mg/L	0.0012	1	08/17/23	bjv	08/18/23	acs		0.0012

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23H0444

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23H0444-02	Date Collected:	08/08/23 10:25	Matrix:	Ground Water
Sample ID:	MW-02	Date Received:	08/09/23 08:35		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

METALS, TOTAL

WET CHEMISTRY

Analysis Method: EPA 300.0 Rev. 2.1

Batch: T139804

Fluoride	9.7 mg/L	0.10	5	08/09/23	ans	08/10/23	ans	N	0.055
Chloride	130 mg/L	7.5	50	08/09/23	ans	08/10/23	ans		6.0
Sulfate as SO ₄	0.93 mg/L	3.0	5	08/09/23	ans	08/10/23	ans	J	0.41

Analysis Method: SM 2320 B-11

Batch: T139852

Bicarbonate Alkalinity as CaCO ₃ at pH 4.5	2100 mg/L	5.0	1	08/10/23	aeo	08/11/23	aeo	N	0.16
Carbonate Alkalinity as CaCO ₃ at pH 8.2	<0.16 mg/L	5.0	1	08/10/23	aeo	08/11/23	aeo	N	0.16
Total Alkalinity as CaCO ₃ at pH 4.5	2100 mg/L	5.0	1	08/10/23	aeo	08/11/23	aeo		0.16

Analysis Method: SM 2540 C-15

Batch: T139809

Total Dissolved Solids	1900 mg/L	100	10	08/09/23	mr	08/09/23	mr	N	
------------------------	-----------	-----	----	----------	----	----------	----	---	--

Analysis Method: SM 2540 D-15

Batch: T139787

Total Suspended Solids	16 mg/L	4.0	0.990099	08/09/23	mr	08/09/23	mr		
------------------------	---------	-----	----------	----------	----	----------	----	--	--

Analysis Method: SM 4500-H+ B-11

Batch: T140005

pH	7.13 pH Units		1	08/08/23	mj	08/09/23	com	503, pHb	
----	---------------	--	---	----------	----	----------	-----	----------	--

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23H0444

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23H0444-03	Date Collected:	08/07/23 15:20	Matrix:	Ground Water
Sample ID:	MW-03	Date Received:	08/09/23 08:35		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

METALS, TOTAL

Analysis Method: EPA 7470A

Batch: T140112

Mercury	<0.00016 mg/L	0.00020	1	08/21/23	bjv	08/21/23	jma	0.00016
---------	---------------	---------	---	----------	-----	----------	-----	---------

METALS, TOTAL

Analysis Method: EPA 200.7 Rev. 4.4

Batch: T140108

Boron	4.1 mg/L	0.0088	1	08/17/23	bjv	08/18/23	jma	0.0016	
Calcium	350 mg/L	2.6	10	08/17/23	bjv	08/18/23	jma	0.070	
Iron	0.28 mg/L	0.050	1	08/17/23	bjv	08/18/23	jma	0.026	
Lithium	0.041 mg/L	0.0025	1	08/17/23	bjv	08/18/23	jma	N	0.0019
Magnesium	200 mg/L	0.50	10	08/17/23	bjv	08/18/23	jma	0.10	
Potassium	18 mg/L	2.5	10	08/17/23	bjv	08/18/23	jma	0.36	
Sodium	110 mg/L	1.2	10	08/17/23	bjv	08/18/23	jma	0.88	

Analysis Method: EPA 200.8 Rev. 5.4

Batch: T140108

Antimony	<0.00010 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs	0.00010	
Arsenic	0.00076 mg/L	0.00055	1	08/17/23	bjv	08/18/23	acs	0.00010	
Barium	0.38 mg/L	0.0025	1	08/17/23	bjv	08/18/23	acs	0.00068	
Beryllium	<0.000052 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs	0.000052	
Cadmium	<0.000075 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs	0.000075	
Chromium	0.0053 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs	0.00020	
Cobalt	0.0011 mg/L	0.00052	1	08/17/23	bjv	08/18/23	acs	0.00010	
Copper	0.00024 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs	J	0.00020
Lead	<0.00050 mg/L	0.0028	5	08/17/23	bjv	08/18/23	acs	402.5	0.00050
Molybdenum	<0.00025 mg/L	0.0012	1	08/17/23	bjv	08/18/23	acs		0.00025
Nickel	0.0015 mg/L	0.0012	1	08/17/23	bjv	08/18/23	acs		0.00065
Selenium	0.00034 mg/L	0.00050	1	08/17/23	bjv	08/18/23	acs	J	0.00010
Silver	<0.000050 mg/L	0.000050	1	08/17/23	bjv	08/18/23	acs		0.000050
Thallium	<0.000038 mg/L	0.0019	5	08/17/23	bjv	08/18/23	acs	402.5	0.00038
Vanadium	<0.00062 mg/L	0.0012	1	08/17/23	bjv	08/18/23	acs		0.00062
Zinc	<0.0012 mg/L	0.0012	1	08/17/23	bjv	08/18/23	acs		0.0012

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23H0444

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23H0444-03	Date Collected:	08/07/23 15:20	Matrix:	Ground Water
Sample ID:	MW-03	Date Received:	08/09/23 08:35		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

METALS, TOTAL

WET CHEMISTRY

Analysis Method: EPA 300.0 Rev. 2.1

Batch: T139804

Fluoride	0.61 mg/L	0.10	5	08/09/23	ans	08/10/23	ans	N	0.055
Chloride	170 mg/L	7.5	50	08/09/23	ans	08/10/23	ans		6.0
Sulfate as SO ₄	480 mg/L	30	50	08/09/23	ans	08/10/23	ans		4.1

Analysis Method: SM 2320 B-11

Batch: T139852

Bicarbonate Alkalinity as CaCO ₃ at pH 4.5	1300 mg/L	5.0	1	08/10/23	aeo	08/11/23	aeo	N	0.16
Carbonate Alkalinity as CaCO ₃ at pH 8.2	<0.16 mg/L	5.0	1	08/10/23	aeo	08/11/23	aeo	N	0.16
Total Alkalinity as CaCO ₃ at pH 4.5	1300 mg/L	5.0	1	08/10/23	aeo	08/11/23	aeo		0.16

Analysis Method: SM 2540 C-15

Batch: T139809

Total Dissolved Solids	2300 mg/L	20	2	08/09/23	mr	08/09/23	mr	N	
------------------------	-----------	----	---	----------	----	----------	----	---	--

Analysis Method: SM 2540 D-15

Batch: T139787

Total Suspended Solids	3.0 mg/L	4.0	1.010101	08/09/23	mr	08/09/23	mr	J	
------------------------	----------	-----	----------	----------	----	----------	----	---	--

Analysis Method: SM 4500-H+ B-11

Batch: T140005

pH	7.25 pH Units		1	08/07/23	mj	08/09/23	com	511, pHc	
----	---------------	--	---	----------	----	----------	-----	----------	--

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23H0444

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23H0444-04	Date Collected:	08/07/23 14:00	Matrix:	Ground Water
Sample ID:	MW-04	Date Received:	08/09/23 08:35		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

METALS, TOTAL

Analysis Method: EPA 7470A

Batch: T140112

Mercury	<0.00016 mg/L	0.00020	1	08/21/23	bjv	08/21/23	jma	0.00016
---------	---------------	---------	---	----------	-----	----------	-----	---------

METALS, TOTAL

Analysis Method: EPA 200.7 Rev. 4.4

Batch: T140108

Boron	4.0 mg/L	0.0088	1	08/17/23	bjv	08/18/23	jma	0.0016	
Calcium	330 mg/L	2.6	10	08/17/23	bjv	08/18/23	jma	0.070	
Iron	5.0 mg/L	0.050	1	08/17/23	bjv	08/18/23	jma	0.026	
Lithium	0.074 mg/L	0.0025	1	08/17/23	bjv	08/18/23	jma	N	0.0019
Magnesium	120 mg/L	0.50	10	08/17/23	bjv	08/18/23	jma	0.10	
Potassium	23 mg/L	2.5	10	08/17/23	bjv	08/18/23	jma	0.36	
Sodium	87 mg/L	1.2	10	08/17/23	bjv	08/18/23	jma	0.88	

Analysis Method: EPA 200.8 Rev. 5.4

Batch: T140108

Antimony	0.00012 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs	J	0.00010
Arsenic	0.00088 mg/L	0.00055	1	08/17/23	bjv	08/18/23	acs		0.00010
Barium	0.12 mg/L	0.0025	1	08/17/23	bjv	08/18/23	acs		0.00068
Beryllium	<0.000052 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs		0.000052
Cadmium	<0.000075 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs		0.000075
Chromium	0.0044 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs		0.00020
Cobalt	0.00062 mg/L	0.00052	1	08/17/23	bjv	08/18/23	acs		0.00010
Copper	<0.00020 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs		0.00020
Lead	<0.00010 mg/L	0.00055	1	08/17/23	bjv	08/18/23	acs		0.00010
Molybdenum	0.0012 mg/L	0.0012	1	08/17/23	bjv	08/18/23	acs		0.00025
Nickel	0.019 mg/L	0.0012	1	08/17/23	bjv	08/18/23	acs		0.00065
Selenium	0.00021 mg/L	0.00050	1	08/17/23	bjv	08/18/23	acs	J	0.00010
Silver	<0.000050 mg/L	0.000050	1	08/17/23	bjv	08/18/23	acs		0.000050
Thallium	<0.000075 mg/L	0.00038	1	08/17/23	bjv	08/18/23	acs		0.000075
Vanadium	<0.00062 mg/L	0.0012	1	08/17/23	bjv	08/18/23	acs		0.00062
Zinc	<0.0012 mg/L	0.0012	1	08/17/23	bjv	08/18/23	acs		0.0012

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23H0444

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23H0444-04	Date Collected:	08/07/23 14:00	Matrix:	Ground Water
Sample ID:	MW-04	Date Received:	08/09/23 08:35		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

METALS, TOTAL

WET CHEMISTRY

Analysis Method: EPA 300.0 Rev. 2.1

Batch: T139804

Fluoride	1.4 mg/L	0.10	5	08/09/23	ans	08/10/23	ans	N	0.055
Chloride	160 mg/L	7.5	50	08/09/23	ans	08/10/23	ans		6.0
Sulfate as SO ₄	610 mg/L	30	50	08/09/23	ans	08/10/23	ans		4.1

Analysis Method: SM 2320 B-11

Batch: T139852

Bicarbonate Alkalinity as CaCO ₃ at pH 4.5	750 mg/L	5.0	1	08/10/23	aeo	08/11/23	aeo	N	0.16
Carbonate Alkalinity as CaCO ₃ at pH 8.2	<0.16 mg/L	5.0	1	08/10/23	aeo	08/11/23	aeo	N	0.16
Total Alkalinity as CaCO ₃ at pH 4.5	750 mg/L	5.0	1	08/10/23	aeo	08/11/23	aeo		0.16

Analysis Method: SM 2540 C-15

Batch: T139809

Total Dissolved Solids	1900 mg/L	40	4	08/09/23	mr	08/09/23	mr	N	
------------------------	-----------	----	---	----------	----	----------	----	---	--

Analysis Method: SM 2540 D-15

Batch: T139787

Total Suspended Solids	< mg/L	4.0	1.010101	08/09/23	mr	08/09/23	mr		
------------------------	--------	-----	----------	----------	----	----------	----	--	--

Analysis Method: SM 4500-H+ B-11

Batch: T140005

pH	7.23 pH Units		1	08/07/23	mj	08/09/23	com	511, pHd	
----	---------------	--	---	----------	----	----------	-----	----------	--

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23H0444

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23H0444-05	Date Collected:	08/08/23 14:30	Matrix:	Ground Water
Sample ID:	MW-06	Date Received:	08/09/23 08:35		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

METALS, TOTAL

Analysis Method: EPA 7470A

Batch: T140112

Mercury	<0.00016 mg/L	0.00020	1	08/21/23	bjv	08/21/23	jma	0.00016
---------	---------------	---------	---	----------	-----	----------	-----	---------

METALS, TOTAL

Analysis Method: EPA 200.7 Rev. 4.4

Batch: T140108

Boron	9.9 mg/L	0.0088	1	08/17/23	bjv	08/18/23	jma	0.0016	
Calcium	230 mg/L	2.6	10	08/17/23	bjv	08/18/23	jma	0.070	
Iron	14 mg/L	0.050	1	08/17/23	bjv	08/18/23	jma	0.026	
Lithium	0.22 mg/L	0.0025	1	08/17/23	bjv	08/18/23	jma	N	0.0019
Magnesium	90 mg/L	0.50	10	08/17/23	bjv	08/18/23	jma	0.10	
Potassium	24 mg/L	2.5	10	08/17/23	bjv	08/18/23	jma	0.36	
Sodium	77 mg/L	1.2	10	08/17/23	bjv	08/18/23	jma	0.88	

Analysis Method: EPA 200.8 Rev. 5.4

Batch: T140108

Antimony	<0.00010 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs	0.00010	
Arsenic	0.00082 mg/L	0.00055	1	08/17/23	bjv	08/18/23	acs	0.00010	
Barium	1.4 mg/L	0.012	5	08/17/23	bjv	08/18/23	acs	0.0034	
Beryllium	<0.000052 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs	0.000052	
Cadmium	<0.000075 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs	0.000075	
Chromium	0.0023 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs	0.00020	
Cobalt	0.00067 mg/L	0.00052	1	08/17/23	bjv	08/18/23	acs	0.00010	
Copper	<0.00020 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs	0.00020	
Lead	<0.00010 mg/L	0.00055	1	08/17/23	bjv	08/18/23	acs	0.00010	
Molybdenum	<0.00025 mg/L	0.0012	1	08/17/23	bjv	08/18/23	acs	0.00025	
Nickel	0.00090 mg/L	0.0012	1	08/17/23	bjv	08/18/23	acs	J	0.00065
Selenium	0.00019 mg/L	0.00050	1	08/17/23	bjv	08/18/23	acs	J	0.00010
Silver	<0.000050 mg/L	0.000050	1	08/17/23	bjv	08/18/23	acs		0.000050
Thallium	<0.000075 mg/L	0.00038	1	08/17/23	bjv	08/18/23	acs		0.000075
Vanadium	<0.00062 mg/L	0.0012	1	08/17/23	bjv	08/18/23	acs		0.00062
Zinc	0.0013 mg/L	0.0012	1	08/17/23	bjv	08/18/23	acs		0.0012

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23H0444

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23H0444-05	Date Collected:	08/08/23 14:30	Matrix:	Ground Water
Sample ID:	MW-06	Date Received:	08/09/23 08:35		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

METALS, TOTAL

WET CHEMISTRY

Analysis Method: EPA 300.0 Rev. 2.1

Batch: T139804

Fluoride	1.4 mg/L	0.10	5	08/09/23	ans	08/10/23	ans	N	0.055
Chloride	76 mg/L	0.75	5	08/09/23	ans	08/10/23	ans		0.60
Sulfate as SO ₄	0.98 mg/L	3.0	5	08/09/23	ans	08/10/23	ans	J	0.41

Analysis Method: SM 2320 B-11

Batch: T139852

Bicarbonate Alkalinity as CaCO ₃ at pH 4.5	1100 mg/L	5.0	1	08/10/23	aeo	08/11/23	aeo	N	0.16
Carbonate Alkalinity as CaCO ₃ at pH 8.2	<0.16 mg/L	5.0	1	08/10/23	aeo	08/11/23	aeo	N	0.16
Total Alkalinity as CaCO ₃ at pH 4.5	1100 mg/L	5.0	1	08/10/23	aeo	08/11/23	aeo		0.16

Analysis Method: SM 2540 C-15

Batch: T139809

Total Dissolved Solids	1200 mg/L	40	4	08/09/23	mr	08/09/23	mr	N	
------------------------	-----------	----	---	----------	----	----------	----	---	--

Analysis Method: SM 2540 D-15

Batch: T139787

Total Suspended Solids	37 mg/L	4.0	0.990099	08/09/23	mr	08/09/23	mr		
------------------------	---------	-----	----------	----------	----	----------	----	--	--

Analysis Method: SM 4500-H+ B-11

Batch: T140005

pH	7.16 pH Units	1	08/08/23	mj	08/09/23	com	pHe		
----	---------------	---	----------	----	----------	-----	-----	--	--

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23H0444

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23H0444-06	Date Collected:	08/07/23 14:30	Matrix:	Ground Water
Sample ID:	MW-07	Date Received:	08/09/23 08:35		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

METALS, TOTAL

Analysis Method: EPA 7470A

Batch: T140112

Mercury	<0.00016 mg/L	0.00020	1	08/21/23	bjv	08/21/23	jma	0.00016
---------	---------------	---------	---	----------	-----	----------	-----	---------

METALS, TOTAL

Analysis Method: EPA 200.7 Rev. 4.4

Batch: T140108

Boron	11 mg/L	0.0088	1	08/17/23	bjv	08/18/23	jma	0.0016	
Calcium	120 mg/L	2.6	10	08/17/23	bjv	08/18/23	jma	0.070	
Iron	14 mg/L	0.050	1	08/17/23	bjv	08/18/23	jma	0.026	
Lithium	0.0042 mg/L	0.0025	1	08/17/23	bjv	08/18/23	jma	N	0.0019
Magnesium	35 mg/L	0.50	10	08/17/23	bjv	08/18/23	jma	0.10	
Potassium	5.1 mg/L	0.25	1	08/17/23	bjv	08/18/23	jma	0.036	
Sodium	48 mg/L	1.2	10	08/17/23	bjv	08/18/23	jma	0.88	

Analysis Method: EPA 200.8 Rev. 5.4

Batch: T140108

Antimony	<0.00010 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs	0.00010	
Arsenic	0.00020 mg/L	0.00055	1	08/17/23	bjv	08/18/23	acs	J	0.00010
Barium	0.34 mg/L	0.0025	1	08/17/23	bjv	08/18/23	acs	0.00068	
Beryllium	0.000066 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs	J	0.000052
Cadmium	<0.000075 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs	0.000075	
Chromium	0.00032 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs	0.000020	
Cobalt	0.00098 mg/L	0.00052	1	08/17/23	bjv	08/18/23	acs	0.000010	
Copper	<0.00020 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs	0.000020	
Lead	<0.00010 mg/L	0.00055	1	08/17/23	bjv	08/18/23	acs	0.000010	
Molybdenum	<0.00025 mg/L	0.0012	1	08/17/23	bjv	08/18/23	acs	0.000025	
Nickel	<0.00065 mg/L	0.0012	1	08/17/23	bjv	08/18/23	acs	0.000065	
Selenium	<0.00010 mg/L	0.00050	1	08/17/23	bjv	08/18/23	acs	0.000010	
Silver	<0.000050 mg/L	0.000050	1	08/17/23	bjv	08/18/23	acs	0.0000050	
Thallium	<0.000075 mg/L	0.00038	1	08/17/23	bjv	08/18/23	acs	0.000075	
Vanadium	<0.00062 mg/L	0.0012	1	08/17/23	bjv	08/18/23	acs	0.000062	
Zinc	<0.0012 mg/L	0.0012	1	08/17/23	bjv	08/18/23	acs	0.0012	

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23H0444

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23H0444-06	Date Collected:	08/07/23 14:30	Matrix:	Ground Water
Sample ID:	MW-07	Date Received:	08/09/23 08:35		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

METALS, TOTAL

WET CHEMISTRY

Analysis Method: EPA 300.0 Rev. 2.1

Batch: T139804

Fluoride	0.083 mg/L	0.10	5	08/09/23	ans	08/10/23	ans	J, N	0.055
Chloride	13 mg/L	0.75	5	08/09/23	ans	08/10/23	ans		0.60
Sulfate as SO ₄	19 mg/L	3.0	5	08/09/23	ans	08/10/23	ans		0.41

Analysis Method: SM 2320 B-11

Batch: T139852

Bicarbonate Alkalinity as CaCO ₃ at pH 4.5	620 mg/L	5.0	1	08/10/23	aeo	08/11/23	aeo	N	0.16
Carbonate Alkalinity as CaCO ₃ at pH 8.2	<0.16 mg/L	5.0	1	08/10/23	aeo	08/11/23	aeo	N	0.16
Total Alkalinity as CaCO ₃ at pH 4.5	620 mg/L	5.0	1	08/10/23	aeo	08/11/23	aeo		0.16

Analysis Method: SM 2540 C-15

Batch: T139809

Total Dissolved Solids	620 mg/L	40	4	08/09/23	mr	08/09/23	mr	N	
------------------------	----------	----	---	----------	----	----------	----	---	--

Analysis Method: SM 2540 D-15

Batch: T139787

Total Suspended Solids	41 mg/L	4.0	0.9708738	08/09/23	mr	08/09/23	mr		
------------------------	---------	-----	-----------	----------	----	----------	----	--	--

Analysis Method: SM 4500-H+ B-11

Batch: T140005

pH	6.87 pH Units	1	08/07/23	mj	08/09/23	com	511, pHf		
----	---------------	---	----------	----	----------	-----	----------	--	--

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23H0444

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23H0444-07	Date Collected:	08/08/23 12:40	Matrix:	Ground Water
Sample ID:	MW-08	Date Received:	08/09/23 08:35		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

METALS, TOTAL

Analysis Method: EPA 7470A

Batch: T140112

Mercury	<0.00016 mg/L	0.00020	1	08/21/23	bjv	08/21/23	jma	0.00016
---------	---------------	---------	---	----------	-----	----------	-----	---------

METALS, TOTAL

Analysis Method: EPA 200.7 Rev. 4.4

Batch: T140108

Boron	7.1 mg/L	0.0088	1	08/17/23	bjv	08/18/23	jma	0.0016	
Calcium	120 mg/L	2.6	10	08/17/23	bjv	08/18/23	jma	0.070	
Iron	13 mg/L	0.050	1	08/17/23	bjv	08/18/23	jma	0.026	
Lithium	0.12 mg/L	0.0025	1	08/17/23	bjv	08/18/23	jma	N	0.0019
Magnesium	26 mg/L	0.50	10	08/17/23	bjv	08/18/23	jma	0.10	
Potassium	12 mg/L	0.25	1	08/17/23	bjv	08/18/23	jma	0.036	
Sodium	36 mg/L	1.2	10	08/17/23	bjv	08/18/23	jma	0.88	

Analysis Method: EPA 200.8 Rev. 5.4

Batch: T140108

Antimony	<0.00010 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs	0.00010	
Arsenic	0.029 mg/L	0.00055	1	08/17/23	bjv	08/18/23	acs	0.00010	
Barium	1.2 mg/L	0.012	5	08/17/23	bjv	08/18/23	acs	0.0034	
Beryllium	<0.000052 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs	0.000052	
Cadmium	<0.000075 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs	0.000075	
Chromium	0.00087 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs	0.00020	
Cobalt	0.00058 mg/L	0.00052	1	08/17/23	bjv	08/18/23	acs	0.00010	
Copper	<0.00020 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs	0.00020	
Lead	<0.00010 mg/L	0.00055	1	08/17/23	bjv	08/18/23	acs	0.00010	
Molybdenum	0.00036 mg/L	0.0012	1	08/17/23	bjv	08/18/23	acs	J	0.00025
Nickel	0.0010 mg/L	0.0012	1	08/17/23	bjv	08/18/23	acs	J	0.00065
Selenium	0.00014 mg/L	0.00050	1	08/17/23	bjv	08/18/23	acs	J	0.00010
Silver	<0.000050 mg/L	0.000050	1	08/17/23	bjv	08/18/23	acs		0.000050
Thallium	<0.000075 mg/L	0.00038	1	08/17/23	bjv	08/18/23	acs		0.000075
Vanadium	<0.00062 mg/L	0.0012	1	08/17/23	bjv	08/18/23	acs		0.00062
Zinc	<0.0012 mg/L	0.0012	1	08/17/23	bjv	08/18/23	acs		0.0012

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23H0444

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23H0444-07	Date Collected:	08/08/23 12:40	Matrix:	Ground Water
Sample ID:	MW-08	Date Received:	08/09/23 08:35		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

METALS, TOTAL

WET CHEMISTRY

Analysis Method: EPA 300.0 Rev. 2.1

Batch: T139804

Fluoride	1.0 mg/L	0.10	5	08/09/23	ans	08/10/23	ans	N	0.055
Chloride	30 mg/L	0.75	5	08/09/23	ans	08/10/23	ans		0.60
Sulfate as SO ₄	<0.41 mg/L	3.0	5	08/09/23	ans	08/10/23	ans		0.41

Analysis Method: SM 2320 B-11

Batch: T139852

Bicarbonate Alkalinity as CaCO ₃ at pH 4.5	480 mg/L	5.0	1	08/10/23	aeo	08/11/23	aeo	N	0.16
Carbonate Alkalinity as CaCO ₃ at pH 8.2	<0.16 mg/L	5.0	1	08/10/23	aeo	08/11/23	aeo	N	0.16
Total Alkalinity as CaCO ₃ at pH 4.5	480 mg/L	5.0	1	08/10/23	aeo	08/11/23	aeo		0.16

Analysis Method: SM 2540 C-15

Batch: T139809

Total Dissolved Solids	530 mg/L	38	3.846154	08/09/23	mr	08/09/23	mr	N	
------------------------	----------	----	----------	----------	----	----------	----	---	--

Analysis Method: SM 2540 D-15

Batch: T139788

Total Suspended Solids	20 mg/L	4.0	1	08/09/23	mr	08/09/23	mr		
------------------------	---------	-----	---	----------	----	----------	----	--	--

Analysis Method: SM 4500-H+ B-11

Batch: T140005

pH	7.01 pH Units		1	08/08/23	mj	08/09/23	com	pHg	
----	---------------	--	---	----------	----	----------	-----	-----	--

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23H0444

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23H0444-08	Date Collected:	08/08/23 09:20	Matrix:	Ground Water
Sample ID:	MW-09	Date Received:	08/09/23 08:35		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

METALS, TOTAL

Analysis Method: EPA 7470A

Batch: T140112

Mercury	<0.00016 mg/L	0.00020	1	08/21/23	bjv	08/21/23	jma	0.00016
---------	---------------	---------	---	----------	-----	----------	-----	---------

METALS, TOTAL

Analysis Method: EPA 200.7 Rev. 4.4

Batch: T140107

Boron	5.7 mg/L	0.0088	1	08/17/23	bjv	08/18/23	jma	0.0016	
Calcium	330 mg/L	2.6	10	08/17/23	bjv	08/18/23	jma	0.070	
Iron	16 mg/L	0.050	1	08/17/23	bjv	08/18/23	jma	0.026	
Lithium	0.33 mg/L	0.0025	1	08/17/23	bjv	08/18/23	jma	N	0.0019
Magnesium	46 mg/L	0.50	10	08/17/23	bjv	08/18/23	jma	0.10	
Potassium	17 mg/L	0.25	1	08/17/23	bjv	08/18/23	jma	0.036	
Sodium	27 mg/L	1.2	10	08/17/23	bjv	08/18/23	jma	0.88	

Analysis Method: EPA 200.8 Rev. 5.4

Batch: T140107

Antimony	<0.00010 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs	0.00010	
Arsenic	0.0024 mg/L	0.00055	1	08/17/23	bjv	08/18/23	acs	0.00010	
Barium	0.20 mg/L	0.0025	1	08/17/23	bjv	08/18/23	acs	0.00068	
Beryllium	<0.000052 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs	0.000052	
Cadmium	<0.000075 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs	0.000075	
Chromium	0.0027 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs	0.00020	
Cobalt	0.00075 mg/L	0.00052	1	08/17/23	bjv	08/18/23	acs	0.00010	
Copper	0.00043 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs	0.00020	
Lead	<0.00010 mg/L	0.00055	1	08/17/23	bjv	08/18/23	acs	0.00010	
Molybdenum	0.019 mg/L	0.0012	1	08/17/23	bjv	08/18/23	acs	0.00025	
Nickel	0.0012 mg/L	0.0012	1	08/17/23	bjv	08/18/23	acs	0.00065	
Selenium	0.00026 mg/L	0.00050	1	08/17/23	bjv	08/18/23	acs	J	0.00010
Silver	<0.000050 mg/L	0.000050	1	08/17/23	bjv	08/18/23	acs	0.000050	
Thallium	<0.000075 mg/L	0.00038	1	08/17/23	bjv	08/18/23	acs	0.000075	
Vanadium	<0.00062 mg/L	0.0012	1	08/17/23	bjv	08/18/23	acs	0.00062	
Zinc	<0.0012 mg/L	0.0012	1	08/17/23	bjv	08/18/23	acs	0.0012	

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23H0444

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23H0444-08	Date Collected:	08/08/23 09:20	Matrix:	Ground Water
Sample ID:	MW-09	Date Received:	08/09/23 08:35		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

METALS, TOTAL

WET CHEMISTRY

Analysis Method: EPA 300.0 Rev. 2.1

Batch: T139804

Fluoride	2.9 mg/L	0.10	5	08/09/23	ans	08/10/23	ans	N	0.055
Chloride	12 mg/L	0.75	5	08/09/23	ans	08/10/23	ans		0.60
Sulfate as SO ₄	450 mg/L	30	50	08/09/23	ans	08/10/23	ans		4.1

Analysis Method: SM 2320 B-11

Batch: T139852

Bicarbonate Alkalinity as CaCO ₃ at pH 4.5	660 mg/L	5.0	1	08/10/23	aeo	08/11/23	aeo	N	0.16
Carbonate Alkalinity as CaCO ₃ at pH 8.2	<0.16 mg/L	5.0	1	08/10/23	aeo	08/11/23	aeo	N	0.16
Total Alkalinity as CaCO ₃ at pH 4.5	660 mg/L	5.0	1	08/10/23	aeo	08/11/23	aeo		0.16

Analysis Method: SM 2540 C-15

Batch: T139809

Total Dissolved Solids	1400 mg/L	42	4.166667	08/09/23	mr	08/09/23	mr	N	
------------------------	-----------	----	----------	----------	----	----------	----	---	--

Analysis Method: SM 2540 D-15

Batch: T139788

Total Suspended Solids	48 mg/L	4.0	1	08/09/23	mr	08/09/23	mr		
------------------------	---------	-----	---	----------	----	----------	----	--	--

Analysis Method: SM 4500-H+ B-11

Batch: T140005

pH	6.93 pH Units		1	08/08/23	mj	08/09/23	com	503, pH	
----	---------------	--	---	----------	----	----------	-----	---------	--

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23H0444

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23H0444-09	Date Collected:	08/08/23 11:45	Matrix:	Ground Water
Sample ID:	MW-10	Date Received:	08/09/23 08:35		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

METALS, TOTAL

Analysis Method: EPA 7470A

Batch: T140112

Mercury	<0.00016 mg/L	0.00020	1	08/21/23	bjv	08/21/23	jma	0.00016
---------	---------------	---------	---	----------	-----	----------	-----	---------

METALS, TOTAL

Analysis Method: EPA 200.7 Rev. 4.4

Batch: T140107

Boron	28 mg/L	0.088	10	08/17/23	bjv	08/18/23	jma	0.016
Calcium	160 mg/L	2.6	10	08/17/23	bjv	08/18/23	jma	0.070
Iron	3.2 mg/L	0.050	1	08/17/23	bjv	08/18/23	jma	0.026
Lithium	1.2 mg/L	0.0025	1	08/17/23	bjv	08/18/23	jma	N
Magnesium	58 mg/L	0.50	10	08/17/23	bjv	08/18/23	jma	0.10
Potassium	48 mg/L	2.5	10	08/17/23	bjv	08/18/23	jma	0.36
Sodium	390 mg/L	3.1	25	08/17/23	bjv	08/18/23	jma	2.2

Analysis Method: EPA 200.8 Rev. 5.4

Batch: T140107

Antimony	0.00011 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs	J	0.00010
Arsenic	0.0011 mg/L	0.00055	1	08/17/23	bjv	08/18/23	acs		0.00010
Barium	0.28 mg/L	0.0025	1	08/17/23	bjv	08/18/23	acs		0.00068
Beryllium	0.00015 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs	J	0.000052
Cadmium	<0.000075 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs		0.000075
Chromium	0.0085 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs		0.00020
Cobalt	0.00090 mg/L	0.00052	1	08/17/23	bjv	08/18/23	acs		0.00010
Copper	<0.00020 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs		0.00020
Lead	0.00012 mg/L	0.00055	1	08/17/23	bjv	08/18/23	acs	J	0.00010
Molybdenum	0.0028 mg/L	0.0012	1	08/17/23	bjv	08/18/23	acs		0.00025
Nickel	0.0012 mg/L	0.0012	1	08/17/23	bjv	08/18/23	acs		0.00065
Selenium	0.00041 mg/L	0.00050	1	08/17/23	bjv	08/18/23	acs	J	0.00010
Silver	<0.000050 mg/L	0.000050	1	08/17/23	bjv	08/18/23	acs		0.000050
Thallium	<0.000075 mg/L	0.00038	1	08/17/23	bjv	08/18/23	acs		0.000075
Vanadium	<0.00062 mg/L	0.0012	1	08/17/23	bjv	08/18/23	acs		0.00062
Zinc	0.0014 mg/L	0.0012	1	08/17/23	bjv	08/18/23	acs		0.0012

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23H0444

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23H0444-09	Date Collected:	08/08/23 11:45	Matrix:	Ground Water
Sample ID:	MW-10	Date Received:	08/09/23 08:35		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

METALS, TOTAL

WET CHEMISTRY

Analysis Method: EPA 300.0 Rev. 2.1

Batch: T139804

Fluoride	7.7 mg/L	0.10	5	08/09/23	ans	08/10/23	ans	N	0.055
Chloride	430 mg/L	7.5	50	08/09/23	ans	08/10/23	ans		6.0
Sulfate as SO ₄	140 mg/L	30	50	08/09/23	ans	08/10/23	ans		4.1

Analysis Method: SM 2320 B-11

Batch: T139852

Bicarbonate Alkalinity as CaCO ₃ at pH 4.5	770 mg/L	5.0	1	08/10/23	aeo	08/11/23	aeo	N	0.16
Carbonate Alkalinity as CaCO ₃ at pH 8.2	<0.16 mg/L	5.0	1	08/10/23	aeo	08/11/23	aeo	N	0.16
Total Alkalinity as CaCO ₃ at pH 4.5	770 mg/L	5.0	1	08/10/23	aeo	08/11/23	aeo		0.16

Analysis Method: SM 2540 C-15

Batch: T139809

Total Dissolved Solids	1900 mg/L	20	2	08/09/23	mr	08/09/23	mr	N	
------------------------	-----------	----	---	----------	----	----------	----	---	--

Analysis Method: SM 2540 D-15

Batch: T139788

Total Suspended Solids	2.0 mg/L	4.0	1	08/09/23	mr	08/09/23	mr	J	
------------------------	----------	-----	---	----------	----	----------	----	---	--

Analysis Method: SM 4500-H+ B-11

Batch: T140005

pH	7.55 pH Units		1	08/08/23	mj	08/09/23	com	pHi	
----	---------------	--	---	----------	----	----------	-----	-----	--

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23H0444

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23H0444-10	Date Collected:	08/08/23 16:00	Matrix:	Ground Water
Sample ID:	MW-11	Date Received:	08/09/23 08:35		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

METALS, TOTAL

Analysis Method: EPA 7470A

Batch: T140112

Mercury	<0.00016 mg/L	0.00020	1	08/21/23	bjv	08/21/23	jma	0.00016
---------	---------------	---------	---	----------	-----	----------	-----	---------

METALS, TOTAL

Analysis Method: EPA 200.7 Rev. 4.4

Batch: T140107

Boron	7.2 mg/L	0.0088	1	08/17/23	bjv	08/18/23	jma	0.0016	
Calcium	240 mg/L	2.6	10	08/17/23	bjv	08/18/23	jma	0.070	
Iron	6.7 mg/L	0.050	1	08/17/23	bjv	08/18/23	jma	0.026	
Lithium	0.095 mg/L	0.0025	1	08/17/23	bjv	08/18/23	jma	N	0.0019
Magnesium	56 mg/L	0.50	10	08/17/23	bjv	08/18/23	jma	0.10	
Potassium	14 mg/L	0.25	1	08/17/23	bjv	08/18/23	jma	0.036	
Sodium	50 mg/L	1.2	10	08/17/23	bjv	08/18/23	jma	0.88	

Analysis Method: EPA 200.8 Rev. 5.4

Batch: T140107

Antimony	<0.00010 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs	0.00010	
Arsenic	0.0019 mg/L	0.00055	1	08/17/23	bjv	08/18/23	acs	0.00010	
Barium	0.57 mg/L	0.0025	1	08/17/23	bjv	08/18/23	acs	0.00068	
Beryllium	<0.000052 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs	0.000052	
Cadmium	<0.000075 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs	0.000075	
Chromium	0.0018 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs	0.00020	
Cobalt	0.00061 mg/L	0.00052	1	08/17/23	bjv	08/18/23	acs	0.00010	
Copper	0.0016 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs	0.00020	
Lead	0.00017 mg/L	0.00055	1	08/17/23	bjv	08/18/23	acs	J	0.00010
Molybdenum	0.0013 mg/L	0.0012	1	08/17/23	bjv	08/18/23	acs	0.00025	
Nickel	0.0018 mg/L	0.0012	1	08/17/23	bjv	08/18/23	acs	0.00065	
Selenium	0.00021 mg/L	0.00050	1	08/17/23	bjv	08/18/23	acs	J	0.00010
Silver	<0.000050 mg/L	0.000050	1	08/17/23	bjv	08/18/23	acs	0.000050	
Thallium	<0.000075 mg/L	0.00038	1	08/17/23	bjv	08/18/23	acs	0.000075	
Vanadium	<0.00062 mg/L	0.0012	1	08/17/23	bjv	08/18/23	acs	0.00062	
Zinc	0.0031 mg/L	0.0012	1	08/17/23	bjv	08/18/23	acs	0.0012	

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23H0444

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23H0444-10	Date Collected:	08/08/23 16:00	Matrix:	Ground Water
Sample ID:	MW-11	Date Received:	08/09/23 08:35		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

METALS, TOTAL

WET CHEMISTRY

Analysis Method: EPA 300.0 Rev. 2.1

Batch: T139804

Fluoride	0.69 mg/L	0.10	5	08/09/23	ans	08/10/23	ans	N	0.055
Chloride	73 mg/L	0.75	5	08/09/23	ans	08/10/23	ans		0.60
Sulfate as SO ₄	1.8 mg/L	3.0	5	08/09/23	ans	08/10/23	ans	J	0.41

Analysis Method: SM 2320 B-11

Batch: T139852

Bicarbonate Alkalinity as CaCO ₃ at pH 4.5	800 mg/L	5.0	1	08/10/23	aeo	08/11/23	aeo	N	0.16
Carbonate Alkalinity as CaCO ₃ at pH 8.2	<0.16 mg/L	5.0	1	08/10/23	aeo	08/11/23	aeo	N	0.16
Total Alkalinity as CaCO ₃ at pH 4.5	800 mg/L	5.0	1	08/10/23	aeo	08/11/23	aeo		0.16

Analysis Method: SM 2540 C-15

Batch: T139809

Total Dissolved Solids	930 mg/L	40	4	08/09/23	mr	08/09/23	mr	N	
------------------------	----------	----	---	----------	----	----------	----	---	--

Analysis Method: SM 2540 D-15

Batch: T139788

Total Suspended Solids	6.0 mg/L	4.0	1	08/09/23	mr	08/09/23	mr		
------------------------	----------	-----	---	----------	----	----------	----	--	--

Analysis Method: SM 4500-H+ B-11

Batch: T140005

pH	7.29 pH Units		1	08/08/23	mj	08/09/23	com	pHj	
----	---------------	--	---	----------	----	----------	-----	-----	--

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23H0444

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23H0444-11	Date Collected:	08/07/23 16:30	Matrix:	Ground Water
Sample ID:	MW-12	Date Received:	08/09/23 08:35		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

METALS, TOTAL

Analysis Method: EPA 7470A

Batch: T140112

Mercury	<0.00016 mg/L	0.00020	1	08/21/23	bjv	08/21/23	jma	0.00016
---------	---------------	---------	---	----------	-----	----------	-----	---------

METALS, TOTAL

Analysis Method: EPA 200.7 Rev. 4.4

Batch: T140107

Boron	0.36 mg/L	0.0088	1	08/17/23	bjv	08/18/23	jma	0.0016	
Calcium	95 mg/L	2.6	10	08/17/23	bjv	08/18/23	jma	0.070	
Iron	0.064 mg/L	0.050	1	08/17/23	bjv	08/18/23	jma	0.026	
Lithium	0.0042 mg/L	0.0025	1	08/17/23	bjv	08/18/23	jma	N	0.0019
Magnesium	19 mg/L	0.10	1	08/17/23	bjv	08/18/23	jma	0.010	
Potassium	1.8 mg/L	0.25	1	08/17/23	bjv	08/18/23	jma	0.036	
Sodium	14 mg/L	0.12	1	08/17/23	bjv	08/18/23	jma	0.088	

Analysis Method: EPA 200.8 Rev. 5.4

Batch: T140107

Antimony	0.00040 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs	0.00010	
Arsenic	0.0034 mg/L	0.00055	1	08/17/23	bjv	08/18/23	acs	0.00010	
Barium	0.053 mg/L	0.0025	1	08/17/23	bjv	08/18/23	acs	0.00068	
Beryllium	<0.000052 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs	0.000052	
Cadmium	0.0022 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs	0.000075	
Chromium	<0.00020 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs	0.000020	
Cobalt	0.00053 mg/L	0.00052	1	08/17/23	bjv	08/18/23	acs	0.00010	
Copper	0.00094 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs	0.00020	
Lead	0.00021 mg/L	0.00055	1	08/17/23	bjv	08/18/23	acs	J	0.00010
Molybdenum	0.0088 mg/L	0.0012	1	08/17/23	bjv	08/18/23	acs	0.00025	
Nickel	0.0035 mg/L	0.0012	1	08/17/23	bjv	08/18/23	acs	0.00065	
Selenium	0.00013 mg/L	0.00050	1	08/17/23	bjv	08/18/23	acs	J	0.00010
Silver	<0.000050 mg/L	0.000050	1	08/17/23	bjv	08/18/23	acs	0.000050	
Thallium	<0.000075 mg/L	0.00038	1	08/17/23	bjv	08/18/23	acs	0.000075	
Vanadium	0.00095 mg/L	0.0012	1	08/17/23	bjv	08/18/23	acs	J	0.00062
Zinc	0.010 mg/L	0.0012	1	08/17/23	bjv	08/18/23	acs	0.0012	

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23H0444

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23H0444-11	Date Collected:	08/07/23 16:30	Matrix:	Ground Water
Sample ID:	MW-12	Date Received:	08/09/23 08:35		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

METALS, TOTAL

WET CHEMISTRY

Analysis Method: EPA 300.0 Rev. 2.1

Batch: T139804

Fluoride	0.28 mg/L	0.10	5	08/09/23	ans	08/10/23	ans	N	0.055
Chloride	22 mg/L	0.75	5	08/09/23	ans	08/10/23	ans		0.60
Sulfate as SO ₄	130 mg/L	30	50	08/09/23	ans	08/10/23	ans		4.1

Analysis Method: SM 2320 B-11

Batch: T139852

Bicarbonate Alkalinity as CaCO ₃ at pH 4.5	140 mg/L	5.0	1	08/10/23	aeo	08/11/23	aeo	N	0.16
Carbonate Alkalinity as CaCO ₃ at pH 8.2	<0.16 mg/L	5.0	1	08/10/23	aeo	08/11/23	aeo	N	0.16
Total Alkalinity as CaCO ₃ at pH 4.5	140 mg/L	5.0	1	08/10/23	aeo	08/11/23	aeo		0.16

Analysis Method: SM 2540 C-15

Batch: T139809

Total Dissolved Solids	420 mg/L	10	1	08/09/23	mr	08/09/23	mr	N	
------------------------	----------	----	---	----------	----	----------	----	---	--

Analysis Method: SM 2540 D-15

Batch: T139788

Total Suspended Solids	0.98 mg/L	4.0	0.9803922	08/09/23	mr	08/09/23	mr	J	
------------------------	-----------	-----	-----------	----------	----	----------	----	---	--

Analysis Method: SM 4500-H+ B-11

Batch: T140005

pH	7.45 pH Units		1	08/07/23	mj	08/09/23	com	511, pHk	
----	---------------	--	---	----------	----	----------	-----	----------	--

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23H0444

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23H0444-12	Date Collected:	08/08/23 15:30	Matrix:	Ground Water
Sample ID:	MW-18	Date Received:	08/09/23 08:35		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

METALS, TOTAL

Analysis Method: EPA 7470A

Batch: T140112

Mercury	<0.00016 mg/L	0.00020	1	08/21/23	bjv	08/21/23	jma	0.00016
---------	---------------	---------	---	----------	-----	----------	-----	---------

METALS, TOTAL

Analysis Method: EPA 200.7 Rev. 4.4

Batch: T140107

Boron	2.3 mg/L	0.0088	1	08/17/23	bjv	08/18/23	jma	0.0016	
Calcium	250 mg/L	2.6	10	08/17/23	bjv	08/18/23	jma	0.070	
Iron	4.9 mg/L	0.050	1	08/17/23	bjv	08/18/23	jma	0.026	
Lithium	0.045 mg/L	0.0025	1	08/17/23	bjv	08/18/23	jma	N	0.0019
Magnesium	21 mg/L	0.10	1	08/17/23	bjv	08/18/23	jma	0.010	
Potassium	11 mg/L	0.25	1	08/17/23	bjv	08/18/23	jma	0.036	
Sodium	20 mg/L	0.12	1	08/17/23	bjv	08/18/23	jma	0.088	

Analysis Method: EPA 200.8 Rev. 5.4

Batch: T140107

Antimony	<0.00010 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs	0.00010	
Arsenic	0.030 mg/L	0.00055	1	08/17/23	bjv	08/18/23	acs	0.00010	
Barium	0.023 mg/L	0.0025	1	08/17/23	bjv	08/18/23	acs	0.00068	
Beryllium	<0.000052 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs	0.000052	
Cadmium	0.000089 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs	J	0.000075
Chromium	<0.00020 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs	0.000020	
Cobalt	0.0023 mg/L	0.00052	1	08/17/23	bjv	08/18/23	acs	0.000010	
Copper	0.0015 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs	0.000020	
Lead	0.00032 mg/L	0.00055	1	08/17/23	bjv	08/18/23	acs	J	0.000010
Molybdenum	0.021 mg/L	0.0012	1	08/17/23	bjv	08/18/23	acs	0.000025	
Nickel	0.0049 mg/L	0.0012	1	08/17/23	bjv	08/18/23	acs	0.000065	
Selenium	0.00016 mg/L	0.00050	1	08/17/23	bjv	08/18/23	acs	J	0.000010
Silver	<0.000050 mg/L	0.000050	1	08/17/23	bjv	08/18/23	acs	0.000050	
Thallium	<0.000075 mg/L	0.00038	1	08/17/23	bjv	08/18/23	acs	0.000075	
Vanadium	<0.00062 mg/L	0.0012	1	08/17/23	bjv	08/18/23	acs	0.000062	
Zinc	0.028 mg/L	0.0012	1	08/17/23	bjv	08/18/23	acs	0.0012	

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23H0444

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23H0444-12	Date Collected:	08/08/23 15:30	Matrix:	Ground Water
Sample ID:	MW-18	Date Received:	08/09/23 08:35		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

METALS, TOTAL

WET CHEMISTRY

Analysis Method: EPA 300.0 Rev. 2.1

Batch: T139804

Fluoride	5.1 mg/L	0.10	5	08/09/23	ans	08/10/23	ans	N	0.055
Chloride	27 mg/L	0.75	5	08/09/23	ans	08/10/23	ans		0.60
Sulfate as SO ₄	620 mg/L	30	50	08/09/23	ans	08/10/23	ans		4.1

Analysis Method: SM 2320 B-11

Batch: T139852

Bicarbonate Alkalinity as CaCO ₃ at pH 4.5	200 mg/L	5.0	1	08/10/23	aeo	08/11/23	aeo	N	0.16
Carbonate Alkalinity as CaCO ₃ at pH 8.2	<0.16 mg/L	5.0	1	08/10/23	aeo	08/11/23	aeo	N	0.16
Total Alkalinity as CaCO ₃ at pH 4.5	200 mg/L	5.0	1	08/10/23	aeo	08/11/23	aeo		0.16

Analysis Method: SM 2540 C-15

Batch: T139809

Total Dissolved Solids	1100 mg/L	42	4.166667	08/09/23	mr	08/09/23	mr	N	
------------------------	-----------	----	----------	----------	----	----------	----	---	--

Analysis Method: SM 2540 D-15

Batch: T139788

Total Suspended Solids	7.9 mg/L	4.0	0.990099	08/09/23	mr	08/09/23	mr		
------------------------	----------	-----	----------	----------	----	----------	----	--	--

Analysis Method: SM 4500-H+ B-11

Batch: T140005

pH	7.06 pH Units	1	08/08/23	mj	08/09/23	com	pH1		
----	---------------	---	----------	----	----------	-----	-----	--	--

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23H0444

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23H0444-13	Date Collected:	08/07/23 17:30	Matrix:	Ground Water
Sample ID:	MW-19	Date Received:	08/09/23 08:35		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

METALS, TOTAL

Analysis Method: EPA 7470A

Batch: T140112

Mercury	<0.00016 mg/L	0.00020	1	08/21/23	bjv	08/21/23	jma	0.00016
---------	---------------	---------	---	----------	-----	----------	-----	---------

METALS, TOTAL

Analysis Method: EPA 200.7 Rev. 4.4

Batch: T140107

Boron	1.9 mg/L	0.0088	1	08/17/23	bjv	08/18/23	jma	0.0016	
Calcium	360 mg/L	2.6	10	08/17/23	bjv	08/18/23	jma	0.070	
Iron	15 mg/L	0.050	1	08/17/23	bjv	08/18/23	jma	0.026	
Lithium	0.098 mg/L	0.0025	1	08/17/23	bjv	08/18/23	jma	N	0.0019
Magnesium	30 mg/L	0.50	10	08/17/23	bjv	08/18/23	jma	0.10	
Potassium	17 mg/L	0.25	1	08/17/23	bjv	08/18/23	jma	0.036	
Sodium	31 mg/L	1.2	10	08/17/23	bjv	08/18/23	jma	0.88	

Analysis Method: EPA 200.8 Rev. 5.4

Batch: T140107

Antimony	<0.00010 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs	0.00010	
Arsenic	0.0073 mg/L	0.00055	1	08/17/23	bjv	08/18/23	acs	0.00010	
Barium	0.037 mg/L	0.0025	1	08/17/23	bjv	08/18/23	acs	0.00068	
Beryllium	0.000072 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs	J	0.000052
Cadmium	<0.000075 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs	0.000075	
Chromium	0.00029 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs	0.00020	
Cobalt	0.00044 mg/L	0.00052	1	08/17/23	bjv	08/18/23	acs	J	0.00010
Copper	<0.00020 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs	0.00020	
Lead	<0.00010 mg/L	0.00055	1	08/17/23	bjv	08/18/23	acs	0.00010	
Molybdenum	0.013 mg/L	0.0012	1	08/17/23	bjv	08/18/23	acs	0.00025	
Nickel	0.0015 mg/L	0.0012	1	08/17/23	bjv	08/18/23	acs	0.00065	
Selenium	<0.00010 mg/L	0.00050	1	08/17/23	bjv	08/18/23	acs	0.00010	
Silver	<0.000050 mg/L	0.000050	1	08/17/23	bjv	08/18/23	acs	0.000050	
Thallium	<0.000075 mg/L	0.00038	1	08/17/23	bjv	08/18/23	acs	0.000075	
Vanadium	<0.00062 mg/L	0.0012	1	08/17/23	bjv	08/18/23	acs	0.00062	
Zinc	<0.0012 mg/L	0.0012	1	08/17/23	bjv	08/18/23	acs	0.0012	

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23H0444

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23H0444-13	Date Collected:	08/07/23 17:30	Matrix:	Ground Water
Sample ID:	MW-19	Date Received:	08/09/23 08:35		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

METALS, TOTAL

WET CHEMISTRY

Analysis Method: EPA 300.0 Rev. 2.1

Batch: T139804

Fluoride	2.2 mg/L	0.10	5	08/09/23	ans	08/10/23	ans	N	0.055
Chloride	38 mg/L	0.75	5	08/09/23	ans	08/10/23	ans		0.60
Sulfate as SO ₄	830 mg/L	30	50	08/09/23	ans	08/10/23	ans		4.1

Analysis Method: SM 2320 B-11

Batch: T139852

Bicarbonate Alkalinity as CaCO ₃ at pH 4.5	330 mg/L	5.0	1	08/10/23	aeo	08/11/23	aeo	N	0.16
Carbonate Alkalinity as CaCO ₃ at pH 8.2	<0.16 mg/L	5.0	1	08/10/23	aeo	08/11/23	aeo	N	0.16
Total Alkalinity as CaCO ₃ at pH 4.5	330 mg/L	5.0	1	08/10/23	aeo	08/11/23	aeo		0.16

Analysis Method: SM 2540 C-15

Batch: T139809

Total Dissolved Solids	1600 mg/L	40	4	08/09/23	mr	08/09/23	mr	N	
------------------------	-----------	----	---	----------	----	----------	----	---	--

Analysis Method: SM 2540 D-15

Batch: T139788

Total Suspended Solids	33 mg/L	4.0	1	08/09/23	mr	08/09/23	mr		
------------------------	---------	-----	---	----------	----	----------	----	--	--

Analysis Method: SM 4500-H+ B-11

Batch: T140005

pH	6.82 pH Units		1	08/07/23	mj	08/09/23	com	511, pHm	
----	---------------	--	---	----------	----	----------	-----	----------	--

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23H0444

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23H0444-14	Date Collected:	08/07/23 16:00	Matrix:	Ground Water
Sample ID:	MW-20	Date Received:	08/09/23 08:35		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

METALS, TOTAL

Analysis Method: EPA 7470A

Batch: T140112

Mercury	<0.00016 mg/L	0.00020	1	08/21/23	bjv	08/21/23	jma	0.00016
---------	---------------	---------	---	----------	-----	----------	-----	---------

METALS, TOTAL

Analysis Method: EPA 200.7 Rev. 4.4

Batch: T140107

Boron	1.1 mg/L	0.0088	1	08/17/23	bjv	08/18/23	jma	0.0016	
Calcium	110 mg/L	2.6	10	08/17/23	bjv	08/18/23	jma	0.070	
Iron	16 mg/L	0.050	1	08/17/23	bjv	08/18/23	jma	0.026	
Lithium	0.079 mg/L	0.0025	1	08/17/23	bjv	08/18/23	jma	N	0.0019
Magnesium	48 mg/L	0.50	10	08/17/23	bjv	08/18/23	jma	0.10	
Potassium	13 mg/L	0.25	1	08/17/23	bjv	08/18/23	jma	0.036	
Sodium	57 mg/L	1.2	10	08/17/23	bjv	08/18/23	jma	0.88	

Analysis Method: EPA 200.8 Rev. 5.4

Batch: T140107

Antimony	0.00014 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs	J	0.00010
Arsenic	0.0017 mg/L	0.00055	1	08/17/23	bjv	08/18/23	acs		0.00010
Barium	0.49 mg/L	0.0025	1	08/17/23	bjv	08/18/23	acs		0.00068
Beryllium	<0.000052 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs		0.000052
Cadmium	<0.000075 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs		0.000075
Chromium	<0.00020 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs		0.000020
Cobalt	0.0011 mg/L	0.00052	1	08/17/23	bjv	08/18/23	acs		0.000010
Copper	0.00053 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs		0.000020
Lead	0.0023 mg/L	0.00055	1	08/17/23	bjv	08/18/23	acs		0.000010
Molybdenum	0.0051 mg/L	0.0012	1	08/17/23	bjv	08/18/23	acs		0.000025
Nickel	0.0078 mg/L	0.0012	1	08/17/23	bjv	08/18/23	acs		0.000065
Selenium	0.00010 mg/L	0.00050	1	08/17/23	bjv	08/18/23	acs	J	0.000010
Silver	<0.000050 mg/L	0.000050	1	08/17/23	bjv	08/18/23	acs		0.000050
Thallium	<0.000075 mg/L	0.00038	1	08/17/23	bjv	08/18/23	acs		0.000075
Vanadium	<0.00062 mg/L	0.0012	1	08/17/23	bjv	08/18/23	acs		0.000062
Zinc	0.025 mg/L	0.0012	1	08/17/23	bjv	08/18/23	acs		0.0012

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23H0444

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23H0444-14	Date Collected:	08/07/23 16:00	Matrix:	Ground Water
Sample ID:	MW-20	Date Received:	08/09/23 08:35		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

METALS, TOTAL

WET CHEMISTRY

Analysis Method: EPA 300.0 Rev. 2.1

Batch: T139804

Fluoride	0.23 mg/L	0.10	5	08/09/23	ans	08/10/23	ans	N	0.055
Chloride	70 mg/L	0.75	5	08/09/23	ans	08/10/23	ans		0.60
Sulfate as SO ₄	19 mg/L	3.0	5	08/09/23	ans	08/10/23	ans		0.41

Analysis Method: SM 2320 B-11

Batch: T139852

Bicarbonate Alkalinity as CaCO ₃ at pH 4.5	460 mg/L	5.0	1	08/10/23	aeo	08/11/23	aeo	N	0.16
Carbonate Alkalinity as CaCO ₃ at pH 8.2	<0.16 mg/L	5.0	1	08/10/23	aeo	08/11/23	aeo	N	0.16
Total Alkalinity as CaCO ₃ at pH 4.5	460 mg/L	5.0	1	08/10/23	aeo	08/11/23	aeo		0.16

Analysis Method: SM 2540 C-15

Batch: T139809

Total Dissolved Solids	570 mg/L	38	3.846154	08/09/23	mr	08/09/23	mr	N	
------------------------	----------	----	----------	----------	----	----------	----	---	--

Analysis Method: SM 2540 D-15

Batch: T139788

Total Suspended Solids	37 mg/L	4.0	1	08/09/23	mr	08/09/23	mr		
------------------------	---------	-----	---	----------	----	----------	----	--	--

Analysis Method: SM 4500-H+ B-11

Batch: T140005

pH	7.07 pH Units		1	08/07/23	mj	08/09/23	com	511, pHn	
----	---------------	--	---	----------	----	----------	-----	----------	--

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23H0444

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23H0444-15	Date Collected:	08/07/23 12:55	Matrix:	Ground Water
Sample ID:	MW-27	Date Received:	08/09/23 08:35		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

METALS, TOTAL

Analysis Method: EPA 7470A

Batch: T140112

Mercury	<0.00016 mg/L	0.00020	1	08/21/23	bjv	08/21/23	jma	0.00016
---------	---------------	---------	---	----------	-----	----------	-----	---------

METALS, TOTAL

Analysis Method: EPA 200.7 Rev. 4.4

Batch: T140107

Boron	0.44 mg/L	0.0088	1	08/17/23	bjv	08/18/23	jma	0.0016	
Calcium	150 mg/L	2.6	10	08/17/23	bjv	08/18/23	jma	0.070	
Iron	8.0 mg/L	0.050	1	08/17/23	bjv	08/18/23	jma	0.026	
Lithium	0.0093 mg/L	0.0025	1	08/17/23	bjv	08/18/23	jma	N	0.0019
Magnesium	35 mg/L	0.50	10	08/17/23	bjv	08/18/23	jma	0.10	
Potassium	12 mg/L	0.25	1	08/17/23	bjv	08/18/23	jma	0.036	
Sodium	80 mg/L	1.2	10	08/17/23	bjv	08/18/23	jma	0.88	

Analysis Method: EPA 200.8 Rev. 5.4

Batch: T140107

Antimony	<0.00010 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs	0.00010	
Arsenic	0.0012 mg/L	0.00055	1	08/17/23	bjv	08/18/23	acs	0.00010	
Barium	0.25 mg/L	0.0025	1	08/17/23	bjv	08/18/23	acs	0.00068	
Beryllium	<0.000052 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs	0.000052	
Cadmium	<0.000075 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs	0.000075	
Chromium	0.034 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs	0.00020	
Cobalt	0.00083 mg/L	0.00052	1	08/17/23	bjv	08/18/23	acs	0.00010	
Copper	0.00023 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs	J	0.00020
Lead	<0.00010 mg/L	0.00055	1	08/17/23	bjv	08/18/23	acs	0.00010	
Molybdenum	<0.00025 mg/L	0.0012	1	08/17/23	bjv	08/18/23	acs	0.00025	
Nickel	0.00075 mg/L	0.0012	1	08/17/23	bjv	08/18/23	acs	J	0.00065
Selenium	0.00022 mg/L	0.00050	1	08/17/23	bjv	08/18/23	acs	J	0.00010
Silver	<0.000050 mg/L	0.000050	1	08/17/23	bjv	08/18/23	acs	0.000050	
Thallium	<0.000075 mg/L	0.00038	1	08/17/23	bjv	08/18/23	acs	0.000075	
Vanadium	0.00093 mg/L	0.0012	1	08/17/23	bjv	08/18/23	acs	J	0.00062
Zinc	<0.0012 mg/L	0.0012	1	08/17/23	bjv	08/18/23	acs	0.0012	

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23H0444

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23H0444-15	Date Collected:	08/07/23 12:55	Matrix:	Ground Water
Sample ID:	MW-27	Date Received:	08/09/23 08:35		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

METALS, TOTAL

WET CHEMISTRY

Analysis Method: EPA 300.0 Rev. 2.1

Batch: T139804

Fluoride	0.41 mg/L	0.10	5	08/09/23	ans	08/10/23	ans	N	0.055
Chloride	100 mg/L	7.5	50	08/09/23	ans	08/10/23	ans		6.0
Sulfate as SO ₄	3.0 mg/L	3.0	5	08/09/23	ans	08/10/23	ans		0.41

Analysis Method: SM 2320 B-11

Batch: T139852

Bicarbonate Alkalinity as CaCO ₃ at pH 4.5	1100 mg/L	5.0	1	08/10/23	aeo	08/11/23	aeo	N	0.16
Carbonate Alkalinity as CaCO ₃ at pH 8.2	<0.16 mg/L	5.0	1	08/10/23	aeo	08/11/23	aeo	N	0.16
Total Alkalinity as CaCO ₃ at pH 4.5	1100 mg/L	5.0	1	08/10/23	aeo	08/11/23	aeo		0.16

Analysis Method: SM 2540 C-15

Batch: T139809

Total Dissolved Solids	690 mg/L	37	3.703704	08/09/23	mr	08/09/23	mr	N	
------------------------	----------	----	----------	----------	----	----------	----	---	--

Analysis Method: SM 2540 D-15

Batch: T139788

Total Suspended Solids	11 mg/L	4.0	1	08/09/23	mr	08/09/23	mr		
------------------------	---------	-----	---	----------	----	----------	----	--	--

Analysis Method: SM 4500-H+ B-11

Batch: T140005

pH	6.76 pH Units		1	08/07/23	mj	08/09/23	com	511, pHo	
----	---------------	--	---	----------	----	----------	-----	----------	--

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23H0444

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23H0444-16	Date Collected:	08/08/23 09:20	Matrix:	Ground Water
Sample ID:	MW-30	Date Received:	08/09/23 08:35		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

METALS, TOTAL

Analysis Method: EPA 7470A

Batch: T140112

Mercury	<0.00016 mg/L	0.00020	1	08/21/23	bjv	08/21/23	jma	0.00016
---------	---------------	---------	---	----------	-----	----------	-----	---------

METALS, TOTAL

Analysis Method: EPA 200.7 Rev. 4.4

Batch: T140107

Boron	1.8 mg/L	0.0088	1	08/17/23	bjv	08/18/23	jma	0.0016
Calcium	400 mg/L	2.6	10	08/17/23	bjv	08/18/23	jma	0.070
Iron	2.9 mg/L	0.050	1	08/17/23	bjv	08/18/23	jma	0.026
Lithium	0.14 mg/L	0.0025	1	08/17/23	bjv	08/18/23	jma	N 0.0019
Magnesium	100 mg/L	0.50	10	08/17/23	bjv	08/18/23	jma	0.10
Potassium	13 mg/L	0.25	1	08/17/23	bjv	08/18/23	jma	0.036
Sodium	88 mg/L	1.2	10	08/17/23	bjv	08/18/23	jma	0.88

Analysis Method: EPA 200.8 Rev. 5.4

Batch: T140107

Antimony	<0.00010 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs	0.00010
Arsenic	0.00043 mg/L	0.00055	1	08/17/23	bjv	08/18/23	acs J	0.00010
Barium	0.048 mg/L	0.0025	1	08/17/23	bjv	08/18/23	acs	0.00068
Beryllium	<0.000052 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs	0.000052
Cadmium	<0.000075 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs	0.000075
Chromium	0.013 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs	0.00020
Cobalt	0.0011 mg/L	0.00052	1	08/17/23	bjv	08/18/23	acs	0.00010
Copper	<0.00020 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs	0.00020
Lead	<0.00050 mg/L	0.0028	5	08/17/23	bjv	08/18/23	acs 402.5	0.00050
Molybdenum	0.0011 mg/L	0.0012	1	08/17/23	bjv	08/18/23	acs J	0.00025
Nickel	0.0011 mg/L	0.0012	1	08/17/23	bjv	08/18/23	acs J	0.00065
Selenium	0.00012 mg/L	0.00050	1	08/17/23	bjv	08/18/23	acs J	0.00010
Silver	<0.000050 mg/L	0.000050	1	08/17/23	bjv	08/18/23	acs	0.000050
Thallium	<0.000038 mg/L	0.0019	5	08/17/23	bjv	08/18/23	acs 402.5	0.000038
Vanadium	<0.00062 mg/L	0.0012	1	08/17/23	bjv	08/18/23	acs	0.00062
Zinc	<0.0012 mg/L	0.0012	1	08/17/23	bjv	08/18/23	acs	0.0012

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23H0444

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23H0444-16	Date Collected:	08/08/23 09:20	Matrix:	Ground Water
Sample ID:	MW-30	Date Received:	08/09/23 08:35		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

METALS, TOTAL

WET CHEMISTRY

Analysis Method: EPA 300.0 Rev. 2.1

Batch: T139804

Fluoride	1.1 mg/L	0.10	5	08/09/23	ans	08/10/23	ans	N	0.055
Chloride	98 mg/L	0.75	5	08/09/23	ans	08/10/23	ans		0.60
Sulfate as SO ₄	860 mg/L	30	50	08/09/23	ans	08/10/23	ans		4.1

Analysis Method: SM 2320 B-11

Batch: T139852

Bicarbonate Alkalinity as CaCO ₃ at pH 4.5	690 mg/L	5.0	1	08/10/23	aeo	08/11/23	aeo	N	0.16
Carbonate Alkalinity as CaCO ₃ at pH 8.2	<0.16 mg/L	5.0	1	08/10/23	aeo	08/11/23	aeo	N	0.16
Total Alkalinity as CaCO ₃ at pH 4.5	690 mg/L	5.0	1	08/10/23	aeo	08/11/23	aeo		0.16

Analysis Method: SM 2540 C-15

Batch: T139809

Total Dissolved Solids	2300 mg/L	20	2.040816	08/09/23	mr	08/09/23	mr	N	
------------------------	-----------	----	----------	----------	----	----------	----	---	--

Analysis Method: SM 2540 D-15

Batch: T139788

Total Suspended Solids	5.0 mg/L	4.0	1	08/09/23	mr	08/09/23	mr		
------------------------	----------	-----	---	----------	----	----------	----	--	--

Analysis Method: SM 4500-H+ B-11

Batch: T140005

pH	7.09 pH Units		1	08/08/23	mj	08/09/23	com	503, pHp	
----	---------------	--	---	----------	----	----------	-----	----------	--

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23H0444

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23H0444-17	Date Collected:	08/08/23 11:30	Matrix:	Ground Water
Sample ID:	MW-31	Date Received:	08/09/23 08:35		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

METALS, TOTAL

Analysis Method: EPA 7470A

Batch: T140112

Mercury	<0.00016 mg/L	0.00020	1	08/21/23	bjv	08/21/23	jma	0.00016
---------	---------------	---------	---	----------	-----	----------	-----	---------

METALS, TOTAL

Analysis Method: EPA 200.7 Rev. 4.4

Batch: T140107

Boron	4.8 mg/L	0.0088	1	08/17/23	bjv	08/18/23	jma	0.0016	
Calcium	150 mg/L	2.6	10	08/17/23	bjv	08/18/23	jma	0.070	
Iron	0.21 mg/L	0.050	1	08/17/23	bjv	08/18/23	jma	0.026	
Lithium	0.054 mg/L	0.0025	1	08/17/23	bjv	08/18/23	jma	N	0.0019
Magnesium	38 mg/L	0.50	10	08/17/23	bjv	08/18/23	jma	0.10	
Potassium	12 mg/L	0.25	1	08/17/23	bjv	08/18/23	jma	0.036	
Sodium	56 mg/L	1.2	10	08/17/23	bjv	08/18/23	jma	0.88	

Analysis Method: EPA 200.8 Rev. 5.4

Batch: T140107

Antimony	0.00012 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs	J	0.00010
Arsenic	0.0016 mg/L	0.00055	1	08/17/23	bjv	08/18/23	acs		0.00010
Barium	0.16 mg/L	0.0025	1	08/17/23	bjv	08/18/23	acs		0.00068
Beryllium	<0.000052 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs		0.000052
Cadmium	<0.000075 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs		0.000075
Chromium	0.0023 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs		0.00020
Cobalt	0.00018 mg/L	0.00052	1	08/17/23	bjv	08/18/23	acs	J	0.00010
Copper	<0.00020 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs		0.00020
Lead	<0.00010 mg/L	0.00055	1	08/17/23	bjv	08/18/23	acs		0.00010
Molybdenum	0.0011 mg/L	0.0012	1	08/17/23	bjv	08/18/23	acs	J	0.00025
Nickel	<0.00065 mg/L	0.0012	1	08/17/23	bjv	08/18/23	acs		0.00065
Selenium	0.00015 mg/L	0.00050	1	08/17/23	bjv	08/18/23	acs	J	0.00010
Silver	<0.000050 mg/L	0.000050	1	08/17/23	bjv	08/18/23	acs		0.000050
Thallium	<0.000075 mg/L	0.00038	1	08/17/23	bjv	08/18/23	acs		0.000075
Vanadium	<0.00062 mg/L	0.0012	1	08/17/23	bjv	08/18/23	acs		0.00062
Zinc	<0.0012 mg/L	0.0012	1	08/17/23	bjv	08/18/23	acs		0.0012

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23H0444

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23H0444-17	Date Collected:	08/08/23 11:30	Matrix:	Ground Water
Sample ID:	MW-31	Date Received:	08/09/23 08:35		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

METALS, TOTAL

WET CHEMISTRY

Analysis Method: EPA 300.0 Rev. 2.1

Batch: T139804

Fluoride	5.1 mg/L	0.10	5	08/09/23	ans	08/10/23	ans	N	0.055
Chloride	110 mg/L	7.5	50	08/09/23	ans	08/10/23	ans		6.0
Sulfate as SO ₄	100 mg/L	30	50	08/09/23	ans	08/10/23	ans		4.1

Analysis Method: SM 2320 B-11

Batch: T139852

Bicarbonate Alkalinity as CaCO ₃ at pH 4.5	410 mg/L	5.0	1	08/10/23	aeo	08/11/23	aeo	N	0.16
Carbonate Alkalinity as CaCO ₃ at pH 8.2	<0.16 mg/L	5.0	1	08/10/23	aeo	08/11/23	aeo	N	0.16
Total Alkalinity as CaCO ₃ at pH 4.5	410 mg/L	5.0	1	08/10/23	aeo	08/11/23	aeo		0.16

Analysis Method: SM 2540 C-15

Batch: T139809

Total Dissolved Solids	860 mg/L	10	1.010101	08/09/23	mr	08/09/23	mr	N	
------------------------	----------	----	----------	----------	----	----------	----	---	--

Analysis Method: SM 2540 D-15

Batch: T139788

Total Suspended Solids	1.0 mg/L	4.0	1	08/09/23	mr	08/09/23	mr	J	
------------------------	----------	-----	---	----------	----	----------	----	---	--

Analysis Method: SM 4500-H+ B-11

Batch: T140005

pH	7.85 pH Units		1	08/08/23	mj	08/09/23	com	pHq	
----	---------------	--	---	----------	----	----------	-----	-----	--

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23H0444

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23H0444-18	Date Collected:	08/08/23 13:00	Matrix:	Ground Water
Sample ID:	MW-32	Date Received:	08/09/23 08:35		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

METALS, TOTAL

Analysis Method: EPA 7470A

Batch: T140112

Mercury	<0.00016 mg/L	0.00020	1	08/21/23	bjv	08/21/23	jma	0.00016
---------	---------------	---------	---	----------	-----	----------	-----	---------

METALS, TOTAL

Analysis Method: EPA 200.7 Rev. 4.4

Batch: T140107

Boron	3.7 mg/L	0.0088	1	08/17/23	bjv	08/18/23	jma	0.0016	
Calcium	130 mg/L	2.6	10	08/17/23	bjv	08/18/23	jma	0.070	
Iron	11 mg/L	0.050	1	08/17/23	bjv	08/18/23	jma	0.026	
Lithium	0.14 mg/L	0.0025	1	08/17/23	bjv	08/18/23	jma	N	0.0019
Magnesium	28 mg/L	0.50	10	08/17/23	bjv	08/18/23	jma	0.10	
Potassium	13 mg/L	0.25	1	08/17/23	bjv	08/18/23	jma	0.036	
Sodium	32 mg/L	1.2	10	08/17/23	bjv	08/18/23	jma	0.88	

Analysis Method: EPA 200.8 Rev. 5.4

Batch: T140107

Antimony	<0.00010 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs	0.00010	
Arsenic	0.00062 mg/L	0.00055	1	08/17/23	bjv	08/18/23	acs	0.00010	
Barium	0.41 mg/L	0.0025	1	08/17/23	bjv	08/18/23	acs	0.00068	
Beryllium	<0.000052 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs	0.000052	
Cadmium	<0.000075 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs	0.000075	
Chromium	0.00031 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs	0.00020	
Cobalt	0.00058 mg/L	0.00052	1	08/17/23	bjv	08/18/23	acs	0.00010	
Copper	<0.00020 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs	0.00020	
Lead	<0.00010 mg/L	0.00055	1	08/17/23	bjv	08/18/23	acs	0.00010	
Molybdenum	0.0046 mg/L	0.0012	1	08/17/23	bjv	08/18/23	acs	0.00025	
Nickel	0.00086 mg/L	0.0012	1	08/17/23	bjv	08/18/23	acs	J	0.00065
Selenium	<0.00010 mg/L	0.00050	1	08/17/23	bjv	08/18/23	acs	0.00010	
Silver	<0.000050 mg/L	0.000050	1	08/17/23	bjv	08/18/23	acs	0.000050	
Thallium	<0.000075 mg/L	0.00038	1	08/17/23	bjv	08/18/23	acs	0.000075	
Vanadium	<0.00062 mg/L	0.0012	1	08/17/23	bjv	08/18/23	acs	0.00062	
Zinc	0.0030 mg/L	0.0012	1	08/17/23	bjv	08/18/23	acs	0.0012	

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23H0444

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23H0444-18	Date Collected:	08/08/23 13:00	Matrix:	Ground Water
Sample ID:	MW-32	Date Received:	08/09/23 08:35		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

METALS, TOTAL

WET CHEMISTRY

Analysis Method: EPA 300.0 Rev. 2.1

Batch: T139804

Fluoride	1.6 mg/L	0.10	5	08/09/23	ans	08/10/23	ans	N	0.055
Chloride	44 mg/L	0.75	5	08/09/23	ans	08/10/23	ans		0.60
Sulfate as SO ₄	17 mg/L	3.0	5	08/09/23	ans	08/10/23	ans		0.41

Analysis Method: SM 2320 B-11

Batch: T139852

Bicarbonate Alkalinity as CaCO ₃ at pH 4.5	440 mg/L	5.0	1	08/10/23	aeo	08/11/23	aeo	N	0.16
Carbonate Alkalinity as CaCO ₃ at pH 8.2	<0.16 mg/L	5.0	1	08/10/23	aeo	08/11/23	aeo	N	0.16
Total Alkalinity as CaCO ₃ at pH 4.5	440 mg/L	5.0	1	08/10/23	aeo	08/11/23	aeo		0.16

Analysis Method: SM 2540 C-15

Batch: T139809

Total Dissolved Solids	550 mg/L	40	4	08/09/23	mr	08/09/23	mr	N	
------------------------	----------	----	---	----------	----	----------	----	---	--

Analysis Method: SM 2540 D-15

Batch: T139788

Total Suspended Solids	11 mg/L	4.0	1	08/09/23	mr	08/09/23	mr		
------------------------	---------	-----	---	----------	----	----------	----	--	--

Analysis Method: SM 4500-H+ B-11

Batch: T140005

pH	7.47 pH Units		1	08/08/23	mj	08/09/23	com	pHr	
----	---------------	--	---	----------	----	----------	-----	-----	--

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23H0444

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23H0444-19	Date Collected:	08/07/23 12:00	Matrix:	Ground Water
Sample ID:	MW-33	Date Received:	08/09/23 08:35		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

METALS, TOTAL

Analysis Method: EPA 7470A

Batch: T140112

Mercury	<0.00016 mg/L	0.00020	1	08/21/23	bjv	08/21/23	jma	0.00016
---------	---------------	---------	---	----------	-----	----------	-----	---------

METALS, TOTAL

Analysis Method: EPA 200.7 Rev. 4.4

Batch: T140107

Boron	0.12 mg/L	0.0088	1	08/17/23	bjv	08/18/23	jma	0.0016
Calcium	150 mg/L	2.6	10	08/17/23	bjv	08/18/23	jma	0.070
Iron	8.7 mg/L	0.050	1	08/17/23	bjv	08/18/23	jma	0.026
Lithium	0.0041 mg/L	0.0025	1	08/17/23	bjv	08/18/23	jma	N 0.0019
Magnesium	16 mg/L	0.10	1	08/17/23	bjv	08/18/23	jma	0.010
Potassium	5.1 mg/L	0.25	1	08/17/23	bjv	08/18/23	jma	0.036
Sodium	22 mg/L	0.12	1	08/17/23	bjv	08/18/23	jma	0.088

Analysis Method: EPA 200.8 Rev. 5.4

Batch: T140107

Antimony	0.00015 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs	J 0.00010
Arsenic	0.0027 mg/L	0.00055	1	08/17/23	bjv	08/18/23	acs	0.00010
Barium	0.098 mg/L	0.0025	1	08/17/23	bjv	08/18/23	acs	0.00068
Beryllium	<0.000052 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs	0.000052
Cadmium	<0.000075 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs	0.000075
Chromium	0.0059 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs	0.00020
Cobalt	0.00041 mg/L	0.00052	1	08/17/23	bjv	08/18/23	acs	J 0.00010
Copper	0.00079 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs	0.00020
Lead	0.00015 mg/L	0.00055	1	08/17/23	bjv	08/18/23	acs	J 0.00010
Molybdenum	0.00052 mg/L	0.0012	1	08/17/23	bjv	08/18/23	acs	J 0.00025
Nickel	0.0049 mg/L	0.0012	1	08/17/23	bjv	08/18/23	acs	0.00065
Selenium	0.00029 mg/L	0.00050	1	08/17/23	bjv	08/18/23	acs	J 0.00010
Silver	<0.000050 mg/L	0.000050	1	08/17/23	bjv	08/18/23	acs	0.000050
Thallium	<0.000075 mg/L	0.00038	1	08/17/23	bjv	08/18/23	acs	0.000075
Vanadium	0.00079 mg/L	0.0012	1	08/17/23	bjv	08/18/23	acs	J 0.00062
Zinc	<0.0012 mg/L	0.0012	1	08/17/23	bjv	08/18/23	acs	0.0012

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23H0444

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23H0444-19	Date Collected:	08/07/23 12:00	Matrix:	Ground Water
Sample ID:	MW-33	Date Received:	08/09/23 08:35		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

METALS, TOTAL

WET CHEMISTRY

Analysis Method: EPA 300.0 Rev. 2.1

Batch: T139804

Fluoride	0.27 mg/L	0.10	5	08/09/23	ans	08/10/23	ans	N	0.055
Chloride	23 mg/L	0.75	5	08/09/23	ans	08/10/23	ans		0.60
Sulfate as SO ₄	1.6 mg/L	3.0	5	08/09/23	ans	08/10/23	ans	J	0.41

Analysis Method: SM 2320 B-11

Batch: T139852

Bicarbonate Alkalinity as CaCO ₃ at pH 4.5	480 mg/L	5.0	1	08/10/23	aeo	08/11/23	aeo	N	0.16
Carbonate Alkalinity as CaCO ₃ at pH 8.2	<0.16 mg/L	5.0	1	08/10/23	aeo	08/11/23	aeo	N	0.16
Total Alkalinity as CaCO ₃ at pH 4.5	480 mg/L	5.0	1	08/10/23	aeo	08/11/23	aeo		0.16

Analysis Method: SM 2540 C-15

Batch: T139809

Total Dissolved Solids	570 mg/L	38	3.846154	08/09/23	mr	08/09/23	mr	N	
------------------------	----------	----	----------	----------	----	----------	----	---	--

Analysis Method: SM 2540 D-15

Batch: T139788

Total Suspended Solids	22 mg/L	4.0	1	08/09/23	mr	08/09/23	mr		
------------------------	---------	-----	---	----------	----	----------	----	--	--

Analysis Method: SM 4500-H+ B-11

Batch: T140005

pH	6.97 pH Units		1	08/07/23	mj	08/09/23	com	511, pHs	
----	---------------	--	---	----------	----	----------	-----	----------	--

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

ANALYTICAL RESULTS

Trace Project ID: 23H0444

Client Project ID: City of Grand Haven - Harbor Island

Trace ID: 23H0444-20 Date Collected: 08/07/23 11:20 Matrix: Ground Water
Sample ID: MW-34 Date Received: 08/09/23 08:35

PARAMETERS	RESULTS	UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------	-------	-----	----------	-------------	-------------	-------	-----

METALS, TOTAL

Analysis Method: EPA 7470A

Batch: T140112

Mercury <0.00016 mg/L 0.00020 1 08/21/23 bjv 08/21/23 jma 0.00016

METALS, TOTAL

Analysis Method: EPA 200.7 Rev. 4.4

Batch: T140107

Boron	3.6 mg/L	0.0088	1	08/17/23	bjv	08/18/23	jma	0.0016
Calcium	190 mg/L	2.6	10	08/17/23	bjv	08/18/23	jma	0.070
Iron	64 mg/L	0.50	10	08/17/23	bjv	08/18/23	jma	0.26
Lithium	0.10 mg/L	0.0025	1	08/17/23	bjv	08/18/23	jma	N
Magnesium	26 mg/L	0.50	10	08/17/23	bjv	08/18/23	jma	0.10
Potassium	13 mg/L	0.25	1	08/17/23	bjv	08/18/23	jma	0.036
Sodium	33 mg/L	1.2	10	08/17/23	bjv	08/18/23	jma	0.88

Analysis Method: EPA 200.8 Rev. 5.4

Batch: T140107

Antimony	0.00015 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs	J	0.00010
Arsenic	0.0012 mg/L	0.00055	1	08/17/23	bjv	08/18/23	acs		0.00010
Barium	0.49 mg/L	0.0025	1	08/17/23	bjv	08/18/23	acs		0.00068
Beryllium	<0.000052 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs		0.000052
Cadmium	<0.000075 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs		0.000075
Chromium	0.028 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs		0.00020
Cobalt	0.0016 mg/L	0.00052	1	08/17/23	bjv	08/18/23	acs		0.00010
Copper	0.00043 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs		0.00020
Lead	0.00091 mg/L	0.00055	1	08/17/23	bjv	08/18/23	acs		0.00010
Molybdenum	<0.00025 mg/L	0.0012	1	08/17/23	bjv	08/18/23	acs		0.00025
Nickel	0.0018 mg/L	0.0012	1	08/17/23	bjv	08/18/23	acs		0.00065
Selenium	0.00027 mg/L	0.00050	1	08/17/23	bjv	08/18/23	acs	J	0.00010
Silver	<0.000050 mg/L	0.000050	1	08/17/23	bjv	08/18/23	acs		0.000050
Thallium	<0.000075 mg/L	0.00038	1	08/17/23	bjv	08/18/23	acs		0.000075
Vanadium	<0.00062 mg/L	0.0012	1	08/17/23	bjv	08/18/23	acs		0.00062
Zinc	0.0017 mg/L	0.0012	1	08/17/23	bjv	08/18/23	acs		0.0012

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23H0444

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23H0444-20	Date Collected:	08/07/23 11:20	Matrix:	Ground Water
Sample ID:	MW-34	Date Received:	08/09/23 08:35		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

METALS, TOTAL

WET CHEMISTRY

Analysis Method: EPA 300.0 Rev. 2.1

Batch: T139804

Fluoride	0.29 mg/L	0.10	5	08/09/23	ans	08/10/23	ans	N	0.055
Chloride	24 mg/L	0.75	5	08/09/23	ans	08/10/23	ans		0.60
Sulfate as SO ₄	<0.41 mg/L	3.0	5	08/09/23	ans	08/10/23	ans		0.41

Analysis Method: SM 2320 B-11

Batch: T139852

Bicarbonate Alkalinity as CaCO ₃ at pH 4.5	970 mg/L	5.0	1	08/10/23	aeo	08/11/23	aeo	N	0.16
Carbonate Alkalinity as CaCO ₃ at pH 8.2	<0.16 mg/L	5.0	1	08/10/23	aeo	08/11/23	aeo	N	0.16
Total Alkalinity as CaCO ₃ at pH 4.5	970 mg/L	5.0	1	08/10/23	aeo	08/11/23	aeo		0.16

Analysis Method: SM 2540 C-15

Batch: T139809

Total Dissolved Solids	770 mg/L	100	10	08/09/23	mr	08/09/23	mr	N	
------------------------	----------	-----	----	----------	----	----------	----	---	--

Analysis Method: SM 2540 D-15

Batch: T139788

Total Suspended Solids	130 mg/L	4.0	1	08/09/23	mr	08/09/23	mr		
------------------------	----------	-----	---	----------	----	----------	----	--	--

Analysis Method: SM 4500-H+ B-11

Batch: T140005

pH	6.59 pH Units		1	08/07/23	mj	08/09/23	com	511, pHt	
----	---------------	--	---	----------	----	----------	-----	----------	--

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23H0444

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23H0444-21	Date Collected:	08/07/23 14:00	Matrix:	Ground Water
Sample ID:	MWT-04	Date Received:	08/09/23 08:35		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

METALS, TOTAL

Analysis Method: EPA 7470A

Batch: T140114

Mercury	<0.00016 mg/L	0.00020	1	08/16/23	fs	08/17/23	fs	0.00016
---------	---------------	---------	---	----------	----	----------	----	---------

METALS, TOTAL

Analysis Method: EPA 200.7 Rev. 4.4

Batch: T140107

Boron	4.0 mg/L	0.0088	1	08/17/23	bjv	08/18/23	jma	0.0016	
Calcium	330 mg/L	2.6	10	08/17/23	bjv	08/18/23	jma	0.070	
Iron	5.3 mg/L	0.050	1	08/17/23	bjv	08/18/23	jma	0.026	
Lithium	0.077 mg/L	0.0025	1	08/17/23	bjv	08/18/23	jma	N	0.0019
Magnesium	120 mg/L	0.50	10	08/17/23	bjv	08/18/23	jma	0.10	
Potassium	23 mg/L	2.5	10	08/17/23	bjv	08/18/23	jma	0.36	
Sodium	85 mg/L	1.2	10	08/17/23	bjv	08/18/23	jma	0.88	

Analysis Method: EPA 200.8 Rev. 5.4

Batch: T140107

Antimony	<0.00010 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs	0.00010	
Arsenic	0.00089 mg/L	0.00055	1	08/17/23	bjv	08/18/23	acs	0.00010	
Barium	0.13 mg/L	0.0025	1	08/17/23	bjv	08/18/23	acs	0.00068	
Beryllium	<0.000052 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs	0.000052	
Cadmium	<0.000075 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs	0.000075	
Chromium	0.0046 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs	0.00020	
Cobalt	0.00061 mg/L	0.00052	1	08/17/23	bjv	08/18/23	acs	0.00010	
Copper	<0.00020 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs	0.00020	
Lead	<0.00010 mg/L	0.00055	1	08/17/23	bjv	08/18/23	acs	0.00010	
Molybdenum	0.0012 mg/L	0.0012	1	08/17/23	bjv	08/18/23	acs	0.00025	
Nickel	0.019 mg/L	0.0012	1	08/17/23	bjv	08/18/23	acs	0.00065	
Selenium	0.00013 mg/L	0.00050	1	08/17/23	bjv	08/18/23	acs	J	0.00010
Silver	<0.000050 mg/L	0.000050	1	08/17/23	bjv	08/18/23	acs	0.000050	
Thallium	<0.000075 mg/L	0.00038	1	08/17/23	bjv	08/18/23	acs	0.000075	
Vanadium	<0.00062 mg/L	0.0012	1	08/17/23	bjv	08/18/23	acs	0.00062	
Zinc	0.0030 mg/L	0.0012	1	08/17/23	bjv	08/18/23	acs	0.0012	

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23H0444

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23H0444-21	Date Collected:	08/07/23 14:00	Matrix:	Ground Water
Sample ID:	MWT-04	Date Received:	08/09/23 08:35		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

METALS, TOTAL

WET CHEMISTRY

Analysis Method: EPA 300.0 Rev. 2.1

Batch: T139805

Fluoride	1.4 mg/L	0.10	5	08/09/23	ans	08/10/23	ans	N	0.055
Chloride	160 mg/L	7.5	50	08/09/23	ans	08/10/23	ans		6.0
Sulfate as SO ₄	630 mg/L	30	50	08/09/23	ans	08/10/23	ans		4.1

Analysis Method: SM 2320 B-11

Batch: T139853

Bicarbonate Alkalinity as CaCO ₃ at pH 4.5	740 mg/L	5.0	1	08/10/23	aeo	08/11/23	aeo	N	0.16
Carbonate Alkalinity as CaCO ₃ at pH 8.2	<0.16 mg/L	5.0	1	08/10/23	aeo	08/11/23	aeo	N	0.16
Total Alkalinity as CaCO ₃ at pH 4.5	740 mg/L	5.0	1	08/10/23	aeo	08/11/23	aeo		0.16

Analysis Method: SM 2540 C-15

Batch: T139899

Total Dissolved Solids	1900 mg/L	40	4	08/10/23	mr	08/10/23	mr	N	
------------------------	-----------	----	---	----------	----	----------	----	---	--

Analysis Method: SM 2540 D-15

Batch: T139788

Total Suspended Solids	8.0 mg/L	4.0	1	08/09/23	mr	08/09/23	mr		
------------------------	----------	-----	---	----------	----	----------	----	--	--

Analysis Method: SM 4500-H+ B-11

Batch: T140005

pH	7.08 pH Units		1	08/07/23	mj	08/09/23	com	511, pHu	
----	---------------	--	---	----------	----	----------	-----	----------	--

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23H0444

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23H0444-22	Date Collected:	08/07/23 16:30	Matrix:	Ground Water
Sample ID:	MWT-12	Date Received:	08/09/23 08:35		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

METALS, TOTAL

Analysis Method: EPA 7470A

Batch: T140114

Mercury	<0.00016 mg/L	0.00020	1	08/16/23	fs	08/17/23	fs	0.00016
---------	---------------	---------	---	----------	----	----------	----	---------

METALS, TOTAL

Analysis Method: EPA 200.7 Rev. 4.4

Batch: T140107

Boron	0.33 mg/L	0.0088	1	08/17/23	bjv	08/18/23	jma	0.0016
Calcium	85 mg/L	2.6	10	08/17/23	bjv	08/18/23	jma	0.070
Iron	0.059 mg/L	0.050	1	08/17/23	bjv	08/18/23	jma	0.026
Lithium	0.0045 mg/L	0.0025	1	08/17/23	bjv	08/18/23	jma	N 0.0019
Magnesium	18 mg/L	0.10	1	08/17/23	bjv	08/18/23	jma	0.010
Potassium	1.8 mg/L	0.25	1	08/17/23	bjv	08/18/23	jma	0.036
Sodium	13 mg/L	0.12	1	08/17/23	bjv	08/18/23	jma	0.088

Analysis Method: EPA 200.8 Rev. 5.4

Batch: T140107

Antimony	0.00040 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs	0.00010
Arsenic	0.0035 mg/L	0.00055	1	08/17/23	bjv	08/18/23	acs	0.00010
Barium	0.052 mg/L	0.0025	1	08/17/23	bjv	08/18/23	acs	0.00068
Beryllium	<0.000052 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs	0.000052
Cadmium	0.0023 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs	0.000075
Chromium	<0.00020 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs	0.000020
Cobalt	0.00052 mg/L	0.00052	1	08/17/23	bjv	08/18/23	acs	0.00010
Copper	0.00095 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs	0.00020
Lead	0.00022 mg/L	0.00055	1	08/17/23	bjv	08/18/23	acs	J 0.00010
Molybdenum	0.0087 mg/L	0.0012	1	08/17/23	bjv	08/18/23	acs	0.00025
Nickel	0.0035 mg/L	0.0012	1	08/17/23	bjv	08/18/23	acs	0.00065
Selenium	0.00014 mg/L	0.00050	1	08/17/23	bjv	08/18/23	acs	J 0.00010
Silver	<0.000050 mg/L	0.000050	1	08/17/23	bjv	08/18/23	acs	0.000050
Thallium	<0.000075 mg/L	0.00038	1	08/17/23	bjv	08/18/23	acs	0.000075
Vanadium	0.00097 mg/L	0.0012	1	08/17/23	bjv	08/18/23	acs	J 0.00062
Zinc	0.011 mg/L	0.0012	1	08/17/23	bjv	08/18/23	acs	0.0012

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23H0444

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23H0444-22	Date Collected:	08/07/23 16:30	Matrix:	Ground Water
Sample ID:	MWT-12	Date Received:	08/09/23 08:35		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

METALS, TOTAL

WET CHEMISTRY

Analysis Method: EPA 300.0 Rev. 2.1

Batch: T139805

Fluoride	0.29 mg/L	0.10	5	08/09/23	ans	08/10/23	ans	N	0.055
Chloride	22 mg/L	0.75	5	08/09/23	ans	08/10/23	ans		0.60
Sulfate as SO ₄	130 mg/L	30	50	08/09/23	ans	08/10/23	ans		4.1

Analysis Method: SM 2320 B-11

Batch: T139853

Bicarbonate Alkalinity as CaCO ₃ at pH 4.5	150 mg/L	5.0	1	08/10/23	aeo	08/11/23	aeo	N	0.16
Carbonate Alkalinity as CaCO ₃ at pH 8.2	<0.16 mg/L	5.0	1	08/10/23	aeo	08/11/23	aeo	N	0.16
Total Alkalinity as CaCO ₃ at pH 4.5	150 mg/L	5.0	1	08/10/23	aeo	08/11/23	aeo		0.16

Analysis Method: SM 2540 C-15

Batch: T139899

Total Dissolved Solids	420 mg/L	20	2	08/10/23	mr	08/10/23	mr	N	
------------------------	----------	----	---	----------	----	----------	----	---	--

Analysis Method: SM 2540 D-15

Batch: T139788

Total Suspended Solids	< mg/L	4.0	1	08/09/23	mr	08/09/23	mr		
------------------------	--------	-----	---	----------	----	----------	----	--	--

Analysis Method: SM 4500-H+ B-11

Batch: T140005

pH	7.37 pH Units		1	08/07/23	mj	08/09/23	com	511, pHw	
----	---------------	--	---	----------	----	----------	-----	----------	--

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23H0444

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23H0444-23	Date Collected:	08/08/23 17:05	Matrix:	Surface Water
Sample ID:	SG-02	Date Received:	08/09/23 08:35		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

METALS, TOTAL

Analysis Method: EPA 7470A

Batch: T140114

Mercury	<0.00016 mg/L	0.00020	1	08/16/23	fs	08/17/23	fs	0.00016
---------	---------------	---------	---	----------	----	----------	----	---------

METALS, TOTAL

Analysis Method: EPA 200.7 Rev. 4.4

Batch: T140107

Boron	6.9 mg/L	0.0088	1	08/17/23	bjv	08/18/23	jma	0.0016
Calcium	170 mg/L	2.6	10	08/17/23	bjv	08/18/23	jma	0.070
Iron	0.48 mg/L	0.050	1	08/17/23	bjv	08/18/23	jma	0.026
Lithium	0.085 mg/L	0.0025	1	08/17/23	bjv	08/18/23	jma	N 0.0019
Magnesium	63 mg/L	0.50	10	08/17/23	bjv	08/18/23	jma	0.10
Potassium	21 mg/L	2.5	10	08/17/23	bjv	08/18/23	jma	0.36
Sodium	62 mg/L	1.2	10	08/17/23	bjv	08/18/23	jma	0.88

Analysis Method: EPA 200.8 Rev. 5.4

Batch: T140107

Antimony	0.0011 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs	0.00010
Arsenic	0.0091 mg/L	0.00055	1	08/17/23	bjv	08/18/23	acs	0.00010
Barium	0.11 mg/L	0.0025	1	08/17/23	bjv	08/18/23	acs	0.00068
Beryllium	0.00014 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs	J 0.000052
Cadmium	<0.000075 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs	0.000075
Chromium	0.00080 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs	0.000020
Cobalt	0.00057 mg/L	0.00052	1	08/17/23	bjv	08/18/23	acs	0.000010
Copper	0.0010 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs	0.000020
Lead	0.0012 mg/L	0.00055	1	08/17/23	bjv	08/18/23	acs	0.000010
Molybdenum	0.012 mg/L	0.0012	1	08/17/23	bjv	08/18/23	acs	0.000025
Nickel	0.0040 mg/L	0.0012	1	08/17/23	bjv	08/18/23	acs	0.000065
Selenium	0.0014 mg/L	0.00050	1	08/17/23	bjv	08/18/23	acs	0.000010
Silver	<0.000050 mg/L	0.000050	1	08/17/23	bjv	08/18/23	acs	0.0000050
Thallium	<0.000075 mg/L	0.00038	1	08/17/23	bjv	08/18/23	acs	0.0000075
Vanadium	0.0052 mg/L	0.0012	1	08/17/23	bjv	08/18/23	acs	0.000062
Zinc	0.0028 mg/L	0.0012	1	08/17/23	bjv	08/18/23	acs	0.0012

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23H0444

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23H0444-23	Date Collected:	08/08/23 17:05	Matrix:	Surface Water
Sample ID:	SG-02	Date Received:	08/09/23 08:35		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

METALS, TOTAL

WET CHEMISTRY

Analysis Method: EPA 300.0 Rev. 2.1

Batch: T139805

Fluoride	5.1 mg/L	0.10	5	08/09/23	ans	08/10/23	ans	N	0.055
Chloride	120 mg/L	7.5	50	08/09/23	ans	08/10/23	ans		6.0
Sulfate as SO ₄	640 mg/L	30	50	08/09/23	ans	08/10/23	ans		4.1

Analysis Method: SM 2320 B-11

Batch: T139853

Bicarbonate Alkalinity as CaCO ₃ at pH 4.5	65 mg/L	5.0	1	08/10/23	aeo	08/11/23	aeo	N	0.16
Carbonate Alkalinity as CaCO ₃ at pH 8.2	19 mg/L	5.0	1	08/10/23	aeo	08/11/23	aeo	N	0.16
Total Alkalinity as CaCO ₃ at pH 4.5	83 mg/L	5.0	1	08/10/23	aeo	08/11/23	aeo		0.16

Analysis Method: SM 2540 C-15

Batch: T139899

Total Dissolved Solids	1400 mg/L	20	2.040816	08/10/23	mr	08/10/23	mr	N	
------------------------	-----------	----	----------	----------	----	----------	----	---	--

Analysis Method: SM 2540 D-15

Batch: T139788

Total Suspended Solids	14 mg/L	4.0	1	08/09/23	mr	08/09/23	mr		
------------------------	---------	-----	---	----------	----	----------	----	--	--

Analysis Method: SM 4500-H+ B-11

Batch: T140005

pH	8.54 pH Units		1	08/08/23	mj	08/09/23	com	pHx	
----	---------------	--	---	----------	----	----------	-----	-----	--

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23H0444

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23H0444-24	Date Collected:	08/08/23 17:15	Matrix:	Surface Water
Sample ID:	SG-03	Date Received:	08/09/23 08:35		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

METALS, TOTAL

Analysis Method: EPA 7470A

Batch: T140114

Mercury	<0.00016 mg/L	0.00020	1	08/16/23	fs	08/17/23	fs	0.00016
---------	---------------	---------	---	----------	----	----------	----	---------

METALS, TOTAL

Analysis Method: EPA 200.7 Rev. 4.4

Batch: T140107

Boron	7.5 mg/L	0.0088	1	08/17/23	bjv	08/18/23	jma	0.0016
Calcium	180 mg/L	2.6	10	08/17/23	bjv	08/18/23	jma	0.070
Iron	0.48 mg/L	0.050	1	08/17/23	bjv	08/18/23	jma	0.026
Lithium	0.090 mg/L	0.0025	1	08/17/23	bjv	08/18/23	jma	N 0.0019
Magnesium	67 mg/L	0.50	10	08/17/23	bjv	08/18/23	jma	0.10
Potassium	22 mg/L	2.5	10	08/17/23	bjv	08/18/23	jma	0.36
Sodium	66 mg/L	1.2	10	08/17/23	bjv	08/18/23	jma	0.88

Analysis Method: EPA 200.8 Rev. 5.4

Batch: T140107

Antimony	0.0012 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs	0.00010
Arsenic	0.0094 mg/L	0.00055	1	08/17/23	bjv	08/18/23	acs	0.00010
Barium	0.13 mg/L	0.0025	1	08/17/23	bjv	08/18/23	acs	0.00068
Beryllium	0.000091 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs	J 0.000052
Cadmium	<0.000075 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs	0.000075
Chromium	0.00069 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs	0.00020
Cobalt	0.00055 mg/L	0.00052	1	08/17/23	bjv	08/18/23	acs	0.00010
Copper	0.0010 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs	0.00020
Lead	0.00091 mg/L	0.00055	1	08/17/23	bjv	08/18/23	acs	0.00010
Molybdenum	0.013 mg/L	0.0012	1	08/17/23	bjv	08/18/23	acs	0.00025
Nickel	0.0039 mg/L	0.0012	1	08/17/23	bjv	08/18/23	acs	0.00065
Selenium	0.0016 mg/L	0.00050	1	08/17/23	bjv	08/18/23	acs	0.00010
Silver	<0.000050 mg/L	0.000050	1	08/17/23	bjv	08/18/23	acs	0.000050
Thallium	<0.000075 mg/L	0.00038	1	08/17/23	bjv	08/18/23	acs	0.000075
Vanadium	0.0053 mg/L	0.0012	1	08/17/23	bjv	08/18/23	acs	0.00062
Zinc	0.0024 mg/L	0.0012	1	08/17/23	bjv	08/18/23	acs	0.0012

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23H0444

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23H0444-24	Date Collected:	08/08/23 17:15	Matrix:	Surface Water
Sample ID:	SG-03	Date Received:	08/09/23 08:35		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

METALS, TOTAL

WET CHEMISTRY

Analysis Method: EPA 300.0 Rev. 2.1

Batch: T139805

Fluoride	5.0 mg/L	0.10	5	08/09/23	ans	08/10/23	ans	N	0.055
Chloride	120 mg/L	7.5	50	08/09/23	ans	08/10/23	ans		6.0
Sulfate as SO ₄	640 mg/L	30	50	08/09/23	ans	08/10/23	ans		4.1

Analysis Method: SM 2320 B-11

Batch: T139853

Bicarbonate Alkalinity as CaCO ₃ at pH 4.5	69 mg/L	5.0	1	08/10/23	aeo	08/11/23	aeo	N	0.16
Carbonate Alkalinity as CaCO ₃ at pH 8.2	16 mg/L	5.0	1	08/10/23	aeo	08/11/23	aeo	N	0.16
Total Alkalinity as CaCO ₃ at pH 4.5	85 mg/L	5.0	1	08/10/23	aeo	08/11/23	aeo		0.16

Analysis Method: SM 2540 C-15

Batch: T139899

Total Dissolved Solids	1400 mg/L	20	2	08/10/23	mr	08/10/23	mr	N	
------------------------	-----------	----	---	----------	----	----------	----	---	--

Analysis Method: SM 2540 D-15

Batch: T139788

Total Suspended Solids	16 mg/L	4.0	1	08/09/23	mr	08/09/23	mr		
------------------------	---------	-----	---	----------	----	----------	----	--	--

Analysis Method: SM 4500-H+ B-11

Batch: T140005

pH	8.51 pH Units		1	08/08/23	mj	08/09/23	com	pHy	
----	---------------	--	---	----------	----	----------	-----	-----	--

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23H0444

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23H0444-25	Date Collected:	08/08/23 16:50	Matrix:	Surface Water
Sample ID:	SG-04R	Date Received:	08/09/23 08:35		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

METALS, TOTAL

Analysis Method: EPA 7470A

Batch: T140114

Mercury	<0.00016 mg/L	0.00020	1	08/16/23	fs	08/17/23	fs	0.00016
---------	---------------	---------	---	----------	----	----------	----	---------

METALS, TOTAL

Analysis Method: EPA 200.7 Rev. 4.4

Batch: T140107

Boron	5.4 mg/L	0.0088	1	08/17/23	bjv	08/18/23	jma	0.0016	
Calcium	580 mg/L	2.6	10	08/17/23	bjv	08/18/23	jma	605	0.070
Iron	0.089 mg/L	0.050	1	08/17/23	bjv	08/18/23	jma		0.026
Lithium	0.084 mg/L	0.0025	1	08/17/23	bjv	08/18/23	jma	N	0.0019
Magnesium	62 mg/L	0.50	10	08/17/23	bjv	08/18/23	jma		0.10
Potassium	21 mg/L	0.25	1	08/17/23	bjv	08/18/23	jma		0.036
Sodium	40 mg/L	1.2	10	08/17/23	bjv	08/18/23	jma		0.88

Analysis Method: EPA 200.8 Rev. 5.4

Batch: T140107

Antimony	0.0011 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs	0.00010
Arsenic	0.0058 mg/L	0.00055	1	08/17/23	bjv	08/18/23	acs	0.00010
Barium	0.029 mg/L	0.0025	1	08/17/23	bjv	08/18/23	acs	0.00068
Beryllium	0.000066 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs	J 0.000052
Cadmium	<0.000075 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs	0.000075
Chromium	0.00028 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs	0.00020
Cobalt	0.00083 mg/L	0.00052	1	08/17/23	bjv	08/18/23	acs	0.00010
Copper	0.00071 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs	0.00020
Lead	0.00054 mg/L	0.0028	5	08/17/23	bjv	08/18/23	acs	J 0.00050
Molybdenum	0.016 mg/L	0.0012	1	08/17/23	bjv	08/18/23	acs	0.00025
Nickel	0.0041 mg/L	0.0012	1	08/17/23	bjv	08/18/23	acs	0.00065
Selenium	0.0028 mg/L	0.00050	1	08/17/23	bjv	08/18/23	acs	0.00010
Silver	<0.000050 mg/L	0.000050	1	08/17/23	bjv	08/18/23	acs	0.000050
Thallium	<0.000038 mg/L	0.0019	5	08/17/23	bjv	08/18/23	acs	402.5 0.00038
Vanadium	0.0065 mg/L	0.0012	1	08/17/23	bjv	08/18/23	acs	0.00062
Zinc	0.0019 mg/L	0.0012	1	08/17/23	bjv	08/18/23	acs	0.0012

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23H0444

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23H0444-25	Date Collected:	08/08/23 16:50	Matrix:	Surface Water
Sample ID:	SG-04R	Date Received:	08/09/23 08:35		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

METALS, TOTAL

WET CHEMISTRY

Analysis Method: EPA 300.0 Rev. 2.1

Batch: T139805

Fluoride	5.3 mg/L	0.10	5	08/09/23	ans	08/10/23	ans	N	0.055
Chloride	38 mg/L	0.75	5	08/09/23	ans	08/10/23	ans		0.60
Sulfate as SO ₄	1800 mg/L	150	250	08/14/23	jlh	08/14/23	jlh		21

Analysis Method: SM 2320 B-11

Batch: T139853

Bicarbonate Alkalinity as CaCO ₃ at pH 4.5	30 mg/L	5.0	1	08/10/23	aeo	08/11/23	aeo	N	0.16
Carbonate Alkalinity as CaCO ₃ at pH 8.2	13 mg/L	5.0	1	08/10/23	aeo	08/11/23	aeo	N	0.16
Total Alkalinity as CaCO ₃ at pH 4.5	43 mg/L	5.0	1	08/10/23	aeo	08/11/23	aeo		0.16

Analysis Method: SM 2540 C-15

Batch: T139899

Total Dissolved Solids	2700 mg/L	20	2.040816	08/10/23	mr	08/10/23	mr	N	
------------------------	-----------	----	----------	----------	----	----------	----	---	--

Analysis Method: SM 2540 D-15

Batch: T139788

Total Suspended Solids	9.0 mg/L	4.0	1	08/09/23	mr	08/09/23	mr		
------------------------	----------	-----	---	----------	----	----------	----	--	--

Analysis Method: SM 4500-H+ B-11

Batch: T140005

pH	8.62 pH Units		1	08/08/23	mj	08/09/23	com	pHz	
----	---------------	--	---	----------	----	----------	-----	-----	--

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23H0444

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23H0444-26	Date Collected:	08/08/23 16:40	Matrix:	Surface Water
Sample ID:	SG-05	Date Received:	08/09/23 08:35		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

METALS, TOTAL

Analysis Method: EPA 7470A

Batch: T140114

Mercury	<0.00016 mg/L	0.00020	1	08/16/23	fs	08/17/23	fs	0.00016
---------	---------------	---------	---	----------	----	----------	----	---------

METALS, TOTAL

Analysis Method: EPA 200.7 Rev. 4.4

Batch: T140107

Boron	0.39 mg/L	0.0088	1	08/17/23	bjv	08/18/23	jma	0.0016
Calcium	34 mg/L	0.26	1	08/17/23	bjv	08/18/23	jma	0.0070
Iron	1.1 mg/L	0.050	1	08/17/23	bjv	08/18/23	jma	0.026
Lithium	0.027 mg/L	0.0025	1	08/17/23	bjv	08/18/23	jma	N 0.0019
Magnesium	12 mg/L	0.10	1	08/17/23	bjv	08/18/23	jma	0.010
Potassium	0.79 mg/L	0.25	1	08/17/23	bjv	08/18/23	jma	0.036
Sodium	21 mg/L	0.12	1	08/17/23	bjv	08/18/23	jma	0.088

Analysis Method: EPA 200.8 Rev. 5.4

Batch: T140107

Antimony	0.00044 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs	0.00010
Arsenic	0.0013 mg/L	0.00055	1	08/17/23	bjv	08/18/23	acs	0.00010
Barium	0.16 mg/L	0.0025	1	08/17/23	bjv	08/18/23	acs	0.00068
Beryllium	<0.000052 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs	0.000052
Cadmium	0.00075 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs	0.000075
Chromium	0.0017 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs	0.000020
Cobalt	0.00033 mg/L	0.00052	1	08/17/23	bjv	08/18/23	acs	J 0.00010
Copper	0.0066 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs	0.000020
Lead	0.0095 mg/L	0.00055	1	08/17/23	bjv	08/18/23	acs	0.000010
Molybdenum	0.0015 mg/L	0.0012	1	08/17/23	bjv	08/18/23	acs	0.000025
Nickel	0.0026 mg/L	0.0012	1	08/17/23	bjv	08/18/23	acs	0.000065
Selenium	0.00027 mg/L	0.00050	1	08/17/23	bjv	08/18/23	acs	J 0.00010
Silver	<0.000050 mg/L	0.000050	1	08/17/23	bjv	08/18/23	acs	0.000050
Thallium	<0.000075 mg/L	0.00038	1	08/17/23	bjv	08/18/23	acs	0.000075
Vanadium	0.00069 mg/L	0.0012	1	08/17/23	bjv	08/18/23	acs	J 0.000062
Zinc	0.019 mg/L	0.0012	1	08/17/23	bjv	08/18/23	acs	0.0012

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23H0444

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23H0444-26	Date Collected:	08/08/23 16:40	Matrix:	Surface Water
Sample ID:	SG-05	Date Received:	08/09/23 08:35		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

METALS, TOTAL

WET CHEMISTRY

Analysis Method: EPA 300.0 Rev. 2.1

Batch: T139805

Fluoride	0.45 mg/L	0.10	5	08/09/23	ans	08/10/23	ans	N	0.055
Chloride	29 mg/L	0.75	5	08/09/23	ans	08/10/23	ans		0.60
Sulfate as SO ₄	11 mg/L	3.0	5	08/09/23	ans	08/10/23	ans		0.41

Analysis Method: SM 2320 B-11

Batch: T139853

Bicarbonate Alkalinity as CaCO ₃ at pH 4.5	96 mg/L	5.0	1	08/10/23	aeo	08/11/23	aeo	N	0.16
Carbonate Alkalinity as CaCO ₃ at pH 8.2	16 mg/L	5.0	1	08/10/23	aeo	08/11/23	aeo	N	0.16
Total Alkalinity as CaCO ₃ at pH 4.5	110 mg/L	5.0	1	08/10/23	aeo	08/11/23	aeo		0.16

Analysis Method: SM 2540 C-15

Batch: T139899

Total Dissolved Solids	210 mg/L	20	2.040816	08/10/23	mr	08/10/23	mr	N	
------------------------	----------	----	----------	----------	----	----------	----	---	--

Analysis Method: SM 2540 D-15

Batch: T139788

Total Suspended Solids	73 mg/L	4.0	1	08/09/23	mr	08/09/23	mr		
------------------------	---------	-----	---	----------	----	----------	----	--	--

Analysis Method: SM 4500-H+ B-11

Batch: T140005

pH	8.92 pH Units		1	08/08/23	mj	08/09/23	com	pHaa	
----	---------------	--	---	----------	----	----------	-----	------	--

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23H0444

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23H0444-27	Date Collected:	08/08/23 17:25	Matrix:	Surface Water
Sample ID:	SG-06	Date Received:	08/09/23 08:35		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

METALS, TOTAL

Analysis Method: EPA 7470A

Batch: T140114

Mercury	<0.00016 mg/L	0.00020	1	08/16/23	fs	08/17/23	fs	0.00016
---------	---------------	---------	---	----------	----	----------	----	---------

METALS, TOTAL

Analysis Method: EPA 200.7 Rev. 4.4

Batch: T140107

Boron	0.21 mg/L	0.0088	1	08/17/23	bjv	08/18/23	jma	0.0016
Calcium	69 mg/L	2.6	10	08/17/23	bjv	08/18/23	jma	0.070
Iron	0.55 mg/L	0.050	1	08/17/23	bjv	08/18/23	jma	0.026
Lithium	0.0061 mg/L	0.0025	1	08/17/23	bjv	08/18/23	jma	N 0.0019
Magnesium	21 mg/L	0.10	1	08/17/23	bjv	08/18/23	jma	0.010
Potassium	0.78 mg/L	0.25	1	08/17/23	bjv	08/18/23	jma	0.036
Sodium	29 mg/L	1.2	10	08/17/23	bjv	08/18/23	jma	0.88

Analysis Method: EPA 200.8 Rev. 5.4

Batch: T140107

Antimony	<0.00010 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs	0.00010
Arsenic	0.0016 mg/L	0.00055	1	08/17/23	bjv	08/18/23	acs	0.00010
Barium	0.10 mg/L	0.0025	1	08/17/23	bjv	08/18/23	acs	0.00068
Beryllium	<0.000052 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs	0.000052
Cadmium	<0.000075 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs	0.000075
Chromium	0.00088 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs	0.00020
Cobalt	0.00019 mg/L	0.00052	1	08/17/23	bjv	08/18/23	acs	J 0.00010
Copper	0.00089 mg/L	0.00025	1	08/17/23	bjv	08/18/23	acs	0.00020
Lead	0.00071 mg/L	0.00055	1	08/17/23	bjv	08/18/23	acs	0.00010
Molybdenum	0.00039 mg/L	0.0012	1	08/17/23	bjv	08/18/23	acs	J 0.00025
Nickel	0.00084 mg/L	0.0012	1	08/17/23	bjv	08/18/23	acs	J 0.00065
Selenium	0.00015 mg/L	0.00050	1	08/17/23	bjv	08/18/23	acs	J 0.00010
Silver	<0.000050 mg/L	0.000050	1	08/17/23	bjv	08/18/23	acs	0.000050
Thallium	<0.000075 mg/L	0.00038	1	08/17/23	bjv	08/18/23	acs	0.000075
Vanadium	<0.00062 mg/L	0.0012	1	08/17/23	bjv	08/18/23	acs	0.00062
Zinc	0.0045 mg/L	0.0012	1	08/17/23	bjv	08/18/23	acs	0.0012

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 23H0444

Client Project ID: City of Grand Haven - Harbor Island

Trace ID:	23H0444-27	Date Collected:	08/08/23 17:25	Matrix:	Surface Water
Sample ID:	SG-06	Date Received:	08/09/23 08:35		

PARAMETERS	RESULTS UNITS	LOQ	DILUTION	PREPARED BY	ANALYZED BY	NOTES	LOD
------------	---------------	-----	----------	-------------	-------------	-------	-----

METALS, TOTAL

WET CHEMISTRY

Analysis Method: EPA 300.0 Rev. 2.1

Batch: T139805

Fluoride	0.18 mg/L	0.10	5	08/09/23	ans	08/10/23	ans	N	0.055
Chloride	53 mg/L	0.75	5	08/09/23	ans	08/10/23	ans		0.60
Sulfate as SO ₄	15 mg/L	3.0	5	08/09/23	ans	08/10/23	ans		0.41

Analysis Method: SM 2320 B-11

Batch: T139853

Bicarbonate Alkalinity as CaCO ₃ at pH 4.5	230 mg/L	5.0	1	08/10/23	aeo	08/11/23	aeo	N	0.16
Carbonate Alkalinity as CaCO ₃ at pH 8.2	<0.16 mg/L	5.0	1	08/10/23	aeo	08/11/23	aeo	N	0.16
Total Alkalinity as CaCO ₃ at pH 4.5	230 mg/L	5.0	1	08/10/23	aeo	08/11/23	aeo		0.16

Analysis Method: SM 2540 C-15

Batch: T139899

Total Dissolved Solids	380 mg/L	40	4	08/10/23	mr	08/10/23	mr	N	
------------------------	----------	----	---	----------	----	----------	----	---	--

Analysis Method: SM 2540 D-15

Batch: T139888

Total Suspended Solids	120 mg/L	4.0	1	08/10/23	mr	08/10/23	mr		
------------------------	----------	-----	---	----------	----	----------	----	--	--

Analysis Method: SM 4500-H+ B-11

Batch: T140005

pH	7.50 pH Units		1	08/08/23	mj	08/09/23	com	pHab	
----	---------------	--	---	----------	----	----------	-----	------	--

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

QUALITY CONTROL RESULTS

Trace Project ID: 23H0444

Client Project ID: City of Grand Haven - Harbor Island

QC Batch: T140112	Analysis Description: Mercury, Total, EPA 7470/7471
QC Batch Method: EPA 7470A Prep	Analysis Method: EPA 7470A

METHOD BLANK: T140112-BLK1

Parameter	Units	Blank Result	Reporting Limit	Notes
Mercury	mg/L	<0.00020	0.00020	

LABORATORY CONTROL SAMPLE: T140112-BS1

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limit	Notes
Mercury	mg/L	0.00200	0.00204	102	77-122	

MATRIX SPIKE / MATRIX SPIKE DUPLICATE: T140112-MSD1

Original: 23H0444-01

Parameter	Units	Original Result	Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limit	RPD	Max RPD	Notes
Mercury	mg/L	0	0.00200	0.00206	0.00199	103	100	76-123	3	20	

Trace Project ID: 23H0444

Client Project ID: City of Grand Haven - Harbor Island

QC Batch: T140114

Analysis Description: Mercury, Total, EPA 7470/7471

QC Batch Method: EPA 7470A Prep

Analysis Method: EPA 7470A

METHOD BLANK: T140114-BLK1

Parameter	Units	Blank Result	Reporting Limit	Notes
Mercury	mg/L	<0.00020	0.00020	

LABORATORY CONTROL SAMPLE: T140114-BS1

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limit	Notes
Mercury	mg/L	0.00200	0.00208	104	77-122	

MATRIX SPIKE / MATRIX SPIKE DUPLICATE: T140114-MSD1

Original: 23H0444-21

Parameter	Units	Original Result	Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limit	RPD	Max RPD	Notes
Mercury	mg/L	0	0.00200	0.00206	0.00202	103	101	76-123	2	20	

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

Trace Project ID: 23H0444
Client Project ID: City of Grand Haven - Harbor Island

QC Batch: T140107	Analysis Description: Calcium, Total
QC Batch Method: EPA 200.2	Analysis Method: EPA 200.7 Rev. 4.4

METHOD BLANK: T140107-BLK1

Parameter	Units	Blank Result	Reporting Limit	Notes
Boron	mg/L	0.00758	0.0088	J
Calcium	mg/L	<0.26	0.26	
Iron	mg/L	<0.050	0.050	
Potassium	mg/L	<0.25	0.25	
Lithium	mg/L	<0.0025	0.0025	
Magnesium	mg/L	<0.10	0.10	
Sodium	mg/L	<0.12	0.12	

LABORATORY CONTROL SAMPLE: T140107-BS1

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limit	Notes
Boron	mg/L	1.60	1.53	96	85-115	
Calcium	mg/L	16.0	15.6	98	85-115	
Iron	mg/L	16.0	14.3	89	85-115	
Potassium	mg/L	16.0	14.7	92	85-115	
Lithium	mg/L	1.60	1.56	97	85-115	
Magnesium	mg/L	16.0	15.0	94	85-115	
Sodium	mg/L	16.0	15.6	97	85-115	

MATRIX SPIKE: T140107-MS1 Original: 23H0444-08

Parameter	Units	Original Result	Spike Conc.	MS Result	MS % Rec	% Rec Unit	Notes
Boron	mg/L	5.66	1.60	7.27	101	70-130	
Calcium	mg/L	335	16.0	363	177	70-130	243
Iron	mg/L	15.7	16.0	30.8	94	70-130	
Potassium	mg/L	17.3	16.0	32.4	94	70-130	
Lithium	mg/L	0.330	1.60	2.12	112	70-130	
Magnesium	mg/L	46.4	16.0	60.2	86	70-130	
Sodium	mg/L	27.1	16.0	45.9	117	70-130	

MATRIX SPIKE: T140107-MS2 Original: 23H0444-09

Parameter	Units	Original Result	Spike Conc.	MS Result	MS % Rec	% Rec Unit	Notes
Boron	mg/L	28.0	1.60	29.3	86	70-130	

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

MATRIX SPIKE: T140107-MS2

Original: 23H0444-09

Parameter	Units	Original Result	Spike Conc.	MS Result	MS % Rec	% Rec Unit	Notes
Calcium	mg/L	164	16.0	183	121	70-130	
Iron	mg/L	3.22	16.0	18.1	93	70-130	
Potassium	mg/L	47.5	16.0	72.3	155	70-130	243
Lithium	mg/L	1.20	1.60	3.04	116	70-130	
Magnesium	mg/L	57.5	16.0	72.4	93	70-130	
Sodium	mg/L	389	16.0	390	8	70-130	243

Trace Project ID: 23H0444

Client Project ID: City of Grand Haven - Harbor Island

QC Batch: T140108

Analysis Description: Sodium, Total

QC Batch Method: EPA 200.2

Analysis Method: EPA 200.7 Rev. 4.4

METHOD BLANK: T140108-BLK1

Parameter	Units	Blank Result	Reporting Limit	Notes
Boron	mg/L	0.00455	0.0088	J
Calcium	mg/L	<0.26	0.26	
Iron	mg/L	<0.050	0.050	
Potassium	mg/L	<0.25	0.25	
Lithium	mg/L	<0.0025	0.0025	
Magnesium	mg/L	<0.10	0.10	
Sodium	mg/L	<0.12	0.12	

LABORATORY CONTROL SAMPLE: T140108-BS1

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limit	Notes
Boron	mg/L	1.60	1.59	99	85-115	
Calcium	mg/L	16.0	16.3	102	85-115	
Iron	mg/L	16.0	14.9	93	85-115	
Potassium	mg/L	16.0	15.1	94	85-115	
Lithium	mg/L	1.60	1.62	101	85-115	
Magnesium	mg/L	16.0	15.6	97	85-115	
Sodium	mg/L	16.0	16.1	101	85-115	

MATRIX SPIKE: T140108-MS1

Original: 23H0444-01

Parameter	Units	Original Result	Spike Conc.	MS Result	MS % Rec	% Rec Unit	Notes
Boron	mg/L	140	1.60	142	110	70-130	
Calcium	mg/L	158	16.0	173	92	70-130	

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

MATRIX SPIKE: T140108-MS1

Original: 23H0444-01

Parameter	Units	Original Result	Spike Conc.	MS Result	MS % Rec	% Rec Unit	Notes
Iron	mg/L	0.158	16.0	14.5	90	70-130	
Potassium	mg/L	90.1	16.0	98.3	51	70-130	243
Lithium	mg/L	3.35	1.60	5.10	109	70-130	
Magnesium	mg/L	95.8	16.0	116	128	70-130	
Sodium	mg/L	433	16.0	459	163	70-130	243

Trace Project ID: 23H0444

Client Project ID: City of Grand Haven - Harbor Island

QC Batch: T140107
QC Batch Method: EPA 200.2

Analysis Description: Antimony, Total
Analysis Method: EPA 200.8 Rev. 5.4

METHOD BLANK: T140107-BLK1

Parameter	Units	Blank Result	Reporting Limit	Notes
Silver	mg/L	<0.000050	0.000050	
Arsenic	mg/L	<0.00055	0.00055	
Barium	mg/L	<0.0025	0.0025	
Beryllium	mg/L	<0.00025	0.00025	
Cadmium	mg/L	<0.00025	0.00025	
Cobalt	mg/L	<0.00052	0.00052	
Chromium	mg/L	<0.00025	0.00025	
Copper	mg/L	<0.00025	0.00025	
Molybdenum	mg/L	<0.0012	0.0012	
Nickel	mg/L	<0.0012	0.0012	
Lead	mg/L	<0.00055	0.00055	
Antimony	mg/L	<0.00025	0.00025	
Selenium	mg/L	<0.00050	0.00050	
Thallium	mg/L	<0.00038	0.00038	
Vanadium	mg/L	<0.0012	0.0012	
Zinc	mg/L	<0.0012	0.0012	

LABORATORY CONTROL SAMPLE: T140107-BS1

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limit	Notes
Silver	mg/L	0.0500	0.0505	101	85-115	
Arsenic	mg/L	0.100	0.0992	99	85-115	
Barium	mg/L	1.60	1.68	105	85-115	
Beryllium	mg/L	0.200	0.195	97	85-115	
Cadmium	mg/L	0.0500	0.0509	102	85-115	

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

LABORATORY CONTROL SAMPLE: T140107-BS1

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limit	Notes
Cobalt	mg/L	1.60	1.57	98	85-115	
Chromium	mg/L	0.0500	0.0506	101	85-115	
Copper	mg/L	1.60	1.51	95	85-115	
Molybdenum	mg/L	1.60	1.56	97	85-115	
Nickel	mg/L	1.60	1.44	90	85-115	
Lead	mg/L	0.100	0.0962	96	85-115	
Antimony	mg/L	0.100	0.112	112	85-115	
Selenium	mg/L	0.100	0.0945	94	85-115	
Thallium	mg/L	0.100	0.0941	94	85-115	
Vanadium	mg/L	1.60	1.63	102	85-115	
Zinc	mg/L	1.60	1.54	96	85-115	

MATRIX SPIKE: T140107-MS1 Original: **23H0444-08**

Parameter	Units	Original Result	Spike Conc.	MS Result	MS % Rec	% Rec Unit	Notes
Silver	mg/L	0	0.0500	0.0489	98	70-130	
Arsenic	mg/L	0.00243	0.100	0.102	100	70-130	
Barium	mg/L	0.203	1.60	1.94	109	70-130	
Beryllium	mg/L	0	0.200	0.196	98	70-130	
Cadmium	mg/L	0	0.0500	0.0495	99	70-130	
Cobalt	mg/L	0.000747	1.60	1.61	101	70-130	
Chromium	mg/L	0.00265	0.0500	0.0589	113	70-130	
Copper	mg/L	0	1.60	1.46	91	70-130	
Molybdenum	mg/L	0.0194	1.60	1.64	101	70-130	
Nickel	mg/L	0	1.60	1.43	90	70-130	
Lead	mg/L	0	0.100	0.0903	90	70-130	
Antimony	mg/L	0	0.100	0.113	113	70-130	
Selenium	mg/L	0	0.100	0.0892	89	70-130	
Thallium	mg/L	0	0.100	0.0908	91	70-130	
Vanadium	mg/L	0	1.60	1.88	118	70-130	
Zinc	mg/L	0	1.60	1.40	87	70-130	

MATRIX SPIKE: T140107-MS2 Original: **23H0444-09**

Parameter	Units	Original Result	Spike Conc.	MS Result	MS % Rec	% Rec Unit	Notes
Silver	mg/L	0	0.0500	0.0501	100	70-130	
Arsenic	mg/L	0.00106	0.100	0.101	100	70-130	
Barium	mg/L	0.285	1.60	2.01	108	70-130	

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

MATRIX SPIKE: T140107-MS2

Original: **23H0444-09**

Parameter	Units	Original Result	Spike Conc.	MS Result	MS % Rec	% Rec Unit	Notes
Beryllium	mg/L	0	0.200	0.213	107	70-130	
Cadmium	mg/L	0	0.0500	0.0485	97	70-130	
Cobalt	mg/L	0.000896	1.60	1.67	104	70-130	
Chromium	mg/L	0.00848	0.0500	0.0642	111	70-130	
Copper	mg/L	0	1.60	1.50	94	70-130	
Molybdenum	mg/L	0.00279	1.60	1.68	105	70-130	
Nickel	mg/L	0	1.60	1.47	92	70-130	
Lead	mg/L	0	0.100	0.0887	89	70-130	
Antimony	mg/L	0	0.100	0.114	114	70-130	
Selenium	mg/L	0.000407	0.100	0.0850	85	70-130	
Thallium	mg/L	0	0.100	0.0879	88	70-130	
Vanadium	mg/L	0	1.60	1.92	120	70-130	
Zinc	mg/L	0	1.60	1.42	89	70-130	

Trace Project ID: 23H0444

Client Project ID: City of Grand Haven - Harbor Island

QC Batch: T140108
QC Batch Method: EPA 200.2

Analysis Description: Lead, Total
Analysis Method: EPA 200.8 Rev. 5.4

METHOD BLANK: T140108-BLK1

Parameter	Units	Blank Result	Reporting Limit	Notes
Silver	mg/L	<0.000050	0.000050	
Arsenic	mg/L	<0.00055	0.00055	
Barium	mg/L	<0.0025	0.0025	
Beryllium	mg/L	<0.00025	0.00025	
Cadmium	mg/L	<0.00025	0.00025	
Cobalt	mg/L	<0.00052	0.00052	
Chromium	mg/L	<0.00025	0.00025	
Copper	mg/L	<0.00025	0.00025	
Molybdenum	mg/L	<0.0012	0.0012	
Nickel	mg/L	<0.0012	0.0012	
Lead	mg/L	<0.00055	0.00055	
Antimony	mg/L	<0.00025	0.00025	
Selenium	mg/L	<0.00050	0.00050	
Thallium	mg/L	<0.00038	0.00038	
Vanadium	mg/L	<0.0012	0.0012	
Zinc	mg/L	<0.0012	0.0012	

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

LABORATORY CONTROL SAMPLE: T140108-BS1

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limit	Notes
Silver	mg/L	0.0500	0.0505	101	85-115	
Arsenic	mg/L	0.100	0.0977	98	85-115	
Barium	mg/L	1.60	1.66	104	85-115	
Beryllium	mg/L	0.200	0.203	101	85-115	
Cadmium	mg/L	0.0500	0.0512	102	85-115	
Cobalt	mg/L	1.60	1.56	97	85-115	
Chromium	mg/L	0.0500	0.0502	100	85-115	
Copper	mg/L	1.60	1.51	95	85-115	
Molybdenum	mg/L	1.60	1.56	98	85-115	
Nickel	mg/L	1.60	1.44	90	85-115	
Lead	mg/L	0.100	0.0965	96	85-115	
Antimony	mg/L	0.100	0.113	113	85-115	
Selenium	mg/L	0.100	0.0943	94	85-115	
Thallium	mg/L	0.100	0.0952	95	85-115	
Vanadium	mg/L	1.60	1.60	100	85-115	
Zinc	mg/L	1.60	1.55	97	85-115	

MATRIX SPIKE: T140108-MS1 Original: 23H0444-01

Parameter	Units	Original Result	Spike Conc.	MS Result	MS % Rec	% Rec Unit	Notes
Silver	mg/L	0	0.0500	0.0471	94	70-130	
Arsenic	mg/L	0.00168	0.100	0.0976	96	70-130	
Barium	mg/L	0.379	1.60	2.13	110	70-130	
Beryllium	mg/L	0.000346	0.200	0.209	104	70-130	
Cadmium	mg/L	0	0.0500	0.0485	97	70-130	
Cobalt	mg/L	0.00157	1.60	1.63	102	70-130	
Chromium	mg/L	0.00372	0.0500	0.0594	111	70-130	
Copper	mg/L	0	1.60	1.47	92	70-130	
Molybdenum	mg/L	0	1.60	1.68	105	70-130	
Nickel	mg/L	0.00273	1.60	1.43	89	70-130	
Lead	mg/L	0.00101	0.100	0.0906	90	70-130	
Antimony	mg/L	0	0.100	0.118	118	70-130	
Selenium	mg/L	0.000662	0.100	0.0730	72	70-130	
Thallium	mg/L	0	0.100	0.0885	89	70-130	
Vanadium	mg/L	0.00349	1.60	1.86	116	70-130	
Zinc	mg/L	0	1.60	1.38	86	70-130	

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

Trace Project ID: 23H0444
Client Project ID: City of Grand Haven - Harbor Island

QC Batch: T139804	Analysis Description: Chloride
QC Batch Method: IC Prep W	Analysis Method: EPA 300.0 Rev. 2.1

METHOD BLANK: T139804-BLK1

Parameter	Units	Blank Result	Reporting Limit	Notes
Chloride	mg/L	<0.15	0.15	
Fluoride	mg/L	<0.020	0.020	
Sulfate as SO ₄	mg/L	<0.60	0.60	

LABORATORY CONTROL SAMPLE: T139804-BS1

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limit	Notes
Chloride	mg/L	5.00	4.84	97	90-110	
Fluoride	mg/L	1.00	1.09	109	90-110	
Sulfate as SO ₄	mg/L	5.00	5.06	101	90-110	

MATRIX SPIKE: T139804-MS1 Original: 23H0444-06

Parameter	Units	Original Result	Spike Conc.	MS Result	MS % Rec	% Rec Unit	Notes
Chloride	mg/L	13.4	25.0	37.8	97	80-120	
Fluoride	mg/L	0.0828	5.00	5.28	104	80-120	
Sulfate as SO ₄	mg/L	18.7	25.0	44.2	102	80-120	

MATRIX SPIKE: T139804-MS2 Original: 23H0444-07

Parameter	Units	Original Result	Spike Conc.	MS Result	MS % Rec	% Rec Unit	Notes
Chloride	mg/L	29.7	25.0	54.8	100	80-120	
Fluoride	mg/L	1.04	5.00	6.64	112	80-120	
Sulfate as SO ₄	mg/L	0	25.0	23.8	95	80-120	

Trace Project ID: 23H0444
Client Project ID: City of Grand Haven - Harbor Island

QC Batch: T139805	Analysis Description: Sulfate
QC Batch Method: IC Prep W	Analysis Method: EPA 300.0 Rev. 2.1

METHOD BLANK: T139805-BLK1

Parameter	Units	Blank Result	Reporting Limit	Notes
Chloride	mg/L	<0.15	0.15	

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

METHOD BLANK: T139805-BLK1

Parameter	Units	Blank Result	Reporting Limit	Notes
Fluoride	mg/L	<0.020	0.020	
Sulfate as SO ₄	mg/L	<0.60	0.60	

LABORATORY CONTROL SAMPLE: T139805-BS1

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limit	Notes
Chloride	mg/L	5.00	4.84	97	90-110	
Fluoride	mg/L	1.00	1.09	109	90-110	
Sulfate as SO ₄	mg/L	5.00	5.06	101	90-110	

Trace Project ID: 23H0444

Client Project ID: City of Grand Haven - Harbor Island

QC Batch: T140026

Analysis Description: Sulfate

QC Batch Method: IC Prep W

Analysis Method: EPA 300.0 Rev. 2.1

METHOD BLANK: T140026-BLK1

Parameter	Units	Blank Result	Reporting Limit	Notes
Sulfate as SO ₄	mg/L	<1.0	1.0	

LABORATORY CONTROL SAMPLE: T140026-BS1

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limit	Notes
Sulfate as SO ₄	mg/L	5.00	5.08	102	90-110	

Trace Project ID: 23H0444

Client Project ID: City of Grand Haven - Harbor Island

QC Batch: T139852

Analysis Description: Alkalinity, Bicarbonate

QC Batch Method: SM 2320 B-11

Analysis Method: SM 2320 B-11

LABORATORY CONTROL SAMPLE: T139852-BS1

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limit	Notes
Bicarbonate Alkalinity as CaCO ₃ at pH 4.5	mg/L	100	92.9	93	88-112	
Carbonate Alkalinity as CaCO ₃ at pH 8.2	mg/L	100	92.9	93	88-112	
Total Alkalinity as CaCO ₃ at pH 4.5	mg/L	100	92.9	93	88-112	

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

SAMPLE DUPLICATE: T139852-DUP1

Original: 23H0444-01

Parameter	Units	Original Result	DUP Result	RPD	Max RPD	Notes
Bicarbonate Alkalinity as CaCO ₃ at pH 4.5	mg/L	1450	1420	2	20	
Carbonate Alkalinity as CaCO ₃ at pH 8.2	mg/L	0	<10		20	
Total Alkalinity as CaCO ₃ at pH 4.5	mg/L	1450	1420	2	20	

Trace Project ID: 23H0444

Client Project ID: City of Grand Haven - Harbor Island

QC Batch: T139853

Analysis Description: Alkalinity, Bicarbonate

QC Batch Method: SM 2320 B-11

Analysis Method: SM 2320 B-11

LABORATORY CONTROL SAMPLE: T139853-BS1

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limit	Notes
Bicarbonate Alkalinity as CaCO ₃ at pH 4.5	mg/L	100	92.9	93	88-112	
Carbonate Alkalinity as CaCO ₃ at pH 8.2	mg/L	100	92.9	93	88-112	
Total Alkalinity as CaCO ₃ at pH 4.5	mg/L	100	92.9	93	88-112	

SAMPLE DUPLICATE: T139853-DUP1

Original: 23H0444-21

Parameter	Units	Original Result	DUP Result	RPD	Max RPD	Notes
Bicarbonate Alkalinity as CaCO ₃ at pH 4.5	mg/L	743	756	2	20	
Carbonate Alkalinity as CaCO ₃ at pH 8.2	mg/L	0	<10		20	
Total Alkalinity as CaCO ₃ at pH 4.5	mg/L	743	756	2	20	

Trace Project ID: 23H0444

Client Project ID: City of Grand Haven - Harbor Island

QC Batch: T139809

Analysis Description: Total Dissolved Solids

QC Batch Method: SM 2540 C-15

Analysis Method: SM 2540 C-15

METHOD BLANK: T139809-BLK1

Parameter	Units	Blank Result	Reporting Limit	Notes
Total Dissolved Solids	mg/L	<10	10	

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

LABORATORY CONTROL SAMPLE: T139809-BS1

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limit	Notes
Total Dissolved Solids	mg/L	500	482	96	80-120	

SAMPLE DUPLICATE: T139809-DUP1

Original: 23H0444-11

Parameter	Units	Original Result	DUP Result	RPD	Max RPD	Notes
Total Dissolved Solids	mg/L	420	432	3	10	

Trace Project ID: 23H0444

Client Project ID: City of Grand Haven - Harbor Island

QC Batch: T139899

Analysis Description: Total Dissolved Solids

QC Batch Method: SM 2540 C-15

Analysis Method: SM 2540 C-15

METHOD BLANK: T139899-BLK1

Parameter	Units	Blank Result	Reporting Limit	Notes
Total Dissolved Solids	mg/L	<10	10	

LABORATORY CONTROL SAMPLE: T139899-BS1

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limit	Notes
Total Dissolved Solids	mg/L	500	488	98	80-120	

Trace Project ID: 23H0444

Client Project ID: City of Grand Haven - Harbor Island

QC Batch: T139787

Analysis Description: Total Suspended Solids

QC Batch Method: SM 2540 D-15

Analysis Method: SM 2540 D-15

METHOD BLANK: T139787-BLK1

Parameter	Units	Blank Result	Reporting Limit	Notes
Total Suspended Solids	mg/L	0.500	4.0	J

LABORATORY CONTROL SAMPLE: T139787-BS1

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limit	Notes
Total Suspended Solids	mg/L	200	190	95	85-115	

Trace Project ID: 23H0444

Client Project ID: City of Grand Haven - Harbor Island

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

QC Batch: T139788
QC Batch Method: SM 2540 D-15

Analysis Description: Total Suspended Solids
Analysis Method: SM 2540 D-15

METHOD BLANK: T139788-BLK1

Parameter	Units	Blank Result	Reporting Limit	Notes
Total Suspended Solids	mg/L	<4.0	4.0	

LABORATORY CONTROL SAMPLE: T139788-BS1

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limit	Notes
Total Suspended Solids	mg/L	200	190	95	85-115	

Trace Project ID: 23H0444

Client Project ID: City of Grand Haven - Harbor Island

QC Batch: T139888

Analysis Description: Total Suspended Solids

QC Batch Method: SM 2540 D-15

Analysis Method: SM 2540 D-15

METHOD BLANK: T139888-BLK1

Parameter	Units	Blank Result	Reporting Limit	Notes
Total Suspended Solids	mg/L	<4.0	4.0	

LABORATORY CONTROL SAMPLE: T139888-BS1

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limit	Notes
Total Suspended Solids	mg/L	100	86.0	86	85-115	

SAMPLE DUPLICATE: T139888-DUP1

Original: 23H0444-27

Parameter	Units	Original Result	DUP Result	RPD	Max RPD	Notes
Total Suspended Solids	mg/L	117	124	6	10	

Trace Project ID: 23H0444

Client Project ID: City of Grand Haven - Harbor Island

QC Batch: T140005

Analysis Description: pH, SM 4500

QC Batch Method: *** DEFAULT PREP ***

Analysis Method: SM 4500-H+ B-11

SAMPLE DUPLICATE: T140005-DUP1

Original: 23H0444-01

Parameter	Units	Original Result	DUP Result	RPD	Max RPD	Notes
pH	pH Units	7.63	7.65	0.3	20	pHa

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

SAMPLE DUPLICATE: T140005-DUP2

Original: 23H0444-21

Parameter	Units	Original Result	DUP Result	RPD	Max RPD	Notes
pH	pH Units	7.08	7.18	1	20	pHv

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

TRACE
ANALYTICAL LABORATORIES, INC.

Report Results To:

Company Name: HDR Inc.	PO #: 10337505.006
Report To: Molly Reeves	Contact Name: Lara Zawadeh
Mailing Address: 1000 Oakbrook Drive, Suite 200	Billing Address (if different): 1000 Oakbrook Drive, Suite 200
City, State, Zip Code: Ann Arbor, MI 48104	City, State, Zip Code: Ann Arbor, MI 48104
Office Phone: Cell Phone: 734.263.7138	Phone Number: 734.223.9074
Email Address: molly.reeves@hdrinc.com	Billing Email Address: lara.zawadeh@ndinc.com

Requested Turnaround Times (TAT)

- Standard: 5-10 Business days
 3 Business Days*
 1 Business Day*

*Rush TAT Requires Prior Approval

Project Name: City of Grand Haven - Harbor Island

Sampled By/print: Andrew Byks / Tanzen Buszka

Trace No.	Collection Date	Sample Collection Time	Sample ID/Name	Metals	Field Filtered (Y or N)	Matrix - see above →	Preservation		40 CFR Part 257 Appendix III	40 CFR Part 257 Appendix IV	Additional Part 115 Metals	Total Suspended Solids (TSS)	Analysis Requested
							Number of Containers	Preservation					
1	8/18/23	1425	MNN - 012	N	GWW	N	6	b65		O = Oil	A = Air		
2	8/18/23	1025	MNN - 022	N	GWW	N	6	b5		W = Wipes	U = Unknown		
3	8/17/23	1520	MNN - 033	N	GWW	N	6	b5		S = Solid			
4	8/17/23	1400	MNN - 044	N	GWW	N	6	b5		SL = Sludge			
5	8/18/23	1430	MNN - 056	N	GWW	N	6	b5					
6	8/17/23	1430	MNN - 067	N	GWW	N	6	b5					
7	8/18/23	1240	MNN - 088	N	GWW	N	6	b5					
8	8/18/23	920	MNN - 099	N	GWW	N	6	b5					
9	8/18/23	1145	MNN - 100	N	GWW	N	6	b5					
10	8/18/23	1600	MNN - 111	N	GWW	N	6	b5					

Remarks/Notes

Possible Health Hazards?

CHAIN-OF-CUSTODY RECORD

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673
Phone 231.773.5998
Fax 888.979.4469
www.trace-labs.com

Trace ID No.
23H0444

Page 1 of 3

Trace Use:

Logged By: **MJ**
Checked By: **BJ**

Soil Volatiles Preserved (circle if applicable):
MeOH Low Level
Lab

Sample Collection Time (Hrs):

Check this box if you would not like your samples analyzed if received outside of the conditions outlined in the Trace Sample Acceptance Policy at www.trace-labs.com/downloads.

In executing this Chain of Custody, the client acknowledges the terms as set forth at www.trace-labs.com/terms-of-agreement.

Trace Analytical Laboratories, Inc.									
Trace ID No. 23H0444									
Chain-of-Custody Record									
Report Results To:		Bill To:							
Company Name: HDR Inc.		PO #: 1037505.006							
Report To: Molly Reeves		Contact Name: Lara Zawadeh							
Mailing Address: 1000 Oakbrook Drive, Suite 200		Billing Address (if different): 1000 Oakbrook Drive, Suite 200							
City, State, Zip Code: Ann Arbor, MI 48104		City, State, Zip Code: Ann Arbor, MI 48104							
Office Phone:		Phone Number: 734.263.7138							
Email Address: molly.reeves@idinc.com		Billing Email Address: lara.zawadeh@hdrinc.com							
Requested Turnaround Times (TAT)									
<input checked="" type="checkbox"/> Standard 5-10 Business days <input type="checkbox"/> 3 Business Days* <input type="checkbox"/> 1 Business Day* * Rush TAT Requires Prior Approval									
Project Name: City of Grand Haven - Harbor Island									
Sampled By (print):									
Trace No.	Sample Collection Date	Sample Collection Time	Sample ID/Name	Metals Field Filtered (Y or N)	Matrix - see above	Preservation	O = Oil	A = Air	Analysis Requested
11	8/1/23	1030	MNW - 12	N	GW	U	b5		40 CFR Part 257 Appendix III
12	8/1/23	1530	MNW - 18	N	GW	b5	b5	X	40 CFR Part 257 Appendix IV
13	8/1/23	1730	MNW - 19	N	GW	b5	b5	X	Additional Part 115 Metals
14	8/1/23	1600	MNW - 20	N	GW	b5	b5	X	Total Suspended Solids (TSS)
15	8/1/23	1255	MNW - 21	N	GW	b5	b5	X	
16	8/1/23	920	MNW - 30	N	GW	b5	b5	X	
17	8/1/23	1130	MNW - 31	N	GW	b5	b5	X	
18	8/1/23	1300	MNW - 32	N	GW	b5	b5	X	
19	8/1/23	1200	MNW - 33	N	GW	b5	b5	X	
20	8/1/23	1120	MNW - 34	N	GW	b5	b5	X	
Please Sign		Released By	Received By	Date	Time	Released By	Received By	Date	Time
1) <u>Anna R.</u>		<u>Kathy J.</u>	<u>J. J.</u>	8/1/23	8:35	2)			
3)						4)			
In executing this Chain of Custody, the client acknowledges the terms as set forth at www.trace-labs.com/terms-of-agreement .									
Check this box if you would not like your samples analyzed if received outside of the conditions outlined in the Trace Sample Acceptance Policy. <input type="checkbox"/>									

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

הַיּוֹם

Trace Analytical Laboratories, Inc
2241 Black Creek Road
Muskegon MI 49444-2673

Phone 231.773.5998
Fax 888.979.4469
www.trace-labs.com

Trace ID No.
2340444

CHAIN-OF-CUSTODY RECORD

Page 3 of 3

Requested Turnaround Times (TAT)									
		<input checked="" type="checkbox"/> Standard 5-10 Business Days							
		<input type="checkbox"/> 3 Business Days*							
		<input type="checkbox"/> 1 Business Day*							
						* Rush TAT Requires Prior Approval			
Project Name: City of Grand Haven - Harbor Island									
Sampled By (print):									
Trace No.	Sample Collection Date	Sample Collection Time	Sample ID/Name	Metals Field Filtered (Y or N)				Preservation	Matrix Key:
				Metals	Field Filtered	Y	N		
21	8/17/23	1400	MWNT - 04	N	CW	b	b5		WW = Wastewater
22	8/17/23	1630	MWNT - 12	N	CW	b	b5		DW = Drinking Water
23	8/18/23	1705	SG - 02	N	SW	b	b5		GW = Groundwater
24	8/18/23	1715	SG - 03	N	SW	b	b5		LW = Liquid Waste
25	8/18/23	1650	SG - 04R	N	SW	b	b5		O = Oil
26	8/18/23	1640	SG - 05	N	SW	b	b5		A = Air
27	8/18/23	1725	SG - 06	N	SW	b	b5		W = Wipes
									U = Unknown
									S = Solid
									SL = Sludge
Analysis Requested									
Remarks/Notes									
Possible Health Hazards?									
Sample Collection Time (Hrs):									
Please Sign		Released By		Received By		Date		Time	
1) <u>Ann J. Bur</u>		<u>Bailey, N.Y.</u>		8/18/23 8:35		2)			
3)									
In executing this Chain of Custody, the client acknowledges the terms as set forth at www.trace-jabs.com/terms-of-agreement .									

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

23H0444

HDR Michigan Inc.
Project Manager: Jon Mink

Sample Log In Checklist

Date:	8/9/23	Original Observation	Corrected Temperature					
Time:	9:05		IR-9 (CF: -0.4°C)	IR-10 (CF: -0.6°C)	IR-12 (CF: -0.4°C)	SR1 (CF: -0.2°C)	SR2 (CF: -0.1°C)	Temp Blank
Logged by:	BV							Client Sample
Package Description:	Cooler							
Package Temp °C	0.3	-0.1	✓					
Representative Sample Temp °C	8.4	8.8	✓					✓

Sample Receipt

Yes No

- Received on ice or other coolant
- Ice still present upon receipt
- Custody seals present
- Trace Courier Client Drop-off

Yes No Custody seals intact (if applicable)
 UPS Fed Ex US Mail Other

Sample Condition

Yes No N/A

- All sample containers arrived unbroken and labeled
- Sufficient sample to run requested analyses
- Correct chemical preservative added to samples
- Samples preserved at Trace
- Chemical preservation verified, check EMD pH test strip used (if applicable)
- pH 0-2.5 (Lot: HC201854) pH 11.0-13.0 (Lot: HC022540) Other
- Air bubbles absent from VOAs

HNO3 added 8/9/23 @ 9:30

Chain of Custody (COC)

Yes No

- All bottle labels agree with COC
- COC filled out properly
- COC signed by client

Notes:

Points: 21, 03, 20, 04

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

23H0444

HDR Michigan Inc.
Project Manager: Jon Mink

Sample Log In Checklist

Date:	<i>8/9/23</i>		Original Observation	Corrected Temperature
Time:	<i>9:25</i>			
Logged by:	<i>BV</i>			
Package Description:	<i>Cosher</i>			
Package Temp °C	1.3	0.9		IR-9 (CF: -0.4°C)
Representative Sample Temp °C	11.9	11.5		IR-10 (CF: -0.6°C)
				IR-12 (CF: -0.4°C)
				SR1 (CF: -0.2°C)
				SR2 (CF: -0.1°C)
				Temp Blank
				Client Sample

Sample Receipt

Yes No

- Received on ice or other coolant
- Ice still present upon receipt
- Custody seals present
- Trace Courier
- Client Drop-off

Yes No Custody seals intact (if applicable)
 UPS Fed Ex US Mail Other

Sample Condition

Yes No N/A

- All sample containers arrived unbroken and labeled
- Sufficient sample to run requested analyses
- Correct chemical preservative added to samples
- Samples preserved at Trace *HNO3 added 8/9/23 @ 9:40*
- Chemical preservation verified, check EMD pH test strip used (if applicable)
- pH 0-2.5 (Lot: HC201854) pH 11.0-13.0 (Lot: HC022540) Other
- Air bubbles absent from VOAs

Chain of Custody (COC)

Yes No

- All bottle labels agree with COC
- COC filled out properly
- COC signed by client

Notes:

Points: 15, 19, 11, 20^{cm}, 22

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

23H0444

HDR Michigan Inc.

Project Manager: Jon Mink

Sample Log In Checklist

Date:	8/9/23	Original Observation	Corrected Temperature	IR-9 (CF: -0.4°C)	IR-10 (CF: -0.6°C)	IR-12 (CF: -0.4°C)	SR1 (CF: -0.2°C)	SR2 (CF: -0.1°C)	Temp Blank	Client Sample
Time:	9:50									
Logged by:	BV									
Package Description:	Cooler									
Package Temp °C	0.3	-0.1	✓							
Representative Sample Temp °C	6.3	5.9	✓							

Sample Receipt

Yes No

- Received on ice or other coolant
 Ice still present upon receipt
 Custody seals present
 Trace Courier Client Drop-off

Yes No Custody seals intact (if applicable)
 UPS Fed Ex US Mail Other

Sample Condition

Yes No N/A

- All sample containers arrived unbroken and labeled
 Sufficient sample to run requested analyses
 Correct chemical preservative added to samples
 Samples preserved at Trace *HNO3 added 8/9/23 @ 10:00*
 Chemical preservation verified, check EMD pH test strip used (if applicable)
 pH 0-2.5 (Lot: HC201854) pH 11.0-13.0 (Lot: HC022540) Other
 Air bubbles absent from VOAs

Chain of Custody (COC)

Yes No

- All bottle labels agree with COC
 COC filled out properly
 COC signed by client

Notes:

Points: 09, 02, 08

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

23H0444
HDR Michigan Inc.

Project Manager: Jon Mink

Sample Log In Checklist

Date:	8/9/23	Original Observation	Corrected Temperature								
Time:	10:09		R-9 (CF: -0.4°C)	IR-10 (CF: -0.6°C)	IR-12 (CF: -0.4°C)	SR1 (CF: -0.2°C)	SR2 (CF: -0.1°C)	Temp Blank	Client Sample		
Logged by:	BV										
Package Description:	Cooler										
Package Temp °C	-0.2	-0.6	✓								
Representative Sample Temp °C	14.2	13.8	✓	✓							

Sample Receipt

Yes No

- Received on ice or other coolant
 Ice still present upon receipt
 Custody seals present
 Trace Courier Client Drop-off

Yes No Custody seals intact (if applicable)
 UPS Fed Ex US Mail Other

Sample Condition

Yes No N/A

- All sample containers arrived unbroken and labeled
 Sufficient sample to run requested analyses
 Correct chemical preservative added to samples
 Samples preserved at Trace *HNO3 added 8/9/23 @ 10:15*
 Chemical preservation verified, check EMD pH test strip used (if applicable)
 pH 0-2.5 (Lot: HC201854) pH 11.0-13.0 (Lot: HC022540) Other
 Air bubbles absent from VOAs

Chain of Custody (COC)

Yes No

- All bottle labels agree with COC
 COC filled out properly
 COC signed by client

Notes:

Points: 07, 01, 12

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

23H0444

HDR Michigan Inc.

Project Manager: Jon Mink

Sample Log In Checklist

Date:	08/09/2023		Original Observation	Corrected Temperature	IR-9 (CF: -0.4°C)	IR-10 (CF: -0.6°C)	IR-12 (CF: -0.4°C)	SR1 (CF: -0.2°C)	SR2 (CF: -0.1°C)	Temp Blank	Client Sample
Time:	9:31										
Logged by:	CM										
Package Description:	Cooler										
Package Temp °C	4.8	4.4									
Representative Sample Temp °C	13.7	13.3									

Sample Receipt

Yes No

- Received on ice or other coolant
 Ice still present upon receipt
 Custody seals present
 Trace Courier Client Drop-off

Yes No Custody seals intact (if applicable)
 UPS Fed Ex US Mail Other

Sample Condition

Yes No N/A

- All sample containers arrived unbroken and labeled
 Sufficient sample to run requested analyses
 Correct chemical preservative added to samples
 Samples preserved at Trace
 Chemical preservation verified, check EMD pH test strip used (if applicable)
 pH 0-2.5 (Lot: HC201854) pH 11.0-13.0 (Lot: HC022540) Other
 Air bubbles absent from VOAs

Chain of Custody (COC)

Yes No

- All bottle labels agree with COC
 COC filled out properly
 COC signed by client

Notes:

Points: 04, 05, 06 ⁰⁷ 25, 26, 27

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

23H0444

HDR Michigan Inc.

Project Manager: Jon Mink

Sample Log In Checklist

Date:	08/09/2023		Original Observation	Corrected Temperature
Time:	9:42			
Logged by:	<i>CR</i>			
Package Description:	<i>Cooler</i>			
Package Temp °C	0.5	0.1		
Representative Sample Temp °C	9.1	8.7		

Sample Receipt

Yes No

- Received on ice or other coolant
- Ice still present upon receipt
- Custody seals present
- Trace Courier Client Drop-off

Yes No Custody seals intact (if applicable)
 UPS Fed Ex US Mail Other

Sample Condition

Yes No N/A

- All sample containers arrived unbroken and labeled
- Sufficient sample to run requested analyses
- Correct chemical preservative added to samples
- Samples preserved at Trace *HNO3 added @ 9:51, 8/9/23*
- Chemical preservation verified, check EMD pH test strip used (if applicable)
- Air bubbles absent from VOAs pH 0-2.5 (Lot: HC201854) pH 11.0-13.0 (Lot: HC022540) Other

Chain of Custody (COC)

Yes No

- All bottle labels agree with COC
- COC filled out properly
- COC signed by client

Notes:

Points: 06, 13, 14, 16

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

23H0444
HDR Michigan Inc.

Project Manager: Jon Mink

Project Management

Sample Log In Checklist

Date: 08/09/2023	Original Observation	Corrected Temperature
Time: 9:24		
Logged by: CM		
Package Description: Cooler		
Package Temp °C	15	11
Representative Sample Temp °C	14.1	13.7

Sample Receipt

Yes No

- Received on ice or other coolant
 Ice still present upon receipt
 Custody seals present
 Trace Courier Client Drop-off

Yes No Custody seals intact (if applicable)

Client Drop-off

UPS Fed Ex US Mail Other

Sample Condition

Yes No N/A

- | | | | |
|--------------------------|--------------------------|--------------------------|---|
| <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | All sample containers arrived unbroken and labeled |
| <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Sufficient sample to run requested analyses |
| <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Correct chemical preservative added to samples |
| <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Samples preserved at Trace |
| <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Chemical preservation verified, check EMD pH test s |

pH 0-2.5 (Lat: HC201854) pH 11.0-13.0 (Lat: HCO)

pH 0-2.5 (Lot: HC201854) pH 11.0-13.0 (Lot: HC022540)
bales absent from VOA's

Other

Chain of Custody (COC)

Yes No

- All bottle labels agree with COC
 - COC filled out properly
 - COC signed by client

Notes:

Points: 02, 03 $\frac{\text{cm}}{5/6}$ 23, 24

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

23H0444

HDR Michigan Inc.
Project Manager: Jon Mink

Sample Log In Checklist

Date:	08/09/2023		Original Observation	Corrected Temperature		
Time:	9:05					
Logged by:	CM					
Package Description:	Cooler					
Package Temp °C	0.6	0.2		IR-9 (CF: -0.4°C)		
Representative Sample Temp °C	13.9	13.5		IR-10 (CF: -0.6°C)		
				IR-12 (CF: -0.4°C)		
				SR1 (CF: -0.2°C)		
				SR2 (CF: -0.1°C)		
				Temp Blank		
				Client Sample		

Sample Receipt

Yes No

- Received on ice or other coolant
- Ice still present upon receipt
- Custody seals present
- Trace Courier Client Drop-off

Yes No Custody seals intact (if applicable)
 UPS Fed Ex US Mail Other

Sample Condition

Yes No N/A

- All sample containers arrived unbroken and labeled
- Sufficient sample to run requested analyses
- Correct chemical preservative added to samples
- Samples preserved at Trace HN03 added @ 9:22, 8/9/23
- Chemical preservation verified, check EMD pH test strip used (if applicable)
- pH 0-2.5 (Lot: HC201854) pH 11.0-13.0 (Lot: HC022540) Other
- Air bubbles absent from VOAs

Chain of Custody (COC)

Yes No

- All bottle labels agree with COC
- COC filled out properly
- COC signed by client

Notes:

Points: 6, 11, 31, 32 cm
05, 10, 17, 18

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

ANALYTICAL REPORT

PREPARED FOR

Attn: Jon Mink
Trace Analytical Laboratories
2241 Black Creek Road
Muskegon MI 49444

Generated 9/14/2023 5:08 PM

JOB DESCRIPTION

23H0448 - Harbor Island

JOB NUMBER

810-73371-1

Eurofins Eaton Analytical South Bend

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Eaton Analytical, LLC Project Manager.

Authorization



Generated
9/14/2023 5:08 PM

Authorized for release by
Karen Fullmer, Project Manager
Karen.Fullmer@et.eurofinsus.com
574 233-4777

Table of Contents

Cover Title Page	1
Data Summaries	5
Definitions	5
Case Narrative	6
Client Sample Results	8
Action Limits	22
Tracer/Carrier Summary	28
QC Sample Results	30
QC Association	34
Chronicle	36
Certification Summary	43
Method Summary	44
Sample Summary	45
Reagent Traceability	46
COAs	48
Radiochemistry Raw Data	133
Gas Flow Proportional Counter	133
Method 903.0	134
Method 904.0	190
Daily Checks	247
Initial Calibrations	404
Alpha Beta Calibrations	404
Ra-226 Calibrations	982
Alpha Beta Calibration Verification	1166
Alpha Beta Calibration Verifications	1166
Ra-226 Calibration Verifications	1518

Table of Contents

Monthly Backgrounds	1613
Run Logs	1657
Subcontracted Data	1690
Shipping and Receiving Documents	1691
Client Chain of Custody	1692
Sample Receipt Checklist	1700

Definitions/Glossary

Client: Trace Analytical Laboratories
Project/Site: 23H0448 - Harbor Island

Job ID: 810-73371-1

Qualifiers

Rad

Qualifier	Qualifier Description
*	LCS or LCSD is outside acceptance limits.
G	The Sample MDC is greater than the requested RL.
U	Result is less than the sample detection limit.

Glossary

Abbreviation

These commonly used abbreviations may or may not be present in this report.

☒	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

**Job Narrative
810-73371-1**

Receipt

The samples were received on 8/10/2023 11:00 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice.

Gas Flow Proportional Counter

Method 903.0: Radium-226 Prep Batch 160-624323The following samples were prepared at a reduced aliquot due to Matrix: MW-30 (810-73371-16), MW-31 (810-73371-17), MW-32 (810-73371-18) and MW-33 (810-73371-19). A laboratory control sample/ laboratory control sample duplicate (LCS/LCSD) were prepared instead of a sample duplicate (DUP) to demonstrate batch precision.

Method 903.0: Radium-226 Prep Batch 160-624323Insufficient sample volume was available to perform a sample duplicate for the following samples: MW-34 (810-73371-20). A laboratory control sample/ laboratory control sample duplicate (LCS/LCSD) were prepared instead to demonstrate batch precision.

Method 903.0: Radium-226 prep batch 160-624323:The laboratory control sample duplicate (LCSD) recovered at 87% which is outside the 90-110 limits. The laboratory control sample (LCS) was within the 90-110 QC limits. Additionally the primary purpose of the LCSD is to demonstrate method precision. The RER/RPD between the LCS/LCSD passed. Original results will be qualified and reported. (LCSD 160-624323/3-A)

Method 903.0: Radium-226 prep batch 160-624323:Any minimum detectable concentration (MDC), critical value (DLC), or Safe Drinking Water Act detection limit (SDWA DL) is sample-specific unless otherwise stated elsewhere in this narrative. Radiochemistry sample results are reported with the count date/time applied as the Activity Reference Date. MW-30 (810-73371-16), MW-31 (810-73371-17), MW-32 (810-73371-18), MW-33 (810-73371-19), MW-34 (810-73371-20), (LCS 160-624323/2-A), (LCSD 160-624323/3-A) and (MB 160-624323/1-A)

Method 903.0: Radium-226 prep batch 160-624325:Any minimum detectable concentration (MDC), critical value (DLC), or Safe Drinking Water Act detection limit (SDWA DL) is sample-specific unless otherwise stated elsewhere in this narrative. Radiochemistry sample results are reported with the count date/time applied as the Activity Reference Date. MWT-04 (810-73371-21), MWT-12 (810-73371-22), SG-02 (810-73371-23), SG-03 (810-73371-24), SG-04R (810-73371-25), SG-05 (810-73371-26), SG-06 (810-73371-27), (LCS 160-624325/2-A), (MB 160-624325/1-A), (380-58521-A-1-A) and (380-58521-A-1-F DU)

Method 903.0: Radium-226 prep batch 160-624483:Any minimum detectable concentration (MDC), critical value (DLC), or Safe Drinking Water Act detection limit (SDWA DL) is sample-specific unless otherwise stated elsewhere in this narrative. Radiochemistry sample results are reported with the count date/time applied as the Activity Reference Date. MW-01R (810-73371-1), MW-02 (810-73371-2), MW-03 (810-73371-3), MW-04 (810-73371-4), MW-06 (810-73371-5), MW-07 (810-73371-6), MW-08 (810-73371-7), MW-09 (810-73371-8), MW-10 (810-73371-9), MW-11 (810-73371-10), MW-12 (810-73371-11), MW-18 (810-73371-12), MW-19 (810-73371-13), MW-20 (810-73371-14), MW-27 (810-73371-15), (LCS 160-624483/2-A), (MB 160-624483/1-A), (380-58734-B-1-A) and (380-58734-C-1-A DU)

Method 904.0: Radium-228 Prep Batch 160-624324The following samples were prepared at a reduced aliquot due to Matrix: MW-30 (810-73371-16), MW-31 (810-73371-17), MW-32 (810-73371-18) and MW-33 (810-73371-19). A laboratory control sample/ laboratory control sample duplicate (LCS/LCSD) were prepared instead of a sample duplicate (DUP) to demonstrate batch precision.

Method 904.0: Radium-228 Prep Batch 160-624324Insufficient sample volume was available to perform a sample duplicate for the following samples: MW-34 (810-73371-20). A laboratory control sample/ laboratory control sample duplicate (LCS/LCSD) were prepared instead to demonstrate batch precision.

Method 904.0: Radium-228 batch 624324Any minimum detectable concentration (MDC), critical value (DLC), or Safe Drinking Water Act detection limit (SDWA DL) is sample-specific unless otherwise stated elsewhere in this narrative. Radiochemistry sample results are reported with the count date/time applied as the Activity Reference Date.MW-30 (810-73371-16), MW-31 (810-73371-17), MW-32 (810-73371-18), MW-33 (810-73371-19), MW-34 (810-73371-20), (LCS 160-624324/2-A), (LCSD 160-624324/3-A) and (MB 160-624324/1-A)

Method 904.0: Radium-228 batch 624326Any minimum detectable concentration (MDC), critical value (DLC), or Safe Drinking Water Act detection limit (SDWA DL) is sample-specific unless otherwise stated elsewhere in this narrative. Radiochemistry sample results are reported with the count date/time applied as the Activity Reference Date.MWT-04 (810-73371-21), MWT-12 (810-73371-22), SG-02 (810-73371-23), SG-03 (810-73371-24), SG-04R (810-73371-25), SG-05 (810-73371-26), SG-06 (810-73371-27), (LCS 160-624326/2-A), (MB 160-624326/1-A), (380-58521-A-1-C) and (380-58521-A-1-D DU)

Method 904.0: Radium-228 batch 624485The detection goal was not met for the following sample(s). Samples were prepped at a reduced volume due to the presence of matrix interferences: MW-02 (810-73371-2) and MW-08 (810-73371-7). Analytical results are reported with the detection limit achieved.

Method 904.0: Radium-228 batch 624485 Any minimum detectable concentration (MDC), critical value (DLC), or Safe Drinking Water Act detection limit (SDWA DL) is sample-specific unless otherwise stated elsewhere in this narrative. Radiochemistry sample results are reported with the count date/time applied as the Activity Reference Date. MW-01R (810-73371-1), MW-02 (810-73371-2), MW-03 (810-73371-3), MW-04 (810-73371-4), MW-06 (810-73371-5), MW-07 (810-73371-6), MW-08 (810-73371-7), MW-09 (810-73371-8), MW-10 (810-73371-9), MW-11 (810-73371-10), MW-12 (810-73371-11), MW-18 (810-73371-12), MW-19 (810-73371-13), MW-20 (810-73371-14), MW-27 (810-73371-15), (LCS 160-624485/2-A), (MB 160-624485/1-A), (380-58734-B-1-B) and (380-58734-C-1-B DU)

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Rad

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Client Sample Results

Client: Trace Analytical Laboratories
Project/Site: 23H0448 - Harbor Island

Job ID: 810-73371-1

Client Sample ID: MW-01R

Date Collected: 08/08/23 14:25

Date Received: 08/10/23 11:00

Lab Sample ID: 810-73371-1

Matrix: Ground Water

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.152		0.100	0.101	1.00	0.130	pCi/L	08/17/23 10:33	09/08/23 07:14	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	87.2		30 - 110					08/17/23 10:33	09/08/23 07:14	1

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	1.11		0.574	0.583	1.00	0.804	pCi/L	08/17/23 10:40	08/31/23 11:28	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	87.2		30 - 110					08/17/23 10:40	08/31/23 11:28	1
Y Carrier	80.0		30 - 110					08/17/23 10:40	08/31/23 11:28	1

Method: TAL-STL Ra226_Ra228 Pos - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium 226 and 228	1.26		0.583	0.592	5.00	0.804	pCi/L	09/13/23 16:43		1

Client Sample ID: MW-02

Date Collected: 08/08/23 10:25

Date Received: 08/10/23 11:00

Lab Sample ID: 810-73371-2

Matrix: Ground Water

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.743		0.237	0.247	1.00	0.208	pCi/L	08/17/23 10:33	09/08/23 07:14	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	89.2		30 - 110					08/17/23 10:33	09/08/23 07:14	1

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	1.71	G	0.782	0.798	1.00	1.03	pCi/L	08/17/23 10:40	08/31/23 11:28	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	89.2		30 - 110					08/17/23 10:40	08/31/23 11:28	1
Y Carrier	81.5		30 - 110					08/17/23 10:40	08/31/23 11:28	1

Method: TAL-STL Ra226_Ra228 Pos - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium 226 and 228	2.45		0.817	0.835	5.00	1.03	pCi/L	09/13/23 16:43		1

Client Sample Results

Client: Trace Analytical Laboratories
Project/Site: 23H0448 - Harbor Island

Job ID: 810-73371-1

Client Sample ID: MW-03

Date Collected: 08/07/23 15:20
Date Received: 08/10/23 11:00

Lab Sample ID: 810-73371-3
Matrix: Ground Water

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.417		0.154	0.158	1.00	0.153	pCi/L	08/17/23 10:33	09/08/23 07:14	1
Carrier										
Ba Carrier	%Yield	Qualifier	Limits	30 - 110				Prepared	Analyzed	Dil Fac

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.579	U	0.489	0.492	1.00	0.763	pCi/L	08/17/23 10:40	08/31/23 11:28	1
Carrier										
Ba Carrier	%Yield	Qualifier	Limits	30 - 110				Prepared	Analyzed	Dil Fac
Y Carrier	85.0		30 - 110					08/17/23 10:40	08/31/23 11:28	1

Method: TAL-STL Ra226_Ra228 Pos - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium 226 and 228	0.996		0.513	0.517	5.00	0.763	pCi/L		09/13/23 16:43	1

Client Sample ID: MW-04

Date Collected: 08/07/23 14:00
Date Received: 08/10/23 11:00

Lab Sample ID: 810-73371-4

Matrix: Ground Water

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.152		0.108	0.109	1.00	0.151	pCi/L	08/17/23 10:33	09/08/23 07:14	1
Carrier										
Ba Carrier	%Yield	Qualifier	Limits	30 - 110				Prepared	Analyzed	Dil Fac

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	1.14		0.625	0.634	1.00	0.892	pCi/L	08/17/23 10:40	08/31/23 11:36	1
Carrier										
Ba Carrier	%Yield	Qualifier	Limits	30 - 110				Prepared	Analyzed	Dil Fac
Y Carrier	88.5		30 - 110					08/17/23 10:40	08/31/23 11:36	1

Method: TAL-STL Ra226_Ra228 Pos - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium 226 and 228	1.29		0.634	0.643	5.00	0.892	pCi/L		09/13/23 16:43	1

Client Sample Results

Client: Trace Analytical Laboratories
Project/Site: 23H0448 - Harbor Island

Job ID: 810-73371-1

Client Sample ID: MW-06

Date Collected: 08/08/23 14:30
Date Received: 08/10/23 11:00

Lab Sample ID: 810-73371-5
Matrix: Ground Water

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.465		0.147	0.153	1.00	0.122	pCi/L	08/17/23 10:33	09/08/23 07:15	1
Carrier										
Ba Carrier	%Yield	Qualifier	Limits	30 - 110				Prepared	Analyzed	Dil Fac

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.473	U	0.460	0.462	1.00	0.735	pCi/L	08/17/23 10:40	08/31/23 11:36	1
Carrier										
Ba Carrier	%Yield	Qualifier	Limits	30 - 110				Prepared	Analyzed	Dil Fac
Y Carrier	94.2		30 - 110					08/17/23 10:40	08/31/23 11:36	1

Method: TAL-STL Ra226_Ra228 Pos - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium 226 and 228	0.938		0.483	0.487	5.00	0.735	pCi/L		09/13/23 16:43	1

Client Sample ID: MW-07

Date Collected: 08/07/23 14:30
Date Received: 08/10/23 11:00

Lab Sample ID: 810-73371-6

Matrix: Ground Water

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.665		0.180	0.190	1.00	0.129	pCi/L	08/17/23 10:33	09/08/23 07:16	1
Carrier										
Ba Carrier	%Yield	Qualifier	Limits	30 - 110				Prepared	Analyzed	Dil Fac

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	1.70		0.630	0.649	1.00	0.776	pCi/L	08/17/23 10:40	08/31/23 11:36	1
Carrier										
Ba Carrier	%Yield	Qualifier	Limits	30 - 110				Prepared	Analyzed	Dil Fac
Y Carrier	87.5		30 - 110					08/17/23 10:40	08/31/23 11:36	1

Method: TAL-STL Ra226_Ra228 Pos - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium 226 and 228	2.36		0.655	0.676	5.00	0.776	pCi/L		09/13/23 16:43	1

Eurofins Eaton Analytical South Bend

Client Sample Results

Client: Trace Analytical Laboratories
 Project/Site: 23H0448 - Harbor Island

Job ID: 810-73371-1

Client Sample ID: MW-08

Date Collected: 08/08/23 12:40
 Date Received: 08/10/23 11:00

Lab Sample ID: 810-73371-7

Matrix: Ground Water

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.358		0.139	0.142	1.00	0.127	pCi/L	08/17/23 10:33	09/08/23 07:16	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	83.0		30 - 110					08/17/23 10:33	09/08/23 07:16	1

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	1.74	G	0.750	0.767	1.00	1.01	pCi/L	08/17/23 10:40	08/31/23 11:37	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	83.0		30 - 110					08/17/23 10:40	08/31/23 11:37	1
Y Carrier	75.5		30 - 110					08/17/23 10:40	08/31/23 11:37	1

Method: TAL-STL Ra226_Ra228 Pos - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium 226 and 228	2.10		0.763	0.780	5.00	1.01	pCi/L	09/13/23 16:43		1

Client Sample ID: MW-09

Date Collected: 08/08/23 09:20
 Date Received: 08/10/23 11:00

Lab Sample ID: 810-73371-8

Matrix: Ground Water

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.0113	U	0.0818	0.0818	1.00	0.163	pCi/L	08/17/23 10:33	09/08/23 07:16	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	83.2		30 - 110					08/17/23 10:33	09/08/23 07:16	1

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	-0.0692	U	0.425	0.425	1.00	0.821	pCi/L	08/17/23 10:40	08/31/23 11:37	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	83.2		30 - 110					08/17/23 10:40	08/31/23 11:37	1
Y Carrier	80.7		30 - 110					08/17/23 10:40	08/31/23 11:37	1

Method: TAL-STL Ra226_Ra228 Pos - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium 226 and 228	0.0113	U	0.433	0.433	5.00	0.821	pCi/L	09/13/23 16:43		1

Client Sample Results

Client: Trace Analytical Laboratories
 Project/Site: 23H0448 - Harbor Island

Job ID: 810-73371-1

Client Sample ID: MW-10

Date Collected: 08/08/23 11:45
 Date Received: 08/10/23 11:00

Lab Sample ID: 810-73371-9
 Matrix: Ground Water

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.0905	U	0.0916	0.0919	1.00	0.142	pCi/L	08/17/23 10:33	09/08/23 07:16	1
Carrier										
Ba Carrier	84.0			Limits				Prepared	Analyzed	Dil Fac
				30 - 110				08/17/23 10:33	09/08/23 07:16	1

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	0.634	U	0.486	0.490	1.00	0.736	pCi/L	08/17/23 10:40	08/31/23 11:37	1
Carrier										
Ba Carrier	84.0			Limits				Prepared	Analyzed	Dil Fac
				30 - 110				08/17/23 10:40	08/31/23 11:37	1
Y Carrier	79.3			30 - 110				08/17/23 10:40	08/31/23 11:37	1

Method: TAL-STL Ra226_Ra228 Pos - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium 226 and 228	0.724	U	0.495	0.499	5.00	0.736	pCi/L	09/13/23 16:43		1

Client Sample ID: MW-11

Date Collected: 08/08/23 16:00
 Date Received: 08/10/23 11:00

Lab Sample ID: 810-73371-10

Matrix: Ground Water

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.409		0.156	0.160	1.00	0.169	pCi/L	08/17/23 10:33	09/08/23 07:20	1
Carrier										
Ba Carrier	89.7			Limits				Prepared	Analyzed	Dil Fac
				30 - 110				08/17/23 10:33	09/08/23 07:20	1

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	1.35		0.560	0.574	1.00	0.721	pCi/L	08/17/23 10:40	08/31/23 11:37	1
Carrier										
Ba Carrier	89.7			Limits				Prepared	Analyzed	Dil Fac
				30 - 110				08/17/23 10:40	08/31/23 11:37	1
Y Carrier	83.0			30 - 110				08/17/23 10:40	08/31/23 11:37	1

Method: TAL-STL Ra226_Ra228 Pos - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium 226 and 228	1.76		0.581	0.596	5.00	0.721	pCi/L	09/13/23 16:43		1

Eurofins Eaton Analytical South Bend

Client Sample Results

Client: Trace Analytical Laboratories
Project/Site: 23H0448 - Harbor Island

Job ID: 810-73371-1

Client Sample ID: MW-12

Date Collected: 08/07/23 16:30
Date Received: 08/10/23 11:00

Lab Sample ID: 810-73371-11

Matrix: Ground Water

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.0384	U	0.0607	0.0608	1.00	0.106	pCi/L	08/17/23 10:33	09/08/23 07:21	1
<i>Carrier</i>	%Yield	Qualifier	<i>Limits</i>					Prepared	Analyzed	Dil Fac
Ba Carrier	86.5		30 - 110					08/17/23 10:33	09/08/23 07:21	1

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	0.504	U	0.380	0.382	1.00	0.578	pCi/L	08/17/23 10:40	08/31/23 11:32	1
<i>Carrier</i>	%Yield	Qualifier	<i>Limits</i>					Prepared	Analyzed	Dil Fac
Ba Carrier	86.5		30 - 110					08/17/23 10:40	08/31/23 11:32	1
Y Carrier	80.4		30 - 110					08/17/23 10:40	08/31/23 11:32	1

Method: TAL-STL Ra226_Ra228 Pos - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium 226 and 228	0.542	U	0.385	0.387	5.00	0.578	pCi/L	09/13/23 16:43		1

Client Sample ID: MW-18

Date Collected: 08/08/23 15:30
Date Received: 08/10/23 11:00

Lab Sample ID: 810-73371-12

Matrix: Ground Water

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.0175	U	0.0549	0.0550	1.00	0.105	pCi/L	08/17/23 10:33	09/08/23 07:21	1
<i>Carrier</i>	%Yield	Qualifier	<i>Limits</i>					Prepared	Analyzed	Dil Fac
Ba Carrier	90.5		30 - 110					08/17/23 10:33	09/08/23 07:21	1

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	0.713		0.434	0.439	1.00	0.639	pCi/L	08/17/23 10:40	08/31/23 11:32	1
<i>Carrier</i>	%Yield	Qualifier	<i>Limits</i>					Prepared	Analyzed	Dil Fac
Ba Carrier	90.5		30 - 110					08/17/23 10:40	08/31/23 11:32	1
Y Carrier	77.0		30 - 110					08/17/23 10:40	08/31/23 11:32	1

Method: TAL-STL Ra226_Ra228 Pos - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium 226 and 228	0.730		0.437	0.442	5.00	0.639	pCi/L	09/13/23 16:43		1

Eurofins Eaton Analytical South Bend

Client Sample Results

Client: Trace Analytical Laboratories
Project/Site: 23H0448 - Harbor Island

Job ID: 810-73371-1

Client Sample ID: MW-19

Date Collected: 08/07/23 17:30

Date Received: 08/10/23 11:00

Lab Sample ID: 810-73371-13

Matrix: Ground Water

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.179		0.108	0.109	1.00	0.147	pCi/L	08/17/23 10:33	09/08/23 07:21	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	91.5		30 - 110					08/17/23 10:33	09/08/23 07:21	1

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	0.993		0.477	0.486	1.00	0.670	pCi/L	08/17/23 10:40	08/31/23 11:32	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	91.5		30 - 110					08/17/23 10:40	08/31/23 11:32	1
Y Carrier	78.5		30 - 110					08/17/23 10:40	08/31/23 11:32	1

Method: TAL-STL Ra226_Ra228 Pos - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium 226 and 228	1.17		0.489	0.498	5.00	0.670	pCi/L	09/13/23 16:43		1

Client Sample ID: MW-20

Date Collected: 08/07/23 16:00

Date Received: 08/10/23 11:00

Lab Sample ID: 810-73371-14

Matrix: Ground Water

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.118		0.0797	0.0804	1.00	0.109	pCi/L	08/17/23 10:33	09/08/23 07:21	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	89.7		30 - 110					08/17/23 10:33	09/08/23 07:21	1

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	0.958		0.480	0.488	1.00	0.686	pCi/L	08/17/23 10:40	08/31/23 11:32	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	89.7		30 - 110					08/17/23 10:40	08/31/23 11:32	1
Y Carrier	80.7		30 - 110					08/17/23 10:40	08/31/23 11:32	1

Method: TAL-STL Ra226_Ra228 Pos - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium 226 and 228	1.08		0.487	0.495	5.00	0.686	pCi/L	09/13/23 16:43		1

Eurofins Eaton Analytical South Bend

Client Sample Results

Client: Trace Analytical Laboratories
Project/Site: 23H0448 - Harbor Island

Job ID: 810-73371-1

Client Sample ID: MW-27

Date Collected: 08/07/23 12:55

Date Received: 08/10/23 11:00

Lab Sample ID: 810-73371-15

Matrix: Ground Water

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.477		0.169	0.174	1.00	0.182	pCi/L	08/17/23 10:33	09/08/23 07:21	1
<hr/>										
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	84.0		30 - 110					08/17/23 10:33	09/08/23 07:21	1

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	1.28		0.588	0.600	1.00	0.782	pCi/L	08/17/23 10:40	08/31/23 11:32	1
<hr/>										
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	84.0		30 - 110					08/17/23 10:40	08/31/23 11:32	1
Y Carrier	79.6		30 - 110					08/17/23 10:40	08/31/23 11:32	1

Method: TAL-STL Ra226_Ra228 Pos - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium 226 and 228	1.76		0.612	0.625	5.00	0.782	pCi/L		09/13/23 16:43	1

Client Sample ID: MW-30

Date Collected: 08/08/23 09:20

Date Received: 08/10/23 11:00

Lab Sample ID: 810-73371-16

Matrix: Ground Water

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.0911	U *	0.101	0.101	1.00	0.163	pCi/L	08/16/23 09:56	09/07/23 07:42	1
<hr/>										
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	83.7		30 - 110					08/16/23 09:56	09/07/23 07:42	1

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.820		0.535	0.540	1.00	0.787	pCi/L	08/16/23 10:00	08/29/23 12:35	1
<hr/>										
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	83.7		30 - 110					08/16/23 10:00	08/29/23 12:35	1
Y Carrier	78.1		30 - 110					08/16/23 10:00	08/29/23 12:35	1

Method: TAL-STL Ra226_Ra228 Pos - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium 226 and 228	0.911		0.544	0.549	5.00	0.787	pCi/L		09/13/23 16:43	1

Eurofins Eaton Analytical South Bend

Client Sample Results

Client: Trace Analytical Laboratories
 Project/Site: 23H0448 - Harbor Island

Job ID: 810-73371-1

Client Sample ID: MW-31

Date Collected: 08/08/23 11:30

Date Received: 08/10/23 11:00

Lab Sample ID: 810-73371-17

Matrix: Ground Water

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.262	*	0.122	0.124	1.00	0.138	pCi/L	08/16/23 09:56	09/07/23 09:34	1
Carrier										
Ba Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
	87.0		30 - 110					08/16/23 09:56	09/07/23 09:34	1

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.970		0.545	0.552	1.00	0.773	pCi/L	08/16/23 10:00	08/29/23 12:35	1
Carrier										
Ba Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
	87.0		30 - 110					08/16/23 10:00	08/29/23 12:35	1
Y Carrier			78.1	30 - 110				08/16/23 10:00	08/29/23 12:35	1

Method: TAL-STL Ra226_Ra228 Pos - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium 226 and 228	1.23		0.558	0.566	5.00	0.773	pCi/L		09/13/23 16:43	1

Client Sample ID: MW-32

Date Collected: 08/08/23 13:00

Date Received: 08/10/23 11:00

Lab Sample ID: 810-73371-18

Matrix: Ground Water

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.403	*	0.144	0.148	1.00	0.137	pCi/L	08/16/23 09:56	09/07/23 09:34	1
Carrier										
Ba Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
	88.2		30 - 110					08/16/23 09:56	09/07/23 09:34	1

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.582	U	0.533	0.535	1.00	0.848	pCi/L	08/16/23 10:00	08/29/23 12:35	1
Carrier										
Ba Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
	88.2		30 - 110					08/16/23 10:00	08/29/23 12:35	1
Y Carrier			78.9	30 - 110				08/16/23 10:00	08/29/23 12:35	1

Method: TAL-STL Ra226_Ra228 Pos - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium 226 and 228	0.985		0.552	0.555	5.00	0.848	pCi/L		09/13/23 16:43	1

Eurofins Eaton Analytical South Bend

Client Sample Results

Client: Trace Analytical Laboratories
 Project/Site: 23H0448 - Harbor Island

Job ID: 810-73371-1

Client Sample ID: MW-33

Date Collected: 08/07/23 12:00

Date Received: 08/10/23 11:00

Lab Sample ID: 810-73371-19

Matrix: Ground Water

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.276 *		0.141	0.143	1.00	0.186	pCi/L	08/16/23 09:56	09/07/23 09:34	1
Carrier										
Ba Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.875		0.537	0.543	1.00	0.786	pCi/L	08/16/23 10:00	08/29/23 12:35	1
Carrier										
Ba Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Y Carrier	91.0		30 - 110					08/16/23 10:00	08/29/23 12:35	1
			77.8	30 - 110				08/16/23 10:00	08/29/23 12:35	1

Method: TAL-STL Ra226_Ra228 Pos - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium 226 and 228	1.15		0.555	0.562	5.00	0.786	pCi/L	09/13/23 16:43		1

Client Sample ID: MW-34

Date Collected: 08/07/23 11:20

Date Received: 08/10/23 11:00

Lab Sample ID: 810-73371-20

Matrix: Ground Water

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.637 *		0.194	0.202	1.00	0.152	pCi/L	08/16/23 09:56	09/07/23 09:34	1
Carrier										
Ba Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.600	U	0.546	0.548	1.00	0.862	pCi/L	08/16/23 10:00	08/29/23 12:36	1
Carrier										
Ba Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Y Carrier	83.0		30 - 110					08/16/23 10:00	08/29/23 12:36	1
			75.5	30 - 110				08/16/23 10:00	08/29/23 12:36	1

Method: TAL-STL Ra226_Ra228 Pos - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium 226 and 228	1.24		0.579	0.584	5.00	0.862	pCi/L	09/13/23 16:43		1

Eurofins Eaton Analytical South Bend

Client Sample Results

Client: Trace Analytical Laboratories
Project/Site: 23H0448 - Harbor Island

Job ID: 810-73371-1

Client Sample ID: MWT-04

Date Collected: 08/07/23 14:00

Date Received: 08/10/23 11:00

Lab Sample ID: 810-73371-21

Matrix: Ground Water

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.301		0.131	0.134	1.00	0.134	pCi/L	08/16/23 10:01	09/07/23 09:36	1
Carrier										
Ba Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
	88.5		30 - 110					08/16/23 10:01	09/07/23 09:36	1

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	0.890		0.564	0.570	1.00	0.832	pCi/L	08/16/23 10:10	08/31/23 11:46	1
Carrier										
Ba Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
	88.5		30 - 110					08/16/23 10:10	08/31/23 11:46	1
Y Carrier			78.9	30 - 110				08/16/23 10:10	08/31/23 11:46	1

Method: TAL-STL Ra226_Ra228 Pos - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium 226 and 228	1.19		0.579	0.586	5.00	0.832	pCi/L	09/13/23 16:43		1

Client Sample ID: MWT-12

Date Collected: 08/07/23 16:30

Date Received: 08/10/23 11:00

Lab Sample ID: 810-73371-22

Matrix: Ground Water

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.0899	U	0.0733	0.0738	1.00	0.106	pCi/L	08/16/23 10:01	09/07/23 09:36	1
Carrier										
Ba Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
	90.7		30 - 110					08/16/23 10:01	09/07/23 09:36	1

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	0.0251	U	0.337	0.337	1.00	0.623	pCi/L	08/16/23 10:10	08/31/23 11:46	1
Carrier										
Ba Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
	90.7		30 - 110					08/16/23 10:10	08/31/23 11:46	1
Y Carrier			77.0	30 - 110				08/16/23 10:10	08/31/23 11:46	1

Method: TAL-STL Ra226_Ra228 Pos - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium 226 and 228	0.115	U	0.345	0.345	5.00	0.623	pCi/L	09/13/23 16:43		1

Eurofins Eaton Analytical South Bend

Client Sample Results

Client: Trace Analytical Laboratories
 Project/Site: 23H0448 - Harbor Island

Job ID: 810-73371-1

Client Sample ID: SG-02

Date Collected: 08/08/23 17:05
 Date Received: 08/10/23 11:00

Lab Sample ID: 810-73371-23
 Matrix: Ground Water

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.329		0.147	0.150	1.00	0.164	pCi/L	08/16/23 10:01	09/07/23 09:36	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	81.7		30 - 110					08/16/23 10:01	09/07/23 09:36	1

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	0.954		0.574	0.580	1.00	0.824	pCi/L	08/16/23 10:10	08/31/23 11:47	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	81.7		30 - 110					08/16/23 10:10	08/31/23 11:47	1
Y Carrier	78.9		30 - 110					08/16/23 10:10	08/31/23 11:47	1

Method: TAL-STL Ra226_Ra228 Pos - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium 226 and 228	1.28		0.593	0.599	5.00	0.824	pCi/L	09/13/23 16:43		1

Client Sample ID: SG-03

Date Collected: 08/08/23 17:15
 Date Received: 08/10/23 11:00

Lab Sample ID: 810-73371-24

Matrix: Ground Water

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.253		0.132	0.134	1.00	0.161	pCi/L	08/16/23 10:01	09/07/23 09:36	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	85.0		30 - 110					08/16/23 10:01	09/07/23 09:36	1

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	0.716	U	0.548	0.552	1.00	0.842	pCi/L	08/16/23 10:10	08/31/23 11:47	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	85.0		30 - 110					08/16/23 10:10	08/31/23 11:47	1
Y Carrier	77.8		30 - 110					08/16/23 10:10	08/31/23 11:47	1

Method: TAL-STL Ra226_Ra228 Pos - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium 226 and 228	0.969		0.564	0.568	5.00	0.842	pCi/L	09/13/23 16:43		1

Eurofins Eaton Analytical South Bend

Client Sample Results

Client: Trace Analytical Laboratories
Project/Site: 23H0448 - Harbor Island

Job ID: 810-73371-1

Client Sample ID: SG-04R

Date Collected: 08/08/23 16:50

Date Received: 08/10/23 11:00

Lab Sample ID: 810-73371-25

Matrix: Ground Water

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.126	U	0.0961	0.0967	1.00	0.133	pCi/L	08/16/23 10:01	09/07/23 09:37	1
Carrier										
Ba Carrier	87.2			Limits				Prepared	Analyzed	Dil Fac
				30 - 110				08/16/23 10:01	09/07/23 09:37	1

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	0.166	U	0.442	0.442	1.00	0.788	pCi/L	08/16/23 10:10	08/31/23 11:47	1
Carrier										
Ba Carrier	87.2			Limits				Prepared	Analyzed	Dil Fac
				30 - 110				08/16/23 10:10	08/31/23 11:47	1
Y Carrier	77.4			30 - 110				08/16/23 10:10	08/31/23 11:47	1

Method: TAL-STL Ra226_Ra228 Pos - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium 226 and 228	0.292	U	0.452	0.452	5.00	0.788	pCi/L	09/13/23 16:43		1

Client Sample ID: SG-05

Date Collected: 08/08/23 16:40

Date Received: 08/10/23 11:00

Lab Sample ID: 810-73371-26

Matrix: Ground Water

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.0576	U	0.0855	0.0857	1.00	0.147	pCi/L	08/16/23 10:01	09/07/23 09:37	1
Carrier										
Ba Carrier	79.4			Limits				Prepared	Analyzed	Dil Fac
				30 - 110				08/16/23 10:01	09/07/23 09:37	1

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	0.389	U	0.493	0.495	1.00	0.820	pCi/L	08/16/23 10:10	08/31/23 11:47	1
Carrier										
Ba Carrier	79.4			Limits				Prepared	Analyzed	Dil Fac
				30 - 110				08/16/23 10:10	08/31/23 11:47	1
Y Carrier	78.5			30 - 110				08/16/23 10:10	08/31/23 11:47	1

Method: TAL-STL Ra226_Ra228 Pos - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium 226 and 228	0.446	U	0.500	0.502	5.00	0.820	pCi/L	09/13/23 16:43		1

Eurofins Eaton Analytical South Bend

Client Sample Results

Client: Trace Analytical Laboratories
 Project/Site: 23H0448 - Harbor Island

Job ID: 810-73371-1

Client Sample ID: SG-06

Date Collected: 08/08/23 17:25

Date Received: 08/10/23 11:00

Lab Sample ID: 810-73371-27

Matrix: Ground Water

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac	
			Uncert.	(2σ+/-)							
Radium-226	0.131	U		0.112	0.112	1.00	0.160	pCi/L	08/16/23 10:01	09/07/23 09:37	
Carrier											
Ba Carrier	70.2		%Yield	Qualifier	Limits				Prepared	Analyzed	Dil Fac

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac	
			Uncert.	(2σ+/-)							
Radium-228	0.315	U		0.537	0.538	1.00	0.926	pCi/L	08/16/23 10:10	08/31/23 11:47	
Carrier											
Ba Carrier	70.2		%Yield	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Y Carrier	78.9				30 - 110				08/16/23 10:10	08/31/23 11:47	1

Method: TAL-STL Ra226_Ra228 Pos - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert.	(2σ+/-)						
Radium 226 and 228	0.446	U		0.549	0.550	5.00	0.926	pCi/L	09/13/23 16:43	1

Action Limit Summary

Client: Trace Analytical Laboratories
Project/Site: 23H0448 - Harbor Island

Job ID: 810-73371-1

Client Sample ID: MW-01R

Lab Sample ID: 810-73371-1

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL Limit	RL	Method	Prep Type
Radium 226 and 228	1.26		pCi/L	5	5.00	Ra226_Ra228 Pos	Total/NA

Client Sample ID: MW-02

Lab Sample ID: 810-73371-2

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL Limit	RL	Method	Prep Type
Radium 226 and 228	2.45		pCi/L	5	5.00	Ra226_Ra228 Pos	Total/NA

Client Sample ID: MW-03

Lab Sample ID: 810-73371-3

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL Limit	RL	Method	Prep Type
Radium 226 and 228	0.996		pCi/L	5	5.00	Ra226_Ra228 Pos	Total/NA

Client Sample ID: MW-04

Lab Sample ID: 810-73371-4

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL Limit	RL	Method	Prep Type
Radium 226 and 228	1.29		pCi/L	5	5.00	Ra226_Ra228 Pos	Total/NA

Client Sample ID: MW-06

Lab Sample ID: 810-73371-5

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL Limit	RL	Method	Prep Type
Radium 226 and 228	0.938		pCi/L	5	5.00	Ra226_Ra228 Pos	Total/NA

Action Limit Summary

Client: Trace Analytical Laboratories
Project/Site: 23H0448 - Harbor Island

Job ID: 810-73371-1

Client Sample ID: MW-07

Lab Sample ID: 810-73371-6

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL Limit	RL	Method	Prep Type
Radium 226 and 228	2.36		pCi/L	5	5.00	Ra226_Ra228 Pos	Total/NA

Client Sample ID: MW-08

Lab Sample ID: 810-73371-7

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL Limit	RL	Method	Prep Type
Radium 226 and 228	2.10		pCi/L	5	5.00	Ra226_Ra228 Pos	Total/NA

Client Sample ID: MW-09

Lab Sample ID: 810-73371-8

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL Limit	RL	Method	Prep Type
Radium 226 and 228	0.0113	U	pCi/L	5	5.00	Ra226_Ra228 Pos	Total/NA

Client Sample ID: MW-10

Lab Sample ID: 810-73371-9

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL Limit	RL	Method	Prep Type
Radium 226 and 228	0.724	U	pCi/L	5	5.00	Ra226_Ra228 Pos	Total/NA

Client Sample ID: MW-11

Lab Sample ID: 810-73371-10

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL Limit	RL	Method	Prep Type
Radium 226 and 228	1.76		pCi/L	5	5.00	Ra226_Ra228 Pos	Total/NA

Action Limit Summary

Client: Trace Analytical Laboratories
Project/Site: 23H0448 - Harbor Island

Job ID: 810-73371-1

Client Sample ID: MW-12

Lab Sample ID: 810-73371-11

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL Limit	RL	Method	Prep Type
Radium 226 and 228	0.542	U	pCi/L	5	5.00	Ra226_Ra228 Pos	Total/NA

Client Sample ID: MW-18

Lab Sample ID: 810-73371-12

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL Limit	RL	Method	Prep Type
Radium 226 and 228	0.730		pCi/L	5	5.00	Ra226_Ra228 Pos	Total/NA

Client Sample ID: MW-19

Lab Sample ID: 810-73371-13

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL Limit	RL	Method	Prep Type
Radium 226 and 228	1.17		pCi/L	5	5.00	Ra226_Ra228 Pos	Total/NA

Client Sample ID: MW-20

Lab Sample ID: 810-73371-14

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL Limit	RL	Method	Prep Type
Radium 226 and 228	1.08		pCi/L	5	5.00	Ra226_Ra228 Pos	Total/NA

Client Sample ID: MW-27

Lab Sample ID: 810-73371-15

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL Limit	RL	Method	Prep Type
Radium 226 and 228	1.76		pCi/L	5	5.00	Ra226_Ra228 Pos	Total/NA

Action Limit Summary

Client: Trace Analytical Laboratories
Project/Site: 23H0448 - Harbor Island

Job ID: 810-73371-1

Client Sample ID: MW-30

Lab Sample ID: 810-73371-16

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL Limit	RL	Method	Prep Type
Radium 226 and 228	0.911		pCi/L	5	5.00	Ra226_Ra228 Pos	Total/NA

Client Sample ID: MW-31

Lab Sample ID: 810-73371-17

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL Limit	RL	Method	Prep Type
Radium 226 and 228	1.23		pCi/L	5	5.00	Ra226_Ra228 Pos	Total/NA

Client Sample ID: MW-32

Lab Sample ID: 810-73371-18

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL Limit	RL	Method	Prep Type
Radium 226 and 228	0.985		pCi/L	5	5.00	Ra226_Ra228 Pos	Total/NA

Client Sample ID: MW-33

Lab Sample ID: 810-73371-19

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL Limit	RL	Method	Prep Type
Radium 226 and 228	1.15		pCi/L	5	5.00	Ra226_Ra228 Pos	Total/NA

Client Sample ID: MW-34

Lab Sample ID: 810-73371-20

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL Limit	RL	Method	Prep Type
Radium 226 and 228	1.24		pCi/L	5	5.00	Ra226_Ra228 Pos	Total/NA

Action Limit Summary

Client: Trace Analytical Laboratories
Project/Site: 23H0448 - Harbor Island

Job ID: 810-73371-1

Client Sample ID: MWT-04

Lab Sample ID: 810-73371-21

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL Limit	RL	Method	Prep Type
Radium 226 and 228	1.19		pCi/L	5	5.00	Ra226_Ra228 Pos	Total/NA

Client Sample ID: MWT-12

Lab Sample ID: 810-73371-22

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL Limit	RL	Method	Prep Type
Radium 226 and 228	0.115	U	pCi/L	5	5.00	Ra226_Ra228 Pos	Total/NA

Client Sample ID: SG-02

Lab Sample ID: 810-73371-23

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL Limit	RL	Method	Prep Type
Radium 226 and 228	1.28		pCi/L	5	5.00	Ra226_Ra228 Pos	Total/NA

Client Sample ID: SG-03

Lab Sample ID: 810-73371-24

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL Limit	RL	Method	Prep Type
Radium 226 and 228	0.969		pCi/L	5	5.00	Ra226_Ra228 Pos	Total/NA

Client Sample ID: SG-04R

Lab Sample ID: 810-73371-25

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL Limit	RL	Method	Prep Type
Radium 226 and 228	0.292	U	pCi/L	5	5.00	Ra226_Ra228 Pos	Total/NA

Action Limit Summary

Client: Trace Analytical Laboratories
Project/Site: 23H0448 - Harbor Island

Job ID: 810-73371-1

Client Sample ID: SG-05

Lab Sample ID: 810-73371-26

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL Limit	RL	Method	Prep Type
Radium 226 and 228	0.446	U	pCi/L	5	5.00	Ra226_Ra228 Pos	Total/NA

Client Sample ID: SG-06

Lab Sample ID: 810-73371-27

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL Limit	RL	Method	Prep Type
Radium 226 and 228	0.446	U	pCi/L	5	5.00	Ra226_Ra228 Pos	Total/NA

Tracer/Carrier Summary

Client: Trace Analytical Laboratories
Project/Site: 23H0448 - Harbor Island

Job ID: 810-73371-1

Method: 903.0 - Radium-226 (GFPC)

Matrix: Drinking Water

Prep Type: Total/NA

Percent Yield (Acceptance Limits)

Lab Sample ID	Client Sample ID	Ba (30-110)
LCS 160-624323/2-A	Lab Control Sample	92.5
LCS 160-624325/2-A	Lab Control Sample	93.7
LCS 160-624483/2-A	Lab Control Sample	94.2
MB 160-624323/1-A	Method Blank	95.0
MB 160-624325/1-A	Method Blank	89.7
MB 160-624483/1-A	Method Blank	94.0

Tracer/Carrier Legend

Ba = Ba Carrier

Method: 903.0 - Radium-226 (GFPC)

Matrix: Ground Water

Prep Type: Total/NA

Percent Yield (Acceptance Limits)

Lab Sample ID	Client Sample ID	Ba (30-110)
810-73371-1	MW-01R	87.2
810-73371-2	MW-02	89.2
810-73371-3	MW-03	85.0
810-73371-4	MW-04	88.5
810-73371-5	MW-06	94.2
810-73371-6	MW-07	87.5
810-73371-7	MW-08	83.0
810-73371-8	MW-09	83.2
810-73371-9	MW-10	84.0
810-73371-10	MW-11	89.7
810-73371-11	MW-12	86.5
810-73371-12	MW-18	90.5
810-73371-13	MW-19	91.5
810-73371-14	MW-20	89.7
810-73371-15	MW-27	84.0
810-73371-16	MW-30	83.7
810-73371-17	MW-31	87.0
810-73371-18	MW-32	88.2
810-73371-19	MW-33	91.0
810-73371-20	MW-34	83.0
810-73371-21	MWT-04	88.5
810-73371-22	MWT-12	90.7
810-73371-23	SG-02	81.7
810-73371-24	SG-03	85.0
810-73371-25	SG-04R	87.2
810-73371-26	SG-05	79.4
810-73371-27	SG-06	70.2

Tracer/Carrier Legend

Ba = Ba Carrier

Tracer/Carrier Summary

Client: Trace Analytical Laboratories
 Project/Site: 23H0448 - Harbor Island

Job ID: 810-73371-1

Method: 904.0 - Radium-228 (GFPC)

Matrix: Drinking Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Yield (Acceptance Limits)	
		Ba (30-110)	Y (30-110)
LCS 160-624324/2-A	Lab Control Sample	92.5	78.5
LCS 160-624326/2-A	Lab Control Sample	93.7	80.7
LCS 160-624485/2-A	Lab Control Sample	94.2	80.7
LCSD 160-624324/3-A	Lab Control Sample Dup	93.0	77.0
MB 160-624324/1-A	Method Blank	95.0	72.1
MB 160-624326/1-A	Method Blank	89.7	76.6
MB 160-624485/1-A	Method Blank	94.0	81.1

Tracer/Carrier Legend

Ba = Ba Carrier

Y = Y Carrier

Method: 904.0 - Radium-228 (GFPC)

Matrix: Ground Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Yield (Acceptance Limits)	
		Ba (30-110)	Y (30-110)
810-73371-1	MW-01R	87.2	80.0
810-73371-2	MW-02	89.2	81.5
810-73371-3	MW-03	85.0	82.6
810-73371-4	MW-04	88.5	72.5
810-73371-5	MW-06	94.2	77.4
810-73371-6	MW-07	87.5	78.9
810-73371-7	MW-08	83.0	75.5
810-73371-8	MW-09	83.2	80.7
810-73371-9	MW-10	84.0	79.3
810-73371-10	MW-11	89.7	83.0
810-73371-11	MW-12	86.5	80.4
810-73371-12	MW-18	90.5	77.0
810-73371-13	MW-19	91.5	78.5
810-73371-14	MW-20	89.7	80.7
810-73371-15	MW-27	84.0	79.6
810-73371-16	MW-30	83.7	78.1
810-73371-17	MW-31	87.0	78.1
810-73371-18	MW-32	88.2	78.9
810-73371-19	MW-33	91.0	77.8
810-73371-20	MW-34	83.0	75.5
810-73371-21	MWT-04	88.5	78.9
810-73371-22	MWT-12	90.7	77.0
810-73371-23	SG-02	81.7	78.9
810-73371-24	SG-03	85.0	77.8
810-73371-25	SG-04R	87.2	77.4
810-73371-26	SG-05	79.4	78.5
810-73371-27	SG-06	70.2	78.9

Tracer/Carrier Legend

Ba = Ba Carrier

Y = Y Carrier

QC Sample Results

Client: Trace Analytical Laboratories
Project/Site: 23H0448 - Harbor Island

Job ID: 810-73371-1

Method: 903.0 - Radium-226 (GFPC)

Lab Sample ID: MB 160-624323/1-A

Matrix: Drinking Water

Analysis Batch: 627054

Analyte	Result	MB	MB	Count		Total		RL	MDC	Unit	Prepared	Analyzed	Dil Fac	
				Uncert.	(2σ+/-)	Uncert.	(2σ+/-)							
Radium-226	-0.002850	U	U	0.0367	0.0367	1.00	0.0836	pCi/L	08/16/23 09:56	09/07/23 07:35	1			
Carrier		MB	MB									Prepared	Analyzed	Dil Fac
Ba Carrier	95.0	%Yield	Qualifier	Limits	30 - 110							08/16/23 09:56	09/07/23 07:35	1

Lab Sample ID: LCS 160-624323/2-A

Matrix: Drinking Water

Analysis Batch: 627054

Analyte	Spike Added	LCS Result	LCS Qual	Total		RL	MDC	Unit	%Rec	Limits	%Rec	Limits
				Uncert.	(2σ+/-)							
Radium-226	11.3	10.78	*	1.12	1.12	1.00	0.0907	pCi/L	95	90 - 110		
Carrier	LCS	LCS										
Ba Carrier	%Yield	Qualifier	Limits	30 - 110								

Lab Sample ID: LCSD 160-624323/3-A

Matrix: Drinking Water

Analysis Batch: 627054

Analyte	Spike Added	LCSD Result	LCSD Qual	Total		RL	MDC	Unit	%Rec	Limits	%Rec	RER Limit
				Uncert.	(2σ+/-)							
Radium-226	11.3	9.894	*	1.04	1.04	1.00	0.0891	pCi/L	87	90 - 110	0.41	1

Lab Sample ID: MB 160-624325/1-A

Matrix: Drinking Water

Analysis Batch: 627054

Analyte	Result	MB	MB	Count		Uncert.	(2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac	
				Uncert.	(2σ+/-)									
Radium-226	0.02900	U	U	0.0526	0.0526	1.00	0.0945	pCi/L	08/16/23 10:01	09/07/23 09:35	1			
Carrier	MB	MB										Prepared	Analyzed	Dil Fac
Ba Carrier	%Yield	Qualifier	Limits	30 - 110								08/16/23 10:01	09/07/23 09:35	1

Lab Sample ID: LCS 160-624325/2-A

Matrix: Drinking Water

Analysis Batch: 627054

Analyte	Spike Added	LCS Result	LCS Qual	Total		RL	MDC	Unit	%Rec	Limits	%Rec	Limits
				Uncert.	(2σ+/-)							
Radium-226	11.3	10.20	*	1.08	1.08	1.00	0.0969	pCi/L	90	90 - 110		
Carrier	LCS	LCS										
Ba Carrier	%Yield	Qualifier	Limits	30 - 110								

QC Sample Results

Client: Trace Analytical Laboratories
 Project/Site: 23H0448 - Harbor Island

Job ID: 810-73371-1

Method: 903.0 - Radium-226 (GFPC) (Continued)

Lab Sample ID: MB 160-624483/1-A

Matrix: Drinking Water

Analysis Batch: 627236

Analyte	Result	MB	MB	Count		Total		RL	MDC	Unit	Prepared	Analyzed	Dil Fac
				Qualifier	Uncert. (2σ+/-)	Uncert. (2σ+/-)	Unit						
Radium-226	0.06554	U			0.0656	0.0658	pCi/L	1.00	0.102		08/17/23 10:33	09/08/23 07:11	1
Carrier		MB	MB								Prepared	Analyzed	Dil Fac
Ba Carrier	94.0	%Yield	Qualifier	Limits	30 - 110						08/17/23 10:33	09/08/23 07:11	1

Lab Sample ID: LCS 160-624483/2-A

Matrix: Drinking Water

Analysis Batch: 627236

Analyte	Spike Added	LCS Result	LCS Qual	Total		RL	MDC	Unit	%Rec	Limits	%Rec
				Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	11.3	10.41		1.09	1.09	1.00	0.102	pCi/L	92	90 - 110	
Carrier	LCS	LCS									
Ba Carrier	%Yield	Qualifier	Limits	30 - 110							

Method: 904.0 - Radium-228 (GFPC)

Lab Sample ID: MB 160-624324/1-A

Matrix: Drinking Water

Analysis Batch: 625942

Analyte	Result	MB	MB	Count		Total		RL	MDC	Unit	Prepared	Analyzed	Dil Fac
				Qualifier	Uncert. (2σ+/-)	Uncert. (2σ+/-)	Unit						
Radium-228	0.3670	U			0.378	0.380	pCi/L	1.00	0.612		08/16/23 10:00	08/29/23 12:33	1
Carrier	MB	MB									Prepared	Analyzed	Dil Fac
Ba Carrier	%Yield	Qualifier	Limits	30 - 110							08/16/23 10:00	08/29/23 12:33	1
Y Carrier	95.0			30 - 110							08/16/23 10:00	08/29/23 12:33	1

Lab Sample ID: LCS 160-624324/2-A

Matrix: Drinking Water

Analysis Batch: 625887

Analyte	Spike Added	LCS Result	LCS Qual	Total		RL	MDC	Unit	%Rec	Limits	%Rec
				Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	7.92	8.141		1.72	1.72	1.00	1.43	pCi/L	103	80 - 120	
Carrier	LCS	LCS									
Ba Carrier	%Yield	Qualifier	Limits	30 - 110							
Y Carrier	92.5		30 - 110	30 - 110							

QC Sample Results

Client: Trace Analytical Laboratories
Project/Site: 23H0448 - Harbor Island

Job ID: 810-73371-1

Method: 904.0 - Radium-228 (GFPC) (Continued)

Lab Sample ID: LCSD 160-624324/3-A

Matrix: Drinking Water

Analysis Batch: 625887

Analyte	Spike Added	LCSD		Total		RL	MDC	Unit	%Rec	Limits	RER	RER Limit
		Result	Qual	Uncert. (2σ+/-)	Uncert.							
Radium-228	7.92	9.171		1.87	1.00	1.00	1.56	pCi/L	116	80 - 120	0.29	1
Carrier												
		LCSD	LCSD									
	%Yield	Qualifier	Limits									
Ba Carrier	93.0		30 - 110									
Y Carrier	77.0		30 - 110									

Lab Sample ID: MB 160-624326/1-A

Matrix: Drinking Water

Analysis Batch: 626294

Analyte	Result	MB		Count Uncert.		Total Uncert.		RL	MDC	Unit	Prepared	Analyzed	Dil Fac
		MB	MB	Uncert. (2σ+/-)	Uncert. (2σ+/-)	Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	0.4450	U		0.410		0.412	0.412	1.00	0.653	pCi/L	08/16/23 10:10	08/31/23 11:42	1
Carrier													
		MB	MB										
	%Yield	Qualifier	Limits										
Ba Carrier	89.7		30 - 110										
Y Carrier	76.6		30 - 110										
Prepared													
	08/16/23 10:10		08/31/23 11:42										
Analyzed													
	08/16/23 10:10		08/31/23 11:42										
Dil Fac													
	1		1										

Lab Sample ID: LCS 160-624326/2-A

Matrix: Drinking Water

Analysis Batch: 626294

Analyte	Spike Added	LCS		Count Uncert.		Total Uncert.		RL	MDC	Unit	%Rec	Limits	Dil Fac
		LCS	LCS	Uncert. (2σ+/-)	Uncert. (2σ+/-)	Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	7.91	8.293		1.20		1.00	1.00	1.00	0.538	pCi/L	105	80 - 120	
Carrier													
		LCS	LCS										
	%Yield	Qualifier	Limits										
Ba Carrier	93.7		30 - 110										
Y Carrier	80.7		30 - 110										

Lab Sample ID: MB 160-624485/1-A

Matrix: Drinking Water

Analysis Batch: 626305

Analyte	Spike Added	MB		Count Uncert.		Total Uncert.		RL	MDC	Unit	%Rec	Limits	Dil Fac
		MB	MB	Uncert. (2σ+/-)	Uncert. (2σ+/-)	Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	7.91	8.293		1.20		1.00	1.00	1.00	0.510	pCi/L	105	80 - 120	
Carrier													
		MB	MB										
	%Yield	Qualifier	Limits										
Ba Carrier	94.0		30 - 110										
Y Carrier	81.1		30 - 110										
Prepared													
	08/17/23 10:40		08/31/23 11:29										
Analyzed													
	08/17/23 10:40		08/31/23 11:29										
Dil Fac													
	1		1										

QC Sample Results

Client: Trace Analytical Laboratories
Project/Site: 23H0448 - Harbor Island

Job ID: 810-73371-1

Method: 904.0 - Radium-228 (GFPC) (Continued)

Lab Sample ID: LCS 160-624485/2-A

Matrix: Drinking Water

Analysis Batch: 626305

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 624485

Analyte	Spike Added	LCS		Qual	Total Uncert. (2σ+/-)	RL	MDC	Unit	%Rec	Limits
		Result	LCS							
Radium-228	7.91	8.673			1.22	1.00	0.531	pCi/L	110	80 - 120
Carrier										
Carrier	%Yield	LCS	LCS	Qualifier	Limits					
Ba Carrier	94.2				30 - 110					
Y Carrier	80.7				30 - 110					

QC Association Summary

Client: Trace Analytical Laboratories
 Project/Site: 23H0448 - Harbor Island

Job ID: 810-73371-1

Rad

Prep Batch: 624323

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
810-73371-16	MW-30	Total/NA	Ground Water	PrecSep-21	
810-73371-17	MW-31	Total/NA	Ground Water	PrecSep-21	
810-73371-18	MW-32	Total/NA	Ground Water	PrecSep-21	
810-73371-19	MW-33	Total/NA	Ground Water	PrecSep-21	
810-73371-20	MW-34	Total/NA	Ground Water	PrecSep-21	
MB 160-624323/1-A	Method Blank	Total/NA	Drinking Water	PrecSep-21	
LCS 160-624323/2-A	Lab Control Sample	Total/NA	Drinking Water	PrecSep-21	
LCSD 160-624323/3-A	Lab Control Sample Dup	Total/NA	Drinking Water	PrecSep-21	

Prep Batch: 624324

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
810-73371-16	MW-30	Total/NA	Ground Water	PrecSep_0	
810-73371-17	MW-31	Total/NA	Ground Water	PrecSep_0	
810-73371-18	MW-32	Total/NA	Ground Water	PrecSep_0	
810-73371-19	MW-33	Total/NA	Ground Water	PrecSep_0	
810-73371-20	MW-34	Total/NA	Ground Water	PrecSep_0	
MB 160-624324/1-A	Method Blank	Total/NA	Drinking Water	PrecSep_0	
LCS 160-624324/2-A	Lab Control Sample	Total/NA	Drinking Water	PrecSep_0	
LCSD 160-624324/3-A	Lab Control Sample Dup	Total/NA	Drinking Water	PrecSep_0	

Prep Batch: 624325

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
810-73371-21	MWT-04	Total/NA	Ground Water	PrecSep-21	
810-73371-22	MWT-12	Total/NA	Ground Water	PrecSep-21	
810-73371-23	SG-02	Total/NA	Ground Water	PrecSep-21	
810-73371-24	SG-03	Total/NA	Ground Water	PrecSep-21	
810-73371-25	SG-04R	Total/NA	Ground Water	PrecSep-21	
810-73371-26	SG-05	Total/NA	Ground Water	PrecSep-21	
810-73371-27	SG-06	Total/NA	Ground Water	PrecSep-21	
MB 160-624325/1-A	Method Blank	Total/NA	Drinking Water	PrecSep-21	
LCS 160-624325/2-A	Lab Control Sample	Total/NA	Drinking Water	PrecSep-21	

Prep Batch: 624326

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
810-73371-21	MWT-04	Total/NA	Ground Water	PrecSep_0	
810-73371-22	MWT-12	Total/NA	Ground Water	PrecSep_0	
810-73371-23	SG-02	Total/NA	Ground Water	PrecSep_0	
810-73371-24	SG-03	Total/NA	Ground Water	PrecSep_0	
810-73371-25	SG-04R	Total/NA	Ground Water	PrecSep_0	
810-73371-26	SG-05	Total/NA	Ground Water	PrecSep_0	
810-73371-27	SG-06	Total/NA	Ground Water	PrecSep_0	
MB 160-624326/1-A	Method Blank	Total/NA	Drinking Water	PrecSep_0	
LCS 160-624326/2-A	Lab Control Sample	Total/NA	Drinking Water	PrecSep_0	

Prep Batch: 624483

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
810-73371-1	MW-01R	Total/NA	Ground Water	PrecSep-21	
810-73371-2	MW-02	Total/NA	Ground Water	PrecSep-21	
810-73371-3	MW-03	Total/NA	Ground Water	PrecSep-21	
810-73371-4	MW-04	Total/NA	Ground Water	PrecSep-21	
810-73371-5	MW-06	Total/NA	Ground Water	PrecSep-21	

QC Association Summary

Client: Trace Analytical Laboratories
 Project/Site: 23H0448 - Harbor Island

Job ID: 810-73371-1

Rad (Continued)

Prep Batch: 624483 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
810-73371-6	MW-07	Total/NA	Ground Water	PrecSep-21	
810-73371-7	MW-08	Total/NA	Ground Water	PrecSep-21	
810-73371-8	MW-09	Total/NA	Ground Water	PrecSep-21	
810-73371-9	MW-10	Total/NA	Ground Water	PrecSep-21	
810-73371-10	MW-11	Total/NA	Ground Water	PrecSep-21	
810-73371-11	MW-12	Total/NA	Ground Water	PrecSep-21	
810-73371-12	MW-18	Total/NA	Ground Water	PrecSep-21	
810-73371-13	MW-19	Total/NA	Ground Water	PrecSep-21	
810-73371-14	MW-20	Total/NA	Ground Water	PrecSep-21	
810-73371-15	MW-27	Total/NA	Ground Water	PrecSep-21	
MB 160-624483/1-A	Method Blank	Total/NA	Drinking Water	PrecSep-21	
LCS 160-624483/2-A	Lab Control Sample	Total/NA	Drinking Water	PrecSep-21	

Prep Batch: 624485

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
810-73371-1	MW-01R	Total/NA	Ground Water	PrecSep_0	
810-73371-2	MW-02	Total/NA	Ground Water	PrecSep_0	
810-73371-3	MW-03	Total/NA	Ground Water	PrecSep_0	
810-73371-4	MW-04	Total/NA	Ground Water	PrecSep_0	
810-73371-5	MW-06	Total/NA	Ground Water	PrecSep_0	
810-73371-6	MW-07	Total/NA	Ground Water	PrecSep_0	
810-73371-7	MW-08	Total/NA	Ground Water	PrecSep_0	
810-73371-8	MW-09	Total/NA	Ground Water	PrecSep_0	
810-73371-9	MW-10	Total/NA	Ground Water	PrecSep_0	
810-73371-10	MW-11	Total/NA	Ground Water	PrecSep_0	
810-73371-11	MW-12	Total/NA	Ground Water	PrecSep_0	
810-73371-12	MW-18	Total/NA	Ground Water	PrecSep_0	
810-73371-13	MW-19	Total/NA	Ground Water	PrecSep_0	
810-73371-14	MW-20	Total/NA	Ground Water	PrecSep_0	
810-73371-15	MW-27	Total/NA	Ground Water	PrecSep_0	
MB 160-624485/1-A	Method Blank	Total/NA	Drinking Water	PrecSep_0	
LCS 160-624485/2-A	Lab Control Sample	Total/NA	Drinking Water	PrecSep_0	

Lab Chronicle

Client: Trace Analytical Laboratories
 Project/Site: 23H0448 - Harbor Island

Job ID: 810-73371-1

Client Sample ID: MW-01R

Date Collected: 08/08/23 14:25

Date Received: 08/10/23 11:00

Lab Sample ID: 810-73371-1

Matrix: Ground Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	PrecSep-21			624483	KAC	EET SL	08/17/23 10:33
Total/NA	Analysis	903.0		1	627236	SCB	EET SL	09/08/23 07:14
Total/NA	Prep	PrecSep_0			624485	KAC	EET SL	08/17/23 10:40
Total/NA	Analysis	904.0		1	626305	FLC	EET SL	08/31/23 11:28
Total/NA	Analysis	Ra226_Ra228 Pos		1	627952	FLC	EET SL	09/13/23 16:43

Client Sample ID: MW-02

Date Collected: 08/08/23 10:25

Date Received: 08/10/23 11:00

Lab Sample ID: 810-73371-2

Matrix: Ground Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	PrecSep-21			624483	KAC	EET SL	08/17/23 10:33
Total/NA	Analysis	903.0		1	627236	SCB	EET SL	09/08/23 07:14
Total/NA	Prep	PrecSep_0			624485	KAC	EET SL	08/17/23 10:40
Total/NA	Analysis	904.0		1	626305	FLC	EET SL	08/31/23 11:28
Total/NA	Analysis	Ra226_Ra228 Pos		1	627952	FLC	EET SL	09/13/23 16:43

Client Sample ID: MW-03

Date Collected: 08/07/23 15:20

Date Received: 08/10/23 11:00

Lab Sample ID: 810-73371-3

Matrix: Ground Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	PrecSep-21			624483	KAC	EET SL	08/17/23 10:33
Total/NA	Analysis	903.0		1	627236	SCB	EET SL	09/08/23 07:14
Total/NA	Prep	PrecSep_0			624485	KAC	EET SL	08/17/23 10:40
Total/NA	Analysis	904.0		1	626305	FLC	EET SL	08/31/23 11:28
Total/NA	Analysis	Ra226_Ra228 Pos		1	627952	FLC	EET SL	09/13/23 16:43

Client Sample ID: MW-04

Date Collected: 08/07/23 14:00

Date Received: 08/10/23 11:00

Lab Sample ID: 810-73371-4

Matrix: Ground Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	PrecSep-21			624483	KAC	EET SL	08/17/23 10:33
Total/NA	Analysis	903.0		1	627236	SCB	EET SL	09/08/23 07:14
Total/NA	Prep	PrecSep_0			624485	KAC	EET SL	08/17/23 10:40
Total/NA	Analysis	904.0		1	626294	FLC	EET SL	08/31/23 11:36
Total/NA	Analysis	Ra226_Ra228 Pos		1	627952	FLC	EET SL	09/13/23 16:43

Lab Chronicle

Client: Trace Analytical Laboratories
 Project/Site: 23H0448 - Harbor Island

Job ID: 810-73371-1

Client Sample ID: MW-06

Date Collected: 08/08/23 14:30

Date Received: 08/10/23 11:00

Lab Sample ID: 810-73371-5

Matrix: Ground Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	PrecSep-21			624483	KAC	EET SL	08/17/23 10:33
Total/NA	Analysis	903.0		1	627236	SCB	EET SL	09/08/23 07:15
Total/NA	Prep	PrecSep_0			624485	KAC	EET SL	08/17/23 10:40
Total/NA	Analysis	904.0		1	626294	FLC	EET SL	08/31/23 11:36
Total/NA	Analysis	Ra226_Ra228 Pos		1	627952	FLC	EET SL	09/13/23 16:43

Client Sample ID: MW-07

Date Collected: 08/07/23 14:30

Date Received: 08/10/23 11:00

Lab Sample ID: 810-73371-6

Matrix: Ground Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	PrecSep-21			624483	KAC	EET SL	08/17/23 10:33
Total/NA	Analysis	903.0		1	627236	SCB	EET SL	09/08/23 07:16
Total/NA	Prep	PrecSep_0			624485	KAC	EET SL	08/17/23 10:40
Total/NA	Analysis	904.0		1	626294	FLC	EET SL	08/31/23 11:36
Total/NA	Analysis	Ra226_Ra228 Pos		1	627952	FLC	EET SL	09/13/23 16:43

Client Sample ID: MW-08

Date Collected: 08/08/23 12:40

Date Received: 08/10/23 11:00

Lab Sample ID: 810-73371-7

Matrix: Ground Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	PrecSep-21			624483	KAC	EET SL	08/17/23 10:33
Total/NA	Analysis	903.0		1	627236	SCB	EET SL	09/08/23 07:16
Total/NA	Prep	PrecSep_0			624485	KAC	EET SL	08/17/23 10:40
Total/NA	Analysis	904.0		1	626294	FLC	EET SL	08/31/23 11:37
Total/NA	Analysis	Ra226_Ra228 Pos		1	627952	FLC	EET SL	09/13/23 16:43

Client Sample ID: MW-09

Date Collected: 08/08/23 09:20

Date Received: 08/10/23 11:00

Lab Sample ID: 810-73371-8

Matrix: Ground Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	PrecSep-21			624483	KAC	EET SL	08/17/23 10:33
Total/NA	Analysis	903.0		1	627236	SCB	EET SL	09/08/23 07:16
Total/NA	Prep	PrecSep_0			624485	KAC	EET SL	08/17/23 10:40
Total/NA	Analysis	904.0		1	626294	FLC	EET SL	08/31/23 11:37
Total/NA	Analysis	Ra226_Ra228 Pos		1	627952	FLC	EET SL	09/13/23 16:43

Lab Chronicle

Client: Trace Analytical Laboratories
 Project/Site: 23H0448 - Harbor Island

Job ID: 810-73371-1

Client Sample ID: MW-10

Date Collected: 08/08/23 11:45

Date Received: 08/10/23 11:00

Lab Sample ID: 810-73371-9

Matrix: Ground Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	PrecSep-21			624483	KAC	EET SL	08/17/23 10:33
Total/NA	Analysis	903.0		1	627236	SCB	EET SL	09/08/23 07:16
Total/NA	Prep	PrecSep_0			624485	KAC	EET SL	08/17/23 10:40
Total/NA	Analysis	904.0		1	626294	FLC	EET SL	08/31/23 11:37
Total/NA	Analysis	Ra226_Ra228 Pos		1	627952	FLC	EET SL	09/13/23 16:43

Client Sample ID: MW-11

Date Collected: 08/08/23 16:00

Date Received: 08/10/23 11:00

Lab Sample ID: 810-73371-10

Matrix: Ground Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	PrecSep-21			624483	KAC	EET SL	08/17/23 10:33
Total/NA	Analysis	903.0		1	627239	SCB	EET SL	09/08/23 07:20
Total/NA	Prep	PrecSep_0			624485	KAC	EET SL	08/17/23 10:40
Total/NA	Analysis	904.0		1	626294	FLC	EET SL	08/31/23 11:37
Total/NA	Analysis	Ra226_Ra228 Pos		1	627952	FLC	EET SL	09/13/23 16:43

Client Sample ID: MW-12

Date Collected: 08/07/23 16:30

Date Received: 08/10/23 11:00

Lab Sample ID: 810-73371-11

Matrix: Ground Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	PrecSep-21			624483	KAC	EET SL	08/17/23 10:33
Total/NA	Analysis	903.0		1	627239	SCB	EET SL	09/08/23 07:21
Total/NA	Prep	PrecSep_0			624485	KAC	EET SL	08/17/23 10:40
Total/NA	Analysis	904.0		1	626294	FLC	EET SL	08/31/23 11:32
Total/NA	Analysis	Ra226_Ra228 Pos		1	627952	FLC	EET SL	09/13/23 16:43

Client Sample ID: MW-18

Date Collected: 08/08/23 15:30

Date Received: 08/10/23 11:00

Lab Sample ID: 810-73371-12

Matrix: Ground Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	PrecSep-21			624483	KAC	EET SL	08/17/23 10:33
Total/NA	Analysis	903.0		1	627239	SCB	EET SL	09/08/23 07:21
Total/NA	Prep	PrecSep_0			624485	KAC	EET SL	08/17/23 10:40
Total/NA	Analysis	904.0		1	626294	FLC	EET SL	08/31/23 11:32
Total/NA	Analysis	Ra226_Ra228 Pos		1	627952	FLC	EET SL	09/13/23 16:43

Lab Chronicle

Client: Trace Analytical Laboratories
 Project/Site: 23H0448 - Harbor Island

Job ID: 810-73371-1

Client Sample ID: MW-19

Date Collected: 08/07/23 17:30

Date Received: 08/10/23 11:00

Lab Sample ID: 810-73371-13

Matrix: Ground Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	PrecSep-21			624483	KAC	EET SL	08/17/23 10:33
Total/NA	Analysis	903.0		1	627239	SCB	EET SL	09/08/23 07:21
Total/NA	Prep	PrecSep_0			624485	KAC	EET SL	08/17/23 10:40
Total/NA	Analysis	904.0		1	626294	FLC	EET SL	08/31/23 11:32
Total/NA	Analysis	Ra226_Ra228 Pos		1	627952	FLC	EET SL	09/13/23 16:43

Client Sample ID: MW-20

Date Collected: 08/07/23 16:00

Date Received: 08/10/23 11:00

Lab Sample ID: 810-73371-14

Matrix: Ground Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	PrecSep-21			624483	KAC	EET SL	08/17/23 10:33
Total/NA	Analysis	903.0		1	627239	SCB	EET SL	09/08/23 07:21
Total/NA	Prep	PrecSep_0			624485	KAC	EET SL	08/17/23 10:40
Total/NA	Analysis	904.0		1	626294	FLC	EET SL	08/31/23 11:32
Total/NA	Analysis	Ra226_Ra228 Pos		1	627952	FLC	EET SL	09/13/23 16:43

Client Sample ID: MW-27

Date Collected: 08/07/23 12:55

Date Received: 08/10/23 11:00

Lab Sample ID: 810-73371-15

Matrix: Ground Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	PrecSep-21			624483	KAC	EET SL	08/17/23 10:33
Total/NA	Analysis	903.0		1	627241	SCB	EET SL	09/08/23 07:21
Total/NA	Prep	PrecSep_0			624485	KAC	EET SL	08/17/23 10:40
Total/NA	Analysis	904.0		1	626294	FLC	EET SL	08/31/23 11:32
Total/NA	Analysis	Ra226_Ra228 Pos		1	627952	FLC	EET SL	09/13/23 16:43

Client Sample ID: MW-30

Date Collected: 08/08/23 09:20

Date Received: 08/10/23 11:00

Lab Sample ID: 810-73371-16

Matrix: Ground Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	PrecSep-21			624323	KAC	EET SL	08/16/23 09:56
Total/NA	Analysis	903.0		1	627058	SCB	EET SL	09/07/23 07:42
Total/NA	Prep	PrecSep_0			624324	KAC	EET SL	08/16/23 10:00
Total/NA	Analysis	904.0		1	625944	CMM	EET SL	08/29/23 12:35
Total/NA	Analysis	Ra226_Ra228 Pos		1	627952	FLC	EET SL	09/13/23 16:43

Lab Chronicle

Client: Trace Analytical Laboratories
 Project/Site: 23H0448 - Harbor Island

Job ID: 810-73371-1

Client Sample ID: MW-31

Date Collected: 08/08/23 11:30
Date Received: 08/10/23 11:00

Lab Sample ID: 810-73371-17

Matrix: Ground Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	PrecSep-21			624323	KAC	EET SL	08/16/23 09:56
Total/NA	Analysis	903.0		1	627054	SCB	EET SL	09/07/23 09:34
Total/NA	Prep	PrecSep_0			624324	KAC	EET SL	08/16/23 10:00
Total/NA	Analysis	904.0		1	625944	CMM	EET SL	08/29/23 12:35
Total/NA	Analysis	Ra226_Ra228 Pos		1	627952	FLC	EET SL	09/13/23 16:43

Client Sample ID: MW-32

Date Collected: 08/08/23 13:00
Date Received: 08/10/23 11:00

Lab Sample ID: 810-73371-18

Matrix: Ground Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	PrecSep-21			624323	KAC	EET SL	08/16/23 09:56
Total/NA	Analysis	903.0		1	627054	SCB	EET SL	09/07/23 09:34
Total/NA	Prep	PrecSep_0			624324	KAC	EET SL	08/16/23 10:00
Total/NA	Analysis	904.0		1	625944	CMM	EET SL	08/29/23 12:35
Total/NA	Analysis	Ra226_Ra228 Pos		1	627952	FLC	EET SL	09/13/23 16:43

Client Sample ID: MW-33

Date Collected: 08/07/23 12:00
Date Received: 08/10/23 11:00

Lab Sample ID: 810-73371-19

Matrix: Ground Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	PrecSep-21			624323	KAC	EET SL	08/16/23 09:56
Total/NA	Analysis	903.0		1	627054	SCB	EET SL	09/07/23 09:34
Total/NA	Prep	PrecSep_0			624324	KAC	EET SL	08/16/23 10:00
Total/NA	Analysis	904.0		1	625944	CMM	EET SL	08/29/23 12:35
Total/NA	Analysis	Ra226_Ra228 Pos		1	627952	FLC	EET SL	09/13/23 16:43

Client Sample ID: MW-34

Date Collected: 08/07/23 11:20
Date Received: 08/10/23 11:00

Lab Sample ID: 810-73371-20

Matrix: Ground Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	PrecSep-21			624323	KAC	EET SL	08/16/23 09:56
Total/NA	Analysis	903.0		1	627054	SCB	EET SL	09/07/23 09:34
Total/NA	Prep	PrecSep_0			624324	KAC	EET SL	08/16/23 10:00
Total/NA	Analysis	904.0		1	625944	CMM	EET SL	08/29/23 12:36
Total/NA	Analysis	Ra226_Ra228 Pos		1	627952	FLC	EET SL	09/13/23 16:43

Lab Chronicle

Client: Trace Analytical Laboratories
 Project/Site: 23H0448 - Harbor Island

Job ID: 810-73371-1

Client Sample ID: MWT-04

Date Collected: 08/07/23 14:00

Date Received: 08/10/23 11:00

Lab Sample ID: 810-73371-21

Matrix: Ground Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	PrecSep-21			624325	KAC	EET SL	08/16/23 10:01
Total/NA	Analysis	903.0		1	627054	SCB	EET SL	09/07/23 09:36
Total/NA	Prep	PrecSep_0			624326	KAC	EET SL	08/16/23 10:10
Total/NA	Analysis	904.0		1	626294	FLC	EET SL	08/31/23 11:46
Total/NA	Analysis	Ra226_Ra228 Pos		1	627952	FLC	EET SL	09/13/23 16:43

Client Sample ID: MWT-12

Date Collected: 08/07/23 16:30

Date Received: 08/10/23 11:00

Lab Sample ID: 810-73371-22

Matrix: Ground Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	PrecSep-21			624325	KAC	EET SL	08/16/23 10:01
Total/NA	Analysis	903.0		1	627054	SCB	EET SL	09/07/23 09:36
Total/NA	Prep	PrecSep_0			624326	KAC	EET SL	08/16/23 10:10
Total/NA	Analysis	904.0		1	626294	FLC	EET SL	08/31/23 11:46
Total/NA	Analysis	Ra226_Ra228 Pos		1	627952	FLC	EET SL	09/13/23 16:43

Client Sample ID: SG-02

Date Collected: 08/08/23 17:05

Date Received: 08/10/23 11:00

Lab Sample ID: 810-73371-23

Matrix: Ground Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	PrecSep-21			624325	KAC	EET SL	08/16/23 10:01
Total/NA	Analysis	903.0		1	627054	SCB	EET SL	09/07/23 09:36
Total/NA	Prep	PrecSep_0			624326	KAC	EET SL	08/16/23 10:10
Total/NA	Analysis	904.0		1	626294	FLC	EET SL	08/31/23 11:47
Total/NA	Analysis	Ra226_Ra228 Pos		1	627952	FLC	EET SL	09/13/23 16:43

Client Sample ID: SG-03

Date Collected: 08/08/23 17:15

Date Received: 08/10/23 11:00

Lab Sample ID: 810-73371-24

Matrix: Ground Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	PrecSep-21			624325	KAC	EET SL	08/16/23 10:01
Total/NA	Analysis	903.0		1	627054	SCB	EET SL	09/07/23 09:36
Total/NA	Prep	PrecSep_0			624326	KAC	EET SL	08/16/23 10:10
Total/NA	Analysis	904.0		1	626294	FLC	EET SL	08/31/23 11:47
Total/NA	Analysis	Ra226_Ra228 Pos		1	627952	FLC	EET SL	09/13/23 16:43

Lab Chronicle

Client: Trace Analytical Laboratories
 Project/Site: 23H0448 - Harbor Island

Job ID: 810-73371-1

Client Sample ID: SG-04R

Date Collected: 08/08/23 16:50

Date Received: 08/10/23 11:00

Lab Sample ID: 810-73371-25

Matrix: Ground Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	PrecSep-21			624325	KAC	EET SL	08/16/23 10:01
Total/NA	Analysis	903.0		1	627054	SCB	EET SL	09/07/23 09:37
Total/NA	Prep	PrecSep_0			624326	KAC	EET SL	08/16/23 10:10
Total/NA	Analysis	904.0		1	626294	FLC	EET SL	08/31/23 11:47
Total/NA	Analysis	Ra226_Ra228 Pos		1	627952	FLC	EET SL	09/13/23 16:43

Client Sample ID: SG-05

Date Collected: 08/08/23 16:40

Date Received: 08/10/23 11:00

Lab Sample ID: 810-73371-26

Matrix: Ground Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	PrecSep-21			624325	KAC	EET SL	08/16/23 10:01
Total/NA	Analysis	903.0		1	627054	SCB	EET SL	09/07/23 09:37
Total/NA	Prep	PrecSep_0			624326	KAC	EET SL	08/16/23 10:10
Total/NA	Analysis	904.0		1	626294	FLC	EET SL	08/31/23 11:47
Total/NA	Analysis	Ra226_Ra228 Pos		1	627952	FLC	EET SL	09/13/23 16:43

Client Sample ID: SG-06

Date Collected: 08/08/23 17:25

Date Received: 08/10/23 11:00

Lab Sample ID: 810-73371-27

Matrix: Ground Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	PrecSep-21			624325	KAC	EET SL	08/16/23 10:01
Total/NA	Analysis	903.0		1	627054	SCB	EET SL	09/07/23 09:37
Total/NA	Prep	PrecSep_0			624326	KAC	EET SL	08/16/23 10:10
Total/NA	Analysis	904.0		1	626294	FLC	EET SL	08/31/23 11:47
Total/NA	Analysis	Ra226_Ra228 Pos		1	627952	FLC	EET SL	09/13/23 16:43

Laboratory References:

EET SL = Eurofins St. Louis, 13715 Rider Trail North, Earth City, MO 63045, TEL (314)298-8566

Accreditation/Certification Summary

Client: Trace Analytical Laboratories
 Project/Site: 23H0448 - Harbor Island

Job ID: 810-73371-1

Laboratory: Eurofins St. Louis

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Alaska (UST)	State	20-001	05-06-25
ANAB	Dept. of Defense ELAP	L2305	04-06-25
ANAB	Dept. of Energy	L2305.01	04-06-25
ANAB	ISO/IEC 17025	L2305	04-06-25
Arizona	State	AZ0813	12-08-23
California	Los Angeles County Sanitation Districts	10259	06-30-22 *
California	State	2886	06-30-24
Connecticut	State	PH-0241	03-31-25
Florida	NELAP	E87689	06-30-24
HI - RadChem Recognition	State	n/a	06-30-24
Illinois	NELAP	200023	11-30-23
Iowa	State	373	12-01-24
Kansas	NELAP	E-10236	10-31-23
Kentucky (DW)	State	KY90125	12-31-23
Kentucky (WW)	State	KY90125 (Permit KY0004049)	12-31-23
Louisiana	NELAP	04080	06-30-22 *
Louisiana (All)	NELAP	04080	06-30-24
Louisiana (DW)	State	LA011	12-31-23
Maryland	State	310	09-30-24
Massachusetts	State	M-MO054	06-30-24
MI - RadChem Recognition	State	9005	06-30-24
Missouri	State	780	06-30-25
Nevada	State	MO000542020-1	07-31-24
New Jersey	NELAP	MO002	06-30-24
New Mexico	State	MO00054	06-30-24
New York	NELAP	11616	03-31-24
North Carolina (DW)	State	29700	07-31-24
North Dakota	State	R-207	06-30-24
Oregon	NELAP	4157	09-01-24
Pennsylvania	NELAP	68-00540	02-28-24
South Carolina	State	85002001	06-30-23 *
Texas	NELAP	T104704193	07-31-24
US Fish & Wildlife	US Federal Programs	058448	07-31-24
USDA	US Federal Programs	P330-17-00028	05-18-26
Utah	NELAP	MO000542021-14	07-31-24
Virginia	NELAP	10310	06-15-25
West Virginia DEP	State	381	10-31-23

* Accreditation/Certification renewal pending - accreditation/certification considered valid.

Method Summary

Client: Trace Analytical Laboratories
Project/Site: 23H0448 - Harbor Island

Job ID: 810-73371-1

Method	Method Description	Protocol	Laboratory
903.0	Radium-226 (GFPC)	EPA	EET SL
904.0	Radium-228 (GFPC)	EPA	EET SL
Ra226_Ra228	Combined Radium-226 and Radium-228	TAL-STL	EET SL
Pos			
PrecSep_0	Preparation, Precipitate Separation	None	EET SL
PrecSep-21	Preparation, Precipitate Separation (21-Day In-Growth)	None	EET SL

Protocol References:

EPA = US Environmental Protection Agency

None = None

TAL-STL = TestAmerica Laboratories, St. Louis, Facility Standard Operating Procedure.

Laboratory References:

EET SL = Eurofins St. Louis, 13715 Rider Trail North, Earth City, MO 63045, TEL (314)298-8566

Sample Summary

Client: Trace Analytical Laboratories
Project/Site: 23H0448 - Harbor Island

Job ID: 810-73371-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
810-73371-1	MW-01R	Ground Water	08/08/23 14:25	08/10/23 11:00
810-73371-2	MW-02	Ground Water	08/08/23 10:25	08/10/23 11:00
810-73371-3	MW-03	Ground Water	08/07/23 15:20	08/10/23 11:00
810-73371-4	MW-04	Ground Water	08/07/23 14:00	08/10/23 11:00
810-73371-5	MW-06	Ground Water	08/08/23 14:30	08/10/23 11:00
810-73371-6	MW-07	Ground Water	08/07/23 14:30	08/10/23 11:00
810-73371-7	MW-08	Ground Water	08/08/23 12:40	08/10/23 11:00
810-73371-8	MW-09	Ground Water	08/08/23 09:20	08/10/23 11:00
810-73371-9	MW-10	Ground Water	08/08/23 11:45	08/10/23 11:00
810-73371-10	MW-11	Ground Water	08/08/23 16:00	08/10/23 11:00
810-73371-11	MW-12	Ground Water	08/07/23 16:30	08/10/23 11:00
810-73371-12	MW-18	Ground Water	08/08/23 15:30	08/10/23 11:00
810-73371-13	MW-19	Ground Water	08/07/23 17:30	08/10/23 11:00
810-73371-14	MW-20	Ground Water	08/07/23 16:00	08/10/23 11:00
810-73371-15	MW-27	Ground Water	08/07/23 12:55	08/10/23 11:00
810-73371-16	MW-30	Ground Water	08/08/23 09:20	08/10/23 11:00
810-73371-17	MW-31	Ground Water	08/08/23 11:30	08/10/23 11:00
810-73371-18	MW-32	Ground Water	08/08/23 13:00	08/10/23 11:00
810-73371-19	MW-33	Ground Water	08/07/23 12:00	08/10/23 11:00
810-73371-20	MW-34	Ground Water	08/07/23 11:20	08/10/23 11:00
810-73371-21	MWT-04	Ground Water	08/07/23 14:00	08/10/23 11:00
810-73371-22	MWT-12	Ground Water	08/07/23 16:30	08/10/23 11:00
810-73371-23	SG-02	Ground Water	08/08/23 17:05	08/10/23 11:00
810-73371-24	SG-03	Ground Water	08/08/23 17:15	08/10/23 11:00
810-73371-25	SG-04R	Ground Water	08/08/23 16:50	08/10/23 11:00
810-73371-26	SG-05	Ground Water	08/08/23 16:40	08/10/23 11:00
810-73371-27	SG-06	Ground Water	08/08/23 17:25	08/10/23 11:00

REAGENT TRACEABILITY SUMMARY

Lab Name: Eurofins St. Louis

Job No.: 810-73371-1

SDG No.:

Reagent ID	Exp Date	Prep Date	Dilutant Used	Reagent Final Volume	Parent Reagent		Analyte	Concentration		
					Reagent ID	Volume Added				
Ba_carrier_00134	07/04/24	07/07/23	DI Water, Lot N/A	1000 mL	BaCl2_00011	39.5542 g	Ba Carrier	39.5542 mg/mL		
					HNO3_00280	5 mL	Barium Chloride	39.5542 mg/mL		
					(Purchased Reagent)		Nitric acid	0.08 mg/mL		
.BaCl2_00011	05/05/28	Acros Organics (Fisher), Lot A0427481					Ba Carrier	100 %		
.HNO3_00280	07/04/24	Macron, Lot 22F2462005			(Purchased Reagent)		Barium Chloride	100 %		
Ra-226_00022	12/06/19	08/24/16	1M HNO3, Lot n/a	100 mL			Ra	7534.61 dpm/mL		
					Ra-226_00021	5.0595 g	Radium-226	7534.61 dpm/mL		
							Rn-222	7534.61 dpm/mL		
							Total Alpha Emitting Radium Isotopes	7534.61 dpm/mL		
					(Purchased Reagent)		Radium-226	2482 Bq/g		
.Ra-226_00021	09/01/53	NIST, Lot 4967A					Rn-222	2482 Bq/g		
Ra-226_00025							Total Alpha Emitting Radium Isotopes	2482 Bq/g		
					Ra-226_00024	4.9774 g	Gross Alpha			
							Gross Beta			
							Ra	8409.79 dpm/mL		
							Radium-226	8409.79 dpm/mL		
.Ra-226_00024	12/05/66		Eckert & Ziegler, Lot 104858		(Purchased Reagent)	15 mL	Rn-222	8409.79 dpm/mL		
							Total Alpha Emitting Radium Isotopes	8409.79 dpm/mL		
							Ra	2815.99 Bq/g		
							Radium-226	2815.99 Bq/g		
							Rn-222	2815.99 Bq/g		
Ra-226_00041	09/15/23	09/15/22	0.1M HCl, Lot N/A	500 mL	Ra-226_00025	15 mL	Total Alpha Emitting Radium Isotopes	2815.99 Bq/g		
							Ra	252.294 dpm/mL		
							Radium-226	252.294 dpm/mL		
							Rn-222	252.294 dpm/mL		
							Total Alpha Emitting Radium Isotopes	252.294 dpm/mL		
.Ra-226_00025	09/18/22	12/08/16	0.1M HCl, Lot N/A	100 mL	Ra-226_00024	4.9774 g	Ra	8409.79 dpm/mL		
							Radium-226	8409.79 dpm/mL		
							Rn-222	8409.79 dpm/mL		

REAGENT TRACEABILITY SUMMARY

Lab Name: Eurofins St. Louis

Job No.: 810-73371-1

SDG No.:

Reagent ID	Exp Date	Prep Date	Dilutant Used	Reagent Final Volume	Parent Reagent		Analyte	Concentration			
					Reagent ID	Volume Added					
..Ra-226_00024	12/05/66	Eckert & Ziegler, Lot 104858			(Purchased Reagent)		Total Alpha Emitting Radium Isotopes	8409.79 dpm/mL			
							Ra	2815.99 Bq/g			
							Radium-226	2815.99 Bq/g			
							Rn-222	2815.99 Bq/g			
							Total Alpha Emitting Radium Isotopes	2815.99 Bq/g			
Ra-228_00051	10/03/23	10/03/22	0.1M HCl, Lot N/A	1 L	Ra-228_00050	5.00238 g	Radium-228	20.496 dpm/mL			
.Ra-228_00050	10/03/23	Eckert & Ziegler, Lot 121695			(Purchased Reagent)		Radium-228	68.2874 Bq/g			
Sr-90_00004	09/17/59	06/21/11	0.1M HCL, Lot 0	100 mL	Sr-90_00001	5.0139 g	Gross Beta	45120.6 dpm/mL			
							Sr	22560.3 dpm/mL			
							Sr-90	22560.3 dpm/mL			
.Sr-90_00001	09/17/59	Eckert & Ziegler, Lot 80573-334			(Purchased Reagent)		Gross Beta	14998.5 Bq/g			
							Sr	7499.25 Bq/g			
							Sr-90	7499.25 Bq/g			
Sr-90_00018					Sr-90_00017	4.9997 g	Gross Alpha				
							Gross Beta	44774.2 dpm/mL			
							Sr-90	22387.1 dpm/mL			
.Sr-90_00017	11/29/62	Analytics, Lot 92352			(Purchased Reagent)		Gross Beta	14925.6 Bq/g			
							Sr-90	7462.82 Bq/g			
Th-230_00052	11/12/22	11/15/19	0.5 M HNO3, Lot n/a	100 mL	Th-230_00051	5.0493 g	Gross Alpha	2254.57 dpm/mL			
							Th-230	2254.57 dpm/mL			
.Th-230_00051	11/15/20	Eckert & Ziegler, Lot 114474			(Purchased Reagent)		Gross Alpha	744.187 Bq/g			
							Th-230	744.187 Bq/g			
Th-230_00056					Th-230_00054	5.0402 g	Gross Beta				
							Gross Alpha	2289.58 dpm/mL			
							Th-230	2289.58 dpm/mL			
.Th-230_00054	11/15/20	Eckert & Ziegler, Lot 114475			(Purchased Reagent)		Gross Alpha	757.106 Bq/g			
							Th-230	757.106 Bq/g			
Y Carrier 00086	07/06/24	CPI, Lot 2315059-1L			(Purchased Reagent)		Y Carrier	10000 mg/L			

Reagent

Ba carrier_00134

Standardization of Carrier

#	Tare Wght (g)	Gross Wght (g)	Net Wght (g)	Z Score
1	8.6768	8.7167	0.0399	0.0257
2	8.7061	8.7469	0.0408	1.3603
3	8.7187	8.7586	0.0399	0.0257
4	8.6824	8.7223	0.0399	0.0257
5	8.7042	8.7430	0.0388	1.7196
6	8.6893	8.7295	0.0402	0.4363

Average: 0.0399 Standardized value

StDev: 0.0006

StDev %: 1.63%

Carrier Reagent ID: Ba Carrier_00134

ID from TALS or lot number

Record the Reagent IDs of all chemicals used to create this carrier in the spaces below.

Reagent ID:

SOP Reference: ST-RC-0002, ST-RC-0041

SOP reference containing prep procedure must be documented

Minimum Criteria:

- Z Score must be within 3 sigma (2.58) and no more than one score outside of 2 sigma (1.96)
- 4 points required
- Any criteria stipulated in the above referenced SOP must be satisfied in addition.

Carrier: 0

Standardized Value: 0.0399

Carrier Reagent or Lot ID: Ba Carrier_00134

Approved By:

CMM

Date Approved:

7/11/2023

NOTE: spreadsheet MUST be attached in TALS as a PDF (either print to PDF, or print hardcopy and then scan)

Reagent

Ra-226_00021



National Institute of Standards & Technology

Certificate

Standard Reference Material® 4967A

Radium-226 Radioactivity Standard

This Standard Reference Material (SRM) consists of a solution of a standardized and certified quantity of radioactive radium-226 in a suitably stable and homogeneous matrix. It is intended primarily for the calibration of instruments that are used to measure radioactivity and for the monitoring of radiochemical procedures. A unit of SRM 4967A consists of approximately 5 mL of a hydrochloric acid and barium chloride solution, whose composition is specified in Table 1 and 2, contained in a flame-sealed borosilicate-glass ampoule [1].

The certified radium-226 massic activity value, at a Reference Time of 1200 EST, 01 September 2003, is:

$$(2482 \pm 30) \text{ Bq}\cdot\text{g}^{-1}$$

A NIST certified value, as used within the context of this certificate, is a value for which NIST has the highest confidence in its uncertainty assessment. It is a "measurement result" [2] obtained directly or indirectly from a "primary reference measurement procedure" [3]. The certified value is traceable to the derived SI unit, becquerel (Bq).

Additional physical, chemical, and radiological properties for this SRM, as well as details on the standardization method, are given in Table 1 and 2. Uncertainties for the certified quantities are expanded ($k = 2$). The uncertainties are calculated according to the ISO and NIST Guides [4,5]. Table 3 contains a specification of the components that comprise the uncertainty analyses.

Expiration of Certification: The certification of SRM 4967A is valid indefinitely, within the measurement uncertainty specified, provided that the SRM is handled and stored properly and that no evaporation or change in composition has occurred. The solution matrix, in an unopened ampoule, is homogeneous and stable within its half-life-dependent useful lifetime provided the SRM is handled in accordance with instructions given in this certificate (see "Instructions for Handling and Storage"). Periodic recertification of this SRM is not required. The certification is nullified if the SRM is damaged, contaminated, or otherwise modified.

Maintenance of Certification: NIST will monitor this SRM over the period of its certification. If substantive technical changes occur that affect the certification, NIST will notify the purchaser. Registration (see attached sheet) will facilitate notification.

Radiological and chemical hazard: Consult the Safety Data Sheet (SDS), enclosed with the SRM shipment, for radiological and chemical hazard information.

This SRM was prepared in the NIST Physical Measurement Laboratory, Radiation Physics Division, under the direction of M.P. Unterweger, Group Leader of the Radioactivity Group. The overall production, technical direction, and physical measurement leading to certification were provided by R. Collé and P. Volkovitsky of the NIST Radiation Physics Division, Radioactivity Group. Statistical consultation was provided by S.D. Leigh of the NIST Statistical Engineering Division.

Support aspects involved in the issuance of this SRM were coordinated through the NIST Office of Reference Materials.

Lisa R. Karam, Chief
Radiation Physics Division

Gaithersburg, Maryland 20899
Certificate Issue Date: 03 September 2013
See Certificate Revision History on Last Page

Robert L. Watters, Jr., Director
Office of Reference Materials

Table 3. Uncertainty Evaluation for the Massic Activity of SRM 4967A

Uncertainty component		Assessment Type ^(a)	Relative standard uncertainty contribution on massic activity of ^{226}Ra (%)
1	Calibration of the “1947 (1967 recalibrated) series” of radium-226 solution standards in terms of mass of radium-226 ^(b)	B	0.34
2	Ratio of the mass of radium-226 in SRM 4967A to the mass of radium-226 in the “1947 (1967 recalibrated) series” of radium-226 solution standards. Weighted mean of the ratios obtained using seven different comparisons.	B	0.15
3	Corrections for the decay of radium-226. Standard uncertainty of the radium-226 half-life.	A	0.007
4	Gravimetric measurements	B	0.10
5	Conversion of radium-226 mass to activity. Standard uncertainty of the radium-226 half-life. ^(c)	A	0.44
6	Photon emitting impurities. Limit of detection.	B	0.01
Relative combined standard uncertainty			0.6
Relative expanded uncertainty ($k = 2$)			1.2

^(a) Letter A denotes evaluation by statistical methods; B denotes evaluation by other methods.

^(b) For further details on NBS/NIST radium series calibrations refer to reference [8]. The 1967 recalibrations of the “1947 series” and of the “1957 series” were made using pressurized “ 4π ” γ ionization chamber (PIC) “A”. The master solution for SRM 4967A was directly compared with the “1947 (1967 recalibrated) series” of radium-226 solution standards using PIC “A”, and was compared with the solutions of the “1992 series” of radium solution standards (SRM 4967) using PIC “A”, pulse-ionization-chamber radon analyses (see references [9] and [10]), and germanium photon spectrometry. The radium-226 in SRM 4967A was chemically purified approximately 55 years from the reference time. The lead-210 and its daughter radionuclides are still not in equilibrium as of the 2013 certificate issue date.

^(c) The U.S National Standards for radium-226 are certified in terms of mass of radium-226, as were all radium-226 SRMs prior to the “1992 series”. Beginning with “1992 series”, radium-226 solution SRMs are now certified in terms of the massic activity of radium-226. The relative standard uncertainty of the activity of radium-226 per unit mass of radium-226 is determined by the relative standard uncertainty of λ (i.e., of the half-life). The relative standard uncertainties of the atomic weight of radium-226 and of Avogadro’s number are negligible.

Table 1. Certified Massic Activity of SRM 4967A

Radionuclide	Radium-226
Reference time	1200 EST, 01 September 2003
Massic activity of the solution	2482 Bq·g ⁻¹
Relative expanded uncertainty (<i>k</i> = 2)	1.20 %

Table 2. Uncertified Information of SRM 4967A

Source description	Liquid in a flame-sealed 5 mL borosilicate-glass ampoule [1]
Solution composition	1.0 mol·L ⁻¹ HCl with 80µg of BaCl ₂ per gram of solution
Solution density	(1.017 ± 0.002) g·mL ⁻¹ at 21 °C ^(a)
Solution mass	(5.086 ± 0.003) g ^(a)
Photon-Emitting Impurities	None detected ^(b)
Half-lives used	²²⁶ Ra: (1600 ± 7) a [6] ^(c) ²²² Ra: (3.8235 ± 0.0003) d [7] ^(c)
Calibration methods (and instruments)	Gravimetric dilution of SRM 4963, confirmed by comparison with solution standards, and derivatives thereof, from the NBS/NIST “1947 (1967 recalibrated) series” of radium-226 solution standards. The mass of radium-226 in these solution standards had previously been determined by comparison with the U.S. National Standards for radium-226. Conversion from mass of radium-226 to activity of radium-226 was done using the half-life of radium-226 shown above. ^(d)

^(a) The stated uncertainty is two times the standard uncertainty. See reference 5.

^(b) The estimated lower limits of detection for photon-emitting impurities, as of September 2003, expressed as massic photon mission rate, are:

- 6 × 10⁰ s⁻¹·g⁻¹ for energies between 22 keV and 182 keV,
- 3 × 10⁰ s⁻¹·g⁻¹ for energies between 190 keV and 347 keV,
- 8 × 10⁻¹ s⁻¹·g⁻¹ for energies between 356 keV and 1455 keV, and
- 3 × 10⁻¹ s⁻¹·g⁻¹ for energies between 1465 keV and 2750 keV,

provided that the photons are separated in energy by 4 keV or more from photons emitted in the decay of ²²⁶Ra and progeny.

^(c) The stated uncertainty is the standard uncertainty. See reference 5.

^(d) For further details on NBS/NIST radium series calibrations refer to reference [8]. The 1967 recalibrations of the “1947 series” and of the “1957 series” were made using pressurized “4π”γ ionization chamber (PIC) “A”. The master solution for SRM 4967A was directly compared with the “1947 (1967 recalibrated) series” of radium-226 solution standards using PIC “A”, and was compared with the solutions of the “1992 series” of radium solution standards (SRM 4967) using PIC “A”, pulse-ionization-chamber radon analyses (see references [9] and [10]), and germanium photon spectrometry. The radium-226 in SRM 4967A was chemically purified approximately 55 years from the reference time. The lead-210 and its daughter radionuclides are still not in equilibrium as of the 2013 certificate issue date.

INSTRUCTIONS FOR HANDLING AND STORAGE

Handling: If the ampoule is transported, it should be packed, marked, labeled, and shipped in accordance with the applicable national, international, and carrier regulations. The solution in the ampoule is a dangerous good (hazardous material) because of both the radioactivity and the strong acid. Only persons qualified to handle both radioactive material and alkaline and/or acidic solutions should open the ampoule. To minimize personnel exposure, appropriate shielding and/or distance should be used. Refer to the SDS for further information.

Storage: SRM 4967A should be stored and used at a temperature between 5 °C and 65 °C. The ampoule (or any subsequent container) should always be clearly marked as containing radioactive material.

REFERENCES

- [1] NIST Physical Measurement Laboratory; *Storage and Handling of Radioactive Standard Reference Materials, Ampoule Specifications and Opening Procedure*, available at <http://www.nist.gov/pml/div682/grp04/srm.cfm> (accessed Sep 2013). Note: This SRM is contained in a generic borosilicate-glass ampoule and not in the standard NIST ampoule.
- [2] JCGM 200:2012; *International Vocabulary of Metrology - Basic and General Concepts and Associated Terms (VIM)* (2008 version with Minor Corrections), 3rd edition; Joint Committee for Guides in Metrology: BIPM, Sevres Cedex, France; p. 19 (2012); available at http://www.bipm.org/utils/common/documents/jcgm/JCGM_200_2012.pdf (accessed Sep 2013).
- [3] JCGM 200:2012; *International Vocabulary of Metrology - Basic and General Concepts and Associated Terms (VIM)* (2008 version with Minor Corrections), 3rd edition; Joint Committee for Guides in Metrology: BIPM, Sevres Cedex, France; p. 18 (2012); available at http://www.bipm.org/utils/common/documents/jcgm/JCGM_200_2012.pdf (accessed Sep 2013).
- [4] JCGM 100:2008; *Guide to the Expression of Uncertainty in Measurement*; (GUM 1995 with Minor Corrections), Joint Committee for Guides in Metrology: BIPM, Sevres Cedex, France (2008); available at http://www.bipm.org/utils/common/documents/jcgm/JCGM_100_2008_E.pdf (accessed Sep 2013).
- [5] Taylor, B.N.; Kuyatt, C.E.; *Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Results*; NIST Technical Note 1297, U.S. Government Printing Office: Washington, DC (1994); available at <http://www.nist.gov/pml/pubs/index.cfm> (accessed Sep 2013).
- [6] Chisté, V.; Bé, M.M.; *January 2007, ²²⁶Ra*; LNE-LNHB/CEA Table of Radionuclides, available at http://www.nucleide.org/DDEP_WG/Nuclides/Ra-226_tables.pdf (accessed Sep 2013).
- [7] Chisté, V.; Bé, M.M.; *July 2010, ²²²Rn*; LNE-LNHB/CEA Table of Radionuclides, available at http://www.nucleide.org/DDEP_WG/Nuclides/Rn-222_tables.pdf (accessed Sep 2013).
- [8] Mann, W.B.; Stockman, L.L.; Youden, W.J.; Schwebel, A.; Mullen, P.A.; Garfinkel, S.B.; Preparation of New Solution Standards of Radium, *Journal of Research of the National Bureau of Standards* 62 (1959) 21-26.
- [9] Collé, R.; Hutchinson, J.M.R.; Unterweger, M.P.; The NIST Primary Radon-222 Measurement System, *Journal of Research of the National Institute of Standards and Technology* 95 (1990) 155-165.
- [10] Hutchinson J.M.R.; Cessna, J.; Collé R.; Hodge P.; An International Radon-In-Air Measurement Intercomparison Using a New Transfer Standard, *Applied Radiation Isotopes* 43 (1992) 175-189.

Certificate Revision History: September 2013 (Text and expiration date revised); December 2004 (Original certification date).

Users of this SRM should ensure that the Certificate in their possession is current. This can be accomplished by contacting the SRM Program: telephone (301) 975-2200; fax (301) 948-3730; e-mail srminfo@nist.gov; or via the Internet at <http://www.nist.gov/srm>.

Reagent

Ra-226_00024



1380 Seaboard Industrial Blvd.
Atlanta, Georgia 30318
Tel 404-352-8677
Fax 404-352-2837
www.ezag.com

CERTIFICATE OF CALIBRATION

Standard Reference Source

SRS Number: 104858

Source Description: 5 mL Liquid in Flame Sealed Vial

Product Code: 8226

Customer: TestAmerica St. Louis

P.O. Number: 2665998, Item 1

This standard radionuclide source was prepared gravimetrically from a master solution calibrated by Eckert & Ziegler Analytics (EZA) using a germanium gamma-ray spectrometer system. Radionuclide purity and calibration were checked by germanium gamma-ray spectrometry, liquid scintillation counting, and/or alpha spectrometry, as applicable. The nuclear decay rate and reference date for this source are given below. EZA maintains traceability to the National Institute of Standards and Technology (NIST) through a Measurements Assurance Program as described in USNRC Regulatory Guide 4.15, Revision 2, July 2007, and compliance with ANSI N42.22-1995, "Traceability of Radioactive Sources to NIST."

Reference Date: 05-December-2016 12:00 PM EST

Isotope	Half-Life, d	Activity, Bq	Uncertainty			Calibration Method**
			u_A , %	u_B , %	U , %*	
Ra-226	5.844E+05	1.408E+04	1.0	2.1	4.7	HPGe

*Uncertainty: U - Relative expanded uncertainty, $k = 2$. See NIST Technical Note 1297, "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Results." **Calibration Methods: 4π LS - 4π Liquid Scintillation Counting, HPGe - High Purity Germanium Gamma-Ray Spectrometer, IC - Ionization Chamber.

(Certificate continued on reverse side)

SRS Number: 104858

Comments:

5.00002 g 0.1 M HCl solution with approximately 30 µg/g Ba carrier.

Impurities:

γ-impurities (other than decay products) < 0.1%

This source was wipe tested in its inactive areas with leak test results < 185 Bq (5 nCi) of removable activity per ISO 9978:1992.

Source Prepared by: 
Z. Dimitrova, Radiochemist

QC Approved by: 
J. Iaht, Spectroscopist

Date: 05-DEC-16

Reagent

Ra-226_00025

SRS Number: 104858


Comments:

5.00002 g 0.1 M HCl solution with approximately 30 µg/g Ba carrier.

Impurities:

γ-impurities (other than decay products) < 0.1%

This source was wipe tested in its inactive areas with leak test results < 185 Bq (5 nCi) of removable activity per ISO 9978:1992.

Source Prepared by: 
Z. Dimitrova, Radiochemist

QC Approved by: 
J. Lahr, Spectroscopist

Date: 05-DEC-16



Eckert & Ziegler

Analytics

1380 Seaboard Industrial Blvd.
Atlanta, Georgia 30318
Tel 404-352-8677
Fax 404-352-2837
www.ezag.com

CERTIFICATE OF CALIBRATION

Standard Reference Source

SRS Number: 104858

Source Description: 5 mL Liquid in Flame Sealed Vial

Product Code: 8226

Customer: TestAmerica St. Louis

P.O. Number: 2665998, Item 1

This standard radionuclide source was prepared gravimetrically from a master solution calibrated by Eckert & Ziegler Analytics (EZA) using a germanium gamma-ray spectrometer system. Radionuclide purity and calibration were checked by germanium gamma-ray spectrometry, liquid scintillation counting, and/or alpha spectrometry, as applicable. The nuclear decay rate and reference date for this source are given below. EZA maintains traceability to the National Institute of Standards and Technology (NIST) through a Measurements Assurance Program as described in USNRC Regulatory Guide 4.15, Revision 2, July 2007, and compliance with ANSI N42.22-1995, "Traceability of Radioactive Sources to NIST."

Reference Date: 05-December-2016 12:00 PM EST

Isotope	Half-Life, d	Activity, Bq	Uncertainty			Calibration Method**
			u_A , %	u_B , %	U , %*	
Ra-226	5.844E+05	1.408E+04	1.0	2.1	4.7	HPGe

*Uncertainty: U - Relative expanded uncertainty, $k = 2$. See NIST Technical Note 1297, "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Results." **Calibration Methods: 4π LS - 4π Liquid Scintillation Counting, HPGe - High Purity Germanium Gamma-Ray Spectrometer, IC - Ionization Chamber.

(Certificate continued on reverse side)

Reagent

Ra-226_00041

Standard ID Number: Ra-226_00041 (2309057/2309056)
True Value = 113650 pCi/L or g
Date Analyzed: 9/15/2022

Radionuclide:

Ra-226

Replicates		
#1	<u>107700</u>	pCi/L or g
#2	<u>110200</u>	pCi/L or g
#3	<u>105600</u>	pCi/L or g

Mean = 107833.331 sigma = 2302.89671.96 sigma = 4513.678True Value minus 10% = 102285
True Value plus 10% = 125015(True Value - 10%)
(True Value + 10%)**Accuracy:**Mean value within 10% of Certified (True) Value? Yes (Acceptance Criteria)**Precision:**1.96 sigma Value Within 10% of Mean Value? Yes (Acceptance Criteria)

Standard Reverification Acceptable?

Yes1st Reviewed By/Date: Michael Koninkinger 9/15/20222nd Reviewed By/Date: Laura C. Beusen 9/16/22**MANUAL DATA ENTRY REQUIRED AT INSTRUMENT? (circle one)** YES NO
If YES, data entry MUST be 2nd reviewed

1st Reviewed By/Date: _____

2nd Reviewed By/Date: _____



Reagent ID: Ra-226_00039

Description:	Ra-226 Spike	Expiration Date:	09/18/2022
No. of Bottles:	2	Laboratory:	Eurofins St. Louis
Storage Location:	RAD Separations Reagents - Rm 131	Prepared By:	Mazariegos, Chelsea M
Reagent Volume:	500.000 mL	Solvent:	0.1M HCl
Creation Date:	09/16/2021	Solvent Lot:	N/A
Open Date:			
Container(s):	2131808, 2131809		
Comment:	standard split into (2) 250 mL bottles		

Reagent Analyte Information

Analyte	Source ID	Source Exp. Date	Source Conc.	Source Conc. Units	Final Conc.	Final Conc. Units
Ra	Ra-226_00025	09/18/2022	8409.78500	dpm/mL	252.29356	dpm/mL
Ra-226	Ra-226_00025	09/18/2022	8409.78500	dpm/mL	252.29356	dpm/mL
Rn-222	Ra-226_00025	09/18/2022	8409.78500	dpm/mL	252.29356	dpm/mL
Total Alpha Emitting Radium Isotopes	Ra-226_00025	09/18/2022	8409.78500	dpm/mL	252.29356	dpm/mL

Source Reagents

Reagent	Description	Type	Expiration	Vendor	Vendor Lot #	Vendor Cat Lot #	Volume Used	Volume Units
Ra-226_00025	Ra-226 Parent		09/18/22				15.00000	mL

Decay Calculations**Raw Sample/Standard Information**

Initial Date/Time (t_0):	12/5/2022 0:00		
Decayto Date/Time (t):	9/15/22 0:00		
Initial Activity (A_0):	252.29	dpm	
Initial Aliquot:	1	mL	
Initial Conc:	252.29	dpm/mL	
*Soln. Density:		g/mL	
Nuclide:	Ra-226		
Half-Life (days):	584400	decay days	
**Decay Factor:	1.0001	-81.00	-0.00014
Decay Corr Activity:	2.5231E+02	dpm	
Decay Corr Conc:	2.5231E+02	dpm/mL	

Conversion/Calculations

Final Activity Unit:	pCi
Activity Unit Factor:	0.45045
Final Volume Unit:	L
Volume Unit Factor:	0.001
Final Concentration:	1.1365E+05 pCi/L
Aliquot Volume:	1.0000E+00 L
Final Activity (A):	1.1365E+05 pCi

****** Uses basic decay equation: $A = A_0 * \exp(-\ln(2)*(t-t_0)/(half-life))$

***** Soln. Density to be used when converting from liquid expressed in mass (g) units to liquid units (mL), and is only applied in that case.

Analysis Report for Total Alpha-Emitting Radium**Batch:** 581978**Operator:**

<u>SampID</u>	<u>WRKNO</u>	<u>Aliquat</u>	<u>Ba Mass</u>	<u>Ba Yield</u>	<u>Trunc Yield</u>	<u>Ingrowth Ba Precip Time</u>	<u>InstID</u>	<u>Eff</u>	<u>Cal Time</u>	<u>Cut Date Time</u>	<u>Sigma</u>
Analyte		T _b	C _b	CPMs	CPMs	Activity	UncTotal	MDA	DLC	MOQ	
160-46998-A-2-B	160-46998-A-2-B	0.1000mL	0.0385	96.11%	False	1.0149 9 / 15 / 22 11:30	Rad13	0.1937	2	9 / 15 / 22 10:49	1.00
Total Alpha Emitting	100.00	1000.00	462	4.62	0.11	1.077E+005pCiL	5.137E+003	7.052E+003	3.423E+003	1.917E+003	7061.9826
160-46998-A-3-B	160-46998-A-3-B	0.1000mL	0.0395	96.11%	False	1.0150 9 / 15 / 22 11:40	Rad14	0.1920	2	9 / 15 / 22 10:49	1.00
Total Alpha Emitting	100.00	1000.00	480	4.80	0.10	1.102E+005pCiL	5.145E+003	7.146E+003	3.302E+003	1.840E+003	7145.9155
160-46998-B-1-B	160-46998-B-1-B	0.1000mL	0.0377	97.52%	False	1.0149 9 / 15 / 22 11:30	Rad10	0.1953	2	9 / 15 / 22 10:49	1.00
Total Alpha Emitting	100.00	1000.00	446	4.46	0.07	1.056E+005pCiL	5.088E+003	6.963E+003	2.951E+003	1.578E+003	6962.8945

Laboratory Control Sample Information

<u>SampID</u>	<u>WRKNO</u>	<u>Analyte</u>	<u>Activity</u>	<u>StdAdded</u>	<u>Recovery</u>	<u>%</u>	<u>LCL</u>	<u>UCL</u>	<u>ZFactor</u>

Sample Duplicate Information


<u>SampID</u>	<u>SamplD</u>	<u>Analyte</u>	<u>Activity</u>	<u>DupActivity</u>	<u>RPD</u>	<u>RER</u>	<u>DER</u>	<u>ZFactor</u>

Matrix Spike Information

<u>SampID</u>	<u>SamplS</u>	<u>WRKNO</u>	<u>Analyte</u>	<u>Activity</u>	<u>MSActivity</u>	<u>StdAdded</u>	<u>Recovery</u>	<u>ZFactor</u>

Blanks Information

<u>SampID</u>	<u>WRKNO</u>	<u>Analyte</u>	<u>Activity</u>	<u>UncTotal</u>



eurofins

Radium-226 Standard Verification

Std #: Ra-226_00039 (2131809)
Activity: 252.2935552dpm/mL
Reference Date: 12/05/2016

Ver#	D.I. H2O	Barium Carrier mL	Ra-226 Spike mL	18M Sulfuric mL	EDTA mL	Ammonium Sulfate mL	Acetic Acid mL
Ra-226 00039	N/A	2179499	2131809	2285368	2291818	2291233	2300893
1	10	1	0.1	1	15	1	2
2	10	1	0.1	1	15	1	2
3	10	1	0.1	1	15	1	2

In a clean centrifuge tube add the following:

- 10mL D.I.
- 0.1mL Radium-226 standard
- 1mL Barium Carrier
- 1mL 18M Sulfuric Acid

Heat in hot bath for 30mins **agitate every 10 mins**

Centrifuge/Decant and wash with 10mL D.I. H2O

Dissolve in 15mL EDTA

Add 1mL Ammonium Sulfate and 2mL Acetic Acid

Heat in hot bath for 30mins **agitate every 10 mins**

Centrifuge/Decant and wash with 10mL D.I. H2O

Plate with minimal D.I. H2O onto a tared planchet

Prepared by: Micha Korrinhizer
Date: 9/15/2022

PrecSep_0 Analysis Sheet

(To Accompany Samples to Instruments)

Batch Number: 160-581978

Analyst: Kortinizer, Micha L

Batch Open: 9/13/2022 5:11:00PM
Batch End: 9/13/2022 6:00:00PM

Preparation, Precipitate Separation

Input Sample Lab ID (Analytical Method)	SDG (Job #)	Matrix	Initial Amount	Final Amount	Due Date	Analytical TAT	DIV Rank	Comments 389/15122	Output Sample Lab ID
160-46998-B-1 (903.0_TAR)	N/A (160-46998-1)	Water	0.1 mL		10/7/22	18_Days	4	Ra-226_00039 VERIFICATION	10 169 - 46998 - B - 1 - B
160-46998-A-2 (903.0_TAR)	N/A (160-46998-1)	Water	0.1 mL		10/7/22	18_Days	4	Ra-226_00039 VERIFICATION	13 169 - 46998 - A - 2 - B
160-46998-A-3 (903.0_TAR)	N/A (160-46998-1)	Water	0.1 mL		10/7/22	18_Days	4	Ra-226_00039 VERIFICATION	14 169 - 46998 - A - 3 - B


Reagent

Ra-228_00050



Kalibrierschein / Calibration Certificate

erstellt durch das Kalibrierlaboratorium
issued by the calibration laboratory



Eckert & Ziegler Analytics, Inc.
1380 Seaboard Industrial Blvd.
Atlanta, GA 30318, USA
Tel 1-404-352-8677
Fax 1-404-352-2837

002018
D-K-19023-01-00
2022-05

Kalibrierzeichen
Calibration mark

Gegenstand <i>Object</i>	5 mL Liquid in 5 mL Flame Sealed Ampoule	Dieser Kalibrierschein dokumentiert die metrologische Rückführbarkeit auf nationale Normale zur Darstellung der Einheiten in Übereinstimmung mit dem Internationalen Einheitensystem (SI). Die DAkkS ist Unterzeichner der multilateralen Übereinkommen der European co-operation for Accreditation (EA) und der International Laboratory Accreditation Cooperation (ILAC) zur gegenseitigen Anerkennung der Kalibrierscheine. Für die Einhaltung einer angemessenen Frist zur Wiederholung der Kalibrierung ist der Benutzer verantwortlich.
Hersteller <i>Manufacturer</i>	Eckert & Ziegler Analytics, Inc.	<i>This calibration certificate documents the metrological traceability to national standards, which realize the units of measurement according to the International System of Units (SI).</i>
Typ <i>Type</i>	8328-5FSA-370BQ-D	<i>The DAkkS is signatory to the multilateral agreements of the European co-operation for Accreditation (EA) and of the International Laboratory Accreditation Cooperation (ILAC) for the mutual recognition of calibration certificates. The user is obliged to have the object recalibrated at appropriate intervals.</i>
Serien-Nr. <i>Serial number</i>	121695	
Auftraggeber <i>Customer</i>	Test America Laboratories- St. Louis	
Auftragsnummer <i>Order No.</i>	CO-053651	
Anzahl der Seiten des Kalibrierscheines <i>Number of pages of the certificate</i>	2	
Datum der Kalibrierung <i>Date of calibration</i>	31-May-2022 1200 EST (1700 UTC)	

Dieser Kalibrierschein darf nur vollständig und unverändert weiterverbreitet werden. Auszüge oder Änderungen bedürfen der Genehmigung des ausstellenden Kalibrierlaboratoriums. Kalibrierscheine sind bei Nennung des für die Freigabe Verantwortlichen in Klarschrift auch ohne Unterschrift gültig.

This calibration certificate may not be reproduced other than in full except with the permission of the issuing laboratory. Calibration certificates with the full name of the approval responsible person are valid without signature.

Datum der Ausstellung <i>Date of issue</i>	Freigabe des Kalibrierschelns durch <i>Approval of the certificate of calibration by</i>
26-May-22	Levan Tkavadze

002018
D-K-
19023-01-00

2022-05

- **Customer Purchase Order No.:**
GamCred001, Item 1

- **Calibration Results:**

Nuclide	Half-Life *, d	Activity, Bq	Uncertainty, %	Calibration Method
Ra-228	2.100E+03	3.416E+02	4.9	HPGe

- **Calibration Method(s):**

This standard radionuclide source was prepared gravimetrically from a master solution calibrated by Eckert & Ziegler Analytics using a germanium gamma-ray spectrometer system (HPGe).

- **Uncertainty:**

The uncertainty stated is the expanded uncertainty obtained by multiplying the standard uncertainty by the coverage factor $k = 2$. It has been determined in accordance with EA-4/02 M. The value of the measurand lies within the assigned range of values with a probability of approximately 95%. See NIST Technical Note 1297, "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Results."

- **Traceability:**

Eckert & Ziegler Analytics (EZA) maintains traceability to the National Institute of Standards and Technology through a Measurements Assurance Program as described in USNRC Regulatory Guide 4.15, Revision 2, July 2007, and compliance with ANSI N42.22-1995, "Traceability of Radioactive Sources to NIST."

- **Impurities:**

α -impurities: Ra-226 6.5E+00 Bq, other α -impurities (other than decay products) < 0.1 %
 γ -impurities (other than decay products) < 0.1 %

- **Expiration Date:**

No expiration date has been given for this source.

- **Wipe Test *:**

This source was wipe tested in its inactive areas with leak test results < 185 Bq (5 nCi) of removable activity per ISO 9978:1992.

- **Additional Information:**

- 5.00238 g of 0.1 M HCl solution with approximately 30 μ g/g Ba carrier.
- Separation date: 01-March-2018
- *Values not calibrated by EZA (i.e. published nuclear data, uncertified values, etc.)
- Date of Calibration corresponds to Reference Date for this source.
- Expiration Date refers to useful life of this source.

End of Certificate

Reagent

Ra-228_00051

Standard ID Number:
True Value =
Date Analyzed:

Ra-228	00051
8.2961	pCi/L or g
4/10/2023	

Radionuclide:
Ra-228

Replicates		
#1	9.38	pCi/L or g
#2	8.232	pCi/L or g
#3	8.417	pCi/L or g
#4	8.393	pCi/L or g
#5	8.94	pCi/L or g
#6	8.425	pCi/L or g

Mean = 8.63116667

1 sigma = 0.43830556

1.96 sigma = 0.859079

True Value minus 5% = 7.881295
True Value plus 5% = 8.710905

(True Value - 5%)
(True Value + 5%)

Accuracy:

Mean value within 5% of Certified (True) Value?

Yes _____ (Acceptance Criteria)

Precision:

1.96 sigma Value Within 10% of Mean Value?

Yes _____ (Acceptance Criteria)

Standard Reverification Acceptable?

Yes _____

1st Reviewed By/Date: Michael Konings 4/11/2023

2nd Reviewed By/Date: Sarah Beusen 4/11/23

MANUAL DATA ENTRY REQUIRED AT INSTRUMENT? (circle one) YES NO
If YES, data entry MUST be 2nd reviewed

1st Reviewed By/Date: _____

2nd Reviewed By/Date: _____

Decay Calculations**Raw Sample/Standard Information**

Initial Date/Time (t_0):	5/21/2022 0:00		
Decayto Date/Time (t):	4/10/23 0:00		
Initial Activity (A_0):	20.50 dpm		
Initial Aliquot:	1 mL		
Initial Conc:	20.49597 dpm/mL		
*Soln. Density:	1 g/mL		
Nuclide:	Ra-228		
Half-Life (days):	2100.1875	decay days	fraction
**Decay Factor:	0.8986	324.00	0.15427
Decay Corr Activity:	1.8417E+01 dpm		
Decay Corr Conc:	1.8417E+01 dpm/mL		

Conversion/Calculations

Final Activity Unit:	pCi
Activity Unit Factor:	0.45045
Final Volume Unit:	mL
Volume Unit Factor:	1.000
Final Concentration:	8.2961E+00 pCi/mL
Aliquot Volume:	1.0000E+00 mL
Final Activity (A):	8.2961E+00 pCi

** Uses basic decay equation: $A = A_0 * \exp(-\ln(2)*(t-t_0)/(half-life))$

* Soln. Density to be used when converting from liquid expressed in mass (g) units to liquid units (mL), and is only applied in that case.

Analysis Report for Radium 228
Batch: 606428

Operator:

<u>SampID</u>	<u>WRKNO</u>	<u>Aliquot</u>	<u>TruncYieldS</u>	<u>BgYield</u>	<u>Yield</u>	<u>InstrID</u>	<u>Eff</u>	<u>YIngrowth Time</u>	<u>YPrecip Time</u>	<u>CountDate Time</u>	<u>Sigma</u>	<u>CalType</u>
	<u>Analyte</u>	<u>SampCntID</u>	<u>BkgCntrDur</u>	<u>SampCnt</u>	<u>BkgCnt</u>	<u>Activity</u>	<u>UncCount</u>	<u>UncTotal</u>	<u>MDA</u>	<u>DLC</u>	<u>MOQ</u>	
160-46998-A-2-E	160-46998-A-2-E	1600.000mL	False	90.89%	84.11%	Orange17	0.4404	4/7/23 14:00	4/10/23 9:00	4/10/23 12:31	1.00	1
Ra-228		100.00	1000.00	461	312	9.380E+000 pCi/L	4.702E-001	6.381E-001	4.861E-001	2.979E-001	0.6381	
160-46998-A-2-F	160-46998-A-2-F	1000.000mL	False	95.19%	88.60%	Orange18	0.4417	4/7/23 14:00	4/10/23 9:00	4/10/23 12:31	1.00	1
Ra-228		100.00	1000.00	451	337	8.232E+000 pCi/L	4.205E-001	5.659E-001	4.543E-001	2.798E-001	0.5659	
160-46998-A-2-G	160-46998-A-2-G	1000.000mL	False	97.47%	84.11%	Orange19	0.4457	4/7/23 14:00	4/10/23 9:00	4/10/23 12:31	1.00	1
Ra-228		100.00	1000.00	457	386	8.417E+000 pCi/L	4.319E-001	5.800E-001	4.916E-001	3.054E-001	0.5800	
160-46998-A-2-H	160-46998-A-2-H	1000.000mL	False	98.48%	85.23%	Orange20	0.4422	4/7/23 14:00	4/10/23 9:00	4/10/23 12:31	1.00	1
Ra-228		100.00	1000.00	454	302	8.393E+000 pCi/L	4.234E-001	5.730E-001	4.349E-001	2.660E-001	0.5730	
160-46998-A-2-I	160-46998-A-2-I	1000.000mL	False	97.22%	82.99%	Orange21	0.4460	4/7/23 14:00	4/10/23 9:00	4/10/23 12:31	1.00	1
Ra-228		100.00	1000.00	465	275	8.940E+000 pCi/L	4.420E-001	6.037E-001	4.311E-001	2.619E-001	0.6037	
160-46998-A-2-J	160-46998-A-2-J	1000.000mL	False	94.18%	82.24%	Orange23	0.4411	4/7/23 14:00	4/10/23 9:00	4/10/23 12:31	1.00	1
Ra-228		100.00	1000.00	423	315	8.425E+000 pCi/L	4.443E-001	5.896E-001	4.813E-001	2.982E-001	0.5896	

Laboratory Control Sample Information

<u>SampID</u>	<u>WRKNO</u>	<u>ComponentName</u>	<u>Activity</u>	<u>StdAdded</u>	<u>Recovery</u>	<u>%</u>

Sample Duplicate Information

<u>SampID</u>	<u>SampDupID</u>	<u>Analyte</u>	<u>Activity</u>	<u>DunActivity</u>	<u>RPD</u>	<u>RER</u>	<u>DER</u>	<u>ZFactor</u>

Matrix Spike Information

<u>SampID</u>	<u>SampMSID</u>	<u>Analyte</u>	<u>Sample Activity</u>	<u>MS Activity</u>	<u>StdAdded</u>	<u>MSRecovery</u>	<u>%</u>

Blanks Information

<u>SampID</u>	<u>WRKNO</u>	<u>Analyte</u>	<u>Activity</u>	<u>UncTotal</u>	<u>ZFactor</u>



R a - 2 2 8 - 0 0 0 5 1

Reagent ID: Ra-228_00051

Description:	Ra-228 Spike	Expiration Date:	10/03/2023
No. of Bottles:	2	Laboratory:	Eurofins St. Louis
Storage Location:	RAD Separations Reagents - Rm 112	Prepared By:	Korrinizer, Micha L
Reagent Volume:	1.000 L	Solvent:	0.1M HCl
Creation Date:	10/03/2022	Solvent Lot:	N/A
Open Date:			
Container(s):	2318210, 2318211		
Comment:	Spike at 1mL		

Reagent Analyte Information

Analyte	Source ID	Source Exp. Date	Source Conc.	Source Conc. Units	Final Conc.	Final Conc. Units
Ra-228	Ra-228_00050	10/03/2023	68.28700	Bq/g	20.49597	dpm/mL

Source Reagents

Reagent	Description	Type	Expiration	Vendor	Vendor Lot #	Vendor Cat Lot #	Volume Used	Volume Units
Ra-228_00050	Ra-228 Ampoule	ASTD	10/03/23	Eckert & Ziegler	121695	D-K-19023-01-00	5.00238	g

Reagent

Sr-90_00001



Eckert & Ziegler

Analytics

1380 Seaboard Industrial Blvd.
Atlanta, Georgia 30318
Tel 404·352·8677
Fax 404·352·2837
www.analyticsinc.com

CERTIFICATE OF CALIBRATION
Standard Radionuclide Source

80573-334

5 mL Liquid in Flame Sealed Vial

Customer: Test America St. Louis
P.O. No.: 2324797, Item 1

This standard radionuclide source was prepared gravimetrically from a calibrated master solution. The master solution was calibrated by liquid scintillation counting. Radionuclide purity and calibration were checked by germanium gamma-ray spectrometry and liquid scintillation counting. The nuclear decay rate and assay date for this source are given below. Eckert & Ziegler Analytics (EZA) maintains traceability to the National Institute of Standards and Technology through a Measurements Assurance Program as described in USNRC Regulatory Guide 4.1S, Revision 1, February, 1979, and compliance with ANSI N42.22-1995, "Traceability of Radioactive Sources to NIST." EZA is accredited by the Health Physics Society (HPS) for the production of NIST-traceable sources, and this source was produced in accordance with the HPS accreditation requirements. Customers may report any concerns with the accreditation program to the HPS Secretariat, 1313 Dolley Madison Blvd., Ste. 402, McLean, VA 22101.

Isotope	Half-Life, Days	Activity (Bq)	Uncertainty*, %			Reference Date (12:00 PM EST)
			Type u_A	Type u_B	U	
Sr-90	10515.5	3.782E+04	0.1	0.9	1.8	09/17/2009

*Uncertainty: U - Relative expanded uncertainty, k = 2. See NIST Technical Note 1297, "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Results."


Comments:

Impurities: γ -impurities <0.1%. 5.04317 grams 0.1M HCl solution with approximately 30 microg/g each of Sr and Y carriers. NOTE: This source also contains Y-90 in secular equilibrium with Sr-90. The Y-90 activity is equal to the Sr-90 activity. Since Sr-90 and Y-90 both decay 100% by beta emission, the total beta emission rate for the source is twice the certified Sr-90 activity. The half-life for Y-90 is 64.08 hours.

Source Prepared by: W. Mao
W. Mao, Radiochemist

QA Approved: D. M. Montgomery
D. M. Montgomery, QA Manager

Date: 9-22-09



Reagent

Sr-90_00017

CERTIFICATE OF CALIBRATION

Standard Radionuclide Source

92352

Sr-90 5 mL Liquid in Flame Sealed Vial

Customer: TestAmerica St. Louis
P.O. No.: 2502682, Item 1 **Product Code:** 8090-5FSA-37kBq

This standard radionuclide source was prepared gravimetrically from a master solution, calibrated by Eckert & Ziegler Analytics. The master solution was calibrated by liquid scintillation counting. Radionuclide calibration and purity were checked by germanium gamma-ray spectrometry, liquid scintillation counting, and/or alpha spectrometry, as applicable. The nuclear decay rate and reference date for this source are given below. Eckert & Ziegler Analytics (EZA) maintains traceability to the National Institute of Standards and Technology through a Measurements Assurance Program as described in USNRC Regulatory Guide 4.15, Revision 2, July 2007, and compliance with ANSI N42.22-1995, "Traceability of Radioactive Sources to NIST." EZA is accredited by the Health Physics Society (HPS) for the production of NIST-traceable sources, and this source was produced in accordance with the HPS accreditation requirements. Customers may report any concerns with the accreditation program to the HPS Secretariat, 1313 Dolley Madison Blvd., Ste. 402, McLean, VA 22101.

Isotope	Half-Life, Days	Activity (Bq)	Uncertainty*, %			Reference Date (12:00 PM EST)	
			Type	u_A	u_B		
Sr-90	1.052E+04	3.749E+04		0.1	0.9	1.8	11/29/2012


*Uncertainty: U - Relative expanded uncertainty, k = 2. See NIST Technical Note 1297, "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Results."

Comments:


Impurities: γ -impurities<0.1%.
 5.02357 g 0.1M HCl solution with approximately 30 μ g/g each Sr and Y carriers.

NOTE: This source also contains Y-90 in secular equilibrium with Sr-90. The Y-90 activity is equal to the Sr-90 activity. Since Sr-90 and Y-90 both decay 100% by beta emission, the total activity for the source is twice the certified Sr-90 activity. The half-life for Y-90 is 64.08 hours.

Source Prepared by:


 Z. Dimitrova, Radiochemist

QA Approved:


 J.D. McCorvey, Counting Room Manager

 Date: 26 Nov 12


RAD12-0042

Sr-90

bursts

None

Prep/Opened: 11/28/2012

51511

Exp(1): 11/29/2062

ID Sr-90_00017

Exp(2): 11/29/2062

Sr-90 Ampoule

Reagent

Sr-90_00018



S r - 9 0 - 0 0 0 1 8

Reagent ID: Sr-90_00018

		Expiration Date:	11/29/2062
Description:	Sr-90 Calibration STD	Laboratory:	TestAmerica St. Louis
No. of Bottles:	1	Prepared By:	Hurst, Sarah
Storage Location:	RAD Separations Reagents - 1	Solvent:	0.1M HCL
Reagent Volume:	100.000 mL	Solvent Lot:	0
Creation Date:	11/28/2012		
Container(s):	51512		
Comment:	Rad12-0043		

Reagent Analyte Information

Analyte	Source ID	Source Exp. Date	Source Conc.	Source Conc. Units	Final Conc.	Final Conc. Units
Gross Beta	Sr-90_00017	11/29/2062	14925.64000	Bq/g	44774.23338	dpm/mL
Sr-90	Sr-90_00017	11/29/2062	7462.82000	Bq/g	22387.11669	dpm/mL

Source Reagents

Reagent	Description	Type	Expiration	Vendor	Vendor Lot #	Vendor Cat Lot #	Volume Used	Volume Units
Sr-90_00017	Sr-90 Ampoule	ASTD	11/29/62	Analytics	92352		4.99970	g

St. Louis Radiological Standard Reverification Form

Standard ID Number: **Sr-90_00018 (51512)**
True Value = **1976.75** pCi/sample or g
Date Analyzed: **2/10/2014**

Radionuclide:
Sr-90 (Low mass)

Replicates
#1 **1935** pCi/sample or g
#2 **1941** pCi/sample or g
#3 **1924** pCi/sample or g

Mean = **1933.333**

1 sigma = **8.621678** 1.96 sigma = **16.89849**

True Value minus 5% = **1877.913** (True Value - 5%)
True Value plus 5% = **2075.588** (True Value + 5%)

Accuracy:

Mean value within 5% of Certified (True) Value? **Yes** (Acceptance Criteria)

Precision:

1.96 sigma Value Within 10% of Mean Value? **Yes** (Acceptance Criteria)

Standard Reverification Acceptable? **Yes**

Note: Criteria for reverification of radiological standards is taken from the
DOE QSAS and LANL Statements of Work

Reviewed By/Date: **Jody Watson 2/10/14**

SOP Reference: STL-QA-0002, Current Revision

St. Louis Radiological Standard Reverification Form

Standard ID Number: **Sr-90_00018 (51512)** Radionuclide:
True Value = **1948.75** pCi/sample or g **Sr-90 (Medium mass)**
Date Analyzed: **2/10/2014**

Replicates
#1 **1911** pCi/sample or g
#2 **1945** pCi/sample or g
#3 **1893** pCi/sample or g

Mean = 1916.333

1 sigma = 26.40707 1.96 sigma = 51.75786

True Value minus 5% = 1851.313 (True Value - 5%)
True Value plus 5% = 2046.188 (True Value + 5%)

Accuracy:

Mean value within 5% of Certified (True) Value? Yes (Acceptance Criteria)

Precision:

1.96 sigma Value Within 10% of Mean Value? Yes (Acceptance Criteria)

Standard Reverification Acceptable? Yes

Note: Criteria for reverification of radiological standards is taken from the
DOE QSAS and LANL Statements of Work

Reviewed By/Date: Jody Watson 2/10/14

SOP Reference: STL-QA-0002, Current Revision

St. Louis Radiological Standard Reverification Form

Standard ID Number: Sr-90_00018 (51512) Radionuclide:
True Value = 1992 pCi/sample or g Sr-90 (High mass)
Date Analyzed: 2/10/2014

Replicates
#1 1907 pCi/sample or g
#2 1930 pCi/sample or g
#3 1937 pCi/sample or g

Mean = 1924.667

1 sigma = 15.69501 1.96 sigma = 30.76222

True Value minus 5% = 1892.4 (True Value - 5%)
True Value plus 5% = 2091.6 (True Value + 5%)

Accuracy:

Mean value within 5% of Certified (True) Value? Yes (Acceptance Criteria)

Precision:

1.96 sigma Value Within 10% of Mean Value? Yes (Acceptance Criteria)

Standard Reverification Acceptable? Yes

Note: Criteria for reverification of radiological standards is taken from the
DOE QSAS and LANL Statements of Work

Reviewed By/Date: Jody Watson 2/10/14

SOP Reference: STL-QA-0002, Current Revision

Protean Beta ICV-ACV recoveries from March 2013			
Protean Detector	Low pCi/sample	Medium pCi/sample	High pCi/sample
0	1962	1945	1971
1	2003	1947	1995
2	1960	1965	1998
3	1988	1942	1995
4	1977	1940	1997
5	1969	1949	2013
6	1986	1938	1986
7	1969	1964	1981
Average pCi/sample	1976.75	1948.75	1992

Protean Beta ICV-ACV recoveries from February 2014			
Protean Detector	Low pCi/sample	Medium pCi/sample	High pCi/sample
4	1935	1911	1907
5	1941	1945	1930
6	1924	1893	1937
Average pCi/sample	1933.33	1916.33	1924.67

Standard ID

Strontium 90

Sr-90_00018 #51512

Cert# 92352 Ref. date 11/29/12

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Analysis Report for Gross Alpha/Beta

Batch: M122640

Operator: 63903

<u>Sample ID</u>	<u>WRKNO</u>	<u>Aliquot</u>	<u>Mass</u>	<u>Instr ID</u>	<u>CountTime</u>	<u>Ts</u>	<u>Tb</u>	<u>Dilution</u>	<u>Sigma</u>	
<u>Analyte</u>	<u>Cs</u>	<u>Cb</u>	<u>Xt</u>	<u>CPMs</u>	<u>CPM_b</u>	<u>Eff</u>	<u>Activity</u>	<u>UncTot</u>	<u>MDA</u>	<u>DLC</u>
ICVABT-51512:B1	NA	1.000E+000sample	0.00513 g	Protein4	2 / 10 / 14 22:54	5.00	1000.00	1.00	2.00	
Gross Alpha	0	49	0.00	0.000E+000	4.900E-002	0.1157	-1.908E-001 pCi/sample	5.899E-002	5.452E-002	3.382E+000
Gross Beta	9072	417	0.00	1.814E+003	4.170E-001	0.4224	1.935E+003 pCi/sample	1.977E+002	4.063E+001	1.594E+000
ICVABT-51512:B2	NA	1.000E+000sample	0.11114 g	Protein4	2 / 10 / 14 23:19	5.00	1000.00	1.00	2.00	
Gross Alpha	1	49	0.00	2.000E-001	4.900E-002	0.0830	8.194E-001 pCi/sample	2.174E+000	2.172E+000	4.713E+000
Gross Beta	8432	417	0.00	1.686E+003	4.170E-001	0.3973	1.911E+003 pCi/sample	1.956E+002	4.164E+001	1.694E+000
ICVABT-51512:B3	NA	1.000E+000sample	0.18113 g	Protein4	2 / 10 / 14 23:04	5.00	1000.00	1.00	2.00	
Gross Alpha	1	49	0.00	2.000E-001	4.900E-002	0.0540	1.260E+000 pCi/sample	3.343E+000	3.340E+000	7.248E+000
Gross Beta	8054	417	0.00	1.611E+003	4.170E-001	0.3804	1.907E+003 pCi/sample	1.954E+002	4.251E+001	1.770E+000
										7.56E-001

Laboratory Control Sample Information

<u>SampID</u>	<u>WRKNO</u>	<u>Analyte</u>	<u>Activity</u>	<u>StdAdded</u>	<u>Recovery</u>	<u>LCL</u>	<u>UCL</u>	<u>ZFactor</u>
Sample Duplicate Information								
<u>Sample ID</u>	<u>Dup Sample ID</u>	<u>Analyte</u>	<u>Sample Activity</u>	<u>Dup Activity</u>	<u>RPD</u>	<u>RER</u>	<u>DER</u>	<u>ZFactor</u>
Matrix Spike Information								
<u>SampID</u>	<u>SampMSID</u>	<u>Analyte</u>	<u>Sample Activity</u>	<u>MS Activity</u>	<u>StdAdded</u>	<u>MS Recovery</u>	<u>%</u>	<u>ZFactor</u>

Blanks Information

<u>SampID</u>	<u>WRKNO</u>	<u>Analyte</u>	<u>Activity</u>	<u>UncTotal</u>	<u>ZFactor</u>

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Analysis Report for Gross Alpha/Beta

Batch: M122640

Operator: 63903

<u>Sample ID</u>	<u>WRKNO</u>	<u>Aliquot</u>	<u>Mass</u>	<u>Instr ID</u>	<u>CountTime</u>	<u>Ts</u>	<u>Tb</u>	<u>Dilution</u>	<u>Sigma</u>	
<u>Analyte</u>	<u>Cs</u>	<u>Clb</u>	<u>XI</u>	<u>CPMs</u>	<u>CPMh</u>	<u>Eff</u>	<u>Activity</u>	<u>UncTot</u>	<u>MDA</u>	<u>DLC</u>
ICVABT-51512;B1	NA	1.000E+000sample	0.0513	g	Protein5	2 / 10 / 14 23:04	5.00	1000.00	1.00	2.00
Gross Alpha	0	43	0.00	0.000E+000	4.300E-002	0.1145	-1.692E-001pCi/sample	5.510E-002	5.161E-002	3.337E+000
Gross Beta	9111	398	0.00	1.822E+003	3.980E-001	0.4228	1.941E+003pCi/sample	1.983E+002	4.068E+001	1.569E+000
ICVABT-51512;B2	NA	1.000E+000sample	0.1114	g	Protein5	2 / 10 / 14 22:54	5.00	1000.00	1.00	2.00
Gross Alpha	0	43	0.00	0.000E+000	4.300E-002	0.0823	-2.353E-001pCi/sample	7.661E-002	7.176E-002	4.639E+000
Gross Beta	8552	398	0.00	1.710E+003	3.980E-001	0.3960	1.945E+003pCi/sample	1.990E+002	4.207E+001	1.675E+000
ICVABT-51512;B3	NA	1.000E+000sample	0.1813	g	Protein5	2 / 10 / 14 23:19	5.00	1000.00	1.00	2.00
Gross Alpha	2	43	0.00	4.000E-001	4.300E-002	0.0532	3.022E+000pCi/sample	4.802E+000	4.790E+000	7.178E+000
Gross Beta	8046	398	0.00	1.609E+003	3.980E-001	0.3755	1.930E+003pCi/sample	1.977E+002	4.304E+001	1.766E+000
										7.873E-001

Laboratory Control Sample Information

<u>SampID</u>	<u>WRKNO</u>	<u>Analyte</u>	<u>Activity</u>	<u>StdAdded</u>	<u>Recovery</u>	<u>LCL</u>	<u>UCL</u>	<u>ZFactor</u>
Sample Duplicate Information								
<u>Sample ID</u>	<u>Dup Sample ID</u>	<u>Analyte</u>	<u>Sample Activity</u>	<u>Dup Activity</u>	<u>RPD</u>	<u>RER</u>	<u>DER</u>	<u>ZFactor</u>
Matrix Spike Information								
<u>SampID</u>	<u>SampMSID</u>	<u>Analyte</u>	<u>Sample Activity</u>	<u>MS Activity</u>	<u>StdAdded</u>	<u>MSRecovery</u>	<u>%</u>	<u>ZFactor</u>
Blanks Information								
<u>SampID</u>	<u>WRKNO</u>	<u>Analyte</u>	<u>Activity</u>	<u>UncTotal</u>	<u>ZFactor</u>			

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Analysis Report for Gross Alpha/Beta

Batch: M122640 Operator: 63903

Sample ID	WRKNO	Analyte	Aliquat	Mass	Instr ID	CountTime	Ts	Tb	Dilution	Sigma	
		Cs	Ch	Xt	CPMs	CPM _b	Eff	Activity	UncTot	MDA	DLC
ICVABT-51512:B1	NA	1.000E+000sample	0.0513	g	Protein6	2/10/14 23:19	5.00	1000.00	1.00	2.00	
	Gross Alpha	0	87	0.00	0.000E+000	8.700E-002	0.1165	-3.362E-001pCi/sample	8.166E-002	7.210E-002	3.776E+000 1.186E+000
ICVABT-51512:B2	Gross Beta	8992	520	0.00	1.798E+003	5.200E-001	0.4209	1.924E+003pCi/sample	1.566E-002	4.059E-001	1.718E+000 8.029E-001
	NA	1.000E+000sample	0.1114	g	Protein6	2/10/14 23:04	5.00	1000.00	1.00	2.00	
ICVABT-51512:B3	Gross Alpha	0	87	0.00	0.000E+000	8.700E-002	0.0842	-4.637E-001pCi/sample	1.131E-001	9.985E-002	5.230E+000 1.642E+000
	Gross Beta	8356	520	0.00	1.671E+003	5.200E-001	0.3976	1.893E+003pCi/sample	1.937E-002	4.142E+001	1.819E+000 8.499E-001

Laboratory Control Sample Information

SampID	WRKNO	Analyte	Activity	StdAdded	Recovery %	LCL	UCL	ZFactor
--------	-------	---------	----------	----------	------------	-----	-----	---------

Sample Duplicate Information

Sample ID	Dup Sample ID	Analyte	Sample Activity	Dup Activity	RPD	RER	DER	ZFactor
-----------	---------------	---------	-----------------	--------------	-----	-----	-----	---------

Matrix Spike Information

Blanks Information

<u>SampleID</u>	<u>WRKNO</u>	<u>Analyte</u>	<u>Activity</u>	<u>UncTotal</u>	<u>ZFactor</u>
-----------------	--------------	----------------	-----------------	-----------------	----------------

TestAmerica St. Louis

Standards Preparation Logbook Record

Nov-28-2012

Logbook: \\Qstlmo01\Stdslog\RAD_STD.std

RAD12-0042, Sr-90 Sr-90_00017 #51511

Analyst: hursts

Vendor: Analytics Lot No.: 92352
Solvent: None
Date Prep./Opened: 11-28-2012
Date Expires(1): 11-29-2062 (50 Years)
Date Expires(2): 11-29-2062 (50 Years)
Cert: 92352 Activity: 37490Bq Mass: 5.02357 Ref. Date: 11/29/12

Component	Initial Conc (dpm/g)	Final Conc (dpm/g)
Sr-90	447,769	447,769

RAD12-0043, Sr-90 Calibration STD Sr-90_00018 #51512

Analyst: hursts

Solvent: None Volume (ml): 100.00
Date Prep./Opened: 11-28-2012
Date Expires(1): 11-29-2062 (50 Years)
Date Expires(2): 11-29-2062 (50 Years)

Parent Std No.: RAD12-0042, Sr-90	Aliquot Amount (g): 4.9997	
Parent Date Expires(1): 11-29-2062	Parent Date Expires(2): 11-29-2062	
Component	Initial Conc (dpm/g)	Final Conc (dpm/mL)
Sr-90	447,769	22,387

Reviewed By:

St. Louis Radiological Standard Reverification Form

Standard ID Number:
True Value = pCi/L or g
Date Analyzed:

Radionuclide:

Replicates
#1 pCi/L or g
#2 pCi/L or g
#3 pCi/L or g

Mean = 1979

1 sigma = 31.32092 1.96 sigma = 61.389

True Value minus 5% = 1915.865 (True Value - 5%)
True Value plus 5% = 2117.535 (True Value + 5%)

Accuracy:

Mean value within 5% of Certified (True) Value? Yes (Acceptance Criteria)


Precision:

1.96 sigma Value Within 10% of Mean Value? Yes (Acceptance Criteria)

Standard Reverification Acceptable? Yes

Note: Criteria for reverification of radiological standards is taken from the
DOE QSAS and LANL Statements of Work

Reviewed By/Date:

 11/30/12

SOP Reference: STL-QA-0002, Current Revision

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Analysis Report for Gross Alpha/Beta

Batch: M122629

Operator: 63903

Sample ID	WRKNO	Aliquot	Mass	Instr ID	CountTime	Ts	Tb	Dilution	Sigma	
	Analyte	Cs	Cb	CPMs	CPMb	Eff	Activity	UncTot	MDA	DLC
verification-1b	NA	1.00E+000sample	0.0536	g	Purple16	11/30/12 10:42	8.00	1000.00	1.00	1.00
	Gross Alpha	123	175	0.00	1.538E+001	1.750E-001	0.4314	1.587E+001pCi/sample	1.448E+000	8.638E-001
	Gross Beta	14954	485	0.00	1.869E+003	4.850E-001	0.4285	1.964E+003pCi/sample	1.607E+001	1.211E+000
verification-2b	NA	1.00E+000sample	0.0529	g	Purple17	11/30/12 10:43	8.00	1000.00	1.00	1.00
	Gross Alpha	53	87	0.00	6.625E+000	8.700E-002	0.1306	2.254E+001pCi/sample	3.391E+000	3.138E+000
	Gross Beta	15152	362	0.00	1.894E+003	3.620E-001	0.4356	1.958E+003pCi/sample	9.919E+001	1.591E+001
verification-3b	NA	1.00E+000sample	0.0528	g	Purple18	11/30/12 10:43	8.00	1000.00	1.00	1.00
	Gross Alpha	85	62	0.00	1.063E+001	6.200E-002	0.1313	3.624E+001pCi/sample	4.462E+000	3.954E+000
	Gross Beta	15378	395	0.00	1.922E+003	3.950E-001	0.4296	2.015E+003pCi/sample	1.020E+002	1.625E+001

Laboratory Control Sample Information

Sample ID	WRKNO	Analyte	Activity	StdAdded	Recovery	LCL	UCL	ZFactor
					%			

Sample Duplicate Information

Sample ID	Dup Sample ID	Analyte	Sample Activity	Dup Activity	RPD	RER	DER	ZFactor

Matrix Spike Information

SampID	SampMSID	Analyte	Sample Activity	MS Activity	StdAdded	MSRecovery	ZFactor
						%	

Blanks Information

SampID	WRKNO	Analyte	Activity	UncTotal	ZFactor

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Prep Report for Gross Alpha/Beta

Batch: M122629

Prep Analyst: 250

SampID	WRKNO	Aliquot	Gross	Tare	Mass	Dilution
verification-1b	NA	1.000E+000 sample	purple 8.7067 g	8.6531 g	0.0536 g	1.00
			16			
verification-2b	NA	1.000E+000 sample	8.6615 g	8.6086 g	0.0529 g	1.00
			17			
verification-3b	NA	1.000E+000 sample	8.6935 g	8.6407 g	0.0528 g	1.00
			18			

Spike Information

Sample ID	Standard ID	Analyte	Std Conc	Aliquot	Ref Date	Std Added
	Rad12-0043	SR-80	22,387 $\frac{\text{dpm}}{\text{mL}}$	0.1mL	11-28-12	
MS		LM			11-28-12	

Spiked By

Spike Verified By

Spike Date

Standard Operating Procedures

SOPNumber	Title	Revision



 Reviewed By

11/30/12

Review Date

 MS Analyst/Relinquished By

11/28/12 Release Date

 Received By

11/28/12 Receipt Date

MS 11/30/12
MS 1123433897/MS/11-28-12
Balance ID / Initials / Date

Reagent

Th-230_00051



Eckert & Ziegler

Analytics

1380 Seaboard Industrial Blvd.
Atlanta, Georgia 30318
Tel 404-352-8677
Fax 404-352-2837
www.ezag.com

CERTIFICATE OF CALIBRATION
Standard Reference Source

SRS Number: 114474

Source Description: 5 mL Liquid in Flame Sealed Ampoule

Product Code: 8230

Customer: Test America Laboratories- St. Louis

P.O. Number: 3053229, Item 1

This standard radionuclide source was prepared gravimetrically from a master solution calibrated by Eckert & Ziegler Analytics (EZA). The master solution was calibrated by liquid scintillation counting. Radionuclide calibration and purity were checked by germanium gamma-ray spectrometry, liquid scintillation counting, and/or alpha spectrometry, as applicable. The nuclear decay rate and reference date for this source are given below. EZA maintains traceability to the National Institute of Standards and Technology (NIST) through a Measurements Assurance Program as described in USNRC Regulatory Guide 4.15, Revision 2, July 2007, and compliance with ANSI N42.22-1995, "Traceability of Radioactive Sources to NIST."

Reference Date: 29-October-2019

12:00 PM EST

Isotope	Half-Life, d	Activity, Bq	Uncertainty			Calibration Method**
			u_A , %	u_B , %	U , %*	
Th-230	2.763E+07	3.786E+03	0.3	1.0	2.0	4π LS

*Uncertainty: U - Relative expanded uncertainty, $k = 2$. See NIST Technical Note 1297, "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Results." **Calibration Methods: 4π LS - 4π Liquid Scintillation Counting, HPGe - High Purity Germanium Gamma-Ray Spectrometer, IC - Ionization Chamber.

(Certificate continued on reverse side)

Th-230-00051

Reagent

Th-230_00052

Standard ID Number: Th-230_00053
True Value = 20311 pCi/L or g
Date Analyzed: 11/16/2019

Radionuclide: Th-230

Replicates
#1 19840 pCi/L or g
#2 20910 pCi/L or g
#3 19879 pCi/L or g

Mean = 20209.667

1 sigma = 606.81985 1.96 sigma = 1189.367

True Value minus 5% = 19295.45 (True Value - 5%)
True Value plus 5% = 21326.55 (True Value + 5%)

Accuracy:

Mean value within 5% of Certified (True) Value? Yes (Acceptance Criteria)

Precision:

1.96 sigma Value Within 10% of Mean Value? Yes (Acceptance Criteria)

Standard Reverification Acceptable?Yes

Note: Criteria for reverification of radiological standards is taken from the
DoD/DOE Consolidated QSM and LANL Statements of Work

1st Reviewed By/Date: TJR 11/18/19

2nd Reviewed By/Date: CHP 11/18/19

Decay Calculations**Raw Sample/Standard Information**

Initial Date/Time (t_0):	10/29/2019 0:00		
Decayto Date/Time (t):	11/16/19 0:00		
Initial Activity (A_0):	45.09 dpm		
Initial Aliquot:	1 mL		
Initial Conc:	45.0915 dpm/mL		
*Soln. Density:	1 g/mL		
Nuclide:	Th-230		
Half-Life (days):	27539850	decay days	fraction
**Decay Factor:	1.0000	18.00	0.00000
Decay Corr Activity:	4.5091E+01 dpm		
Decay Corr Conc:	4.5091E+01 dpm/mL		

Conversion/Calculations

Final Activity Unit:	pCi
Activity Unit Factor:	0.45045
Final Volume Unit:	L
Volume Unit Factor:	0.001
Final Concentration:	2.0311E+04 pCi/L
Aliquot Volume:	1.0000E+00 L
Final Activity (A):	2.0311E+04 pCi

** Uses basic decay equation: $A = A_0 * \exp(-\ln(2)*(t-t_0)/(half-life))$

* Soln. Density to be used when converting from liquid expressed in mass (g) units to liquid units (mL), and is only applied in that case.

Sample Name: 160-36383-A-1-A
 Spectrum #1 Analysis #1
 : 160-36383-A-1-A
 Sample Collection Date: 11/15/2019 12:00:00PM
 Comment:

Sample

Sample Volume : 0.00 Sample Units: L
 First Stage Dilution: N/A
 Aliquot: N/A Aliquot Fraction: N/A
 Dilution 2: N/A
 Lab Preparation:

Batch Name: 450711
 AnalysisResultsID: 246263
 Description:

Batch

Client Name: Undefined
 Client Contact:
 Analyst: 60040

Tracer Name: Th-229_00028

Tracer


Tracer Nuclide: Th-229
 Tracer Recovery: 92.98%

Tracer Activity: 66.16 DPM / mL x (Vol.) 0.10 mL = 6.62 DPM
 Tracer Ref. Date: 8/29/2018 9:44:32AM

Acquisition

Detector: AV244 SN: 51-005EE3
 Acquisition Start Date: 11/16/2019 1:40:35PM
 Live Time: 960.00 min.
 Real Time: 960.01 min.
 Background Date: 11/9/2019 2:31:27PM
 Bkgd Info: Sample: ICB;AV244; Det: AV244; Spectrum #1; 11/9/2019 2:31:27 PM

Energy Calibration: IC-1370619;AV244-11152018
 Efficiency Calibration:IC-1370619;AV244-11152018
 Calibration Date: 11/15/2018 10:58:47PM
 Energy Cal: Gain = 7.4575 keV / Ch
 Offset = 3,366.95 keV
 Quadratic = 0.0000 keV / Ch²
 Efficiency: 28.89% +/- 0.24% TPU(2 sigma)


General Analysis

Analysis Method: Interactive ROI Analysis

Decay Correction: 11/16/2019 1:38:32PM

MDA Constants: K α = 1.64, K β = 1.64

Nuclide Library: Thorium

MDA Source: Backgrund

Nuclide Summary (ROI)

Nuclide	Peak Energy keV	Peak Expected keV	Peak Diff keV	ROI Start keV	ROI End keV	FWHM keV	B.R. %	Gross Counts	Bkgd Counts	Net Counts	Activity	Units
Th-232	3971.0	4,010.0	-39.0	3724.9	4075.4	.3	100.2	11	2.0000	9.00	5.229E+001	pCi/L
Th-230	4649.7	4,687.5	-37.8	4455.8	4739.1	34.6	99.7	3399	1.0000	3398.00	1.984E+004	pCi/L
Th-229	4828.6	4,845.3	-16.7	4739.1	5097.1	73.2	99.6	1706	6.0000	1700.00	9.237E+003	pCi/L
Th-228	5417.8	5,423.3	-5.5	5209.0	5552.0	.9	99.8	45	19.0000	26.00	1.517E+002	pCi/L

Alpha-Spectroscopy Analysis Report

TestAmerica St. Louis
13715 Rider Trail North
Earth City, MO 63045
10:28:03AM 11/18/2019

Sample Name: 160-36383-A-1-B Type: Sample
Spectrum #1 Analysis #1
: 160-36383-A-1-B
Sample Collection Date: 11/15/2019 12:00:00PM
Comment:

Sample

Sample Volume : 0.00 Sample Units: L
First Stage Dilution: N/A
Aliquot: N/A Aliquot Fraction: N/A
Dilution 2: N/A
Lab Preparation:

Batch Name: 450711
AnalysisResultsID: 246269
Description:

Batch

Client Name: Undefined
Client Contact:
Analyst: 60040

Tracer Name: Th-229_00028

Tracer

Tracer Nuclide: Th-229
Tracer Recovery: 94.23%


Tracer Activity: 66.16 DPM / mL x (Vol.) 0.10 mL = 6.62 DPM

Tracer Ref. Date: 8/29/2018 9:44:32AM

Acquisition

Detector: AV245 SN: 49-037W4
Acquisition Start Date: 11/16/2019 1:40:35PM
Live Time: 960.00 min.
Real Time: 960.04 min.
Background Date: 11/9/2019 2:31:27PM
Bkgd Info: Sample: ICB;AV245; Det: AV245; Spectrum #1; 11/9/2019 2:31:27 PM

Energy Calibration: IC-1370620;AV245-11152018
Efficiency Calibration: IC-1370620;AV245-11152018
Calibration Date: 11/15/2018 10:58:51PM
Energy Cal: Gain = 7.4575 keV / Ch
Offset = 3,366.95 keV
Quadratic = 0.0000 keV / Ch²
Efficiency: 26.18% +/- 0.24% TPU(2 sigma)



General Analysis

Analysis Method: Interactive ROI Analysis
Decay Correction: 11/16/2019 1:38:32PM
MDA Constants: K α = 1.64, K β = 1.64

Nuclide Library: Thorium
MDA Source: Background

Nuclide Summary (ROI)

Nuclide	Peak Energy keV	Peak Expected keV	Peak Diff keV	ROI Start keV	ROI End keV	FWHM keV	B.R. %	Gross Counts	Bkgd Counts	Net Counts	Activity	Units
Th-232	3971.0	4,010.0	-39.0	3724.9	4075.4	10.5	100.2	4	0.0000	4.00	2.531E+001	pCi/L
Th-230	4686.9	4,687.5	-0.6	4455.8	4731.7	30.4	99.7	3292	4.0000	3288.00	2.091E+004	pCi/L
Th-229	4858.5	4,845.3	13.2	4731.7	5097.1	80.2	99.6	1567	6.0000	1561.00	9.361E+003	pCi/L
Th-228	5417.8	5,423.3	-5.5	5209.0	5552.0	227.6	99.8	38	16.0000	22.00	1.398E+002	pCi/L

Alpha-Spectroscopy Analysis Report

TestAmerica St. Louis
13715 Rider Trail North
Earth City, MO 63045
9:08:38AM 11/18/2019

Sample Name: 160-36383-A-1-C

Type: Sample

Spectrum #1 Analysis #1

: 160-36383-A-1-C

Sample Collection Date: 11/15/2019 12:00:00PM

Comment:

Batch Name: 450711

AnalysisResultsID: 246265

Description:

Tracer Name: Th-229_00028

Tracer Activity: 66.16 DPM / mL x (Vol.) 0.10 mL = 6.62 DPM

Tracer Ref. Date: 8/29/2018 9:44:32AM

Detector: AV246

SN: 51-005Q2

Acquisition Start Date: 11/16/2019 1:40:36PM

Live Time: 960.00 min.

Real Time: 960.01 min.

Background Date: 11/9/2019 2:31:27PM

Bkgd Info: Sample: ICB; Det: AV246; Spectrum #1; 11/9/2019

2:31:27 PM

Sample

Sample Volume : 0.00

Sample Units: L

First Stage Dilution: N/A

Aliquot: N/A Aliquot Fraction: N/A

Dilution 2: N/A

Lab Preparation:

Batch

Client Name: Undefined

Client Contact:

Analyst: 60040

Tracer

Tracer Nuclide: Th-229

Tracer Recovery: 102.72%

Acquisition

Energy Calibration: IC-7107;AV246-11152018

Efficiency Calibration:IC-7107;AV246-11152018


Calibration Date: 11/15/2018 10:58:54PM

Energy Cal: Gain = 7.4575 keV / Ch

Offset = 3,366.95 keV

Quadratic = 0.0000 keV / Ch²

Efficiency: 26.21% +/- 0.30% TPU(2 sigma)



Analysis Method: Interactive ROI Analysis

Decay Correction: 11/16/2019 1:38:32PM

MDA Constants: K_a = 1.64, K_b = 1.64

Nuclide Library: Thorium

MDA Source: Background

Nuclide Summary (ROI)

Nuclide	Peak Energy keV	Peak Expected keV	Peak Diff keV	ROI Start keV	ROI End keV	FWHM keV	B.R. %	Gross Counts	Bkgd Counts	Net Counts	Activity	Units
Th-232	3971.0	4,010.0	-39.0	3724.9	4075.4	29.9	100.2	8	2.0000	6.00	3.479E+001	pCi/L
Th-230	4649.7	4,687.5	-37.8	4455.8	4679.5	46.7	23.499.7	3412	1.0000	3411.00	8.479E+004	pCi/L
Th-229	4828.6	4,845.3	-16.7	4686.9	5097.1	70.6	99.8	1711	5.0000	1706.00	1.020E+004	pCi/L
Th-228	5417.8	5,423.3	-5.5	5209.0	5552.0	.0	99.8	84	14.0000	70.00	4.077E+002	pCi/L

$$34700 \cdot \frac{.234}{.497} = 19879$$

Sample Name: 160-36383-A-1-D Type: Sample
 Spectrum #1 Analysis #1
 : 160-36383-A-1-D
 Sample Collection Date: 11/15/2019 12:00:00PM
 Comment:

Sample

Sample Volume : 0.00 Sample Units: L
 First Stage Dilution: N/A
 Aliquot: N/A Aliquot Fraction: N/A
 Dilution 2: N/A
 Lab Preparation:

Batch Name: 450711
 AnalysisResultsID: 246266
 Description:

Batch

Client Name: Undefined
 Client Contact:
 Analyst: 60040

Tracer Name: Th-230_00053
 Tracer Activity: 45.09 DPM / mL x (Vol.) 0.30 mL = 13.53 DPM
 Tracer Ref. Date: 10/29/2019 9:30:47AM


Tracer

Tracer Nuclide: Th-230
 Tracer Recovery: 94.74%

Detector: AV247 SN: 51-027F3
 Acquisition Start Date: 11/16/2019 1:40:36PM
 Live Time: 960.00 min.
 Real Time: 960.00 min.
 Background Date: 11/9/2019 2:31:27PM
 Bkgd Info: Sample: ICB; Det: AV247; Spectrum #1; 11/9/2019
 2:31:27 PM

Acquisition

Energy Calibration: IC-8874;AV247-11152018
 Efficiency Calibration:IC-8874;AV247-11152018
 Calibration Date: 11/16/2018 11:45:39AM
 Energy Cal: Gain = 7.4575 keV / Ch
 Offset = 3,366.95 keV
 Quadratic = 0.0000 keV / Ch²
 Efficiency: 26.31% +/- 0.37% TPU(2 sigma)


General Analysis

Analysis Method: ROI Analysis, Set Name = Thorium_Th-230 (T)

Decay Correction: 11/16/2019 1:38:32PM

MDA Constants: K α = 1.64, K β = 1.64

Nuclide Library: Thorium

MDA Source: Background

Nuclide Summary (ROI)

Nuclide	Peak Energy keV	Peak Expected keV	Peak Diff keV	ROI Start keV	ROI End keV	FWHM keV	B.R. %	Gross Counts	Bkgd Counts	Net Counts	Activity	Units
Th-232	3971.0	4,010.0	-39.0	3724.9	4075.4	32.5	100.2	4	0.0000	4.00	2.505E+001	pCi/L
Th-230	4649.7	4,687.5	-37.8	4455.8	4716.8	19.6	99.7	3227	0.0000	3227.00	1.924E+004	pCi/L
Th-229	4828.6	4,845.3	-16.7	4716.8	5097.1	42.6	99.6	19	9.0000	10.00	6.298E+001	pCi/L
Th-228	5417.8	5,423.3	-5.5	5209.0	5552.0	43.0	99.8	22	12.0000	10.00	6.290E+001	pCi/L

Sample Name: 160-36383-A-1-E Type: Sample
 Spectrum #1 Analysis #1
 : 160-36383-A-1-E
 Sample Collection Date: 11/15/2019 12:00:00PM
 Comment:

Sample

Sample Volume : 0.00 Sample Units: L
 First Stage Dilution: N/A
 Aliquot: N/A Aliquot Fraction: N/A
 Dilution 2: N/A
 Lab Preparation:

Batch Name: 450711
 AnalysisResultsID: 246267
 Description:

Batch

Client Name: Undefined
 Client Contact:
 Analyst: 60040

Tracer Name: Th-230_00053


Tracer

Tracer Nuclide: Th-230
 Tracer Recovery: 110.62%

Tracer Activity: 45.09 DPM / mL x (Vol.) 0.30 mL = 13.53 DPM
 Tracer Ref. Date: 10/29/2019 9:30:47AM

Acquisition

Detector: AV249 SN: 51-005EE5
 Acquisition Start Date: 11/16/2019 1:40:36PM
 Live Time: 960.00 min.
 Real Time: 960.01 min.
 Background Date: 11/9/2019 2:31:28PM
 Energy Calibration: IC-9520;AV249-11152018
 Efficiency Calibration: IC-9520;AV249-11152018
 Calibration Date: 11/15/2018 10:59:03PM
 Energy Cal: Gain = 7.4575 keV / Ch
 Offset = 3,366.95 keV
 Quadratic = 0.0000 keV / Ch²
 Efficiency: 23.81% +/- 0.34% TPU(2 sigma)


General Analysis

Analysis Method: ROI Analysis, Set Name = Thorium_Th-230 (T)

Decay Correction: 11/16/2019 1:38:32PM

MDA Constants: K_a = 1.64, K_b = 1.64


Nuclide Library: Thorium

MDA Source: Background

Nuclide Summary (ROI)

Nuclide	Peak Energy keV	Peak Expected keV	Peak Diff keV	ROI Start keV	ROI End keV	FWHM keV	B.R. %	Gross Counts	Bkgd Counts	Net Counts	Activity	Units
Th-232	3971.0	4,010.0	-39.0	3724.9	4075.4	9.5	100.2	5	1.0000	4.00	2.371E+001	pCi/L
Th-230	4649.7	4,687.5	-37.8	4455.8	4716.8	65.6	99.7	3411	1.0000	3410.00	2.247E+004	pCi/L
Th-229	4828.6	4,845.3	-16.7	4716.8	5097.1	39.7	99.6	19	7.0000	12.00	7.152E+001	pCi/L
Th-228	5417.8	5,423.3	-5.5	5209.0	5552.0	186.1	99.8	17	13.0000	4.00	2.381E+001	pCi/L

Sample Name: 160-36383-A-1-F	Type: Sample	Sample	Sample Volume : 0.00	Sample Units: L
Spectrum #1 Analysis #1			First Stage Dilution: N/A	
: 160-36383-A-1-F			Aliquot: N/A Aliquot Fraction: N/A	
Sample Collection Date: 11/15/2019 12:00:00PM			Dilution 2: N/A	
Comment:			Lab Preparation:	
Batch Name: 450711	Batch		Client Name: Undefined	
AnalysisResultsID: 246268			Client Contact:	
Description:			Analyst: 60040	
Tracer Name: Th-230_00053	Tracer		Tracer Nuclide: Th-230	
Tracer Activity: 45.09 DPM / mL x (Vol.) 0.30 mL = 13.53 DPM			Tracer Recovery: 107.83%	
Tracer Ref. Date: 10/29/2019 9:30:47AM				
Detector: AV250	Acquisition		Energy Calibration: IC-9792;AV250-11152018	
SN: 47-052x7			Efficiency Calibration:IC-9792;AV250-11152018	
Acquisition Start Date: 11/16/2019 1:40:36PM			Calibration Date: 11/15/2018 10:59:07PM	
Live Time: 960.00 min.			Energy Cal: Gain = 7.4575 keV / Ch	
Real Time: 960.00 min.			Offset = 3,366.95 keV	
Background Date: 11/9/2019 2:31:28PM			Quadratic = 0.0000 keV / Ch ²	
Bkgd Info: Sample: ICB;AV250; Det: AV250; Spectrum #1; 11/9/2019 2:31:28 PM			Efficiency: 22.66% +/- 0.28% TPU(2 sigma)	



Analysis Method: ROI Analysis, Set Name = Thorium_Th-230 (T)

Decay Correction: 11/16/2019 1:38:32PM

MDA Constants: K α = 1.64, K β = 1.64

Nuclide Library: Thorium

MDA Source: Background

Nuclide Summary (ROI)

Nuclide	Peak Energy keV	Peak Expected keV	Peak Diff keV	ROI Start keV	ROI End keV	FWHM keV	B.R. %	Gross Counts	Bkgd Counts	Net Counts	Activity	Units
Th-232	3971.0	4,010.0	-39.0	3724.9	4075.4	10.4	100.2	3	7.0000	-4.00	2.556E+001	pCi/L
Th-230	4649.7	4,687.5	-37.8	4455.8	4716.8	19.5	99.7	3168	5.0000	3163.00	2.190E+004	pCi/L
Th-229	4828.6	4,845.3	-16.7	4716.8	5097.1	51.0	99.6	20	7.0000	13.00	8.353E+001	pCi/L
Th-228	5417.8	5,423.3	-5.5	5209.0	5552.0	134.4	99.8	17	16.0000	1.00	6.418E+000	pCi/L

Rad Worksheet

Batch Number: 160-450711

Method: ExtChrom

Analyst: Mazariegos, Chelsea M

Date Open: Nov 15 2019 4:08PM
Batch End: Nov 15 2019 4:41PM

Lab ID	Client ID	Method Chain	Basis	Initial weight/volume of sample	Th-229_00028	Th-230_00053	Th-230_00057
160-36383-A-1	Th-230 Std Verify 1	ExtChrom_Actin, A01R_Th	T	0.3 mL	0.1 mL	0.3 mL	0.3 mL
160-36383-A-1	Th-230 Std Verify 1	ExtChrom_Actin, A01R_Th	T	0.3 mL	0.1 mL	0.3 mL	0.3 mL
160-36383-A-1	Th-230 Std Verify 1	ExtChrom_Actin, A01R_Th	T	0.3 mL	0.1 mL	0.3 mL	0.3 mL
160-36383-A-1	Th-230 Std Verify 1	ExtChrom_Actin, A01R_Th	T	0.3 mL	0.3 mL	0.3 mL	0.3 mL
160-36383-A-1	Th-230 Std Verify 1	ExtChrom_Actin, A01R_Th	T	0.3 mL	0.3 mL	0.3 mL	0.3 mL
160-36383-A-1	Th-230 Std Verify 1	ExtChrom_Actin, A01R_Th	T	0.3 mL	0.3 mL	0.3 mL	0.3 mL
160-36383-A-2	Th-230 Std Verify 1	ExtChrom_Actin, A01R_Th	T	0.3 mL	0.1 mL	0.3 mL	0.3 mL
160-36383-A-2	Th-230 Std Verify 1	ExtChrom_Actin, A01R_Th	T	0.3 mL	0.1 mL	0.3 mL	0.3 mL
160-36383-A-2	Th-230 Std Verify 1	ExtChrom_Actin, A01R_Th	T	0.3 mL	0.1 mL	0.3 mL	0.3 mL
160-36383-A-2	Th-230 Std Verify 1	ExtChrom_Actin, A01R_Th	T	0.3 mL	0.3 mL	0.3 mL	0.3 mL
160-36383-A-2	Th-230 Std Verify 1	ExtChrom_Actin, A01R_Th	T	0.3 mL	0.3 mL	0.3 mL	0.3 mL
160-36383-A-2	Th-230 Std Verify 1	ExtChrom_Actin, A01R_Th	T	0.3 mL	0.3 mL	0.3 mL	0.3 mL
160-36383-A-2	Th-230 Std Verify 1	ExtChrom_Actin, A01R_Th	T	0.3 mL	0.3 mL	0.3 mL	0.3 mL

Balance (D)

Analyst ID - Reagent Drop: 115

KLH per CMM

N/A

N/A CMM

11/15/2019
ST-RC-0100

Batch: 450711

Analysis: Thorium, Isotopic by Alpha Spectroscopy

Review Item	Yes	No	N/A	2 Rvw	Analytical Due Date
Rad Prep					
1 Are all samples on batch sheet present or removed from batch?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	160-36383-A-1-A
2 Are all samples, QC and methods in compliance with client requirements?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	160-36383-A-1-B
3 Were forms checked for transcription errors?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	160-36383-A-1-C
4 Are all TALS entries complete? (End Dates and appropriate worksheet fields completed)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	160-36383-A-1-D
5 Are all problems and deviations documented? (NCM printed and attached with paperwork)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	160-36383-A-1-E
6 Does this batch contain re-extracts?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	160-36383-A-1-F
Sample Analysis					
1 Are carrier/tracer yields within acceptance limits?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	160-36383-A-2-A
2 Were all sample holding times met?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	160-36383-A-2-B
3 If alpha or LSC, were samples analyzed using normal ROI's, and were spectra evaluated for interferences?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	160-36383-A-2-C
QC Samples					
1 Is the blank activity <= MDA	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	160-36383-A-2-D
2 Is the blank activity <= client CRDL?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	160-36383-A-2-E
3 If blank activity exceeds limit, is sample activity >/= 5X blank activity?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	160-36383-A-2-F
4 Is LCS recovery within acceptance limits?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
5 Is duplicate precision (e.g. RPD/RER/DER/z-score) within acceptance limits?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
6 Is MS/MSD recovery within acceptance limits?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
7 Do samples meet CRDL?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
8 Is the absolute value of any negative result < 3sigma uncert.?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
Other					
1 Are all nonconformances documented and noted?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
2 Were manual data entries and/or calculations checked?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
Data Packaging					
1 Run logs included?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
2 Daily checks included?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3 Backgrounds included?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
4 Calibrations included?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Batch: 450711

Analysis: Thorium, Isotopic by Alpha Spectroscopy

Comments:

Prep Analyst: cmm

Date: 11/15/2019

Analyst: _____

Date: _____

Second Level Reviewer: _____

Date: _____

Date Uploaded: _____

Date Verified: _____

Date Review Released: _____

ExtChrom_Actin Analysis Sheet

(To Accompany Samples to Instruments)

Batch Number: 160-450711

Analyst: Mazariegos, Chelsea M

Batch Open: 11/15/2019 4:08:00PM
 Batch End: 11/15/2019 4:41:00PM

750mL
Diluent: 1:1000

Preparation, Extraction Chromatography Resin Actinide Separation

								Comments	1.00 mL	
	Input Sample Lab ID (Analytical Method)	SDG (Job #)	Matrix	Initial Amount	Final Amount	Due Date	Analytical TAT	Dlv Rank		Output Sample Lab ID
1	160-36383-A-1 (A01R_Th)	N/A (160-36383-1)	Water	0.3 mL		12/12/19	18_Days	2	/ 0355X	160 - 36383 - A - 1 - A
2	160-36383-A-1 (A01R_Th)	N/A (160-36383-1)	Water	0.3 mL		12/12/19	18_Days	2	/ 0355X / 244	160 - 36383 - A - 1 - A
3	160-36383-A-1 (A01R_Th)	N/A (160-36383-1)	Water	0.3 mL		12/12/19	18_Days	2	/ 0355X / 245	160 - 36383 - A - 1 - B
4	160-36383-A-1 (A01R_Th)	N/A (160-36383-1)	Water	0.3 mL		12/12/19	18_Days	2	/ 0355X / 246	160 - 36383 - A - 1 - C
5	160-36383-A-1 (A01R_Th)	N/A (160-36383-1)	Water	0.3 mL		12/12/19	18_Days	2	/ 0355X / 247	160 - 36383 - A - 1 - D
6	160-36383-A-1 (A01R_Th)	N/A (160-36383-1)	Water	0.3 mL		12/12/19	18_Days	2	/ 0355X / 248	160 - 36383 - A - 1 - E
7	160-36383-A-2 (A01R_Th)	N/A (160-36383-1)	Water	0.3 mL		12/12/19	18_Days	2	/ 0355X / 249	160 - 36383 - A - 1 - F
8	160-36383-A-2 (A01R_Th)	N/A (160-36383-1)	Water	0.3 mL		12/12/19	18_Days	2	/ 0355X / 250	160 - 36383 - A - 2 - A
9	160-36383-A-2 (A01R_Th)	N/A (160-36383-1)	Water	0.3 mL		12/12/19	18_Days	2	/ 0355X / 251	160 - 36383 - A - 2 - B
10	160-36383-A-2 (A01R_Th)	N/A (160-36383-1)	Water	0.3 mL		12/12/19	18_Days	2	/ 0355X / 252	160 - 36383 - A - 2 - C
11	160-36383-A-2 (A01R_Th)	N/A (160-36383-1)	Water	0.3 mL		12/12/19	18_Days	2	/ 0355X / 253	160 - 36383 - A - 2 - D
12	160-36383-A-2 (A01R_Th)	N/A (160-36383-1)	Water	0.3 mL		12/12/19	18_Days	2	/ 0355X / 254	160 - 36383 - A - 2 - E

ExtChrom_Actin Analysis Sheet

(To Accompany Samples to Instruments)

Batch Number: 160-450711

Analyst: Mazariegos, Chelsea M

Batch Open: 11/15/2019 4:08:00PM
Batch End: 11/15/2019 4:41:00PM

Isotopic Thorium (Alpha Spectrometry)

Input Sample Lab ID (Analytical Method)	(Sub-List)	Analytes
1 (A01R_Th)	(Standard Target List)	Th-228, Th-229, Th-230, Th-232
2 (A01R_Th)	(Standard Target List)	Th-228, Th-229, Th-230, Th-232
3 (A01R_Th)	(Standard Target List)	Th-228, Th-229, Th-230, Th-232
4 (A01R_Th)	(Standard Target List)	Th-228, Th-229, Th-230, Th-232
5 (A01R_Th)	(Standard Target List)	Th-228, Th-229, Th-230, Th-232
6 (A01R_Th)	(Standard Target List)	Th-228, Th-229, Th-230, Th-232
7 (A01R_Th)	(Standard Target List)	Th-228, Th-229, Th-230, Th-232
8 (A01R_Th)	(Standard Target List)	Th-228, Th-229, Th-230, Th-232
9 (A01R_Th)	(Standard Target List)	Th-228, Th-229, Th-230, Th-232
10 (A01R_Th)	(Standard Target List)	Th-228, Th-229, Th-230, Th-232
11 (A01R_Th)	(Standard Target List)	Th-228, Th-229, Th-230, Th-232
12 (A01R_Th)	(Standard Target List)	Th-228, Th-229, Th-230, Th-232

Analytes that are not being reported will be displayed in [...] brackets. Analytes that are not being reported but are on the spike list will be displayed in (...) parentheses.

ExtChrom_Actin Analysis Sheet

(To Accompany Samples to Instruments)

Batch Number: 160-450711

Analyst: Mazariegos, Chelsea M

Batch Open: 11/15/2019 4:08:00PM
Batch End: 11/15/2019 4:41:00PM

Batch Notes

Balance ID	N/A
Analyst ID - Reagent Drop	CMM
Analyst ID - Reagent Drop Witness	KLH per CMM
Pipette ID	RAD104
Analyst ID - Column	N/A
Column Date	N/A
Analyst ID - CoPrecipitation	CMM
CoPrecipitation Date	11/15/2019
SOP Number	ST-RC-0100
Batch Comment	

Comments

ExtChrom_Actin Analysis Sheet

(To Accompany Samples to Instruments)

Batch Number: 160-450711

Analyst: Mazariegos, Chelsea M

Batch Open: 11/15/2019 4:08:00PM
Batch End: 11/15/2019 4:41:00PM

Reagent Additions Worksheet

Lab ID	Reagent Code	Amount Added	Final Amount	By	Witness
160-36383-A-1	Th-229_00028	0.1 mL			
160-36383-A-1	Th-230_00053	0.3 mL			
160-36383-A-1	Th-229_00028	0.1 mL			
160-36383-A-1	Th-230_00053	0.3 mL			
160-36383-A-1	Th-229_00028	0.1 mL			
160-36383-A-1	Th-230_00053	0.3 mL			
160-36383-A-1	Th-230_00053	0.3 mL			
160-36383-A-1	Th-230_00053	0.3 mL			
160-36383-A-1	Th-230_00053	0.3 mL			
160-36383-A-1	Th-229_00028	0.1 mL			
160-36383-A-2	Th-230_00057	0.3 mL			
160-36383-A-2	Th-229_00028	0.1 mL			
160-36383-A-2	Th-230_00057	0.3 mL			
160-36383-A-2	Th-230_00057	0.3 mL			
160-36383-A-2	Th-230_00057	0.3 mL			
160-36383-A-2	Th-230_00057	0.3 mL			

ExtChrom_Actin Analysis Sheet

(To Accompany Samples to Instruments)

Batch Number: 160-450711

Analyst: Mazariegos, Chelsea M

Batch Open: 11/15/2019 4:08:00PM
Batch End: 11/15/2019 4:41:00PM

Batch End: 11/15/2019 4:41:00PM

Rad Worksheet

Batch Number: 160-450711
Method: ExtChrom
Analyst: Mazariegos, Chelsi

Date Open: Nov 15 2019 4:08PM
Batch End: Nov 15 2019 4:41PM

Lab ID	Client ID	Method Chain	Basis	Initial weight/volume of sample	Th-229_00028	Th-230_00053	Th-230_00057
160-36383-A-1	Th-230 Std Verify 1	ExtChrom_Actin, A01R_Th	T	0.3 mL	0.1 mL	0.3 mL	0.3 mL
160-36383-A-1	Th-230 Std Verify 1	ExtChrom_Actin, A01R_Th	T	0.3 mL	0.1 mL	0.3 mL	0.3 mL
160-36383-A-1	Th-230 Std Verify 1	ExtChrom_Actin, A01R_Th	T	0.3 mL	0.1 mL	0.3 mL	0.3 mL
160-36383-A-1	Th-230 Std Verify 1	ExtChrom_Actin, A01R_Th	T	0.3 mL	0.3 mL	0.3 mL	0.3 mL
160-36383-A-1	Th-230 Std Verify 1	ExtChrom_Actin, A01R_Th	T	0.3 mL	0.3 mL	0.3 mL	0.3 mL
160-36383-A-1	Th-230 Std Verify 1	ExtChrom_Actin, A01R_Th	T	0.3 mL	0.3 mL	0.3 mL	0.3 mL
160-36383-A-1	Th-230 Std Verify 1	ExtChrom_Actin, A01R_Th	T	0.3 mL	0.3 mL	0.3 mL	0.3 mL
160-36383-A-2	Th-230 Std Verify 1	ExtChrom_Actin, A01R_Th	T	0.3 mL	0.1 mL	0.3 mL	0.3 mL
160-36383-A-2	Th-230 Std Verify 1	ExtChrom_Actin, A01R_Th	T	0.3 mL	0.1 mL	0.3 mL	0.3 mL
160-36383-A-2	Th-230 Std Verify 1	ExtChrom_Actin, A01R_Th	T	0.3 mL	0.1 mL	0.3 mL	0.3 mL
160-36383-A-2	Th-230 Std Verify 1	ExtChrom_Actin, A01R_Th	T	0.3 mL	0.1 mL	0.3 mL	0.3 mL
160-36383-A-2	Th-230 Std Verify 1	ExtChrom_Actin, A01R_Th	T	0.3 mL	0.1 mL	0.3 mL	0.3 mL
160-36383-A-2	Th-230 Std Verify 1	ExtChrom_Actin, A01R_Th	T	0.3 mL	0.3 mL	0.3 mL	0.3 mL
160-36383-A-2	Th-230 Std Verify 1	ExtChrom_Actin, A01R_Th	T	0.3 mL	0.3 mL	0.3 mL	0.3 mL

Balance ID:

Analyst ID - Reagent Drop:

Analyst ID - Reagent Drop Witness:

RAD104
N/A
N/A
CMM
11/15/2019
ST-RC-0100

Reagent

Th-230_00054



Eckert & Ziegler

Analytics

1380 Seaboard Industrial Blvd.
Atlanta, Georgia 30318
Tel 404-352-8677
Fax 404-352-2837
www.ezag.com

CERTIFICATE OF CALIBRATION Standard Reference Source

SRS Number: 114475

Source Description: 5 mL Liquid in Flame Sealed Ampoule

Product Code: 8230

Customer: Test America Laboratories- St. Louis

P.O. Number: 3053229, Item 1

This standard radionuclide source was prepared gravimetrically from a master solution calibrated by Eckert & Ziegler Analytics (EZA). The master solution was calibrated by liquid scintillation counting. Radionuclide calibration and purity were checked by germanium gamma-ray spectrometry, liquid scintillation counting, and/or alpha spectrometry, as applicable. The nuclear decay rate and reference date for this source are given below. EZA maintains traceability to the National Institute of Standards and Technology (NIST) through a Measurements Assurance Program as described in USNRC Regulatory Guide 4.15, Revision 2, July 2007, and compliance with ANSI N42.22-1995, "Traceability of Radioactive Sources to NIST."

Reference Date: 29-October-2019

12:00 PM EST

Isotope	Half-Life, d	Activity, Bq	Uncertainty			Calibration Method**
			u_A , %	u_B , %	U , %*	
Th-230	2.783E+07	3.843E+03	0.2	1.0	2.0	4π LS

*Uncertainty: U - Relative expanded uncertainty, $k = 2$. See NIST Technical Note 1297, "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Results." **Calibration Methods: 4π LS - 4π Liquid Scintillation Counting, HPGe - High Purity Germanium Gamma-Ray Spectrometer, IC - Ionization Chamber.

(Certificate continued on reverse side)

Reagent

Th-230_00056

Standard ID Number: Th-230_00057
True Value = 20627 pCi/L or g
Date Analyzed: 11/16/2019

Radionuclide:
Th-230

Replicates
#1 19791 pCi/L or g
#2 20695 pCi/L or g
#3 18802 pCi/L or g

Mean = 19762.667

1 sigma = 946.818 1.96 sigma = 1855.763

True Value minus 5% = 19595.65 (True Value - 5%)
True Value plus 5% = 21658.35 (True Value + 5%)

Accuracy:

Mean value within 5% of Certified (True) Value?

Yes (Acceptance Criteria)

Precision:

1.96 sigma Value Within 10% of Mean Value?

Yes (Acceptance Criteria)

Standard Reverification Acceptable? Yes

Note: Criteria for reverification of radiological standards is taken from the
DoD/DOE Consolidated QSM and LANL Statements of Work

1st Reviewed By/Date: TJR 11/18/19

2nd Reviewed By/Date: CJP 11/18/19

Decay Calculations**Raw Sample/Standard Information**

Initial Date/Time (t_0):	10/29/2019 0:00		
Decayto Date/Time (t):	11/16/19 0:00		
Initial Activity (A_0):	45.79 dpm		
Initial Aliquot:	1 mL		
Initial Conc:	45.7916 dpm/mL		
*Soln. Density:	1 g/mL		
Nuclide:	Th-230		
Half-Life (days):	27539850	decay days	fraction
**Decay Factor:	1.0000	18.00	0.00000
Decay Corr Activity:	4.5792E+01	dpm	
Decay Corr Conc:	4.5792E+01	dpm/mL	

Conversion/Calculations

Final Activity Unit:	pCi
Activity Unit Factor:	0.45045
Final Volume Unit:	L
Volume Unit Factor:	0.001
Final Concentration:	2.0627E+04 pCi/L
Aliquot Volume:	1.0000E+00 L
Final Activity (A):	2.0627E+04 pCi

** Uses basic decay equation: $A = A_0 * \exp(-\ln(2)*(t-t_0)/(half-life))$

* Soln. Density to be used when converting from liquid expressed in mass (g) units to liquid units (mL), and is only applied in that case.

Alpha-Spectroscopy Analysis Report

TestAmerica St. Louis
13715 Rider Trail North
Earth City, MO 63045
5:43:23AM 11/17/2019

Sample Name: 160-36383-A-2-A
Sample Type: Sample
Sample ID: 160-36383-A-2-A
Sample Collection Date: 11/15/2019 12:00:00PM

Batch Name: 450711
AnalysisID: 775471

Tracer Name: Th-229_00028
Tracer Activity: 66.16 DPM/mL x (Vol.)0.10 mL = 6.62 DPM
Tracer Ref. Date: 8/29/2018 12:00:31PM

Detector: AV1
Serial Number: 49-188 AA4
Acquisition Start Date: 11/16/2019 1:42:29PM
Live Time: 960.00 min.
Real Time: 960.03 min.
Background Date: 11/13/2019 1:56:34PM
Background Info: Sample: ICB; Det: AV1; Spectrum #2;
Nov-13-2019 13:56

Sample

Spectrum #1 Analysis #1
Sample Volume : 0.0003L
Aliquot: N/A Aliquot Fraction: N/A

Batch


Analyst: 60040

Tracer

Tracer Nuclide: Th-229
Tracer Recovery: 101.73%

Acquisition

Calibration Name: IC-7107;AV1-05142018
Calibration Date: 5/14/2018 6:23:45PM
Gain = 7.4575 keV / Ch
Offset = 3,366.95 keV
Energy Cal: Quadratic = 0.0000 keV / Ch²
Efficiency: 24.36% +/- 0.28% TPU(2 sigma)



General Analysis

Analysis Method: ROI Analysis, Set Name = Thorium_Th-229 (T)

Nuclide Library: Thorium

Decay Correction: 11/16/2019 1:41:05PM

MDA Source: Background

MDA Constants: K_α = 1.65 , K_β = 1.65

Nuclide Summary (ROI)

Nuclide	Peak Energy keV	Peak Expected keV	Peak Diff keV	ROI Start keV	ROI End keV	FWHM keV	B.R. %	Gross Counts	Bkgd Counts	Net Counts	Activity	Units
Th-232	3971.0	4,010.0	-39.0	3724.9	4075.4	32.5	100.2	9	4.0000	5.00	31.497	pCi/L
Th-230	4649.7	4,687.5	-37.8	4455.8	4716.8	23.5	99.7	3137	11.0000	3126.00	19,790.970	pCi/L
Th-229	4828.6	4,845.3	-16.7	4716.8	5097.1	78.3	99.6	1571	3.0000	1568.00	10,105.280	pCi/L
Th-228	5417.8	5,423.3	-5.5	5209.0	5552.0	27.5	99.8	51	7.0000	44.00	278.400	pCi/L

Alpha-Spectroscopy Analysis Report

TestAmerica St. Louis
13715 Rider Trail North
Earth City, MO 63045
8:51:27AM 11/18/2019

Sample Name: 160-36383-A-2-B
Sample Type: Sample
: 160-36383-A-2-B
Sample Collection Date: 11/15/2019 12:00:00PM

Sample

Spectrum #1 Analysis #1
Sample Volume : 0.0003L
Aliquot: N/A Aliquot Fraction: N/A

Batch Name: 450711
AnalysisID: 775566

Batch

Analyst: 60040

Tracer Name: Th-229_00028
Tracer Activity: 66.16 DPM/mL x (Vol.)0.10 mL = 6.62 DPM
Tracer Ref. Date: 8/29/2018 12:00:31PM


Tracer

Tracer Nuclide: Th-229
Tracer Recovery: 102.38%

Detector: AV3
Serial Number: 49-202 FF7
Acquisition Start Date: 11/16/2019 1:42:31PM
Live Time: 960.00 min.
Real Time: 960.03 min.
Background Date: 11/13/2019 1:56:37PM
Background Info: Sample: ICB;AV3; Det: AV3; Spectrum #2;
Nov-13-2019 13:56

Acquisition

Calibration Name: IC-8877;AV3-05142018
Calibration Date: 5/14/2018 6:25:15PM
Gain = 7.4575 keV / Ch
Offset = 3,366.95 keV
Energy Cal: Quadratic = 0.0000 keV / Ch²
Efficiency: 24.44% +/- 0.30% TPU(2 sigma)



General Analysis

Analysis Method: ROI Analysis, Set Name = Thorium_Th-229 (T)
Decay Correction: 11/16/2019 1:41:05PM
MDA Constants: K α = 1.65 , K β = 1.65

Nuclide Library: Thorium
MDA Source: Background

Nuclide Summary (ROI)

Nuclide	Peak Energy keV	Peak Expected keV	Peak Diff keV	ROI Start keV	ROI End keV	FWHM keV	B.R. %	Gross Counts	Bkgd Counts	Net Counts	Activity	Units
Th-232	3971.0	4,010.0	-39.0	3724.9	4075.4	12.1	100.2	14	16.0000	-2.00	-12.480	pCi/L
Th-230	4649.7	4,687.5	-37.8	4455.8	4731.7	22.3	99.7	3313	13.0000	3300.00	20,694.600	pCi/L
Th-229	4828.6	4,845.3	-16.7	4731.7	5097.1	82.4	99.6	1591	8.0000	1583.00	10,169.700	pCi/L
Th-228	5417.8	5,423.3	-5.5	5209.0	5552.0	18.4	99.8	79	4.0000	75.00	470.050	pCi/L

Alpha-Spectroscopy Analysis Report

TestAmerica St. Louis
13715 Rider Trail North
Earth City, MO 63045
5:42:33AM 11/17/2019

Sample Name: 160-36383-A-2-C
Sample Type: Sample
: 160-36383-A-2-C
Sample Collection Date: 11/15/2019 12:00:00PM

Sample

Spectrum #1 Analysis #1
Sample Volume : 0.0003L
Aliquot: N/A Aliquot Fraction: N/A

Batch Name: 450711
AnalysisID: 775467

Batch

Analyst: 60040

Tracer Name: Th-229_00028
Tracer Activity: 66.16 DPM/mL x (Vol.)0.10 mL = 6.62 DPM
Tracer Ref. Date: 8/29/2018 12:00:31PM


Tracer

Tracer Nuclide: Th-229
Tracer Recovery: 116.50%

Detector: AV4
Serial Number: 46-033Q4
Acquisition Start Date: 11/16/2019 1:42:33PM
Live Time: 960.00 min.
Real Time: 960.03 min.
Background Date: 11/13/2019 1:54:23PM
Background Info: Sample: ICB;Det: AV4; Spectrum #: Nov-13-2019 13:54

Acquisition

Calibration Name: IC-9520;AV4-05142018
Calibration Date: 5/14/2018 6:25:34PM
Gain = 7.4575 keV / Ch
Offset = 3,366.95 keV
Energy Cal: Quadratic = 0.0000 keV / Ch²
Efficiency: 22.79% +/- 0.33% TPU(2 sigma)



General Analysis

Analysis Method: ROI Analysis, Set Name = Thorium_Th-229 (T)
Decay Correction: 11/16/2019 1:41:05PM
MDA Constants: K α = 1.65 , K β = 1.65

Nuclide Library: Thorium
MDA Source: Background

Nuclide Summary (ROI)

Nuclide	Peak Energy keV	Peak Expected keV	Peak Diff keV	ROI Start keV	ROI End keV	FWHM keV	B.R. %	Gross Counts	Bkgd Counts	Net Counts	Activity	Units
Th-232	3971.0	4,010.0	-39.0	3724.9	4075.4	305.2	100.2	9	7.0000	2.00	11.759	pCi/L
Th-230	4649.7	4,687.5	-37.8	4455.8	4716.8	24.7	99.7	3184	2.0000	3182.00	18,802.470	pCi/L
Th-229	4828.6	4,845.3	-16.7	4716.8	5097.1	87.4	99.6	1685	5.0000	1680.00	11,572.560	pCi/L
Th-228	5417.8	5,423.3	-5.5	5209.0	5552.0	29.2	99.8	33	7.0000	26.00	153.542	pCi/L

Alpha-Spectroscopy Analysis Report

TestAmerica St. Louis
13715 Rider Trail North
Earth City, MO 63045
9:42:35AM 11/18/2019

Sample Name: 160-36383-A-2-D
Sample Type: Sample
: 160-36383-A-2-D
Sample Collection Date: 11/15/2019 12:00:00PM

Sample

Spectrum #1 Analysis #1
Sample Volume : 0.0003L
Aliquot: N/A Aliquot Fraction: N/A

Batch Name: 450711
AnalysisID: 775571

Batch

Analyst: 60040

Tracer Name: Th-230_00057
Tracer Activity: 45.79 DPM/mL x (Vol.)0.30 mL = 13.74 DPM
Tracer Ref. Date: 10/29/2019 11:00:53AM


Tracer

Tracer Nuclide: Th-230
Tracer Recovery: 89.46%

Detector: AV14
Serial Number: 50-060W4
Acquisition Start Date: 11/16/2019 1:42:42PM
Live Time: 960.00 min.
Real Time: 960.01 min.
Background Date: 11/13/2019 1:54:35PM
Background Info: Sample: ICB; Det: AV14; Spectrum #2;
Nov-13-2019 13:54

Acquisition

Calibration Name: IC-1370622;AV14-05142018
Calibration Date: 5/14/2018 6:27:53PM
Gain = 7.4575 keV / Ch
Energy Cal: Offset = 3,366.95 keV
Quadratic = 0.0000 keV / Ch²
Efficiency: 26.40% +/- 0.23% TPU(2 sigma)



General Analysis

Analysis Method: ROI Analysis, Set Name = Thorium_Th-230 (T)

Nuclide Library: Thorium

Decay Correction: 11/16/2019 1:41:05PM

MDA Source: Background

MDA Constants: K_α = 1.65, K_β = 1.65

Nuclide Summary (ROI)

Nuclide	Peak Energy keV	Peak Expected keV	Peak Diff keV	ROI Start keV	ROI End keV	FWHM keV	B.R. %	Gross Counts	Bkgd Counts	Net Counts	Activity	Units
Th-232	3971.0	4,010.0	-39.0	3724.9	4075.4	15.9	100.2	9	2.0000	7.00	46.270	pCi/L
Th-230	4649.7	4,687.5	-37.8	4455.8	4739.1	63.3	99.7	3108	3.0000	3105.00	18,452.200	pCi/L
Th-229	4828.6	4,845.3	-16.7	4739.1	5097.1	306.2	99.6	18	3.0000	15.00	99.700	pCi/L
Th-228	5417.8	5,423.3	-5.5	5209.0	5552.0	223.9	99.8	14	11.0000	3.00	19.917	pCi/L

Alpha-Spectroscopy Analysis Report

TestAmerica St. Louis
13715 Rider Trail North
Earth City, MO 63045
9:42:50AM 11/18/2019

Sample Name: 160-36383-A-2-E
Sample Type: Sample
: 160-36383-A-2-E
Sample Collection Date: 11/15/2019 12:00:00PM

Sample

Spectrum #1 Analysis #1
Sample Volume : 0.0003L
Aliquot: N/A Aliquot Fraction: N/A

Batch Name: 450711
AnalysisID: 775569

Batch

Analyst: 60040

Tracer Name: Th-230_00057
Tracer Activity: 45.79 DPM/mL x (Vol.)0.30 mL = 13.74 DPM
Tracer Ref. Date: 10/29/2019 11:00:53AM


Tracer

Tracer Nuclide: Th-230
Tracer Recovery: 86.22%

Detector: AV15
Serial Number: 41-172C5
Acquisition Start Date: 11/16/2019 1:42:43PM
Live Time: 960.00 min.
Real Time: 960.01 min.
Background Date: 11/13/2019 1:54:37PM
Background Info: Sample: ICB; Det: AV15; Spectrum #2;
Nov-13-2019 13:54

Acquisition

Calibration Name: IC-1370619;AV15-05142018
Calibration Date: 5/14/2018 6:28:04PM
Gain = 7.4575 keV / Ch
Energy Cal: Offset = 3,366.95 keV
Quadratic = 0.0000 keV / Ch²
Efficiency: 27.26% +/- 0.23% TPU(2 sigma)



General Analysis

Analysis Method: ROI Analysis, Set Name = Thorium_Th-230 (T)

Nuclide Library: Thorium

Decay Correction: 11/16/2019 1:41:05PM

MDA Source: Background

MDA Constants: K α = 1.65, K β = 1.65

Nuclide Summary (ROI)

Nuclide	Peak Energy keV	Peak Expected keV	Peak Diff keV	ROI Start keV	ROI End keV	FWHM keV	B.R. %	Gross Counts	Bkgd Counts	Net Counts	Activity	Units
Th-232	3971.0	4,010.0	-39.0	3724.9	4075.4	29.5	100.2	5	5.0000	0.00	0.000	pCi/L
Th-230	4649.7	4,687.5	-37.8	4455.8	4716.8	33.0	99.7	3098	8.0000	3090.00	17,785.010	pCi/L
Th-229	4828.6	4,845.3	-16.7	4716.8	5097.1	60.9	99.6	19	9.0000	10.00	66.789	pCi/L
Th-228	5417.8	5,423.3	-5.5	5209.0	5552.0	55.9	99.8	4	6.0000	-2.00	-13.343	pCi/L

Alpha-Spectroscopy Analysis Report

TestAmerica St. Louis
13715 Rider Trail North
Earth City, MO 63045
9:43:04AM 11/18/2019

Sample Name: 160-36383-A-2-F
Sample Type: Sample
Batch ID: 160-36383-A-2-F
Sample Collection Date: 11/15/2019 12:00:00PM

Sample

Spectrum #1 Analysis #1
Sample Volume : 0.0003L
Aliquot: N/A Aliquot Fraction: N/A

Batch Name: 450711
AnalysisID: 775570

Batch

Analyst: 60040

Tracer Name: Th-230_00057
Tracer Activity: 45.79 DPM/mL x (Vol.)0.30 mL = 13.74 DPM
Tracer Ref. Date: 10/29/2019 11:00:53AM


Tracer

Tracer Nuclide: Th-230
Tracer Recovery: 93.47%

Detector: AV16
Serial Number: 51-082B6
Acquisition Start Date: 11/16/2019 1:42:45PM
Live Time: 960.00 min.
Real Time: 960.01 min.
Background Date: 11/13/2019 1:54:38PM
Background Info: Sample: ICB; Det: AV16; Spectrum #2;
Nov-13-2019 13:54

Acquisition

Calibration Name: IC-137620;AV16-05142018
Calibration Date: 5/14/2018 6:28:17PM
Gain = 7.4575 keV / Ch
Energy Cal: Offset = 3,366.95 keV
Quadratic = 0.0000 keV / Ch²
Efficiency: 26.96% +/- 0.24% TPU(2 sigma)



General Analysis

Analysis Method: ROI Analysis, Set Name = Thorium_Th-230 (T)

Nuclide Library: Thorium

Decay Correction: 11/16/2019 1:41:05PM

MDA Source: Background

MDA Constants: K_α = 1.65, K_B = 1.65

Nuclide Summary (ROI)

Nuclide	Peak Energy keV	Peak Expected keV	Peak Diff keV	ROI Start keV	ROI End keV	FWHM keV	B.R. %	Gross Counts	Bkgd Counts	Net Counts	Activity	Units
Th-232	3971.0	4,010.0	-39.0	3724.9	4075.4	23.8	100.2	7	1.0000	6.00	37.170	pCi/L
Th-230	4649.7	4,687.5	-37.8	4455.8	4716.8	42.4	99.7	3321	8.0000	3313.00	19,279.790	pCi/L
Th-229	4828.6	4,845.3	-16.7	4716.8	5097.1	.0	99.6	28	6.0000	22.00	137.046	pCi/L
Th-228	5417.8	5,423.3	-5.5	5209.0	5552.0	10.3	99.8	6	5.0000	1.00	6.222	pCi/L

Rad Worksheet

Batch Number: 160-450711

Method: EvtChrm

Avalos: Mazziecca *Chelsea M*

Date Open: Nov 15 2019 4:08PM
Batch End: Nov 15 2019 4:41PM

Lab ID	Client ID	Method Chain	Basis	Initial weight/volume of sample	Th-229_00028	Th-230_00053	Th-230_00057
160-36383-A-1	Th-230 Std Verify 1	ExtChrom_Actin, A01R_Th	T	0.3 mL	0.1 mL	0.3 mL	
160-36383-A-1	Th-230 Std Verify 1	ExtChrom_Actin, A01R_Th	T	0.3 mL	0.1 mL	0.3 mL	
160-36383-A-1	Th-230 Std Verify 1	ExtChrom_Actin, A01R_Th	T	0.3 mL	0.1 mL	0.3 mL	
160-36383-A-1	Th-230 Std Verify 1	ExtChrom_Actin, A01R_Th	T	0.3 mL	0.3 mL	0.3 mL	
160-36383-A-1	Th-230 Std Verify 1	ExtChrom_Actin, A01R_Th	T	0.3 mL	0.3 mL	0.3 mL	
160-36383-A-1	Th-230 Std Verify 1	ExtChrom_Actin, A01R_Th	T	0.3 mL	0.3 mL	0.3 mL	
160-36383-A-1	Th-230 Std Verify 1	ExtChrom_Actin, A01R_Th	T	0.3 mL	0.3 mL	0.3 mL	
160-36383-A-2	Th-230 Std Verify 1	ExtChrom_Actin, A01R_Th	T	0.3 mL	0.1 mL	0.3 mL	
160-36383-A-2	Th-230 Std Verify 1	ExtChrom_Actin, A01R_Th	T	0.3 mL	0.1 mL	0.3 mL	
160-36383-A-2	Th-230 Std Verify 1	ExtChrom_Actin, A01R_Th	T	0.3 mL	0.1 mL	0.3 mL	
160-36383-A-2	Th-230 Std Verify 1	ExtChrom_Actin, A01R_Th	T	0.3 mL	0.3 mL	0.3 mL	
160-36383-A-2	Th-230 Std Verify 1	ExtChrom_Actin, A01R_Th	T	0.3 mL	0.3 mL	0.3 mL	
160-36383-A-2	Th-230 Std Verify 1	ExtChrom_Actin, A01R_Th	T	0.3 mL	0.3 mL	0.3 mL	
160-36383-A-2	Th-230 Std Verify 1	ExtChrom_Actin, A01R_Th	T	0.3 mL	0.3 mL	0.3 mL	

15

Analyst ID - Reagent Drop:
Balance ID:

KLH per CMM
RAD104

10

- 8 -

10

三

11/15/2019
ST-RC-0100

Radiochemistry Data Review Checklist

Batch: 450711

Analysis: Thorium, Isotopic by Alpha Spectroscopy

Review Item	Yes	No	N/A	2 Rvw	Lot Number	Analytical Due Date
Rad Prep						
1 Are all samples on batch sheet present or removed from batch?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	160-36383-A-1-A	
2 Are all samples, QC and methods in compliance with client requirements?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	160-36383-A-1-B	
3 Were forms checked for transcription errors?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	160-36383-A-1-C	
4 Are all TALS entries complete? (End Dates and appropriate worksheet fields completed)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	160-36383-A-1-D	
5 Are all problems and deviations documented? (NCM printed and attached with paperwork)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	160-36383-A-1-E	
6 Does this batch contain re-extracts?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	160-36383-A-1-F	
Sample Analysis						
1 Are carrier/tracer yields within acceptance limits?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	160-36383-A-2-A	
2 Were all sample holding times met?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	160-36383-A-2-B	
3 If alpha or LSC, were samples analyzed using normal ROI's, and were spectra evaluated for interferences?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	160-36383-A-2-C	
QC Samples						
1 Is the blank activity <= MDA	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	160-36383-A-2-D	
2 Is the blank activity <= client CRDL?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	160-36383-A-2-E	
3 If blank activity exceeds limit, is sample activity >/= 5X blank activity?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	160-36383-A-2-F	
4 Is LCS recovery within acceptance limits?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
5 Is duplicate precision (e.g. RPD/RER/DER/z-score) within acceptance limits?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
6 Is MS/MSD recovery within acceptance limits?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
7 Do samples meet CRDL?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
8 Is the absolute value of any negative result < 3sigma uncert.?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
Other						
1 Are all nonconformances documented and noted?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
2 Were manual data entries and/or calculations checked?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
Data Packaging						
1 Run logs included?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
2 Daily checks included?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
3 Backgrounds included?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
4 Calibrations included?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		

Batch: 450711

Analysis: Thorium, Isotopic by Alpha Spectroscopy

Comments:

Prep Analyst: CMM

Date: 11/15/2019

Analyst: _____

Date: _____

Second Level Reviewer: _____

Date: _____

Date Uploaded: _____

Date Verified: _____

Date Review Released: _____

ExtChrom_Actin Analysis Sheet

(To Accompany Samples to Instruments)

Batch Number: 160-450711

Analyst: Mazariegos, Chelsea M

QWOM
DRAFT: 11/15/19

Batch Open: 11/15/2019 4:08:00PM
Batch End: 11/15/2019 4:41:00PM

Preparation, Extraction Chromatography Resin Actinide Separation

TA
1.00 μ L

	SDG (Job #)	Matrix	Initial Amount	Final Amount	Due Date	Analytical TAT	Dlv Rank	Comments	Output Sample Lab ID
1 (A01R_Th)	N/A (160-36383-A-1)	Water	0.3 mL		12/12/19	18_Days	2	/ 05/2019	160 - 36383 - A - 1 - A
2 (A01R_Th)	N/A (160-36383-A-1)	Water	0.3 mL		12/12/19	18_Days	2	/ 05/2019 / 2015	160 - 36383 - A - 1 - B
3 (A01R_Th)	N/A (160-36383-A-1)	Water	0.3 mL		12/12/19	18_Days	2	/ 2014	160 - 36383 - A - 1 - C
4 (A01R_Th)	N/A (160-36383-A-1)	Water	0.3 mL		12/12/19	18_Days	2	/ 2014	160 - 36383 - A - 1 - D
5 (A01R_Th)	N/A (160-36383-A-1)	Water	0.3 mL		12/12/19	18_Days	2	/ 2014	160 - 36383 - A - 1 - E
6 (A01R_Th)	N/A (160-36383-A-1)	Water	0.3 mL		12/12/19	18_Days	2	/ 2014	160 - 36383 - A - 1 - F
7 (A01R_Th)	N/A (160-36383-A-2)	Water	0.3 mL		12/12/19	18_Days	2	/ 2014	160 - 36383 - A - 2 - A
8 (A01R_Th)	N/A (160-36383-A-2)	Water	0.3 mL		12/12/19	18_Days	2	/ 2014	160 - 36383 - A - 2 - B
9 (A01R_Th)	N/A (160-36383-A-2)	Water	0.3 mL		12/12/19	18_Days	2	/ 2014	160 - 36383 - A - 2 - C
10 (A01R_Th)	N/A (160-36383-A-2)	Water	0.3 mL		12/12/19	18_Days	2	/ 2014	160 - 36383 - A - 2 - D
11 (A01R_Th)	N/A (160-36383-A-2)	Water	0.3 mL		12/12/19	18_Days	2	/ 2014	160 - 36383 - A - 2 - E
12 (A01R_Th)	N/A (160-36383-A-2)	Water	0.3 mL		12/12/19	18_Days	2	/ 2014	160 - 36383 - A - 2 - F

ExtChrom_Actin Analysis Sheet

(To Accompany Samples to Instruments)

Batch Number: 160-450711

Analyst: Mazariegos, Chelsea M

Batch Open: 11/15/2019 4:08:00PM
Batch End: 11/15/2019 4:41:00PM

Isotopic Thorium (Alpha Spectrometry)

Input Sample Lab ID (Analytical Method)	Lab ID (Sub-List)	Analytes
1 (A01R_Th)	(Standard Target List)	Th-228, Th-229, Th-230, Th-232
2 (A01R_Th)	(Standard Target List)	Th-228, Th-229, Th-230, Th-232
3 (A01R_Th)	(Standard Target List)	Th-228, Th-229, Th-230, Th-232
4 (A01R_Th)	(Standard Target List)	Th-228, Th-229, Th-230, Th-232
5 (A01R_Th)	(Standard Target List)	Th-228, Th-229, Th-230, Th-232
6 (A01R_Th)	(Standard Target List)	Th-228, Th-229, Th-230, Th-232
7 (A01R_Th)	(Standard Target List)	Th-228, Th-229, Th-230, Th-232
8 (A01R_Th)	(Standard Target List)	Th-228, Th-229, Th-230, Th-232
9 (A01R_Th)	(Standard Target List)	Th-228, Th-229, Th-230, Th-232
10 (A01R_Th)	(Standard Target List)	Th-228, Th-229, Th-230, Th-232
11 (A01R_Th)	(Standard Target List)	Th-228, Th-229, Th-230, Th-232
12 (A01R_Th)	(Standard Target List)	Th-228, Th-229, Th-230, Th-232

Analytes that are not being reported with be displayed in [...] brackets. Analytes that are not being reported but are on the spike list will be displayed in (...) parentheses.

ExtChrom_Actin Analysis Sheet

(To Accompany Samples to Instruments)

Batch Number: 160-450711

Analyst: Mazariegos, Chelsea M

Batch Open: 11/15/2019 4:08:00PM
Batch End: 11/15/2019 4:41:00PM

Batch Notes

Balance ID	N/A
Analyst ID - Reagent Drop	CMM
Analyst ID - Reagent Drop Witness	KLH per CMM
Pipette ID	RAD104
Analyst ID - Column	N/A
Column Date	N/A
Analyst ID - CoPrecipitation	CMM
CoPrecipitation Date	11/15/2019
SOP Number	ST-RC-0100
Batch Comment	

Comments

ExtChrom_Actin Analysis Sheet

(To Accompany Samples to Instruments)

Batch Number: 160-450711

Analyst: Mazariegos, Chelsea M

Batch Open: 11/15/2019 4:08:00PM
Batch End: 11/15/2019 4:41:00PM

Reagent Additions Worksheet

Lab ID	Reagent Code	Amount Added	Final Amount	By	Witness
160-36383-A-1	Th-229_000028	0.1 mL			
160-36383-A-1	Th-230_000053	0.3 mL			
160-36383-A-1	Th-229_000028	0.1 mL			
160-36383-A-1	Th-230_000053	0.3 mL			
160-36383-A-1	Th-229_000028	0.1 mL			
160-36383-A-1	Th-230_000053	0.3 mL			
160-36383-A-1	Th-230_000053	0.3 mL			
160-36383-A-1	Th-230_000053	0.3 mL			
160-36383-A-2	Th-229_000028	0.1 mL			
160-36383-A-2	Th-230_000057	0.3 mL			
160-36383-A-2	Th-229_000028	0.1 mL			
160-36383-A-2	Th-230_000057	0.3 mL			
160-36383-A-2	Th-229_000028	0.1 mL			
160-36383-A-2	Th-230_000057	0.3 mL			
160-36383-A-2	Th-230_000057	0.3 mL			
160-36383-A-2	Th-230_000057	0.3 mL			
160-36383-A-2	Th-230_000057	0.3 mL			

ExtChrom_Actin Analysis Sheet

(To Accompany Samples to Instruments)

Batch Number: 160-450711

Analyst: Mazariegos, Chelsea M

Batch Open: 11/15/2019 4:08:00PM
Batch End: 11/15/2019 4:41:00PM

160-36383-A-2	Th-230_00057	0.3 mL	
---------------	--------------	--------	--

Other Reagents:		
Reagent	Amount/Units	Lot#:

Rad Worksheet

Batch Number: 160-450711
Method: ExtChrom
Analyst: Mazariegos, Chelse

Date Open: Nov 15 2019 4:08PM
Batch End: Nov 15 2019 4:41PM

Balance ID:
Analyst ID:

Analyst ID - Reagent Drop Witness

Pipette ID: 1 2 3 4 5

Analyst ID - Column:

Analyst ID - CoPrecipitation:

CMW
11/15/2019
ST-BJC-0100

GAS FLOW PROPORTIONAL COUNTER

Method 903.0

Radium-226 (GFPC) by Method 903.0

Prep Batch: 624323

**Preparation, Precipitate Separation
(21-Day In-Growth)**

Gas Flow Proportional Counter Analysis Detail Report

Prep Batch: 624323

Lab Id:	MB 160-624323/1-A			Analyzed:	09/07/23 07:35			Decay Corrected: No Yield Truncated: No Calibration Type: 2				Ts:	100			
Client ID:				Detector:	Red9							Tb:	1000			
Sigma:	2			Dil Fac:	1											
Analyte	MB Result	Count Unc	Total Unc	Qualifier	Unit	RL	MDC	Cs	Cb	X Talk	Decay	Eff	I	A	Anly Batch	
Radium-226	-0.002850	0.0367	0.0367	U	pCi/L	1.00	0.0836	6	64	.	1.	0.19574	3.4004	1.	627054	
Carrier	MB Result	Count Unc	Total Unc	Qualifier	Unit	MDC	Spike Added	% Rec	% Rec Limits							
Ba Carrier	0.03790				g		0.0399	95.0	30 - 110							
Lab Id:	LCS 160-624323/2-A			Analyzed:	09/07/23 07:35			Decay Corrected: No Yield Truncated: No Calibration Type: 2				Ts:	100			
Client ID:				Detector:	Red10							Tb:	1000			
Sigma:	2			Dil Fac:	1											
Analyte	LCS Result	Count Unc	Total Unc	Qualifier	Unit	RL	MDC	Cs	Cb	X Talk	Decay	Eff	I	A	Anly Batch	
Radium-226	10.78	0.558	1.12	pCi/L		1.00	0.0907	1509	78	.	1.	0.19950	3.4004	1.	627054	
Carrier	LCS Result	Count Unc	Total Unc	Qualifier	Unit	MDC	Spike Added	% Rec	% Rec Limits							
Ba Carrier	0.03690				g		0.0399	92.5	30 - 110							
Lab Id:	LCSD 160-624323/3-A			Analyzed:	09/07/23 07:35			Decay Corrected: No Yield Truncated: No Calibration Type: 2				Ts:	100			
Client ID:				Detector:	Red12							Tb:	1000			
Sigma:	2			Dil Fac:	1											
Analyte	LCSD Result	Count Unc	Total Unc	Qualifier	Unit	RL	MDC	Cs	Cb	X Talk	Decay	Eff	I	A	Anly Batch	
Radium-226	9.894	0.542	1.04	*	pCi/L	1.00	0.0891	1347	69	.	1.	0.19297	3.4004	1.	627054	
Lab Id:	810-73371-16			Analyzed:	09/07/23 07:42			Decay Corrected: No Yield Truncated: No Calibration Type: 2				Ts:	100			
Client ID:	MW-30			Detector:	Purple22							Tb:	1000			
Sigma:	2			Dil Fac:	1											
Analyte	Result	Count Unc	Total Unc	Qualifier	Unit	RL	MDC	Cs	Cb	X Talk	Decay	Eff	I	A	Anly Batch	
Radium-226	0.0911	0.101	0.101	U *	pCi/L	1.00	0.163	21	125	.	1.	0.19866	3.401	1.	627058	
Carrier	Result	Count Unc	Total Unc	Qualifier	Unit	MDC	Spike Added	% Rec	% Rec Limits							
Ba Carrier	0.0334				g		0.0399	83.7	30 - 110							
Lab Id:	810-73371-17			Analyzed:	09/07/23 09:34			Decay Corrected: No Yield Truncated: No Calibration Type: 2				Ts:	100			
Client ID:	MW-31			Detector:	Red0							Tb:	1000			
Sigma:	2			Dil Fac:	1											
Analyte	Result	Count Unc	Total Unc	Qualifier	Unit	RL	MDC	Cs	Cb	X Talk	Decay	Eff	I	A	Anly Batch	
Radium-226	0.262	0.122	0.124	*	pCi/L	1.00	0.138	35	93	.	1.	0.19714	3.4093	1.	627054	

Gas Flow Proportional Counter Analysis Detail Report

Prep Batch: 624323

Lab Id:	810-73371-17	Analyzed:	09/07/23 09:34	Decay Corrected:		Ts:	100								
Client ID:	MW-31	Detector:	Red0	Yield Truncated:		Tb:	1000								
Sigma:	2	Dil Fac:	1	Calibration Type:	2										
Carrier	Result	Count Unc	Total Unc	Qualifier	Unit	MDC	Spike Added								
Ba Carrier	0.0347				g	0.0399	87.0								
							30 - 110								
Lab Id:	810-73371-18	Analyzed:	09/07/23 09:34	Decay Corrected:	No	Ts:	100								
Client ID:	MW-32	Detector:	Red1	Yield Truncated:	No	Tb:	1000								
Sigma:	2	Dil Fac:	1	Calibration Type:	2										
Analyte	Result	Count Unc	Total Unc	Qualifier	Unit	RL	MDC	Cs	Cb	X Talk	Decay	Eff	I	A	Anly Batch
Radium-226	0.403	0.144	0.148	*	pCi/L	1.00	0.137	49	93	.	1.	0.19665	3.4093	1.	627054
Carrier	Result	Count Unc	Total Unc	Qualifier	Unit	MDC	Spike Added	% Rec	% Rec Limits						
Ba Carrier	0.0352				g	0.0399	88.2		30 - 110						
Lab Id:	810-73371-19	Analyzed:	09/07/23 09:34	Decay Corrected:	No	Ts:	100								
Client ID:	MW-33	Detector:	Red4	Yield Truncated:	No	Tb:	1000								
Sigma:	2	Dil Fac:	1	Calibration Type:	2										
Analyte	Result	Count Unc	Total Unc	Qualifier	Unit	RL	MDC	Cs	Cb	X Talk	Decay	Eff	I	A	Anly Batch
Radium-226	0.276	0.141	0.143	*	pCi/L	1.00	0.186	48	204	.	1.	0.19424	3.4093	1.	627054
Carrier	Result	Count Unc	Total Unc	Qualifier	Unit	MDC	Spike Added	% Rec	% Rec Limits						
Ba Carrier	0.0363				g	0.0399	91.0		30 - 110						
Lab Id:	810-73371-20	Analyzed:	09/07/23 09:34	Decay Corrected:	No	Ts:	100								
Client ID:	MW-34	Detector:	Red8	Yield Truncated:	No	Tb:	1000								
Sigma:	2	Dil Fac:	1	Calibration Type:	2										
Analyte	Result	Count Unc	Total Unc	Qualifier	Unit	RL	MDC	Cs	Cb	X Talk	Decay	Eff	I	A	Anly Batch
Radium-226	0.637	0.194	0.202	*	pCi/L	1.00	0.152	56	65	.	1.	0.16585	3.4094	1.	627054
Carrier	Result	Count Unc	Total Unc	Qualifier	Unit	MDC	Spike Added	% Rec	% Rec Limits						
Ba Carrier	0.0331				g	0.0399	83.0		30 - 110						

Gas Flow Proportional Counter Analysis Detail Report

Prep Batch: 624323

Quality Control Summary

Method Blank ID:	Analyte	Parent Result	Spike Added	MB Result	Qualifier	Unit	% Rec	% Rec Limits	RPD	RER	DER	RER Limit	Z Factor
MB 160-624323/1-A	Radium-226			-0.002850	U	pCi/L							-.1552
Lab Control Sample ID:	Analyte	Parent Result	Spike Added	LCS Result	Qualifier	Unit	% Rec	% Rec Limits	RPD	RER	DER	RER Limit	Z Factor
LCS 160-624323/2-A	Radium-226		11.3	10.78		pCi/L	95	90 - 110	9				-.8739
Lab Control Sample Duplicate	Analyte	Parent Result	Spike Added	LCSD Result	Qualifier	Unit	% Rec	% Rec Limits	RPD	RER	DER	RER Limit	Z Factor
LCSD 160-624323/3-A	Radium-226		11.3	9.894	*	pCi/L	87	90 - 110	9	0.41			1 1.1569

Glossary:

Ts = Count Duration, Sample
 Tb = Count Duration, Background
 Cs = Total Counts, Sample
 Cb = Total Counts, Background
 X Talk = Crosstalk
 Decay = Decay Factor
 Eff = Efficiency
 I = Ingrowth Factor
 A = Abundance

GAS FLOW PROPORTIONAL COUNTER BATCH WORKSHEET

Lab Name: Eurofins St. Louis

Job No.: 810-73371-1

SDG No.:

Batch Number: 624323

Batch Start Date: 08/16/23 09:56

Batch Analyst: Cox, Kevin A

Batch Method: PrecSep-21

Batch End Date: 08/29/23 14:20

Lab Sample ID	Client Sample ID	Method Chain	Basis	InitialAmount	Ba_TareWt	Ba_GrossWt	Ba_Mass	IngDecDate1	IngDecDate2
MB 160-624323/1		PrecSep-21, 903.0		1000 mL	8.7038 g	8.7417 g	0.0399 g	08/17/2023 13:44	08/29/2023 11:15
LCS 160-624323/2		PrecSep-21, 903.0		1000 mL	8.6572 g	8.6941 g	0.0399 g	08/17/2023 13:44	08/29/2023 11:15
LCSD 160-624323/3		PrecSep-21, 903.0		1000 mL	8.6738 g	8.7109 g	0.0399 g	08/17/2023 13:44	08/29/2023 11:15
810-73371-A-16	MW-30	PrecSep-21, 903.0	T	743.07 mL	8.6939 g	8.7273 g	0.0399 g	08/17/2023 13:44	08/29/2023 11:15
810-73371-A-17	MW-31	PrecSep-21, 903.0	T	756.78 mL	8.6805 g	8.7152 g	0.0399 g	08/17/2023 13:44	08/29/2023 11:15
810-73371-A-18	MW-32	PrecSep-21, 903.0	T	749.49 mL	8.6893 g	8.7245 g	0.0399 g	08/17/2023 13:44	08/29/2023 11:15
810-73371-A-19	MW-33	PrecSep-21, 903.0	T	748.95 mL	8.6720 g	8.7083 g	0.0399 g	08/17/2023 13:44	08/29/2023 11:15
810-73371-A-20	MW-34	PrecSep-21, 903.0	T	746.40 mL	8.6767 g	8.7098 g	0.0399 g	08/17/2023 13:44	08/29/2023 11:15

Lab Sample ID	Client Sample ID	Method Chain	Basis	IngDecDate3	NativeMassBa	Ba_carrier 00134	Ra-226 00041		
MB 160-624323/1		PrecSep-21, 903.0		09/07/2023 00:00	0 g	1 mL			
LCS 160-624323/2		PrecSep-21, 903.0		09/07/2023 00:00	0 g	1 mL	0.1 mL		
LCSD 160-624323/3		PrecSep-21, 903.0		09/07/2023 00:00	0 g	1 mL	0.1 mL		
810-73371-A-16	MW-30	PrecSep-21, 903.0	T	09/07/2023 00:00	0 g	1 mL			
810-73371-A-17	MW-31	PrecSep-21, 903.0	T	09/07/2023 00:00	0 g	1 mL			
810-73371-A-18	MW-32	PrecSep-21, 903.0	T	09/07/2023 00:00	0 g	1 mL			
810-73371-A-19	MW-33	PrecSep-21, 903.0	T	09/07/2023 00:00	0 g	1 mL			
810-73371-A-20	MW-34	PrecSep-21, 903.0	T	09/07/2023 00:00	0 g	1 mL			

The pound sign (#) in the amount added field denotes that the reagent was used undiluted. All calculations are performed using the stated concentration for this reagent.

GAS FLOW PROPORTIONAL COUNTER BATCH WORKSHEET

Lab Name: Eurofins St. Louis

Job No.: 810-73371-1

SDG No.:

Batch Number: 624323

Batch Start Date: 08/16/23 09:56

Batch Analyst: Cox, Kevin A

Batch Method: PrecSep-21

Batch End Date: 08/29/23 14:20

Batch Notes	
Balance ID	1121470622, B016
Balance is Level? (Y/N)	yes
Analyst ID - Reagent Drop	KAC
Analyst ID - Reagent Drop Witness	BMP per KAC
Pipette ID	RAD132, RAD144, RAD169
SOP Number	ST-RC-0002, ST-RC-0041
Batch Comment	In: JEL; Out: BCC

Basis	Basis Description
T	Total/NA

The pound sign (#) in the amount added field denotes that the reagent was used undiluted. All calculations are performed using the stated concentration for this reagent.

Alpha/Beta Count Results

Sample Activity Report

Red 2 (8-11) - B

Addr: 9

Sample ID MB 160-624323/1-A

Repeat 1

Carrier No. 0

Batch ID 624323

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 9/7/2023 7:35:11 AM

Count Ended 9/7/2023 9:15:20 AM

Sample Count Time 100.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.064	6	0.060	-0.004
	0.008	2.449	0.024	0.027
Beta sd	0.339	39	0.390	0.051
	0.018	6.245	0.062	0.065

Alpha/Beta Count Results

Sample Activity Report

Red 2 (8-11) - C

Addr: 10

Sample ID LCS 160-624323/2-A

Repeat

1

Carrier No.

0

Batch ID 624323

Count Method Gross Alpha Beta

Detector Volts

1515

Count Began 9/7/2023 7:35:19 AM

Count Ended 9/7/2023 9:15:29 AM

Sample Count Time

100.00 *mins*

Background Count Time

1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.078	1,509	15.090	15.012
	0.009	38.846	0.388	0.389
Beta sd	0.441	2,320	23.200	22.759
	0.021	48.166	0.482	0.482

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - A

Addr: 12

Sample ID LCSD 160-624323/3-A

Repeat

1

Carrier No.

0

Batch ID 624323

Count Method Gross Alpha Beta

Detector Volts

1515

Count Began 9/7/2023 7:35:30 AM

Count Ended 9/7/2023 9:15:35 AM

Sample Count Time

100.00 *mins*

Background Count Time

1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.069	1,347	13.470	13.401
	0.008	36.701	0.367	0.367
Beta sd	0.566	2,363	23.630	23.064
	0.024	48.611	0.486	0.487

Alpha/Beta Count Results

Sample Activity Report

Purple 20-23 - C

Addr: 22

Sample ID 810-73371-A-16-A

Repeat

1

Carrier No.

0

Batch ID 624323

Count Method Gross Alpha Beta

Detector Volts

1515

Count Began 9/7/2023 7:42:58 AM

Count Ended 9/7/2023 9:23:11 AM

Sample Count Time

100.00 *mins*

Background Count Time

1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.125	21	0.210	0.085
	0.011	4.583	0.046	0.047
Beta	0.247	24	0.240	-0.007
	0.016	4.899	0.049	0.053

Alpha/Beta Count Results

Sample Activity Report

Red 1 (0-3) - A

Addr: 0

Sample ID 810-73371-A-17-A

Repeat

1

Carrier No.

0

Batch ID 624323

Count Method Gross Alpha Beta

Detector Volts

1515

Count Began 9/7/2023 9:34:04 AM

Count Ended 9/7/2023 11:14:10 AM

Sample Count Time

100.00 *mins*

Background Count Time

1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.093	35	0.350	0.257
	0.010	5.916	0.059	0.060
Beta	0.402	86	0.860	0.458
	0.020	9.274	0.093	0.095

Alpha/Beta Count Results

Sample Activity Report

Red 1 (0-3) - B

Addr: 1

Sample ID 810-73371-A-18-A

Repeat

1

Carrier No.

0

Batch ID 624323

Count Method Gross Alpha Beta

Detector Volts

1515

Count Began 9/7/2023 9:34:08 AM

Count Ended 9/7/2023 11:14:15 AM

Sample Count Time

100.00 *mins*

Background Count Time

1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.093	49	0.490	0.397
	0.010	7.000	0.070	0.071
Beta	0.341	147	1.470	1.129
	0.018	12.124	0.121	0.123

Alpha/Beta Count Results

Sample Activity Report

Red 1 (4-7) - A

Addr: 4

Sample ID 810-73371-A-19-A

Repeat

1

Carrier No.

0

Batch ID 624323

Count Method Gross Alpha Beta

Detector Volts

1515

Count Began 9/7/2023 9:34:12 AM

Count Ended 9/7/2023 11:14:19 AM

Sample Count Time 100.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.204	48	0.480	0.276
	0.014	6.928	0.069	0.071
Beta sd	0.479	105	1.050	0.571
	0.022	10.247	0.102	0.105

Alpha/Beta Count Results

Sample Activity Report

Red 2 (8-11) - A

Addr: 8

Sample ID 810-73371-A-20-A

Repeat 1

Carrier No. 0

Batch ID 624323

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 9/7/2023 9:34:57 AM

Count Ended 9/7/2023 11:15:03 AM

Sample Count Time 100.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.065	56	0.560	0.495
	0.008	7.483	0.075	0.075
Beta sd	0.334	190	1.900	1.566
	0.018	13.784	0.138	0.139

Prep Batch: 624325

**Preparation, Precipitate Separation
(21-Day In-Growth)**

Gas Flow Proportional Counter Analysis Detail Report

Prep Batch: 624325

Lab Id:	MB 160-624325/1-A				Analyzed:	09/07/23 09:35			Decay Corrected: No Yield Truncated: No Calibration Type: 2				Ts:	100		
Client ID:					Detector:	Red9							Tb:	1000		
Sigma:	2				Dil Fac:	1										
Analyte	MB Result	Count Unc	Total Unc	Qualifier	Unit	RL	MDC	Cs	Cb	X Talk	Decay	Eff	I	A	Anly Batch	
Radium-226	0.02900	0.0526	0.0526	U	pCi/L	1.00	0.0945	10	64	.	1.	0.19794	3.1487	1.	627054	
Carrier	MB Result	Count Unc	Total Unc	Qualifier	Unit	MDC	Spike Added	% Rec	% Rec Limits							
Ba Carrier	0.03580				g		0.0399	89.7	30 - 110							
Lab Id:	LCS 160-624325/2-A				Analyzed:	09/07/23 09:35			Decay Corrected: No Yield Truncated: No Calibration Type: 2				Ts:	100		
Client ID:					Detector:	Red10							Tb:	1000		
Sigma:	2				Dil Fac:	1										
Analyte	LCS Result	Count Unc	Total Unc	Qualifier	Unit	RL	MDC	Cs	Cb	X Talk	Decay	Eff	I	A	Anly Batch	
Radium-226	10.20	0.561	1.08	pCi/L		1.00	0.0969	1337	78	.	1.	0.19897	3.1487	1.	627054	
Carrier	LCS Result	Count Unc	Total Unc	Qualifier	Unit	MDC	Spike Added	% Rec	% Rec Limits							
Ba Carrier	0.03740				g		0.0399	93.7	30 - 110							
Lab Id:	810-73371-21				Analyzed:	09/07/23 09:36			Decay Corrected: No Yield Truncated: No Calibration Type: 2				Ts:	100		
Client ID:	MWT-04				Detector:	Red12							Tb:	1000		
Sigma:	2				Dil Fac:	1										
Analyte	Result	Count Unc	Total Unc	Qualifier	Unit	RL	MDC	Cs	Cb	X Talk	Decay	Eff	I	A	Anly Batch	
Radium-226	0.301	0.131	0.134	pCi/L		1.00	0.134	34	69	.	1.	0.19488	3.1487	1.	627054	
Carrier	Result	Count Unc	Total Unc	Qualifier	Unit	MDC	Spike Added	% Rec	% Rec Limits							
Ba Carrier	0.0353				g		0.0399	88.5	30 - 110							
Lab Id:	810-73371-22				Analyzed:	09/07/23 09:36			Decay Corrected: No Yield Truncated: No Calibration Type: 2				Ts:	100		
Client ID:	MWT-12				Detector:	Red13							Tb:	1000		
Sigma:	2				Dil Fac:	1										
Analyte	Result	Count Unc	Total Unc	Qualifier	Unit	RL	MDC	Cs	Cb	X Talk	Decay	Eff	I	A	Anly Batch	
Radium-226	0.0899	0.0733	0.0738	U	pCi/L	1.00	0.106	20	88	.	1.	0.19597	3.1487	1.	627054	
Carrier	Result	Count Unc	Total Unc	Qualifier	Unit	MDC	Spike Added	% Rec	% Rec Limits							
Ba Carrier	0.0362				g		0.0399	90.7	30 - 110							

Gas Flow Proportional Counter Analysis Detail Report

Prep Batch: 624325

Lab Id:	810-73371-23	Analyzed:	09/07/23 09:36	Decay Corrected:	No	Ts:	100
Client ID:	SG-02	Detector:	Red14	Yield Truncated:	No	Tb:	1000
Sigma:	2	Dil Fac:	1	Calibration Type:	2		
Analyte	Result	Count Unc	Total Unc	Qualifier	Unit	RL	MDC
Radium-226	0.329	0.147	0.150		pCi/L	1.00	0.164
Carrier	Result	Count Unc	Total Unc	Qualifier	Unit	MDC	Spike Added
Ba Carrier	0.0326				g		0.0399
						% Rec	% Rec Limits
						81.7	30 - 110
Lab Id:	810-73371-24	Analyzed:	09/07/23 09:36	Decay Corrected:	No	Ts:	100
Client ID:	SG-03	Detector:	Red15	Yield Truncated:	No	Tb:	1000
Sigma:	2	Dil Fac:	1	Calibration Type:	2		
Analyte	Result	Count Unc	Total Unc	Qualifier	Unit	RL	MDC
Radium-226	0.253	0.132	0.134		pCi/L	1.00	0.161
Carrier	Result	Count Unc	Total Unc	Qualifier	Unit	MDC	Spike Added
Ba Carrier	0.0339				g		0.0399
						% Rec	% Rec Limits
						85.0	30 - 110
Lab Id:	810-73371-25	Analyzed:	09/07/23 09:37	Decay Corrected:	No	Ts:	100
Client ID:	SG-04R	Detector:	Red16	Yield Truncated:	No	Tb:	1000
Sigma:	2	Dil Fac:	1	Calibration Type:	2		
Analyte	Result	Count Unc	Total Unc	Qualifier	Unit	RL	MDC
Radium-226	0.126	0.0961	0.0967	U	pCi/L	1.00	0.133
Carrier	Result	Count Unc	Total Unc	Qualifier	Unit	MDC	Spike Added
Ba Carrier	0.0348				g		0.0399
						% Rec	% Rec Limits
						87.2	30 - 110
Lab Id:	810-73371-26	Analyzed:	09/07/23 09:37	Decay Corrected:	No	Ts:	100
Client ID:	SG-05	Detector:	Red17	Yield Truncated:	No	Tb:	1000
Sigma:	2	Dil Fac:	1	Calibration Type:	2		
Analyte	Result	Count Unc	Total Unc	Qualifier	Unit	RL	MDC
Radium-226	0.0576	0.0855	0.0857	U	pCi/L	1.00	0.147
Carrier	Result	Count Unc	Total Unc	Qualifier	Unit	MDC	Spike Added
Ba Carrier	0.0317				g		0.0399
						% Rec	% Rec Limits
						79.4	30 - 110

Gas Flow Proportional Counter Analysis Detail Report

Prep Batch: 624325

Lab Id:	810-73371-27	Analyzed:	09/07/23 09:37	Decay Corrected:	No	Ts:	100								
Client ID:	SG-06	Detector:	Red18	Yield Truncated:	No	Tb:	1000								
Sigma:	2	Dil Fac:	1	Calibration Type:	2										
Analyte	Result	Count Unc	Total Unc	Qualifier	Unit	RL	MDC	Cs	Cb	X Talk	Decay	Eff	I	A	Anly Batch
Radium-226	0.131	0.112	0.112	U	pCi/L	1.00	0.160	16	64	.	1.	0.19909	3.1488	1.	627054
Carrier	Result	Count Unc	Total Unc	Qualifier	Unit	MDC	Spike Added	% Rec	% Rec Limits						
Ba Carrier	0.0280				g		0.0399	70.2	30 - 110						

Quality Control Summary

Method Blank ID:	Analyte	Parent Result	Spike Added	MB Result	Qualifier	Unit	% Rec	% Rec Limits	RPD	RER	DER	RER Limit	Z Factor
MB 160-624325/1-A	Radium-226			0.02900	U	pCi/L							1.1023
Lab Control Sample ID:	Analyte	Parent Result	Spike Added	LCS Result	Qualifier	Unit	% Rec	% Rec Limits	RPD	RER	DER	RER Limit	Z Factor
LCS 160-624325/2-A	Radium-226		11.3	10.20		pCi/L	90	90 - 110					-1.8506

Glossary:

Ts = Count Duration, Sample
 Tb = Count Duration, Background
 Cs = Total Counts, Sample
 Cb = Total Counts, Background
 X Talk = Crosstalk
 Decay = Decay Factor
 Eff = Efficiency
 I = Ingrowth Factor
 A = Abundance

GAS FLOW PROPORTIONAL COUNTER BATCH WORKSHEET

Lab Name: Eurofins St. Louis

Job No.: 810-73371-1

SDG No.:

Batch Number: 624325

Batch Start Date: 08/16/23 10:01

Batch Analyst: Cox, Kevin A

Batch Method: PrecSep-21

Batch End Date: 08/31/23 14:39

Lab Sample ID	Client Sample ID	Method Chain	Basis	InitialAmount	Ba_TareWt	Ba_GrossWt	Ba_Mass	IngDecDate1	IngDecDate2
MB 160-624325/1		PrecSep-21, 903.0		1000 mL	8.6964 g	8.7322 g	0.0399 g	08/17/2023 13:39	08/31/2023 11:40
LCS 160-624325/2		PrecSep-21, 903.0		1000 mL	8.6848 g	8.7222 g	0.0399 g	08/17/2023 13:39	08/31/2023 11:40
810-73371-A-21	MWT-04	PrecSep-21, 903.0	T	746.59 mL	8.6819 g	8.7172 g	0.0399 g	08/17/2023 13:39	08/31/2023 11:40
810-73371-A-22	MWT-12	PrecSep-21, 903.0	T	1002.71 mL	8.6745 g	8.7107 g	0.0399 g	08/17/2023 13:39	08/31/2023 11:40
810-73371-A-23	SG-02	PrecSep-21, 903.0	T	747.03 mL	8.6800 g	8.7126 g	0.0399 g	08/17/2023 13:39	08/31/2023 11:40
810-73371-A-24	SG-03	PrecSep-21, 903.0	T	757.02 mL	8.6799 g	8.7138 g	0.0399 g	08/17/2023 13:39	08/31/2023 11:40
810-73371-A-25	SG-04R	PrecSep-21, 903.0	T	749.11 mL	8.6830 g	8.7178 g	0.0399 g	08/17/2023 13:39	08/31/2023 11:40
810-73371-A-26	SG-05	PrecSep-21, 903.0	T	744.89 mL	8.6937 g	8.7254 g	0.0399 g	08/17/2023 13:39	08/31/2023 11:40
810-73371-A-27	SG-06	PrecSep-21, 903.0	T	748.67 mL	8.6922 g	8.7202 g	0.0399 g	08/17/2023 13:39	08/31/2023 11:40

Lab Sample ID	Client Sample ID	Method Chain	Basis	IngDecDate3	NativeMassBa	Ba carrier 00134	Ra-226 00041		
MB 160-624325/1		PrecSep-21, 903.0		09/07/2023 00:00	0 g	1 mL			
LCS 160-624325/2		PrecSep-21, 903.0		09/07/2023 00:00	0 g	1 mL	0.1 mL		
810-73371-A-21	MWT-04	PrecSep-21, 903.0	T	09/07/2023 00:00	0 g	1 mL			
810-73371-A-22	MWT-12	PrecSep-21, 903.0	T	09/07/2023 00:00	0 g	1 mL			
810-73371-A-23	SG-02	PrecSep-21, 903.0	T	09/07/2023 00:00	0 g	1 mL			
810-73371-A-24	SG-03	PrecSep-21, 903.0	T	09/07/2023 00:00	0 g	1 mL			
810-73371-A-25	SG-04R	PrecSep-21, 903.0	T	09/07/2023 00:00	0 g	1 mL			
810-73371-A-26	SG-05	PrecSep-21, 903.0	T	09/07/2023 00:00	0 g	1 mL			
810-73371-A-27	SG-06	PrecSep-21, 903.0	T	09/07/2023 00:00	0 g	1 mL			

The pound sign (#) in the amount added field denotes that the reagent was used undiluted. All calculations are performed using the stated concentration for this reagent.

GAS FLOW PROPORTIONAL COUNTER BATCH WORKSHEET

Lab Name: Eurofins St. Louis

Job No.: 810-73371-1

SDG No.:

Batch Number: 624325

Batch Start Date: 08/16/23 10:01

Batch Analyst: Cox, Kevin A

Batch Method: PrecSep-21

Batch End Date: 08/31/23 14:39

Batch Notes	
Balance ID	1121470622, B016
Balance is Level? (Y/N)	yes
Analyst ID - Reagent Drop	KAC
Analyst ID - Reagent Drop Witness	BMP per KAC
Pipette ID	RAD132, RAD144, RAD169
SOP Number	ST-RC-0002, ST-RC-0041
Batch Comment	In: JEL; Out: BCC

Basis	Basis Description
T	Total/NA

The pound sign (#) in the amount added field denotes that the reagent was used undiluted. All calculations are performed using the stated concentration for this reagent.

Alpha/Beta Count Results

Sample Activity Report

Red 2 (8-11) - B

Addr: 9

Sample ID MB 160-624325/1-A

Repeat 1

Carrier No. 0

Batch ID 624325

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 9/7/2023 9:35:52 AM

Count Ended 9/7/2023 11:15:59 AM

Sample Count Time 100.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.064	10	0.100	0.036
	0.008	3.162	0.032	0.033
Beta sd	0.339	47	0.470	0.131
	0.018	6.856	0.069	0.071

Alpha/Beta Count Results

Sample Activity Report

Red 2 (8-11) - C

Addr: 10

Sample ID LCS 160-624325/2-A

Repeat

1

Carrier No.

0

Batch ID 624325

Count Method Gross Alpha Beta

Detector Volts

1515

Count Began 9/7/2023 9:35:56 AM

Count Ended 9/7/2023 11:16:05 AM

Sample Count Time

100.00 *mins*

Background Count Time

1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.078	1,337	13.370	13.292
	0.009	36.565	0.366	0.366
Beta sd	0.441	2,268	22.680	22.239
	0.021	47.624	0.476	0.477

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - A

Addr: 12

Sample ID 810-73371-A-21-A

Repeat

1

Carrier No.

0

Batch ID 624325

Count Method Gross Alpha Beta

Detector Volts

1515

Count Began 9/7/2023 9:36:04 AM

Count Ended 9/7/2023 11:16:09 AM

Sample Count Time 100.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.069	34	0.340	0.271
	0.008	5.831	0.058	0.059
Beta sd	0.566	112	1.120	0.554
	0.024	10.583	0.106	0.108

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - B

Addr: 13

Sample ID 810-73371-A-22-A

Repeat

1

Carrier No.

0

Batch ID 624325

Count Method Gross Alpha Beta

Detector Volts

1515

Count Began 9/7/2023 9:36:08 AM

Count Ended 9/7/2023 11:16:15 AM

Sample Count Time 100.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.088	20	0.200	0.112
	0.009	4.472	0.045	0.046
Beta sd	0.328	39	0.390	0.062
	0.018	6.245	0.062	0.065

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - C

Addr: 14

Sample ID 810-73371-A-23-A

Repeat

1

Carrier No.

0

Batch ID 624325

Count Method Gross Alpha Beta

Detector Volts

1515

Count Began 9/7/2023 9:36:11 AM

Count Ended 9/7/2023 11:16:19 AM

Sample Count Time 100.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.100	38	0.380	0.280
	0.010	6.164	0.062	0.062
Beta sd	0.426	63	0.630	0.204
	0.021	7.937	0.079	0.082

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - D

Addr: 15

Sample ID 810-73371-A-24-A

Repeat

1

Carrier No.

0

Batch ID 624325

Count Method Gross Alpha Beta

Detector Volts

1515

Count Began 9/7/2023 9:36:15 AM

Count Ended 9/7/2023 11:16:22 AM

Sample Count Time

100.00 *mins*

Background Count Time

1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.106	33	0.330	0.224
	0.010	5.745	0.057	0.058
Beta sd	0.339	56	0.560	0.221
	0.018	7.483	0.075	0.077

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - A

Addr: 16

Sample ID 810-73371-A-25-A

Repeat

1

Carrier No.

0

Batch ID 624325

Count Method Gross Alpha Beta

Detector Volts

1515

Count Began 9/7/2023 9:37:12 AM

Count Ended 9/7/2023 11:17:19 AM

Sample Count Time 100.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.067	18	0.180	0.113
	0.008	4.243	0.042	0.043
Beta sd	0.388	68	0.680	0.292
	0.020	8.246	0.082	0.085

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - B

Addr: 17

Sample ID 810-73371-A-26-A

Repeat

1

Carrier No.

0

Batch ID 624325

Count Method Gross Alpha Beta

Detector Volts

1515

Count Began 9/7/2023 9:37:16 AM

Count Ended 9/7/2023 11:17:26 AM

Sample Count Time 100.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.072	12	0.120	0.048
	0.008	3.464	0.035	0.036
Beta sd	0.400	39	0.390	-0.010
	0.020	6.245	0.062	0.067

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - C

Addr: 18

Sample ID 810-73371-A-27-A

Repeat

1

Carrier No.

0

Batch ID 624325

Count Method Gross Alpha Beta

Detector Volts

1515

Count Began 9/7/2023 9:37:21 AM

Count Ended 9/7/2023 11:17:29 AM

Sample Count Time

100.00 *mins*

Background Count Time

1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.064	16	0.160	0.096
	0.008	4.000	0.040	0.041
Beta sd	0.312	53	0.530	0.218
	0.018	7.280	0.073	0.075

Prep Batch: 624483

**Preparation, Precipitate Separation
(21-Day In-Growth)**

Gas Flow Proportional Counter Analysis Detail Report

Prep Batch: 624483

Lab Id:	MB 160-624483/1-A				Analyzed:	09/08/23 07:11			Decay Corrected: No Yield Truncated: No Calibration Type: 2				Ts:	100		
Client ID:					Detector:	Red0							Tb:	1000		
Sigma:	2				Dil Fac:	1										
Analyte	MB Result	Count Unc	Total Unc	Qualifier	Unit	RL	MDC	Cs	Cb	X Talk	Decay	Eff	I	A	Anly Batch	
Radium-226	0.06554	0.0656	0.0658	U	pCi/L	1.00	0.102	18	93	.	1.	0.19416	3.2768	1.	627236	
Carrier	MB Result	Count Unc	Total Unc	Qualifier	Unit	MDC	Spike Added	% Rec	% Rec Limits							
Ba Carrier	0.03750				g		0.0399	94.0	30 - 110							
Lab Id:	LCS 160-624483/2-A				Analyzed:	09/08/23 07:11			Decay Corrected: No Yield Truncated: No Calibration Type: 2				Ts:	100		
Client ID:					Detector:	Red1							Tb:	1000		
Sigma:	2				Dil Fac:	1										
Analyte	LCS Result	Count Unc	Total Unc	Qualifier	Unit	RL	MDC	Cs	Cb	X Talk	Decay	Eff	I	A	Anly Batch	
Radium-226	10.41	0.561	1.09	U	pCi/L	1.00	0.102	1394	93	.	1.	0.19410	3.2768	1.	627236	
Carrier	LCS Result	Count Unc	Total Unc	Qualifier	Unit	MDC	Spike Added	% Rec	% Rec Limits							
Ba Carrier	0.03760				g		0.0399	94.2	30 - 110							
Lab Id:	810-73371-1				Analyzed:	09/08/23 07:14			Decay Corrected: No Yield Truncated: No Calibration Type: 2				Ts:	100		
Client ID:	MW-01R				Detector:	Red12							Tb:	1000		
Sigma:	2				Dil Fac:	1										
Analyte	Result	Count Unc	Total Unc	Qualifier	Unit	RL	MDC	Cs	Cb	X Talk	Decay	Eff	I	A	Anly Batch	
Radium-226	0.152	0.100	0.101	U	pCi/L	1.00	0.130	21	69	.	1.	0.19542	3.277	1.	627236	
Carrier	Result	Count Unc	Total Unc	Qualifier	Unit	MDC	Spike Added	% Rec	% Rec Limits							
Ba Carrier	0.0348				g		0.0399	87.2	30 - 110							
Lab Id:	810-73371-2				Analyzed:	09/08/23 07:14			Decay Corrected: No Yield Truncated: No Calibration Type: 2				Ts:	100		
Client ID:	MW-02				Detector:	Red13							Tb:	1000		
Sigma:	2				Dil Fac:	1										
Analyte	Result	Count Unc	Total Unc	Qualifier	Unit	RL	MDC	Cs	Cb	X Talk	Decay	Eff	I	A	Anly Batch	
Radium-226	0.743	0.237	0.247	U	pCi/L	1.00	0.208	56	88	.	1.	0.19659	3.2771	1.	627236	
Carrier	Result	Count Unc	Total Unc	Qualifier	Unit	MDC	Spike Added	% Rec	% Rec Limits							
Ba Carrier	0.0356				g		0.0399	89.2	30 - 110							

Gas Flow Proportional Counter Analysis Detail Report

Prep Batch: 624483

Lab Id:	810-73371-3	Analyzed:	09/08/23 07:14	Decay Corrected:	No	Ts:	100
Client ID:	MW-03	Detector:	Red14	Yield Truncated:	No	Tb:	1000
Sigma:	2	Dil Fac:	1	Calibration Type:	2		
Analyte	Result	Count Unc	Total Unc	Qualifier	Unit	RL	MDC
Radium-226	0.417	0.154	0.158		pCi/L	1.00	0.153
Carrier	Result	Count Unc	Total Unc	Qualifier	Unit	MDC	Spike Added
Ba Carrier	0.0339				g		0.0399
						% Rec	% Rec Limits
						85.0	30 - 110
Lab Id:	810-73371-4	Analyzed:	09/08/23 07:14	Decay Corrected:	No	Ts:	100
Client ID:	MW-04	Detector:	Red15	Yield Truncated:	No	Tb:	1000
Sigma:	2	Dil Fac:	1	Calibration Type:	2		
Analyte	Result	Count Unc	Total Unc	Qualifier	Unit	RL	MDC
Radium-226	0.152	0.108	0.109		pCi/L	1.00	0.151
Carrier	Result	Count Unc	Total Unc	Qualifier	Unit	MDC	Spike Added
Ba Carrier	0.0353				g		0.0399
						% Rec	% Rec Limits
						88.5	30 - 110
Lab Id:	810-73371-5	Analyzed:	09/08/23 07:15	Decay Corrected:	No	Ts:	100
Client ID:	MW-06	Detector:	Red17	Yield Truncated:	No	Tb:	1000
Sigma:	2	Dil Fac:	1	Calibration Type:	2		
Analyte	Result	Count Unc	Total Unc	Qualifier	Unit	RL	MDC
Radium-226	0.465	0.147	0.153		pCi/L	1.00	0.122
Carrier	Result	Count Unc	Total Unc	Qualifier	Unit	MDC	Spike Added
Ba Carrier	0.0376				g		0.0399
						% Rec	% Rec Limits
						94.2	30 - 110
Lab Id:	810-73371-6	Analyzed:	09/08/23 07:16	Decay Corrected:	No	Ts:	100
Client ID:	MW-07	Detector:	Red18	Yield Truncated:	No	Tb:	1000
Sigma:	2	Dil Fac:	1	Calibration Type:	2		
Analyte	Result	Count Unc	Total Unc	Qualifier	Unit	RL	MDC
Radium-226	0.665	0.180	0.190		pCi/L	1.00	0.129
Carrier	Result	Count Unc	Total Unc	Qualifier	Unit	MDC	Spike Added
Ba Carrier	0.0349				g		0.0399
						% Rec	% Rec Limits
						87.5	30 - 110

Gas Flow Proportional Counter Analysis Detail Report

Prep Batch: 624483

Lab Id:	810-73371-7	Analyzed:	09/08/23 07:16	Decay Corrected:	No	Ts:	100
Client ID:	MW-08	Detector:	Red19	Yield Truncated:	No	Tb:	1000
Sigma:	2	Dil Fac:	1	Calibration Type:	2		
Analyte	Result	Count Unc	Total Unc	Qualifier	Unit	RL	MDC
Radium-226	0.358	0.139	0.142		pCi/L	1.00	0.127
Carrier	Result	Count Unc	Total Unc	Qualifier	Unit	MDC	Spike Added
Ba Carrier	0.0331				g		0.0399
						% Rec	% Rec Limits
						83.0	30 - 110
Lab Id:	810-73371-8	Analyzed:	09/08/23 07:16	Decay Corrected:	No	Ts:	100
Client ID:	MW-09	Detector:	Red21	Yield Truncated:	No	Tb:	1000
Sigma:	2	Dil Fac:	1	Calibration Type:	2		
Analyte	Result	Count Unc	Total Unc	Qualifier	Unit	RL	MDC
Radium-226	0.0113	0.0818	0.0818	U	pCi/L	1.00	0.163
Carrier	Result	Count Unc	Total Unc	Qualifier	Unit	MDC	Spike Added
Ba Carrier	0.0332				g		0.0399
						% Rec	% Rec Limits
						83.2	30 - 110
Lab Id:	810-73371-9	Analyzed:	09/08/23 07:16	Decay Corrected:	No	Ts:	100
Client ID:	MW-10	Detector:	Red22	Yield Truncated:	No	Tb:	1000
Sigma:	2	Dil Fac:	1	Calibration Type:	2		
Analyte	Result	Count Unc	Total Unc	Qualifier	Unit	RL	MDC
Radium-226	0.0905	0.0916	0.0919	U	pCi/L	1.00	0.142
Carrier	Result	Count Unc	Total Unc	Qualifier	Unit	MDC	Spike Added
Ba Carrier	0.0335				g		0.0399
						% Rec	% Rec Limits
						84.0	30 - 110
Lab Id:	810-73371-10	Analyzed:	09/08/23 07:20	Decay Corrected:	No	Ts:	100
Client ID:	MW-11	Detector:	Blue3	Yield Truncated:	No	Tb:	1000
Sigma:	2	Dil Fac:	1	Calibration Type:	2		
Analyte	Result	Count Unc	Total Unc	Qualifier	Unit	RL	MDC
Radium-226	0.409	0.156	0.160		pCi/L	1.00	0.169
Carrier	Result	Count Unc	Total Unc	Qualifier	Unit	MDC	Spike Added
Ba Carrier	0.0358				g		0.0399
						% Rec	% Rec Limits
						89.7	30 - 110

Gas Flow Proportional Counter Analysis Detail Report

Prep Batch: 624483

Lab Id:	810-73371-11	Analyzed:	09/08/23 07:21	Decay Corrected:	No	Ts:	100
Client ID:	MW-12	Detector:	Blue10	Yield Truncated:	No	Tb:	1000
Sigma:	2	Dil Fac:	1	Calibration Type:	2		
Analyte	Result	Count Unc	Total Unc	Qualifier	Unit	RL	MDC
Radium-226	0.0384	0.0607	0.0608	U	pCi/L	1.00	0.106
Carrier	Result	Count Unc	Total Unc	Qualifier	Unit	MDC	Spike Added
Ba Carrier	0.0345				g		0.0399
						% Rec	% Rec Limits
						86.5	30 - 110
Lab Id:	810-73371-12	Analyzed:	09/08/23 07:21	Decay Corrected:	No	Ts:	100
Client ID:	MW-18	Detector:	Blue11	Yield Truncated:	No	Tb:	1000
Sigma:	2	Dil Fac:	1	Calibration Type:	2		
Analyte	Result	Count Unc	Total Unc	Qualifier	Unit	RL	MDC
Radium-226	0.0175	0.0549	0.0550	U	pCi/L	1.00	0.105
Carrier	Result	Count Unc	Total Unc	Qualifier	Unit	MDC	Spike Added
Ba Carrier	0.0361				g		0.0399
						% Rec	% Rec Limits
						90.5	30 - 110
Lab Id:	810-73371-13	Analyzed:	09/08/23 07:21	Decay Corrected:	No	Ts:	100
Client ID:	MW-19	Detector:	Blue12	Yield Truncated:	No	Tb:	1000
Sigma:	2	Dil Fac:	1	Calibration Type:	2		
Analyte	Result	Count Unc	Total Unc	Qualifier	Unit	RL	MDC
Radium-226	0.179	0.108	0.109		pCi/L	1.00	0.147
Carrier	Result	Count Unc	Total Unc	Qualifier	Unit	MDC	Spike Added
Ba Carrier	0.0365				g		0.0399
						% Rec	% Rec Limits
						91.5	30 - 110
Lab Id:	810-73371-14	Analyzed:	09/08/23 07:21	Decay Corrected:	No	Ts:	100
Client ID:	MW-20	Detector:	Blue13	Yield Truncated:	No	Tb:	1000
Sigma:	2	Dil Fac:	1	Calibration Type:	2		
Analyte	Result	Count Unc	Total Unc	Qualifier	Unit	RL	MDC
Radium-226	0.118	0.0797	0.0804		pCi/L	1.00	0.109
Carrier	Result	Count Unc	Total Unc	Qualifier	Unit	MDC	Spike Added
Ba Carrier	0.0358				g		0.0399
						% Rec	% Rec Limits
						89.7	30 - 110

Gas Flow Proportional Counter Analysis Detail Report

Prep Batch: 624483

Lab Id:	810-73371-15	Analyzed:	09/08/23 07:21	Decay Corrected:	No	Ts:	100								
Client ID:	MW-27	Detector:	Purple0	Yield Truncated:	No	Tb:	1000								
Sigma:	2	Dil Fac:	1	Calibration Type:	2										
Analyte	Result	Count Unc	Total Unc	Qualifier	Unit	RL	MDC	Cs	Cb	X Talk	Decay	Eff	I	A	Anly Batch
Radium-226	0.477	0.169	0.174		pCi/L	1.00	0.182	62	169	.	1.	0.20569	3.2778	1.	627241
Carrier	Result	Count Unc	Total Unc	Qualifier	Unit	MDC	Spike Added	% Rec	% Rec Limits						
Ba Carrier	0.0335				g		0.0399	84.0	30 - 110						

Quality Control Summary

Method Blank ID:	Analyte	Parent Result	Spike Added	MB Result	Qualifier	Unit	% Rec	% Rec Limits	RPD	RER	DER	RER Limit	Z Factor
MB 160-624483/1-A	Radium-226			0.06554	U	pCi/L							1.9916
Lab Control Sample ID:	Analyte	Parent Result	Spike Added	LCS Result	Qualifier	Unit	% Rec	% Rec Limits	RPD	RER	DER	RER Limit	Z Factor
LCS 160-624483/2-A	Radium-226		11.3	10.41		pCi/L	92	90 - 110					-1.4898

Glossary:

Ts = Count Duration, Sample
 Tb = Count Duration, Background
 Cs = Total Counts, Sample
 Cb = Total Counts, Background
 X Talk = Crosstalk
 Decay = Decay Factor
 Eff = Efficiency
 I = Ingrowth Factor
 A = Abundance

GAS FLOW PROPORTIONAL COUNTER BATCH WORKSHEET

Lab Name: Eurofins St. Louis

Job No.: 810-73371-1

SDG No.:

Batch Number: 624483

Batch Start Date: 08/17/23 10:33

Batch Analyst: Cox, Kevin A

Batch Method: PrecSep-21

Batch End Date: 08/31/23 14:50

Lab Sample ID	Client Sample ID	Method Chain	Basis	InitialAmount	Ba_TareWt	Ba_GrossWt	Ba_Mass	IngDecDate1	IngDecDate2
MB 160-624483/1		PrecSep-21, 903.0		1000 mL	8.7102 g	8.7477 g	0.0399 g	08/18/2023 14:13	08/31/2023 11:40
LCS 160-624483/2		PrecSep-21, 903.0		1000 mL	8.6903 g	8.7279 g	0.0399 g	08/18/2023 14:13	08/31/2023 11:40
810-73371-C-1	MW-01R	PrecSep-21, 903.0	T	749.55 mL	8.6536 g	8.6884 g	0.0399 g	08/18/2023 14:13	08/31/2023 11:40
810-73371-C-2	MW-02	PrecSep-21, 903.0	T	497.92 mL	8.6620 g	8.6976 g	0.0399 g	08/18/2023 14:13	08/31/2023 11:40
810-73371-C-3	MW-03	PrecSep-21, 903.0	T	744.45 mL	8.6859 g	8.7198 g	0.0399 g	08/18/2023 14:13	08/31/2023 11:40
810-73371-C-4	MW-04	PrecSep-21, 903.0	T	752.46 mL	8.6684 g	8.7037 g	0.0399 g	08/18/2023 14:13	08/31/2023 11:40
810-73371-C-5	MW-06	PrecSep-21, 903.0	T	752.32 mL	8.6744 g	8.7120 g	0.0399 g	08/18/2023 14:13	08/31/2023 11:40
810-73371-C-6	MW-07	PrecSep-21, 903.0	T	748.54 mL	8.6459 g	8.6808 g	0.0399 g	08/18/2023 14:13	08/31/2023 11:40
810-73371-C-7	MW-08	PrecSep-21, 903.0	T	745.30 mL	8.6911 g	8.7242 g	0.0399 g	08/18/2023 14:13	08/31/2023 11:40
810-73371-C-8	MW-09	PrecSep-21, 903.0	T	749.30 mL	8.6794 g	8.7126 g	0.0399 g	08/18/2023 14:13	08/31/2023 11:40
810-73371-C-9	MW-10	PrecSep-21, 903.0	T	747.91 mL	8.6792 g	8.7127 g	0.0399 g	08/18/2023 14:13	08/31/2023 11:40
810-73371-C-10	MW-11	PrecSep-21, 903.0	T	753.00 mL	8.6849 g	8.7207 g	0.0399 g	08/18/2023 14:13	08/31/2023 11:40
810-73371-C-11	MW-12	PrecSep-21, 903.0	T	996.54 mL	8.6941 g	8.7286 g	0.0399 g	08/18/2023 14:13	08/31/2023 11:40
810-73371-C-12	MW-18	PrecSep-21, 903.0	T	995.91 mL	8.6926 g	8.7287 g	0.0399 g	08/18/2023 14:13	08/31/2023 11:40
810-73371-C-13	MW-19	PrecSep-21, 903.0	T	992.38 mL	8.6680 g	8.7045 g	0.0399 g	08/18/2023 14:13	08/31/2023 11:40
810-73371-C-14	MW-20	PrecSep-21, 903.0	T	1005.30 mL	8.6609 g	8.6967 g	0.0399 g	08/18/2023 14:13	08/31/2023 11:40
810-73371-C-15	MW-27	PrecSep-21, 903.0	T	752.56 mL	8.6506 g	8.6841 g	0.0399 g	08/18/2023 14:13	08/31/2023 11:40

Lab Sample ID	Client Sample ID	Method Chain	Basis	IngDecDate3	NativeMassBa	Ba_carrier 00134	Ra-226 00041		
MB 160-624483/1		PrecSep-21, 903.0		09/08/2023 00:00	0 g	1 mL			
LCS 160-624483/2		PrecSep-21, 903.0		09/08/2023 00:00	0 g	1 mL	0.1 mL		

The pound sign (#) in the amount added field denotes that the reagent was used undiluted. All calculations are performed using the stated concentration for this reagent.

GAS FLOW PROPORTIONAL COUNTER BATCH WORKSHEET

Lab Name: Eurofins St. Louis

Job No.: 810-73371-1

SDG No.:

Batch Number: 624483

Batch Start Date: 08/17/23 10:33

Batch Analyst: Cox, Kevin A

Batch Method: PrecSep-21

Batch End Date: 08/31/23 14:50

Lab Sample ID	Client Sample ID	Method Chain	Basis	IngDecDate3	NativeMassBa	Ba carrier 00134	Ra-226 00041		
810-73371-C-1	MW-01R	PrecSep-21, 903.0	T	09/08/2023 00:00	0 g	1 mL			
810-73371-C-2	MW-02	PrecSep-21, 903.0	T	09/08/2023 00:00	0 g	1 mL			
810-73371-C-3	MW-03	PrecSep-21, 903.0	T	09/08/2023 00:00	0 g	1 mL			
810-73371-C-4	MW-04	PrecSep-21, 903.0	T	09/08/2023 00:00	0 g	1 mL			
810-73371-C-5	MW-06	PrecSep-21, 903.0	T	09/08/2023 00:00	0 g	1 mL			
810-73371-C-6	MW-07	PrecSep-21, 903.0	T	09/08/2023 00:00	0 g	1 mL			
810-73371-C-7	MW-08	PrecSep-21, 903.0	T	09/08/2023 00:00	0 g	1 mL			
810-73371-C-8	MW-09	PrecSep-21, 903.0	T	09/08/2023 00:00	0 g	1 mL			
810-73371-C-9	MW-10	PrecSep-21, 903.0	T	09/08/2023 00:00	0 g	1 mL			
810-73371-C-10	MW-11	PrecSep-21, 903.0	T	09/08/2023 00:00	0 g	1 mL			
810-73371-C-11	MW-12	PrecSep-21, 903.0	T	09/08/2023 00:00	0 g	1 mL			
810-73371-C-12	MW-18	PrecSep-21, 903.0	T	09/08/2023 00:00	0 g	1 mL			
810-73371-C-13	MW-19	PrecSep-21, 903.0	T	09/08/2023 00:00	0 g	1 mL			
810-73371-C-14	MW-20	PrecSep-21, 903.0	T	09/08/2023 00:00	0 g	1 mL			
810-73371-C-15	MW-27	PrecSep-21, 903.0	T	09/08/2023 00:00	0 g	1 mL			

The pound sign (#) in the amount added field denotes that the reagent was used undiluted. All calculations are performed using the stated concentration for this reagent.

GAS FLOW PROPORTIONAL COUNTER BATCH WORKSHEET

Lab Name: Eurofins St. Louis

Job No.: 810-73371-1

SDG No.:

Batch Number: 624483

Batch Start Date: 08/17/23 10:33

Batch Analyst: Cox, Kevin A

Batch Method: PrecSep-21

Batch End Date: 08/31/23 14:50

Batch Notes	
Balance ID	1121470622, B016
Balance is Level? (Y/N)	yes
Analyst ID - Reagent Drop	KAC
Analyst ID - Reagent Drop Witness	BMP per KAC
Pipette ID	RAD132, RAD144, RAD169
SOP Number	ST-RC-0002, ST-RC-0041
Batch Comment	In: JEL; Out: BCC

Basis	Basis Description
T	Total/NA

The pound sign (#) in the amount added field denotes that the reagent was used undiluted. All calculations are performed using the stated concentration for this reagent.

903.0

Page 3 of 3

Alpha/Beta Count Results

Sample Activity Report

Red 1 (0-3) - A

Addr: 0

Sample ID MB 160-624483/1-A

Repeat

1

Carrier No.

0

Batch ID 624483

Count Method Gross Alpha Beta

Detector Volts

1515

Count Began 9/8/2023 7:11:39 AM

Count Ended 9/8/2023 8:51:45 AM

Sample Count Time

100.00 *mins*

Background Count Time

1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.093	18	0.180	0.087
	0.010	4.243	0.042	0.044
Beta	0.402	41	0.410	0.008
	0.020	6.403	0.064	0.067

Alpha/Beta Count Results

Sample Activity Report

Red 1 (0-3) - B

Addr: 1

Sample ID LCS 160-624483/2-A

Repeat

1

Carrier No.

0

Batch ID 624483

Count Method Gross Alpha Beta

Detector Volts

1515

Count Began 9/8/2023 7:11:46 AM

Count Ended 9/8/2023 8:51:53 AM

Sample Count Time

100.00 *mins*

Background Count Time

1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.093	1,394	13.940	13.847
	0.010	37.336	0.373	0.373
Beta sd	0.341	2,298	22.980	22.639
	0.018	47.937	0.479	0.480

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - A

Addr: 12

Sample ID 810-73371-C-1-A

Repeat

1

Carrier No.

0

Batch ID 624483

Count Method Gross Alpha Beta

Detector Volts

1515

Count Began 9/8/2023 7:14:06 AM

Count Ended 9/8/2023 8:54:11 AM

Sample Count Time

100.00 *mins*

Background Count Time

1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.069	21	0.210	0.141
	0.008	4.583	0.046	0.047
Beta	0.566	65	0.650	0.084
	0.024	8.062	0.081	0.084

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - B

Addr: 13

Sample ID 810-73371-C-2-A

Repeat 1

Carrier No. 0

Batch ID 624483

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 9/8/2023 7:14:14 AM

Count Ended 9/8/2023 8:54:22 AM

Sample Count Time 100.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.088	56	0.560	0.472
	0.009	7.483	0.075	0.075
Beta sd	0.328	89	0.890	0.562
	0.018	9.434	0.094	0.096

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - C

Addr: 14

Sample ID 810-73371-C-3-A

Repeat

1

Carrier No.

0

Batch ID 624483

Count Method Gross Alpha Beta

Detector Volts

1515

Count Began 9/8/2023 7:14:20 AM

Count Ended 9/8/2023 8:54:27 AM

Sample Count Time

100.00 *mins*

Background Count Time

1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.100	48	0.480	0.380
	0.010	6.928	0.069	0.070
Beta	0.426	133	1.330	0.904
	0.021	11.533	0.115	0.117

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - D

Addr: 15

Sample ID 810-73371-C-4-A

Repeat 1

Carrier No. 0

Batch ID 624483

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 9/8/2023 7:14:33 AM

Count Ended 9/8/2023 8:54:41 AM

Sample Count Time 100.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.106	25	0.250	0.144
	0.010	5.000	0.050	0.051
Beta sd	0.339	77	0.770	0.431
	0.018	8.775	0.088	0.090

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - B

Addr: 17

Sample ID 810-73371-C-5-A

Repeat

1

Carrier No.

0

Batch ID 624483

Count Method Gross Alpha Beta

Detector Volts

1515

Count Began 9/8/2023 7:15:54 AM

Count Ended 9/8/2023 8:56:01 AM

Sample Count Time

100.00 *mins*

Background Count Time

1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.072	54	0.540	0.468
	0.008	7.348	0.073	0.074
Beta sd	0.400	129	1.290	0.890
	0.020	11.358	0.114	0.115

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - C

Addr: 18

Sample ID 810-73371-C-6-A

Repeat 1

Carrier No. 0

Batch ID 624483

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 9/8/2023 7:16:05 AM

Count Ended 9/8/2023 8:56:13 AM

Sample Count Time 100.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.064	67	0.670	0.606
	0.008	8.185	0.082	0.082
Beta sd	0.312	91	0.910	0.598
	0.018	9.539	0.095	0.097

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - D

Addr: 19

Sample ID 810-73371-C-7-A

Repeat

1

Carrier No.

0

Batch ID 624483

Count Method Gross Alpha Beta

Detector Volts

1515

Count Began 9/8/2023 7:16:11 AM

Count Ended 9/8/2023 8:56:18 AM

Sample Count Time

100.00 *mins*

Background Count Time

1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.059	38	0.380	0.321
	0.008	6.164	0.062	0.062
Beta	0.383	94	0.940	0.557
	0.020	9.695	0.097	0.099

Alpha/Beta Count Results

Sample Activity Report

Red 3 (20-23) - B

Addr: 21

Sample ID 810-73371-C-8-A

Repeat

1

Carrier No.

0

Batch ID 624483

Count Method Gross Alpha Beta

Detector Volts

1515

Count Began 9/8/2023 7:16:19 AM

Count Ended 9/8/2023 8:56:27 AM

Sample Count Time

100.00 *mins*

Background Count Time

1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.110	12	0.120	0.010
	0.010	3.464	0.035	0.036
Beta sd	0.288	19	0.190	-0.098
	0.017	4.359	0.044	0.064

Alpha/Beta Count Results

Sample Activity Report

Red 3 (20-23) - C

Addr: 22

Sample ID 810-73371-C-9-A

Repeat

1

Carrier No.

0

Batch ID 624483

Count Method Gross Alpha Beta

Detector Volts

1515

Count Began 9/8/2023 7:16:27 AM

Count Ended 9/8/2023 8:56:35 AM

Sample Count Time

100.00 *mins*

Background Count Time

1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.079	16	0.160	0.081
	0.009	4.000	0.040	0.041
Beta	0.296	71	0.710	0.414
	0.017	8.426	0.084	0.086

Alpha/Beta Count Results

Sample Activity Report

Blue 0-3 - D

Addr: 3

Sample ID 810-73371-C-10-A

Repeat

1

Carrier No.

0

Batch ID 624483

Count Method Gross Alpha Beta

Detector Volts

1515

Count Began 9/8/2023 7:20:53 AM

Count Ended 9/8/2023 9:01:03 AM

Sample Count Time

100.00 *mins*

Background Count Time

1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.143	53	0.530	0.387
	0.012	7.280	0.073	0.074
Beta	0.483	105	1.050	0.567
	0.022	10.247	0.102	0.105

Alpha/Beta Count Results

Sample Activity Report

Blue 8-11 - C

Addr: 10

Sample ID 810-73371-C-11-A

Repeat 1

Carrier No. 0

Batch ID 624483

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 9/8/2023 7:21:03 AM

Count Ended 9/8/2023 9:01:36 AM

Sample Count Time 100.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.083	13	0.130	0.047
	0.009	3.606	0.036	0.037
Beta sd	0.340	34	0.340	0.000
	0.018	5.831	0.058	0.061

Alpha/Beta Count Results

Sample Activity Report

Blue 8-11 - D

Addr: 11

Sample ID 810-73371-C-12-A

Repeat

1

Carrier No.

0

Batch ID 624483

Count Method Gross Alpha Beta

Detector Volts

1515

Count Began 9/8/2023 7:21:10 AM

Count Ended 9/8/2023 9:01:59 AM

Sample Count Time

100.00 *mins*

Background Count Time

1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.088	11	0.110	0.022
	0.009	3.317	0.033	0.034
Beta	0.424	56	0.560	0.136
	0.021	7.483	0.075	0.078

Alpha/Beta Count Results

Sample Activity Report

Blue 12-15 - A

Addr: 12

Sample ID 810-73371-C-13-A

Repeat 1

Carrier No. 0

Batch ID 624483

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 9/8/2023 7:21:17 AM

Count Ended 9/8/2023 9:02:35 AM

Sample Count Time 100.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.170	38	0.380	0.210
	0.013	6.164	0.062	0.063
Beta sd	0.387	80	0.800	0.413
	0.020	8.944	0.089	0.092

Alpha/Beta Count Results

Sample Activity Report

Blue 12-15 - B

Addr: 13

Sample ID 810-73371-C-14-A

Repeat 1

Carrier No. 0

Batch ID 624483

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 9/8/2023 7:21:25 AM

Count Ended 9/8/2023 9:02:56 AM

Sample Count Time 100.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.106	26	0.260	0.154
	0.010	5.099	0.051	0.052
Beta sd	0.340	65	0.650	0.310
	0.018	8.062	0.081	0.083

Alpha/Beta Count Results

Sample Activity Report

Purple 0-3 - A

Addr: 0

Sample ID 810-73371-C-15-A

Repeat

1

Carrier No.

0

Batch ID 624483

Count Method Gross Alpha Beta

Detector Volts

1515

Count Began 9/8/2023 7:21:59 AM

Count Ended 9/8/2023 9:02:10 AM

Sample Count Time

100.00 *mins*

Background Count Time

1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.169	62	0.620	0.451
	0.013	7.874	0.079	0.080
Beta	4.661	509	5.090	0.429
	0.068	22.561	0.226	0.236

Method 904.0

Radium-228 (GFPC) by Method 904.0

Prep Batch: 624324

Preparation, Precipitate Separation

Gas Flow Proportional Counter Analysis Detail Report

Prep Batch: 624324

Lab Id:	MB 160-624324/1-A	Analyzed:	08/29/23 12:33	Decay Corrected:	No	Ts:	100
Client ID:		Detector:	Blue0	Yield Truncated:	No	Tb:	1000
Sigma:	2	Dil Fac:	1	Calibration Type:	1		
Analyte	MB Result	Count Unc	Total Unc	Qualifier	Unit	RL	MDC
Radium-228	0.3670	0.378	0.380	U	pCi/L	1.00	0.612
Carrier	LCS Result	Count Unc	Total Unc	Qualifier	Unit	MDC	Spike Added
Ba Carrier	0.03790				g		0.0399
Y Carrier	0.01930				g		0.0268
							% Rec
							% Rec Limits
Lab Id:	LCS 160-624324/2-A	Analyzed:	08/29/23 20:04	Decay Corrected:	No	Ts:	100
Client ID:		Detector:	Red10	Yield Truncated:	No	Tb:	1000
Sigma:	2	Dil Fac:	1	Calibration Type:	1		
Analyte	LCS Result	Count Unc	Total Unc	Qualifier	Unit	RL	MDC
Radium-228	8.141	1.54	1.72		pCi/L	1.00	1.43
Carrier	LCS Result	Count Unc	Total Unc	Qualifier	Unit	MDC	Spike Added
Ba Carrier	0.03690				g		0.0399
Y Carrier	0.02100				g		0.0268
							% Rec
							% Rec Limits
Lab Id:	LCSD 160-624324/3-A	Analyzed:	08/29/23 20:04	Decay Corrected:	No	Ts:	100
Client ID:		Detector:	Red11	Yield Truncated:	No	Tb:	1000
Sigma:	2	Dil Fac:	1	Calibration Type:	1		
Analyte	LCSD Result	Count Unc	Total Unc	Qualifier	Unit	RL	MDC
Radium-228	9.171	1.67	1.87		pCi/L	1.00	1.56
Carrier	LCSD Result	Count Unc	Total Unc	Qualifier	Unit	MDC	Spike Added
Ba Carrier	0.03710				g		0.0399
Y Carrier	0.02060				g		0.0268
							% Rec
							% Rec Limits
Lab Id:	810-73371-16	Analyzed:	08/29/23 12:35	Decay Corrected:	No	Ts:	100
Client ID:	MW-30	Detector:	Purple10	Yield Truncated:	No	Tb:	1000
Sigma:	2	Dil Fac:	1	Calibration Type:	1		
Analyte	Result	Count Unc	Total Unc	Qualifier	Unit	RL	MDC
Radium-228	0.820	0.535	0.540		pCi/L	1.00	0.787
Carrier	Result	Count Unc	Total Unc	Qualifier	Unit	MDC	Spike Added
Ba Carrier	0.0334				g		0.0399
Y Carrier	0.0209				g		0.0268
							% Rec
							% Rec Limits

Gas Flow Proportional Counter Analysis Detail Report

Prep Batch: 624324

Lab Id:	810-73371-17	Analyzed:	08/29/23 12:35	Decay Corrected:	No	Ts:	100
Client ID:	MW-31	Detector:	Purple11	Yield Truncated:	No	Tb:	1000
Sigma:	2	Dil Fac:	1	Calibration Type:	1		
Analyte	Result	Count Unc	Total Unc	Qualifier	Unit	RL	MDC
Radium-228	0.970	0.545	0.552		pCi/L	1.00	0.773
Carrier	Result	Count Unc	Total Unc	Qualifier	Unit	MDC	Spike Added
Ba Carrier	0.0347				g		0.0399
Y Carrier	0.0209				g		0.0268
							% Rec
							% Rec Limits
							30 - 110
Lab Id:	810-73371-18	Analyzed:	08/29/23 12:35	Decay Corrected:	No	Ts:	100
Client ID:	MW-32	Detector:	Purple16	Yield Truncated:	No	Tb:	1000
Sigma:	2	Dil Fac:	1	Calibration Type:	1		
Analyte	Result	Count Unc	Total Unc	Qualifier	Unit	RL	MDC
Radium-228	0.582	0.533	0.535	U	pCi/L	1.00	0.848
Carrier	Result	Count Unc	Total Unc	Qualifier	Unit	MDC	Spike Added
Ba Carrier	0.0352				g		0.0399
Y Carrier	0.0211				g		0.0268
							% Rec
							% Rec Limits
							30 - 110
Lab Id:	810-73371-19	Analyzed:	08/29/23 12:35	Decay Corrected:	No	Ts:	100
Client ID:	MW-33	Detector:	Purple18	Yield Truncated:	No	Tb:	1000
Sigma:	2	Dil Fac:	1	Calibration Type:	1		
Analyte	Result	Count Unc	Total Unc	Qualifier	Unit	RL	MDC
Radium-228	0.875	0.537	0.543		pCi/L	1.00	0.786
Carrier	Result	Count Unc	Total Unc	Qualifier	Unit	MDC	Spike Added
Ba Carrier	0.0363				g		0.0399
Y Carrier	0.0208				g		0.0268
							% Rec
							% Rec Limits
							30 - 110
Lab Id:	810-73371-20	Analyzed:	08/29/23 12:36	Decay Corrected:	No	Ts:	100
Client ID:	MW-34	Detector:	Purple23	Yield Truncated:	No	Tb:	1000
Sigma:	2	Dil Fac:	1	Calibration Type:	1		
Analyte	Result	Count Unc	Total Unc	Qualifier	Unit	RL	MDC
Radium-228	0.600	0.546	0.548	U	pCi/L	1.00	0.862
Carrier	Result	Count Unc	Total Unc	Qualifier	Unit	MDC	Spike Added
Ba Carrier	0.0331				g		0.0399
Y Carrier	0.0202				g		0.0268
							% Rec
							% Rec Limits
							30 - 110

Gas Flow Proportional Counter Analysis Detail Report

Prep Batch: 624324

Quality Control Summary

Method Blank ID:	Analyte	Parent Result	Spike Added	MB Result	Qualifier	Unit	% Rec	% Rec Limits	RPD	RER	DER	RER Limit	Z Factor
MB 160-624324/1-A	Radium-228			0.3670	U	pCi/L							1.932
Lab Control Sample ID:	Analyte	Parent Result	Spike Added	LCS Result	Qualifier	Unit	% Rec	% Rec Limits	RPD	RER	DER	RER Limit	Z Factor
LCS 160-624324/2-A	Radium-228		7.92	8.141		pCi/L	103	80 - 120	12				.2541
Lab Control Sample Duplicate	Analyte	Parent Result	Spike Added	LCSD Result	Qualifier	Unit	% Rec	% Rec Limits	RPD	RER	DER	RER Limit	Z Factor
LCSD 160-624324/3-A	Radium-228		7.92	9.171		pCi/L	116	80 - 120	12	0.29			1 .8124

Glossary:

Ts = Count Duration, Sample
 Tb = Count Duration, Background
 Cs = Total Counts, Sample
 Cb = Total Counts, Background
 X Talk = Crosstalk
 Decay = Decay Factor
 Eff = Efficiency
 I = Ingrowth Factor
 A = Abundance

GAS FLOW PROPORTIONAL COUNTER BATCH WORKSHEET

Lab Name: Eurofins St. Louis

Job No.: 810-73371-1

SDG No.:

Batch Number: 624324

Batch Start Date: 08/16/23 10:00

Batch Analyst: Cox, Kevin A

Batch Method: PrecSep_0

Batch End Date: 08/29/23 11:34

Lab Sample ID	Client Sample ID	Method Chain	Basis	InitialAmount	Ba_TareWt	Ba_GrossWt	Ba_Mass	Y_TareWt	Y_GrossWt
MB 160-624324/1		PrecSep_0, 904.0		1000 mL	8.7038 g	8.7417 g	0.0399 g	8.6792 g	8.6985 g
LCS 160-624324/2		PrecSep_0, 904.0		1000 mL	8.6572 g	8.6941 g	0.0399 g	8.6546 g	8.6756 g
LCSD 160-624324/3		PrecSep_0, 904.0		1000 mL	8.6738 g	8.7109 g	0.0399 g	8.6875 g	8.7081 g
810-73371-A-16	MW-30	PrecSep_0, 904.0	T	743.07 mL	8.6939 g	8.7273 g	0.0399 g	8.6546 g	8.6755 g
810-73371-A-17	MW-31	PrecSep_0, 904.0	T	756.78 mL	8.6805 g	8.7152 g	0.0399 g	8.7122 g	8.7331 g
810-73371-A-18	MW-32	PrecSep_0, 904.0	T	749.49 mL	8.6893 g	8.7245 g	0.0399 g	8.7056 g	8.7267 g
810-73371-A-19	MW-33	PrecSep_0, 904.0	T	748.95 mL	8.6720 g	8.7083 g	0.0399 g	8.6964 g	8.7172 g
810-73371-A-20	MW-34	PrecSep_0, 904.0	T	746.40 mL	8.6767 g	8.7098 g	0.0399 g	8.6710 g	8.6912 g

Lab Sample ID	Client Sample ID	Method Chain	Basis	Y_Mass	IngDecDate1	IngDecDate2	NativeMassBa	NativeMassY	Ba_carrier 00134
MB 160-624324/1		PrecSep_0, 904.0		0.02675 g	08/17/2023 13:44	08/29/2023 08:48	0 g	0 g	1 mL
LCS 160-624324/2		PrecSep_0, 904.0		0.02675 g	08/17/2023 13:44	08/29/2023 08:48	0 g	0 g	1 mL
LCSD 160-624324/3		PrecSep_0, 904.0		0.02675 g	08/17/2023 13:44	08/29/2023 08:48	0 g	0 g	1 mL
810-73371-A-16	MW-30	PrecSep_0, 904.0	T	0.02675 g	08/17/2023 13:44	08/29/2023 08:48	0 g	0 g	1 mL
810-73371-A-17	MW-31	PrecSep_0, 904.0	T	0.02675 g	08/17/2023 13:44	08/29/2023 08:48	0 g	0 g	1 mL
810-73371-A-18	MW-32	PrecSep_0, 904.0	T	0.02675 g	08/17/2023 13:44	08/29/2023 08:48	0 g	0 g	1 mL
810-73371-A-19	MW-33	PrecSep_0, 904.0	T	0.02675 g	08/17/2023 13:44	08/29/2023 08:48	0 g	0 g	1 mL
810-73371-A-20	MW-34	PrecSep_0, 904.0	T	0.02675 g	08/17/2023 13:44	08/29/2023 08:48	0 g	0 g	1 mL

Lab Sample ID	Client Sample ID	Method Chain	Basis	Ra-228 00051	Y_Carrier 00086				
MB 160-624324/1		PrecSep_0, 904.0			0.2 mL				
LCS 160-624324/2		PrecSep_0, 904.0		1 mL	0.2 mL				

The pound sign (#) in the amount added field denotes that the reagent was used undiluted. All calculations are performed using the stated concentration for this reagent.

GAS FLOW PROPORTIONAL COUNTER BATCH WORKSHEET

Lab Name: Eurofins St. Louis

Job No.: 810-73371-1

SDG No.:

Batch Number: 624324

Batch Start Date: 08/16/23 10:00

Batch Analyst: Cox, Kevin A

Batch Method: PrecSep_0

Batch End Date: 08/29/23 11:34

Lab Sample ID	Client Sample ID	Method Chain	Basis	Ra-228 00051	Y Carrier 00086				
LCSD 160-624324/3		PrecSep_0, 904.0		1 mL	0.2 mL				
810-73371-A-16	MW-30	PrecSep_0, 904.0	T		0.2 mL				
810-73371-A-17	MW-31	PrecSep_0, 904.0	T		0.2 mL				
810-73371-A-18	MW-32	PrecSep_0, 904.0	T		0.2 mL				
810-73371-A-19	MW-33	PrecSep_0, 904.0	T		0.2 mL				
810-73371-A-20	MW-34	PrecSep_0, 904.0	T		0.2 mL				

Batch Notes

Balance ID	1121470622, B016
Balance is Level? (Y/N)	yes
Analyst ID - Reagent Drop	KAC, JEL
Analyst ID - Reagent Drop Witness	BMP per KAC, BMP per JEL
Pipette ID	RAD132, RAD144, RAD169
SOP Number	ST-RC-0002, ST-RC-0041
Batch Comment	In: JEL; Out: BCC

Basis	Basis Description
T	Total/NA

The pound sign (#) in the amount added field denotes that the reagent was used undiluted. All calculations are performed using the stated concentration for this reagent.

904.0

Page 2 of 2

Alpha/Beta Count Results

Sample Activity Report

Blue 0-3 - A

Addr: 0

Sample ID MB 160-624324/1-A

Repeat 1

Carrier No. 0

Batch ID 624324

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 8/29/2023 12:33:29 PM

Count Ended 8/29/2023 2:13:35 PM

Sample Count Time 100.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.129	14	0.140	0.011
	0.011	3.742	0.037	0.039
Beta sd	0.401	55	0.550	0.149
	0.020	7.416	0.074	0.077

Alpha/Beta Count Results

Sample Activity Report

Red 2 (8-11) - C

Addr: 10

Sample ID LCS 160-624324/2-A

Repeat

1

Carrier No.

0

Batch ID 624324

Count Method Gross Alpha Beta

Detector Volts

1515

Count Began 8/29/2023 8:04:47 PM

Count Ended 8/29/2023 9:44:55 PM

Sample Count Time

100.00 *mins*

Background Count Time

1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.078	19	0.190	0.112
	0.009	4.359	0.044	0.044
Beta	0.441	192	1.920	1.479
	0.021	13.856	0.139	0.140

Alpha/Beta Count Results

Sample Activity Report

Red 2 (8-11) - D

Addr: 11

Sample ID LCSD 160-624324/3-A

Repeat

1

Carrier No.

0

Batch ID 624324

Count Method Gross Alpha Beta

Detector Volts

1515

Count Began 8/29/2023 8:04:53 PM

Count Ended 8/29/2023 9:45:01 PM

Sample Count Time

100.00 *mins*

Background Count Time

1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.074	14	0.140	0.066
	0.009	3.742	0.037	0.038
Beta sd	0.510	214	2.140	1.630
	0.023	14.629	0.146	0.148

Alpha/Beta Count Results

Sample Activity Report

Purple 8-11 - C

Addr: 10

Sample ID 810-73371-A-16-B

Repeat

1

Carrier No.

0

Batch ID 624324

Count Method Gross Alpha Beta

Detector Volts

1515

Count Began 8/29/2023 12:35:36 PM

Count Ended 8/29/2023 2:15:49 PM

Sample Count Time 100.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.120	23	0.230	0.110
	0.011	4.796	0.048	0.049
Beta sd	0.324	56	0.560	0.236
	0.018	7.483	0.075	0.077

Alpha/Beta Count Results

Sample Activity Report

Purple 8-11 - D

Addr: 11

Sample ID 810-73371-A-17-B

Repeat

1

Carrier No.

0

Batch ID 624324

Count Method Gross Alpha Beta

Detector Volts

1515

Count Began 8/29/2023 12:35:43 PM

Count Ended 8/29/2023 2:15:53 PM

Sample Count Time

100.00 *mins*

Background Count Time

1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.044	10	0.100	0.056
	0.007	3.162	0.032	0.032
Beta sd	0.340	63	0.630	0.290
	0.018	7.937	0.079	0.081

Alpha/Beta Count Results

Sample Activity Report

Purple 16-19 - A

Addr: 16

Sample ID 810-73371-A-18-B

Repeat

1

Carrier No.

0

Batch ID 624324

Count Method Gross Alpha Beta

Detector Volts

1515

Count Began 8/29/2023 12:35:51 PM

Count Ended 8/29/2023 2:15:58 PM

Sample Count Time

100.00 *mins*

Background Count Time

1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.122	8	0.080	-0.042
	0.011	2.828	0.028	0.042
Beta	0.442	62	0.620	0.178
	0.021	7.874	0.079	0.081

Alpha/Beta Count Results

Sample Activity Report

Purple 16-19 - C

Addr: 18

Sample ID 810-73371-A-19-B

Repeat

1

Carrier No.

0

Batch ID 624324

Count Method Gross Alpha Beta

Detector Volts

1515

Count Began 8/29/2023 12:35:56 PM

Count Ended 8/29/2023 2:16:10 PM

Sample Count Time

100.00 *mins*

Background Count Time

1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.113	11	0.110	-0.003
	0.011	3.317	0.033	0.036
Beta	0.380	65	0.650	0.270
	0.019	8.062	0.081	0.083

Alpha/Beta Count Results

Sample Activity Report

Purple 20-23 - D

Addr: 23

Sample ID 810-73371-A-20-B

Repeat

1

Carrier No.

0

Batch ID 624324

Count Method Gross Alpha Beta

Detector Volts

1515

Count Began 8/29/2023 12:36:01 PM

Count Ended 8/29/2023 2:16:30 PM

Sample Count Time

100.00 *mins*

Background Count Time

1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.309	37	0.370	0.061
	0.018	6.083	0.061	0.063
Beta sd	0.331	49	0.490	0.159
	0.018	7.000	0.070	0.072

Prep Batch: 624326

Preparation, Precipitate Separation

Gas Flow Proportional Counter Analysis Detail Report

Prep Batch: 624326

Lab Id:	MB 160-624326/1-A	Analyzed:	08/31/23 11:42	Decay Corrected:	No	Ts:	100
Client ID:		Detector:	Red14	Yield Truncated:	No	Tb:	1000
Sigma:	2	Dil Fac:	1	Calibration Type:	1		
Analyte	MB Result	Count Unc	Total Unc	Qualifier	Unit	RL	MDC
Radium-228	0.4450	0.410	0.412	U	pCi/L	1.00	0.653
Carrier	LCS Result	Count Unc	Total Unc	Qualifier	Unit	MDC	Spike Added
Ba Carrier	0.03580				g		0.0399
Y Carrier	0.02050				g		0.0268
							% Rec
							% Rec Limits
							30 - 110
Lab Id:	LCS 160-624326/2-A	Analyzed:	08/31/23 11:42	Decay Corrected:	No	Ts:	100
Client ID:		Detector:	Red15	Yield Truncated:	No	Tb:	1000
Sigma:	2	Dil Fac:	1	Calibration Type:	1		
Analyte	LCS Result	Count Unc	Total Unc	Qualifier	Unit	RL	MDC
Radium-228	8.293	0.924	1.20		pCi/L	1.00	0.538
Carrier	LCS Result	Count Unc	Total Unc	Qualifier	Unit	MDC	Spike Added
Ba Carrier	0.03740				g		0.0399
Y Carrier	0.02160				g		0.0268
							% Rec
							% Rec Limits
							30 - 110
Lab Id:	810-73371-21	Analyzed:	08/31/23 11:46	Decay Corrected:	No	Ts:	100
Client ID:	MWT-04	Detector:	Red16	Yield Truncated:	No	Tb:	1000
Sigma:	2	Dil Fac:	1	Calibration Type:	1		
Analyte	Result	Count Unc	Total Unc	Qualifier	Unit	RL	MDC
Radium-228	0.890	0.564	0.570		pCi/L	1.00	0.832
Carrier	Result	Count Unc	Total Unc	Qualifier	Unit	MDC	Spike Added
Ba Carrier	0.0353				g		0.0399
Y Carrier	0.0211				g		0.0268
							% Rec
							% Rec Limits
							30 - 110
Lab Id:	810-73371-22	Analyzed:	08/31/23 11:46	Decay Corrected:	No	Ts:	100
Client ID:	MWT-12	Detector:	Red17	Yield Truncated:	No	Tb:	1000
Sigma:	2	Dil Fac:	1	Calibration Type:	1		
Analyte	Result	Count Unc	Total Unc	Qualifier	Unit	RL	MDC
Radium-228	0.0251	0.337	0.337	U	pCi/L	1.00	0.623
Carrier	Result	Count Unc	Total Unc	Qualifier	Unit	MDC	Spike Added
Ba Carrier	0.0362				g		0.0399
Y Carrier	0.0206				g		0.0268
							% Rec
							% Rec Limits
							30 - 110

Gas Flow Proportional Counter Analysis Detail Report

Prep Batch: 624326

Lab Id:	810-73371-23	Analyzed:	08/31/23 11:47	Decay Corrected:	No	Ts:	100
Client ID:	SG-02	Detector:	Red18	Yield Truncated:	No	Tb:	1000
Sigma:	2	Dil Fac:	1	Calibration Type:	1		
Analyte	Result	Count Unc	Total Unc	Qualifier	Unit	RL	MDC
Radium-228	0.954	0.574	0.580		pCi/L	1.00	0.824
Carrier	Result	Count Unc	Total Unc	Qualifier	Unit	MDC	Spike Added
Ba Carrier	0.0326				g		0.0399
Y Carrier	0.0211				g		0.0268
						% Rec	% Rec Limits
						81.7	30 - 110
						78.9	30 - 110
Lab Id:	810-73371-24	Analyzed:	08/31/23 11:47	Decay Corrected:	No	Ts:	100
Client ID:	SG-03	Detector:	Red19	Yield Truncated:	No	Tb:	1000
Sigma:	2	Dil Fac:	1	Calibration Type:	1		
Analyte	Result	Count Unc	Total Unc	Qualifier	Unit	RL	MDC
Radium-228	0.716	0.548	0.552	U	pCi/L	1.00	0.842
Carrier	Result	Count Unc	Total Unc	Qualifier	Unit	MDC	Spike Added
Ba Carrier	0.0339				g		0.0399
Y Carrier	0.0208				g		0.0268
						% Rec	% Rec Limits
						85.0	30 - 110
						77.8	30 - 110
Lab Id:	810-73371-25	Analyzed:	08/31/23 11:47	Decay Corrected:	No	Ts:	100
Client ID:	SG-04R	Detector:	Red20	Yield Truncated:	No	Tb:	1000
Sigma:	2	Dil Fac:	1	Calibration Type:	1		
Analyte	Result	Count Unc	Total Unc	Qualifier	Unit	RL	MDC
Radium-228	0.166	0.442	0.442	U	pCi/L	1.00	0.788
Carrier	Result	Count Unc	Total Unc	Qualifier	Unit	MDC	Spike Added
Ba Carrier	0.0348				g		0.0399
Y Carrier	0.0207				g		0.0268
						% Rec	% Rec Limits
						87.2	30 - 110
						77.4	30 - 110
Lab Id:	810-73371-26	Analyzed:	08/31/23 11:47	Decay Corrected:	No	Ts:	100
Client ID:	SG-05	Detector:	Red21	Yield Truncated:	No	Tb:	1000
Sigma:	2	Dil Fac:	1	Calibration Type:	1		
Analyte	Result	Count Unc	Total Unc	Qualifier	Unit	RL	MDC
Radium-228	0.389	0.493	0.495	U	pCi/L	1.00	0.820
Carrier	Result	Count Unc	Total Unc	Qualifier	Unit	MDC	Spike Added
Ba Carrier	0.0317				g		0.0399
Y Carrier	0.0210				g		0.0268
						% Rec	% Rec Limits
						79.4	30 - 110
						78.5	30 - 110

Gas Flow Proportional Counter Analysis Detail Report

Prep Batch: 624326

Lab Id:	810-73371-27	Analyzed:	08/31/23 11:47	Decay Corrected:	No	Ts:	100								
Client ID:	SG-06	Detector:	Red22	Yield Truncated:	No	Tb:	1000								
Sigma:	2	Dil Fac:	1	Calibration Type:	1										
Analyte	Result	Count Unc	Total Unc	Qualifier	Unit	RL	MDC	Cs	Cb	X Talk	Decay	Eff	I	A	Anly Batch
Radium-228	0.315	0.537	0.538	U	pCi/L	1.00	0.926	37	296	.	.6368	0.44046	.9117	1.	626294
Carrier	Result	Count Unc	Total Unc	Qualifier	Unit	MDC	Spike Added	% Rec	% Rec Limits						
Ba Carrier	0.0280				g		0.0399	70.2	30 - 110						
Y Carrier	0.0211				g		0.0268	78.9	30 - 110						

Quality Control Summary

Method Blank ID:	Analyte	Parent Result	Spike Added	MB Result	Qualifier	Unit	% Rec	% Rec Limits	RPD	RER	DER	RER Limit	Z Factor
MB 160-624326/1-A	Radium-228			0.4450	U	pCi/L							2.1599
Lab Control Sample ID:	Analyte	Parent Result	Spike Added	LCS Result	Qualifier	Unit	% Rec	% Rec Limits	RPD	RER	DER	RER Limit	Z Factor
LCS 160-624326/2-A	Radium-228		7.91	8.293		pCi/L	105	80 - 120					.6021

Glossary:

Ts = Count Duration, Sample
 Tb = Count Duration, Background
 Cs = Total Counts, Sample
 Cb = Total Counts, Background
 X Talk = Crosstalk
 Decay = Decay Factor
 Eff = Efficiency
 I = Ingrowth Factor
 A = Abundance

GAS FLOW PROPORTIONAL COUNTER BATCH WORKSHEET

Lab Name: Eurofins St. Louis

Job No.: 810-73371-1

SDG No.:

Batch Number: 624326

Batch Start Date: 08/16/23 10:10

Batch Analyst: Cox, Kevin A

Batch Method: PrecSep_0

Batch End Date: 08/31/23 10:49

Lab Sample ID	Client Sample ID	Method Chain	Basis	InitialAmount	Ba_TareWt	Ba_GrossWt	Ba_Mass	Y_TareWt	Y_GrossWt
MB 160-624326/1		PrecSep_0, 904.0		1000 mL	8.6964 g	8.7322 g	0.0399 g	8.6838 g	8.7043 g
LCS 160-624326/2		PrecSep_0, 904.0		1000 mL	8.6848 g	8.7222 g	0.0399 g	8.6859 g	8.7075 g
810-73371-A-21	MWT-04	PrecSep_0, 904.0	T	746.59 mL	8.6819 g	8.7172 g	0.0399 g	8.6823 g	8.7034 g
810-73371-A-22	MWT-12	PrecSep_0, 904.0	T	1002.71 mL	8.6745 g	8.7107 g	0.0399 g	8.6854 g	8.7060 g
810-73371-A-23	SG-02	PrecSep_0, 904.0	T	747.03 mL	8.6800 g	8.7126 g	0.0399 g	8.6928 g	8.7139 g
810-73371-A-24	SG-03	PrecSep_0, 904.0	T	757.02 mL	8.6799 g	8.7138 g	0.0399 g	8.6578 g	8.6786 g
810-73371-A-25	SG-04R	PrecSep_0, 904.0	T	749.11 mL	8.6830 g	8.7178 g	0.0399 g	8.6686 g	8.6893 g
810-73371-A-26	SG-05	PrecSep_0, 904.0	T	744.89 mL	8.6937 g	8.7254 g	0.0399 g	8.6885 g	8.7095 g
810-73371-A-27	SG-06	PrecSep_0, 904.0	T	748.67 mL	8.6922 g	8.7202 g	0.0399 g	8.6867 g	8.7078 g

Lab Sample ID	Client Sample ID	Method Chain	Basis	Y_Mass	IngDecDate1	IngDecDate2	NativeMassBa	NativeMassY	Ba_carrier 00134
MB 160-624326/1		PrecSep_0, 904.0		0.02675 g	08/17/2023 13:39	08/31/2023 07:47	0 g	0 g	1 mL
LCS 160-624326/2		PrecSep_0, 904.0		0.02675 g	08/17/2023 13:39	08/31/2023 07:47	0 g	0 g	1 mL
810-73371-A-21	MWT-04	PrecSep_0, 904.0	T	0.02675 g	08/17/2023 13:39	08/31/2023 07:47	0 g	0 g	1 mL
810-73371-A-22	MWT-12	PrecSep_0, 904.0	T	0.02675 g	08/17/2023 13:39	08/31/2023 07:47	0 g	0 g	1 mL
810-73371-A-23	SG-02	PrecSep_0, 904.0	T	0.02675 g	08/17/2023 13:39	08/31/2023 07:47	0 g	0 g	1 mL
810-73371-A-24	SG-03	PrecSep_0, 904.0	T	0.02675 g	08/17/2023 13:39	08/31/2023 07:47	0 g	0 g	1 mL
810-73371-A-25	SG-04R	PrecSep_0, 904.0	T	0.02675 g	08/17/2023 13:39	08/31/2023 07:47	0 g	0 g	1 mL
810-73371-A-26	SG-05	PrecSep_0, 904.0	T	0.02675 g	08/17/2023 13:39	08/31/2023 07:47	0 g	0 g	1 mL
810-73371-A-27	SG-06	PrecSep_0, 904.0	T	0.02675 g	08/17/2023 13:39	08/31/2023 07:47	0 g	0 g	1 mL

Lab Sample ID	Client Sample ID	Method Chain	Basis	Ra-228 00051	Y Carrier 00086				

The pound sign (#) in the amount added field denotes that the reagent was used undiluted. All calculations are performed using the stated concentration for this reagent.

GAS FLOW PROPORTIONAL COUNTER BATCH WORKSHEET

Lab Name: Eurofins St. Louis

Job No.: 810-73371-1

SDG No.:

Batch Number: 624326

Batch Start Date: 08/16/23 10:10

Batch Analyst: Cox, Kevin A

Batch Method: PrecSep_0

Batch End Date: 08/31/23 10:49

Lab Sample ID	Client Sample ID	Method Chain	Basis	Ra-228 00051	Y Carrier 00086				
MB 160-624326/1		PrecSep_0, 904.0			0.2 mL				
LCS 160-624326/2		PrecSep_0, 904.0		1 mL	0.2 mL				
810-73371-A-21	MWT-04	PrecSep_0, 904.0	T		0.2 mL				
810-73371-A-22	MWT-12	PrecSep_0, 904.0	T		0.2 mL				
810-73371-A-23	SG-02	PrecSep_0, 904.0	T		0.2 mL				
810-73371-A-24	SG-03	PrecSep_0, 904.0	T		0.2 mL				
810-73371-A-25	SG-04R	PrecSep_0, 904.0	T		0.2 mL				
810-73371-A-26	SG-05	PrecSep_0, 904.0	T		0.2 mL				
810-73371-A-27	SG-06	PrecSep_0, 904.0	T		0.2 mL				

Batch Notes

Balance ID	1121470622, B016
Balance is Level? (Y/N)	yes
Analyst ID - Reagent Drop	KAC, JEL
Analyst ID - Reagent Drop Witness	BMP per KAC, BMP per JEL
Pipette ID	RAD132, RAD144, RAD169
SOP Number	ST-RC-0002, ST-RC-0041
Batch Comment	In: JEL; Out: BCC

Basis	Basis Description
T	Total/NA

The pound sign (#) in the amount added field denotes that the reagent was used undiluted. All calculations are performed using the stated concentration for this reagent.

904.0

Page 2 of 2

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - C

Addr: 14

Sample ID MB 160-624326/1-A

Repeat

1

Carrier No.

0

Batch ID 624326

Count Method Gross Alpha Beta

Detector Volts

1515

Count Began 8/31/2023 11:42:54 AM

Count Ended 8/31/2023 1:23:01 PM

Sample Count Time 100.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.100	9	0.090	-0.010
	0.010	3.000	0.030	0.035
Beta sd	0.426	60	0.600	0.174
	0.021	7.746	0.077	0.080

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - D

Addr: 15

Sample ID LCS 160-624326/2-A

Repeat

1

Carrier No.

0

Batch ID 624326

Count Method Gross Alpha Beta

Detector Volts

1515

Count Began 8/31/2023 11:42:59 AM

Count Ended 8/31/2023 1:23:07 PM

Sample Count Time 100.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.106	15	0.150	0.044
	0.010	3.873	0.039	0.040
Beta sd	0.339	390	3.900	3.561
	0.018	19.748	0.197	0.198

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - A

Addr: 16

Sample ID 810-73371-A-21-B

Repeat

1

Carrier No.

0

Batch ID 624326

Count Method Gross Alpha Beta

Detector Volts

1515

Count Began 8/31/2023 11:46:49 AM

Count Ended 8/31/2023 1:26:55 PM

Sample Count Time 100.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.067	12	0.120	0.053
	0.008	3.464	0.035	0.036
Beta sd	0.388	65	0.650	0.262
	0.020	8.062	0.081	0.083

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - B

Addr: 17

Sample ID 810-73371-A-22-B

Repeat

1

Carrier No.

0

Batch ID 624326

Count Method Gross Alpha Beta

Detector Volts

1515

Count Began 8/31/2023 11:46:55 AM

Count Ended 8/31/2023 1:27:04 PM

Sample Count Time 100.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.072	12	0.120	0.048
	0.008	3.464	0.035	0.036
Beta sd	0.400	41	0.410	0.010
	0.020	6.403	0.064	0.067

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - C

Addr: 18

Sample ID 810-73371-A-23-B

Repeat

1

Carrier No.

0

Batch ID 624326

Count Method Gross Alpha Beta

Detector Volts

1515

Count Began 8/31/2023 11:47:00 AM

Count Ended 8/31/2023 1:27:07 PM

Sample Count Time

100.00 *mins*

Background Count Time

1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.064	4	0.040	-0.024
	0.008	2.000	0.020	0.031
Beta sd	0.312	57	0.570	0.258
	0.018	7.550	0.075	0.078

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - D

Addr: 19

Sample ID 810-73371-A-24-B

Repeat

1

Carrier No.

0

Batch ID 624326

Count Method Gross Alpha Beta

Detector Volts

1515

Count Began 8/31/2023 11:47:04 AM

Count Ended 8/31/2023 1:27:10 PM

Sample Count Time 100.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.059	10	0.100	0.041
	0.008	3.162	0.032	0.033
Beta sd	0.383	59	0.590	0.207
	0.020	7.681	0.077	0.079

Alpha/Beta Count Results

Sample Activity Report

Red 3 (20-23) - A

Addr: 20

Sample ID 810-73371-A-25-B

Repeat

1

Carrier No.

0

Batch ID 624326

Count Method Gross Alpha Beta

Detector Volts

1515

Count Began 8/31/2023 11:47:12 AM

Count Ended 8/31/2023 1:27:19 PM

Sample Count Time 100.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.067	13	0.130	0.063
	0.008	3.606	0.036	0.037
Beta sd	0.313	36	0.360	0.047
	0.018	6.000	0.060	0.063

Alpha/Beta Count Results

Sample Activity Report

Red 3 (20-23) - B

Addr: 21

Sample ID 810-73371-A-26-B

Repeat

1

Carrier No.

0

Batch ID 624326

Count Method Gross Alpha Beta

Detector Volts

1515

Count Began 8/31/2023 11:47:16 AM

Count Ended 8/31/2023 1:27:24 PM

Sample Count Time 100.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.110	14	0.140	0.030
	0.010	3.742	0.037	0.039
Beta sd	0.288	39	0.390	0.102
	0.017	6.245	0.062	0.065

Alpha/Beta Count Results

Sample Activity Report

Red 3 (20-23) - C

Addr: 22

Sample ID 810-73371-A-27-B

Repeat

1

Carrier No.

0

Batch ID 624326

Count Method Gross Alpha Beta

Detector Volts

1515

Count Began 8/31/2023 11:47:19 AM

Count Ended 8/31/2023 1:27:27 PM

Sample Count Time 100.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.079	9	0.090	0.011
	0.009	3.000	0.030	0.031
Beta sd	0.296	37	0.370	0.074
	0.017	6.083	0.061	0.063

Prep Batch: 624485

Preparation, Precipitate Separation

Gas Flow Proportional Counter Analysis Detail Report

Prep Batch: 624485

Lab Id:	MB 160-624485/1-A	Analyzed:	08/31/23 11:29	Decay Corrected:	No	Ts:	100
Client ID:		Detector:	Orange0	Yield Truncated:	No	Tb:	1000
Sigma:	2	Dil Fac:	1	Calibration Type:	1		
Analyte	MB Result	Count Unc	Total Unc	Qualifier	Unit	RL	MDC
Radium-228	0.1228	0.289	0.289	U	pCi/L	1.00	0.510
Carrier	LCS Result	Count Unc	Total Unc	Qualifier	Unit	MDC	Spike Added
Ba Carrier	0.03750				g		0.0399
Y Carrier	0.02170				g		0.0268
						% Rec	% Rec Limits
						94.0	30 - 110
						81.1	30 - 110
Lab Id:	LCS 160-624485/2-A	Analyzed:	08/31/23 11:29	Decay Corrected:	No	Ts:	100
Client ID:		Detector:	Orange3	Yield Truncated:	No	Tb:	1000
Sigma:	2	Dil Fac:	1	Calibration Type:	1		
Analyte	LCS Result	Count Unc	Total Unc	Qualifier	Unit	RL	MDC
Radium-228	8.673	0.924	1.22		pCi/L	1.00	0.531
Carrier	LCS Result	Count Unc	Total Unc	Qualifier	Unit	MDC	Spike Added
Ba Carrier	0.03760				g		0.0399
Y Carrier	0.02160				g		0.0268
						% Rec	% Rec Limits
						94.2	30 - 110
						80.7	30 - 110
Lab Id:	810-73371-1	Analyzed:	08/31/23 11:28	Decay Corrected:	No	Ts:	100
Client ID:	MW-01R	Detector:	Orange15	Yield Truncated:	No	Tb:	1000
Sigma:	2	Dil Fac:	1	Calibration Type:	1		
Analyte	Result	Count Unc	Total Unc	Qualifier	Unit	RL	MDC
Radium-228	1.11	0.574	0.583		pCi/L	1.00	0.804
Carrier	Result	Count Unc	Total Unc	Qualifier	Unit	MDC	Spike Added
Ba Carrier	0.0348				g		0.0399
Y Carrier	0.0214				g		0.0268
						% Rec	% Rec Limits
						87.2	30 - 110
						80.0	30 - 110
Lab Id:	810-73371-2	Analyzed:	08/31/23 11:28	Decay Corrected:	No	Ts:	100
Client ID:	MW-02	Detector:	Orange20	Yield Truncated:	No	Tb:	1000
Sigma:	2	Dil Fac:	1	Calibration Type:	1		
Analyte	Result	Count Unc	Total Unc	Qualifier	Unit	RL	MDC
Radium-228	1.71	0.782	0.798	G	pCi/L	1.00	1.03
Carrier	Result	Count Unc	Total Unc	Qualifier	Unit	MDC	Spike Added
Ba Carrier	0.0356				g		0.0399
Y Carrier	0.0218				g		0.0268
						% Rec	% Rec Limits
						89.2	30 - 110
						81.5	30 - 110

Gas Flow Proportional Counter Analysis Detail Report

Prep Batch: 624485

Lab Id:	810-73371-3	Analyzed:	08/31/23 11:28	Decay Corrected:	No	Ts:	100
Client ID:	MW-03	Detector:	Orange23	Yield Truncated:	No	Tb:	1000
Sigma:	2	Dil Fac:	1	Calibration Type:	1		
Analyte	Result	Count Unc	Total Unc	Qualifier	Unit	RL	MDC
Radium-228	0.579	0.489	0.492	U	pCi/L	1.00	0.763
Carrier	Result	Count Unc	Total Unc	Qualifier	Unit	MDC	Spike Added
Ba Carrier	0.0339				g		0.0399
Y Carrier	0.0221				g		0.0268
							% Rec
							% Rec Limits
Lab Id:	810-73371-4	Analyzed:	08/31/23 11:36	Decay Corrected:	No	Ts:	100
Client ID:	MW-04	Detector:	Red0	Yield Truncated:	No	Tb:	1000
Sigma:	2	Dil Fac:	1	Calibration Type:	1		
Analyte	Result	Count Unc	Total Unc	Qualifier	Unit	RL	MDC
Radium-228	1.14	0.625	0.634	U	pCi/L	1.00	0.892
Carrier	Result	Count Unc	Total Unc	Qualifier	Unit	MDC	Spike Added
Ba Carrier	0.0353				g		0.0399
Y Carrier	0.0194				g		0.0268
							% Rec
							% Rec Limits
Lab Id:	810-73371-5	Analyzed:	08/31/23 11:36	Decay Corrected:	No	Ts:	100
Client ID:	MW-06	Detector:	Red1	Yield Truncated:	No	Tb:	1000
Sigma:	2	Dil Fac:	1	Calibration Type:	1		
Analyte	Result	Count Unc	Total Unc	Qualifier	Unit	RL	MDC
Radium-228	0.473	0.460	0.462	U	pCi/L	1.00	0.735
Carrier	Result	Count Unc	Total Unc	Qualifier	Unit	MDC	Spike Added
Ba Carrier	0.0376				g		0.0399
Y Carrier	0.0207				g		0.0268
							% Rec
							% Rec Limits
Lab Id:	810-73371-6	Analyzed:	08/31/23 11:36	Decay Corrected:	No	Ts:	100
Client ID:	MW-07	Detector:	Red2	Yield Truncated:	No	Tb:	1000
Sigma:	2	Dil Fac:	1	Calibration Type:	1		
Analyte	Result	Count Unc	Total Unc	Qualifier	Unit	RL	MDC
Radium-228	1.70	0.630	0.649	U	pCi/L	1.00	0.776
Carrier	Result	Count Unc	Total Unc	Qualifier	Unit	MDC	Spike Added
Ba Carrier	0.0349				g		0.0399
Y Carrier	0.0211				g		0.0268
							% Rec
							% Rec Limits

Gas Flow Proportional Counter Analysis Detail Report

Prep Batch: 624485

Lab Id:	810-73371-7	Analyzed:	08/31/23 11:37	Decay Corrected:	No	Ts:	100
Client ID:	MW-08	Detector:	Red4	Yield Truncated:	No	Tb:	1000
Sigma:	2	Dil Fac:	1	Calibration Type:	1		
Analyte	Result	Count Unc	Total Unc	Qualifier	Unit	RL	MDC
Radium-228	1.74	0.750	0.767	G	pCi/L	1.00	1.01
Carrier	Result	Count Unc	Total Unc	Qualifier	Unit	MDC	Spike Added
Ba Carrier	0.0331				g		0.0399
Y Carrier	0.0202				g		0.0268
						% Rec	% Rec Limits
						83.0	30 - 110
						75.5	30 - 110
Lab Id:	810-73371-8	Analyzed:	08/31/23 11:37	Decay Corrected:	No	Ts:	100
Client ID:	MW-09	Detector:	Red5	Yield Truncated:	No	Tb:	1000
Sigma:	2	Dil Fac:	1	Calibration Type:	1		
Analyte	Result	Count Unc	Total Unc	Qualifier	Unit	RL	MDC
Radium-228	-0.0692	0.425	0.425	U	pCi/L	1.00	0.821
Carrier	Result	Count Unc	Total Unc	Qualifier	Unit	MDC	Spike Added
Ba Carrier	0.0332				g		0.0399
Y Carrier	0.0216				g		0.0268
						% Rec	% Rec Limits
						83.2	30 - 110
						80.7	30 - 110
Lab Id:	810-73371-9	Analyzed:	08/31/23 11:37	Decay Corrected:	No	Ts:	100
Client ID:	MW-10	Detector:	Red6	Yield Truncated:	No	Tb:	1000
Sigma:	2	Dil Fac:	1	Calibration Type:	1		
Analyte	Result	Count Unc	Total Unc	Qualifier	Unit	RL	MDC
Radium-228	0.634	0.486	0.490	U	pCi/L	1.00	0.736
Carrier	Result	Count Unc	Total Unc	Qualifier	Unit	MDC	Spike Added
Ba Carrier	0.0335				g		0.0399
Y Carrier	0.0212				g		0.0268
						% Rec	% Rec Limits
						84.0	30 - 110
						79.3	30 - 110
Lab Id:	810-73371-10	Analyzed:	08/31/23 11:37	Decay Corrected:	No	Ts:	100
Client ID:	MW-11	Detector:	Red7	Yield Truncated:	No	Tb:	1000
Sigma:	2	Dil Fac:	1	Calibration Type:	1		
Analyte	Result	Count Unc	Total Unc	Qualifier	Unit	RL	MDC
Radium-228	1.35	0.560	0.574		pCi/L	1.00	0.721
Carrier	Result	Count Unc	Total Unc	Qualifier	Unit	MDC	Spike Added
Ba Carrier	0.0358				g		0.0399
Y Carrier	0.0222				g		0.0268
						% Rec	% Rec Limits
						89.7	30 - 110
						83.0	30 - 110

Gas Flow Proportional Counter Analysis Detail Report

Prep Batch: 624485

Lab Id:	810-73371-11	Analyzed:	08/31/23 11:32	Decay Corrected:	No	Ts:	100
Client ID:	MW-12	Detector:	Red9	Yield Truncated:	No	Tb:	1000
Sigma:	2	Dil Fac:	1	Calibration Type:	1		
Analyte	Result	Count Unc	Total Unc	Qualifier	Unit	RL	MDC
Radium-228	0.504	0.380	0.382	U	pCi/L	1.00	0.578
Carrier	Result	Count Unc	Total Unc	Qualifier	Unit	MDC	Spike Added
Ba Carrier	0.0345				g		0.0399
Y Carrier	0.0215				g		0.0268
						% Rec	% Rec Limits
						86.5	30 - 110
						80.4	30 - 110
Lab Id:	810-73371-12	Analyzed:	08/31/23 11:32	Decay Corrected:	No	Ts:	100
Client ID:	MW-18	Detector:	Red10	Yield Truncated:	No	Tb:	1000
Sigma:	2	Dil Fac:	1	Calibration Type:	1		
Analyte	Result	Count Unc	Total Unc	Qualifier	Unit	RL	MDC
Radium-228	0.713	0.434	0.439		pCi/L	1.00	0.639
Carrier	Result	Count Unc	Total Unc	Qualifier	Unit	MDC	Spike Added
Ba Carrier	0.0361				g		0.0399
Y Carrier	0.0206				g		0.0268
						% Rec	% Rec Limits
						90.5	30 - 110
						77.0	30 - 110
Lab Id:	810-73371-13	Analyzed:	08/31/23 11:32	Decay Corrected:	No	Ts:	100
Client ID:	MW-19	Detector:	Red11	Yield Truncated:	No	Tb:	1000
Sigma:	2	Dil Fac:	1	Calibration Type:	1		
Analyte	Result	Count Unc	Total Unc	Qualifier	Unit	RL	MDC
Radium-228	0.993	0.477	0.486		pCi/L	1.00	0.670
Carrier	Result	Count Unc	Total Unc	Qualifier	Unit	MDC	Spike Added
Ba Carrier	0.0365				g		0.0399
Y Carrier	0.0210				g		0.0268
						% Rec	% Rec Limits
						91.5	30 - 110
						78.5	30 - 110
Lab Id:	810-73371-14	Analyzed:	08/31/23 11:32	Decay Corrected:	No	Ts:	100
Client ID:	MW-20	Detector:	Red12	Yield Truncated:	No	Tb:	1000
Sigma:	2	Dil Fac:	1	Calibration Type:	1		
Analyte	Result	Count Unc	Total Unc	Qualifier	Unit	RL	MDC
Radium-228	0.958	0.480	0.488		pCi/L	1.00	0.686
Carrier	Result	Count Unc	Total Unc	Qualifier	Unit	MDC	Spike Added
Ba Carrier	0.0358				g		0.0399
Y Carrier	0.0216				g		0.0268
						% Rec	% Rec Limits
						89.7	30 - 110
						80.7	30 - 110

Gas Flow Proportional Counter Analysis Detail Report

Prep Batch: 624485

Lab Id:	810-73371-15	Analyzed:	08/31/23 11:32	Decay Corrected:	No	Ts:	100								
Client ID:	MW-27	Detector:	Red13	Yield Truncated:	No	Tb:	1000								
Sigma:	2	Dil Fac:	1	Calibration Type:	1										
Analyte	Result	Count Unc	Total Unc	Qualifier	Unit	RL	MDC	Cs	Cb	X Talk	Decay	Eff	I	A	Anly Batch
Radium-228	1.28	0.588	0.600		pCi/L	1.00	0.782	70	328	.	.6552	0.43621	.9117	1.	626294
Carrier	Result	Count Unc	Total Unc	Qualifier	Unit	MDC	Spike Added	% Rec	% Rec Limits						
Ba Carrier	0.0335				g		0.0399	84.0	30 - 110						
Y Carrier	0.0213				g		0.0268	79.6	30 - 110						

Quality Control Summary

Method Blank ID:	Analyte	Parent Result	Spike Added	MB Result	Qualifier	Unit	% Rec	% Rec Limits	RPD	RER	DER	RER Limit	Z Factor
MB 160-624485/1-A	Radium-228			0.1228	U	pCi/L							.849
Lab Control Sample ID:	Analyte	Parent Result	Spike Added	LCS Result	Qualifier	Unit	% Rec	% Rec Limits	RPD	RER	DER	RER Limit	Z Factor
LCS 160-624485/2-A	Radium-228		7.91	8.673		pCi/L	110	80 - 120					1.1862

Glossary:

Ts = Count Duration, Sample
 Tb = Count Duration, Background
 Cs = Total Counts, Sample
 Cb = Total Counts, Background
 X Talk = Crosstalk
 Decay = Decay Factor
 Eff = Efficiency
 I = Ingrowth Factor
 A = Abundance

GAS FLOW PROPORTIONAL COUNTER BATCH WORKSHEET

Lab Name: Eurofins St. Louis

Job No.: 810-73371-1

SDG No.:

Batch Number: 624485

Batch Start Date: 08/17/23 10:40

Batch Analyst: Cox, Kevin A

Batch Method: PrecSep_0

Batch End Date: 08/31/23 10:57

Lab Sample ID	Client Sample ID	Method Chain	Basis	InitialAmount	Ba_TareWt	Ba_GrossWt	Ba_Mass	Y_TareWt	Y_GrossWt
MB 160-624485/1		PrecSep_0, 904.0		1000 mL	8.7102 g	8.7477 g	0.0399 g	8.6854 g	8.7071 g
LCS 160-624485/2		PrecSep_0, 904.0		1000 mL	8.6903 g	8.7279 g	0.0399 g	8.6616 g	8.6832 g
810-73371-C-1	MW-01R	PrecSep_0, 904.0	T	749.55 mL	8.6536 g	8.6884 g	0.0399 g	8.6965 g	8.7179 g
810-73371-C-2	MW-02	PrecSep_0, 904.0	T	497.92 mL	8.6620 g	8.6976 g	0.0399 g	8.6860 g	8.7078 g
810-73371-C-3	MW-03	PrecSep_0, 904.0	T	744.45 mL	8.6859 g	8.7198 g	0.0399 g	8.6527 g	8.6748 g
810-73371-C-4	MW-04	PrecSep_0, 904.0	T	752.46 mL	8.6684 g	8.7037 g	0.0399 g	8.6707 g	8.6901 g
810-73371-C-5	MW-06	PrecSep_0, 904.0	T	752.32 mL	8.6744 g	8.7120 g	0.0399 g	8.6967 g	8.7174 g
810-73371-C-6	MW-07	PrecSep_0, 904.0	T	748.54 mL	8.6459 g	8.6808 g	0.0399 g	8.6584 g	8.6795 g
810-73371-C-7	MW-08	PrecSep_0, 904.0	T	745.30 mL	8.6911 g	8.7242 g	0.0399 g	8.6841 g	8.7043 g
810-73371-C-8	MW-09	PrecSep_0, 904.0	T	749.30 mL	8.6794 g	8.7126 g	0.0399 g	8.6816 g	8.7032 g
810-73371-C-9	MW-10	PrecSep_0, 904.0	T	747.91 mL	8.6792 g	8.7127 g	0.0399 g	8.6619 g	8.6831 g
810-73371-C-10	MW-11	PrecSep_0, 904.0	T	753.00 mL	8.6849 g	8.7207 g	0.0399 g	8.6882 g	8.7104 g
810-73371-C-11	MW-12	PrecSep_0, 904.0	T	996.54 mL	8.6941 g	8.7286 g	0.0399 g	8.6765 g	8.6980 g
810-73371-C-12	MW-18	PrecSep_0, 904.0	T	995.91 mL	8.6926 g	8.7287 g	0.0399 g	8.6597 g	8.6803 g
810-73371-C-13	MW-19	PrecSep_0, 904.0	T	992.38 mL	8.6680 g	8.7045 g	0.0399 g	8.7098 g	8.7308 g
810-73371-C-14	MW-20	PrecSep_0, 904.0	T	1005.30 mL	8.6609 g	8.6967 g	0.0399 g	8.6497 g	8.6713 g
810-73371-C-15	MW-27	PrecSep_0, 904.0	T	752.56 mL	8.6506 g	8.6841 g	0.0399 g	8.6932 g	8.7145 g

Lab Sample ID	Client Sample ID	Method Chain	Basis	Y_Mass	IngDecDate1	IngDecDate2	NativeMassBa	NativeMassY	Ba carrier 00134
MB 160-624485/1		PrecSep_0, 904.0		0.02675 g	08/18/2023 14:13	08/31/2023 07:47	0 g	0 g	1 mL
LCS 160-624485/2		PrecSep_0, 904.0		0.02675 g	08/18/2023 14:13	08/31/2023 07:47	0 g	0 g	1 mL

The pound sign (#) in the amount added field denotes that the reagent was used undiluted. All calculations are performed using the stated concentration for this reagent.

GAS FLOW PROPORTIONAL COUNTER BATCH WORKSHEET

Lab Name: Eurofins St. Louis

Job No.: 810-73371-1

SDG No.:

Batch Number: 624485

Batch Start Date: 08/17/23 10:40

Batch Analyst: Cox, Kevin A

Batch Method: PrecSep_0

Batch End Date: 08/31/23 10:57

Lab Sample ID	Client Sample ID	Method Chain	Basis	Y_Mass	IngDecDate1	IngDecDate2	NativeMassBa	NativeMassY	Ba carrier 00134
810-73371-C-1	MW-01R	PrecSep_0, 904.0	T	0.02675 g	08/18/2023 14:13	08/31/2023 07:47	0 g	0 g	1 mL
810-73371-C-2	MW-02	PrecSep_0, 904.0	T	0.02675 g	08/18/2023 14:13	08/31/2023 07:47	0 g	0 g	1 mL
810-73371-C-3	MW-03	PrecSep_0, 904.0	T	0.02675 g	08/18/2023 14:13	08/31/2023 07:47	0 g	0 g	1 mL
810-73371-C-4	MW-04	PrecSep_0, 904.0	T	0.02675 g	08/18/2023 14:13	08/31/2023 07:47	0 g	0 g	1 mL
810-73371-C-5	MW-06	PrecSep_0, 904.0	T	0.02675 g	08/18/2023 14:13	08/31/2023 07:47	0 g	0 g	1 mL
810-73371-C-6	MW-07	PrecSep_0, 904.0	T	0.02675 g	08/18/2023 14:13	08/31/2023 07:47	0 g	0 g	1 mL
810-73371-C-7	MW-08	PrecSep_0, 904.0	T	0.02675 g	08/18/2023 14:13	08/31/2023 07:47	0 g	0 g	1 mL
810-73371-C-8	MW-09	PrecSep_0, 904.0	T	0.02675 g	08/18/2023 14:13	08/31/2023 07:47	0 g	0 g	1 mL
810-73371-C-9	MW-10	PrecSep_0, 904.0	T	0.02675 g	08/18/2023 14:13	08/31/2023 07:47	0 g	0 g	1 mL
810-73371-C-10	MW-11	PrecSep_0, 904.0	T	0.02675 g	08/18/2023 14:13	08/31/2023 07:47	0 g	0 g	1 mL
810-73371-C-11	MW-12	PrecSep_0, 904.0	T	0.02675 g	08/18/2023 14:13	08/31/2023 07:47	0 g	0 g	1 mL
810-73371-C-12	MW-18	PrecSep_0, 904.0	T	0.02675 g	08/18/2023 14:13	08/31/2023 07:47	0 g	0 g	1 mL
810-73371-C-13	MW-19	PrecSep_0, 904.0	T	0.02675 g	08/18/2023 14:13	08/31/2023 07:47	0 g	0 g	1 mL
810-73371-C-14	MW-20	PrecSep_0, 904.0	T	0.02675 g	08/18/2023 14:13	08/31/2023 07:47	0 g	0 g	1 mL
810-73371-C-15	MW-27	PrecSep_0, 904.0	T	0.02675 g	08/18/2023 14:13	08/31/2023 07:47	0 g	0 g	1 mL

Lab Sample ID	Client Sample ID	Method Chain	Basis	Ra-228 00051	Y Carrier 00086				
MB 160-624485/1		PrecSep_0, 904.0			0.2 mL				
LCS 160-624485/2		PrecSep_0, 904.0		1 mL	0.2 mL				
810-73371-C-1	MW-01R	PrecSep_0, 904.0	T		0.2 mL				
810-73371-C-2	MW-02	PrecSep_0, 904.0	T		0.2 mL				

The pound sign (#) in the amount added field denotes that the reagent was used undiluted. All calculations are performed using the stated concentration for this reagent.

904.0

Page 2 of 4

GAS FLOW PROPORTIONAL COUNTER BATCH WORKSHEET

Lab Name: Eurofins St. Louis

Job No.: 810-73371-1

SDG No.:

Batch Number: 624485

Batch Start Date: 08/17/23 10:40

Batch Analyst: Cox, Kevin A

Batch Method: PrecSep_0

Batch End Date: 08/31/23 10:57

Lab Sample ID	Client Sample ID	Method Chain	Basis	Ra-228 00051	Y Carrier 00086				
810-73371-C-3	MW-03	PrecSep_0, 904.0	T		0.2 mL				
810-73371-C-4	MW-04	PrecSep_0, 904.0	T		0.2 mL				
810-73371-C-5	MW-06	PrecSep_0, 904.0	T		0.2 mL				
810-73371-C-6	MW-07	PrecSep_0, 904.0	T		0.2 mL				
810-73371-C-7	MW-08	PrecSep_0, 904.0	T		0.2 mL				
810-73371-C-8	MW-09	PrecSep_0, 904.0	T		0.2 mL				
810-73371-C-9	MW-10	PrecSep_0, 904.0	T		0.2 mL				
810-73371-C-10	MW-11	PrecSep_0, 904.0	T		0.2 mL				
810-73371-C-11	MW-12	PrecSep_0, 904.0	T		0.2 mL				
810-73371-C-12	MW-18	PrecSep_0, 904.0	T		0.2 mL				
810-73371-C-13	MW-19	PrecSep_0, 904.0	T		0.2 mL				
810-73371-C-14	MW-20	PrecSep_0, 904.0	T		0.2 mL				
810-73371-C-15	MW-27	PrecSep_0, 904.0	T		0.2 mL				

Batch Notes

Balance ID	1121470622, B016
Balance is Level? (Y/N)	yes
Analyst ID - Reagent Drop	KAC, JEL
Analyst ID - Reagent Drop Witness	BMP per KAC, BMP per JEL
Pipette ID	RAD132, RAD144, RAD169
SOP Number	ST-RC-0002, ST-RC-0041
Batch Comment	In: JEL; Out: BCC

The pound sign (#) in the amount added field denotes that the reagent was used undiluted. All calculations are performed using the stated concentration for this reagent.

GAS FLOW PROPORTIONAL COUNTER BATCH WORKSHEET

Lab Name: Eurofins St. LouisJob No.: 810-73371-1

SDG No.: _____

Batch Number: 624485Batch Start Date: 08/17/23 10:40Batch Analyst: Cox, Kevin ABatch Method: PrecSep_0Batch End Date: 08/31/23 10:57

Basis	Basis Description
T	Total/NA

The pound sign (#) in the amount added field denotes that the reagent was used undiluted. All calculations are performed using the stated concentration for this reagent.

904.0

Page 4 of 4

Alpha/Beta Count Results

Sample Activity Report

Orange 0-3 - A

Addr: 0

Sample ID MB 160-624485/1-A

Repeat

1

Carrier No.

0

Batch ID 624485

Count Method Gross Alpha Beta

Detector Volts

1515

Count Began 8/31/2023 11:29:06 AM

Count Ended 8/31/2023 1:10:31 PM

Sample Count Time

100.00 *mins*

Background Count Time

1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.085	11	0.110	0.025
	0.009	3.317	0.033	0.034
Beta sd	0.344	40	0.400	0.056
	0.019	6.325	0.063	0.066

Alpha/Beta Count Results

Sample Activity Report

Orange 0-3 - D

Addr: 3

Sample ID LCS 160-624485/2-A

Repeat

1

Carrier No.

0

Batch ID 624485

Count Method Gross Alpha Beta

Detector Volts

1515

Count Began 8/31/2023 11:29:11 AM

Count Ended 8/31/2023 1:10:37 PM

Sample Count Time

100.00 *mins*

Background Count Time

1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.135	28	0.280	0.145
	0.012	5.292	0.053	0.054
Beta sd	0.363	425	4.250	3.887
	0.019	20.616	0.206	0.207

Alpha/Beta Count Results

Sample Activity Report

Orange 12-15 - D

Addr: 15

Sample ID 810-73371-C-1-B

Repeat 1

Carrier No. 0

Batch ID 624485

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 8/31/2023 11:28:56 AM

Count Ended 8/31/2023 1:15:08 PM

Sample Count Time 100.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.075	14	0.140	0.065
	0.009	3.742	0.037	0.038
Beta sd	0.391	73	0.730	0.339
	0.020	8.544	0.085	0.088

Alpha/Beta Count Results

Sample Activity Report

Orange 20-23 - A

Addr: 20

Sample ID 810-73371-C-2-B

Repeat

1

Carrier No.

0

Batch ID 624485

Count Method Gross Alpha Beta

Detector Volts

1515

Count Began 8/31/2023 11:28:40 AM

Count Ended 8/31/2023 1:08:50 PM

Sample Count Time

100.00 *mins*

Background Count Time

1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.094	17	0.170	0.076
	0.010	4.123	0.041	0.042
Beta	0.305	67	0.670	0.365
	0.017	8.185	0.082	0.084

Alpha/Beta Count Results

Sample Activity Report

Orange 20-23 - D

Addr: 23

Sample ID 810-73371-C-3-B

Repeat 1

Carrier No. 0

Batch ID 624485

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 8/31/2023 11:28:48 AM

Count Ended 8/31/2023 1:10:30 PM

Sample Count Time 100.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.110	8	0.080	-0.030
	0.010	2.828	0.028	0.039
Beta sd	0.352	53	0.530	0.178
	0.019	7.280	0.073	0.075

Alpha/Beta Count Results

Sample Activity Report

Red 1 (0-3) - A

Addr: 0

Sample ID 810-73371-C-4-B

Repeat 1

Carrier No. 0

Batch ID 624485

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 8/31/2023 11:36:26 AM

Count Ended 8/31/2023 1:16:33 PM

Sample Count Time 100.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.093	17	0.170	0.077
	0.010	4.123	0.041	0.042
Beta sd	0.402	72	0.720	0.318
	0.020	8.485	0.085	0.087

Alpha/Beta Count Results

Sample Activity Report

Red 1 (0-3) - B

Addr: 1

Sample ID 810-73371-C-5-B

Repeat

1

Carrier No.

0

Batch ID 624485

Count Method Gross Alpha Beta

Detector Volts

1515

Count Began 8/31/2023 11:36:31 AM

Count Ended 8/31/2023 1:16:39 PM

Sample Count Time 100.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.093	15	0.150	0.057
	0.010	3.873	0.039	0.040
Beta sd	0.341	49	0.490	0.149
	0.018	7.000	0.070	0.072

Alpha/Beta Count Results

Sample Activity Report

Red 1 (0-3) - C

Addr: 2

Sample ID 810-73371-C-6-B

Repeat

1

Carrier No.

0

Batch ID 624485

Count Method Gross Alpha Beta

Detector Volts

1515

Count Began 8/31/2023 11:36:37 AM

Count Ended 8/31/2023 1:16:45 PM

Sample Count Time 100.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.071	12	0.120	0.049
	0.008	3.464	0.035	0.036
Beta sd	0.336	84	0.840	0.504
	0.018	9.165	0.092	0.093

Alpha/Beta Count Results

Sample Activity Report

Red 1 (4-7) - A

Addr: 4

Sample ID 810-73371-C-7-B

Repeat 1

Carrier No. 0

Batch ID 624485

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 8/31/2023 11:37:14 AM

Count Ended 8/31/2023 1:17:21 PM

Sample Count Time 100.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.204	26	0.260	0.056
	0.014	5.099	0.051	0.053
Beta sd	0.479	94	0.940	0.461
	0.022	9.695	0.097	0.099

Alpha/Beta Count Results

Sample Activity Report

Red 1 (4-7) - B

Addr: 5

Sample ID 810-73371-C-8-B

Repeat 1

Carrier No. 0

Batch ID 624485

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 8/31/2023 11:37:19 AM

Count Ended 8/31/2023 1:17:26 PM

Sample Count Time 100.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.123	13	0.130	0.007
	0.011	3.606	0.036	0.038
Beta sd	0.360	34	0.340	-0.020
	0.019	5.831	0.058	0.064

Alpha/Beta Count Results

Sample Activity Report

Red 1 (4-7) - C

Addr: 6

Sample ID 810-73371-C-9-B

Repeat

1

Carrier No.

0

Batch ID 624485

Count Method Gross Alpha Beta

Detector Volts

1515

Count Began 8/31/2023 11:37:24 AM

Count Ended 8/31/2023 1:17:46 PM

Sample Count Time 100.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.091	13	0.130	0.039
	0.010	3.606	0.036	0.037
Beta sd	0.262	44	0.440	0.178
	0.016	6.633	0.066	0.068

Alpha/Beta Count Results

Sample Activity Report

Red 1 (4-7) - D

Addr: 7

Sample ID 810-73371-C-10-B

Repeat 1

Carrier No. 0

Batch ID 624485

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 8/31/2023 11:37:30 AM

Count Ended 8/31/2023 1:17:39 PM

Sample Count Time 100.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.088	5	0.050	-0.038
	0.009	2.236	0.022	0.037
Beta sd	0.344	78	0.780	0.436
	0.019	8.832	0.088	0.090

Alpha/Beta Count Results

Sample Activity Report

Red 2 (8-11) - B

Addr: 9

Sample ID 810-73371-C-11-B

Repeat 1

Carrier No. 0

Batch ID 624485

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 8/31/2023 11:32:20 AM

Count Ended 8/31/2023 1:12:28 PM

Sample Count Time 100.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.064	18	0.180	0.116
	0.008	4.243	0.042	0.043
Beta sd	0.339	54	0.540	0.201
	0.018	7.348	0.073	0.076

Alpha/Beta Count Results

Sample Activity Report

Red 2 (8-11) - C

Addr: 10

Sample ID 810-73371-C-12-B

Repeat

1

Carrier No.

0

Batch ID 624485

Count Method Gross Alpha Beta

Detector Volts

1515

Count Began 8/31/2023 11:32:25 AM

Count Ended 8/31/2023 1:12:34 PM

Sample Count Time 100.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.078	14	0.140	0.062
	0.009	3.742	0.037	0.038
Beta sd	0.441	73	0.730	0.289
	0.021	8.544	0.085	0.088

Alpha/Beta Count Results

Sample Activity Report

Red 2 (8-11) - D

Addr: 11

Sample ID 810-73371-C-13-B

Repeat

1

Carrier No.

0

Batch ID 624485

Count Method Gross Alpha Beta

Detector Volts

1515

Count Began 8/31/2023 11:32:30 AM

Count Ended 8/31/2023 1:12:37 PM

Sample Count Time 100.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.074	17	0.170	0.096
	0.009	4.123	0.041	0.042
Beta sd	0.510	92	0.920	0.410
	0.023	9.592	0.096	0.099

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - A

Addr: 12

Sample ID 810-73371-C-14-B

Repeat

1

Carrier No.

0

Batch ID 624485

Count Method Gross Alpha Beta

Detector Volts

1515

Count Began 8/31/2023 11:32:13 AM

Count Ended 8/31/2023 1:12:21 PM

Sample Count Time 100.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.069	13	0.130	0.061
	0.008	3.606	0.036	0.037
Beta sd	0.566	97	0.970	0.404
	0.024	9.849	0.098	0.101

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - B

Addr: 13

Sample ID 810-73371-C-15-B

Repeat

1

Carrier No.

0

Batch ID 624485

Count Method Gross Alpha Beta

Detector Volts

1515


Count Began 8/31/2023 11:32:08 AM

Count Ended 8/31/2023 1:12:15 PM


Sample Count Time 100.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.088	7	0.070	-0.018
	0.009	2.646	0.026	0.034
Beta sd	0.328	70	0.700	0.372
	0.018	8.367	0.084	0.086

Daily Checks

**Gas Proportional Counter Daily Quality Control Checks****Instrument: Blue**

	Alpha CPM	Alpha Mean	Alpha +/- limit	Alpha Deviation	Alpha Flag	A>>B XT CPM	A>>B XT Mean	A>>B XT +/- limit	A>>B XT Deviation	A>>B XT Flag
Check Type = Alpha										
Detector 0										
8/29/2023 12:23:00 AM	9732.72	9731.78	291.95	0.94	Pass	3637.00	3783.75	55.06	-146.750	WARNING
8/30/2023 12:21:00 AM	9624.04	9731.78	291.95	-107.73	Pass	3736.50	3783.75	55.06	-47.250	Pass
Detector 1										
8/29/2023 12:23:00 AM	11293.80	11203.08	336.09	90.72	Pass	4151.00	4270.00	56.54	-119.000	WARNING
8/30/2023 12:22:00 AM	11243.25	11203.08	336.09	40.17	Pass	4234.00	4270.00	56.54	-36.000	Pass
Detector 2										
8/29/2023 12:23:00 AM	10275.79	10359.33	310.78	-83.54	Pass	3984.50	4091.73	50.75	-107.225	WARNING
8/30/2023 12:22:00 AM	10130.55	10359.33	310.78	-228.78	Pass	4027.00	4091.73	50.75	-64.725	Pass
Detector 3										
8/29/2023 12:24:00 AM	11375.96	11400.95	342.03	-24.99	Pass	4224.50	4294.73	42.38	-70.225	Pass
8/30/2023 12:23:00 AM	11240.74	11400.95	342.03	-160.21	Pass	4308.00	4294.73	42.38	13.275	Pass
Detector 4										
8/29/2023 12:24:00 AM	14435.50	14325.50	429.77	110.00	Pass	6228.50	6338.90	205.79	-110.400	Pass
8/30/2023 12:23:00 AM	14304.81	14325.50	429.77	-20.69	Pass	6323.00	6338.90	205.79	-15.900	Pass
Detector 5										
8/29/2023 12:24:00 AM	14797.22	14830.60	444.92	-33.38	Pass	5398.00	5533.48	81.19	-135.475	Pass
8/30/2023 12:23:00 AM	14721.63	14830.60	444.92	-108.97	Pass	5419.50	5533.48	81.19	-113.975	Pass
Detector 6										
8/29/2023 12:25:00 AM	12169.03	12305.73	369.17	-136.70	Pass	4653.00	4715.55	63.03	-62.550	Pass
8/30/2023 12:24:00 AM	12280.30	12305.73	369.17	-25.43	Pass	4639.00	4715.55	63.03	-76.550	Pass
Detector 7										
8/29/2023 12:25:00 AM	12426.03	12708.25	381.25	-282.22	Pass	4847.00	4810.10	73.07	36.900	Pass
8/30/2023 12:24:00 AM	12273.79	12708.25	381.25	-434.46	FAIL	4826.00	4810.10	73.07	15.900	Pass
Detector 8										
8/29/2023 12:39:00 AM	9539.34	9451.15	283.53	88.19	Pass	3699.50	3851.33	50.28	-151.825	DOEF
8/30/2023 12:37:00 AM	9634.07	9451.15	283.53	182.92	Pass	3686.00	3851.33	50.28	-165.325	DOEF
Detector 9										
8/29/2023 12:39:00 AM	10949.62	10846.68	325.40	102.94	Pass	4234.50	4390.08	73.38	-155.575	WARNING
8/30/2023 12:37:00 AM	10881.03	10846.68	325.40	34.36	Pass	4252.50	4390.08	73.38	-137.575	Pass
Detector 10										
8/29/2023 12:39:00 AM	10401.04	10386.65	311.60	14.39	Pass	3914.50	4154.40	60.48	-239.900	DOEF
8/30/2023 12:38:00 AM	10456.19	10386.65	311.60	69.54	Pass	3896.50	4154.40	60.48	-257.900	DOEF



Gas Proportional Counter Daily Quality Control Checks

Instrument: Blue

	Alpha CPM	Alpha Mean	Alpha +/- limit	Alpha Deviation	Alpha Flag	A>>B XT CPM	A>>B XT Mean	A>>B XT +/- limit	A>>B XT Deviation	A>>B XT Flag
Detector 11										
8/29/2023 12:39:00 AM	11411.53	11316.08	339.48	95.46	Pass	4260.50	4591.48	60.25	-330.975	DOEF
8/30/2023 12:38:00 AM	11427.61	11316.08	339.48	111.54	Pass	4283.50	4591.48	60.25	-307.975	DOEF
Detector 12										
8/29/2023 12:40:00 AM	14199.04	14250.38	427.51	-51.34	Pass	6508.50	6540.40	105.21	-31.900	Pass
8/30/2023 12:39:00 AM	14073.85	14250.38	427.51	-176.53	Pass	6464.50	6540.40	105.21	-75.900	Pass
Detector 13										
8/29/2023 12:40:00 AM	15507.62	15581.68	467.45	-74.05	Pass	4868.00	4978.43	68.62	-110.425	Pass
8/30/2023 12:39:00 AM	15609.89	15581.68	467.45	28.22	Pass	4831.50	4978.43	68.62	-146.925	WARNING
Detector 14										
8/29/2023 12:40:00 AM	11407.52	11508.73	345.26	-101.20	Pass	5325.50	5412.75	104.76	-87.250	Pass
8/30/2023 12:39:00 AM	11278.82	11508.73	345.26	-229.91	Pass	5357.00	5412.75	104.76	-55.750	Pass
Detector 15										
8/29/2023 12:40:00 AM	12007.21	12031.40	360.94	-24.19	Pass	5405.50	5413.25	103.25	-7.750	Pass
8/30/2023 12:40:00 AM	12032.31	12031.40	360.94	0.91	Pass	5450.00	5413.25	103.25	36.750	Pass
Detector 16										
8/29/2023 12:30:00 AM	9759.27	9639.28	289.18	119.99	Pass	3692.00	3817.55	37.67	-125.550	DOEF
8/30/2023 12:30:00 AM	9653.10	9639.28	289.18	13.83	Pass	3645.50	3817.55	37.67	-172.050	DOEF
Detector 17										
8/29/2023 12:30:00 AM	10973.66	11061.48	331.84	-87.81	Pass	4120.00	4226.70	53.61	-106.700	Pass
8/30/2023 12:30:00 AM	11231.72	11061.48	331.84	170.25	Pass	4124.50	4226.70	53.61	-102.200	Pass
Detector 18										
8/29/2023 12:30:00 AM	10631.98	10659.53	319.79	-27.54	Pass	3811.00	3935.95	34.99	-124.950	DOEF
8/30/2023 12:31:00 AM	10647.56	10659.53	319.79	-11.96	Pass	3843.00	3935.95	34.99	-92.950	WARNING
Detector 19										
8/29/2023 12:31:00 AM	11522.24	11467.10	344.01	55.14	Pass	4381.50	4448.70	59.17	-67.200	Pass
8/30/2023 12:31:00 AM	11591.43	11467.10	344.01	124.33	Pass	4324.00	4448.70	59.17	-124.700	WARNING
Detector 20										
8/29/2023 12:31:00 AM	14386.40	14347.83	430.43	38.57	Pass	6538.50	6614.45	91.13	-75.950	Pass
8/30/2023 12:31:00 AM	14468.12	14347.83	430.43	120.30	Pass	6653.50	6614.45	91.13	39.050	Pass
Detector 21										
8/29/2023 12:31:00 AM	10375.98	9869.88	296.10	506.11	FAIL	9927.00	10259.65	129.52	-332.650	WARNING
8/30/2023 12:31:00 AM	9687.17	9869.88	296.10	-182.71	Pass	10286.50	10259.65	129.52	26.850	Pass



Gas Proportional Counter Daily Quality Control Checks

Instrument: Blue


	Alpha CPM	Alpha Mean	Alpha +/- limit	Alpha Deviation	Alpha Flag	A>>B XT CPM	A>>B XT Mean	A>>B XT +/- limit	A>>B XT Deviation	A>>B XT Flag
Detector 22										
8/29/2023 12:31:00 AM	11763.72	11742.60	352.28	21.12	Pass	5285.00	5466.15	85.68	-181.150	WARNING
8/30/2023 12:32:00 AM	11766.78	11742.60	352.28	24.18	Pass	5332.00	5466.15	85.68	-134.150	Pass
Detector 23										
8/29/2023 12:32:00 AM	12074.84	12061.73	361.85	13.11	Pass	5654.00	5992.08	108.01	-338.075	DOEF
8/30/2023 12:32:00 AM	12158.56	12061.73	361.85	96.83	Pass	5774.50	5992.08	108.01	-217.575	WARNING



Gas Proportional Counter Daily Quality Control Checks

Instrument: Blue

	Beta CPM	Beta Mean	Beta +/- limit	Beta Deviation	Beta Flag	B>>A XT CPM	B>>A XT Mean	B>>A XT +/- limit	B>>A XT Deviation	B>>A XT Flag
Check Type = Beta										
Detector 0										
8/29/2023 12:32:00 AM	49825.07	50552.05	1516.56	-726.98	Pass	NA	NA	NA	NA	NA
8/30/2023 12:32:00 AM	49931.12	50552.05	1516.56	-620.93	Pass	NA	NA	NA	NA	NA
Detector 1										
8/29/2023 12:32:00 AM	48455.41	47641.23	1429.24	814.19	Pass	NA	NA	NA	NA	NA
8/30/2023 12:33:00 AM	48656.67	47641.23	1429.24	1015.44	Pass	NA	NA	NA	NA	NA
Detector 2										
8/29/2023 12:33:00 AM	48995.76	49734.44	1492.03	-738.68	Pass	NA	NA	NA	NA	NA
8/30/2023 12:33:00 AM	49158.02	49734.44	1492.03	-576.42	Pass	NA	NA	NA	NA	NA
Detector 3										
8/29/2023 12:33:00 AM	58982.88	60167.98	1805.04	-1185.09	Pass	NA	NA	NA	NA	NA
8/30/2023 12:33:00 AM	59401.27	60167.98	1805.04	-766.70	Pass	NA	NA	NA	NA	NA
Detector 4										
8/29/2023 12:33:00 AM	47393.33	47227.93	1416.84	165.40	Pass	NA	NA	NA	NA	NA
8/30/2023 12:34:00 AM	47329.18	47227.93	1416.84	101.26	Pass	NA	NA	NA	NA	NA
Detector 5										
8/29/2023 12:33:00 AM	54942.96	55004.03	1650.12	-61.06	Pass	NA	NA	NA	NA	NA
8/30/2023 12:34:00 AM	54795.61	55004.03	1650.12	-208.41	Pass	NA	NA	NA	NA	NA
Detector 6										
8/29/2023 12:33:00 AM	50881.34	52072.68	1562.18	-1191.33	Pass	NA	NA	NA	NA	NA
8/30/2023 12:34:00 AM	50795.09	52072.68	1562.18	-1277.58	Pass	NA	NA	NA	NA	NA
Detector 7										
8/29/2023 12:34:00 AM	44137.14	44302.58	1329.08	-165.43	Pass	NA	NA	NA	NA	NA
8/30/2023 12:35:00 AM	44004.22	44302.58	1329.08	-298.35	Pass	NA	NA	NA	NA	NA
Detector 8										
8/29/2023 12:25:00 AM	49608.47	49959.33	1498.78	-350.86	Pass	NA	NA	NA	NA	NA
8/30/2023 12:24:00 AM	49440.10	49959.33	1498.78	-519.22	Pass	NA	NA	NA	NA	NA
Detector 9										
8/29/2023 12:25:00 AM	47713.46	47696.08	1430.88	17.38	Pass	NA	NA	NA	NA	NA
8/30/2023 12:25:00 AM	47953.70	47696.08	1430.88	257.63	Pass	NA	NA	NA	NA	NA
Detector 10										
8/29/2023 12:25:00 AM	49329.10	50136.65	1504.10	-807.55	Pass	NA	NA	NA	NA	NA
8/30/2023 12:25:00 AM	49129.72	50136.65	1504.10	-1006.93	Pass	NA	NA	NA	NA	NA



Gas Proportional Counter Daily Quality Control Checks

Instrument: Blue

	Beta CPM	Beta Mean	Beta +/- limit	Beta Deviation	Beta Flag	B>>A XT CPM	B>>A XT Mean	B>>A XT +/- limit	B>>A XT Deviation	B>>A XT Flag
Detector 11										
8/29/2023 12:26:00 AM	59538.44	59951.55	1798.55	-413.11	Pass	NA	NA	NA	NA	NA
8/30/2023 12:25:00 AM	60277.19	59951.55	1798.55	325.64	Pass	NA	NA	NA	NA	NA
Detector 12										
8/29/2023 12:26:00 AM	49225.24	49257.90	1477.74	-32.66	Pass	NA	NA	NA	NA	NA
8/30/2023 12:26:00 AM	48591.68	49257.90	1477.74	-666.22	Pass	NA	NA	NA	NA	NA
Detector 13										
8/29/2023 12:26:00 AM	55134.70	55607.20	1668.22	-472.50	Pass	NA	NA	NA	NA	NA
8/30/2023 12:26:00 AM	54933.21	55607.20	1668.22	-673.99	Pass	NA	NA	NA	NA	NA
Detector 14										
8/29/2023 12:27:00 AM	49096.40	50580.03	1517.40	-1483.63	Pass	NA	NA	NA	NA	NA
8/30/2023 12:26:00 AM	49851.28	50580.03	1517.40	-728.74	Pass	NA	NA	NA	NA	NA
Detector 15										
8/29/2023 12:27:00 AM	44603.75	45674.43	1370.23	-1070.68	Pass	NA	NA	NA	NA	NA
8/30/2023 12:27:00 AM	44502.21	45674.43	1370.23	-1172.21	Pass	NA	NA	NA	NA	NA
Detector 16										
8/29/2023 12:41:00 AM	49659.57	49653.23	1489.60	6.35	Pass	NA	NA	NA	NA	NA
8/30/2023 12:40:00 AM	49425.39	49653.23	1489.60	-227.83	Pass	NA	NA	NA	NA	NA
Detector 17										
8/29/2023 12:42:00 AM	47905.93	48166.13	1444.98	-260.19	Pass	NA	NA	NA	NA	NA
8/30/2023 12:40:00 AM	47859.15	48166.13	1444.98	-306.98	Pass	NA	NA	NA	NA	NA
Detector 18										
8/29/2023 12:42:00 AM	49410.03	49957.23	1498.72	-547.20	Pass	NA	NA	NA	NA	NA
8/30/2023 12:41:00 AM	49357.82	49957.23	1498.72	-599.40	Pass	NA	NA	NA	NA	NA
Detector 19										
8/29/2023 12:42:00 AM	60320.42	59167.80	1775.03	1152.62	Pass	NA	NA	NA	NA	NA
8/30/2023 12:41:00 AM	59983.99	59167.80	1775.03	816.19	Pass	NA	NA	NA	NA	NA
Detector 20										
8/29/2023 12:42:00 AM	49513.57	49987.80	1499.63	-474.23	Pass	NA	NA	NA	NA	NA
8/30/2023 12:41:00 AM	49507.45	49987.80	1499.63	-480.35	Pass	NA	NA	NA	NA	NA
Detector 21										
8/29/2023 12:42:00 AM	47284.49	55281.80	1658.45	-7997.31	FAIL	NA	NA	NA	NA	NA
8/30/2023 12:42:00 AM	46054.02	55281.80	1658.45	-9227.78	FAIL	NA	NA	NA	NA	NA



Gas Proportional Counter Daily Quality Control Checks

Instrument: Blue

	Beta CPM	Beta Mean	Beta +/- limit	Beta Deviation	Beta Flag	B>>A XT CPM	B>>A XT Mean	B>>A XT +/- limit	B>>A XT Deviation	B>>A XT Flag
Detector 22										
8/29/2023 12:42:00 AM	51210.11	52477.75	1574.33	-1267.64	Pass	NA	NA	NA	NA	NA
8/30/2023 12:42:00 AM	51196.33	52477.75	1574.33	-1281.42	Pass	NA	NA	NA	NA	NA
Detector 23										
8/29/2023 12:41:00 AM	45159.35	46160.75	1384.82	-1001.40	Pass	NA	NA	NA	NA	NA
8/30/2023 12:42:00 AM	44800.48	46160.75	1384.82	-1360.27	Pass	NA	NA	NA	NA	NA



Gas Proportional Counter Daily Quality Control Checks

Instrument: Blue

	AlphaBKG CPM	BKG Mean	BKG +/- limit	BKG Deviation	BKG Flag		BetaBKG CPM	BetaBKG Mean	BetaBKG +/- limit	BetaBKG Deviation	BetaBKG Flag
Check Type = BKG											
Detector 0											
8/29/2023 4:04:00 AM	0.13	0.19	0.02	-0.06	Pass		0.56	0.54	0.10	0.019	Pass
8/30/2023 4:03:00 AM	0.09	0.19	0.02	-0.10	FAIL		0.42	0.54	0.10	-0.121	Pass
Detector 1											
8/29/2023 4:04:00 AM	0.11	0.23	0.03	-0.12	FAIL		0.24	0.47	0.07	-0.234	FAIL
8/30/2023 4:03:00 AM	0.13	0.23	0.03	-0.11	FAIL		0.39	0.47	0.07	-0.088	Pass
Detector 2											
8/29/2023 4:04:00 AM	0.12	0.21	0.06	-0.09	Pass		0.58	0.54	0.11	0.036	Pass
8/30/2023 4:03:00 AM	0.14	0.21	0.06	-0.08	Pass		0.50	0.54	0.11	-0.044	Pass
Detector 3											
8/29/2023 4:04:00 AM	0.11	0.24	0.04	-0.13	FAIL		0.46	0.52	0.09	-0.064	Pass
8/30/2023 4:03:00 AM	0.10	0.24	0.04	-0.14	FAIL		0.41	0.52	0.09	-0.119	Pass
Detector 4											
8/29/2023 4:04:00 AM	0.12	0.23	0.04	-0.11	Pass		0.48	0.45	0.07	0.025	Pass
8/30/2023 4:03:00 AM	0.13	0.23	0.04	-0.10	Pass		0.34	0.45	0.07	-0.115	Pass
Detector 5											
8/29/2023 4:04:00 AM	0.19	0.22	0.03	-0.03	Pass		0.51	0.44	0.08	0.067	Pass
8/30/2023 4:04:00 AM	0.13	0.22	0.03	-0.10	Pass		0.35	0.44	0.08	-0.099	Pass
Detector 6											
8/29/2023 4:04:00 AM	0.17	0.25	0.04	-0.08	Pass		0.39	0.46	0.07	-0.078	Pass
8/30/2023 4:04:00 AM	0.16	0.25	0.04	-0.09	Pass		0.39	0.46	0.07	-0.078	Pass
Detector 7											
8/29/2023 4:04:00 AM	0.15	0.30	0.06	-0.15	Pass		0.46	0.54	0.09	-0.089	Pass
8/30/2023 4:04:00 AM	0.13	0.30	0.06	-0.17	Pass		0.55	0.54	0.09	0.001	Pass
Detector 8											
8/29/2023 4:05:00 AM	0.10	0.21	0.06	-0.11	Pass		0.45	0.51	0.10	-0.060	Pass
8/30/2023 4:04:00 AM	0.09	0.21	0.06	-0.12	Pass		0.28	0.51	0.10	-0.230	Pass
Detector 9											
8/29/2023 4:05:00 AM	0.12	0.18	0.05	-0.07	Pass		0.38	0.41	0.07	-0.032	Pass
8/30/2023 4:04:00 AM	0.11	0.18	0.05	-0.08	Pass		0.38	0.41	0.07	-0.032	Pass
Detector 10											
8/29/2023 4:05:00 AM	0.08	0.20	0.05	-0.12	Pass		0.27	0.42	0.10	-0.155	Pass
8/30/2023 4:04:00 AM	0.11	0.20	0.05	-0.10	Pass		0.36	0.42	0.10	-0.065	Pass

Gas Proportional Counter Daily Quality Control Checks

Instrument: Blue

	AlphaBKG CPM	BKG Mean	BKG +/- limit	BKG Deviation	BKG Flag		BetaBKG CPM	BetaBKG Mean	BetaBKG +/- limit	BetaBKG Deviation	BetaBKG Flag
Detector 11											
8/29/2023 4:05:00 AM	0.09	0.19	0.04	-0.10	Pass		0.34	0.50	0.09	-0.163	Pass
8/30/2023 4:04:00 AM	0.09	0.19	0.04	-0.10	Pass		0.40	0.50	0.09	-0.103	Pass
Detector 12											
8/29/2023 4:05:00 AM	0.17	0.28	0.05	-0.11	Pass		0.44	0.51	0.09	-0.066	Pass
8/30/2023 4:04:00 AM	0.14	0.28	0.05	-0.14	Pass		0.32	0.51	0.09	-0.186	Pass
Detector 13											
8/29/2023 4:05:00 AM	0.08	0.21	0.05	-0.14	FAIL		0.33	0.43	0.09	-0.101	Pass
8/30/2023 4:04:00 AM	0.12	0.21	0.05	-0.09	Pass		0.31	0.43	0.09	-0.121	Pass
Detector 14											
8/29/2023 4:04:00 AM	0.10	0.22	0.05	-0.13	Pass		0.32	0.41	0.09	-0.093	Pass
8/30/2023 4:04:00 AM	0.06	0.22	0.05	-0.16	FAIL		0.33	0.41	0.09	-0.083	Pass
Detector 15											
8/29/2023 4:05:00 AM	0.18	0.23	0.05	-0.06	Pass		0.39	0.49	0.08	-0.100	Pass
8/30/2023 4:04:00 AM	0.11	0.23	0.05	-0.12	Pass		0.48	0.49	0.08	-0.015	Pass
Detector 16											
8/29/2023 4:05:00 AM	0.10	0.18	0.05	-0.09	Pass		0.40	0.56	0.34	-0.168	Pass
8/30/2023 4:04:00 AM	0.06	0.18	0.05	-0.13	Pass		0.51	0.56	0.34	-0.058	Pass
Detector 17											
8/29/2023 4:05:00 AM	0.13	0.22	0.04	-0.09	Pass		0.47	0.44	0.10	0.026	Pass
8/30/2023 4:04:00 AM	0.13	0.22	0.04	-0.09	Pass		0.39	0.44	0.10	-0.049	Pass
Detector 18											
8/29/2023 4:05:00 AM	1.06	1.16	0.12	-0.11	Pass		1.28	1.31	0.19	-0.038	Pass
8/30/2023 4:04:00 AM	0.87	1.16	0.12	-0.30	Pass		0.96	1.31	0.19	-0.353	Pass
Detector 19											
8/29/2023 4:05:00 AM	0.24	0.37	0.06	-0.13	Pass		0.42	0.63	0.12	-0.208	Pass
8/30/2023 4:04:00 AM	0.22	0.37	0.06	-0.16	Pass		0.56	0.63	0.12	-0.073	Pass
Detector 20											
8/29/2023 4:05:00 AM	0.05	0.25	0.04	-0.20	FAIL		0.29	0.48	0.11	-0.193	Pass
8/30/2023 4:04:00 AM	0.02	0.25	0.04	-0.23	FAIL		0.34	0.48	0.11	-0.143	Pass
Detector 21											
8/29/2023 4:06:00 AM	0.05	0.24	0.04	-0.19	FAIL		0.16	0.37	0.07	-0.213	Pass
8/30/2023 4:04:00 AM	0.03	0.24	0.04	-0.21	FAIL		0.13	0.37	0.07	-0.238	FAIL

Gas Proportional Counter Daily Quality Control Checks

Instrument: Blue

	AlphaBKG CPM	BKG Mean	BKG +/- limit	BKG Deviation	BKG Flag	BetaBKG CPM	BetaBKG Mean	BetaBKG +/- limit	BetaBKG Deviation	BetaBKG Flag
Detector 22										
8/29/2023 4:05:00 AM	0.18	0.28	0.05	-0.10	Pass	0.35	0.42	0.09	-0.072	Pass
8/30/2023 4:04:00 AM	0.16	0.28	0.05	-0.12	Pass	0.39	0.42	0.09	-0.032	Pass
Detector 23										
8/29/2023 4:06:00 AM	0.39	0.48	0.06	-0.09	Pass	0.84	0.77	0.13	0.069	Pass
8/30/2023 4:04:00 AM	0.39	0.48	0.06	-0.09	Pass	0.78	0.77	0.13	0.009	Pass

The Alpha and Beta +/- limit are based upon initial 20-point population.

The Alpha and Beta +/- limit for Efficiency is stated at 3%. Flags are "FAIL" > 3%.

The Alpha and Beta +/- limit for Background is stated at 1 StDev. Flags are "FAIL" > 3 StDev.

The Alpha +/- limit for Crosstalk is stated at 1 StDev. Flags are "Warning > 2 StDev and "DOEF" > 3 StDev. Beta is negligible, for trend only ("NA").


Times shown reflect the end of the count duration.




Gas Proportional Counter Daily Quality Control Checks

Instrument: Blue

	Alpha CPM	Alpha Mean	Alpha +/- limit	Alpha Deviation	Alpha Flag	A>>B XT CPM	A>>B XT Mean	A>>B XT +/- limit	A>>B XT Deviation	A>>B XT Flag
Check Type = Alpha										
Detector 0										
8/30/2023 12:21:00 AM	9624.04	9731.78	291.95	-107.73	Pass	3736.50	3783.75	55.06	-47.250	Pass
8/31/2023 12:22:00 AM	9537.91	9731.78	291.95	-193.86	Pass	3659.50	3783.75	55.06	-124.250	WARNING
Detector 1										
8/30/2023 12:22:00 AM	11243.25	11203.08	336.09	40.17	Pass	4234.00	4270.00	56.54	-36.000	Pass
8/31/2023 12:22:00 AM	11198.21	11203.08	336.09	-4.87	Pass	4222.00	4270.00	56.54	-48.000	Pass
Detector 2										
8/30/2023 12:22:00 AM	10130.55	10359.33	310.78	-228.78	Pass	4027.00	4091.73	50.75	-64.725	Pass
8/31/2023 12:23:00 AM	10219.27	10359.33	310.78	-140.06	Pass	4075.50	4091.73	50.75	-16.225	Pass
Detector 3										
8/30/2023 12:23:00 AM	11240.74	11400.95	342.03	-160.21	Pass	4308.00	4294.73	42.38	13.275	Pass
8/31/2023 12:23:00 AM	11316.94	11400.95	342.03	-84.01	Pass	4217.00	4294.73	42.38	-77.725	Pass
Detector 4										
8/30/2023 12:23:00 AM	14304.81	14325.50	429.77	-20.69	Pass	6323.00	6338.90	205.79	-15.900	Pass
8/31/2023 12:23:00 AM	14105.47	14325.50	429.77	-220.03	Pass	6373.50	6338.90	205.79	34.600	Pass
Detector 5										
8/30/2023 12:23:00 AM	14721.63	14830.60	444.92	-108.97	Pass	5419.50	5533.48	81.19	-113.975	Pass
8/31/2023 12:23:00 AM	14824.40	14830.60	444.92	-6.20	Pass	5493.50	5533.48	81.19	-39.975	Pass
Detector 6										
8/30/2023 12:24:00 AM	12280.30	12305.73	369.17	-25.43	Pass	4639.00	4715.55	63.03	-76.550	Pass
8/31/2023 12:24:00 AM	12175.65	12305.73	369.17	-130.08	Pass	4580.00	4715.55	63.03	-135.550	WARNING
Detector 7										
8/30/2023 12:24:00 AM	12273.79	12708.25	381.25	-434.46	FAIL	4826.00	4810.10	73.07	15.900	Pass
8/31/2023 12:24:00 AM	12372.54	12708.25	381.25	-335.71	Pass	4877.00	4810.10	73.07	66.900	Pass
Detector 8										
8/30/2023 12:37:00 AM	9634.07	9451.15	283.53	182.92	Pass	3686.00	3851.33	50.28	-165.325	DOEF
8/31/2023 12:37:00 AM	9372.09	9451.15	283.53	-79.06	Pass	3684.50	3851.33	50.28	-166.825	DOEF
Detector 9										
8/30/2023 12:37:00 AM	10881.03	10846.68	325.40	34.36	Pass	4252.50	4390.08	73.38	-137.575	Pass
8/31/2023 12:38:00 AM	10749.82	10846.68	325.40	-96.86	Pass	4069.50	4390.08	73.38	-320.575	DOEF
Detector 10										
8/30/2023 12:38:00 AM	10456.19	10386.65	311.60	69.54	Pass	3896.50	4154.40	60.48	-257.900	DOEF
8/31/2023 12:38:00 AM	10312.95	10386.65	311.60	-73.70	Pass	3906.00	4154.40	60.48	-248.400	DOEF

**Gas Proportional Counter Daily Quality Control Checks****Instrument: Blue**

	Alpha CPM	Alpha Mean	Alpha +/- limit	Alpha Deviation	Alpha Flag	A>>B XT CPM	A>>B XT Mean	A>>B XT +/- limit	A>>B XT Deviation	A>>B XT Flag
Detector 11										
8/30/2023 12:38:00 AM	11427.61	11316.08	339.48	111.54	Pass	4283.50	4591.48	60.25	-307.975	DOEF
8/31/2023 12:39:00 AM	11374.56	11316.08	339.48	58.48	Pass	4458.00	4591.48	60.25	-133.475	WARNING
Detector 12										
8/30/2023 12:39:00 AM	14073.85	14250.38	427.51	-176.53	Pass	6464.50	6540.40	105.21	-75.900	Pass
8/31/2023 12:39:00 AM	14134.03	14250.38	427.51	-116.34	Pass	6579.00	6540.40	105.21	38.600	Pass
Detector 13										
8/30/2023 12:39:00 AM	15609.89	15581.68	467.45	28.22	Pass	4831.50	4978.43	68.62	-146.925	WARNING
8/31/2023 12:39:00 AM	15465.17	15581.68	467.45	-116.50	Pass	4864.50	4978.43	68.62	-113.925	Pass
Detector 14										
8/30/2023 12:39:00 AM	11278.82	11508.73	345.26	-229.91	Pass	5357.00	5412.75	104.76	-55.750	Pass
8/31/2023 12:40:00 AM	11213.24	11508.73	345.26	-295.49	Pass	5343.50	5412.75	104.76	-69.250	Pass
Detector 15										
8/30/2023 12:40:00 AM	12032.31	12031.40	360.94	0.91	Pass	5450.00	5413.25	103.25	36.750	Pass
8/31/2023 12:40:00 AM	11846.99	12031.40	360.94	-184.41	Pass	5577.50	5413.25	103.25	164.250	Pass
Detector 16										
8/30/2023 12:30:00 AM	9653.10	9639.28	289.18	13.83	Pass	3645.50	3817.55	37.67	-172.050	DOEF
8/31/2023 12:30:00 AM	9679.70	9639.28	289.18	40.42	Pass	3643.50	3817.55	37.67	-174.050	DOEF
Detector 17										
8/30/2023 12:30:00 AM	11231.72	11061.48	331.84	170.25	Pass	4124.50	4226.70	53.61	-102.200	Pass
8/31/2023 12:30:00 AM	11031.87	11061.48	331.84	-29.60	Pass	4079.50	4226.70	53.61	-147.200	WARNING
Detector 18										
8/30/2023 12:31:00 AM	10647.56	10659.53	319.79	-11.96	Pass	3843.00	3935.95	34.99	-92.950	WARNING
8/31/2023 12:31:00 AM	10575.47	10659.53	319.79	-84.06	Pass	3917.00	3935.95	34.99	-18.950	Pass
Detector 19										
8/30/2023 12:31:00 AM	11591.43	11467.10	344.01	124.33	Pass	4324.00	4448.70	59.17	-124.700	WARNING
8/31/2023 12:31:00 AM	11415.63	11467.10	344.01	-51.47	Pass	4382.00	4448.70	59.17	-66.700	Pass
Detector 20										
8/30/2023 12:31:00 AM	14468.12	14347.83	430.43	120.30	Pass	6653.50	6614.45	91.13	39.050	Pass
8/31/2023 12:31:00 AM	14409.57	14347.83	430.43	61.75	Pass	6549.50	6614.45	91.13	-64.950	Pass
Detector 21										
8/30/2023 12:31:00 AM	9687.17	9869.88	296.10	-182.71	Pass	10286.50	10259.65	129.52	26.850	Pass
8/31/2023 12:31:00 AM	9977.28	9869.88	296.10	107.41	Pass	10182.50	10259.65	129.52	-77.150	Pass



Gas Proportional Counter Daily Quality Control Checks


Instrument: Blue

	Alpha CPM	Alpha Mean	Alpha +/- limit	Alpha Deviation	Alpha Flag	A>>B XT CPM	A>>B XT Mean	A>>B XT +/- limit	A>>B XT Deviation	A>>B XT Flag
Detector 22										
8/30/2023 12:32:00 AM	11766.78	11742.60	352.28	24.18	Pass	5332.00	5466.15	85.68	-134.150	Pass
8/31/2023 12:32:00 AM	11799.40	11742.60	352.28	56.80	Pass	5508.50	5466.15	85.68	42.350	Pass
Detector 23										
8/30/2023 12:32:00 AM	12158.56	12061.73	361.85	96.83	Pass	5774.50	5992.08	108.01	-217.575	WARNING
8/31/2023 12:32:00 AM	12107.01	12061.73	361.85	45.28	Pass	5763.50	5992.08	108.01	-228.575	WARNING

Gas Proportional Counter Daily Quality Control Checks

Instrument: Blue


	Beta CPM	Beta Mean	Beta +/- limit	Beta Deviation	Beta Flag	B>>A XT CPM	B>>A XT Mean	B>>A XT +/- limit	B>>A XT Deviation	B>>A XT Flag
Check Type = Beta										
Detector 0										
8/30/2023 12:32:00 AM	49931.12	50552.05	1516.56	-620.93	Pass	NA	NA	NA	NA	NA
8/31/2023 12:32:00 AM	49839.69	50552.05	1516.56	-712.36	Pass	NA	NA	NA	NA	NA
Detector 1										
8/30/2023 12:33:00 AM	48656.67	47641.23	1429.24	1015.44	Pass	NA	NA	NA	NA	NA
8/31/2023 12:32:00 AM	48295.32	47641.23	1429.24	654.10	Pass	NA	NA	NA	NA	NA
Detector 2										
8/30/2023 12:33:00 AM	49158.02	49734.44	1492.03	-576.42	Pass	NA	NA	NA	NA	NA
8/31/2023 12:33:00 AM	49226.14	49734.44	1492.03	-508.30	Pass	NA	NA	NA	NA	NA
Detector 3										
8/30/2023 12:33:00 AM	59401.27	60167.98	1805.04	-766.70	Pass	NA	NA	NA	NA	NA
8/31/2023 12:33:00 AM	59154.87	60167.98	1805.04	-1013.10	Pass	NA	NA	NA	NA	NA
Detector 4										
8/30/2023 12:34:00 AM	47329.18	47227.93	1416.84	101.26	Pass	NA	NA	NA	NA	NA
8/31/2023 12:33:00 AM	47041.81	47227.93	1416.84	-186.12	Pass	NA	NA	NA	NA	NA
Detector 5										
8/30/2023 12:34:00 AM	54795.61	55004.03	1650.12	-208.41	Pass	NA	NA	NA	NA	NA
8/31/2023 12:34:00 AM	54888.79	55004.03	1650.12	-115.23	Pass	NA	NA	NA	NA	NA
Detector 6										
8/30/2023 12:34:00 AM	50795.09	52072.68	1562.18	-1277.58	Pass	NA	NA	NA	NA	NA
8/31/2023 12:34:00 AM	50646.05	52072.68	1562.18	-1426.63	Pass	NA	NA	NA	NA	NA
Detector 7										
8/30/2023 12:35:00 AM	44004.22	44302.58	1329.08	-298.35	Pass	NA	NA	NA	NA	NA
8/31/2023 12:34:00 AM	43580.77	44302.58	1329.08	-721.81	Pass	NA	NA	NA	NA	NA
Detector 8										
8/30/2023 12:24:00 AM	49440.10	49959.33	1498.78	-519.22	Pass	NA	NA	NA	NA	NA
8/31/2023 12:25:00 AM	49385.96	49959.33	1498.78	-573.37	Pass	NA	NA	NA	NA	NA
Detector 9										
8/30/2023 12:25:00 AM	47953.70	47696.08	1430.88	257.63	Pass	NA	NA	NA	NA	NA
8/31/2023 12:25:00 AM	47933.91	47696.08	1430.88	237.83	Pass	NA	NA	NA	NA	NA
Detector 10										
8/30/2023 12:25:00 AM	49129.72	50136.65	1504.10	-1006.93	Pass	NA	NA	NA	NA	NA
8/31/2023 12:26:00 AM	49209.89	50136.65	1504.10	-926.76	Pass	NA	NA	NA	NA	NA



Gas Proportional Counter Daily Quality Control Checks

Instrument: Blue

	Beta CPM	Beta Mean	Beta +/- limit	Beta Deviation	Beta Flag	B>>A XT CPM	B>>A XT Mean	B>>A XT +/- limit	B>>A XT Deviation	B>>A XT Flag
Detector 11										
8/30/2023 12:25:00 AM	60277.19	59951.55	1798.55	325.64	Pass		NA	NA	NA	NA
8/31/2023 12:26:00 AM	59398.19	59951.55	1798.55	-553.36	Pass		NA	NA	NA	NA
Detector 12										
8/30/2023 12:26:00 AM	48591.68	49257.90	1477.74	-666.22	Pass		NA	NA	NA	NA
8/31/2023 12:26:00 AM	48837.95	49257.90	1477.74	-419.95	Pass		NA	NA	NA	NA
Detector 13										
8/30/2023 12:26:00 AM	54933.21	55607.20	1668.22	-673.99	Pass		NA	NA	NA	NA
8/31/2023 12:24:00 AM	55198.39	55607.20	1668.22	-408.81	Pass		NA	NA	NA	NA
Detector 14										
8/30/2023 12:26:00 AM	49851.28	50580.03	1517.40	-728.74	Pass		NA	NA	NA	NA
8/31/2023 12:25:00 AM	49153.03	50580.03	1517.40	-1426.99	Pass		NA	NA	NA	NA
Detector 15										
8/30/2023 12:27:00 AM	44502.21	45674.43	1370.23	-1172.21	Pass		NA	NA	NA	NA
8/31/2023 12:25:00 AM	44073.99	45674.43	1370.23	-1600.43	FAIL		NA	NA	NA	NA
Detector 16										
8/30/2023 12:40:00 AM	49425.39	49653.23	1489.60	-227.83	Pass		NA	NA	NA	NA
8/31/2023 12:40:00 AM	49746.05	49653.23	1489.60	92.82	Pass		NA	NA	NA	NA
Detector 17										
8/30/2023 12:40:00 AM	47859.15	48166.13	1444.98	-306.98	Pass		NA	NA	NA	NA
8/31/2023 12:40:00 AM	48030.53	48166.13	1444.98	-135.60	Pass		NA	NA	NA	NA
Detector 18										
8/30/2023 12:41:00 AM	49357.82	49957.23	1498.72	-599.40	Pass		NA	NA	NA	NA
8/31/2023 12:40:00 AM	49583.54	49957.23	1498.72	-373.69	Pass		NA	NA	NA	NA
Detector 19										
8/30/2023 12:41:00 AM	59983.99	59167.80	1775.03	816.19	Pass		NA	NA	NA	NA
8/31/2023 12:41:00 AM	59865.67	59167.80	1775.03	697.87	Pass		NA	NA	NA	NA
Detector 20										
8/30/2023 12:41:00 AM	49507.45	49987.80	1499.63	-480.35	Pass		NA	NA	NA	NA
8/31/2023 12:41:00 AM	49671.36	49987.80	1499.63	-316.44	Pass		NA	NA	NA	NA
Detector 21										
8/30/2023 12:42:00 AM	46054.02	55281.80	1658.45	-9227.78	FAIL		NA	NA	NA	NA
8/31/2023 12:41:00 AM	46127.48	55281.80	1658.45	-9154.32	FAIL		NA	NA	NA	NA



Gas Proportional Counter Daily Quality Control Checks

Instrument: Blue


	Beta CPM	Beta Mean	Beta +/- limit	Beta Deviation	Beta Flag	B>>A XT CPM	B>>A XT Mean	B>>A XT +/- limit	B>>A XT Deviation	B>>A XT Flag
Detector 22										
8/30/2023 12:42:00 AM	51196.33	52477.75	1574.33	-1281.42	Pass		NA	NA	NA	NA
8/31/2023 12:41:00 AM	51129.90	52477.75	1574.33	-1347.85	Pass		NA	NA	NA	NA
Detector 23										
8/30/2023 12:42:00 AM	44800.48	46160.75	1384.82	-1360.27	Pass		NA	NA	NA	NA
8/31/2023 12:42:00 AM	44706.10	46160.75	1384.82	-1454.65	FAIL		NA	NA	NA	NA



Gas Proportional Counter Daily Quality Control Checks

Instrument: Blue

	AlphaBKG CPM	BKG Mean	BKG +/- limit	BKG Deviation	BKG Flag		BetaBKG CPM	BetaBKG Mean	BetaBKG +/- limit	BetaBKG Deviation	BetaBKG Flag
Check Type = BKG											
Detector 0											
8/30/2023 4:03:00 AM	0.09	0.19	0.02	-0.10	FAIL		0.42	0.54	0.10	-0.121	Pass
8/31/2023 4:03:00 AM	0.14	0.19	0.02	-0.05	Pass		0.51	0.54	0.10	-0.026	Pass
Detector 1											
8/30/2023 4:03:00 AM	0.13	0.23	0.03	-0.11	FAIL		0.39	0.47	0.07	-0.088	Pass
8/31/2023 4:03:00 AM	0.06	0.23	0.03	-0.17	FAIL		0.32	0.47	0.07	-0.154	Pass
Detector 2											
8/30/2023 4:03:00 AM	0.14	0.21	0.06	-0.08	Pass		0.50	0.54	0.11	-0.044	Pass
8/31/2023 4:03:00 AM	0.09	0.21	0.06	-0.12	Pass		0.39	0.54	0.11	-0.154	Pass
Detector 3											
8/30/2023 4:03:00 AM	0.10	0.24	0.04	-0.14	FAIL		0.41	0.52	0.09	-0.119	Pass
8/31/2023 4:03:00 AM	0.11	0.24	0.04	-0.13	FAIL		0.42	0.52	0.09	-0.104	Pass
Detector 4											
8/30/2023 4:03:00 AM	0.13	0.23	0.04	-0.10	Pass		0.34	0.45	0.07	-0.115	Pass
8/31/2023 4:04:00 AM	0.17	0.23	0.04	-0.06	Pass		0.42	0.45	0.07	-0.030	Pass
Detector 5											
8/30/2023 4:04:00 AM	0.13	0.22	0.03	-0.10	Pass		0.35	0.44	0.08	-0.099	Pass
8/31/2023 4:04:00 AM	0.13	0.22	0.03	-0.09	Pass		0.43	0.44	0.08	-0.014	Pass
Detector 6											
8/30/2023 4:04:00 AM	0.16	0.25	0.04	-0.09	Pass		0.39	0.46	0.07	-0.078	Pass
8/31/2023 4:04:00 AM	0.12	0.25	0.04	-0.13	FAIL		0.45	0.46	0.07	-0.013	Pass
Detector 7											
8/30/2023 4:04:00 AM	0.13	0.30	0.06	-0.17	Pass		0.55	0.54	0.09	0.001	Pass
8/31/2023 4:04:00 AM	0.16	0.30	0.06	-0.14	Pass		0.52	0.54	0.09	-0.024	Pass
Detector 8											
8/30/2023 4:04:00 AM	0.09	0.21	0.06	-0.12	Pass		0.28	0.51	0.10	-0.230	Pass
8/31/2023 4:04:00 AM	0.07	0.21	0.06	-0.15	Pass		0.32	0.51	0.10	-0.195	Pass
Detector 9											
8/30/2023 4:04:00 AM	0.11	0.18	0.05	-0.08	Pass		0.38	0.41	0.07	-0.032	Pass
8/31/2023 4:04:00 AM	0.07	0.18	0.05	-0.11	Pass		0.33	0.41	0.07	-0.077	Pass
Detector 10											
8/30/2023 4:04:00 AM	0.11	0.20	0.05	-0.10	Pass		0.36	0.42	0.10	-0.065	Pass
8/31/2023 4:04:00 AM	0.10	0.20	0.05	-0.11	Pass		0.24	0.42	0.10	-0.180	Pass

**Gas Proportional Counter Daily Quality Control Checks****Instrument: Blue**

	AlphaBKG CPM	BKG Mean	BKG +/- limit	BKG Deviation	BKG Flag	BetaBKG CPM	BetaBKG Mean	BetaBKG +/- limit	BetaBKG Deviation	BetaBKG Flag
Detector 11										
8/30/2023 4:04:00 AM	0.09	0.19	0.04	-0.10	Pass	0.40	0.50	0.09	-0.103	Pass
8/31/2023 4:04:00 AM	0.08	0.19	0.04	-0.11	Pass	0.37	0.50	0.09	-0.133	Pass
Detector 12										
8/30/2023 4:04:00 AM	0.14	0.28	0.05	-0.14	Pass	0.32	0.51	0.09	-0.186	Pass
8/31/2023 4:04:00 AM	0.21	0.28	0.05	-0.07	Pass	0.53	0.51	0.09	0.024	Pass
Detector 13										
8/30/2023 4:04:00 AM	0.12	0.21	0.05	-0.09	Pass	0.31	0.43	0.09	-0.121	Pass
8/31/2023 4:04:00 AM	0.13	0.21	0.05	-0.08	Pass	0.32	0.43	0.09	-0.106	Pass
Detector 14										
8/30/2023 4:04:00 AM	0.06	0.22	0.05	-0.16	FAIL	0.33	0.41	0.09	-0.083	Pass
8/31/2023 4:04:00 AM	0.15	0.22	0.05	-0.07	Pass	0.33	0.41	0.09	-0.083	Pass
Detector 15										
8/30/2023 4:04:00 AM	0.11	0.23	0.05	-0.12	Pass	0.48	0.49	0.08	-0.015	Pass
8/31/2023 4:04:00 AM	0.16	0.23	0.05	-0.07	Pass	0.39	0.49	0.08	-0.100	Pass
Detector 16										
8/30/2023 4:04:00 AM	0.06	0.18	0.05	-0.13	Pass	0.51	0.56	0.34	-0.058	Pass
8/31/2023 4:04:00 AM	0.06	0.18	0.05	-0.13	Pass	0.36	0.56	0.34	-0.203	Pass
Detector 17										
8/30/2023 4:04:00 AM	0.13	0.22	0.04	-0.09	Pass	0.39	0.44	0.10	-0.049	Pass
8/31/2023 4:04:00 AM	0.13	0.22	0.04	-0.09	Pass	0.36	0.44	0.10	-0.079	Pass
Detector 18										
8/30/2023 4:04:00 AM	0.87	1.16	0.12	-0.30	Pass	0.96	1.31	0.19	-0.353	Pass
8/31/2023 4:04:00 AM	0.97	1.16	0.12	-0.19	Pass	1.30	1.31	0.19	-0.018	Pass
Detector 19										
8/30/2023 4:04:00 AM	0.22	0.37	0.06	-0.16	Pass	0.56	0.63	0.12	-0.073	Pass
8/31/2023 4:05:00 AM	0.32	0.37	0.06	-0.05	Pass	0.54	0.63	0.12	-0.093	Pass
Detector 20										
8/30/2023 4:04:00 AM	0.02	0.25	0.04	-0.23	FAIL	0.34	0.48	0.11	-0.143	Pass
8/31/2023 4:05:00 AM	0.04	0.25	0.04	-0.21	FAIL	0.30	0.48	0.11	-0.178	Pass
Detector 21										
8/30/2023 4:04:00 AM	0.03	0.24	0.04	-0.21	FAIL	0.13	0.37	0.07	-0.238	FAIL
8/31/2023 4:05:00 AM	0.04	0.24	0.04	-0.21	FAIL	0.13	0.37	0.07	-0.238	FAIL

Gas Proportional Counter Daily Quality Control Checks

Instrument: Blue

	AlphaBKG CPM	BKG Mean	BKG +/- limit	BKG Deviation	BKG Flag	BetaBKG CPM	BetaBKG Mean	BetaBKG +/- limit	BetaBKG Deviation	BetaBKG Flag
Detector 22										
8/30/2023 4:04:00 AM	0.16	0.28	0.05	-0.12	Pass	0.39	0.42	0.09	-0.032	Pass
8/31/2023 4:05:00 AM	0.16	0.28	0.05	-0.12	Pass	0.30	0.42	0.09	-0.122	Pass
Detector 23										
8/30/2023 4:04:00 AM	0.39	0.48	0.06	-0.09	Pass	0.78	0.77	0.13	0.009	Pass
8/31/2023 4:05:00 AM	0.48	0.48	0.06	0.00	Pass	0.75	0.77	0.13	-0.016	Pass

The Alpha and Beta +/- limit are based upon initial 20-point population.

The Alpha and Beta +/- limit for Efficiency is stated at 3%. Flags are "FAIL" > 3%.

The Alpha and Beta +/- limit for Background is stated at 1 StDev. Flags are "FAIL" > 3 StDev.

The Alpha +/- limit for Crosstalk is stated at 1 StDev. Flags are "Warning > 2 StDev and "DOEF" > 3 StDev. Beta is negligible, for trend only ("NA").


Times shown reflect the end of the count duration.




Gas Proportional Counter Daily Quality Control Checks

Instrument: Blue

	Alpha CPM	Alpha Mean	Alpha +/- limit	Alpha Deviation	Alpha Flag	A>>B XT CPM	A>>B XT Mean	A>>B XT +/- limit	A>>B XT Deviation	A>>B XT Flag
Check Type = Alpha										
Detector 0										
9/7/2023 12:25:00 AM	9574.78	9731.78	291.95	-156.99	Pass	3607.00	3783.75	55.06	-176.750	DOEF
9/8/2023 12:23:00 AM	9552.78	9731.78	291.95	-179.00	Pass	3725.50	3783.75	55.06	-58.250	Pass
Detector 1										
9/7/2023 12:26:00 AM	11262.18	11203.08	336.09	59.10	Pass	4251.00	4270.00	56.54	-19.000	Pass
9/8/2023 12:24:00 AM	10937.07	11203.08	336.09	-266.00	Pass	4231.00	4270.00	56.54	-39.000	Pass
Detector 2										
9/7/2023 12:26:00 AM	10130.40	10359.33	310.78	-228.92	Pass	4003.00	4091.73	50.75	-88.725	Pass
9/8/2023 12:24:00 AM	10278.74	10359.33	310.78	-80.58	Pass	4116.00	4091.73	50.75	24.275	Pass
Detector 3										
9/7/2023 12:26:00 AM	11434.53	11400.95	342.03	33.58	Pass	4237.00	4294.73	42.38	-57.725	Pass
9/8/2023 12:24:00 AM	11294.29	11400.95	342.03	-106.66	Pass	4190.50	4294.73	42.38	-104.225	WARNING
Detector 4										
9/7/2023 12:27:00 AM	14135.97	14325.50	429.77	-189.53	Pass	6258.00	6338.90	205.79	-80.900	Pass
9/8/2023 12:24:00 AM	13996.75	14325.50	429.77	-328.75	Pass	6472.50	6338.90	205.79	133.600	Pass
Detector 5										
9/7/2023 12:27:00 AM	14937.58	14830.60	444.92	106.98	Pass	5432.00	5533.48	81.19	-101.475	Pass
9/8/2023 12:25:00 AM	14706.18	14830.60	444.92	-124.42	Pass	5479.00	5533.48	81.19	-54.475	Pass
Detector 6										
9/7/2023 12:27:00 AM	12161.49	12305.73	369.17	-144.23	Pass	4649.00	4715.55	63.03	-66.550	Pass
9/8/2023 12:25:00 AM	12164.55	12305.73	369.17	-141.17	Pass	4605.00	4715.55	63.03	-110.550	Pass
Detector 7										
9/7/2023 12:28:00 AM	12468.11	12708.25	381.25	-240.14	Pass	4848.50	4810.10	73.07	38.400	Pass
9/8/2023 12:25:00 AM	12231.69	12708.25	381.25	-476.56	FAIL	4858.00	4810.10	73.07	47.900	Pass
Detector 8										
9/7/2023 12:41:00 AM	9537.21	9451.15	283.53	86.06	Pass	3738.00	3851.33	50.28	-113.325	WARNING
9/8/2023 12:43:00 AM	9503.18	9451.15	283.53	52.03	Pass	3749.00	3851.33	50.28	-102.325	WARNING
Detector 9										
9/7/2023 12:42:00 AM	10981.61	10846.68	325.40	134.94	Pass	4177.50	4390.08	73.38	-212.575	WARNING
9/8/2023 12:44:00 AM	10811.82	10846.68	325.40	-34.85	Pass	4256.50	4390.08	73.38	-133.575	Pass
Detector 10										
9/7/2023 12:42:00 AM	10282.21	10386.65	311.60	-104.44	Pass	3902.00	4154.40	60.48	-252.400	DOEF
9/8/2023 12:44:00 AM	10228.64	10386.65	311.60	-158.01	Pass	3984.00	4154.40	60.48	-170.400	WARNING

**Gas Proportional Counter Daily Quality Control Checks****Instrument: Blue**

	Alpha CPM	Alpha Mean	Alpha +/- limit	Alpha Deviation	Alpha Flag	A>>B XT CPM	A>>B XT Mean	A>>B XT +/- limit	A>>B XT Deviation	A>>B XT Flag
Detector 11										
9/7/2023 12:42:00 AM	11354.87	11316.08	339.48	38.79	Pass	4367.00	4591.48	60.25	-224.475	DOEF
9/8/2023 12:44:00 AM	11329.36	11316.08	339.48	13.29	Pass	4334.50	4591.48	60.25	-256.975	DOEF
Detector 12										
9/7/2023 12:42:00 AM	14219.14	14250.38	427.51	-31.24	Pass	6326.00	6540.40	105.21	-214.400	WARNING
9/8/2023 12:45:00 AM	13945.65	14250.38	427.51	-304.73	Pass	6568.00	6540.40	105.21	27.600	Pass
Detector 13										
9/7/2023 12:42:00 AM	15357.43	15581.68	467.45	-224.24	Pass	4772.00	4978.43	68.62	-206.425	DOEF
9/8/2023 12:45:00 AM	15375.54	15581.68	467.45	-206.14	Pass	4915.00	4978.43	68.62	-63.425	Pass
Detector 14										
9/7/2023 12:43:00 AM	11302.26	11508.73	345.26	-206.46	Pass	5271.00	5412.75	104.76	-141.750	Pass
9/8/2023 12:45:00 AM	11096.40	11508.73	345.26	-412.33	FAIL	5390.50	5412.75	104.76	-22.250	Pass
Detector 15										
9/7/2023 12:43:00 AM	11856.88	12031.40	360.94	-174.52	Pass	5374.00	5413.25	103.25	-39.250	Pass
9/8/2023 12:46:00 AM	11858.43	12031.40	360.94	-172.97	Pass	5711.00	5413.25	103.25	297.750	WARNING
Detector 16										
9/7/2023 12:34:00 AM	9718.07	9639.28	289.18	78.79	Pass	3648.50	3817.55	37.67	-169.050	DOEF
9/8/2023 12:34:00 AM	9517.21	9639.28	289.18	-122.07	Pass	3781.50	3817.55	37.67	-36.050	Pass
Detector 17										
9/7/2023 12:34:00 AM	11048.75	11061.48	331.84	-12.73	Pass	4105.00	4226.70	53.61	-121.700	WARNING
9/8/2023 12:34:00 AM	11062.82	11061.48	331.84	1.35	Pass	4068.00	4226.70	53.61	-158.700	WARNING
Detector 18										
9/7/2023 12:35:00 AM	10682.00	10659.53	319.79	22.48	Pass	3830.00	3935.95	34.99	-105.950	DOEF
9/8/2023 12:35:00 AM	10639.97	10659.53	319.79	-19.56	Pass	3890.00	3935.95	34.99	-45.950	Pass
Detector 19										
9/7/2023 12:35:00 AM	11439.03	11467.10	344.01	-28.07	Pass	4451.00	4448.70	59.17	2.300	Pass
9/8/2023 12:35:00 AM	11383.97	11467.10	344.01	-83.13	Pass	4517.00	4448.70	59.17	68.300	Pass
Detector 20										
9/7/2023 12:35:00 AM	14551.80	14347.83	430.43	203.98	Pass	6679.00	6614.45	91.13	64.550	Pass
9/8/2023 12:36:00 AM	14279.31	14347.83	430.43	-68.51	Pass	6659.50	6614.45	91.13	45.050	Pass
Detector 21										
9/7/2023 12:36:00 AM	9880.39	9869.88	296.10	10.52	Pass	10270.00	10259.65	129.52	10.350	Pass
9/8/2023 12:36:00 AM	9429.03	9869.88	296.10	-440.85	FAIL	10560.00	10259.65	129.52	300.350	WARNING



Gas Proportional Counter Daily Quality Control Checks


Instrument: Blue

	Alpha CPM	Alpha Mean	Alpha +/- limit	Alpha Deviation	Alpha Flag	A>>B XT CPM	A>>B XT Mean	A>>B XT +/- limit	A>>B XT Deviation	A>>B XT Flag
Detector 22										
9/7/2023 12:36:00 AM	11762.18	11742.60	352.28	19.58	Pass	5309.00	5466.15	85.68	-157.150	Pass
9/8/2023 12:36:00 AM	11682.07	11742.60	352.28	-60.53	Pass	5414.50	5466.15	85.68	-51.650	Pass
Detector 23										
9/7/2023 12:36:00 AM	12078.82	12061.73	361.85	17.10	Pass	5795.50	5992.08	108.01	-196.575	Pass
9/8/2023 12:37:00 AM	12134.99	12061.73	361.85	73.26	Pass	5873.00	5992.08	108.01	-119.075	Pass

Gas Proportional Counter Daily Quality Control Checks

Instrument: Blue

	Beta CPM	Beta Mean	Beta +/- limit	Beta Deviation	Beta Flag	B>>A XT CPM	B>>A XT Mean	B>>A XT +/- limit	B>>A XT Deviation	B>>A XT Flag
Check Type = Beta										
Detector 0										
9/7/2023 12:38:00 AM	50037.35	50552.05	1516.56	-514.70	Pass	NA	NA	NA	NA	NA
9/8/2023 12:39:00 AM	49946.45	50552.05	1516.56	-605.60	Pass	NA	NA	NA	NA	NA
Detector 1										
9/7/2023 12:38:00 AM	48133.85	47641.23	1429.24	492.62	Pass	NA	NA	NA	NA	NA
9/8/2023 12:39:00 AM	48302.46	47641.23	1429.24	661.23	Pass	NA	NA	NA	NA	NA
Detector 2										
9/7/2023 12:39:00 AM	48878.41	49734.44	1492.03	-856.03	Pass	NA	NA	NA	NA	NA
9/8/2023 12:39:00 AM	49506.06	49734.44	1492.03	-228.38	Pass	NA	NA	NA	NA	NA
Detector 3										
9/7/2023 12:36:00 AM	59188.54	60167.98	1805.04	-979.44	Pass	NA	NA	NA	NA	NA
9/8/2023 12:39:00 AM	58882.83	60167.98	1805.04	-1285.15	Pass	NA	NA	NA	NA	NA
Detector 4										
9/7/2023 12:37:00 AM	47410.02	47227.93	1416.84	182.10	Pass	NA	NA	NA	NA	NA
9/8/2023 12:37:00 AM	47364.62	47227.93	1416.84	136.70	Pass	NA	NA	NA	NA	NA
Detector 5										
9/7/2023 12:37:00 AM	54756.79	55004.03	1650.12	-247.24	Pass	NA	NA	NA	NA	NA
9/8/2023 12:38:00 AM	55098.73	55004.03	1650.12	94.71	Pass	NA	NA	NA	NA	NA
Detector 6										
9/7/2023 12:37:00 AM	50631.20	52072.68	1562.18	-1441.47	Pass	NA	NA	NA	NA	NA
9/8/2023 12:38:00 AM	50570.01	52072.68	1562.18	-1502.66	Pass	NA	NA	NA	NA	NA
Detector 7										
9/7/2023 12:38:00 AM	43920.12	44302.58	1329.08	-382.45	Pass	NA	NA	NA	NA	NA
9/8/2023 12:38:00 AM	44162.87	44302.58	1329.08	-139.70	Pass	NA	NA	NA	NA	NA
Detector 8										
9/7/2023 12:28:00 AM	49473.12	49959.33	1498.78	-486.21	Pass	NA	NA	NA	NA	NA
9/8/2023 12:26:00 AM	49339.68	49959.33	1498.78	-619.64	Pass	NA	NA	NA	NA	NA
Detector 9										
9/7/2023 12:28:00 AM	47779.16	47696.08	1430.88	83.08	Pass	NA	NA	NA	NA	NA
9/8/2023 12:27:00 AM	47837.46	47696.08	1430.88	141.38	Pass	NA	NA	NA	NA	NA
Detector 10										
9/7/2023 12:29:00 AM	48923.63	50136.65	1504.10	-1213.02	Pass	NA	NA	NA	NA	NA
9/8/2023 12:27:00 AM	49248.53	50136.65	1504.10	-888.12	Pass	NA	NA	NA	NA	NA



Gas Proportional Counter Daily Quality Control Checks

Instrument: Blue


	Beta CPM	Beta Mean	Beta +/- limit	Beta Deviation	Beta Flag	B>>A XT CPM	B>>A XT Mean	B>>A XT +/- limit	B>>A XT Deviation	B>>A XT Flag
Detector 11										
9/7/2023 12:29:00 AM	59822.54	59951.55	1798.55	-129.01	Pass	NA	NA	NA	NA	NA
9/8/2023 12:27:00 AM	59893.70	59951.55	1798.55	-57.85	Pass	NA	NA	NA	NA	NA
Detector 12										
9/7/2023 12:29:00 AM	48755.12	49257.90	1477.74	-502.78	Pass	NA	NA	NA	NA	NA
9/8/2023 12:28:00 AM	48887.24	49257.90	1477.74	-370.66	Pass	NA	NA	NA	NA	NA
Detector 13										
9/7/2023 12:29:00 AM	54840.23	55607.20	1668.22	-766.97	Pass	NA	NA	NA	NA	NA
9/8/2023 12:26:00 AM	54777.72	55607.20	1668.22	-829.48	Pass	NA	NA	NA	NA	NA
Detector 14										
9/7/2023 12:30:00 AM	49584.56	50580.03	1517.40	-995.46	Pass	NA	NA	NA	NA	NA
9/8/2023 12:26:00 AM	49206.94	50580.03	1517.40	-1373.08	Pass	NA	NA	NA	NA	NA
Detector 15										
9/7/2023 12:30:00 AM	44393.04	45674.43	1370.23	-1281.38	Pass	NA	NA	NA	NA	NA
9/8/2023 12:26:00 AM	43739.99	45674.43	1370.23	-1934.43	FAIL	NA	NA	NA	NA	NA
Detector 16										
9/7/2023 12:45:00 AM	49790.75	49653.23	1489.60	137.53	Pass	NA	NA	NA	NA	NA
9/8/2023 12:46:00 AM	49506.75	49653.23	1489.60	-146.47	Pass	NA	NA	NA	NA	NA
Detector 17										
9/7/2023 12:45:00 AM	48206.67	48166.13	1444.98	40.55	Pass	NA	NA	NA	NA	NA
9/8/2023 12:46:00 AM	48156.43	48166.13	1444.98	-9.69	Pass	NA	NA	NA	NA	NA
Detector 18										
9/7/2023 12:45:00 AM	49375.32	49957.23	1498.72	-581.90	Pass	NA	NA	NA	NA	NA
9/8/2023 12:46:00 AM	49698.42	49957.23	1498.72	-258.80	Pass	NA	NA	NA	NA	NA
Detector 19										
9/7/2023 12:43:00 AM	59990.99	59167.80	1775.03	823.19	Pass	NA	NA	NA	NA	NA
9/8/2023 12:47:00 AM	59879.49	59167.80	1775.03	711.69	Pass	NA	NA	NA	NA	NA
Detector 20										
9/7/2023 12:44:00 AM	49401.07	49987.80	1499.63	-586.73	Pass	NA	NA	NA	NA	NA
9/8/2023 12:47:00 AM	49700.21	49987.80	1499.63	-287.59	Pass	NA	NA	NA	NA	NA
Detector 21										
9/7/2023 12:44:00 AM	46576.06	55281.80	1658.45	-8705.74	FAIL	NA	NA	NA	NA	NA
9/8/2023 12:47:00 AM	45626.04	55281.80	1658.45	-9655.76	FAIL	NA	NA	NA	NA	NA



Gas Proportional Counter Daily Quality Control Checks

Instrument: Blue

	Beta CPM	Beta Mean	Beta +/- limit	Beta Deviation	Beta Flag	B>>A XT CPM	B>>A XT Mean	B>>A XT +/- limit	B>>A XT Deviation	B>>A XT Flag
Detector 22										
9/7/2023 12:44:00 AM	51225.10	52477.75	1574.33	-1252.65	Pass	NA	NA	NA	NA	NA
9/8/2023 12:48:00 AM	51031.53	52477.75	1574.33	-1446.22	Pass	NA	NA	NA	NA	NA
Detector 23										
9/7/2023 12:44:00 AM	45103.13	46160.75	1384.82	-1057.62	Pass	NA	NA	NA	NA	NA
9/8/2023 12:48:00 AM	45025.91	46160.75	1384.82	-1134.84	Pass	NA	NA	NA	NA	NA



Gas Proportional Counter Daily Quality Control Checks

Instrument: Blue

	AlphaBKG CPM	BKG Mean	BKG +/- limit	BKG Deviation	BKG Flag		BetaBKG CPM	BetaBKG Mean	BetaBKG +/- limit	BetaBKG Deviation	BetaBKG Flag
Check Type = BKG											
Detector 0											
9/7/2023 4:09:00 AM	0.12	0.19	0.02	-0.07	FAIL		0.50	0.54	0.10	-0.041	Pass
9/8/2023 4:11:00 AM	0.11	0.19	0.02	-0.08	FAIL		0.42	0.54	0.10	-0.121	Pass
Detector 1											
9/7/2023 4:09:00 AM	0.12	0.23	0.03	-0.12	FAIL		0.38	0.47	0.07	-0.093	Pass
9/8/2023 4:11:00 AM	0.10	0.23	0.03	-0.14	FAIL		0.33	0.47	0.07	-0.144	Pass
Detector 2											
9/7/2023 4:09:00 AM	0.08	0.21	0.06	-0.14	Pass		0.35	0.54	0.11	-0.194	Pass
9/8/2023 4:11:00 AM	0.15	0.21	0.06	-0.07	Pass		0.37	0.54	0.11	-0.174	Pass
Detector 3											
9/7/2023 4:09:00 AM	0.37	0.24	0.04	0.13	FAIL		0.77	0.52	0.09	0.241	Pass
9/8/2023 4:11:00 AM	0.22	0.24	0.04	-0.02	Pass		0.51	0.52	0.09	-0.014	Pass
Detector 4											
9/7/2023 4:10:00 AM	0.19	0.23	0.04	-0.04	Pass		0.42	0.45	0.07	-0.030	Pass
9/8/2023 4:11:00 AM	0.17	0.23	0.04	-0.06	Pass		0.40	0.45	0.07	-0.050	Pass
Detector 5											
9/7/2023 4:10:00 AM	0.20	0.22	0.03	-0.03	Pass		0.47	0.44	0.08	0.027	Pass
9/8/2023 4:11:00 AM	0.14	0.22	0.03	-0.09	Pass		0.44	0.44	0.08	-0.003	Pass
Detector 6											
9/7/2023 4:10:00 AM	0.15	0.25	0.04	-0.10	Pass		0.30	0.46	0.07	-0.163	Pass
9/8/2023 4:11:00 AM	0.13	0.25	0.04	-0.12	Pass		0.33	0.46	0.07	-0.133	Pass
Detector 7											
9/7/2023 4:10:00 AM	0.21	0.30	0.06	-0.09	Pass		0.76	0.54	0.09	0.211	Pass
9/8/2023 4:11:00 AM	0.19	0.30	0.06	-0.11	Pass		0.54	0.54	0.09	-0.009	Pass
Detector 8											
9/7/2023 4:09:00 AM	0.08	0.21	0.06	-0.13	Pass		0.40	0.51	0.10	-0.110	Pass
9/8/2023 4:12:00 AM	0.11	0.21	0.06	-0.10	Pass		0.26	0.51	0.10	-0.250	Pass
Detector 9											
9/7/2023 4:09:00 AM	0.16	0.18	0.05	-0.03	Pass		0.43	0.41	0.07	0.019	Pass
9/8/2023 4:12:00 AM	0.10	0.18	0.05	-0.08	Pass		0.34	0.41	0.07	-0.067	Pass
Detector 10											
9/7/2023 4:09:00 AM	0.09	0.20	0.05	-0.12	Pass		0.39	0.42	0.10	-0.035	Pass
9/8/2023 4:12:00 AM	0.10	0.20	0.05	-0.11	Pass		0.40	0.42	0.10	-0.020	Pass

Gas Proportional Counter Daily Quality Control Checks

Instrument: Blue

	AlphaBKG CPM	BKG Mean	BKG +/- limit	BKG Deviation	BKG Flag	BetaBKG CPM	BetaBKG Mean	BetaBKG +/- limit	BetaBKG Deviation	BetaBKG Flag
Detector 11										
9/7/2023 4:09:00 AM	0.08	0.19	0.04	-0.11	Pass	0.45	0.50	0.09	-0.058	Pass
9/8/2023 4:12:00 AM	0.11	0.19	0.04	-0.08	Pass	0.51	0.50	0.09	0.007	Pass
Detector 12										
9/7/2023 4:09:00 AM	0.13	0.28	0.05	-0.15	FAIL	0.50	0.51	0.09	-0.011	Pass
9/8/2023 4:12:00 AM	0.14	0.28	0.05	-0.14	Pass	0.49	0.51	0.09	-0.016	Pass
Detector 13										
9/7/2023 4:09:00 AM	0.06	0.21	0.05	-0.16	FAIL	0.26	0.43	0.09	-0.166	Pass
9/8/2023 4:12:00 AM	0.14	0.21	0.05	-0.07	Pass	0.29	0.43	0.09	-0.136	Pass
Detector 14										
9/7/2023 4:09:00 AM	0.12	0.22	0.05	-0.10	Pass	0.31	0.41	0.09	-0.108	Pass
9/8/2023 4:13:00 AM	0.14	0.22	0.05	-0.08	Pass	0.33	0.41	0.09	-0.083	Pass
Detector 15										
9/7/2023 4:09:00 AM	0.17	0.23	0.05	-0.07	Pass	0.36	0.49	0.08	-0.135	Pass
9/8/2023 4:13:00 AM	0.13	0.23	0.05	-0.11	Pass	0.41	0.49	0.08	-0.085	Pass
Detector 16										
9/7/2023 4:08:00 AM	0.09	0.18	0.05	-0.09	Pass	0.41	0.56	0.34	-0.158	Pass
9/8/2023 4:13:00 AM	0.08	0.18	0.05	-0.11	Pass	0.33	0.56	0.34	-0.233	Pass
Detector 17										
9/7/2023 4:09:00 AM	0.10	0.22	0.04	-0.12	Pass	0.32	0.44	0.10	-0.119	Pass
9/8/2023 4:13:00 AM	0.14	0.22	0.04	-0.08	Pass	0.39	0.44	0.10	-0.054	Pass
Detector 18										
9/7/2023 4:09:00 AM	1.05	1.16	0.12	-0.12	Pass	1.33	1.31	0.19	0.012	Pass
9/8/2023 4:13:00 AM	0.81	1.16	0.12	-0.36	Pass	1.03	1.31	0.19	-0.283	Pass
Detector 19										
9/7/2023 4:09:00 AM	0.20	0.37	0.06	-0.17	Pass	0.47	0.63	0.12	-0.163	Pass
9/8/2023 4:13:00 AM	0.20	0.37	0.06	-0.17	Pass	0.64	0.63	0.12	0.007	Pass
Detector 20										
9/7/2023 4:09:00 AM	0.04	0.25	0.04	-0.21	FAIL	0.42	0.48	0.11	-0.058	Pass
9/8/2023 4:13:00 AM	0.05	0.25	0.04	-0.20	FAIL	0.32	0.48	0.11	-0.163	Pass
Detector 21										
9/7/2023 4:09:00 AM	0.03	0.24	0.04	-0.21	FAIL	0.17	0.37	0.07	-0.198	Pass
9/8/2023 4:12:00 AM	0.04	0.24	0.04	-0.21	FAIL	0.14	0.37	0.07	-0.228	FAIL

Gas Proportional Counter Daily Quality Control Checks

Instrument: Blue

	AlphaBKG CPM	BKG Mean	BKG +/- limit	BKG Deviation	BKG Flag	BetaBKG CPM	BetaBKG Mean	BetaBKG +/- limit	BetaBKG Deviation	BetaBKG Flag
Detector 22										
9/7/2023 4:09:00 AM	0.20	0.28	0.05	-0.08	Pass	0.33	0.42	0.09	-0.092	Pass
9/8/2023 4:12:00 AM	0.22	0.28	0.05	-0.06	Pass	0.30	0.42	0.09	-0.117	Pass
Detector 23										
9/7/2023 4:09:00 AM	0.40	0.48	0.06	-0.08	Pass	0.58	0.77	0.13	-0.186	Pass
9/8/2023 4:12:00 AM	0.38	0.48	0.06	-0.10	Pass	0.63	0.77	0.13	-0.136	Pass


The Alpha and Beta +/- limit are based upon initial 20-point population.

The Alpha and Beta +/- limit for Efficiency is stated at 3%. Flags are "FAIL" > 3%.


The Alpha and Beta +/- limit for Background is stated at 1 StDev. Flags are "FAIL" > 3 StDev.

The Alpha +/- limit for Crosstalk is stated at 1 StDev. Flags are "Warning > 2 StDev and "DOEF" > 3 StDev. Beta is negligible, for trend only ("NA").


Times shown reflect the end of the count duration.

**Gas Proportional Counter Daily Quality Control Checks****Instrument: Blue**

	Alpha CPM	Alpha Mean	Alpha +/- limit	Alpha Deviation	Alpha Flag	A>>B XT CPM	A>>B XT Mean	A>>B XT +/- limit	A>>B XT Deviation	A>>B XT Flag
Check Type = Alpha										
Detector 0										
9/7/2023 12:25:00 AM	9574.78	9731.78	291.95	-156.99	Pass	3607.00	3783.75	55.06	-176.750	DOEF
9/8/2023 12:23:00 AM	9552.78	9731.78	291.95	-179.00	Pass	3725.50	3783.75	55.06	-58.250	Pass
Detector 1										
9/7/2023 12:26:00 AM	11262.18	11203.08	336.09	59.10	Pass	4251.00	4270.00	56.54	-19.000	Pass
9/8/2023 12:24:00 AM	10937.07	11203.08	336.09	-266.00	Pass	4231.00	4270.00	56.54	-39.000	Pass
Detector 2										
9/7/2023 12:26:00 AM	10130.40	10359.33	310.78	-228.92	Pass	4003.00	4091.73	50.75	-88.725	Pass
9/8/2023 12:24:00 AM	10278.74	10359.33	310.78	-80.58	Pass	4116.00	4091.73	50.75	24.275	Pass
Detector 3										
9/7/2023 12:26:00 AM	11434.53	11400.95	342.03	33.58	Pass	4237.00	4294.73	42.38	-57.725	Pass
9/8/2023 12:24:00 AM	11294.29	11400.95	342.03	-106.66	Pass	4190.50	4294.73	42.38	-104.225	WARNING
Detector 4										
9/7/2023 12:27:00 AM	14135.97	14325.50	429.77	-189.53	Pass	6258.00	6338.90	205.79	-80.900	Pass
9/8/2023 12:24:00 AM	13996.75	14325.50	429.77	-328.75	Pass	6472.50	6338.90	205.79	133.600	Pass
Detector 5										
9/7/2023 12:27:00 AM	14937.58	14830.60	444.92	106.98	Pass	5432.00	5533.48	81.19	-101.475	Pass
9/8/2023 12:25:00 AM	14706.18	14830.60	444.92	-124.42	Pass	5479.00	5533.48	81.19	-54.475	Pass
Detector 6										
9/7/2023 12:27:00 AM	12161.49	12305.73	369.17	-144.23	Pass	4649.00	4715.55	63.03	-66.550	Pass
9/8/2023 12:25:00 AM	12164.55	12305.73	369.17	-141.17	Pass	4605.00	4715.55	63.03	-110.550	Pass
Detector 7										
9/7/2023 12:28:00 AM	12468.11	12708.25	381.25	-240.14	Pass	4848.50	4810.10	73.07	38.400	Pass
9/8/2023 12:25:00 AM	12231.69	12708.25	381.25	-476.56	FAIL	4858.00	4810.10	73.07	47.900	Pass
Detector 8										
9/7/2023 12:41:00 AM	9537.21	9451.15	283.53	86.06	Pass	3738.00	3851.33	50.28	-113.325	WARNING
9/8/2023 12:43:00 AM	9503.18	9451.15	283.53	52.03	Pass	3749.00	3851.33	50.28	-102.325	WARNING
Detector 9										
9/7/2023 12:42:00 AM	10981.61	10846.68	325.40	134.94	Pass	4177.50	4390.08	73.38	-212.575	WARNING
9/8/2023 12:44:00 AM	10811.82	10846.68	325.40	-34.85	Pass	4256.50	4390.08	73.38	-133.575	Pass
Detector 10										
9/7/2023 12:42:00 AM	10282.21	10386.65	311.60	-104.44	Pass	3902.00	4154.40	60.48	-252.400	DOEF
9/8/2023 12:44:00 AM	10228.64	10386.65	311.60	-158.01	Pass	3984.00	4154.40	60.48	-170.400	WARNING

**Gas Proportional Counter Daily Quality Control Checks****Instrument: Blue**

	Alpha CPM	Alpha Mean	Alpha +/- limit	Alpha Deviation	Alpha Flag	A>>B XT CPM	A>>B XT Mean	A>>B XT +/- limit	A>>B XT Deviation	A>>B XT Flag
Detector 11										
9/7/2023 12:42:00 AM	11354.87	11316.08	339.48	38.79	Pass	4367.00	4591.48	60.25	-224.475	DOEF
9/8/2023 12:44:00 AM	11329.36	11316.08	339.48	13.29	Pass	4334.50	4591.48	60.25	-256.975	DOEF
Detector 12										
9/7/2023 12:42:00 AM	14219.14	14250.38	427.51	-31.24	Pass	6326.00	6540.40	105.21	-214.400	WARNING
9/8/2023 12:45:00 AM	13945.65	14250.38	427.51	-304.73	Pass	6568.00	6540.40	105.21	27.600	Pass
Detector 13										
9/7/2023 12:42:00 AM	15357.43	15581.68	467.45	-224.24	Pass	4772.00	4978.43	68.62	-206.425	DOEF
9/8/2023 12:45:00 AM	15375.54	15581.68	467.45	-206.14	Pass	4915.00	4978.43	68.62	-63.425	Pass
Detector 14										
9/7/2023 12:43:00 AM	11302.26	11508.73	345.26	-206.46	Pass	5271.00	5412.75	104.76	-141.750	Pass
9/8/2023 12:45:00 AM	11096.40	11508.73	345.26	-412.33	FAIL	5390.50	5412.75	104.76	-22.250	Pass
Detector 15										
9/7/2023 12:43:00 AM	11856.88	12031.40	360.94	-174.52	Pass	5374.00	5413.25	103.25	-39.250	Pass
9/8/2023 12:46:00 AM	11858.43	12031.40	360.94	-172.97	Pass	5711.00	5413.25	103.25	297.750	WARNING
Detector 16										
9/7/2023 12:34:00 AM	9718.07	9639.28	289.18	78.79	Pass	3648.50	3817.55	37.67	-169.050	DOEF
9/8/2023 12:34:00 AM	9517.21	9639.28	289.18	-122.07	Pass	3781.50	3817.55	37.67	-36.050	Pass
Detector 17										
9/7/2023 12:34:00 AM	11048.75	11061.48	331.84	-12.73	Pass	4105.00	4226.70	53.61	-121.700	WARNING
9/8/2023 12:34:00 AM	11062.82	11061.48	331.84	1.35	Pass	4068.00	4226.70	53.61	-158.700	WARNING
Detector 18										
9/7/2023 12:35:00 AM	10682.00	10659.53	319.79	22.48	Pass	3830.00	3935.95	34.99	-105.950	DOEF
9/8/2023 12:35:00 AM	10639.97	10659.53	319.79	-19.56	Pass	3890.00	3935.95	34.99	-45.950	Pass
Detector 19										
9/7/2023 12:35:00 AM	11439.03	11467.10	344.01	-28.07	Pass	4451.00	4448.70	59.17	2.300	Pass
9/8/2023 12:35:00 AM	11383.97	11467.10	344.01	-83.13	Pass	4517.00	4448.70	59.17	68.300	Pass
Detector 20										
9/7/2023 12:35:00 AM	14551.80	14347.83	430.43	203.98	Pass	6679.00	6614.45	91.13	64.550	Pass
9/8/2023 12:36:00 AM	14279.31	14347.83	430.43	-68.51	Pass	6659.50	6614.45	91.13	45.050	Pass
Detector 21										
9/7/2023 12:36:00 AM	9880.39	9869.88	296.10	10.52	Pass	10270.00	10259.65	129.52	10.350	Pass
9/8/2023 12:36:00 AM	9429.03	9869.88	296.10	-440.85	FAIL	10560.00	10259.65	129.52	300.350	WARNING




Gas Proportional Counter Daily Quality Control Checks

Instrument: Blue

	Alpha CPM	Alpha Mean	Alpha +/- limit	Alpha Deviation	Alpha Flag	A>>B XT CPM	A>>B XT Mean	A>>B XT +/- limit	A>>B XT Deviation	A>>B XT Flag
Detector 22										
9/7/2023 12:36:00 AM	11762.18	11742.60	352.28	19.58	Pass	5309.00	5466.15	85.68	-157.150	Pass
9/8/2023 12:36:00 AM	11682.07	11742.60	352.28	-60.53	Pass	5414.50	5466.15	85.68	-51.650	Pass
Detector 23										
9/7/2023 12:36:00 AM	12078.82	12061.73	361.85	17.10	Pass	5795.50	5992.08	108.01	-196.575	Pass
9/8/2023 12:37:00 AM	12134.99	12061.73	361.85	73.26	Pass	5873.00	5992.08	108.01	-119.075	Pass

**Gas Proportional Counter Daily Quality Control Checks****Instrument: Blue**


	Beta CPM	Beta Mean	Beta +/- limit	Beta Deviation	Beta Flag	B>>A XT CPM	B>>A XT Mean	B>>A XT +/- limit	B>>A XT Deviation	B>>A XT Flag
Check Type = Beta										
Detector 0										
9/7/2023 12:38:00 AM	50037.35	50552.05	1516.56	-514.70	Pass	NA	NA	NA	NA	NA
9/8/2023 12:39:00 AM	49946.45	50552.05	1516.56	-605.60	Pass	NA	NA	NA	NA	NA
Detector 1										
9/7/2023 12:38:00 AM	48133.85	47641.23	1429.24	492.62	Pass	NA	NA	NA	NA	NA
9/8/2023 12:39:00 AM	48302.46	47641.23	1429.24	661.23	Pass	NA	NA	NA	NA	NA
Detector 2										
9/7/2023 12:39:00 AM	48878.41	49734.44	1492.03	-856.03	Pass	NA	NA	NA	NA	NA
9/8/2023 12:39:00 AM	49506.06	49734.44	1492.03	-228.38	Pass	NA	NA	NA	NA	NA
Detector 3										
9/7/2023 12:36:00 AM	59188.54	60167.98	1805.04	-979.44	Pass	NA	NA	NA	NA	NA
9/8/2023 12:39:00 AM	58882.83	60167.98	1805.04	-1285.15	Pass	NA	NA	NA	NA	NA
Detector 4										
9/7/2023 12:37:00 AM	47410.02	47227.93	1416.84	182.10	Pass	NA	NA	NA	NA	NA
9/8/2023 12:37:00 AM	47364.62	47227.93	1416.84	136.70	Pass	NA	NA	NA	NA	NA
Detector 5										
9/7/2023 12:37:00 AM	54756.79	55004.03	1650.12	-247.24	Pass	NA	NA	NA	NA	NA
9/8/2023 12:38:00 AM	55098.73	55004.03	1650.12	94.71	Pass	NA	NA	NA	NA	NA
Detector 6										
9/7/2023 12:37:00 AM	50631.20	52072.68	1562.18	-1441.47	Pass	NA	NA	NA	NA	NA
9/8/2023 12:38:00 AM	50570.01	52072.68	1562.18	-1502.66	Pass	NA	NA	NA	NA	NA
Detector 7										
9/7/2023 12:38:00 AM	43920.12	44302.58	1329.08	-382.45	Pass	NA	NA	NA	NA	NA
9/8/2023 12:38:00 AM	44162.87	44302.58	1329.08	-139.70	Pass	NA	NA	NA	NA	NA
Detector 8										
9/7/2023 12:28:00 AM	49473.12	49959.33	1498.78	-486.21	Pass	NA	NA	NA	NA	NA
9/8/2023 12:26:00 AM	49339.68	49959.33	1498.78	-619.64	Pass	NA	NA	NA	NA	NA
Detector 9										
9/7/2023 12:28:00 AM	47779.16	47696.08	1430.88	83.08	Pass	NA	NA	NA	NA	NA
9/8/2023 12:27:00 AM	47837.46	47696.08	1430.88	141.38	Pass	NA	NA	NA	NA	NA
Detector 10										
9/7/2023 12:29:00 AM	48923.63	50136.65	1504.10	-1213.02	Pass	NA	NA	NA	NA	NA
9/8/2023 12:27:00 AM	49248.53	50136.65	1504.10	-888.12	Pass	NA	NA	NA	NA	NA



Gas Proportional Counter Daily Quality Control Checks

Instrument: Blue

	Beta CPM	Beta Mean	Beta +/- limit	Beta Deviation	Beta Flag	B>>A XT CPM	B>>A XT Mean	B>>A XT +/- limit	B>>A XT Deviation	B>>A XT Flag
Detector 11										
9/7/2023 12:29:00 AM	59822.54	59951.55	1798.55	-129.01	Pass	NA	NA	NA	NA	NA
9/8/2023 12:27:00 AM	59893.70	59951.55	1798.55	-57.85	Pass	NA	NA	NA	NA	NA
Detector 12										
9/7/2023 12:29:00 AM	48755.12	49257.90	1477.74	-502.78	Pass	NA	NA	NA	NA	NA
9/8/2023 12:28:00 AM	48887.24	49257.90	1477.74	-370.66	Pass	NA	NA	NA	NA	NA
Detector 13										
9/7/2023 12:29:00 AM	54840.23	55607.20	1668.22	-766.97	Pass	NA	NA	NA	NA	NA
9/8/2023 12:26:00 AM	54777.72	55607.20	1668.22	-829.48	Pass	NA	NA	NA	NA	NA
Detector 14										
9/7/2023 12:30:00 AM	49584.56	50580.03	1517.40	-995.46	Pass	NA	NA	NA	NA	NA
9/8/2023 12:26:00 AM	49206.94	50580.03	1517.40	-1373.08	Pass	NA	NA	NA	NA	NA
Detector 15										
9/7/2023 12:30:00 AM	44393.04	45674.43	1370.23	-1281.38	Pass	NA	NA	NA	NA	NA
9/8/2023 12:26:00 AM	43739.99	45674.43	1370.23	-1934.43	FAIL	NA	NA	NA	NA	NA
Detector 16										
9/7/2023 12:45:00 AM	49790.75	49653.23	1489.60	137.53	Pass	NA	NA	NA	NA	NA
9/8/2023 12:46:00 AM	49506.75	49653.23	1489.60	-146.47	Pass	NA	NA	NA	NA	NA
Detector 17										
9/7/2023 12:45:00 AM	48206.67	48166.13	1444.98	40.55	Pass	NA	NA	NA	NA	NA
9/8/2023 12:46:00 AM	48156.43	48166.13	1444.98	-9.69	Pass	NA	NA	NA	NA	NA
Detector 18										
9/7/2023 12:45:00 AM	49375.32	49957.23	1498.72	-581.90	Pass	NA	NA	NA	NA	NA
9/8/2023 12:46:00 AM	49698.42	49957.23	1498.72	-258.80	Pass	NA	NA	NA	NA	NA
Detector 19										
9/7/2023 12:43:00 AM	59990.99	59167.80	1775.03	823.19	Pass	NA	NA	NA	NA	NA
9/8/2023 12:47:00 AM	59879.49	59167.80	1775.03	711.69	Pass	NA	NA	NA	NA	NA
Detector 20										
9/7/2023 12:44:00 AM	49401.07	49987.80	1499.63	-586.73	Pass	NA	NA	NA	NA	NA
9/8/2023 12:47:00 AM	49700.21	49987.80	1499.63	-287.59	Pass	NA	NA	NA	NA	NA
Detector 21										
9/7/2023 12:44:00 AM	46576.06	55281.80	1658.45	-8705.74	FAIL	NA	NA	NA	NA	NA
9/8/2023 12:47:00 AM	45626.04	55281.80	1658.45	-9655.76	FAIL	NA	NA	NA	NA	NA



Gas Proportional Counter Daily Quality Control Checks

Instrument: Blue

	Beta CPM	Beta Mean	Beta +/- limit	Beta Deviation	Beta Flag	B>>A XT CPM	B>>A XT Mean	B>>A XT +/- limit	B>>A XT Deviation	B>>A XT Flag
Detector 22										
9/7/2023 12:44:00 AM	51225.10	52477.75	1574.33	-1252.65	Pass	NA	NA	NA	NA	NA
9/8/2023 12:48:00 AM	51031.53	52477.75	1574.33	-1446.22	Pass	NA	NA	NA	NA	NA
Detector 23										
9/7/2023 12:44:00 AM	45103.13	46160.75	1384.82	-1057.62	Pass	NA	NA	NA	NA	NA
9/8/2023 12:48:00 AM	45025.91	46160.75	1384.82	-1134.84	Pass	NA	NA	NA	NA	NA



Gas Proportional Counter Daily Quality Control Checks

Instrument: Blue

	AlphaBKG CPM	BKG Mean	BKG +/- limit	BKG Deviation	BKG Flag		BetaBKG CPM	BetaBKG Mean	BetaBKG +/- limit	BetaBKG Deviation	BetaBKG Flag
Check Type = BKG											
Detector 0											
9/7/2023 4:09:00 AM	0.12	0.19	0.02	-0.07	FAIL		0.50	0.54	0.10	-0.041	Pass
9/8/2023 4:11:00 AM	0.11	0.19	0.02	-0.08	FAIL		0.42	0.54	0.10	-0.121	Pass
Detector 1											
9/7/2023 4:09:00 AM	0.12	0.23	0.03	-0.12	FAIL		0.38	0.47	0.07	-0.093	Pass
9/8/2023 4:11:00 AM	0.10	0.23	0.03	-0.14	FAIL		0.33	0.47	0.07	-0.144	Pass
Detector 2											
9/7/2023 4:09:00 AM	0.08	0.21	0.06	-0.14	Pass		0.35	0.54	0.11	-0.194	Pass
9/8/2023 4:11:00 AM	0.15	0.21	0.06	-0.07	Pass		0.37	0.54	0.11	-0.174	Pass
Detector 3											
9/7/2023 4:09:00 AM	0.37	0.24	0.04	0.13	FAIL		0.77	0.52	0.09	0.241	Pass
9/8/2023 4:11:00 AM	0.22	0.24	0.04	-0.02	Pass		0.51	0.52	0.09	-0.014	Pass
Detector 4											
9/7/2023 4:10:00 AM	0.19	0.23	0.04	-0.04	Pass		0.42	0.45	0.07	-0.030	Pass
9/8/2023 4:11:00 AM	0.17	0.23	0.04	-0.06	Pass		0.40	0.45	0.07	-0.050	Pass
Detector 5											
9/7/2023 4:10:00 AM	0.20	0.22	0.03	-0.03	Pass		0.47	0.44	0.08	0.027	Pass
9/8/2023 4:11:00 AM	0.14	0.22	0.03	-0.09	Pass		0.44	0.44	0.08	-0.003	Pass
Detector 6											
9/7/2023 4:10:00 AM	0.15	0.25	0.04	-0.10	Pass		0.30	0.46	0.07	-0.163	Pass
9/8/2023 4:11:00 AM	0.13	0.25	0.04	-0.12	Pass		0.33	0.46	0.07	-0.133	Pass
Detector 7											
9/7/2023 4:10:00 AM	0.21	0.30	0.06	-0.09	Pass		0.76	0.54	0.09	0.211	Pass
9/8/2023 4:11:00 AM	0.19	0.30	0.06	-0.11	Pass		0.54	0.54	0.09	-0.009	Pass
Detector 8											
9/7/2023 4:09:00 AM	0.08	0.21	0.06	-0.13	Pass		0.40	0.51	0.10	-0.110	Pass
9/8/2023 4:12:00 AM	0.11	0.21	0.06	-0.10	Pass		0.26	0.51	0.10	-0.250	Pass
Detector 9											
9/7/2023 4:09:00 AM	0.16	0.18	0.05	-0.03	Pass		0.43	0.41	0.07	0.019	Pass
9/8/2023 4:12:00 AM	0.10	0.18	0.05	-0.08	Pass		0.34	0.41	0.07	-0.067	Pass
Detector 10											
9/7/2023 4:09:00 AM	0.09	0.20	0.05	-0.12	Pass		0.39	0.42	0.10	-0.035	Pass
9/8/2023 4:12:00 AM	0.10	0.20	0.05	-0.11	Pass		0.40	0.42	0.10	-0.020	Pass

Gas Proportional Counter Daily Quality Control Checks

Instrument: Blue

	AlphaBKG CPM	BKG Mean	BKG +/- limit	BKG Deviation	BKG Flag	BetaBKG CPM	BetaBKG Mean	BetaBKG +/- limit	BetaBKG Deviation	BetaBKG Flag
Detector 11										
9/7/2023 4:09:00 AM	0.08	0.19	0.04	-0.11	Pass	0.45	0.50	0.09	-0.058	Pass
9/8/2023 4:12:00 AM	0.11	0.19	0.04	-0.08	Pass	0.51	0.50	0.09	0.007	Pass
Detector 12										
9/7/2023 4:09:00 AM	0.13	0.28	0.05	-0.15	FAIL	0.50	0.51	0.09	-0.011	Pass
9/8/2023 4:12:00 AM	0.14	0.28	0.05	-0.14	Pass	0.49	0.51	0.09	-0.016	Pass
Detector 13										
9/7/2023 4:09:00 AM	0.06	0.21	0.05	-0.16	FAIL	0.26	0.43	0.09	-0.166	Pass
9/8/2023 4:12:00 AM	0.14	0.21	0.05	-0.07	Pass	0.29	0.43	0.09	-0.136	Pass
Detector 14										
9/7/2023 4:09:00 AM	0.12	0.22	0.05	-0.10	Pass	0.31	0.41	0.09	-0.108	Pass
9/8/2023 4:13:00 AM	0.14	0.22	0.05	-0.08	Pass	0.33	0.41	0.09	-0.083	Pass
Detector 15										
9/7/2023 4:09:00 AM	0.17	0.23	0.05	-0.07	Pass	0.36	0.49	0.08	-0.135	Pass
9/8/2023 4:13:00 AM	0.13	0.23	0.05	-0.11	Pass	0.41	0.49	0.08	-0.085	Pass
Detector 16										
9/7/2023 4:08:00 AM	0.09	0.18	0.05	-0.09	Pass	0.41	0.56	0.34	-0.158	Pass
9/8/2023 4:13:00 AM	0.08	0.18	0.05	-0.11	Pass	0.33	0.56	0.34	-0.233	Pass
Detector 17										
9/7/2023 4:09:00 AM	0.10	0.22	0.04	-0.12	Pass	0.32	0.44	0.10	-0.119	Pass
9/8/2023 4:13:00 AM	0.14	0.22	0.04	-0.08	Pass	0.39	0.44	0.10	-0.054	Pass
Detector 18										
9/7/2023 4:09:00 AM	1.05	1.16	0.12	-0.12	Pass	1.33	1.31	0.19	0.012	Pass
9/8/2023 4:13:00 AM	0.81	1.16	0.12	-0.36	Pass	1.03	1.31	0.19	-0.283	Pass
Detector 19										
9/7/2023 4:09:00 AM	0.20	0.37	0.06	-0.17	Pass	0.47	0.63	0.12	-0.163	Pass
9/8/2023 4:13:00 AM	0.20	0.37	0.06	-0.17	Pass	0.64	0.63	0.12	0.007	Pass
Detector 20										
9/7/2023 4:09:00 AM	0.04	0.25	0.04	-0.21	FAIL	0.42	0.48	0.11	-0.058	Pass
9/8/2023 4:13:00 AM	0.05	0.25	0.04	-0.20	FAIL	0.32	0.48	0.11	-0.163	Pass
Detector 21										
9/7/2023 4:09:00 AM	0.03	0.24	0.04	-0.21	FAIL	0.17	0.37	0.07	-0.198	Pass
9/8/2023 4:12:00 AM	0.04	0.24	0.04	-0.21	FAIL	0.14	0.37	0.07	-0.228	FAIL

Gas Proportional Counter Daily Quality Control Checks

Instrument: Blue

	AlphaBKG CPM	BKG Mean	BKG +/- limit	BKG Deviation	BKG Flag	BetaBKG CPM	BetaBKG Mean	BetaBKG +/- limit	BetaBKG Deviation	BetaBKG Flag
Detector 22										
9/7/2023 4:09:00 AM	0.20	0.28	0.05	-0.08	Pass	0.33	0.42	0.09	-0.092	Pass
9/8/2023 4:12:00 AM	0.22	0.28	0.05	-0.06	Pass	0.30	0.42	0.09	-0.117	Pass
Detector 23										
9/7/2023 4:09:00 AM	0.40	0.48	0.06	-0.08	Pass	0.58	0.77	0.13	-0.186	Pass
9/8/2023 4:12:00 AM	0.38	0.48	0.06	-0.10	Pass	0.63	0.77	0.13	-0.136	Pass


The Alpha and Beta +/- limit are based upon initial 20-point population.

The Alpha and Beta +/- limit for Efficiency is stated at 3%. Flags are "FAIL" > 3%.


The Alpha and Beta +/- limit for Background is stated at 1 StDev. Flags are "FAIL" > 3 StDev.

The Alpha +/- limit for Crosstalk is stated at 1 StDev. Flags are "Warning > 2 StDev and "DOEF" > 3 StDev. Beta is negligible, for trend only ("NA").

Times shown reflect the end of the count duration.

**Gas Proportional Counter Daily Quality Control Checks****Instrument: Blue**

	Alpha CPM	Alpha Mean	Alpha +/- limit	Alpha Deviation	Alpha Flag	A>>B XT CPM	A>>B XT Mean	A>>B XT +/- limit	A>>B XT Deviation	A>>B XT Flag
Check Type = Alpha										
Detector 0										
9/7/2023 12:25:00 AM	9574.78	9731.78	291.95	-156.99	Pass	3607.00	3783.75	55.06	-176.750	DOEF
9/8/2023 12:23:00 AM	9552.78	9731.78	291.95	-179.00	Pass	3725.50	3783.75	55.06	-58.250	Pass
Detector 1										
9/7/2023 12:26:00 AM	11262.18	11203.08	336.09	59.10	Pass	4251.00	4270.00	56.54	-19.000	Pass
9/8/2023 12:24:00 AM	10937.07	11203.08	336.09	-266.00	Pass	4231.00	4270.00	56.54	-39.000	Pass
Detector 2										
9/7/2023 12:26:00 AM	10130.40	10359.33	310.78	-228.92	Pass	4003.00	4091.73	50.75	-88.725	Pass
9/8/2023 12:24:00 AM	10278.74	10359.33	310.78	-80.58	Pass	4116.00	4091.73	50.75	24.275	Pass
Detector 3										
9/7/2023 12:26:00 AM	11434.53	11400.95	342.03	33.58	Pass	4237.00	4294.73	42.38	-57.725	Pass
9/8/2023 12:24:00 AM	11294.29	11400.95	342.03	-106.66	Pass	4190.50	4294.73	42.38	-104.225	WARNING
Detector 4										
9/7/2023 12:27:00 AM	14135.97	14325.50	429.77	-189.53	Pass	6258.00	6338.90	205.79	-80.900	Pass
9/8/2023 12:24:00 AM	13996.75	14325.50	429.77	-328.75	Pass	6472.50	6338.90	205.79	133.600	Pass
Detector 5										
9/7/2023 12:27:00 AM	14937.58	14830.60	444.92	106.98	Pass	5432.00	5533.48	81.19	-101.475	Pass
9/8/2023 12:25:00 AM	14706.18	14830.60	444.92	-124.42	Pass	5479.00	5533.48	81.19	-54.475	Pass
Detector 6										
9/7/2023 12:27:00 AM	12161.49	12305.73	369.17	-144.23	Pass	4649.00	4715.55	63.03	-66.550	Pass
9/8/2023 12:25:00 AM	12164.55	12305.73	369.17	-141.17	Pass	4605.00	4715.55	63.03	-110.550	Pass
Detector 7										
9/7/2023 12:28:00 AM	12468.11	12708.25	381.25	-240.14	Pass	4848.50	4810.10	73.07	38.400	Pass
9/8/2023 12:25:00 AM	12231.69	12708.25	381.25	-476.56	FAIL	4858.00	4810.10	73.07	47.900	Pass
Detector 8										
9/7/2023 12:41:00 AM	9537.21	9451.15	283.53	86.06	Pass	3738.00	3851.33	50.28	-113.325	WARNING
9/8/2023 12:43:00 AM	9503.18	9451.15	283.53	52.03	Pass	3749.00	3851.33	50.28	-102.325	WARNING
Detector 9										
9/7/2023 12:42:00 AM	10981.61	10846.68	325.40	134.94	Pass	4177.50	4390.08	73.38	-212.575	WARNING
9/8/2023 12:44:00 AM	10811.82	10846.68	325.40	-34.85	Pass	4256.50	4390.08	73.38	-133.575	Pass
Detector 10										
9/7/2023 12:42:00 AM	10282.21	10386.65	311.60	-104.44	Pass	3902.00	4154.40	60.48	-252.400	DOEF
9/8/2023 12:44:00 AM	10228.64	10386.65	311.60	-158.01	Pass	3984.00	4154.40	60.48	-170.400	WARNING

**Gas Proportional Counter Daily Quality Control Checks****Instrument: Blue**

	Alpha CPM	Alpha Mean	Alpha +/- limit	Alpha Deviation	Alpha Flag	A>>B XT CPM	A>>B XT Mean	A>>B XT +/- limit	A>>B XT Deviation	A>>B XT Flag
Detector 11										
9/7/2023 12:42:00 AM	11354.87	11316.08	339.48	38.79	Pass	4367.00	4591.48	60.25	-224.475	DOEF
9/8/2023 12:44:00 AM	11329.36	11316.08	339.48	13.29	Pass	4334.50	4591.48	60.25	-256.975	DOEF
Detector 12										
9/7/2023 12:42:00 AM	14219.14	14250.38	427.51	-31.24	Pass	6326.00	6540.40	105.21	-214.400	WARNING
9/8/2023 12:45:00 AM	13945.65	14250.38	427.51	-304.73	Pass	6568.00	6540.40	105.21	27.600	Pass
Detector 13										
9/7/2023 12:42:00 AM	15357.43	15581.68	467.45	-224.24	Pass	4772.00	4978.43	68.62	-206.425	DOEF
9/8/2023 12:45:00 AM	15375.54	15581.68	467.45	-206.14	Pass	4915.00	4978.43	68.62	-63.425	Pass
Detector 14										
9/7/2023 12:43:00 AM	11302.26	11508.73	345.26	-206.46	Pass	5271.00	5412.75	104.76	-141.750	Pass
9/8/2023 12:45:00 AM	11096.40	11508.73	345.26	-412.33	FAIL	5390.50	5412.75	104.76	-22.250	Pass
Detector 15										
9/7/2023 12:43:00 AM	11856.88	12031.40	360.94	-174.52	Pass	5374.00	5413.25	103.25	-39.250	Pass
9/8/2023 12:46:00 AM	11858.43	12031.40	360.94	-172.97	Pass	5711.00	5413.25	103.25	297.750	WARNING
Detector 16										
9/7/2023 12:34:00 AM	9718.07	9639.28	289.18	78.79	Pass	3648.50	3817.55	37.67	-169.050	DOEF
9/8/2023 12:34:00 AM	9517.21	9639.28	289.18	-122.07	Pass	3781.50	3817.55	37.67	-36.050	Pass
Detector 17										
9/7/2023 12:34:00 AM	11048.75	11061.48	331.84	-12.73	Pass	4105.00	4226.70	53.61	-121.700	WARNING
9/8/2023 12:34:00 AM	11062.82	11061.48	331.84	1.35	Pass	4068.00	4226.70	53.61	-158.700	WARNING
Detector 18										
9/7/2023 12:35:00 AM	10682.00	10659.53	319.79	22.48	Pass	3830.00	3935.95	34.99	-105.950	DOEF
9/8/2023 12:35:00 AM	10639.97	10659.53	319.79	-19.56	Pass	3890.00	3935.95	34.99	-45.950	Pass
Detector 19										
9/7/2023 12:35:00 AM	11439.03	11467.10	344.01	-28.07	Pass	4451.00	4448.70	59.17	2.300	Pass
9/8/2023 12:35:00 AM	11383.97	11467.10	344.01	-83.13	Pass	4517.00	4448.70	59.17	68.300	Pass
Detector 20										
9/7/2023 12:35:00 AM	14551.80	14347.83	430.43	203.98	Pass	6679.00	6614.45	91.13	64.550	Pass
9/8/2023 12:36:00 AM	14279.31	14347.83	430.43	-68.51	Pass	6659.50	6614.45	91.13	45.050	Pass
Detector 21										
9/7/2023 12:36:00 AM	9880.39	9869.88	296.10	10.52	Pass	10270.00	10259.65	129.52	10.350	Pass
9/8/2023 12:36:00 AM	9429.03	9869.88	296.10	-440.85	FAIL	10560.00	10259.65	129.52	300.350	WARNING



Gas Proportional Counter Daily Quality Control Checks


Instrument: Blue

	Alpha CPM	Alpha Mean	Alpha +/- limit	Alpha Deviation	Alpha Flag	A>>B XT CPM	A>>B XT Mean	A>>B XT +/- limit	A>>B XT Deviation	A>>B XT Flag
Detector 22										
9/7/2023 12:36:00 AM	11762.18	11742.60	352.28	19.58	Pass	5309.00	5466.15	85.68	-157.150	Pass
9/8/2023 12:36:00 AM	11682.07	11742.60	352.28	-60.53	Pass	5414.50	5466.15	85.68	-51.650	Pass
Detector 23										
9/7/2023 12:36:00 AM	12078.82	12061.73	361.85	17.10	Pass	5795.50	5992.08	108.01	-196.575	Pass
9/8/2023 12:37:00 AM	12134.99	12061.73	361.85	73.26	Pass	5873.00	5992.08	108.01	-119.075	Pass

Gas Proportional Counter Daily Quality Control Checks

Instrument: Blue


	Beta CPM	Beta Mean	Beta +/- limit	Beta Deviation	Beta Flag	B>>A XT CPM	B>>A XT Mean	B>>A XT +/- limit	B>>A XT Deviation	B>>A XT Flag
Check Type = Beta										
Detector 0										
9/7/2023 12:38:00 AM	50037.35	50552.05	1516.56	-514.70	Pass	NA	NA	NA	NA	NA
9/8/2023 12:39:00 AM	49946.45	50552.05	1516.56	-605.60	Pass	NA	NA	NA	NA	NA
Detector 1										
9/7/2023 12:38:00 AM	48133.85	47641.23	1429.24	492.62	Pass	NA	NA	NA	NA	NA
9/8/2023 12:39:00 AM	48302.46	47641.23	1429.24	661.23	Pass	NA	NA	NA	NA	NA
Detector 2										
9/7/2023 12:39:00 AM	48878.41	49734.44	1492.03	-856.03	Pass	NA	NA	NA	NA	NA
9/8/2023 12:39:00 AM	49506.06	49734.44	1492.03	-228.38	Pass	NA	NA	NA	NA	NA
Detector 3										
9/7/2023 12:36:00 AM	59188.54	60167.98	1805.04	-979.44	Pass	NA	NA	NA	NA	NA
9/8/2023 12:39:00 AM	58882.83	60167.98	1805.04	-1285.15	Pass	NA	NA	NA	NA	NA
Detector 4										
9/7/2023 12:37:00 AM	47410.02	47227.93	1416.84	182.10	Pass	NA	NA	NA	NA	NA
9/8/2023 12:37:00 AM	47364.62	47227.93	1416.84	136.70	Pass	NA	NA	NA	NA	NA
Detector 5										
9/7/2023 12:37:00 AM	54756.79	55004.03	1650.12	-247.24	Pass	NA	NA	NA	NA	NA
9/8/2023 12:38:00 AM	55098.73	55004.03	1650.12	94.71	Pass	NA	NA	NA	NA	NA
Detector 6										
9/7/2023 12:37:00 AM	50631.20	52072.68	1562.18	-1441.47	Pass	NA	NA	NA	NA	NA
9/8/2023 12:38:00 AM	50570.01	52072.68	1562.18	-1502.66	Pass	NA	NA	NA	NA	NA
Detector 7										
9/7/2023 12:38:00 AM	43920.12	44302.58	1329.08	-382.45	Pass	NA	NA	NA	NA	NA
9/8/2023 12:38:00 AM	44162.87	44302.58	1329.08	-139.70	Pass	NA	NA	NA	NA	NA
Detector 8										
9/7/2023 12:28:00 AM	49473.12	49959.33	1498.78	-486.21	Pass	NA	NA	NA	NA	NA
9/8/2023 12:26:00 AM	49339.68	49959.33	1498.78	-619.64	Pass	NA	NA	NA	NA	NA
Detector 9										
9/7/2023 12:28:00 AM	47779.16	47696.08	1430.88	83.08	Pass	NA	NA	NA	NA	NA
9/8/2023 12:27:00 AM	47837.46	47696.08	1430.88	141.38	Pass	NA	NA	NA	NA	NA
Detector 10										
9/7/2023 12:29:00 AM	48923.63	50136.65	1504.10	-1213.02	Pass	NA	NA	NA	NA	NA
9/8/2023 12:27:00 AM	49248.53	50136.65	1504.10	-888.12	Pass	NA	NA	NA	NA	NA



Gas Proportional Counter Daily Quality Control Checks

Instrument: Blue

	Beta CPM	Beta Mean	Beta +/- limit	Beta Deviation	Beta Flag	B>>A XT CPM	B>>A XT Mean	B>>A XT +/- limit	B>>A XT Deviation	B>>A XT Flag
Detector 11										
9/7/2023 12:29:00 AM	59822.54	59951.55	1798.55	-129.01	Pass	NA	NA	NA	NA	NA
9/8/2023 12:27:00 AM	59893.70	59951.55	1798.55	-57.85	Pass	NA	NA	NA	NA	NA
Detector 12										
9/7/2023 12:29:00 AM	48755.12	49257.90	1477.74	-502.78	Pass	NA	NA	NA	NA	NA
9/8/2023 12:28:00 AM	48887.24	49257.90	1477.74	-370.66	Pass	NA	NA	NA	NA	NA
Detector 13										
9/7/2023 12:29:00 AM	54840.23	55607.20	1668.22	-766.97	Pass	NA	NA	NA	NA	NA
9/8/2023 12:26:00 AM	54777.72	55607.20	1668.22	-829.48	Pass	NA	NA	NA	NA	NA
Detector 14										
9/7/2023 12:30:00 AM	49584.56	50580.03	1517.40	-995.46	Pass	NA	NA	NA	NA	NA
9/8/2023 12:26:00 AM	49206.94	50580.03	1517.40	-1373.08	Pass	NA	NA	NA	NA	NA
Detector 15										
9/7/2023 12:30:00 AM	44393.04	45674.43	1370.23	-1281.38	Pass	NA	NA	NA	NA	NA
9/8/2023 12:26:00 AM	43739.99	45674.43	1370.23	-1934.43	FAIL	NA	NA	NA	NA	NA
Detector 16										
9/7/2023 12:45:00 AM	49790.75	49653.23	1489.60	137.53	Pass	NA	NA	NA	NA	NA
9/8/2023 12:46:00 AM	49506.75	49653.23	1489.60	-146.47	Pass	NA	NA	NA	NA	NA
Detector 17										
9/7/2023 12:45:00 AM	48206.67	48166.13	1444.98	40.55	Pass	NA	NA	NA	NA	NA
9/8/2023 12:46:00 AM	48156.43	48166.13	1444.98	-9.69	Pass	NA	NA	NA	NA	NA
Detector 18										
9/7/2023 12:45:00 AM	49375.32	49957.23	1498.72	-581.90	Pass	NA	NA	NA	NA	NA
9/8/2023 12:46:00 AM	49698.42	49957.23	1498.72	-258.80	Pass	NA	NA	NA	NA	NA
Detector 19										
9/7/2023 12:43:00 AM	59990.99	59167.80	1775.03	823.19	Pass	NA	NA	NA	NA	NA
9/8/2023 12:47:00 AM	59879.49	59167.80	1775.03	711.69	Pass	NA	NA	NA	NA	NA
Detector 20										
9/7/2023 12:44:00 AM	49401.07	49987.80	1499.63	-586.73	Pass	NA	NA	NA	NA	NA
9/8/2023 12:47:00 AM	49700.21	49987.80	1499.63	-287.59	Pass	NA	NA	NA	NA	NA
Detector 21										
9/7/2023 12:44:00 AM	46576.06	55281.80	1658.45	-8705.74	FAIL	NA	NA	NA	NA	NA
9/8/2023 12:47:00 AM	45626.04	55281.80	1658.45	-9655.76	FAIL	NA	NA	NA	NA	NA



Gas Proportional Counter Daily Quality Control Checks

Instrument: Blue

	Beta CPM	Beta Mean	Beta +/- limit	Beta Deviation	Beta Flag	B>>A XT CPM	B>>A XT Mean	B>>A XT +/- limit	B>>A XT Deviation	B>>A XT Flag
Detector 22										
9/7/2023 12:44:00 AM	51225.10	52477.75	1574.33	-1252.65	Pass	NA	NA	NA	NA	NA
9/8/2023 12:48:00 AM	51031.53	52477.75	1574.33	-1446.22	Pass	NA	NA	NA	NA	NA
Detector 23										
9/7/2023 12:44:00 AM	45103.13	46160.75	1384.82	-1057.62	Pass	NA	NA	NA	NA	NA
9/8/2023 12:48:00 AM	45025.91	46160.75	1384.82	-1134.84	Pass	NA	NA	NA	NA	NA



Gas Proportional Counter Daily Quality Control Checks

Instrument: Blue

	AlphaBKG CPM	BKG Mean	BKG +/- limit	BKG Deviation	BKG Flag		BetaBKG CPM	BetaBKG Mean	BetaBKG +/- limit	BetaBKG Deviation	BetaBKG Flag
Check Type = BKG											
Detector 0											
9/7/2023 4:09:00 AM	0.12	0.19	0.02	-0.07	FAIL		0.50	0.54	0.10	-0.041	Pass
9/8/2023 4:11:00 AM	0.11	0.19	0.02	-0.08	FAIL		0.42	0.54	0.10	-0.121	Pass
Detector 1											
9/7/2023 4:09:00 AM	0.12	0.23	0.03	-0.12	FAIL		0.38	0.47	0.07	-0.093	Pass
9/8/2023 4:11:00 AM	0.10	0.23	0.03	-0.14	FAIL		0.33	0.47	0.07	-0.144	Pass
Detector 2											
9/7/2023 4:09:00 AM	0.08	0.21	0.06	-0.14	Pass		0.35	0.54	0.11	-0.194	Pass
9/8/2023 4:11:00 AM	0.15	0.21	0.06	-0.07	Pass		0.37	0.54	0.11	-0.174	Pass
Detector 3											
9/7/2023 4:09:00 AM	0.37	0.24	0.04	0.13	FAIL		0.77	0.52	0.09	0.241	Pass
9/8/2023 4:11:00 AM	0.22	0.24	0.04	-0.02	Pass		0.51	0.52	0.09	-0.014	Pass
Detector 4											
9/7/2023 4:10:00 AM	0.19	0.23	0.04	-0.04	Pass		0.42	0.45	0.07	-0.030	Pass
9/8/2023 4:11:00 AM	0.17	0.23	0.04	-0.06	Pass		0.40	0.45	0.07	-0.050	Pass
Detector 5											
9/7/2023 4:10:00 AM	0.20	0.22	0.03	-0.03	Pass		0.47	0.44	0.08	0.027	Pass
9/8/2023 4:11:00 AM	0.14	0.22	0.03	-0.09	Pass		0.44	0.44	0.08	-0.003	Pass
Detector 6											
9/7/2023 4:10:00 AM	0.15	0.25	0.04	-0.10	Pass		0.30	0.46	0.07	-0.163	Pass
9/8/2023 4:11:00 AM	0.13	0.25	0.04	-0.12	Pass		0.33	0.46	0.07	-0.133	Pass
Detector 7											
9/7/2023 4:10:00 AM	0.21	0.30	0.06	-0.09	Pass		0.76	0.54	0.09	0.211	Pass
9/8/2023 4:11:00 AM	0.19	0.30	0.06	-0.11	Pass		0.54	0.54	0.09	-0.009	Pass
Detector 8											
9/7/2023 4:09:00 AM	0.08	0.21	0.06	-0.13	Pass		0.40	0.51	0.10	-0.110	Pass
9/8/2023 4:12:00 AM	0.11	0.21	0.06	-0.10	Pass		0.26	0.51	0.10	-0.250	Pass
Detector 9											
9/7/2023 4:09:00 AM	0.16	0.18	0.05	-0.03	Pass		0.43	0.41	0.07	0.019	Pass
9/8/2023 4:12:00 AM	0.10	0.18	0.05	-0.08	Pass		0.34	0.41	0.07	-0.067	Pass
Detector 10											
9/7/2023 4:09:00 AM	0.09	0.20	0.05	-0.12	Pass		0.39	0.42	0.10	-0.035	Pass
9/8/2023 4:12:00 AM	0.10	0.20	0.05	-0.11	Pass		0.40	0.42	0.10	-0.020	Pass

Gas Proportional Counter Daily Quality Control Checks

Instrument: Blue

	AlphaBKG CPM	BKG Mean	BKG +/- limit	BKG Deviation	BKG Flag		BetaBKG CPM	BetaBKG Mean	BetaBKG +/- limit	BetaBKG Deviation	BetaBKG Flag
Detector 11											
9/7/2023 4:09:00 AM	0.08	0.19	0.04	-0.11	Pass		0.45	0.50	0.09	-0.058	Pass
9/8/2023 4:12:00 AM	0.11	0.19	0.04	-0.08	Pass		0.51	0.50	0.09	0.007	Pass
Detector 12											
9/7/2023 4:09:00 AM	0.13	0.28	0.05	-0.15	FAIL		0.50	0.51	0.09	-0.011	Pass
9/8/2023 4:12:00 AM	0.14	0.28	0.05	-0.14	Pass		0.49	0.51	0.09	-0.016	Pass
Detector 13											
9/7/2023 4:09:00 AM	0.06	0.21	0.05	-0.16	FAIL		0.26	0.43	0.09	-0.166	Pass
9/8/2023 4:12:00 AM	0.14	0.21	0.05	-0.07	Pass		0.29	0.43	0.09	-0.136	Pass
Detector 14											
9/7/2023 4:09:00 AM	0.12	0.22	0.05	-0.10	Pass		0.31	0.41	0.09	-0.108	Pass
9/8/2023 4:13:00 AM	0.14	0.22	0.05	-0.08	Pass		0.33	0.41	0.09	-0.083	Pass
Detector 15											
9/7/2023 4:09:00 AM	0.17	0.23	0.05	-0.07	Pass		0.36	0.49	0.08	-0.135	Pass
9/8/2023 4:13:00 AM	0.13	0.23	0.05	-0.11	Pass		0.41	0.49	0.08	-0.085	Pass
Detector 16											
9/7/2023 4:08:00 AM	0.09	0.18	0.05	-0.09	Pass		0.41	0.56	0.34	-0.158	Pass
9/8/2023 4:13:00 AM	0.08	0.18	0.05	-0.11	Pass		0.33	0.56	0.34	-0.233	Pass
Detector 17											
9/7/2023 4:09:00 AM	0.10	0.22	0.04	-0.12	Pass		0.32	0.44	0.10	-0.119	Pass
9/8/2023 4:13:00 AM	0.14	0.22	0.04	-0.08	Pass		0.39	0.44	0.10	-0.054	Pass
Detector 18											
9/7/2023 4:09:00 AM	1.05	1.16	0.12	-0.12	Pass		1.33	1.31	0.19	0.012	Pass
9/8/2023 4:13:00 AM	0.81	1.16	0.12	-0.36	Pass		1.03	1.31	0.19	-0.283	Pass
Detector 19											
9/7/2023 4:09:00 AM	0.20	0.37	0.06	-0.17	Pass		0.47	0.63	0.12	-0.163	Pass
9/8/2023 4:13:00 AM	0.20	0.37	0.06	-0.17	Pass		0.64	0.63	0.12	0.007	Pass
Detector 20											
9/7/2023 4:09:00 AM	0.04	0.25	0.04	-0.21	FAIL		0.42	0.48	0.11	-0.058	Pass
9/8/2023 4:13:00 AM	0.05	0.25	0.04	-0.20	FAIL		0.32	0.48	0.11	-0.163	Pass
Detector 21											
9/7/2023 4:09:00 AM	0.03	0.24	0.04	-0.21	FAIL		0.17	0.37	0.07	-0.198	Pass
9/8/2023 4:12:00 AM	0.04	0.24	0.04	-0.21	FAIL		0.14	0.37	0.07	-0.228	FAIL

Gas Proportional Counter Daily Quality Control Checks

Instrument: Blue

	AlphaBKG CPM	BKG Mean	BKG +/- limit	BKG Deviation	BKG Flag	BetaBKG CPM	BetaBKG Mean	BetaBKG +/- limit	BetaBKG Deviation	BetaBKG Flag
Detector 22										
9/7/2023 4:09:00 AM	0.20	0.28	0.05	-0.08	Pass	0.33	0.42	0.09	-0.092	Pass
9/8/2023 4:12:00 AM	0.22	0.28	0.05	-0.06	Pass	0.30	0.42	0.09	-0.117	Pass
Detector 23										
9/7/2023 4:09:00 AM	0.40	0.48	0.06	-0.08	Pass	0.58	0.77	0.13	-0.186	Pass
9/8/2023 4:12:00 AM	0.38	0.48	0.06	-0.10	Pass	0.63	0.77	0.13	-0.136	Pass

The Alpha and Beta +/- limit are based upon initial 20-point population.

The Alpha and Beta +/- limit for Efficiency is stated at 3%. Flags are "FAIL" > 3%.


The Alpha and Beta +/- limit for Background is stated at 1 StDev. Flags are "FAIL" > 3 StDev.

The Alpha +/- limit for Crosstalk is stated at 1 StDev. Flags are "Warning > 2 StDev and "DOEF" > 3 StDev. Beta is negligible, for trend only ("NA").


Times shown reflect the end of the count duration.

**Gas Proportional Counter Daily Quality Control Checks****Instrument: Blue**

	Alpha CPM	Alpha Mean	Alpha +/- limit	Alpha Deviation	Alpha Flag	A>>B XT CPM	A>>B XT Mean	A>>B XT +/- limit	A>>B XT Deviation	A>>B XT Flag
Check Type = Alpha										
Detector 0										
9/7/2023 12:25:00 AM	9574.78	9731.78	291.95	-156.99	Pass	3607.00	3783.75	55.06	-176.750	DOEF
9/8/2023 12:23:00 AM	9552.78	9731.78	291.95	-179.00	Pass	3725.50	3783.75	55.06	-58.250	Pass
Detector 1										
9/7/2023 12:26:00 AM	11262.18	11203.08	336.09	59.10	Pass	4251.00	4270.00	56.54	-19.000	Pass
9/8/2023 12:24:00 AM	10937.07	11203.08	336.09	-266.00	Pass	4231.00	4270.00	56.54	-39.000	Pass
Detector 2										
9/7/2023 12:26:00 AM	10130.40	10359.33	310.78	-228.92	Pass	4003.00	4091.73	50.75	-88.725	Pass
9/8/2023 12:24:00 AM	10278.74	10359.33	310.78	-80.58	Pass	4116.00	4091.73	50.75	24.275	Pass
Detector 3										
9/7/2023 12:26:00 AM	11434.53	11400.95	342.03	33.58	Pass	4237.00	4294.73	42.38	-57.725	Pass
9/8/2023 12:24:00 AM	11294.29	11400.95	342.03	-106.66	Pass	4190.50	4294.73	42.38	-104.225	WARNING
Detector 4										
9/7/2023 12:27:00 AM	14135.97	14325.50	429.77	-189.53	Pass	6258.00	6338.90	205.79	-80.900	Pass
9/8/2023 12:24:00 AM	13996.75	14325.50	429.77	-328.75	Pass	6472.50	6338.90	205.79	133.600	Pass
Detector 5										
9/7/2023 12:27:00 AM	14937.58	14830.60	444.92	106.98	Pass	5432.00	5533.48	81.19	-101.475	Pass
9/8/2023 12:25:00 AM	14706.18	14830.60	444.92	-124.42	Pass	5479.00	5533.48	81.19	-54.475	Pass
Detector 6										
9/7/2023 12:27:00 AM	12161.49	12305.73	369.17	-144.23	Pass	4649.00	4715.55	63.03	-66.550	Pass
9/8/2023 12:25:00 AM	12164.55	12305.73	369.17	-141.17	Pass	4605.00	4715.55	63.03	-110.550	Pass
Detector 7										
9/7/2023 12:28:00 AM	12468.11	12708.25	381.25	-240.14	Pass	4848.50	4810.10	73.07	38.400	Pass
9/8/2023 12:25:00 AM	12231.69	12708.25	381.25	-476.56	FAIL	4858.00	4810.10	73.07	47.900	Pass
Detector 8										
9/7/2023 12:41:00 AM	9537.21	9451.15	283.53	86.06	Pass	3738.00	3851.33	50.28	-113.325	WARNING
9/8/2023 12:43:00 AM	9503.18	9451.15	283.53	52.03	Pass	3749.00	3851.33	50.28	-102.325	WARNING
Detector 9										
9/7/2023 12:42:00 AM	10981.61	10846.68	325.40	134.94	Pass	4177.50	4390.08	73.38	-212.575	WARNING
9/8/2023 12:44:00 AM	10811.82	10846.68	325.40	-34.85	Pass	4256.50	4390.08	73.38	-133.575	Pass
Detector 10										
9/7/2023 12:42:00 AM	10282.21	10386.65	311.60	-104.44	Pass	3902.00	4154.40	60.48	-252.400	DOEF
9/8/2023 12:44:00 AM	10228.64	10386.65	311.60	-158.01	Pass	3984.00	4154.40	60.48	-170.400	WARNING

**Gas Proportional Counter Daily Quality Control Checks****Instrument: Blue**

	Alpha CPM	Alpha Mean	Alpha +/- limit	Alpha Deviation	Alpha Flag	A>>B XT CPM	A>>B XT Mean	A>>B XT +/- limit	A>>B XT Deviation	A>>B XT Flag
Detector 11										
9/7/2023 12:42:00 AM	11354.87	11316.08	339.48	38.79	Pass	4367.00	4591.48	60.25	-224.475	DOEF
9/8/2023 12:44:00 AM	11329.36	11316.08	339.48	13.29	Pass	4334.50	4591.48	60.25	-256.975	DOEF
Detector 12										
9/7/2023 12:42:00 AM	14219.14	14250.38	427.51	-31.24	Pass	6326.00	6540.40	105.21	-214.400	WARNING
9/8/2023 12:45:00 AM	13945.65	14250.38	427.51	-304.73	Pass	6568.00	6540.40	105.21	27.600	Pass
Detector 13										
9/7/2023 12:42:00 AM	15357.43	15581.68	467.45	-224.24	Pass	4772.00	4978.43	68.62	-206.425	DOEF
9/8/2023 12:45:00 AM	15375.54	15581.68	467.45	-206.14	Pass	4915.00	4978.43	68.62	-63.425	Pass
Detector 14										
9/7/2023 12:43:00 AM	11302.26	11508.73	345.26	-206.46	Pass	5271.00	5412.75	104.76	-141.750	Pass
9/8/2023 12:45:00 AM	11096.40	11508.73	345.26	-412.33	FAIL	5390.50	5412.75	104.76	-22.250	Pass
Detector 15										
9/7/2023 12:43:00 AM	11856.88	12031.40	360.94	-174.52	Pass	5374.00	5413.25	103.25	-39.250	Pass
9/8/2023 12:46:00 AM	11858.43	12031.40	360.94	-172.97	Pass	5711.00	5413.25	103.25	297.750	WARNING
Detector 16										
9/7/2023 12:34:00 AM	9718.07	9639.28	289.18	78.79	Pass	3648.50	3817.55	37.67	-169.050	DOEF
9/8/2023 12:34:00 AM	9517.21	9639.28	289.18	-122.07	Pass	3781.50	3817.55	37.67	-36.050	Pass
Detector 17										
9/7/2023 12:34:00 AM	11048.75	11061.48	331.84	-12.73	Pass	4105.00	4226.70	53.61	-121.700	WARNING
9/8/2023 12:34:00 AM	11062.82	11061.48	331.84	1.35	Pass	4068.00	4226.70	53.61	-158.700	WARNING
Detector 18										
9/7/2023 12:35:00 AM	10682.00	10659.53	319.79	22.48	Pass	3830.00	3935.95	34.99	-105.950	DOEF
9/8/2023 12:35:00 AM	10639.97	10659.53	319.79	-19.56	Pass	3890.00	3935.95	34.99	-45.950	Pass
Detector 19										
9/7/2023 12:35:00 AM	11439.03	11467.10	344.01	-28.07	Pass	4451.00	4448.70	59.17	2.300	Pass
9/8/2023 12:35:00 AM	11383.97	11467.10	344.01	-83.13	Pass	4517.00	4448.70	59.17	68.300	Pass
Detector 20										
9/7/2023 12:35:00 AM	14551.80	14347.83	430.43	203.98	Pass	6679.00	6614.45	91.13	64.550	Pass
9/8/2023 12:36:00 AM	14279.31	14347.83	430.43	-68.51	Pass	6659.50	6614.45	91.13	45.050	Pass
Detector 21										
9/7/2023 12:36:00 AM	9880.39	9869.88	296.10	10.52	Pass	10270.00	10259.65	129.52	10.350	Pass
9/8/2023 12:36:00 AM	9429.03	9869.88	296.10	-440.85	FAIL	10560.00	10259.65	129.52	300.350	WARNING



Gas Proportional Counter Daily Quality Control Checks


Instrument: Blue

	Alpha CPM	Alpha Mean	Alpha +/- limit	Alpha Deviation	Alpha Flag	A>>B XT CPM	A>>B XT Mean	A>>B XT +/- limit	A>>B XT Deviation	A>>B XT Flag
Detector 22										
9/7/2023 12:36:00 AM	11762.18	11742.60	352.28	19.58	Pass	5309.00	5466.15	85.68	-157.150	Pass
9/8/2023 12:36:00 AM	11682.07	11742.60	352.28	-60.53	Pass	5414.50	5466.15	85.68	-51.650	Pass
Detector 23										
9/7/2023 12:36:00 AM	12078.82	12061.73	361.85	17.10	Pass	5795.50	5992.08	108.01	-196.575	Pass
9/8/2023 12:37:00 AM	12134.99	12061.73	361.85	73.26	Pass	5873.00	5992.08	108.01	-119.075	Pass

Gas Proportional Counter Daily Quality Control Checks

Instrument: Blue


	Beta CPM	Beta Mean	Beta +/- limit	Beta Deviation	Beta Flag	B>>A XT CPM	B>>A XT Mean	B>>A XT +/- limit	B>>A XT Deviation	B>>A XT Flag
Check Type = Beta										
Detector 0										
9/7/2023 12:38:00 AM	50037.35	50552.05	1516.56	-514.70	Pass	NA	NA	NA	NA	NA
9/8/2023 12:39:00 AM	49946.45	50552.05	1516.56	-605.60	Pass	NA	NA	NA	NA	NA
Detector 1										
9/7/2023 12:38:00 AM	48133.85	47641.23	1429.24	492.62	Pass	NA	NA	NA	NA	NA
9/8/2023 12:39:00 AM	48302.46	47641.23	1429.24	661.23	Pass	NA	NA	NA	NA	NA
Detector 2										
9/7/2023 12:39:00 AM	48878.41	49734.44	1492.03	-856.03	Pass	NA	NA	NA	NA	NA
9/8/2023 12:39:00 AM	49506.06	49734.44	1492.03	-228.38	Pass	NA	NA	NA	NA	NA
Detector 3										
9/7/2023 12:36:00 AM	59188.54	60167.98	1805.04	-979.44	Pass	NA	NA	NA	NA	NA
9/8/2023 12:39:00 AM	58882.83	60167.98	1805.04	-1285.15	Pass	NA	NA	NA	NA	NA
Detector 4										
9/7/2023 12:37:00 AM	47410.02	47227.93	1416.84	182.10	Pass	NA	NA	NA	NA	NA
9/8/2023 12:37:00 AM	47364.62	47227.93	1416.84	136.70	Pass	NA	NA	NA	NA	NA
Detector 5										
9/7/2023 12:37:00 AM	54756.79	55004.03	1650.12	-247.24	Pass	NA	NA	NA	NA	NA
9/8/2023 12:38:00 AM	55098.73	55004.03	1650.12	94.71	Pass	NA	NA	NA	NA	NA
Detector 6										
9/7/2023 12:37:00 AM	50631.20	52072.68	1562.18	-1441.47	Pass	NA	NA	NA	NA	NA
9/8/2023 12:38:00 AM	50570.01	52072.68	1562.18	-1502.66	Pass	NA	NA	NA	NA	NA
Detector 7										
9/7/2023 12:38:00 AM	43920.12	44302.58	1329.08	-382.45	Pass	NA	NA	NA	NA	NA
9/8/2023 12:38:00 AM	44162.87	44302.58	1329.08	-139.70	Pass	NA	NA	NA	NA	NA
Detector 8										
9/7/2023 12:28:00 AM	49473.12	49959.33	1498.78	-486.21	Pass	NA	NA	NA	NA	NA
9/8/2023 12:26:00 AM	49339.68	49959.33	1498.78	-619.64	Pass	NA	NA	NA	NA	NA
Detector 9										
9/7/2023 12:28:00 AM	47779.16	47696.08	1430.88	83.08	Pass	NA	NA	NA	NA	NA
9/8/2023 12:27:00 AM	47837.46	47696.08	1430.88	141.38	Pass	NA	NA	NA	NA	NA
Detector 10										
9/7/2023 12:29:00 AM	48923.63	50136.65	1504.10	-1213.02	Pass	NA	NA	NA	NA	NA
9/8/2023 12:27:00 AM	49248.53	50136.65	1504.10	-888.12	Pass	NA	NA	NA	NA	NA



Gas Proportional Counter Daily Quality Control Checks

Instrument: Blue

	Beta CPM	Beta Mean	Beta +/- limit	Beta Deviation	Beta Flag	B>>A XT CPM	B>>A XT Mean	B>>A XT +/- limit	B>>A XT Deviation	B>>A XT Flag
Detector 11										
9/7/2023 12:29:00 AM	59822.54	59951.55	1798.55	-129.01	Pass	NA	NA	NA	NA	NA
9/8/2023 12:27:00 AM	59893.70	59951.55	1798.55	-57.85	Pass	NA	NA	NA	NA	NA
Detector 12										
9/7/2023 12:29:00 AM	48755.12	49257.90	1477.74	-502.78	Pass	NA	NA	NA	NA	NA
9/8/2023 12:28:00 AM	48887.24	49257.90	1477.74	-370.66	Pass	NA	NA	NA	NA	NA
Detector 13										
9/7/2023 12:29:00 AM	54840.23	55607.20	1668.22	-766.97	Pass	NA	NA	NA	NA	NA
9/8/2023 12:26:00 AM	54777.72	55607.20	1668.22	-829.48	Pass	NA	NA	NA	NA	NA
Detector 14										
9/7/2023 12:30:00 AM	49584.56	50580.03	1517.40	-995.46	Pass	NA	NA	NA	NA	NA
9/8/2023 12:26:00 AM	49206.94	50580.03	1517.40	-1373.08	Pass	NA	NA	NA	NA	NA
Detector 15										
9/7/2023 12:30:00 AM	44393.04	45674.43	1370.23	-1281.38	Pass	NA	NA	NA	NA	NA
9/8/2023 12:26:00 AM	43739.99	45674.43	1370.23	-1934.43	FAIL	NA	NA	NA	NA	NA
Detector 16										
9/7/2023 12:45:00 AM	49790.75	49653.23	1489.60	137.53	Pass	NA	NA	NA	NA	NA
9/8/2023 12:46:00 AM	49506.75	49653.23	1489.60	-146.47	Pass	NA	NA	NA	NA	NA
Detector 17										
9/7/2023 12:45:00 AM	48206.67	48166.13	1444.98	40.55	Pass	NA	NA	NA	NA	NA
9/8/2023 12:46:00 AM	48156.43	48166.13	1444.98	-9.69	Pass	NA	NA	NA	NA	NA
Detector 18										
9/7/2023 12:45:00 AM	49375.32	49957.23	1498.72	-581.90	Pass	NA	NA	NA	NA	NA
9/8/2023 12:46:00 AM	49698.42	49957.23	1498.72	-258.80	Pass	NA	NA	NA	NA	NA
Detector 19										
9/7/2023 12:43:00 AM	59990.99	59167.80	1775.03	823.19	Pass	NA	NA	NA	NA	NA
9/8/2023 12:47:00 AM	59879.49	59167.80	1775.03	711.69	Pass	NA	NA	NA	NA	NA
Detector 20										
9/7/2023 12:44:00 AM	49401.07	49987.80	1499.63	-586.73	Pass	NA	NA	NA	NA	NA
9/8/2023 12:47:00 AM	49700.21	49987.80	1499.63	-287.59	Pass	NA	NA	NA	NA	NA
Detector 21										
9/7/2023 12:44:00 AM	46576.06	55281.80	1658.45	-8705.74	FAIL	NA	NA	NA	NA	NA
9/8/2023 12:47:00 AM	45626.04	55281.80	1658.45	-9655.76	FAIL	NA	NA	NA	NA	NA



Gas Proportional Counter Daily Quality Control Checks

Instrument: Blue

	Beta CPM	Beta Mean	Beta +/- limit	Beta Deviation	Beta Flag	B>>A XT CPM	B>>A XT Mean	B>>A XT +/- limit	B>>A XT Deviation	B>>A XT Flag
Detector 22										
9/7/2023 12:44:00 AM	51225.10	52477.75	1574.33	-1252.65	Pass	NA	NA	NA	NA	NA
9/8/2023 12:48:00 AM	51031.53	52477.75	1574.33	-1446.22	Pass	NA	NA	NA	NA	NA
Detector 23										
9/7/2023 12:44:00 AM	45103.13	46160.75	1384.82	-1057.62	Pass	NA	NA	NA	NA	NA
9/8/2023 12:48:00 AM	45025.91	46160.75	1384.82	-1134.84	Pass	NA	NA	NA	NA	NA



Gas Proportional Counter Daily Quality Control Checks

Instrument: Blue

	AlphaBKG CPM	BKG Mean	BKG +/- limit	BKG Deviation	BKG Flag		BetaBKG CPM	BetaBKG Mean	BetaBKG +/- limit	BetaBKG Deviation	BetaBKG Flag
Check Type = BKG											
Detector 0											
9/7/2023 4:09:00 AM	0.12	0.19	0.02	-0.07	FAIL		0.50	0.54	0.10	-0.041	Pass
9/8/2023 4:11:00 AM	0.11	0.19	0.02	-0.08	FAIL		0.42	0.54	0.10	-0.121	Pass
Detector 1											
9/7/2023 4:09:00 AM	0.12	0.23	0.03	-0.12	FAIL		0.38	0.47	0.07	-0.093	Pass
9/8/2023 4:11:00 AM	0.10	0.23	0.03	-0.14	FAIL		0.33	0.47	0.07	-0.144	Pass
Detector 2											
9/7/2023 4:09:00 AM	0.08	0.21	0.06	-0.14	Pass		0.35	0.54	0.11	-0.194	Pass
9/8/2023 4:11:00 AM	0.15	0.21	0.06	-0.07	Pass		0.37	0.54	0.11	-0.174	Pass
Detector 3											
9/7/2023 4:09:00 AM	0.37	0.24	0.04	0.13	FAIL		0.77	0.52	0.09	0.241	Pass
9/8/2023 4:11:00 AM	0.22	0.24	0.04	-0.02	Pass		0.51	0.52	0.09	-0.014	Pass
Detector 4											
9/7/2023 4:10:00 AM	0.19	0.23	0.04	-0.04	Pass		0.42	0.45	0.07	-0.030	Pass
9/8/2023 4:11:00 AM	0.17	0.23	0.04	-0.06	Pass		0.40	0.45	0.07	-0.050	Pass
Detector 5											
9/7/2023 4:10:00 AM	0.20	0.22	0.03	-0.03	Pass		0.47	0.44	0.08	0.027	Pass
9/8/2023 4:11:00 AM	0.14	0.22	0.03	-0.09	Pass		0.44	0.44	0.08	-0.003	Pass
Detector 6											
9/7/2023 4:10:00 AM	0.15	0.25	0.04	-0.10	Pass		0.30	0.46	0.07	-0.163	Pass
9/8/2023 4:11:00 AM	0.13	0.25	0.04	-0.12	Pass		0.33	0.46	0.07	-0.133	Pass
Detector 7											
9/7/2023 4:10:00 AM	0.21	0.30	0.06	-0.09	Pass		0.76	0.54	0.09	0.211	Pass
9/8/2023 4:11:00 AM	0.19	0.30	0.06	-0.11	Pass		0.54	0.54	0.09	-0.009	Pass
Detector 8											
9/7/2023 4:09:00 AM	0.08	0.21	0.06	-0.13	Pass		0.40	0.51	0.10	-0.110	Pass
9/8/2023 4:12:00 AM	0.11	0.21	0.06	-0.10	Pass		0.26	0.51	0.10	-0.250	Pass
Detector 9											
9/7/2023 4:09:00 AM	0.16	0.18	0.05	-0.03	Pass		0.43	0.41	0.07	0.019	Pass
9/8/2023 4:12:00 AM	0.10	0.18	0.05	-0.08	Pass		0.34	0.41	0.07	-0.067	Pass
Detector 10											
9/7/2023 4:09:00 AM	0.09	0.20	0.05	-0.12	Pass		0.39	0.42	0.10	-0.035	Pass
9/8/2023 4:12:00 AM	0.10	0.20	0.05	-0.11	Pass		0.40	0.42	0.10	-0.020	Pass

Gas Proportional Counter Daily Quality Control Checks

Instrument: Blue

	AlphaBKG CPM	BKG Mean	BKG +/- limit	BKG Deviation	BKG Flag		BetaBKG CPM	BetaBKG Mean	BetaBKG +/- limit	BetaBKG Deviation	BetaBKG Flag
Detector 11											
9/7/2023 4:09:00 AM	0.08	0.19	0.04	-0.11	Pass		0.45	0.50	0.09	-0.058	Pass
9/8/2023 4:12:00 AM	0.11	0.19	0.04	-0.08	Pass		0.51	0.50	0.09	0.007	Pass
Detector 12											
9/7/2023 4:09:00 AM	0.13	0.28	0.05	-0.15	FAIL		0.50	0.51	0.09	-0.011	Pass
9/8/2023 4:12:00 AM	0.14	0.28	0.05	-0.14	Pass		0.49	0.51	0.09	-0.016	Pass
Detector 13											
9/7/2023 4:09:00 AM	0.06	0.21	0.05	-0.16	FAIL		0.26	0.43	0.09	-0.166	Pass
9/8/2023 4:12:00 AM	0.14	0.21	0.05	-0.07	Pass		0.29	0.43	0.09	-0.136	Pass
Detector 14											
9/7/2023 4:09:00 AM	0.12	0.22	0.05	-0.10	Pass		0.31	0.41	0.09	-0.108	Pass
9/8/2023 4:13:00 AM	0.14	0.22	0.05	-0.08	Pass		0.33	0.41	0.09	-0.083	Pass
Detector 15											
9/7/2023 4:09:00 AM	0.17	0.23	0.05	-0.07	Pass		0.36	0.49	0.08	-0.135	Pass
9/8/2023 4:13:00 AM	0.13	0.23	0.05	-0.11	Pass		0.41	0.49	0.08	-0.085	Pass
Detector 16											
9/7/2023 4:08:00 AM	0.09	0.18	0.05	-0.09	Pass		0.41	0.56	0.34	-0.158	Pass
9/8/2023 4:13:00 AM	0.08	0.18	0.05	-0.11	Pass		0.33	0.56	0.34	-0.233	Pass
Detector 17											
9/7/2023 4:09:00 AM	0.10	0.22	0.04	-0.12	Pass		0.32	0.44	0.10	-0.119	Pass
9/8/2023 4:13:00 AM	0.14	0.22	0.04	-0.08	Pass		0.39	0.44	0.10	-0.054	Pass
Detector 18											
9/7/2023 4:09:00 AM	1.05	1.16	0.12	-0.12	Pass		1.33	1.31	0.19	0.012	Pass
9/8/2023 4:13:00 AM	0.81	1.16	0.12	-0.36	Pass		1.03	1.31	0.19	-0.283	Pass
Detector 19											
9/7/2023 4:09:00 AM	0.20	0.37	0.06	-0.17	Pass		0.47	0.63	0.12	-0.163	Pass
9/8/2023 4:13:00 AM	0.20	0.37	0.06	-0.17	Pass		0.64	0.63	0.12	0.007	Pass
Detector 20											
9/7/2023 4:09:00 AM	0.04	0.25	0.04	-0.21	FAIL		0.42	0.48	0.11	-0.058	Pass
9/8/2023 4:13:00 AM	0.05	0.25	0.04	-0.20	FAIL		0.32	0.48	0.11	-0.163	Pass
Detector 21											
9/7/2023 4:09:00 AM	0.03	0.24	0.04	-0.21	FAIL		0.17	0.37	0.07	-0.198	Pass
9/8/2023 4:12:00 AM	0.04	0.24	0.04	-0.21	FAIL		0.14	0.37	0.07	-0.228	FAIL

Gas Proportional Counter Daily Quality Control Checks

Instrument: Blue

	AlphaBKG CPM	BKG Mean	BKG +/- limit	BKG Deviation	BKG Flag	BetaBKG CPM	BetaBKG Mean	BetaBKG +/- limit	BetaBKG Deviation	BetaBKG Flag
Detector 22										
9/7/2023 4:09:00 AM	0.20	0.28	0.05	-0.08	Pass	0.33	0.42	0.09	-0.092	Pass
9/8/2023 4:12:00 AM	0.22	0.28	0.05	-0.06	Pass	0.30	0.42	0.09	-0.117	Pass
Detector 23										
9/7/2023 4:09:00 AM	0.40	0.48	0.06	-0.08	Pass	0.58	0.77	0.13	-0.186	Pass
9/8/2023 4:12:00 AM	0.38	0.48	0.06	-0.10	Pass	0.63	0.77	0.13	-0.136	Pass

The Alpha and Beta +/- limit are based upon initial 20-point population.

The Alpha and Beta +/- limit for Efficiency is stated at 3%. Flags are "FAIL" > 3%.


The Alpha and Beta +/- limit for Background is stated at 1 StDev. Flags are "FAIL" > 3 StDev.

The Alpha +/- limit for Crosstalk is stated at 1 StDev. Flags are "Warning > 2 StDev and "DOEF" > 3 StDev. Beta is negligible, for trend only ("NA").


Times shown reflect the end of the count duration.

**Gas Proportional Counter Daily Quality Control Checks****Instrument: Blue**

	Alpha CPM	Alpha Mean	Alpha +/- limit	Alpha Deviation	Alpha Flag	A>>B XT CPM	A>>B XT Mean	A>>B XT +/- limit	A>>B XT Deviation	A>>B XT Flag
Check Type = Alpha										
Detector 0										
9/7/2023 12:25:00 AM	9574.78	9731.78	291.95	-156.99	Pass	3607.00	3783.75	55.06	-176.750	DOEF
9/8/2023 12:23:00 AM	9552.78	9731.78	291.95	-179.00	Pass	3725.50	3783.75	55.06	-58.250	Pass
Detector 1										
9/7/2023 12:26:00 AM	11262.18	11203.08	336.09	59.10	Pass	4251.00	4270.00	56.54	-19.000	Pass
9/8/2023 12:24:00 AM	10937.07	11203.08	336.09	-266.00	Pass	4231.00	4270.00	56.54	-39.000	Pass
Detector 2										
9/7/2023 12:26:00 AM	10130.40	10359.33	310.78	-228.92	Pass	4003.00	4091.73	50.75	-88.725	Pass
9/8/2023 12:24:00 AM	10278.74	10359.33	310.78	-80.58	Pass	4116.00	4091.73	50.75	24.275	Pass
Detector 3										
9/7/2023 12:26:00 AM	11434.53	11400.95	342.03	33.58	Pass	4237.00	4294.73	42.38	-57.725	Pass
9/8/2023 12:24:00 AM	11294.29	11400.95	342.03	-106.66	Pass	4190.50	4294.73	42.38	-104.225	WARNING
Detector 4										
9/7/2023 12:27:00 AM	14135.97	14325.50	429.77	-189.53	Pass	6258.00	6338.90	205.79	-80.900	Pass
9/8/2023 12:24:00 AM	13996.75	14325.50	429.77	-328.75	Pass	6472.50	6338.90	205.79	133.600	Pass
Detector 5										
9/7/2023 12:27:00 AM	14937.58	14830.60	444.92	106.98	Pass	5432.00	5533.48	81.19	-101.475	Pass
9/8/2023 12:25:00 AM	14706.18	14830.60	444.92	-124.42	Pass	5479.00	5533.48	81.19	-54.475	Pass
Detector 6										
9/7/2023 12:27:00 AM	12161.49	12305.73	369.17	-144.23	Pass	4649.00	4715.55	63.03	-66.550	Pass
9/8/2023 12:25:00 AM	12164.55	12305.73	369.17	-141.17	Pass	4605.00	4715.55	63.03	-110.550	Pass
Detector 7										
9/7/2023 12:28:00 AM	12468.11	12708.25	381.25	-240.14	Pass	4848.50	4810.10	73.07	38.400	Pass
9/8/2023 12:25:00 AM	12231.69	12708.25	381.25	-476.56	FAIL	4858.00	4810.10	73.07	47.900	Pass
Detector 8										
9/7/2023 12:41:00 AM	9537.21	9451.15	283.53	86.06	Pass	3738.00	3851.33	50.28	-113.325	WARNING
9/8/2023 12:43:00 AM	9503.18	9451.15	283.53	52.03	Pass	3749.00	3851.33	50.28	-102.325	WARNING
Detector 9										
9/7/2023 12:42:00 AM	10981.61	10846.68	325.40	134.94	Pass	4177.50	4390.08	73.38	-212.575	WARNING
9/8/2023 12:44:00 AM	10811.82	10846.68	325.40	-34.85	Pass	4256.50	4390.08	73.38	-133.575	Pass
Detector 10										
9/7/2023 12:42:00 AM	10282.21	10386.65	311.60	-104.44	Pass	3902.00	4154.40	60.48	-252.400	DOEF
9/8/2023 12:44:00 AM	10228.64	10386.65	311.60	-158.01	Pass	3984.00	4154.40	60.48	-170.400	WARNING

**Gas Proportional Counter Daily Quality Control Checks****Instrument: Blue**

	Alpha CPM	Alpha Mean	Alpha +/- limit	Alpha Deviation	Alpha Flag	A>>B XT CPM	A>>B XT Mean	A>>B XT +/- limit	A>>B XT Deviation	A>>B XT Flag
Detector 11										
9/7/2023 12:42:00 AM	11354.87	11316.08	339.48	38.79	Pass	4367.00	4591.48	60.25	-224.475	DOEF
9/8/2023 12:44:00 AM	11329.36	11316.08	339.48	13.29	Pass	4334.50	4591.48	60.25	-256.975	DOEF
Detector 12										
9/7/2023 12:42:00 AM	14219.14	14250.38	427.51	-31.24	Pass	6326.00	6540.40	105.21	-214.400	WARNING
9/8/2023 12:45:00 AM	13945.65	14250.38	427.51	-304.73	Pass	6568.00	6540.40	105.21	27.600	Pass
Detector 13										
9/7/2023 12:42:00 AM	15357.43	15581.68	467.45	-224.24	Pass	4772.00	4978.43	68.62	-206.425	DOEF
9/8/2023 12:45:00 AM	15375.54	15581.68	467.45	-206.14	Pass	4915.00	4978.43	68.62	-63.425	Pass
Detector 14										
9/7/2023 12:43:00 AM	11302.26	11508.73	345.26	-206.46	Pass	5271.00	5412.75	104.76	-141.750	Pass
9/8/2023 12:45:00 AM	11096.40	11508.73	345.26	-412.33	FAIL	5390.50	5412.75	104.76	-22.250	Pass
Detector 15										
9/7/2023 12:43:00 AM	11856.88	12031.40	360.94	-174.52	Pass	5374.00	5413.25	103.25	-39.250	Pass
9/8/2023 12:46:00 AM	11858.43	12031.40	360.94	-172.97	Pass	5711.00	5413.25	103.25	297.750	WARNING
Detector 16										
9/7/2023 12:34:00 AM	9718.07	9639.28	289.18	78.79	Pass	3648.50	3817.55	37.67	-169.050	DOEF
9/8/2023 12:34:00 AM	9517.21	9639.28	289.18	-122.07	Pass	3781.50	3817.55	37.67	-36.050	Pass
Detector 17										
9/7/2023 12:34:00 AM	11048.75	11061.48	331.84	-12.73	Pass	4105.00	4226.70	53.61	-121.700	WARNING
9/8/2023 12:34:00 AM	11062.82	11061.48	331.84	1.35	Pass	4068.00	4226.70	53.61	-158.700	WARNING
Detector 18										
9/7/2023 12:35:00 AM	10682.00	10659.53	319.79	22.48	Pass	3830.00	3935.95	34.99	-105.950	DOEF
9/8/2023 12:35:00 AM	10639.97	10659.53	319.79	-19.56	Pass	3890.00	3935.95	34.99	-45.950	Pass
Detector 19										
9/7/2023 12:35:00 AM	11439.03	11467.10	344.01	-28.07	Pass	4451.00	4448.70	59.17	2.300	Pass
9/8/2023 12:35:00 AM	11383.97	11467.10	344.01	-83.13	Pass	4517.00	4448.70	59.17	68.300	Pass
Detector 20										
9/7/2023 12:35:00 AM	14551.80	14347.83	430.43	203.98	Pass	6679.00	6614.45	91.13	64.550	Pass
9/8/2023 12:36:00 AM	14279.31	14347.83	430.43	-68.51	Pass	6659.50	6614.45	91.13	45.050	Pass
Detector 21										
9/7/2023 12:36:00 AM	9880.39	9869.88	296.10	10.52	Pass	10270.00	10259.65	129.52	10.350	Pass
9/8/2023 12:36:00 AM	9429.03	9869.88	296.10	-440.85	FAIL	10560.00	10259.65	129.52	300.350	WARNING



Gas Proportional Counter Daily Quality Control Checks


Instrument: Blue

	Alpha CPM	Alpha Mean	Alpha +/- limit	Alpha Deviation	Alpha Flag	A>>B XT CPM	A>>B XT Mean	A>>B XT +/- limit	A>>B XT Deviation	A>>B XT Flag
Detector 22										
9/7/2023 12:36:00 AM	11762.18	11742.60	352.28	19.58	Pass	5309.00	5466.15	85.68	-157.150	Pass
9/8/2023 12:36:00 AM	11682.07	11742.60	352.28	-60.53	Pass	5414.50	5466.15	85.68	-51.650	Pass
Detector 23										
9/7/2023 12:36:00 AM	12078.82	12061.73	361.85	17.10	Pass	5795.50	5992.08	108.01	-196.575	Pass
9/8/2023 12:37:00 AM	12134.99	12061.73	361.85	73.26	Pass	5873.00	5992.08	108.01	-119.075	Pass

Gas Proportional Counter Daily Quality Control Checks

Instrument: Blue

	Beta CPM	Beta Mean	Beta +/- limit	Beta Deviation	Beta Flag	B>>A XT CPM	B>>A XT Mean	B>>A XT +/- limit	B>>A XT Deviation	B>>A XT Flag
Check Type = Beta										
Detector 0										
9/7/2023 12:38:00 AM	50037.35	50552.05	1516.56	-514.70	Pass	NA	NA	NA	NA	NA
9/8/2023 12:39:00 AM	49946.45	50552.05	1516.56	-605.60	Pass	NA	NA	NA	NA	NA
Detector 1										
9/7/2023 12:38:00 AM	48133.85	47641.23	1429.24	492.62	Pass	NA	NA	NA	NA	NA
9/8/2023 12:39:00 AM	48302.46	47641.23	1429.24	661.23	Pass	NA	NA	NA	NA	NA
Detector 2										
9/7/2023 12:39:00 AM	48878.41	49734.44	1492.03	-856.03	Pass	NA	NA	NA	NA	NA
9/8/2023 12:39:00 AM	49506.06	49734.44	1492.03	-228.38	Pass	NA	NA	NA	NA	NA
Detector 3										
9/7/2023 12:36:00 AM	59188.54	60167.98	1805.04	-979.44	Pass	NA	NA	NA	NA	NA
9/8/2023 12:39:00 AM	58882.83	60167.98	1805.04	-1285.15	Pass	NA	NA	NA	NA	NA
Detector 4										
9/7/2023 12:37:00 AM	47410.02	47227.93	1416.84	182.10	Pass	NA	NA	NA	NA	NA
9/8/2023 12:37:00 AM	47364.62	47227.93	1416.84	136.70	Pass	NA	NA	NA	NA	NA
Detector 5										
9/7/2023 12:37:00 AM	54756.79	55004.03	1650.12	-247.24	Pass	NA	NA	NA	NA	NA
9/8/2023 12:38:00 AM	55098.73	55004.03	1650.12	94.71	Pass	NA	NA	NA	NA	NA
Detector 6										
9/7/2023 12:37:00 AM	50631.20	52072.68	1562.18	-1441.47	Pass	NA	NA	NA	NA	NA
9/8/2023 12:38:00 AM	50570.01	52072.68	1562.18	-1502.66	Pass	NA	NA	NA	NA	NA
Detector 7										
9/7/2023 12:38:00 AM	43920.12	44302.58	1329.08	-382.45	Pass	NA	NA	NA	NA	NA
9/8/2023 12:38:00 AM	44162.87	44302.58	1329.08	-139.70	Pass	NA	NA	NA	NA	NA
Detector 8										
9/7/2023 12:28:00 AM	49473.12	49959.33	1498.78	-486.21	Pass	NA	NA	NA	NA	NA
9/8/2023 12:26:00 AM	49339.68	49959.33	1498.78	-619.64	Pass	NA	NA	NA	NA	NA
Detector 9										
9/7/2023 12:28:00 AM	47779.16	47696.08	1430.88	83.08	Pass	NA	NA	NA	NA	NA
9/8/2023 12:27:00 AM	47837.46	47696.08	1430.88	141.38	Pass	NA	NA	NA	NA	NA
Detector 10										
9/7/2023 12:29:00 AM	48923.63	50136.65	1504.10	-1213.02	Pass	NA	NA	NA	NA	NA
9/8/2023 12:27:00 AM	49248.53	50136.65	1504.10	-888.12	Pass	NA	NA	NA	NA	NA



Gas Proportional Counter Daily Quality Control Checks

Instrument: Blue

	Beta CPM	Beta Mean	Beta +/- limit	Beta Deviation	Beta Flag	B>>A XT CPM	B>>A XT Mean	B>>A XT +/- limit	B>>A XT Deviation	B>>A XT Flag
Detector 11										
9/7/2023 12:29:00 AM	59822.54	59951.55	1798.55	-129.01	Pass	NA	NA	NA	NA	NA
9/8/2023 12:27:00 AM	59893.70	59951.55	1798.55	-57.85	Pass	NA	NA	NA	NA	NA
Detector 12										
9/7/2023 12:29:00 AM	48755.12	49257.90	1477.74	-502.78	Pass	NA	NA	NA	NA	NA
9/8/2023 12:28:00 AM	48887.24	49257.90	1477.74	-370.66	Pass	NA	NA	NA	NA	NA
Detector 13										
9/7/2023 12:29:00 AM	54840.23	55607.20	1668.22	-766.97	Pass	NA	NA	NA	NA	NA
9/8/2023 12:26:00 AM	54777.72	55607.20	1668.22	-829.48	Pass	NA	NA	NA	NA	NA
Detector 14										
9/7/2023 12:30:00 AM	49584.56	50580.03	1517.40	-995.46	Pass	NA	NA	NA	NA	NA
9/8/2023 12:26:00 AM	49206.94	50580.03	1517.40	-1373.08	Pass	NA	NA	NA	NA	NA
Detector 15										
9/7/2023 12:30:00 AM	44393.04	45674.43	1370.23	-1281.38	Pass	NA	NA	NA	NA	NA
9/8/2023 12:26:00 AM	43739.99	45674.43	1370.23	-1934.43	FAIL	NA	NA	NA	NA	NA
Detector 16										
9/7/2023 12:45:00 AM	49790.75	49653.23	1489.60	137.53	Pass	NA	NA	NA	NA	NA
9/8/2023 12:46:00 AM	49506.75	49653.23	1489.60	-146.47	Pass	NA	NA	NA	NA	NA
Detector 17										
9/7/2023 12:45:00 AM	48206.67	48166.13	1444.98	40.55	Pass	NA	NA	NA	NA	NA
9/8/2023 12:46:00 AM	48156.43	48166.13	1444.98	-9.69	Pass	NA	NA	NA	NA	NA
Detector 18										
9/7/2023 12:45:00 AM	49375.32	49957.23	1498.72	-581.90	Pass	NA	NA	NA	NA	NA
9/8/2023 12:46:00 AM	49698.42	49957.23	1498.72	-258.80	Pass	NA	NA	NA	NA	NA
Detector 19										
9/7/2023 12:43:00 AM	59990.99	59167.80	1775.03	823.19	Pass	NA	NA	NA	NA	NA
9/8/2023 12:47:00 AM	59879.49	59167.80	1775.03	711.69	Pass	NA	NA	NA	NA	NA
Detector 20										
9/7/2023 12:44:00 AM	49401.07	49987.80	1499.63	-586.73	Pass	NA	NA	NA	NA	NA
9/8/2023 12:47:00 AM	49700.21	49987.80	1499.63	-287.59	Pass	NA	NA	NA	NA	NA
Detector 21										
9/7/2023 12:44:00 AM	46576.06	55281.80	1658.45	-8705.74	FAIL	NA	NA	NA	NA	NA
9/8/2023 12:47:00 AM	45626.04	55281.80	1658.45	-9655.76	FAIL	NA	NA	NA	NA	NA



Gas Proportional Counter Daily Quality Control Checks

Instrument: Blue

	Beta CPM	Beta Mean	Beta +/- limit	Beta Deviation	Beta Flag	B>>A XT CPM	B>>A XT Mean	B>>A XT +/- limit	B>>A XT Deviation	B>>A XT Flag
Detector 22										
9/7/2023 12:44:00 AM	51225.10	52477.75	1574.33	-1252.65	Pass	NA	NA	NA	NA	NA
9/8/2023 12:48:00 AM	51031.53	52477.75	1574.33	-1446.22	Pass	NA	NA	NA	NA	NA
Detector 23										
9/7/2023 12:44:00 AM	45103.13	46160.75	1384.82	-1057.62	Pass	NA	NA	NA	NA	NA
9/8/2023 12:48:00 AM	45025.91	46160.75	1384.82	-1134.84	Pass	NA	NA	NA	NA	NA



Gas Proportional Counter Daily Quality Control Checks

Instrument: Blue

	AlphaBKG CPM	BKG Mean	BKG +/- limit	BKG Deviation	BKG Flag		BetaBKG CPM	BetaBKG Mean	BetaBKG +/- limit	BetaBKG Deviation	BetaBKG Flag
Check Type = BKG											
Detector 0											
9/7/2023 4:09:00 AM	0.12	0.19	0.02	-0.07	FAIL		0.50	0.54	0.10	-0.041	Pass
9/8/2023 4:11:00 AM	0.11	0.19	0.02	-0.08	FAIL		0.42	0.54	0.10	-0.121	Pass
Detector 1											
9/7/2023 4:09:00 AM	0.12	0.23	0.03	-0.12	FAIL		0.38	0.47	0.07	-0.093	Pass
9/8/2023 4:11:00 AM	0.10	0.23	0.03	-0.14	FAIL		0.33	0.47	0.07	-0.144	Pass
Detector 2											
9/7/2023 4:09:00 AM	0.08	0.21	0.06	-0.14	Pass		0.35	0.54	0.11	-0.194	Pass
9/8/2023 4:11:00 AM	0.15	0.21	0.06	-0.07	Pass		0.37	0.54	0.11	-0.174	Pass
Detector 3											
9/7/2023 4:09:00 AM	0.37	0.24	0.04	0.13	FAIL		0.77	0.52	0.09	0.241	Pass
9/8/2023 4:11:00 AM	0.22	0.24	0.04	-0.02	Pass		0.51	0.52	0.09	-0.014	Pass
Detector 4											
9/7/2023 4:10:00 AM	0.19	0.23	0.04	-0.04	Pass		0.42	0.45	0.07	-0.030	Pass
9/8/2023 4:11:00 AM	0.17	0.23	0.04	-0.06	Pass		0.40	0.45	0.07	-0.050	Pass
Detector 5											
9/7/2023 4:10:00 AM	0.20	0.22	0.03	-0.03	Pass		0.47	0.44	0.08	0.027	Pass
9/8/2023 4:11:00 AM	0.14	0.22	0.03	-0.09	Pass		0.44	0.44	0.08	-0.003	Pass
Detector 6											
9/7/2023 4:10:00 AM	0.15	0.25	0.04	-0.10	Pass		0.30	0.46	0.07	-0.163	Pass
9/8/2023 4:11:00 AM	0.13	0.25	0.04	-0.12	Pass		0.33	0.46	0.07	-0.133	Pass
Detector 7											
9/7/2023 4:10:00 AM	0.21	0.30	0.06	-0.09	Pass		0.76	0.54	0.09	0.211	Pass
9/8/2023 4:11:00 AM	0.19	0.30	0.06	-0.11	Pass		0.54	0.54	0.09	-0.009	Pass
Detector 8											
9/7/2023 4:09:00 AM	0.08	0.21	0.06	-0.13	Pass		0.40	0.51	0.10	-0.110	Pass
9/8/2023 4:12:00 AM	0.11	0.21	0.06	-0.10	Pass		0.26	0.51	0.10	-0.250	Pass
Detector 9											
9/7/2023 4:09:00 AM	0.16	0.18	0.05	-0.03	Pass		0.43	0.41	0.07	0.019	Pass
9/8/2023 4:12:00 AM	0.10	0.18	0.05	-0.08	Pass		0.34	0.41	0.07	-0.067	Pass
Detector 10											
9/7/2023 4:09:00 AM	0.09	0.20	0.05	-0.12	Pass		0.39	0.42	0.10	-0.035	Pass
9/8/2023 4:12:00 AM	0.10	0.20	0.05	-0.11	Pass		0.40	0.42	0.10	-0.020	Pass



Gas Proportional Counter Daily Quality Control Checks

Instrument: Blue

	AlphaBKG CPM	BKG Mean	BKG +/- limit	BKG Deviation	BKG Flag	BetaBKG CPM	BetaBKG Mean	BetaBKG +/- limit	BetaBKG Deviation	BetaBKG Flag
Detector 11										
9/7/2023 4:09:00 AM	0.08	0.19	0.04	-0.11	Pass	0.45	0.50	0.09	-0.058	Pass
9/8/2023 4:12:00 AM	0.11	0.19	0.04	-0.08	Pass	0.51	0.50	0.09	0.007	Pass
Detector 12										
9/7/2023 4:09:00 AM	0.13	0.28	0.05	-0.15	FAIL	0.50	0.51	0.09	-0.011	Pass
9/8/2023 4:12:00 AM	0.14	0.28	0.05	-0.14	Pass	0.49	0.51	0.09	-0.016	Pass
Detector 13										
9/7/2023 4:09:00 AM	0.06	0.21	0.05	-0.16	FAIL	0.26	0.43	0.09	-0.166	Pass
9/8/2023 4:12:00 AM	0.14	0.21	0.05	-0.07	Pass	0.29	0.43	0.09	-0.136	Pass
Detector 14										
9/7/2023 4:09:00 AM	0.12	0.22	0.05	-0.10	Pass	0.31	0.41	0.09	-0.108	Pass
9/8/2023 4:13:00 AM	0.14	0.22	0.05	-0.08	Pass	0.33	0.41	0.09	-0.083	Pass
Detector 15										
9/7/2023 4:09:00 AM	0.17	0.23	0.05	-0.07	Pass	0.36	0.49	0.08	-0.135	Pass
9/8/2023 4:13:00 AM	0.13	0.23	0.05	-0.11	Pass	0.41	0.49	0.08	-0.085	Pass
Detector 16										
9/7/2023 4:08:00 AM	0.09	0.18	0.05	-0.09	Pass	0.41	0.56	0.34	-0.158	Pass
9/8/2023 4:13:00 AM	0.08	0.18	0.05	-0.11	Pass	0.33	0.56	0.34	-0.233	Pass
Detector 17										
9/7/2023 4:09:00 AM	0.10	0.22	0.04	-0.12	Pass	0.32	0.44	0.10	-0.119	Pass
9/8/2023 4:13:00 AM	0.14	0.22	0.04	-0.08	Pass	0.39	0.44	0.10	-0.054	Pass
Detector 18										
9/7/2023 4:09:00 AM	1.05	1.16	0.12	-0.12	Pass	1.33	1.31	0.19	0.012	Pass
9/8/2023 4:13:00 AM	0.81	1.16	0.12	-0.36	Pass	1.03	1.31	0.19	-0.283	Pass
Detector 19										
9/7/2023 4:09:00 AM	0.20	0.37	0.06	-0.17	Pass	0.47	0.63	0.12	-0.163	Pass
9/8/2023 4:13:00 AM	0.20	0.37	0.06	-0.17	Pass	0.64	0.63	0.12	0.007	Pass
Detector 20										
9/7/2023 4:09:00 AM	0.04	0.25	0.04	-0.21	FAIL	0.42	0.48	0.11	-0.058	Pass
9/8/2023 4:13:00 AM	0.05	0.25	0.04	-0.20	FAIL	0.32	0.48	0.11	-0.163	Pass
Detector 21										
9/7/2023 4:09:00 AM	0.03	0.24	0.04	-0.21	FAIL	0.17	0.37	0.07	-0.198	Pass
9/8/2023 4:12:00 AM	0.04	0.24	0.04	-0.21	FAIL	0.14	0.37	0.07	-0.228	FAIL

Gas Proportional Counter Daily Quality Control Checks

Instrument: Blue

	AlphaBKG CPM	BKG Mean	BKG +/- limit	BKG Deviation	BKG Flag	BetaBKG CPM	BetaBKG Mean	BetaBKG +/- limit	BetaBKG Deviation	BetaBKG Flag
Detector 22										
9/7/2023 4:09:00 AM	0.20	0.28	0.05	-0.08	Pass	0.33	0.42	0.09	-0.092	Pass
9/8/2023 4:12:00 AM	0.22	0.28	0.05	-0.06	Pass	0.30	0.42	0.09	-0.117	Pass
Detector 23										
9/7/2023 4:09:00 AM	0.40	0.48	0.06	-0.08	Pass	0.58	0.77	0.13	-0.186	Pass
9/8/2023 4:12:00 AM	0.38	0.48	0.06	-0.10	Pass	0.63	0.77	0.13	-0.136	Pass

The Alpha and Beta +/- limit are based upon initial 20-point population.

The Alpha and Beta +/- limit for Efficiency is stated at 3%. Flags are "FAIL" > 3%.

The Alpha and Beta +/- limit for Background is stated at 1 StDev. Flags are "FAIL" > 3 StDev.

The Alpha +/- limit for Crosstalk is stated at 1 StDev. Flags are "Warning > 2 StDev and "DOEF" > 3 StDev. Beta is negligible, for trend only ("NA").


Times shown reflect the end of the count duration.



Gas Proportional Counter Daily Quality Control Checks

Instrument: Blue

	Alpha CPM	Alpha Mean	Alpha +/- limit	Alpha Deviation	Alpha Flag	A>>B XT CPM	A>>B XT Mean	A>>B XT +/- limit	A>>B XT Deviation	A>>B XT Flag
Check Type = Alpha										
Detector 0										
9/7/2023 12:25:00 AM	9574.78	9731.78	291.95	-156.99	Pass	3607.00	3783.75	55.06	-176.750	DOEF
9/8/2023 12:23:00 AM	9552.78	9731.78	291.95	-179.00	Pass	3725.50	3783.75	55.06	-58.250	Pass
Detector 1										
9/7/2023 12:26:00 AM	11262.18	11203.08	336.09	59.10	Pass	4251.00	4270.00	56.54	-19.000	Pass
9/8/2023 12:24:00 AM	10937.07	11203.08	336.09	-266.00	Pass	4231.00	4270.00	56.54	-39.000	Pass
Detector 2										
9/7/2023 12:26:00 AM	10130.40	10359.33	310.78	-228.92	Pass	4003.00	4091.73	50.75	-88.725	Pass
9/8/2023 12:24:00 AM	10278.74	10359.33	310.78	-80.58	Pass	4116.00	4091.73	50.75	24.275	Pass
Detector 3										
9/7/2023 12:26:00 AM	11434.53	11400.95	342.03	33.58	Pass	4237.00	4294.73	42.38	-57.725	Pass
9/8/2023 12:24:00 AM	11294.29	11400.95	342.03	-106.66	Pass	4190.50	4294.73	42.38	-104.225	WARNING
Detector 4										
9/7/2023 12:27:00 AM	14135.97	14325.50	429.77	-189.53	Pass	6258.00	6338.90	205.79	-80.900	Pass
9/8/2023 12:24:00 AM	13996.75	14325.50	429.77	-328.75	Pass	6472.50	6338.90	205.79	133.600	Pass
Detector 5										
9/7/2023 12:27:00 AM	14937.58	14830.60	444.92	106.98	Pass	5432.00	5533.48	81.19	-101.475	Pass
9/8/2023 12:25:00 AM	14706.18	14830.60	444.92	-124.42	Pass	5479.00	5533.48	81.19	-54.475	Pass
Detector 6										
9/7/2023 12:27:00 AM	12161.49	12305.73	369.17	-144.23	Pass	4649.00	4715.55	63.03	-66.550	Pass
9/8/2023 12:25:00 AM	12164.55	12305.73	369.17	-141.17	Pass	4605.00	4715.55	63.03	-110.550	Pass
Detector 7										
9/7/2023 12:28:00 AM	12468.11	12708.25	381.25	-240.14	Pass	4848.50	4810.10	73.07	38.400	Pass
9/8/2023 12:25:00 AM	12231.69	12708.25	381.25	-476.56	FAIL	4858.00	4810.10	73.07	47.900	Pass
Detector 8										
9/7/2023 12:41:00 AM	9537.21	9451.15	283.53	86.06	Pass	3738.00	3851.33	50.28	-113.325	WARNING
9/8/2023 12:43:00 AM	9503.18	9451.15	283.53	52.03	Pass	3749.00	3851.33	50.28	-102.325	WARNING
Detector 9										
9/7/2023 12:42:00 AM	10981.61	10846.68	325.40	134.94	Pass	4177.50	4390.08	73.38	-212.575	WARNING
9/8/2023 12:44:00 AM	10811.82	10846.68	325.40	-34.85	Pass	4256.50	4390.08	73.38	-133.575	Pass
Detector 10										
9/7/2023 12:42:00 AM	10282.21	10386.65	311.60	-104.44	Pass	3902.00	4154.40	60.48	-252.400	DOEF
9/8/2023 12:44:00 AM	10228.64	10386.65	311.60	-158.01	Pass	3984.00	4154.40	60.48	-170.400	WARNING

**Gas Proportional Counter Daily Quality Control Checks****Instrument: Blue**

	Alpha CPM	Alpha Mean	Alpha +/- limit	Alpha Deviation	Alpha Flag	A>>B XT CPM	A>>B XT Mean	A>>B XT +/- limit	A>>B XT Deviation	A>>B XT Flag
Detector 11										
9/7/2023 12:42:00 AM	11354.87	11316.08	339.48	38.79	Pass	4367.00	4591.48	60.25	-224.475	DOEF
9/8/2023 12:44:00 AM	11329.36	11316.08	339.48	13.29	Pass	4334.50	4591.48	60.25	-256.975	DOEF
Detector 12										
9/7/2023 12:42:00 AM	14219.14	14250.38	427.51	-31.24	Pass	6326.00	6540.40	105.21	-214.400	WARNING
9/8/2023 12:45:00 AM	13945.65	14250.38	427.51	-304.73	Pass	6568.00	6540.40	105.21	27.600	Pass
Detector 13										
9/7/2023 12:42:00 AM	15357.43	15581.68	467.45	-224.24	Pass	4772.00	4978.43	68.62	-206.425	DOEF
9/8/2023 12:45:00 AM	15375.54	15581.68	467.45	-206.14	Pass	4915.00	4978.43	68.62	-63.425	Pass
Detector 14										
9/7/2023 12:43:00 AM	11302.26	11508.73	345.26	-206.46	Pass	5271.00	5412.75	104.76	-141.750	Pass
9/8/2023 12:45:00 AM	11096.40	11508.73	345.26	-412.33	FAIL	5390.50	5412.75	104.76	-22.250	Pass
Detector 15										
9/7/2023 12:43:00 AM	11856.88	12031.40	360.94	-174.52	Pass	5374.00	5413.25	103.25	-39.250	Pass
9/8/2023 12:46:00 AM	11858.43	12031.40	360.94	-172.97	Pass	5711.00	5413.25	103.25	297.750	WARNING
Detector 16										
9/7/2023 12:34:00 AM	9718.07	9639.28	289.18	78.79	Pass	3648.50	3817.55	37.67	-169.050	DOEF
9/8/2023 12:34:00 AM	9517.21	9639.28	289.18	-122.07	Pass	3781.50	3817.55	37.67	-36.050	Pass
Detector 17										
9/7/2023 12:34:00 AM	11048.75	11061.48	331.84	-12.73	Pass	4105.00	4226.70	53.61	-121.700	WARNING
9/8/2023 12:34:00 AM	11062.82	11061.48	331.84	1.35	Pass	4068.00	4226.70	53.61	-158.700	WARNING
Detector 18										
9/7/2023 12:35:00 AM	10682.00	10659.53	319.79	22.48	Pass	3830.00	3935.95	34.99	-105.950	DOEF
9/8/2023 12:35:00 AM	10639.97	10659.53	319.79	-19.56	Pass	3890.00	3935.95	34.99	-45.950	Pass
Detector 19										
9/7/2023 12:35:00 AM	11439.03	11467.10	344.01	-28.07	Pass	4451.00	4448.70	59.17	2.300	Pass
9/8/2023 12:35:00 AM	11383.97	11467.10	344.01	-83.13	Pass	4517.00	4448.70	59.17	68.300	Pass
Detector 20										
9/7/2023 12:35:00 AM	14551.80	14347.83	430.43	203.98	Pass	6679.00	6614.45	91.13	64.550	Pass
9/8/2023 12:36:00 AM	14279.31	14347.83	430.43	-68.51	Pass	6659.50	6614.45	91.13	45.050	Pass
Detector 21										
9/7/2023 12:36:00 AM	9880.39	9869.88	296.10	10.52	Pass	10270.00	10259.65	129.52	10.350	Pass
9/8/2023 12:36:00 AM	9429.03	9869.88	296.10	-440.85	FAIL	10560.00	10259.65	129.52	300.350	WARNING



Gas Proportional Counter Daily Quality Control Checks

Instrument: Blue


	Alpha CPM	Alpha Mean	Alpha +/- limit	Alpha Deviation	Alpha Flag	A>>B XT CPM	A>>B XT Mean	A>>B XT +/- limit	A>>B XT Deviation	A>>B XT Flag
Detector 22										
9/7/2023 12:36:00 AM	11762.18	11742.60	352.28	19.58	Pass	5309.00	5466.15	85.68	-157.150	Pass
9/8/2023 12:36:00 AM	11682.07	11742.60	352.28	-60.53	Pass	5414.50	5466.15	85.68	-51.650	Pass
Detector 23										
9/7/2023 12:36:00 AM	12078.82	12061.73	361.85	17.10	Pass	5795.50	5992.08	108.01	-196.575	Pass
9/8/2023 12:37:00 AM	12134.99	12061.73	361.85	73.26	Pass	5873.00	5992.08	108.01	-119.075	Pass



Gas Proportional Counter Daily Quality Control Checks

Instrument: Blue

	Beta CPM	Beta Mean	Beta +/- limit	Beta Deviation	Beta Flag	B>>A XT CPM	B>>A XT Mean	B>>A XT +/- limit	B>>A XT Deviation	B>>A XT Flag
Check Type = Beta										
Detector 0										
9/7/2023 12:38:00 AM	50037.35	50552.05	1516.56	-514.70	Pass	NA	NA	NA	NA	NA
9/8/2023 12:39:00 AM	49946.45	50552.05	1516.56	-605.60	Pass	NA	NA	NA	NA	NA
Detector 1										
9/7/2023 12:38:00 AM	48133.85	47641.23	1429.24	492.62	Pass	NA	NA	NA	NA	NA
9/8/2023 12:39:00 AM	48302.46	47641.23	1429.24	661.23	Pass	NA	NA	NA	NA	NA
Detector 2										
9/7/2023 12:39:00 AM	48878.41	49734.44	1492.03	-856.03	Pass	NA	NA	NA	NA	NA
9/8/2023 12:39:00 AM	49506.06	49734.44	1492.03	-228.38	Pass	NA	NA	NA	NA	NA
Detector 3										
9/7/2023 12:36:00 AM	59188.54	60167.98	1805.04	-979.44	Pass	NA	NA	NA	NA	NA
9/8/2023 12:39:00 AM	58882.83	60167.98	1805.04	-1285.15	Pass	NA	NA	NA	NA	NA
Detector 4										
9/7/2023 12:37:00 AM	47410.02	47227.93	1416.84	182.10	Pass	NA	NA	NA	NA	NA
9/8/2023 12:37:00 AM	47364.62	47227.93	1416.84	136.70	Pass	NA	NA	NA	NA	NA
Detector 5										
9/7/2023 12:37:00 AM	54756.79	55004.03	1650.12	-247.24	Pass	NA	NA	NA	NA	NA
9/8/2023 12:38:00 AM	55098.73	55004.03	1650.12	94.71	Pass	NA	NA	NA	NA	NA
Detector 6										
9/7/2023 12:37:00 AM	50631.20	52072.68	1562.18	-1441.47	Pass	NA	NA	NA	NA	NA
9/8/2023 12:38:00 AM	50570.01	52072.68	1562.18	-1502.66	Pass	NA	NA	NA	NA	NA
Detector 7										
9/7/2023 12:38:00 AM	43920.12	44302.58	1329.08	-382.45	Pass	NA	NA	NA	NA	NA
9/8/2023 12:38:00 AM	44162.87	44302.58	1329.08	-139.70	Pass	NA	NA	NA	NA	NA
Detector 8										
9/7/2023 12:28:00 AM	49473.12	49959.33	1498.78	-486.21	Pass	NA	NA	NA	NA	NA
9/8/2023 12:26:00 AM	49339.68	49959.33	1498.78	-619.64	Pass	NA	NA	NA	NA	NA
Detector 9										
9/7/2023 12:28:00 AM	47779.16	47696.08	1430.88	83.08	Pass	NA	NA	NA	NA	NA
9/8/2023 12:27:00 AM	47837.46	47696.08	1430.88	141.38	Pass	NA	NA	NA	NA	NA
Detector 10										
9/7/2023 12:29:00 AM	48923.63	50136.65	1504.10	-1213.02	Pass	NA	NA	NA	NA	NA
9/8/2023 12:27:00 AM	49248.53	50136.65	1504.10	-888.12	Pass	NA	NA	NA	NA	NA

**Gas Proportional Counter Daily Quality Control Checks****Instrument: Blue**


	Beta CPM	Beta Mean	Beta +/- limit	Beta Deviation	Beta Flag	B>>A XT CPM	B>>A XT Mean	B>>A XT +/- limit	B>>A XT Deviation	B>>A XT Flag
Detector 11										
9/7/2023 12:29:00 AM	59822.54	59951.55	1798.55	-129.01	Pass	NA	NA	NA	NA	NA
9/8/2023 12:27:00 AM	59893.70	59951.55	1798.55	-57.85	Pass	NA	NA	NA	NA	NA
Detector 12										
9/7/2023 12:29:00 AM	48755.12	49257.90	1477.74	-502.78	Pass	NA	NA	NA	NA	NA
9/8/2023 12:28:00 AM	48887.24	49257.90	1477.74	-370.66	Pass	NA	NA	NA	NA	NA
Detector 13										
9/7/2023 12:29:00 AM	54840.23	55607.20	1668.22	-766.97	Pass	NA	NA	NA	NA	NA
9/8/2023 12:26:00 AM	54777.72	55607.20	1668.22	-829.48	Pass	NA	NA	NA	NA	NA
Detector 14										
9/7/2023 12:30:00 AM	49584.56	50580.03	1517.40	-995.46	Pass	NA	NA	NA	NA	NA
9/8/2023 12:26:00 AM	49206.94	50580.03	1517.40	-1373.08	Pass	NA	NA	NA	NA	NA
Detector 15										
9/7/2023 12:30:00 AM	44393.04	45674.43	1370.23	-1281.38	Pass	NA	NA	NA	NA	NA
9/8/2023 12:26:00 AM	43739.99	45674.43	1370.23	-1934.43	FAIL	NA	NA	NA	NA	NA
Detector 16										
9/7/2023 12:45:00 AM	49790.75	49653.23	1489.60	137.53	Pass	NA	NA	NA	NA	NA
9/8/2023 12:46:00 AM	49506.75	49653.23	1489.60	-146.47	Pass	NA	NA	NA	NA	NA
Detector 17										
9/7/2023 12:45:00 AM	48206.67	48166.13	1444.98	40.55	Pass	NA	NA	NA	NA	NA
9/8/2023 12:46:00 AM	48156.43	48166.13	1444.98	-9.69	Pass	NA	NA	NA	NA	NA
Detector 18										
9/7/2023 12:45:00 AM	49375.32	49957.23	1498.72	-581.90	Pass	NA	NA	NA	NA	NA
9/8/2023 12:46:00 AM	49698.42	49957.23	1498.72	-258.80	Pass	NA	NA	NA	NA	NA
Detector 19										
9/7/2023 12:43:00 AM	59990.99	59167.80	1775.03	823.19	Pass	NA	NA	NA	NA	NA
9/8/2023 12:47:00 AM	59879.49	59167.80	1775.03	711.69	Pass	NA	NA	NA	NA	NA
Detector 20										
9/7/2023 12:44:00 AM	49401.07	49987.80	1499.63	-586.73	Pass	NA	NA	NA	NA	NA
9/8/2023 12:47:00 AM	49700.21	49987.80	1499.63	-287.59	Pass	NA	NA	NA	NA	NA
Detector 21										
9/7/2023 12:44:00 AM	46576.06	55281.80	1658.45	-8705.74	FAIL	NA	NA	NA	NA	NA
9/8/2023 12:47:00 AM	45626.04	55281.80	1658.45	-9655.76	FAIL	NA	NA	NA	NA	NA



Gas Proportional Counter Daily Quality Control Checks

Instrument: Blue

	Beta CPM	Beta Mean	Beta +/- limit	Beta Deviation	Beta Flag	B>>A XT CPM	B>>A XT Mean	B>>A XT +/- limit	B>>A XT Deviation	B>>A XT Flag
Detector 22										
9/7/2023 12:44:00 AM	51225.10	52477.75	1574.33	-1252.65	Pass	NA	NA	NA	NA	NA
9/8/2023 12:48:00 AM	51031.53	52477.75	1574.33	-1446.22	Pass	NA	NA	NA	NA	NA
Detector 23										
9/7/2023 12:44:00 AM	45103.13	46160.75	1384.82	-1057.62	Pass	NA	NA	NA	NA	NA
9/8/2023 12:48:00 AM	45025.91	46160.75	1384.82	-1134.84	Pass	NA	NA	NA	NA	NA



Gas Proportional Counter Daily Quality Control Checks

Instrument: Blue

	AlphaBKG CPM	BKG Mean	BKG +/- limit	BKG Deviation	BKG Flag	BetaBKG CPM	BetaBKG Mean	BetaBKG +/- limit	BetaBKG Deviation	BetaBKG Flag
Check Type = BKG										
Detector 0										
9/7/2023 4:09:00 AM	0.12	0.19	0.02	-0.07	FAIL	0.50	0.54	0.10	-0.041	Pass
9/8/2023 4:11:00 AM	0.11	0.19	0.02	-0.08	FAIL	0.42	0.54	0.10	-0.121	Pass
Detector 1										
9/7/2023 4:09:00 AM	0.12	0.23	0.03	-0.12	FAIL	0.38	0.47	0.07	-0.093	Pass
9/8/2023 4:11:00 AM	0.10	0.23	0.03	-0.14	FAIL	0.33	0.47	0.07	-0.144	Pass
Detector 2										
9/7/2023 4:09:00 AM	0.08	0.21	0.06	-0.14	Pass	0.35	0.54	0.11	-0.194	Pass
9/8/2023 4:11:00 AM	0.15	0.21	0.06	-0.07	Pass	0.37	0.54	0.11	-0.174	Pass
Detector 3										
9/7/2023 4:09:00 AM	0.37	0.24	0.04	0.13	FAIL	0.77	0.52	0.09	0.241	Pass
9/8/2023 4:11:00 AM	0.22	0.24	0.04	-0.02	Pass	0.51	0.52	0.09	-0.014	Pass
Detector 4										
9/7/2023 4:10:00 AM	0.19	0.23	0.04	-0.04	Pass	0.42	0.45	0.07	-0.030	Pass
9/8/2023 4:11:00 AM	0.17	0.23	0.04	-0.06	Pass	0.40	0.45	0.07	-0.050	Pass
Detector 5										
9/7/2023 4:10:00 AM	0.20	0.22	0.03	-0.03	Pass	0.47	0.44	0.08	0.027	Pass
9/8/2023 4:11:00 AM	0.14	0.22	0.03	-0.09	Pass	0.44	0.44	0.08	-0.003	Pass
Detector 6										
9/7/2023 4:10:00 AM	0.15	0.25	0.04	-0.10	Pass	0.30	0.46	0.07	-0.163	Pass
9/8/2023 4:11:00 AM	0.13	0.25	0.04	-0.12	Pass	0.33	0.46	0.07	-0.133	Pass
Detector 7										
9/7/2023 4:10:00 AM	0.21	0.30	0.06	-0.09	Pass	0.76	0.54	0.09	0.211	Pass
9/8/2023 4:11:00 AM	0.19	0.30	0.06	-0.11	Pass	0.54	0.54	0.09	-0.009	Pass
Detector 8										
9/7/2023 4:09:00 AM	0.08	0.21	0.06	-0.13	Pass	0.40	0.51	0.10	-0.110	Pass
9/8/2023 4:12:00 AM	0.11	0.21	0.06	-0.10	Pass	0.26	0.51	0.10	-0.250	Pass
Detector 9										
9/7/2023 4:09:00 AM	0.16	0.18	0.05	-0.03	Pass	0.43	0.41	0.07	0.019	Pass
9/8/2023 4:12:00 AM	0.10	0.18	0.05	-0.08	Pass	0.34	0.41	0.07	-0.067	Pass
Detector 10										
9/7/2023 4:09:00 AM	0.09	0.20	0.05	-0.12	Pass	0.39	0.42	0.10	-0.035	Pass
9/8/2023 4:12:00 AM	0.10	0.20	0.05	-0.11	Pass	0.40	0.42	0.10	-0.020	Pass

Gas Proportional Counter Daily Quality Control Checks

Instrument: Blue

	AlphaBKG CPM	BKG Mean	BKG +/- limit	BKG Deviation	BKG Flag	BetaBKG CPM	BetaBKG Mean	BetaBKG +/- limit	BetaBKG Deviation	BetaBKG Flag
Detector 11										
9/7/2023 4:09:00 AM	0.08	0.19	0.04	-0.11	Pass	0.45	0.50	0.09	-0.058	Pass
9/8/2023 4:12:00 AM	0.11	0.19	0.04	-0.08	Pass	0.51	0.50	0.09	0.007	Pass
Detector 12										
9/7/2023 4:09:00 AM	0.13	0.28	0.05	-0.15	FAIL	0.50	0.51	0.09	-0.011	Pass
9/8/2023 4:12:00 AM	0.14	0.28	0.05	-0.14	Pass	0.49	0.51	0.09	-0.016	Pass
Detector 13										
9/7/2023 4:09:00 AM	0.06	0.21	0.05	-0.16	FAIL	0.26	0.43	0.09	-0.166	Pass
9/8/2023 4:12:00 AM	0.14	0.21	0.05	-0.07	Pass	0.29	0.43	0.09	-0.136	Pass
Detector 14										
9/7/2023 4:09:00 AM	0.12	0.22	0.05	-0.10	Pass	0.31	0.41	0.09	-0.108	Pass
9/8/2023 4:13:00 AM	0.14	0.22	0.05	-0.08	Pass	0.33	0.41	0.09	-0.083	Pass
Detector 15										
9/7/2023 4:09:00 AM	0.17	0.23	0.05	-0.07	Pass	0.36	0.49	0.08	-0.135	Pass
9/8/2023 4:13:00 AM	0.13	0.23	0.05	-0.11	Pass	0.41	0.49	0.08	-0.085	Pass
Detector 16										
9/7/2023 4:08:00 AM	0.09	0.18	0.05	-0.09	Pass	0.41	0.56	0.34	-0.158	Pass
9/8/2023 4:13:00 AM	0.08	0.18	0.05	-0.11	Pass	0.33	0.56	0.34	-0.233	Pass
Detector 17										
9/7/2023 4:09:00 AM	0.10	0.22	0.04	-0.12	Pass	0.32	0.44	0.10	-0.119	Pass
9/8/2023 4:13:00 AM	0.14	0.22	0.04	-0.08	Pass	0.39	0.44	0.10	-0.054	Pass
Detector 18										
9/7/2023 4:09:00 AM	1.05	1.16	0.12	-0.12	Pass	1.33	1.31	0.19	0.012	Pass
9/8/2023 4:13:00 AM	0.81	1.16	0.12	-0.36	Pass	1.03	1.31	0.19	-0.283	Pass
Detector 19										
9/7/2023 4:09:00 AM	0.20	0.37	0.06	-0.17	Pass	0.47	0.63	0.12	-0.163	Pass
9/8/2023 4:13:00 AM	0.20	0.37	0.06	-0.17	Pass	0.64	0.63	0.12	0.007	Pass
Detector 20										
9/7/2023 4:09:00 AM	0.04	0.25	0.04	-0.21	FAIL	0.42	0.48	0.11	-0.058	Pass
9/8/2023 4:13:00 AM	0.05	0.25	0.04	-0.20	FAIL	0.32	0.48	0.11	-0.163	Pass
Detector 21										
9/7/2023 4:09:00 AM	0.03	0.24	0.04	-0.21	FAIL	0.17	0.37	0.07	-0.198	Pass
9/8/2023 4:12:00 AM	0.04	0.24	0.04	-0.21	FAIL	0.14	0.37	0.07	-0.228	FAIL

Gas Proportional Counter Daily Quality Control Checks

Instrument: Blue

	AlphaBKG CPM	BKG Mean	BKG +/- limit	BKG Deviation	BKG Flag	BetaBKG CPM	BetaBKG Mean	BetaBKG +/- limit	BetaBKG Deviation	BetaBKG Flag
Detector 22										
9/7/2023 4:09:00 AM	0.20	0.28	0.05	-0.08	Pass	0.33	0.42	0.09	-0.092	Pass
9/8/2023 4:12:00 AM	0.22	0.28	0.05	-0.06	Pass	0.30	0.42	0.09	-0.117	Pass
Detector 23										
9/7/2023 4:09:00 AM	0.40	0.48	0.06	-0.08	Pass	0.58	0.77	0.13	-0.186	Pass
9/8/2023 4:12:00 AM	0.38	0.48	0.06	-0.10	Pass	0.63	0.77	0.13	-0.136	Pass

The Alpha and Beta +/- limit are based upon initial 20-point population.

The Alpha and Beta +/- limit for Efficiency is stated at 3%. Flags are "FAIL" > 3%.

The Alpha and Beta +/- limit for Background is stated at 1 StDev. Flags are "FAIL" > 3 StDev.

The Alpha +/- limit for Crosstalk is stated at 1 StDev. Flags are "Warning > 2 StDev and "DOEF" > 3 StDev. Beta is negligible, for trend only ("NA").

Times shown reflect the end of the count duration.



Gas Proportional Counter Daily Quality Control Checks

Instrument: Orange

	Alpha CPM	Alpha Mean	Alpha +/- limit	Alpha Deviation	Alpha Flag	A>>B XT CPM	A>>B XT Mean	A>>B XT +/- limit	A>>B XT Deviation	A>>B XT Flag
Check Type = Alpha										
Detector 0										
8/30/2023 1:01:00 AM	9859.61	10277.20	308.32	-417.59	FAIL	3536.50	3597.60	54.45	-61.100	Pass
8/31/2023 1:01:00 AM	9846.11	10277.20	308.32	-431.09	FAIL	3468.00	3597.60	54.45	-129.600	WARNING
Detector 1										
8/30/2023 1:01:00 AM	11048.82	11473.33	344.20	-424.50	FAIL	4074.50	4331.20	68.54	-256.700	DOEF
8/31/2023 1:02:00 AM	11009.25	11473.33	344.20	-464.08	FAIL	4090.50	4331.20	68.54	-240.700	DOEF
Detector 2										
8/30/2023 1:01:00 AM	10461.49	11257.50	337.73	-796.01	FAIL	3908.00	4094.70	69.24	-186.700	WARNING
8/31/2023 1:02:00 AM	10499.15	11257.50	337.73	-758.35	FAIL	3909.00	4094.70	69.24	-185.700	WARNING
Detector 3										
8/30/2023 1:01:00 AM	11036.32	11779.10	353.37	-742.78	FAIL	4602.00	4423.38	66.03	178.625	WARNING
8/31/2023 1:03:00 AM	11101.58	11779.10	353.37	-677.52	FAIL	4682.50	4423.38	66.03	259.125	DOEF
Detector 4										
8/30/2023 1:02:00 AM	14614.63	14794.15	443.82	-179.52	Pass	6456.50	6401.25	95.24	55.250	Pass
8/31/2023 1:03:00 AM	14214.43	14794.15	443.82	-579.72	FAIL	6515.00	6401.25	95.24	113.750	Pass
Detector 5										
8/30/2023 1:02:00 AM	15171.88	15011.80	450.35	160.08	Pass	5422.00	6014.78	68.39	-592.775	DOEF
8/31/2023 1:03:00 AM	15122.29	15011.80	450.35	110.49	Pass	5421.00	6014.78	68.39	-593.775	DOEF
Detector 6										
8/30/2023 1:02:00 AM	11692.35	12797.33	383.92	-1104.97	FAIL	4976.50	5402.30	82.99	-425.800	DOEF
8/31/2023 1:03:00 AM	11695.91	12797.33	383.92	-1101.41	FAIL	5014.50	5402.30	82.99	-387.800	DOEF
Detector 7										
8/30/2023 1:03:00 AM	12395.62	13309.73	399.29	-914.10	FAIL	5137.00	5272.40	65.64	-135.400	WARNING
8/31/2023 1:04:00 AM	12627.91	13309.73	399.29	-681.82	FAIL	5052.50	5272.40	65.64	-219.900	DOEF
Detector 8										
8/30/2023 1:12:00 AM	9806.96	10335.73	310.07	-528.77	FAIL	3532.00	3852.45	48.76	-320.450	DOEF
8/31/2023 1:09:00 AM	9799.98	10335.73	310.07	-535.75	FAIL	3619.50	3852.45	48.76	-232.950	DOEF
Detector 9										
8/30/2023 1:12:00 AM	11294.16	11676.73	350.30	-382.56	FAIL	4060.00	4282.35	52.85	-222.350	DOEF
8/31/2023 1:09:00 AM	11377.98	11676.73	350.30	-298.75	Pass	4101.00	4282.35	52.85	-181.350	DOEF
Detector 11										
8/30/2023 1:12:00 AM	11741.02	12112.38	363.37	-371.36	FAIL	4248.50	4358.93	60.77	-110.425	Pass
8/31/2023 1:09:00 AM	11697.43	12112.38	363.37	-414.94	FAIL	4239.50	4358.93	60.77	-119.425	Pass

Gas Proportional Counter Daily Quality Control Checks

Instrument: Orange

	Alpha CPM	Alpha Mean	Alpha +/- limit	Alpha Deviation	Alpha Flag	A>>B XT CPM	A>>B XT Mean	A>>B XT +/- limit	A>>B XT Deviation	A>>B XT Flag
Detector 12										
8/30/2023 1:13:00 AM	15300.71	15517.88	465.54	-217.16	Pass	5579.50	5581.38	55.65	-1.875	Pass
8/31/2023 1:09:00 AM	15072.09	15517.88	465.54	-445.79	Pass	5521.50	5581.38	55.65	-59.875	Pass
Detector 13										
8/30/2023 1:13:00 AM	15308.41	15884.83	476.54	-576.41	FAIL	5171.00	5346.90	66.33	-175.900	WARNING
8/31/2023 1:10:00 AM	15452.44	15884.83	476.54	-432.39	Pass	5076.50	5346.90	66.33	-270.400	DOEF
Detector 14										
8/30/2023 1:13:00 AM	12460.01	13508.25	405.25	-1048.24	FAIL	4458.00	4788.33	59.74	-330.325	DOEF
8/31/2023 1:10:00 AM	12498.69	13508.25	405.25	-1009.56	FAIL	4537.00	4788.33	59.74	-251.325	DOEF
Detector 15										
8/30/2023 1:13:00 AM	13044.91	13855.23	415.66	-810.32	FAIL	4787.00	4728.98	105.00	58.025	Pass
8/31/2023 1:10:00 AM	12883.44	13855.23	415.66	-971.78	FAIL	4710.50	4728.98	105.00	-18.475	Pass
Detector 20										
8/30/2023 12:50:00 AM	15441.20	15595.13	467.85	-153.93	Pass	5233.50	5412.58	61.33	-179.075	WARNING
8/31/2023 12:48:00 AM	15301.81	15595.13	467.85	-293.31	Pass	5284.50	5412.58	61.33	-128.075	WARNING
Detector 21										
8/30/2023 12:50:00 AM	15334.35	15748.85	472.47	-414.50	Pass	5224.50	5428.88	52.55	-204.375	DOEF
8/31/2023 12:48:00 AM	15288.77	15748.85	472.47	-460.08	Pass	5276.00	5428.88	52.55	-152.875	WARNING
Detector 22										
8/30/2023 12:51:00 AM	12303.00	13242.35	397.27	-939.35	FAIL	4614.50	4980.40	60.42	-365.900	DOEF
8/31/2023 12:48:00 AM	12425.95	13242.35	397.27	-816.40	FAIL	4682.50	4980.40	60.42	-297.900	DOEF
Detector 23										
8/30/2023 12:51:00 AM	12694.27	13617.98	408.54	-923.71	FAIL	4827.50	5092.00	64.25	-264.500	DOEF
8/31/2023 12:48:00 AM	12777.60	13617.98	408.54	-840.38	FAIL	4871.00	5092.00	64.25	-221.000	DOEF

Gas Proportional Counter Daily Quality Control Checks

Instrument: Orange

	Beta CPM	Beta Mean	Beta +/- limit	Beta Deviation	Beta Flag	B>>A XT CPM	B>>A XT Mean	B>>A XT +/- limit	B>>A XT Deviation	B>>A XT Flag
Check Type = Beta										
Detector 0										
8/30/2023 1:13:00 AM	49015.80	49935.03	1498.05	-919.23	Pass	NA	NA	NA	NA	NA
8/31/2023 1:10:00 AM	49318.42	49935.03	1498.05	-616.61	Pass	NA	NA	NA	NA	NA
Detector 1										
8/30/2023 1:13:00 AM	47055.39	48521.48	1455.64	-1466.08	FAIL	NA	NA	NA	NA	NA
8/31/2023 1:10:00 AM	46703.47	48521.48	1455.64	-1818.01	FAIL	NA	NA	NA	NA	NA
Detector 2										
8/30/2023 1:13:00 AM	48496.50	49918.95	1497.57	-1422.45	Pass	NA	NA	NA	NA	NA
8/31/2023 1:10:00 AM	48109.14	49918.95	1497.57	-1809.81	FAIL	NA	NA	NA	NA	NA
Detector 3										
8/30/2023 1:14:00 AM	57013.86	59069.20	1772.08	-2055.34	FAIL	NA	NA	NA	NA	NA
8/31/2023 1:10:00 AM	57488.87	59069.20	1772.08	-1580.33	Pass	NA	NA	NA	NA	NA
Detector 4										
8/30/2023 1:14:00 AM	48107.63	48513.93	1455.42	-406.30	Pass	NA	NA	NA	NA	NA
8/31/2023 1:11:00 AM	48282.92	48513.93	1455.42	-231.00	Pass	NA	NA	NA	NA	NA
Detector 5										
8/30/2023 1:14:00 AM	54620.24	54077.08	1622.31	543.17	Pass	NA	NA	NA	NA	NA
8/31/2023 1:11:00 AM	54744.68	54077.08	1622.31	667.60	Pass	NA	NA	NA	NA	NA
Detector 6										
8/30/2023 1:14:00 AM	49756.55	49158.55	1474.76	598.00	Pass	NA	NA	NA	NA	NA
8/31/2023 1:11:00 AM	49416.83	49158.55	1474.76	258.28	Pass	NA	NA	NA	NA	NA
Detector 7										
8/30/2023 1:15:00 AM	44219.17	45414.23	1362.43	-1195.06	Pass	NA	NA	NA	NA	NA
8/31/2023 1:09:00 AM	44370.96	45414.23	1362.43	-1043.26	Pass	NA	NA	NA	NA	NA
Detector 8										
8/30/2023 1:03:00 AM	49157.18	49452.15	1483.56	-294.97	Pass	NA	NA	NA	NA	NA
8/31/2023 1:04:00 AM	49212.13	49452.15	1483.56	-240.02	Pass	NA	NA	NA	NA	NA
Detector 9										
8/30/2023 1:03:00 AM	48060.34	48747.90	1462.44	-687.56	Pass	NA	NA	NA	NA	NA
8/31/2023 1:04:00 AM	47876.24	48747.90	1462.44	-871.66	Pass	NA	NA	NA	NA	NA
Detector 11										
8/30/2023 1:03:00 AM	59565.69	59142.43	1774.27	423.27	Pass	NA	NA	NA	NA	NA
8/31/2023 1:04:00 AM	59165.80	59142.43	1774.27	23.38	Pass	NA	NA	NA	NA	NA



Gas Proportional Counter Daily Quality Control Checks

Instrument: Orange

	Beta CPM	Beta Mean	Beta +/- limit	Beta Deviation	Beta Flag	B>>A XT CPM	B>>A XT Mean	B>>A XT +/- limit	B>>A XT Deviation	B>>A XT Flag
Detector 12										
8/30/2023 1:03:00 AM	48903.89	49073.15	1472.19	-169.26	Pass		NA	NA	NA	NA
8/31/2023 1:04:00 AM	48739.18	49073.15	1472.19	-333.97	Pass		NA	NA	NA	NA
Detector 13										
8/30/2023 1:03:00 AM	55162.97	55204.43	1656.13	-41.45	Pass		NA	NA	NA	NA
8/31/2023 1:04:00 AM	54979.35	55204.43	1656.13	-225.07	Pass		NA	NA	NA	NA
Detector 14										
8/30/2023 1:03:00 AM	50770.83	51681.73	1550.45	-910.90	Pass		NA	NA	NA	NA
8/31/2023 1:05:00 AM	50176.87	51681.73	1550.45	-1504.85	Pass		NA	NA	NA	NA
Detector 15										
8/30/2023 1:04:00 AM	44775.32	44769.68	1343.09	5.65	Pass		NA	NA	NA	NA
8/31/2023 1:05:00 AM	45074.69	44769.68	1343.09	305.02	Pass		NA	NA	NA	NA
Detector 20										
8/30/2023 12:57:00 AM	48356.62	48680.95	1460.43	-324.33	Pass		NA	NA	NA	NA
8/31/2023 12:54:00 AM	48440.66	48680.95	1460.43	-240.29	Pass		NA	NA	NA	NA
Detector 21										
8/30/2023 12:57:00 AM	54361.17	55234.63	1657.04	-873.46	Pass		NA	NA	NA	NA
8/31/2023 12:54:00 AM	55062.73	55234.63	1657.04	-171.89	Pass		NA	NA	NA	NA
Detector 22										
8/30/2023 12:57:00 AM	50701.43	52617.68	1578.53	-1916.25	FAIL		NA	NA	NA	NA
8/31/2023 12:54:00 AM	50662.27	52617.68	1578.53	-1955.41	FAIL		NA	NA	NA	NA
Detector 23										
8/30/2023 12:57:00 AM	43836.22	45356.30	1360.69	-1520.08	FAIL		NA	NA	NA	NA
8/31/2023 12:54:00 AM	44622.31	45356.30	1360.69	-733.99	Pass		NA	NA	NA	NA

Gas Proportional Counter Daily Quality Control Checks

Instrument: Orange

	AlphaBKG CPM	BKG Mean	BKG +/- limit	BKG Deviation	BKG Flag	BetaBKG CPM	BetaBKG Mean	BetaBKG +/- limit	BetaBKG Deviation	BetaBKG Flag
Check Type = BKG										
Detector 0										
8/30/2023 4:42:00 AM	0.07	0.18	0.04	-0.12	FAIL	0.36	0.40	0.07	-0.048	Pass
8/31/2023 4:37:00 AM	0.08	0.18	0.04	-0.10	Pass	0.45	0.40	0.07	0.042	Pass
Detector 1										
8/30/2023 4:42:00 AM	0.10	0.18	0.04	-0.08	Pass	0.38	0.31	0.05	0.067	Pass
8/31/2023 4:38:00 AM	0.15	0.18	0.04	-0.04	Pass	0.29	0.31	0.05	-0.023	Pass
Detector 2										
8/30/2023 4:43:00 AM	0.09	0.16	0.04	-0.07	Pass	0.21	0.32	0.04	-0.111	Pass
8/31/2023 4:39:00 AM	0.12	0.16	0.04	-0.04	Pass	0.33	0.32	0.04	0.004	Pass
Detector 3										
8/30/2023 4:43:00 AM	0.23	0.36	0.05	-0.13	Pass	0.49	0.49	0.08	0.001	Pass
8/31/2023 4:39:00 AM	0.15	0.36	0.05	-0.21	FAIL	0.34	0.49	0.08	-0.149	Pass
Detector 4										
8/30/2023 4:43:00 AM	0.11	0.20	0.03	-0.09	Pass	0.40	0.35	0.05	0.045	Pass
8/31/2023 4:40:00 AM	0.13	0.20	0.03	-0.07	Pass	0.23	0.35	0.05	-0.130	Pass
Detector 5										
8/30/2023 4:43:00 AM	0.10	0.19	0.04	-0.10	Pass	0.36	0.35	0.07	0.014	Pass
8/31/2023 4:40:00 AM	0.10	0.19	0.04	-0.09	Pass	0.22	0.35	0.07	-0.131	Pass
Detector 6										
8/30/2023 4:43:00 AM	0.08	0.20	0.04	-0.12	Pass	0.52	0.33	0.05	0.193	FAIL
8/31/2023 4:41:00 AM	0.09	0.20	0.04	-0.11	Pass	0.48	0.33	0.05	0.153	Pass
Detector 7										
8/30/2023 4:44:00 AM	0.14	0.20	0.05	-0.06	Pass	0.27	0.44	0.10	-0.171	Pass
8/31/2023 4:41:00 AM	0.14	0.20	0.05	-0.06	Pass	0.47	0.44	0.10	0.030	Pass
Detector 8										
8/30/2023 4:44:00 AM	0.11	0.16	0.03	-0.05	Pass	0.45	0.29	0.17	0.164	Pass
8/31/2023 4:42:00 AM	0.08	0.16	0.03	-0.08	Pass	0.47	0.29	0.17	0.179	Pass
Detector 9										
8/30/2023 4:44:00 AM	0.06	0.15	0.04	-0.09	Pass	0.38	0.29	0.17	0.084	Pass
8/31/2023 4:42:00 AM	0.10	0.15	0.04	-0.05	Pass	0.44	0.29	0.17	0.149	Pass
Detector 11										
8/30/2023 4:44:00 AM	0.07	0.21	0.04	-0.15	FAIL	0.43	0.44	0.26	-0.013	Pass
8/31/2023 4:43:00 AM	0.10	0.21	0.04	-0.12	Pass	0.57	0.44	0.26	0.128	Pass

Gas Proportional Counter Daily Quality Control Checks

Instrument: Orange

	AlphaBKG CPM	BKG Mean	BKG +/- limit	BKG Deviation	BKG Flag	BetaBKG CPM	BetaBKG Mean	BetaBKG +/- limit	BetaBKG Deviation	BetaBKG Flag
Detector 12										
8/30/2023 4:45:00 AM	0.12	0.20	0.05	-0.08	Pass	0.24	0.38	0.12	-0.143	Pass
8/31/2023 4:43:00 AM	0.12	0.20	0.05	-0.08	Pass	0.37	0.38	0.12	-0.018	Pass
Detector 13										
8/30/2023 4:45:00 AM	0.10	0.19	0.03	-0.09	Pass	0.28	0.39	0.13	-0.106	Pass
8/31/2023 4:43:00 AM	0.10	0.19	0.03	-0.09	Pass	0.27	0.39	0.13	-0.116	Pass
Detector 14										
8/30/2023 4:45:00 AM	0.06	0.20	0.03	-0.14	FAIL	0.21	0.37	0.14	-0.159	Pass
8/31/2023 4:43:00 AM	0.12	0.20	0.03	-0.08	Pass	0.31	0.37	0.14	-0.059	Pass
Detector 15										
8/30/2023 4:45:00 AM	0.09	0.18	0.03	-0.10	FAIL	0.49	0.35	0.09	0.136	Pass
8/31/2023 4:43:00 AM	0.10	0.18	0.03	-0.09	Pass	0.45	0.35	0.09	0.096	Pass
Detector 20										
8/30/2023 4:46:00 AM	0.09	0.25	0.04	-0.17	FAIL	0.33	0.52	0.13	-0.194	Pass
8/31/2023 4:35:00 AM	0.05	0.25	0.04	-0.20	FAIL	0.31	0.52	0.13	-0.214	Pass
Detector 21										
8/30/2023 4:46:00 AM	0.09	0.18	0.04	-0.09	Pass	0.29	0.41	0.10	-0.116	Pass
8/31/2023 4:35:00 AM	0.08	0.18	0.04	-0.10	Pass	0.30	0.41	0.10	-0.106	Pass
Detector 22										
8/30/2023 4:46:00 AM	0.13	0.20	0.04	-0.08	Pass	0.33	0.50	0.13	-0.174	Pass
8/31/2023 4:37:00 AM	0.09	0.20	0.04	-0.11	Pass	0.37	0.50	0.13	-0.134	Pass
Detector 23										
8/30/2023 4:46:00 AM	0.06	0.20	0.04	-0.14	FAIL	0.31	0.50	0.12	-0.195	Pass
8/31/2023 4:37:00 AM	0.14	0.20	0.04	-0.06	Pass	0.37	0.50	0.12	-0.140	Pass

The Alpha and Beta +/- limit are based upon initial 20-point population.

The Alpha and Beta +/- limit for Efficiency is stated at 3%. Flags are "FAIL" > 3%.


The Alpha and Beta +/- limit for Background is stated at 1 StDev. Flags are "FAIL" > 3 StDev.

The Alpha +/- limit for Crosstalk is stated at 1 StDev. Flags are "Warning > 2 StDev and "DOEF" > 3 StDev. Beta is negligible, for trend only ("NA").

Times shown reflect the end of the count duration.

**Gas Proportional Counter Daily Quality Control Checks****Instrument: Purple**

	Alpha CPM	Alpha Mean	Alpha +/- limit	Alpha Deviation	Alpha Flag	A>>B XT CPM	A>>B XT Mean	A>>B XT +/- limit	A>>B XT Deviation	A>>B XT Flag
Check Type = Alpha										
Detector 0										
8/29/2023 12:43:00 AM	10120.62	10005.95	300.18	114.67	Pass	3482.00	3304.25	47.99	177.750	DOEF
8/30/2023 12:42:00 AM	9967.97	10005.95	300.18	-37.98	Pass	3346.00	3304.25	47.99	41.750	Pass
Detector 1										
8/29/2023 12:43:00 AM	11503.41	11474.00	344.22	29.41	Pass	3783.50	3668.10	92.50	115.400	Pass
8/30/2023 12:42:00 AM	11568.55	11474.00	344.22	94.55	Pass	3792.00	3668.10	92.50	123.900	Pass
Detector 2										
8/29/2023 12:43:00 AM	10801.00	10779.28	323.38	21.73	Pass	3728.50	3622.45	60.39	106.050	Pass
8/30/2023 12:42:00 AM	10756.49	10779.28	323.38	-22.78	Pass	3701.50	3622.45	60.39	79.050	Pass
Detector 3										
8/29/2023 12:43:00 AM	11471.87	11620.73	348.62	-148.85	Pass	4312.00	4154.53	83.95	157.475	Pass
8/30/2023 12:43:00 AM	11466.42	11620.73	348.62	-154.31	Pass	4276.00	4154.53	83.95	121.475	Pass
Detector 8										
8/29/2023 12:55:00 AM	9824.74	9904.33	297.13	-79.59	Pass	3454.50	3192.58	64.13	261.925	DOEF
8/30/2023 12:56:00 AM	9845.81	9904.33	297.13	-58.52	Pass	3376.00	3192.58	64.13	183.425	WARNING
Detector 9										
8/29/2023 12:55:00 AM	11261.10	11361.38	340.84	-100.27	Pass	3989.00	3899.85	43.84	89.150	WARNING
8/30/2023 12:56:00 AM	11332.74	11361.38	340.84	-28.63	Pass	4032.50	3899.85	43.84	132.650	DOEF
Detector 10										
8/29/2023 12:56:00 AM	10644.80	10759.58	322.79	-114.77	Pass	3884.50	3707.40	46.90	177.100	DOEF
8/30/2023 12:56:00 AM	10733.46	10759.58	322.79	-26.11	Pass	3860.50	3707.40	46.90	153.100	DOEF
Detector 11										
8/29/2023 12:56:00 AM	11368.74	11694.93	350.85	-326.18	Pass	4219.00	3629.48	107.65	589.525	DOEF
8/30/2023 12:57:00 AM	11358.78	11694.93	350.85	-336.15	Pass	4158.50	3629.48	107.65	529.025	DOEF
Detector 16										
8/29/2023 12:48:00 AM	9548.87	9851.13	295.53	-302.26	FAIL	3281.00	3068.29	89.69	212.711	WARNING
8/30/2023 12:50:00 AM	9711.12	9851.13	295.53	-140.01	Pass	3366.00	3068.29	89.69	297.711	DOEF
Detector 17										
8/29/2023 12:48:00 AM	11665.61	11664.32	349.93	1.30	Pass	3421.50	3276.32	55.74	145.184	WARNING
8/30/2023 12:50:00 AM	11587.56	11664.32	349.93	-76.75	Pass	3427.00	3276.32	55.74	150.684	WARNING
Detector 18										
8/29/2023 12:48:00 AM	10638.78	10763.16	322.89	-124.37	Pass	3909.50	3698.37	56.57	211.132	DOEF
8/30/2023 12:50:00 AM	10687.39	10763.16	322.89	-75.76	Pass	3874.50	3698.37	56.57	176.132	DOEF



Gas Proportional Counter Daily Quality Control Checks

Instrument: Purple

	Alpha CPM	Alpha Mean	Alpha +/- limit	Alpha Deviation	Alpha Flag	A>>B XT CPM	A>>B XT Mean	A>>B XT +/- limit	A>>B XT Deviation	A>>B XT Flag
Detector 19										
8/29/2023 12:48:00 AM	11879.39	11980.39	359.41	-101.00	Pass	4096.50	3947.45	80.92	149.053	Pass
8/30/2023 12:50:00 AM	11912.49	11980.39	359.41	-67.91	Pass	4124.00	3947.45	80.92	176.553	WARNING
Detector 20										
8/29/2023 12:43:00 AM	15518.61	15638.68	469.16	-120.08	Pass	5007.50	4996.66	60.03	10.842	Pass
8/30/2023 12:43:00 AM	15521.68	15638.68	469.16	-117.01	Pass	4965.50	4996.66	60.03	-31.158	Pass
Detector 21										
8/29/2023 12:43:00 AM	15190.68	15339.71	460.19	-149.03	Pass	5258.50	5084.89	57.28	173.605	DOEF
8/30/2023 12:43:00 AM	15348.45	15339.71	460.19	8.74	Pass	5224.50	5084.89	57.28	139.605	WARNING
Detector 22										
8/29/2023 12:43:00 AM	12509.71	12713.74	381.41	-204.03	Pass	4439.50	4136.55	78.76	302.947	DOEF
8/30/2023 12:43:00 AM	12549.31	12713.74	381.41	-164.42	Pass	4505.50	4136.55	78.76	368.947	DOEF
Detector 23										
8/29/2023 12:43:00 AM	12671.92	12915.71	387.47	-243.79	Pass	4972.50	4694.21	79.75	278.289	DOEF
8/30/2023 12:43:00 AM	12789.63	12915.71	387.47	-126.08	Pass	4926.00	4694.21	79.75	231.789	WARNING

Gas Proportional Counter Daily Quality Control Checks

Instrument: Purple

	Beta CPM	Beta Mean	Beta +/- limit	Beta Deviation	Beta Flag	B>>A XT CPM	B>>A XT Mean	B>>A XT +/- limit	B>>A XT Deviation	B>>A XT Flag
Check Type = Beta										
Detector 0										
8/29/2023 12:49:00 AM	49381.32	50226.98	1506.81	-845.66	Pass	NA	NA	NA	NA	NA
8/30/2023 12:50:00 AM	49863.33	50226.98	1506.81	-363.64	Pass	NA	NA	NA	NA	NA
Detector 1										
8/29/2023 12:49:00 AM	48139.33	48796.70	1463.90	-657.37	Pass	NA	NA	NA	NA	NA
8/30/2023 12:50:00 AM	48090.46	48796.70	1463.90	-706.24	Pass	NA	NA	NA	NA	NA
Detector 2										
8/29/2023 12:49:00 AM	49579.90	50875.48	1526.26	-1295.58	Pass	NA	NA	NA	NA	NA
8/30/2023 12:51:00 AM	49606.14	50875.48	1526.26	-1269.33	Pass	NA	NA	NA	NA	NA
Detector 3										
8/29/2023 12:49:00 AM	59294.70	60107.23	1803.22	-812.53	Pass	NA	NA	NA	NA	NA
8/30/2023 12:51:00 AM	59393.36	60107.23	1803.22	-713.87	Pass	NA	NA	NA	NA	NA
Detector 8										
8/29/2023 12:44:00 AM	49527.50	50025.35	1500.76	-497.85	Pass	NA	NA	NA	NA	NA
8/30/2023 12:44:00 AM	49851.75	50025.35	1500.76	-173.60	Pass	NA	NA	NA	NA	NA
Detector 9										
8/29/2023 12:44:00 AM	48094.40	48665.90	1459.98	-571.50	Pass	NA	NA	NA	NA	NA
8/30/2023 12:44:00 AM	47973.55	48665.90	1459.98	-692.35	Pass	NA	NA	NA	NA	NA
Detector 10										
8/29/2023 12:44:00 AM	49471.24	50649.48	1519.48	-1178.24	Pass	NA	NA	NA	NA	NA
8/30/2023 12:44:00 AM	49639.87	50649.48	1519.48	-1009.60	Pass	NA	NA	NA	NA	NA
Detector 11										
8/29/2023 12:44:00 AM	58730.12	59849.50	1795.49	-1119.38	Pass	NA	NA	NA	NA	NA
8/30/2023 12:44:00 AM	58674.28	59849.50	1795.49	-1175.22	Pass	NA	NA	NA	NA	NA
Detector 16										
8/29/2023 12:57:00 AM	49168.56	49489.98	1484.70	-321.42	Pass	NA	NA	NA	NA	NA
8/30/2023 12:57:00 AM	49222.91	49489.98	1484.70	-267.07	Pass	NA	NA	NA	NA	NA
Detector 17										
8/29/2023 12:57:00 AM	46046.29	46812.78	1404.38	-766.49	Pass	NA	NA	NA	NA	NA
8/30/2023 12:57:00 AM	46094.69	46812.78	1404.38	-718.09	Pass	NA	NA	NA	NA	NA
Detector 18										
8/29/2023 12:57:00 AM	49074.39	50124.63	1503.74	-1050.23	Pass	NA	NA	NA	NA	NA
8/30/2023 12:57:00 AM	49268.84	50124.63	1503.74	-855.78	Pass	NA	NA	NA	NA	NA

Gas Proportional Counter Daily Quality Control Checks

Instrument: Purple

	Beta CPM	Beta Mean	Beta +/- limit	Beta Deviation	Beta Flag	B>>A XT CPM	B>>A XT Mean	B>>A XT +/- limit	B>>A XT Deviation	B>>A XT Flag
Detector 19										
8/29/2023 12:57:00 AM	57516.66	57663.50	1729.91	-146.84	Pass	NA	NA	NA	NA	NA
8/30/2023 12:57:00 AM	57529.82	57663.50	1729.91	-133.68	Pass	NA	NA	NA	NA	NA
Detector 20										
8/29/2023 12:48:00 AM	49337.18	49753.68	1492.61	-416.49	Pass	NA	NA	NA	NA	NA
8/30/2023 12:50:00 AM	48959.19	49753.68	1492.61	-794.49	Pass	NA	NA	NA	NA	NA
Detector 21										
8/29/2023 12:49:00 AM	54763.72	54662.13	1639.86	101.59	Pass	NA	NA	NA	NA	NA
8/30/2023 12:50:00 AM	54876.43	54662.13	1639.86	214.31	Pass	NA	NA	NA	NA	NA
Detector 22										
8/29/2023 12:49:00 AM	51541.12	52239.03	1567.17	-697.91	Pass	NA	NA	NA	NA	NA
8/30/2023 12:50:00 AM	51346.99	52239.03	1567.17	-892.04	Pass	NA	NA	NA	NA	NA
Detector 23										
8/29/2023 12:49:00 AM	44734.97	45717.00	1371.51	-982.03	Pass	NA	NA	NA	NA	NA
8/30/2023 12:50:00 AM	44607.58	45717.00	1371.51	-1109.42	Pass	NA	NA	NA	NA	NA

Gas Proportional Counter Daily Quality Control Checks

Instrument: Purple

	AlphaBKG CPM	BKG Mean	BKG +/- limit	BKG Deviation	BKG Flag	BetaBKG CPM	BetaBKG Mean	BetaBKG +/- limit	BetaBKG Deviation	BetaBKG Flag
Check Type = BKG										
Detector 0										
8/29/2023 4:19:00 AM	0.12	0.25	0.04	-0.13	FAIL	3.41	0.55	0.07	2.858	FAIL
8/30/2023 4:20:00 AM	0.19	0.25	0.04	-0.06	Pass	3.35	0.55	0.07	2.803	FAIL
Detector 1										
8/29/2023 4:19:00 AM	0.35	0.62	0.06	-0.28	FAIL	0.49	0.83	0.09	-0.342	FAIL
8/30/2023 4:20:00 AM	0.45	0.62	0.06	-0.18	FAIL	0.74	0.83	0.09	-0.092	Pass
Detector 2										
8/29/2023 4:19:00 AM	0.15	0.27	0.04	-0.12	FAIL	0.47	0.54	0.08	-0.072	Pass
8/30/2023 4:20:00 AM	0.17	0.27	0.04	-0.10	Pass	0.50	0.54	0.08	-0.047	Pass
Detector 3										
8/29/2023 4:19:00 AM	0.14	0.25	0.03	-0.11	FAIL	2.58	0.47	0.07	2.101	FAIL
8/30/2023 4:20:00 AM	0.17	0.25	0.03	-0.08	Pass	2.56	0.47	0.07	2.081	FAIL
Detector 8										
8/29/2023 4:20:00 AM	0.13	0.21	0.03	-0.08	Pass	0.43	0.52	0.06	-0.087	Pass
8/30/2023 4:20:00 AM	0.13	0.21	0.03	-0.08	Pass	0.39	0.52	0.06	-0.132	Pass
Detector 9										
8/29/2023 4:19:00 AM	0.16	0.23	0.05	-0.07	Pass	0.35	0.48	0.09	-0.135	Pass
8/30/2023 4:21:00 AM	0.13	0.23	0.05	-0.10	Pass	0.41	0.48	0.09	-0.070	Pass
Detector 10										
8/29/2023 4:20:00 AM	0.19	0.21	0.03	-0.02	Pass	0.34	0.39	0.06	-0.055	Pass
8/30/2023 4:19:00 AM	0.16	0.21	0.03	-0.05	Pass	0.37	0.39	0.06	-0.025	Pass
Detector 11										
8/29/2023 4:20:00 AM	0.07	0.20	0.04	-0.13	FAIL	0.40	0.49	0.07	-0.091	Pass
8/30/2023 4:19:00 AM	0.07	0.20	0.04	-0.13	FAIL	0.40	0.49	0.07	-0.091	Pass
Detector 16										
8/29/2023 4:20:00 AM	0.15	0.19	0.04	-0.04	Pass	0.39	0.47	0.06	-0.081	Pass
8/30/2023 4:18:00 AM	0.11	0.19	0.04	-0.09	Pass	0.55	0.47	0.06	0.079	Pass
Detector 17										
8/29/2023 4:20:00 AM	0.11	0.22	0.05	-0.11	Pass	0.28	0.36	0.06	-0.086	Pass
8/30/2023 4:18:00 AM	0.14	0.22	0.05	-0.08	Pass	0.35	0.36	0.06	-0.011	Pass
Detector 18										
8/29/2023 4:20:00 AM	0.11	0.20	0.03	-0.09	FAIL	0.32	0.42	0.06	-0.109	Pass
8/30/2023 4:19:00 AM	0.14	0.20	0.03	-0.06	Pass	0.37	0.42	0.06	-0.059	Pass

Gas Proportional Counter Daily Quality Control Checks

Instrument: Purple

	AlphaBKG CPM	BKG Mean	BKG +/- limit	BKG Deviation	BKG Flag		BetaBKG CPM	BetaBKG Mean	BetaBKG +/- limit	BetaBKG Deviation	BetaBKG Flag
Detector 19											
8/29/2023 4:20:00 AM	0.13	0.23	0.04	-0.11	Pass		0.57	0.52	0.07	0.050	Pass
8/30/2023 4:19:00 AM	0.12	0.23	0.04	-0.12	FAIL		0.44	0.52	0.07	-0.085	Pass
Detector 20											
8/29/2023 4:20:00 AM	0.17	0.24	0.04	-0.07	Pass		0.37	0.47	0.08	-0.104	Pass
8/30/2023 4:19:00 AM	0.09	0.24	0.04	-0.15	FAIL		0.41	0.47	0.08	-0.064	Pass
Detector 21											
8/29/2023 4:20:00 AM	0.14	0.21	0.04	-0.07	Pass		0.21	0.27	0.04	-0.062	Pass
8/30/2023 4:19:00 AM	0.10	0.21	0.04	-0.11	Pass		0.33	0.27	0.04	0.053	Pass
Detector 22											
8/29/2023 4:20:00 AM	0.09	0.22	0.04	-0.13	Pass		0.27	0.28	0.04	-0.017	Pass
8/30/2023 4:20:00 AM	0.15	0.22	0.04	-0.07	Pass		0.28	0.28	0.04	-0.002	Pass
Detector 23											
8/29/2023 4:20:00 AM	0.28	0.90	0.14	-0.63	FAIL		0.25	0.71	0.16	-0.465	Pass
8/30/2023 4:20:00 AM	0.34	0.90	0.14	-0.57	FAIL		0.32	0.71	0.16	-0.395	Pass

The Alpha and Beta +/- limit are based upon initial 20-point population.

The Alpha and Beta +/- limit for Efficiency is stated at 3%. Flags are "FAIL" > 3%.


The Alpha and Beta +/- limit for Background is stated at 1 StDev. Flags are "FAIL" > 3 StDev.

The Alpha +/- limit for Crosstalk is stated at 1 StDev. Flags are "Warning > 2 StDev and "DOEF" > 3 StDev. Beta is negligible, for trend only ("NA").

Times shown reflect the end of the count duration.

**Gas Proportional Counter Daily Quality Control Checks****Instrument: Purple**

	Alpha CPM	Alpha Mean	Alpha +/- limit	Alpha Deviation	Alpha Flag	A>>B XT CPM	A>>B XT Mean	A>>B XT +/- limit	A>>B XT Deviation	A>>B XT Flag
Check Type = Alpha										
Detector 0										
9/7/2023 12:48:00 AM	10032.90	10005.95	300.18	26.95	Pass	3361.50	3304.25	47.99	57.250	Pass
9/8/2023 12:50:00 AM	10064.99	10005.95	300.18	59.04	Pass	3359.50	3304.25	47.99	55.250	Pass
Detector 1										
9/7/2023 12:48:00 AM	11583.47	11474.00	344.22	109.47	Pass	3727.00	3668.10	92.50	58.900	Pass
9/8/2023 12:50:00 AM	11594.54	11474.00	344.22	120.54	Pass	3776.00	3668.10	92.50	107.900	Pass
Detector 2										
9/7/2023 12:49:00 AM	10549.09	10779.28	323.38	-230.18	Pass	3666.50	3622.45	60.39	44.050	Pass
9/8/2023 12:50:00 AM	10761.92	10779.28	323.38	-17.35	Pass	3684.00	3622.45	60.39	61.550	Pass
Detector 3										
9/7/2023 12:49:00 AM	11467.82	11620.73	348.62	-152.91	Pass	4245.00	4154.53	83.95	90.475	Pass
9/8/2023 12:50:00 AM	11421.31	11620.73	348.62	-199.42	Pass	4292.00	4154.53	83.95	137.475	Pass
Detector 8										
9/7/2023 12:58:00 AM	9852.16	9904.33	297.13	-52.16	Pass	3334.50	3192.58	64.13	141.925	WARNING
9/8/2023 1:03:00 AM	9778.61	9904.33	297.13	-125.72	Pass	3367.50	3192.58	64.13	174.925	WARNING
Detector 9										
9/7/2023 12:58:00 AM	11226.00	11361.38	340.84	-135.38	Pass	3883.50	3899.85	43.84	-16.350	Pass
9/8/2023 1:03:00 AM	11232.06	11361.38	340.84	-129.32	Pass	4029.00	3899.85	43.84	129.150	WARNING
Detector 10										
9/7/2023 12:58:00 AM	10593.65	10759.58	322.79	-165.92	Pass	3878.00	3707.40	46.90	170.600	DOEF
9/8/2023 1:03:00 AM	10658.79	10759.58	322.79	-100.79	Pass	3918.00	3707.40	46.90	210.600	DOEF
Detector 11										
9/7/2023 12:58:00 AM	11448.80	11694.93	350.85	-246.13	Pass	4026.50	3629.48	107.65	397.025	DOEF
9/8/2023 1:04:00 AM	11503.92	11694.93	350.85	-191.00	Pass	4111.50	3629.48	107.65	482.025	DOEF
Detector 16										
9/7/2023 12:55:00 AM	9797.08	9851.13	295.53	-54.05	Pass	3298.50	3068.29	89.69	230.211	WARNING
9/8/2023 1:00:00 AM	9855.20	9851.13	295.53	4.07	Pass	3354.00	3068.29	89.69	285.711	DOEF
Detector 17										
9/7/2023 12:55:00 AM	11617.01	11664.32	349.93	-47.31	Pass	3413.00	3276.32	55.74	136.684	WARNING
9/8/2023 12:57:00 AM	11576.51	11664.32	349.93	-87.81	Pass	3402.00	3276.32	55.74	125.684	WARNING
Detector 18										
9/7/2023 12:55:00 AM	10734.83	10763.16	322.89	-28.33	Pass	3867.50	3698.37	56.57	169.132	WARNING
9/8/2023 12:57:00 AM	10751.40	10763.16	322.89	-11.76	Pass	3877.50	3698.37	56.57	179.132	DOEF



Gas Proportional Counter Daily Quality Control Checks

Instrument: Purple

	Alpha CPM	Alpha Mean	Alpha +/- limit	Alpha Deviation	Alpha Flag	A>>B XT CPM	A>>B XT Mean	A>>B XT +/- limit	A>>B XT Deviation	A>>B XT Flag
Detector 19										
9/7/2023 12:55:00 AM	11890.88	11980.39	359.41	-89.52	Pass	4089.50	3947.45	80.92	142.053	Pass
9/8/2023 12:57:00 AM	11718.70	11980.39	359.41	-261.70	Pass	4142.50	3947.45	80.92	195.053	WARNING
Detector 20										
9/7/2023 12:50:00 AM	15573.79	15638.68	469.16	-64.89	Pass	5067.00	4996.66	60.03	70.342	Pass
9/8/2023 12:50:00 AM	15353.57	15638.68	469.16	-285.12	Pass	5072.00	4996.66	60.03	75.342	Pass
Detector 21										
9/7/2023 12:51:00 AM	15126.70	15339.71	460.19	-213.02	Pass	5228.50	5084.89	57.28	143.605	WARNING
9/8/2023 12:50:00 AM	15177.83	15339.71	460.19	-161.88	Pass	5241.00	5084.89	57.28	156.105	WARNING
Detector 22										
9/7/2023 12:51:00 AM	12636.37	12713.74	381.41	-77.37	Pass	4533.50	4136.55	78.76	396.947	DOEF
9/8/2023 12:51:00 AM	12569.34	12713.74	381.41	-144.40	Pass	4507.50	4136.55	78.76	370.947	DOEF
Detector 23										
9/7/2023 12:51:00 AM	12644.88	12915.71	387.47	-270.83	Pass	4947.00	4694.21	79.75	252.789	DOEF
9/8/2023 12:51:00 AM	12582.35	12915.71	387.47	-333.36	Pass	5098.00	4694.21	79.75	403.789	DOEF

Gas Proportional Counter Daily Quality Control Checks

Instrument: Purple

	Beta CPM	Beta Mean	Beta +/- limit	Beta Deviation	Beta Flag	B>>A XT CPM	B>>A XT Mean	B>>A XT +/- limit	B>>A XT Deviation	B>>A XT Flag
Check Type = Beta										
Detector 0										
9/7/2023 12:55:00 AM	49481.63	50226.98	1506.81	-745.34	Pass	NA	NA	NA	NA	NA
9/8/2023 1:00:00 AM	49575.90	50226.98	1506.81	-651.07	Pass	NA	NA	NA	NA	NA
Detector 1										
9/7/2023 12:55:00 AM	48416.85	48796.70	1463.90	-379.85	Pass	NA	NA	NA	NA	NA
9/8/2023 1:00:00 AM	48203.74	48796.70	1463.90	-592.96	Pass	NA	NA	NA	NA	NA
Detector 2										
9/7/2023 12:55:00 AM	50058.64	50875.48	1526.26	-816.83	Pass	NA	NA	NA	NA	NA
9/8/2023 1:00:00 AM	49925.78	50875.48	1526.26	-949.69	Pass	NA	NA	NA	NA	NA
Detector 3										
9/7/2023 12:55:00 AM	59401.19	60107.23	1803.22	-706.04	Pass	NA	NA	NA	NA	NA
9/8/2023 1:00:00 AM	59091.41	60107.23	1803.22	-1015.82	Pass	NA	NA	NA	NA	NA
Detector 8										
9/7/2023 12:49:00 AM	49694.82	50025.35	1500.76	-330.53	Pass	NA	NA	NA	NA	NA
9/8/2023 12:51:00 AM	49592.97	50025.35	1500.76	-432.38	Pass	NA	NA	NA	NA	NA
Detector 9										
9/7/2023 12:49:00 AM	48117.25	48665.90	1459.98	-548.65	Pass	NA	NA	NA	NA	NA
9/8/2023 12:51:00 AM	47886.59	48665.90	1459.98	-779.31	Pass	NA	NA	NA	NA	NA
Detector 10										
9/7/2023 12:50:00 AM	49415.62	50649.48	1519.48	-1233.86	Pass	NA	NA	NA	NA	NA
9/8/2023 12:51:00 AM	49726.26	50649.48	1519.48	-923.22	Pass	NA	NA	NA	NA	NA
Detector 11										
9/7/2023 12:50:00 AM	58604.17	59849.50	1795.49	-1245.33	Pass	NA	NA	NA	NA	NA
9/8/2023 12:51:00 AM	58965.40	59849.50	1795.49	-884.10	Pass	NA	NA	NA	NA	NA
Detector 16										
9/7/2023 12:58:00 AM	49075.42	49489.98	1484.70	-414.56	Pass	NA	NA	NA	NA	NA
9/8/2023 1:04:00 AM	49044.76	49489.98	1484.70	-445.22	Pass	NA	NA	NA	NA	NA
Detector 17										
9/7/2023 12:58:00 AM	46067.91	46812.78	1404.38	-744.86	Pass	NA	NA	NA	NA	NA
9/8/2023 1:04:00 AM	46100.26	46812.78	1404.38	-712.52	Pass	NA	NA	NA	NA	NA
Detector 18										
9/7/2023 12:58:00 AM	49265.00	50124.63	1503.74	-859.62	Pass	NA	NA	NA	NA	NA
9/8/2023 1:04:00 AM	49237.23	50124.63	1503.74	-887.40	Pass	NA	NA	NA	NA	NA

Gas Proportional Counter Daily Quality Control Checks

Instrument: Purple

	Beta CPM	Beta Mean	Beta +/- limit	Beta Deviation	Beta Flag	B>>A XT CPM	B>>A XT Mean	B>>A XT +/- limit	B>>A XT Deviation	B>>A XT Flag
Detector 19										
9/7/2023 12:58:00 AM	57607.04	57663.50	1729.91	-56.46	Pass	NA	NA	NA	NA	NA
9/8/2023 1:04:00 AM	57339.81	57663.50	1729.91	-323.69	Pass	NA	NA	NA	NA	NA
Detector 20										
9/7/2023 12:55:00 AM	49199.53	49753.68	1492.61	-554.15	Pass	NA	NA	NA	NA	NA
9/8/2023 12:57:00 AM	49131.28	49753.68	1492.61	-622.39	Pass	NA	NA	NA	NA	NA
Detector 21										
9/7/2023 12:55:00 AM	54715.27	54662.13	1639.86	53.15	Pass	NA	NA	NA	NA	NA
9/8/2023 12:59:00 AM	54820.58	54662.13	1639.86	158.45	Pass	NA	NA	NA	NA	NA
Detector 22										
9/7/2023 12:55:00 AM	51354.59	52239.03	1567.17	-884.44	Pass	NA	NA	NA	NA	NA
9/8/2023 12:59:00 AM	51116.09	52239.03	1567.17	-1122.94	Pass	NA	NA	NA	NA	NA
Detector 23										
9/7/2023 12:55:00 AM	44911.51	45717.00	1371.51	-805.49	Pass	NA	NA	NA	NA	NA
9/8/2023 12:59:00 AM	44801.86	45717.00	1371.51	-915.14	Pass	NA	NA	NA	NA	NA



Gas Proportional Counter Daily Quality Control Checks

Instrument: Purple

	AlphaBKG CPM	BKG Mean	BKG +/- limit	BKG Deviation	BKG Flag	BetaBKG CPM	BetaBKG Mean	BetaBKG +/- limit	BetaBKG Deviation	BetaBKG Flag
Check Type = BKG										
Detector 0										
9/7/2023 4:33:00 AM	0.15	0.25	0.04	-0.10	Pass	3.24	0.55	0.07	2.688	FAIL
9/8/2023 4:29:00 AM	0.20	0.25	0.04	-0.05	Pass	4.12	0.55	0.07	3.573	FAIL
Detector 1										
9/7/2023 4:33:00 AM	0.45	0.62	0.06	-0.18	FAIL	0.76	0.83	0.09	-0.077	Pass
9/8/2023 4:29:00 AM	0.49	0.62	0.06	-0.14	Pass	0.56	0.83	0.09	-0.272	FAIL
Detector 2										
9/7/2023 4:33:00 AM	0.19	0.27	0.04	-0.08	Pass	0.51	0.54	0.08	-0.032	Pass
9/8/2023 4:29:00 AM	0.15	0.27	0.04	-0.12	FAIL	0.45	0.54	0.08	-0.092	Pass
Detector 3										
9/7/2023 4:33:00 AM	0.15	0.25	0.03	-0.10	FAIL	4.74	0.47	0.07	4.266	FAIL
9/8/2023 4:29:00 AM	0.21	0.25	0.03	-0.04	Pass	2.11	0.47	0.07	1.631	FAIL
Detector 8										
9/7/2023 4:33:00 AM	0.09	0.21	0.03	-0.12	FAIL	0.54	0.52	0.06	0.023	Pass
9/8/2023 4:29:00 AM	0.10	0.21	0.03	-0.11	FAIL	0.50	0.52	0.06	-0.017	Pass
Detector 9										
9/7/2023 4:34:00 AM	0.12	0.23	0.05	-0.11	Pass	0.41	0.48	0.09	-0.070	Pass
9/8/2023 4:29:00 AM	0.13	0.23	0.05	-0.10	Pass	0.47	0.48	0.09	-0.010	Pass
Detector 10										
9/7/2023 4:34:00 AM	0.15	0.21	0.03	-0.06	Pass	0.33	0.39	0.06	-0.060	Pass
9/8/2023 4:29:00 AM	0.11	0.21	0.03	-0.10	FAIL	0.40	0.39	0.06	0.005	Pass
Detector 11										
9/7/2023 4:34:00 AM	0.05	0.20	0.04	-0.15	FAIL	0.42	0.49	0.07	-0.066	Pass
9/8/2023 4:29:00 AM	0.02	0.20	0.04	-0.18	FAIL	0.36	0.49	0.07	-0.126	Pass
Detector 16										
9/7/2023 4:32:00 AM	0.15	0.19	0.04	-0.04	Pass	0.34	0.47	0.06	-0.136	Pass
9/8/2023 4:29:00 AM	0.14	0.19	0.04	-0.06	Pass	0.37	0.47	0.06	-0.106	Pass
Detector 17										
9/7/2023 4:32:00 AM	0.10	0.22	0.05	-0.13	Pass	0.28	0.36	0.06	-0.081	Pass
9/8/2023 4:29:00 AM	0.14	0.22	0.05	-0.08	Pass	0.37	0.36	0.06	0.009	Pass
Detector 18										
9/7/2023 4:32:00 AM	0.16	0.20	0.03	-0.04	Pass	0.32	0.42	0.06	-0.104	Pass
9/8/2023 4:29:00 AM	0.14	0.20	0.03	-0.06	Pass	0.35	0.42	0.06	-0.079	Pass

Gas Proportional Counter Daily Quality Control Checks

Instrument: Purple

	AlphaBKG CPM	BKG Mean	BKG +/- limit	BKG Deviation	BKG Flag		BetaBKG CPM	BetaBKG Mean	BetaBKG +/- limit	BetaBKG Deviation	BetaBKG Flag
Detector 19											
9/7/2023 4:33:00 AM	0.09	0.23	0.04	-0.15	FAIL		0.40	0.52	0.07	-0.125	Pass
9/8/2023 4:30:00 AM	0.13	0.23	0.04	-0.10	Pass		0.35	0.52	0.07	-0.175	Pass
Detector 20											
9/7/2023 4:34:00 AM	0.24	0.24	0.04	0.00	Pass		0.33	0.47	0.08	-0.149	Pass
9/8/2023 4:30:00 AM	0.16	0.24	0.04	-0.08	Pass		0.45	0.47	0.08	-0.024	Pass
Detector 21											
9/7/2023 4:34:00 AM	0.14	0.21	0.04	-0.07	Pass		0.23	0.27	0.04	-0.047	Pass
9/8/2023 4:30:00 AM	0.15	0.21	0.04	-0.06	Pass		0.23	0.27	0.04	-0.042	Pass
Detector 22											
9/7/2023 4:34:00 AM	0.15	0.22	0.04	-0.07	Pass		0.25	0.28	0.04	-0.032	Pass
9/8/2023 4:30:00 AM	0.18	0.22	0.04	-0.04	Pass		0.25	0.28	0.04	-0.032	Pass
Detector 23											
9/7/2023 4:34:00 AM	0.27	0.90	0.14	-0.63	FAIL		0.32	0.71	0.16	-0.400	Pass
9/8/2023 4:30:00 AM	0.35	0.90	0.14	-0.56	FAIL		0.38	0.71	0.16	-0.335	Pass

The Alpha and Beta +/- limit are based upon initial 20-point population.

The Alpha and Beta +/- limit for Efficiency is stated at 3%. Flags are "FAIL" > 3%.


The Alpha and Beta +/- limit for Background is stated at 1 StDev. Flags are "FAIL" > 3 StDev.

The Alpha +/- limit for Crosstalk is stated at 1 StDev. Flags are "Warning > 2 StDev and "DOEF" > 3 StDev. Beta is negligible, for trend only ("NA").

Times shown reflect the end of the count duration.

**Gas Proportional Counter Daily Quality Control Checks****Instrument: Purple**

	Alpha CPM	Alpha Mean	Alpha +/- limit	Alpha Deviation	Alpha Flag	A>>B XT CPM	A>>B XT Mean	A>>B XT +/- limit	A>>B XT Deviation	A>>B XT Flag
Check Type = Alpha										
Detector 0										
9/7/2023 12:48:00 AM	10032.90	10005.95	300.18	26.95	Pass	3361.50	3304.25	47.99	57.250	Pass
9/8/2023 12:50:00 AM	10064.99	10005.95	300.18	59.04	Pass	3359.50	3304.25	47.99	55.250	Pass
Detector 1										
9/7/2023 12:48:00 AM	11583.47	11474.00	344.22	109.47	Pass	3727.00	3668.10	92.50	58.900	Pass
9/8/2023 12:50:00 AM	11594.54	11474.00	344.22	120.54	Pass	3776.00	3668.10	92.50	107.900	Pass
Detector 2										
9/7/2023 12:49:00 AM	10549.09	10779.28	323.38	-230.18	Pass	3666.50	3622.45	60.39	44.050	Pass
9/8/2023 12:50:00 AM	10761.92	10779.28	323.38	-17.35	Pass	3684.00	3622.45	60.39	61.550	Pass
Detector 3										
9/7/2023 12:49:00 AM	11467.82	11620.73	348.62	-152.91	Pass	4245.00	4154.53	83.95	90.475	Pass
9/8/2023 12:50:00 AM	11421.31	11620.73	348.62	-199.42	Pass	4292.00	4154.53	83.95	137.475	Pass
Detector 8										
9/7/2023 12:58:00 AM	9852.16	9904.33	297.13	-52.16	Pass	3334.50	3192.58	64.13	141.925	WARNING
9/8/2023 1:03:00 AM	9778.61	9904.33	297.13	-125.72	Pass	3367.50	3192.58	64.13	174.925	WARNING
Detector 9										
9/7/2023 12:58:00 AM	11226.00	11361.38	340.84	-135.38	Pass	3883.50	3899.85	43.84	-16.350	Pass
9/8/2023 1:03:00 AM	11232.06	11361.38	340.84	-129.32	Pass	4029.00	3899.85	43.84	129.150	WARNING
Detector 10										
9/7/2023 12:58:00 AM	10593.65	10759.58	322.79	-165.92	Pass	3878.00	3707.40	46.90	170.600	DOEF
9/8/2023 1:03:00 AM	10658.79	10759.58	322.79	-100.79	Pass	3918.00	3707.40	46.90	210.600	DOEF
Detector 11										
9/7/2023 12:58:00 AM	11448.80	11694.93	350.85	-246.13	Pass	4026.50	3629.48	107.65	397.025	DOEF
9/8/2023 1:04:00 AM	11503.92	11694.93	350.85	-191.00	Pass	4111.50	3629.48	107.65	482.025	DOEF
Detector 16										
9/7/2023 12:55:00 AM	9797.08	9851.13	295.53	-54.05	Pass	3298.50	3068.29	89.69	230.211	WARNING
9/8/2023 1:00:00 AM	9855.20	9851.13	295.53	4.07	Pass	3354.00	3068.29	89.69	285.711	DOEF
Detector 17										
9/7/2023 12:55:00 AM	11617.01	11664.32	349.93	-47.31	Pass	3413.00	3276.32	55.74	136.684	WARNING
9/8/2023 12:57:00 AM	11576.51	11664.32	349.93	-87.81	Pass	3402.00	3276.32	55.74	125.684	WARNING
Detector 18										
9/7/2023 12:55:00 AM	10734.83	10763.16	322.89	-28.33	Pass	3867.50	3698.37	56.57	169.132	WARNING
9/8/2023 12:57:00 AM	10751.40	10763.16	322.89	-11.76	Pass	3877.50	3698.37	56.57	179.132	DOEF



Gas Proportional Counter Daily Quality Control Checks

Instrument: Purple

	Alpha CPM	Alpha Mean	Alpha +/- limit	Alpha Deviation	Alpha Flag	A>>B XT CPM	A>>B XT Mean	A>>B XT +/- limit	A>>B XT Deviation	A>>B XT Flag
Detector 19										
9/7/2023 12:55:00 AM	11890.88	11980.39	359.41	-89.52	Pass	4089.50	3947.45	80.92	142.053	Pass
9/8/2023 12:57:00 AM	11718.70	11980.39	359.41	-261.70	Pass	4142.50	3947.45	80.92	195.053	WARNING
Detector 20										
9/7/2023 12:50:00 AM	15573.79	15638.68	469.16	-64.89	Pass	5067.00	4996.66	60.03	70.342	Pass
9/8/2023 12:50:00 AM	15353.57	15638.68	469.16	-285.12	Pass	5072.00	4996.66	60.03	75.342	Pass
Detector 21										
9/7/2023 12:51:00 AM	15126.70	15339.71	460.19	-213.02	Pass	5228.50	5084.89	57.28	143.605	WARNING
9/8/2023 12:50:00 AM	15177.83	15339.71	460.19	-161.88	Pass	5241.00	5084.89	57.28	156.105	WARNING
Detector 22										
9/7/2023 12:51:00 AM	12636.37	12713.74	381.41	-77.37	Pass	4533.50	4136.55	78.76	396.947	DOEF
9/8/2023 12:51:00 AM	12569.34	12713.74	381.41	-144.40	Pass	4507.50	4136.55	78.76	370.947	DOEF
Detector 23										
9/7/2023 12:51:00 AM	12644.88	12915.71	387.47	-270.83	Pass	4947.00	4694.21	79.75	252.789	DOEF
9/8/2023 12:51:00 AM	12582.35	12915.71	387.47	-333.36	Pass	5098.00	4694.21	79.75	403.789	DOEF

Gas Proportional Counter Daily Quality Control Checks

Instrument: Purple

	Beta CPM	Beta Mean	Beta +/- limit	Beta Deviation	Beta Flag	B>>A XT CPM	B>>A XT Mean	B>>A XT +/- limit	B>>A XT Deviation	B>>A XT Flag
Check Type = Beta										
Detector 0										
9/7/2023 12:55:00 AM	49481.63	50226.98	1506.81	-745.34	Pass	NA	NA	NA	NA	NA
9/8/2023 1:00:00 AM	49575.90	50226.98	1506.81	-651.07	Pass	NA	NA	NA	NA	NA
Detector 1										
9/7/2023 12:55:00 AM	48416.85	48796.70	1463.90	-379.85	Pass	NA	NA	NA	NA	NA
9/8/2023 1:00:00 AM	48203.74	48796.70	1463.90	-592.96	Pass	NA	NA	NA	NA	NA
Detector 2										
9/7/2023 12:55:00 AM	50058.64	50875.48	1526.26	-816.83	Pass	NA	NA	NA	NA	NA
9/8/2023 1:00:00 AM	49925.78	50875.48	1526.26	-949.69	Pass	NA	NA	NA	NA	NA
Detector 3										
9/7/2023 12:55:00 AM	59401.19	60107.23	1803.22	-706.04	Pass	NA	NA	NA	NA	NA
9/8/2023 1:00:00 AM	59091.41	60107.23	1803.22	-1015.82	Pass	NA	NA	NA	NA	NA
Detector 8										
9/7/2023 12:49:00 AM	49694.82	50025.35	1500.76	-330.53	Pass	NA	NA	NA	NA	NA
9/8/2023 12:51:00 AM	49592.97	50025.35	1500.76	-432.38	Pass	NA	NA	NA	NA	NA
Detector 9										
9/7/2023 12:49:00 AM	48117.25	48665.90	1459.98	-548.65	Pass	NA	NA	NA	NA	NA
9/8/2023 12:51:00 AM	47886.59	48665.90	1459.98	-779.31	Pass	NA	NA	NA	NA	NA
Detector 10										
9/7/2023 12:50:00 AM	49415.62	50649.48	1519.48	-1233.86	Pass	NA	NA	NA	NA	NA
9/8/2023 12:51:00 AM	49726.26	50649.48	1519.48	-923.22	Pass	NA	NA	NA	NA	NA
Detector 11										
9/7/2023 12:50:00 AM	58604.17	59849.50	1795.49	-1245.33	Pass	NA	NA	NA	NA	NA
9/8/2023 12:51:00 AM	58965.40	59849.50	1795.49	-884.10	Pass	NA	NA	NA	NA	NA
Detector 16										
9/7/2023 12:58:00 AM	49075.42	49489.98	1484.70	-414.56	Pass	NA	NA	NA	NA	NA
9/8/2023 1:04:00 AM	49044.76	49489.98	1484.70	-445.22	Pass	NA	NA	NA	NA	NA
Detector 17										
9/7/2023 12:58:00 AM	46067.91	46812.78	1404.38	-744.86	Pass	NA	NA	NA	NA	NA
9/8/2023 1:04:00 AM	46100.26	46812.78	1404.38	-712.52	Pass	NA	NA	NA	NA	NA
Detector 18										
9/7/2023 12:58:00 AM	49265.00	50124.63	1503.74	-859.62	Pass	NA	NA	NA	NA	NA
9/8/2023 1:04:00 AM	49237.23	50124.63	1503.74	-887.40	Pass	NA	NA	NA	NA	NA

Gas Proportional Counter Daily Quality Control Checks

Instrument: Purple

	Beta CPM	Beta Mean	Beta +/- limit	Beta Deviation	Beta Flag	B>>A XT CPM	B>>A XT Mean	B>>A XT +/- limit	B>>A XT Deviation	B>>A XT Flag
Detector 19										
9/7/2023 12:58:00 AM	57607.04	57663.50	1729.91	-56.46	Pass	NA	NA	NA	NA	NA
9/8/2023 1:04:00 AM	57339.81	57663.50	1729.91	-323.69	Pass	NA	NA	NA	NA	NA
Detector 20										
9/7/2023 12:55:00 AM	49199.53	49753.68	1492.61	-554.15	Pass	NA	NA	NA	NA	NA
9/8/2023 12:57:00 AM	49131.28	49753.68	1492.61	-622.39	Pass	NA	NA	NA	NA	NA
Detector 21										
9/7/2023 12:55:00 AM	54715.27	54662.13	1639.86	53.15	Pass	NA	NA	NA	NA	NA
9/8/2023 12:59:00 AM	54820.58	54662.13	1639.86	158.45	Pass	NA	NA	NA	NA	NA
Detector 22										
9/7/2023 12:55:00 AM	51354.59	52239.03	1567.17	-884.44	Pass	NA	NA	NA	NA	NA
9/8/2023 12:59:00 AM	51116.09	52239.03	1567.17	-1122.94	Pass	NA	NA	NA	NA	NA
Detector 23										
9/7/2023 12:55:00 AM	44911.51	45717.00	1371.51	-805.49	Pass	NA	NA	NA	NA	NA
9/8/2023 12:59:00 AM	44801.86	45717.00	1371.51	-915.14	Pass	NA	NA	NA	NA	NA



Gas Proportional Counter Daily Quality Control Checks

Instrument: Purple

	AlphaBKG CPM	BKG Mean	BKG +/- limit	BKG Deviation	BKG Flag	BetaBKG CPM	BetaBKG Mean	BetaBKG +/- limit	BetaBKG Deviation	BetaBKG Flag
Check Type = BKG										
Detector 0										
9/7/2023 4:33:00 AM	0.15	0.25	0.04	-0.10	Pass	3.24	0.55	0.07	2.688	FAIL
9/8/2023 4:29:00 AM	0.20	0.25	0.04	-0.05	Pass	4.12	0.55	0.07	3.573	FAIL
Detector 1										
9/7/2023 4:33:00 AM	0.45	0.62	0.06	-0.18	FAIL	0.76	0.83	0.09	-0.077	Pass
9/8/2023 4:29:00 AM	0.49	0.62	0.06	-0.14	Pass	0.56	0.83	0.09	-0.272	FAIL
Detector 2										
9/7/2023 4:33:00 AM	0.19	0.27	0.04	-0.08	Pass	0.51	0.54	0.08	-0.032	Pass
9/8/2023 4:29:00 AM	0.15	0.27	0.04	-0.12	FAIL	0.45	0.54	0.08	-0.092	Pass
Detector 3										
9/7/2023 4:33:00 AM	0.15	0.25	0.03	-0.10	FAIL	4.74	0.47	0.07	4.266	FAIL
9/8/2023 4:29:00 AM	0.21	0.25	0.03	-0.04	Pass	2.11	0.47	0.07	1.631	FAIL
Detector 8										
9/7/2023 4:33:00 AM	0.09	0.21	0.03	-0.12	FAIL	0.54	0.52	0.06	0.023	Pass
9/8/2023 4:29:00 AM	0.10	0.21	0.03	-0.11	FAIL	0.50	0.52	0.06	-0.017	Pass
Detector 9										
9/7/2023 4:34:00 AM	0.12	0.23	0.05	-0.11	Pass	0.41	0.48	0.09	-0.070	Pass
9/8/2023 4:29:00 AM	0.13	0.23	0.05	-0.10	Pass	0.47	0.48	0.09	-0.010	Pass
Detector 10										
9/7/2023 4:34:00 AM	0.15	0.21	0.03	-0.06	Pass	0.33	0.39	0.06	-0.060	Pass
9/8/2023 4:29:00 AM	0.11	0.21	0.03	-0.10	FAIL	0.40	0.39	0.06	0.005	Pass
Detector 11										
9/7/2023 4:34:00 AM	0.05	0.20	0.04	-0.15	FAIL	0.42	0.49	0.07	-0.066	Pass
9/8/2023 4:29:00 AM	0.02	0.20	0.04	-0.18	FAIL	0.36	0.49	0.07	-0.126	Pass
Detector 16										
9/7/2023 4:32:00 AM	0.15	0.19	0.04	-0.04	Pass	0.34	0.47	0.06	-0.136	Pass
9/8/2023 4:29:00 AM	0.14	0.19	0.04	-0.06	Pass	0.37	0.47	0.06	-0.106	Pass
Detector 17										
9/7/2023 4:32:00 AM	0.10	0.22	0.05	-0.13	Pass	0.28	0.36	0.06	-0.081	Pass
9/8/2023 4:29:00 AM	0.14	0.22	0.05	-0.08	Pass	0.37	0.36	0.06	0.009	Pass
Detector 18										
9/7/2023 4:32:00 AM	0.16	0.20	0.03	-0.04	Pass	0.32	0.42	0.06	-0.104	Pass
9/8/2023 4:29:00 AM	0.14	0.20	0.03	-0.06	Pass	0.35	0.42	0.06	-0.079	Pass

Gas Proportional Counter Daily Quality Control Checks

Instrument: Purple

	AlphaBKG CPM	BKG Mean	BKG +/- limit	BKG Deviation	BKG Flag		BetaBKG CPM	BetaBKG Mean	BetaBKG +/- limit	BetaBKG Deviation	BetaBKG Flag
Detector 19											
9/7/2023 4:33:00 AM	0.09	0.23	0.04	-0.15	FAIL		0.40	0.52	0.07	-0.125	Pass
9/8/2023 4:30:00 AM	0.13	0.23	0.04	-0.10	Pass		0.35	0.52	0.07	-0.175	Pass
Detector 20											
9/7/2023 4:34:00 AM	0.24	0.24	0.04	0.00	Pass		0.33	0.47	0.08	-0.149	Pass
9/8/2023 4:30:00 AM	0.16	0.24	0.04	-0.08	Pass		0.45	0.47	0.08	-0.024	Pass
Detector 21											
9/7/2023 4:34:00 AM	0.14	0.21	0.04	-0.07	Pass		0.23	0.27	0.04	-0.047	Pass
9/8/2023 4:30:00 AM	0.15	0.21	0.04	-0.06	Pass		0.23	0.27	0.04	-0.042	Pass
Detector 22											
9/7/2023 4:34:00 AM	0.15	0.22	0.04	-0.07	Pass		0.25	0.28	0.04	-0.032	Pass
9/8/2023 4:30:00 AM	0.18	0.22	0.04	-0.04	Pass		0.25	0.28	0.04	-0.032	Pass
Detector 23											
9/7/2023 4:34:00 AM	0.27	0.90	0.14	-0.63	FAIL		0.32	0.71	0.16	-0.400	Pass
9/8/2023 4:30:00 AM	0.35	0.90	0.14	-0.56	FAIL		0.38	0.71	0.16	-0.335	Pass


The Alpha and Beta +/- limit are based upon initial 20-point population.

The Alpha and Beta +/- limit for Efficiency is stated at 3%. Flags are "FAIL" > 3%.

The Alpha and Beta +/- limit for Background is stated at 1 StDev. Flags are "FAIL" > 3 StDev.

The Alpha +/- limit for Crosstalk is stated at 1 StDev. Flags are "Warning > 2 StDev and "DOEF" > 3 StDev. Beta is negligible, for trend only ("NA").

Times shown reflect the end of the count duration.

**Gas Proportional Counter Daily Quality Control Checks****Instrument: Purple**

	Alpha CPM	Alpha Mean	Alpha +/- limit	Alpha Deviation	Alpha Flag	A>>B XT CPM	A>>B XT Mean	A>>B XT +/- limit	A>>B XT Deviation	A>>B XT Flag
Check Type = Alpha										
Detector 0										
9/7/2023 12:48:00 AM	10032.90	10005.95	300.18	26.95	Pass	3361.50	3304.25	47.99	57.250	Pass
9/8/2023 12:50:00 AM	10064.99	10005.95	300.18	59.04	Pass	3359.50	3304.25	47.99	55.250	Pass
Detector 1										
9/7/2023 12:48:00 AM	11583.47	11474.00	344.22	109.47	Pass	3727.00	3668.10	92.50	58.900	Pass
9/8/2023 12:50:00 AM	11594.54	11474.00	344.22	120.54	Pass	3776.00	3668.10	92.50	107.900	Pass
Detector 2										
9/7/2023 12:49:00 AM	10549.09	10779.28	323.38	-230.18	Pass	3666.50	3622.45	60.39	44.050	Pass
9/8/2023 12:50:00 AM	10761.92	10779.28	323.38	-17.35	Pass	3684.00	3622.45	60.39	61.550	Pass
Detector 3										
9/7/2023 12:49:00 AM	11467.82	11620.73	348.62	-152.91	Pass	4245.00	4154.53	83.95	90.475	Pass
9/8/2023 12:50:00 AM	11421.31	11620.73	348.62	-199.42	Pass	4292.00	4154.53	83.95	137.475	Pass
Detector 8										
9/7/2023 12:58:00 AM	9852.16	9904.33	297.13	-52.16	Pass	3334.50	3192.58	64.13	141.925	WARNING
9/8/2023 1:03:00 AM	9778.61	9904.33	297.13	-125.72	Pass	3367.50	3192.58	64.13	174.925	WARNING
Detector 9										
9/7/2023 12:58:00 AM	11226.00	11361.38	340.84	-135.38	Pass	3883.50	3899.85	43.84	-16.350	Pass
9/8/2023 1:03:00 AM	11232.06	11361.38	340.84	-129.32	Pass	4029.00	3899.85	43.84	129.150	WARNING
Detector 10										
9/7/2023 12:58:00 AM	10593.65	10759.58	322.79	-165.92	Pass	3878.00	3707.40	46.90	170.600	DOEF
9/8/2023 1:03:00 AM	10658.79	10759.58	322.79	-100.79	Pass	3918.00	3707.40	46.90	210.600	DOEF
Detector 11										
9/7/2023 12:58:00 AM	11448.80	11694.93	350.85	-246.13	Pass	4026.50	3629.48	107.65	397.025	DOEF
9/8/2023 1:04:00 AM	11503.92	11694.93	350.85	-191.00	Pass	4111.50	3629.48	107.65	482.025	DOEF
Detector 16										
9/7/2023 12:55:00 AM	9797.08	9851.13	295.53	-54.05	Pass	3298.50	3068.29	89.69	230.211	WARNING
9/8/2023 1:00:00 AM	9855.20	9851.13	295.53	4.07	Pass	3354.00	3068.29	89.69	285.711	DOEF
Detector 17										
9/7/2023 12:55:00 AM	11617.01	11664.32	349.93	-47.31	Pass	3413.00	3276.32	55.74	136.684	WARNING
9/8/2023 12:57:00 AM	11576.51	11664.32	349.93	-87.81	Pass	3402.00	3276.32	55.74	125.684	WARNING
Detector 18										
9/7/2023 12:55:00 AM	10734.83	10763.16	322.89	-28.33	Pass	3867.50	3698.37	56.57	169.132	WARNING
9/8/2023 12:57:00 AM	10751.40	10763.16	322.89	-11.76	Pass	3877.50	3698.37	56.57	179.132	DOEF



Gas Proportional Counter Daily Quality Control Checks

Instrument: Purple

	Alpha CPM	Alpha Mean	Alpha +/- limit	Alpha Deviation	Alpha Flag	A>>B XT CPM	A>>B XT Mean	A>>B XT +/- limit	A>>B XT Deviation	A>>B XT Flag
Detector 19										
9/7/2023 12:55:00 AM	11890.88	11980.39	359.41	-89.52	Pass	4089.50	3947.45	80.92	142.053	Pass
9/8/2023 12:57:00 AM	11718.70	11980.39	359.41	-261.70	Pass	4142.50	3947.45	80.92	195.053	WARNING
Detector 20										
9/7/2023 12:50:00 AM	15573.79	15638.68	469.16	-64.89	Pass	5067.00	4996.66	60.03	70.342	Pass
9/8/2023 12:50:00 AM	15353.57	15638.68	469.16	-285.12	Pass	5072.00	4996.66	60.03	75.342	Pass
Detector 21										
9/7/2023 12:51:00 AM	15126.70	15339.71	460.19	-213.02	Pass	5228.50	5084.89	57.28	143.605	WARNING
9/8/2023 12:50:00 AM	15177.83	15339.71	460.19	-161.88	Pass	5241.00	5084.89	57.28	156.105	WARNING
Detector 22										
9/7/2023 12:51:00 AM	12636.37	12713.74	381.41	-77.37	Pass	4533.50	4136.55	78.76	396.947	DOEF
9/8/2023 12:51:00 AM	12569.34	12713.74	381.41	-144.40	Pass	4507.50	4136.55	78.76	370.947	DOEF
Detector 23										
9/7/2023 12:51:00 AM	12644.88	12915.71	387.47	-270.83	Pass	4947.00	4694.21	79.75	252.789	DOEF
9/8/2023 12:51:00 AM	12582.35	12915.71	387.47	-333.36	Pass	5098.00	4694.21	79.75	403.789	DOEF

Gas Proportional Counter Daily Quality Control Checks


Instrument: Purple

	Beta CPM	Beta Mean	Beta +/- limit	Beta Deviation	Beta Flag	B>>A XT CPM	B>>A XT Mean	B>>A XT +/- limit	B>>A XT Deviation	B>>A XT Flag
Check Type = Beta										
Detector 0										
9/7/2023 12:55:00 AM	49481.63	50226.98	1506.81	-745.34	Pass	NA	NA	NA	NA	NA
9/8/2023 1:00:00 AM	49575.90	50226.98	1506.81	-651.07	Pass	NA	NA	NA	NA	NA
Detector 1										
9/7/2023 12:55:00 AM	48416.85	48796.70	1463.90	-379.85	Pass	NA	NA	NA	NA	NA
9/8/2023 1:00:00 AM	48203.74	48796.70	1463.90	-592.96	Pass	NA	NA	NA	NA	NA
Detector 2										
9/7/2023 12:55:00 AM	50058.64	50875.48	1526.26	-816.83	Pass	NA	NA	NA	NA	NA
9/8/2023 1:00:00 AM	49925.78	50875.48	1526.26	-949.69	Pass	NA	NA	NA	NA	NA
Detector 3										
9/7/2023 12:55:00 AM	59401.19	60107.23	1803.22	-706.04	Pass	NA	NA	NA	NA	NA
9/8/2023 1:00:00 AM	59091.41	60107.23	1803.22	-1015.82	Pass	NA	NA	NA	NA	NA
Detector 8										
9/7/2023 12:49:00 AM	49694.82	50025.35	1500.76	-330.53	Pass	NA	NA	NA	NA	NA
9/8/2023 12:51:00 AM	49592.97	50025.35	1500.76	-432.38	Pass	NA	NA	NA	NA	NA
Detector 9										
9/7/2023 12:49:00 AM	48117.25	48665.90	1459.98	-548.65	Pass	NA	NA	NA	NA	NA
9/8/2023 12:51:00 AM	47886.59	48665.90	1459.98	-779.31	Pass	NA	NA	NA	NA	NA
Detector 10										
9/7/2023 12:50:00 AM	49415.62	50649.48	1519.48	-1233.86	Pass	NA	NA	NA	NA	NA
9/8/2023 12:51:00 AM	49726.26	50649.48	1519.48	-923.22	Pass	NA	NA	NA	NA	NA
Detector 11										
9/7/2023 12:50:00 AM	58604.17	59849.50	1795.49	-1245.33	Pass	NA	NA	NA	NA	NA
9/8/2023 12:51:00 AM	58965.40	59849.50	1795.49	-884.10	Pass	NA	NA	NA	NA	NA
Detector 16										
9/7/2023 12:58:00 AM	49075.42	49489.98	1484.70	-414.56	Pass	NA	NA	NA	NA	NA
9/8/2023 1:04:00 AM	49044.76	49489.98	1484.70	-445.22	Pass	NA	NA	NA	NA	NA
Detector 17										
9/7/2023 12:58:00 AM	46067.91	46812.78	1404.38	-744.86	Pass	NA	NA	NA	NA	NA
9/8/2023 1:04:00 AM	46100.26	46812.78	1404.38	-712.52	Pass	NA	NA	NA	NA	NA
Detector 18										
9/7/2023 12:58:00 AM	49265.00	50124.63	1503.74	-859.62	Pass	NA	NA	NA	NA	NA
9/8/2023 1:04:00 AM	49237.23	50124.63	1503.74	-887.40	Pass	NA	NA	NA	NA	NA

Gas Proportional Counter Daily Quality Control Checks

Instrument: Purple

	Beta CPM	Beta Mean	Beta +/- limit	Beta Deviation	Beta Flag	B>>A XT CPM	B>>A XT Mean	B>>A XT +/- limit	B>>A XT Deviation	B>>A XT Flag
Detector 19										
9/7/2023 12:58:00 AM	57607.04	57663.50	1729.91	-56.46	Pass	NA	NA	NA	NA	NA
9/8/2023 1:04:00 AM	57339.81	57663.50	1729.91	-323.69	Pass	NA	NA	NA	NA	NA
Detector 20										
9/7/2023 12:55:00 AM	49199.53	49753.68	1492.61	-554.15	Pass	NA	NA	NA	NA	NA
9/8/2023 12:57:00 AM	49131.28	49753.68	1492.61	-622.39	Pass	NA	NA	NA	NA	NA
Detector 21										
9/7/2023 12:55:00 AM	54715.27	54662.13	1639.86	53.15	Pass	NA	NA	NA	NA	NA
9/8/2023 12:59:00 AM	54820.58	54662.13	1639.86	158.45	Pass	NA	NA	NA	NA	NA
Detector 22										
9/7/2023 12:55:00 AM	51354.59	52239.03	1567.17	-884.44	Pass	NA	NA	NA	NA	NA
9/8/2023 12:59:00 AM	51116.09	52239.03	1567.17	-1122.94	Pass	NA	NA	NA	NA	NA
Detector 23										
9/7/2023 12:55:00 AM	44911.51	45717.00	1371.51	-805.49	Pass	NA	NA	NA	NA	NA
9/8/2023 12:59:00 AM	44801.86	45717.00	1371.51	-915.14	Pass	NA	NA	NA	NA	NA



Gas Proportional Counter Daily Quality Control Checks

Instrument: Purple

	AlphaBKG CPM	BKG Mean	BKG +/- limit	BKG Deviation	BKG Flag	BetaBKG CPM	BetaBKG Mean	BetaBKG +/- limit	BetaBKG Deviation	BetaBKG Flag
Check Type = BKG										
Detector 0										
9/7/2023 4:33:00 AM	0.15	0.25	0.04	-0.10	Pass	3.24	0.55	0.07	2.688	FAIL
9/8/2023 4:29:00 AM	0.20	0.25	0.04	-0.05	Pass	4.12	0.55	0.07	3.573	FAIL
Detector 1										
9/7/2023 4:33:00 AM	0.45	0.62	0.06	-0.18	FAIL	0.76	0.83	0.09	-0.077	Pass
9/8/2023 4:29:00 AM	0.49	0.62	0.06	-0.14	Pass	0.56	0.83	0.09	-0.272	FAIL
Detector 2										
9/7/2023 4:33:00 AM	0.19	0.27	0.04	-0.08	Pass	0.51	0.54	0.08	-0.032	Pass
9/8/2023 4:29:00 AM	0.15	0.27	0.04	-0.12	FAIL	0.45	0.54	0.08	-0.092	Pass
Detector 3										
9/7/2023 4:33:00 AM	0.15	0.25	0.03	-0.10	FAIL	4.74	0.47	0.07	4.266	FAIL
9/8/2023 4:29:00 AM	0.21	0.25	0.03	-0.04	Pass	2.11	0.47	0.07	1.631	FAIL
Detector 8										
9/7/2023 4:33:00 AM	0.09	0.21	0.03	-0.12	FAIL	0.54	0.52	0.06	0.023	Pass
9/8/2023 4:29:00 AM	0.10	0.21	0.03	-0.11	FAIL	0.50	0.52	0.06	-0.017	Pass
Detector 9										
9/7/2023 4:34:00 AM	0.12	0.23	0.05	-0.11	Pass	0.41	0.48	0.09	-0.070	Pass
9/8/2023 4:29:00 AM	0.13	0.23	0.05	-0.10	Pass	0.47	0.48	0.09	-0.010	Pass
Detector 10										
9/7/2023 4:34:00 AM	0.15	0.21	0.03	-0.06	Pass	0.33	0.39	0.06	-0.060	Pass
9/8/2023 4:29:00 AM	0.11	0.21	0.03	-0.10	FAIL	0.40	0.39	0.06	0.005	Pass
Detector 11										
9/7/2023 4:34:00 AM	0.05	0.20	0.04	-0.15	FAIL	0.42	0.49	0.07	-0.066	Pass
9/8/2023 4:29:00 AM	0.02	0.20	0.04	-0.18	FAIL	0.36	0.49	0.07	-0.126	Pass
Detector 16										
9/7/2023 4:32:00 AM	0.15	0.19	0.04	-0.04	Pass	0.34	0.47	0.06	-0.136	Pass
9/8/2023 4:29:00 AM	0.14	0.19	0.04	-0.06	Pass	0.37	0.47	0.06	-0.106	Pass
Detector 17										
9/7/2023 4:32:00 AM	0.10	0.22	0.05	-0.13	Pass	0.28	0.36	0.06	-0.081	Pass
9/8/2023 4:29:00 AM	0.14	0.22	0.05	-0.08	Pass	0.37	0.36	0.06	0.009	Pass
Detector 18										
9/7/2023 4:32:00 AM	0.16	0.20	0.03	-0.04	Pass	0.32	0.42	0.06	-0.104	Pass
9/8/2023 4:29:00 AM	0.14	0.20	0.03	-0.06	Pass	0.35	0.42	0.06	-0.079	Pass

Gas Proportional Counter Daily Quality Control Checks

Instrument: Purple

	AlphaBKG CPM	BKG Mean	BKG +/- limit	BKG Deviation	BKG Flag		BetaBKG CPM	BetaBKG Mean	BetaBKG +/- limit	BetaBKG Deviation	BetaBKG Flag
Detector 19											
9/7/2023 4:33:00 AM	0.09	0.23	0.04	-0.15	FAIL		0.40	0.52	0.07	-0.125	Pass
9/8/2023 4:30:00 AM	0.13	0.23	0.04	-0.10	Pass		0.35	0.52	0.07	-0.175	Pass
Detector 20											
9/7/2023 4:34:00 AM	0.24	0.24	0.04	0.00	Pass		0.33	0.47	0.08	-0.149	Pass
9/8/2023 4:30:00 AM	0.16	0.24	0.04	-0.08	Pass		0.45	0.47	0.08	-0.024	Pass
Detector 21											
9/7/2023 4:34:00 AM	0.14	0.21	0.04	-0.07	Pass		0.23	0.27	0.04	-0.047	Pass
9/8/2023 4:30:00 AM	0.15	0.21	0.04	-0.06	Pass		0.23	0.27	0.04	-0.042	Pass
Detector 22											
9/7/2023 4:34:00 AM	0.15	0.22	0.04	-0.07	Pass		0.25	0.28	0.04	-0.032	Pass
9/8/2023 4:30:00 AM	0.18	0.22	0.04	-0.04	Pass		0.25	0.28	0.04	-0.032	Pass
Detector 23											
9/7/2023 4:34:00 AM	0.27	0.90	0.14	-0.63	FAIL		0.32	0.71	0.16	-0.400	Pass
9/8/2023 4:30:00 AM	0.35	0.90	0.14	-0.56	FAIL		0.38	0.71	0.16	-0.335	Pass

The Alpha and Beta +/- limit are based upon initial 20-point population.

The Alpha and Beta +/- limit for Efficiency is stated at 3%. Flags are "FAIL" > 3%.


The Alpha and Beta +/- limit for Background is stated at 1 StDev. Flags are "FAIL" > 3 StDev.

The Alpha +/- limit for Crosstalk is stated at 1 StDev. Flags are "Warning > 2 StDev and "DOEF" > 3 StDev. Beta is negligible, for trend only ("NA").

Times shown reflect the end of the count duration.

**Gas Proportional Counter Daily Quality Control Checks****Instrument: Purple**

	Alpha CPM	Alpha Mean	Alpha +/- limit	Alpha Deviation	Alpha Flag	A>>B XT CPM	A>>B XT Mean	A>>B XT +/- limit	A>>B XT Deviation	A>>B XT Flag
Check Type = Alpha										
Detector 0										
9/7/2023 12:48:00 AM	10032.90	10005.95	300.18	26.95	Pass	3361.50	3304.25	47.99	57.250	Pass
9/8/2023 12:50:00 AM	10064.99	10005.95	300.18	59.04	Pass	3359.50	3304.25	47.99	55.250	Pass
Detector 1										
9/7/2023 12:48:00 AM	11583.47	11474.00	344.22	109.47	Pass	3727.00	3668.10	92.50	58.900	Pass
9/8/2023 12:50:00 AM	11594.54	11474.00	344.22	120.54	Pass	3776.00	3668.10	92.50	107.900	Pass
Detector 2										
9/7/2023 12:49:00 AM	10549.09	10779.28	323.38	-230.18	Pass	3666.50	3622.45	60.39	44.050	Pass
9/8/2023 12:50:00 AM	10761.92	10779.28	323.38	-17.35	Pass	3684.00	3622.45	60.39	61.550	Pass
Detector 3										
9/7/2023 12:49:00 AM	11467.82	11620.73	348.62	-152.91	Pass	4245.00	4154.53	83.95	90.475	Pass
9/8/2023 12:50:00 AM	11421.31	11620.73	348.62	-199.42	Pass	4292.00	4154.53	83.95	137.475	Pass
Detector 8										
9/7/2023 12:58:00 AM	9852.16	9904.33	297.13	-52.16	Pass	3334.50	3192.58	64.13	141.925	WARNING
9/8/2023 1:03:00 AM	9778.61	9904.33	297.13	-125.72	Pass	3367.50	3192.58	64.13	174.925	WARNING
Detector 9										
9/7/2023 12:58:00 AM	11226.00	11361.38	340.84	-135.38	Pass	3883.50	3899.85	43.84	-16.350	Pass
9/8/2023 1:03:00 AM	11232.06	11361.38	340.84	-129.32	Pass	4029.00	3899.85	43.84	129.150	WARNING
Detector 10										
9/7/2023 12:58:00 AM	10593.65	10759.58	322.79	-165.92	Pass	3878.00	3707.40	46.90	170.600	DOEF
9/8/2023 1:03:00 AM	10658.79	10759.58	322.79	-100.79	Pass	3918.00	3707.40	46.90	210.600	DOEF
Detector 11										
9/7/2023 12:58:00 AM	11448.80	11694.93	350.85	-246.13	Pass	4026.50	3629.48	107.65	397.025	DOEF
9/8/2023 1:04:00 AM	11503.92	11694.93	350.85	-191.00	Pass	4111.50	3629.48	107.65	482.025	DOEF
Detector 16										
9/7/2023 12:55:00 AM	9797.08	9851.13	295.53	-54.05	Pass	3298.50	3068.29	89.69	230.211	WARNING
9/8/2023 1:00:00 AM	9855.20	9851.13	295.53	4.07	Pass	3354.00	3068.29	89.69	285.711	DOEF
Detector 17										
9/7/2023 12:55:00 AM	11617.01	11664.32	349.93	-47.31	Pass	3413.00	3276.32	55.74	136.684	WARNING
9/8/2023 12:57:00 AM	11576.51	11664.32	349.93	-87.81	Pass	3402.00	3276.32	55.74	125.684	WARNING
Detector 18										
9/7/2023 12:55:00 AM	10734.83	10763.16	322.89	-28.33	Pass	3867.50	3698.37	56.57	169.132	WARNING
9/8/2023 12:57:00 AM	10751.40	10763.16	322.89	-11.76	Pass	3877.50	3698.37	56.57	179.132	DOEF



Gas Proportional Counter Daily Quality Control Checks

Instrument: Purple

	Alpha CPM	Alpha Mean	Alpha +/- limit	Alpha Deviation	Alpha Flag	A>>B XT CPM	A>>B XT Mean	A>>B XT +/- limit	A>>B XT Deviation	A>>B XT Flag
Detector 19										
9/7/2023 12:55:00 AM	11890.88	11980.39	359.41	-89.52	Pass	4089.50	3947.45	80.92	142.053	Pass
9/8/2023 12:57:00 AM	11718.70	11980.39	359.41	-261.70	Pass	4142.50	3947.45	80.92	195.053	WARNING
Detector 20										
9/7/2023 12:50:00 AM	15573.79	15638.68	469.16	-64.89	Pass	5067.00	4996.66	60.03	70.342	Pass
9/8/2023 12:50:00 AM	15353.57	15638.68	469.16	-285.12	Pass	5072.00	4996.66	60.03	75.342	Pass
Detector 21										
9/7/2023 12:51:00 AM	15126.70	15339.71	460.19	-213.02	Pass	5228.50	5084.89	57.28	143.605	WARNING
9/8/2023 12:50:00 AM	15177.83	15339.71	460.19	-161.88	Pass	5241.00	5084.89	57.28	156.105	WARNING
Detector 22										
9/7/2023 12:51:00 AM	12636.37	12713.74	381.41	-77.37	Pass	4533.50	4136.55	78.76	396.947	DOEF
9/8/2023 12:51:00 AM	12569.34	12713.74	381.41	-144.40	Pass	4507.50	4136.55	78.76	370.947	DOEF
Detector 23										
9/7/2023 12:51:00 AM	12644.88	12915.71	387.47	-270.83	Pass	4947.00	4694.21	79.75	252.789	DOEF
9/8/2023 12:51:00 AM	12582.35	12915.71	387.47	-333.36	Pass	5098.00	4694.21	79.75	403.789	DOEF

Gas Proportional Counter Daily Quality Control Checks

Instrument: Purple

	Beta CPM	Beta Mean	Beta +/- limit	Beta Deviation	Beta Flag	B>>A XT CPM	B>>A XT Mean	B>>A XT +/- limit	B>>A XT Deviation	B>>A XT Flag
Check Type = Beta										
Detector 0										
9/7/2023 12:55:00 AM	49481.63	50226.98	1506.81	-745.34	Pass	NA	NA	NA	NA	NA
9/8/2023 1:00:00 AM	49575.90	50226.98	1506.81	-651.07	Pass	NA	NA	NA	NA	NA
Detector 1										
9/7/2023 12:55:00 AM	48416.85	48796.70	1463.90	-379.85	Pass	NA	NA	NA	NA	NA
9/8/2023 1:00:00 AM	48203.74	48796.70	1463.90	-592.96	Pass	NA	NA	NA	NA	NA
Detector 2										
9/7/2023 12:55:00 AM	50058.64	50875.48	1526.26	-816.83	Pass	NA	NA	NA	NA	NA
9/8/2023 1:00:00 AM	49925.78	50875.48	1526.26	-949.69	Pass	NA	NA	NA	NA	NA
Detector 3										
9/7/2023 12:55:00 AM	59401.19	60107.23	1803.22	-706.04	Pass	NA	NA	NA	NA	NA
9/8/2023 1:00:00 AM	59091.41	60107.23	1803.22	-1015.82	Pass	NA	NA	NA	NA	NA
Detector 8										
9/7/2023 12:49:00 AM	49694.82	50025.35	1500.76	-330.53	Pass	NA	NA	NA	NA	NA
9/8/2023 12:51:00 AM	49592.97	50025.35	1500.76	-432.38	Pass	NA	NA	NA	NA	NA
Detector 9										
9/7/2023 12:49:00 AM	48117.25	48665.90	1459.98	-548.65	Pass	NA	NA	NA	NA	NA
9/8/2023 12:51:00 AM	47886.59	48665.90	1459.98	-779.31	Pass	NA	NA	NA	NA	NA
Detector 10										
9/7/2023 12:50:00 AM	49415.62	50649.48	1519.48	-1233.86	Pass	NA	NA	NA	NA	NA
9/8/2023 12:51:00 AM	49726.26	50649.48	1519.48	-923.22	Pass	NA	NA	NA	NA	NA
Detector 11										
9/7/2023 12:50:00 AM	58604.17	59849.50	1795.49	-1245.33	Pass	NA	NA	NA	NA	NA
9/8/2023 12:51:00 AM	58965.40	59849.50	1795.49	-884.10	Pass	NA	NA	NA	NA	NA
Detector 16										
9/7/2023 12:58:00 AM	49075.42	49489.98	1484.70	-414.56	Pass	NA	NA	NA	NA	NA
9/8/2023 1:04:00 AM	49044.76	49489.98	1484.70	-445.22	Pass	NA	NA	NA	NA	NA
Detector 17										
9/7/2023 12:58:00 AM	46067.91	46812.78	1404.38	-744.86	Pass	NA	NA	NA	NA	NA
9/8/2023 1:04:00 AM	46100.26	46812.78	1404.38	-712.52	Pass	NA	NA	NA	NA	NA
Detector 18										
9/7/2023 12:58:00 AM	49265.00	50124.63	1503.74	-859.62	Pass	NA	NA	NA	NA	NA
9/8/2023 1:04:00 AM	49237.23	50124.63	1503.74	-887.40	Pass	NA	NA	NA	NA	NA

Gas Proportional Counter Daily Quality Control Checks

Instrument: Purple

	Beta CPM	Beta Mean	Beta +/- limit	Beta Deviation	Beta Flag	B>>A XT CPM	B>>A XT Mean	B>>A XT +/- limit	B>>A XT Deviation	B>>A XT Flag
Detector 19										
9/7/2023 12:58:00 AM	57607.04	57663.50	1729.91	-56.46	Pass	NA	NA	NA	NA	NA
9/8/2023 1:04:00 AM	57339.81	57663.50	1729.91	-323.69	Pass	NA	NA	NA	NA	NA
Detector 20										
9/7/2023 12:55:00 AM	49199.53	49753.68	1492.61	-554.15	Pass	NA	NA	NA	NA	NA
9/8/2023 12:57:00 AM	49131.28	49753.68	1492.61	-622.39	Pass	NA	NA	NA	NA	NA
Detector 21										
9/7/2023 12:55:00 AM	54715.27	54662.13	1639.86	53.15	Pass	NA	NA	NA	NA	NA
9/8/2023 12:59:00 AM	54820.58	54662.13	1639.86	158.45	Pass	NA	NA	NA	NA	NA
Detector 22										
9/7/2023 12:55:00 AM	51354.59	52239.03	1567.17	-884.44	Pass	NA	NA	NA	NA	NA
9/8/2023 12:59:00 AM	51116.09	52239.03	1567.17	-1122.94	Pass	NA	NA	NA	NA	NA
Detector 23										
9/7/2023 12:55:00 AM	44911.51	45717.00	1371.51	-805.49	Pass	NA	NA	NA	NA	NA
9/8/2023 12:59:00 AM	44801.86	45717.00	1371.51	-915.14	Pass	NA	NA	NA	NA	NA



Gas Proportional Counter Daily Quality Control Checks

Instrument: Purple

	AlphaBKG CPM	BKG Mean	BKG +/- limit	BKG Deviation	BKG Flag	BetaBKG CPM	BetaBKG Mean	BetaBKG +/- limit	BetaBKG Deviation	BetaBKG Flag
Check Type = BKG										
Detector 0										
9/7/2023 4:33:00 AM	0.15	0.25	0.04	-0.10	Pass	3.24	0.55	0.07	2.688	FAIL
9/8/2023 4:29:00 AM	0.20	0.25	0.04	-0.05	Pass	4.12	0.55	0.07	3.573	FAIL
Detector 1										
9/7/2023 4:33:00 AM	0.45	0.62	0.06	-0.18	FAIL	0.76	0.83	0.09	-0.077	Pass
9/8/2023 4:29:00 AM	0.49	0.62	0.06	-0.14	Pass	0.56	0.83	0.09	-0.272	FAIL
Detector 2										
9/7/2023 4:33:00 AM	0.19	0.27	0.04	-0.08	Pass	0.51	0.54	0.08	-0.032	Pass
9/8/2023 4:29:00 AM	0.15	0.27	0.04	-0.12	FAIL	0.45	0.54	0.08	-0.092	Pass
Detector 3										
9/7/2023 4:33:00 AM	0.15	0.25	0.03	-0.10	FAIL	4.74	0.47	0.07	4.266	FAIL
9/8/2023 4:29:00 AM	0.21	0.25	0.03	-0.04	Pass	2.11	0.47	0.07	1.631	FAIL
Detector 8										
9/7/2023 4:33:00 AM	0.09	0.21	0.03	-0.12	FAIL	0.54	0.52	0.06	0.023	Pass
9/8/2023 4:29:00 AM	0.10	0.21	0.03	-0.11	FAIL	0.50	0.52	0.06	-0.017	Pass
Detector 9										
9/7/2023 4:34:00 AM	0.12	0.23	0.05	-0.11	Pass	0.41	0.48	0.09	-0.070	Pass
9/8/2023 4:29:00 AM	0.13	0.23	0.05	-0.10	Pass	0.47	0.48	0.09	-0.010	Pass
Detector 10										
9/7/2023 4:34:00 AM	0.15	0.21	0.03	-0.06	Pass	0.33	0.39	0.06	-0.060	Pass
9/8/2023 4:29:00 AM	0.11	0.21	0.03	-0.10	FAIL	0.40	0.39	0.06	0.005	Pass
Detector 11										
9/7/2023 4:34:00 AM	0.05	0.20	0.04	-0.15	FAIL	0.42	0.49	0.07	-0.066	Pass
9/8/2023 4:29:00 AM	0.02	0.20	0.04	-0.18	FAIL	0.36	0.49	0.07	-0.126	Pass
Detector 16										
9/7/2023 4:32:00 AM	0.15	0.19	0.04	-0.04	Pass	0.34	0.47	0.06	-0.136	Pass
9/8/2023 4:29:00 AM	0.14	0.19	0.04	-0.06	Pass	0.37	0.47	0.06	-0.106	Pass
Detector 17										
9/7/2023 4:32:00 AM	0.10	0.22	0.05	-0.13	Pass	0.28	0.36	0.06	-0.081	Pass
9/8/2023 4:29:00 AM	0.14	0.22	0.05	-0.08	Pass	0.37	0.36	0.06	0.009	Pass
Detector 18										
9/7/2023 4:32:00 AM	0.16	0.20	0.03	-0.04	Pass	0.32	0.42	0.06	-0.104	Pass
9/8/2023 4:29:00 AM	0.14	0.20	0.03	-0.06	Pass	0.35	0.42	0.06	-0.079	Pass

Gas Proportional Counter Daily Quality Control Checks

Instrument: Purple

	AlphaBKG CPM	BKG Mean	BKG +/- limit	BKG Deviation	BKG Flag		BetaBKG CPM	BetaBKG Mean	BetaBKG +/- limit	BetaBKG Deviation	BetaBKG Flag
Detector 19											
9/7/2023 4:33:00 AM	0.09	0.23	0.04	-0.15	FAIL		0.40	0.52	0.07	-0.125	Pass
9/8/2023 4:30:00 AM	0.13	0.23	0.04	-0.10	Pass		0.35	0.52	0.07	-0.175	Pass
Detector 20											
9/7/2023 4:34:00 AM	0.24	0.24	0.04	0.00	Pass		0.33	0.47	0.08	-0.149	Pass
9/8/2023 4:30:00 AM	0.16	0.24	0.04	-0.08	Pass		0.45	0.47	0.08	-0.024	Pass
Detector 21											
9/7/2023 4:34:00 AM	0.14	0.21	0.04	-0.07	Pass		0.23	0.27	0.04	-0.047	Pass
9/8/2023 4:30:00 AM	0.15	0.21	0.04	-0.06	Pass		0.23	0.27	0.04	-0.042	Pass
Detector 22											
9/7/2023 4:34:00 AM	0.15	0.22	0.04	-0.07	Pass		0.25	0.28	0.04	-0.032	Pass
9/8/2023 4:30:00 AM	0.18	0.22	0.04	-0.04	Pass		0.25	0.28	0.04	-0.032	Pass
Detector 23											
9/7/2023 4:34:00 AM	0.27	0.90	0.14	-0.63	FAIL		0.32	0.71	0.16	-0.400	Pass
9/8/2023 4:30:00 AM	0.35	0.90	0.14	-0.56	FAIL		0.38	0.71	0.16	-0.335	Pass


The Alpha and Beta +/- limit are based upon initial 20-point population.

The Alpha and Beta +/- limit for Efficiency is stated at 3%. Flags are "FAIL" > 3%.


The Alpha and Beta +/- limit for Background is stated at 1 StDev. Flags are "FAIL" > 3 StDev.

The Alpha +/- limit for Crosstalk is stated at 1 StDev. Flags are "Warning > 2 StDev and "DOEF" > 3 StDev. Beta is negligible, for trend only ("NA").

Times shown reflect the end of the count duration.

**Gas Proportional Counter Daily Quality Control Checks****Instrument: Purple**

	Alpha CPM	Alpha Mean	Alpha +/- limit	Alpha Deviation	Alpha Flag	A>>B XT CPM	A>>B XT Mean	A>>B XT +/- limit	A>>B XT Deviation	A>>B XT Flag
Check Type = Alpha										
Detector 0										
9/7/2023 12:48:00 AM	10032.90	10005.95	300.18	26.95	Pass	3361.50	3304.25	47.99	57.250	Pass
9/8/2023 12:50:00 AM	10064.99	10005.95	300.18	59.04	Pass	3359.50	3304.25	47.99	55.250	Pass
Detector 1										
9/7/2023 12:48:00 AM	11583.47	11474.00	344.22	109.47	Pass	3727.00	3668.10	92.50	58.900	Pass
9/8/2023 12:50:00 AM	11594.54	11474.00	344.22	120.54	Pass	3776.00	3668.10	92.50	107.900	Pass
Detector 2										
9/7/2023 12:49:00 AM	10549.09	10779.28	323.38	-230.18	Pass	3666.50	3622.45	60.39	44.050	Pass
9/8/2023 12:50:00 AM	10761.92	10779.28	323.38	-17.35	Pass	3684.00	3622.45	60.39	61.550	Pass
Detector 3										
9/7/2023 12:49:00 AM	11467.82	11620.73	348.62	-152.91	Pass	4245.00	4154.53	83.95	90.475	Pass
9/8/2023 12:50:00 AM	11421.31	11620.73	348.62	-199.42	Pass	4292.00	4154.53	83.95	137.475	Pass
Detector 8										
9/7/2023 12:58:00 AM	9852.16	9904.33	297.13	-52.16	Pass	3334.50	3192.58	64.13	141.925	WARNING
9/8/2023 1:03:00 AM	9778.61	9904.33	297.13	-125.72	Pass	3367.50	3192.58	64.13	174.925	WARNING
Detector 9										
9/7/2023 12:58:00 AM	11226.00	11361.38	340.84	-135.38	Pass	3883.50	3899.85	43.84	-16.350	Pass
9/8/2023 1:03:00 AM	11232.06	11361.38	340.84	-129.32	Pass	4029.00	3899.85	43.84	129.150	WARNING
Detector 10										
9/7/2023 12:58:00 AM	10593.65	10759.58	322.79	-165.92	Pass	3878.00	3707.40	46.90	170.600	DOEF
9/8/2023 1:03:00 AM	10658.79	10759.58	322.79	-100.79	Pass	3918.00	3707.40	46.90	210.600	DOEF
Detector 11										
9/7/2023 12:58:00 AM	11448.80	11694.93	350.85	-246.13	Pass	4026.50	3629.48	107.65	397.025	DOEF
9/8/2023 1:04:00 AM	11503.92	11694.93	350.85	-191.00	Pass	4111.50	3629.48	107.65	482.025	DOEF
Detector 16										
9/7/2023 12:55:00 AM	9797.08	9851.13	295.53	-54.05	Pass	3298.50	3068.29	89.69	230.211	WARNING
9/8/2023 1:00:00 AM	9855.20	9851.13	295.53	4.07	Pass	3354.00	3068.29	89.69	285.711	DOEF
Detector 17										
9/7/2023 12:55:00 AM	11617.01	11664.32	349.93	-47.31	Pass	3413.00	3276.32	55.74	136.684	WARNING
9/8/2023 12:57:00 AM	11576.51	11664.32	349.93	-87.81	Pass	3402.00	3276.32	55.74	125.684	WARNING
Detector 18										
9/7/2023 12:55:00 AM	10734.83	10763.16	322.89	-28.33	Pass	3867.50	3698.37	56.57	169.132	WARNING
9/8/2023 12:57:00 AM	10751.40	10763.16	322.89	-11.76	Pass	3877.50	3698.37	56.57	179.132	DOEF



Gas Proportional Counter Daily Quality Control Checks

Instrument: Purple

	Alpha CPM	Alpha Mean	Alpha +/- limit	Alpha Deviation	Alpha Flag	A>>B XT CPM	A>>B XT Mean	A>>B XT +/- limit	A>>B XT Deviation	A>>B XT Flag
Detector 19										
9/7/2023 12:55:00 AM	11890.88	11980.39	359.41	-89.52	Pass	4089.50	3947.45	80.92	142.053	Pass
9/8/2023 12:57:00 AM	11718.70	11980.39	359.41	-261.70	Pass	4142.50	3947.45	80.92	195.053	WARNING
Detector 20										
9/7/2023 12:50:00 AM	15573.79	15638.68	469.16	-64.89	Pass	5067.00	4996.66	60.03	70.342	Pass
9/8/2023 12:50:00 AM	15353.57	15638.68	469.16	-285.12	Pass	5072.00	4996.66	60.03	75.342	Pass
Detector 21										
9/7/2023 12:51:00 AM	15126.70	15339.71	460.19	-213.02	Pass	5228.50	5084.89	57.28	143.605	WARNING
9/8/2023 12:50:00 AM	15177.83	15339.71	460.19	-161.88	Pass	5241.00	5084.89	57.28	156.105	WARNING
Detector 22										
9/7/2023 12:51:00 AM	12636.37	12713.74	381.41	-77.37	Pass	4533.50	4136.55	78.76	396.947	DOEF
9/8/2023 12:51:00 AM	12569.34	12713.74	381.41	-144.40	Pass	4507.50	4136.55	78.76	370.947	DOEF
Detector 23										
9/7/2023 12:51:00 AM	12644.88	12915.71	387.47	-270.83	Pass	4947.00	4694.21	79.75	252.789	DOEF
9/8/2023 12:51:00 AM	12582.35	12915.71	387.47	-333.36	Pass	5098.00	4694.21	79.75	403.789	DOEF

Gas Proportional Counter Daily Quality Control Checks

Instrument: Purple

	Beta CPM	Beta Mean	Beta +/- limit	Beta Deviation	Beta Flag	B>>A XT CPM	B>>A XT Mean	B>>A XT +/- limit	B>>A XT Deviation	B>>A XT Flag
Check Type = Beta										
Detector 0										
9/7/2023 12:55:00 AM	49481.63	50226.98	1506.81	-745.34	Pass	NA	NA	NA	NA	NA
9/8/2023 1:00:00 AM	49575.90	50226.98	1506.81	-651.07	Pass	NA	NA	NA	NA	NA
Detector 1										
9/7/2023 12:55:00 AM	48416.85	48796.70	1463.90	-379.85	Pass	NA	NA	NA	NA	NA
9/8/2023 1:00:00 AM	48203.74	48796.70	1463.90	-592.96	Pass	NA	NA	NA	NA	NA
Detector 2										
9/7/2023 12:55:00 AM	50058.64	50875.48	1526.26	-816.83	Pass	NA	NA	NA	NA	NA
9/8/2023 1:00:00 AM	49925.78	50875.48	1526.26	-949.69	Pass	NA	NA	NA	NA	NA
Detector 3										
9/7/2023 12:55:00 AM	59401.19	60107.23	1803.22	-706.04	Pass	NA	NA	NA	NA	NA
9/8/2023 1:00:00 AM	59091.41	60107.23	1803.22	-1015.82	Pass	NA	NA	NA	NA	NA
Detector 8										
9/7/2023 12:49:00 AM	49694.82	50025.35	1500.76	-330.53	Pass	NA	NA	NA	NA	NA
9/8/2023 12:51:00 AM	49592.97	50025.35	1500.76	-432.38	Pass	NA	NA	NA	NA	NA
Detector 9										
9/7/2023 12:49:00 AM	48117.25	48665.90	1459.98	-548.65	Pass	NA	NA	NA	NA	NA
9/8/2023 12:51:00 AM	47886.59	48665.90	1459.98	-779.31	Pass	NA	NA	NA	NA	NA
Detector 10										
9/7/2023 12:50:00 AM	49415.62	50649.48	1519.48	-1233.86	Pass	NA	NA	NA	NA	NA
9/8/2023 12:51:00 AM	49726.26	50649.48	1519.48	-923.22	Pass	NA	NA	NA	NA	NA
Detector 11										
9/7/2023 12:50:00 AM	58604.17	59849.50	1795.49	-1245.33	Pass	NA	NA	NA	NA	NA
9/8/2023 12:51:00 AM	58965.40	59849.50	1795.49	-884.10	Pass	NA	NA	NA	NA	NA
Detector 16										
9/7/2023 12:58:00 AM	49075.42	49489.98	1484.70	-414.56	Pass	NA	NA	NA	NA	NA
9/8/2023 1:04:00 AM	49044.76	49489.98	1484.70	-445.22	Pass	NA	NA	NA	NA	NA
Detector 17										
9/7/2023 12:58:00 AM	46067.91	46812.78	1404.38	-744.86	Pass	NA	NA	NA	NA	NA
9/8/2023 1:04:00 AM	46100.26	46812.78	1404.38	-712.52	Pass	NA	NA	NA	NA	NA
Detector 18										
9/7/2023 12:58:00 AM	49265.00	50124.63	1503.74	-859.62	Pass	NA	NA	NA	NA	NA
9/8/2023 1:04:00 AM	49237.23	50124.63	1503.74	-887.40	Pass	NA	NA	NA	NA	NA

Gas Proportional Counter Daily Quality Control Checks

Instrument: Purple

	Beta CPM	Beta Mean	Beta +/- limit	Beta Deviation	Beta Flag	B>>A XT CPM	B>>A XT Mean	B>>A XT +/- limit	B>>A XT Deviation	B>>A XT Flag
Detector 19										
9/7/2023 12:58:00 AM	57607.04	57663.50	1729.91	-56.46	Pass	NA	NA	NA	NA	NA
9/8/2023 1:04:00 AM	57339.81	57663.50	1729.91	-323.69	Pass	NA	NA	NA	NA	NA
Detector 20										
9/7/2023 12:55:00 AM	49199.53	49753.68	1492.61	-554.15	Pass	NA	NA	NA	NA	NA
9/8/2023 12:57:00 AM	49131.28	49753.68	1492.61	-622.39	Pass	NA	NA	NA	NA	NA
Detector 21										
9/7/2023 12:55:00 AM	54715.27	54662.13	1639.86	53.15	Pass	NA	NA	NA	NA	NA
9/8/2023 12:59:00 AM	54820.58	54662.13	1639.86	158.45	Pass	NA	NA	NA	NA	NA
Detector 22										
9/7/2023 12:55:00 AM	51354.59	52239.03	1567.17	-884.44	Pass	NA	NA	NA	NA	NA
9/8/2023 12:59:00 AM	51116.09	52239.03	1567.17	-1122.94	Pass	NA	NA	NA	NA	NA
Detector 23										
9/7/2023 12:55:00 AM	44911.51	45717.00	1371.51	-805.49	Pass	NA	NA	NA	NA	NA
9/8/2023 12:59:00 AM	44801.86	45717.00	1371.51	-915.14	Pass	NA	NA	NA	NA	NA



Gas Proportional Counter Daily Quality Control Checks

Instrument: Purple

	AlphaBKG CPM	BKG Mean	BKG +/- limit	BKG Deviation	BKG Flag	BetaBKG CPM	BetaBKG Mean	BetaBKG +/- limit	BetaBKG Deviation	BetaBKG Flag
Check Type = BKG										
Detector 0										
9/7/2023 4:33:00 AM	0.15	0.25	0.04	-0.10	Pass	3.24	0.55	0.07	2.688	FAIL
9/8/2023 4:29:00 AM	0.20	0.25	0.04	-0.05	Pass	4.12	0.55	0.07	3.573	FAIL
Detector 1										
9/7/2023 4:33:00 AM	0.45	0.62	0.06	-0.18	FAIL	0.76	0.83	0.09	-0.077	Pass
9/8/2023 4:29:00 AM	0.49	0.62	0.06	-0.14	Pass	0.56	0.83	0.09	-0.272	FAIL
Detector 2										
9/7/2023 4:33:00 AM	0.19	0.27	0.04	-0.08	Pass	0.51	0.54	0.08	-0.032	Pass
9/8/2023 4:29:00 AM	0.15	0.27	0.04	-0.12	FAIL	0.45	0.54	0.08	-0.092	Pass
Detector 3										
9/7/2023 4:33:00 AM	0.15	0.25	0.03	-0.10	FAIL	4.74	0.47	0.07	4.266	FAIL
9/8/2023 4:29:00 AM	0.21	0.25	0.03	-0.04	Pass	2.11	0.47	0.07	1.631	FAIL
Detector 8										
9/7/2023 4:33:00 AM	0.09	0.21	0.03	-0.12	FAIL	0.54	0.52	0.06	0.023	Pass
9/8/2023 4:29:00 AM	0.10	0.21	0.03	-0.11	FAIL	0.50	0.52	0.06	-0.017	Pass
Detector 9										
9/7/2023 4:34:00 AM	0.12	0.23	0.05	-0.11	Pass	0.41	0.48	0.09	-0.070	Pass
9/8/2023 4:29:00 AM	0.13	0.23	0.05	-0.10	Pass	0.47	0.48	0.09	-0.010	Pass
Detector 10										
9/7/2023 4:34:00 AM	0.15	0.21	0.03	-0.06	Pass	0.33	0.39	0.06	-0.060	Pass
9/8/2023 4:29:00 AM	0.11	0.21	0.03	-0.10	FAIL	0.40	0.39	0.06	0.005	Pass
Detector 11										
9/7/2023 4:34:00 AM	0.05	0.20	0.04	-0.15	FAIL	0.42	0.49	0.07	-0.066	Pass
9/8/2023 4:29:00 AM	0.02	0.20	0.04	-0.18	FAIL	0.36	0.49	0.07	-0.126	Pass
Detector 16										
9/7/2023 4:32:00 AM	0.15	0.19	0.04	-0.04	Pass	0.34	0.47	0.06	-0.136	Pass
9/8/2023 4:29:00 AM	0.14	0.19	0.04	-0.06	Pass	0.37	0.47	0.06	-0.106	Pass
Detector 17										
9/7/2023 4:32:00 AM	0.10	0.22	0.05	-0.13	Pass	0.28	0.36	0.06	-0.081	Pass
9/8/2023 4:29:00 AM	0.14	0.22	0.05	-0.08	Pass	0.37	0.36	0.06	0.009	Pass
Detector 18										
9/7/2023 4:32:00 AM	0.16	0.20	0.03	-0.04	Pass	0.32	0.42	0.06	-0.104	Pass
9/8/2023 4:29:00 AM	0.14	0.20	0.03	-0.06	Pass	0.35	0.42	0.06	-0.079	Pass

Gas Proportional Counter Daily Quality Control Checks

Instrument: Purple

	AlphaBKG CPM	BKG Mean	BKG +/- limit	BKG Deviation	BKG Flag		BetaBKG CPM	BetaBKG Mean	BetaBKG +/- limit	BetaBKG Deviation	BetaBKG Flag
Detector 19											
9/7/2023 4:33:00 AM	0.09	0.23	0.04	-0.15	FAIL		0.40	0.52	0.07	-0.125	Pass
9/8/2023 4:30:00 AM	0.13	0.23	0.04	-0.10	Pass		0.35	0.52	0.07	-0.175	Pass
Detector 20											
9/7/2023 4:34:00 AM	0.24	0.24	0.04	0.00	Pass		0.33	0.47	0.08	-0.149	Pass
9/8/2023 4:30:00 AM	0.16	0.24	0.04	-0.08	Pass		0.45	0.47	0.08	-0.024	Pass
Detector 21											
9/7/2023 4:34:00 AM	0.14	0.21	0.04	-0.07	Pass		0.23	0.27	0.04	-0.047	Pass
9/8/2023 4:30:00 AM	0.15	0.21	0.04	-0.06	Pass		0.23	0.27	0.04	-0.042	Pass
Detector 22											
9/7/2023 4:34:00 AM	0.15	0.22	0.04	-0.07	Pass		0.25	0.28	0.04	-0.032	Pass
9/8/2023 4:30:00 AM	0.18	0.22	0.04	-0.04	Pass		0.25	0.28	0.04	-0.032	Pass
Detector 23											
9/7/2023 4:34:00 AM	0.27	0.90	0.14	-0.63	FAIL		0.32	0.71	0.16	-0.400	Pass
9/8/2023 4:30:00 AM	0.35	0.90	0.14	-0.56	FAIL		0.38	0.71	0.16	-0.335	Pass

The Alpha and Beta +/- limit are based upon initial 20-point population.

The Alpha and Beta +/- limit for Efficiency is stated at 3%. Flags are "FAIL" > 3%.

The Alpha and Beta +/- limit for Background is stated at 1 StDev. Flags are "FAIL" > 3 StDev.

The Alpha +/- limit for Crosstalk is stated at 1 StDev. Flags are "Warning > 2 StDev and "DOEF" > 3 StDev. Beta is negligible, for trend only ("NA").

Times shown reflect the end of the count duration.

**Gas Proportional Counter Daily Quality Control Checks****Instrument: Purple**

	Alpha CPM	Alpha Mean	Alpha +/- limit	Alpha Deviation	Alpha Flag	A>>B XT CPM	A>>B XT Mean	A>>B XT +/- limit	A>>B XT Deviation	A>>B XT Flag
Check Type = Alpha										
Detector 0										
9/7/2023 12:48:00 AM	10032.90	10005.95	300.18	26.95	Pass	3361.50	3304.25	47.99	57.250	Pass
9/8/2023 12:50:00 AM	10064.99	10005.95	300.18	59.04	Pass	3359.50	3304.25	47.99	55.250	Pass
Detector 1										
9/7/2023 12:48:00 AM	11583.47	11474.00	344.22	109.47	Pass	3727.00	3668.10	92.50	58.900	Pass
9/8/2023 12:50:00 AM	11594.54	11474.00	344.22	120.54	Pass	3776.00	3668.10	92.50	107.900	Pass
Detector 2										
9/7/2023 12:49:00 AM	10549.09	10779.28	323.38	-230.18	Pass	3666.50	3622.45	60.39	44.050	Pass
9/8/2023 12:50:00 AM	10761.92	10779.28	323.38	-17.35	Pass	3684.00	3622.45	60.39	61.550	Pass
Detector 3										
9/7/2023 12:49:00 AM	11467.82	11620.73	348.62	-152.91	Pass	4245.00	4154.53	83.95	90.475	Pass
9/8/2023 12:50:00 AM	11421.31	11620.73	348.62	-199.42	Pass	4292.00	4154.53	83.95	137.475	Pass
Detector 8										
9/7/2023 12:58:00 AM	9852.16	9904.33	297.13	-52.16	Pass	3334.50	3192.58	64.13	141.925	WARNING
9/8/2023 1:03:00 AM	9778.61	9904.33	297.13	-125.72	Pass	3367.50	3192.58	64.13	174.925	WARNING
Detector 9										
9/7/2023 12:58:00 AM	11226.00	11361.38	340.84	-135.38	Pass	3883.50	3899.85	43.84	-16.350	Pass
9/8/2023 1:03:00 AM	11232.06	11361.38	340.84	-129.32	Pass	4029.00	3899.85	43.84	129.150	WARNING
Detector 10										
9/7/2023 12:58:00 AM	10593.65	10759.58	322.79	-165.92	Pass	3878.00	3707.40	46.90	170.600	DOEF
9/8/2023 1:03:00 AM	10658.79	10759.58	322.79	-100.79	Pass	3918.00	3707.40	46.90	210.600	DOEF
Detector 11										
9/7/2023 12:58:00 AM	11448.80	11694.93	350.85	-246.13	Pass	4026.50	3629.48	107.65	397.025	DOEF
9/8/2023 1:04:00 AM	11503.92	11694.93	350.85	-191.00	Pass	4111.50	3629.48	107.65	482.025	DOEF
Detector 16										
9/7/2023 12:55:00 AM	9797.08	9851.13	295.53	-54.05	Pass	3298.50	3068.29	89.69	230.211	WARNING
9/8/2023 1:00:00 AM	9855.20	9851.13	295.53	4.07	Pass	3354.00	3068.29	89.69	285.711	DOEF
Detector 17										
9/7/2023 12:55:00 AM	11617.01	11664.32	349.93	-47.31	Pass	3413.00	3276.32	55.74	136.684	WARNING
9/8/2023 12:57:00 AM	11576.51	11664.32	349.93	-87.81	Pass	3402.00	3276.32	55.74	125.684	WARNING
Detector 18										
9/7/2023 12:55:00 AM	10734.83	10763.16	322.89	-28.33	Pass	3867.50	3698.37	56.57	169.132	WARNING
9/8/2023 12:57:00 AM	10751.40	10763.16	322.89	-11.76	Pass	3877.50	3698.37	56.57	179.132	DOEF



Gas Proportional Counter Daily Quality Control Checks

Instrument: Purple

	Alpha CPM	Alpha Mean	Alpha +/- limit	Alpha Deviation	Alpha Flag	A>>B XT CPM	A>>B XT Mean	A>>B XT +/- limit	A>>B XT Deviation	A>>B XT Flag
Detector 19										
9/7/2023 12:55:00 AM	11890.88	11980.39	359.41	-89.52	Pass	4089.50	3947.45	80.92	142.053	Pass
9/8/2023 12:57:00 AM	11718.70	11980.39	359.41	-261.70	Pass	4142.50	3947.45	80.92	195.053	WARNING
Detector 20										
9/7/2023 12:50:00 AM	15573.79	15638.68	469.16	-64.89	Pass	5067.00	4996.66	60.03	70.342	Pass
9/8/2023 12:50:00 AM	15353.57	15638.68	469.16	-285.12	Pass	5072.00	4996.66	60.03	75.342	Pass
Detector 21										
9/7/2023 12:51:00 AM	15126.70	15339.71	460.19	-213.02	Pass	5228.50	5084.89	57.28	143.605	WARNING
9/8/2023 12:50:00 AM	15177.83	15339.71	460.19	-161.88	Pass	5241.00	5084.89	57.28	156.105	WARNING
Detector 22										
9/7/2023 12:51:00 AM	12636.37	12713.74	381.41	-77.37	Pass	4533.50	4136.55	78.76	396.947	DOEF
9/8/2023 12:51:00 AM	12569.34	12713.74	381.41	-144.40	Pass	4507.50	4136.55	78.76	370.947	DOEF
Detector 23										
9/7/2023 12:51:00 AM	12644.88	12915.71	387.47	-270.83	Pass	4947.00	4694.21	79.75	252.789	DOEF
9/8/2023 12:51:00 AM	12582.35	12915.71	387.47	-333.36	Pass	5098.00	4694.21	79.75	403.789	DOEF

Gas Proportional Counter Daily Quality Control Checks


Instrument: Purple

	Beta CPM	Beta Mean	Beta +/- limit	Beta Deviation	Beta Flag	B>>A XT CPM	B>>A XT Mean	B>>A XT +/- limit	B>>A XT Deviation	B>>A XT Flag
Check Type = Beta										
Detector 0										
9/7/2023 12:55:00 AM	49481.63	50226.98	1506.81	-745.34	Pass	NA	NA	NA	NA	NA
9/8/2023 1:00:00 AM	49575.90	50226.98	1506.81	-651.07	Pass	NA	NA	NA	NA	NA
Detector 1										
9/7/2023 12:55:00 AM	48416.85	48796.70	1463.90	-379.85	Pass	NA	NA	NA	NA	NA
9/8/2023 1:00:00 AM	48203.74	48796.70	1463.90	-592.96	Pass	NA	NA	NA	NA	NA
Detector 2										
9/7/2023 12:55:00 AM	50058.64	50875.48	1526.26	-816.83	Pass	NA	NA	NA	NA	NA
9/8/2023 1:00:00 AM	49925.78	50875.48	1526.26	-949.69	Pass	NA	NA	NA	NA	NA
Detector 3										
9/7/2023 12:55:00 AM	59401.19	60107.23	1803.22	-706.04	Pass	NA	NA	NA	NA	NA
9/8/2023 1:00:00 AM	59091.41	60107.23	1803.22	-1015.82	Pass	NA	NA	NA	NA	NA
Detector 8										
9/7/2023 12:49:00 AM	49694.82	50025.35	1500.76	-330.53	Pass	NA	NA	NA	NA	NA
9/8/2023 12:51:00 AM	49592.97	50025.35	1500.76	-432.38	Pass	NA	NA	NA	NA	NA
Detector 9										
9/7/2023 12:49:00 AM	48117.25	48665.90	1459.98	-548.65	Pass	NA	NA	NA	NA	NA
9/8/2023 12:51:00 AM	47886.59	48665.90	1459.98	-779.31	Pass	NA	NA	NA	NA	NA
Detector 10										
9/7/2023 12:50:00 AM	49415.62	50649.48	1519.48	-1233.86	Pass	NA	NA	NA	NA	NA
9/8/2023 12:51:00 AM	49726.26	50649.48	1519.48	-923.22	Pass	NA	NA	NA	NA	NA
Detector 11										
9/7/2023 12:50:00 AM	58604.17	59849.50	1795.49	-1245.33	Pass	NA	NA	NA	NA	NA
9/8/2023 12:51:00 AM	58965.40	59849.50	1795.49	-884.10	Pass	NA	NA	NA	NA	NA
Detector 16										
9/7/2023 12:58:00 AM	49075.42	49489.98	1484.70	-414.56	Pass	NA	NA	NA	NA	NA
9/8/2023 1:04:00 AM	49044.76	49489.98	1484.70	-445.22	Pass	NA	NA	NA	NA	NA
Detector 17										
9/7/2023 12:58:00 AM	46067.91	46812.78	1404.38	-744.86	Pass	NA	NA	NA	NA	NA
9/8/2023 1:04:00 AM	46100.26	46812.78	1404.38	-712.52	Pass	NA	NA	NA	NA	NA
Detector 18										
9/7/2023 12:58:00 AM	49265.00	50124.63	1503.74	-859.62	Pass	NA	NA	NA	NA	NA
9/8/2023 1:04:00 AM	49237.23	50124.63	1503.74	-887.40	Pass	NA	NA	NA	NA	NA

Gas Proportional Counter Daily Quality Control Checks

Instrument: Purple

	Beta CPM	Beta Mean	Beta +/- limit	Beta Deviation	Beta Flag	B>>A XT CPM	B>>A XT Mean	B>>A XT +/- limit	B>>A XT Deviation	B>>A XT Flag
Detector 19										
9/7/2023 12:58:00 AM	57607.04	57663.50	1729.91	-56.46	Pass	NA	NA	NA	NA	NA
9/8/2023 1:04:00 AM	57339.81	57663.50	1729.91	-323.69	Pass	NA	NA	NA	NA	NA
Detector 20										
9/7/2023 12:55:00 AM	49199.53	49753.68	1492.61	-554.15	Pass	NA	NA	NA	NA	NA
9/8/2023 12:57:00 AM	49131.28	49753.68	1492.61	-622.39	Pass	NA	NA	NA	NA	NA
Detector 21										
9/7/2023 12:55:00 AM	54715.27	54662.13	1639.86	53.15	Pass	NA	NA	NA	NA	NA
9/8/2023 12:59:00 AM	54820.58	54662.13	1639.86	158.45	Pass	NA	NA	NA	NA	NA
Detector 22										
9/7/2023 12:55:00 AM	51354.59	52239.03	1567.17	-884.44	Pass	NA	NA	NA	NA	NA
9/8/2023 12:59:00 AM	51116.09	52239.03	1567.17	-1122.94	Pass	NA	NA	NA	NA	NA
Detector 23										
9/7/2023 12:55:00 AM	44911.51	45717.00	1371.51	-805.49	Pass	NA	NA	NA	NA	NA
9/8/2023 12:59:00 AM	44801.86	45717.00	1371.51	-915.14	Pass	NA	NA	NA	NA	NA



Gas Proportional Counter Daily Quality Control Checks

Instrument: Purple

	AlphaBKG CPM	BKG Mean	BKG +/- limit	BKG Deviation	BKG Flag	BetaBKG CPM	BetaBKG Mean	BetaBKG +/- limit	BetaBKG Deviation	BetaBKG Flag
Check Type = BKG										
Detector 0										
9/7/2023 4:33:00 AM	0.15	0.25	0.04	-0.10	Pass	3.24	0.55	0.07	2.688	FAIL
9/8/2023 4:29:00 AM	0.20	0.25	0.04	-0.05	Pass	4.12	0.55	0.07	3.573	FAIL
Detector 1										
9/7/2023 4:33:00 AM	0.45	0.62	0.06	-0.18	FAIL	0.76	0.83	0.09	-0.077	Pass
9/8/2023 4:29:00 AM	0.49	0.62	0.06	-0.14	Pass	0.56	0.83	0.09	-0.272	FAIL
Detector 2										
9/7/2023 4:33:00 AM	0.19	0.27	0.04	-0.08	Pass	0.51	0.54	0.08	-0.032	Pass
9/8/2023 4:29:00 AM	0.15	0.27	0.04	-0.12	FAIL	0.45	0.54	0.08	-0.092	Pass
Detector 3										
9/7/2023 4:33:00 AM	0.15	0.25	0.03	-0.10	FAIL	4.74	0.47	0.07	4.266	FAIL
9/8/2023 4:29:00 AM	0.21	0.25	0.03	-0.04	Pass	2.11	0.47	0.07	1.631	FAIL
Detector 8										
9/7/2023 4:33:00 AM	0.09	0.21	0.03	-0.12	FAIL	0.54	0.52	0.06	0.023	Pass
9/8/2023 4:29:00 AM	0.10	0.21	0.03	-0.11	FAIL	0.50	0.52	0.06	-0.017	Pass
Detector 9										
9/7/2023 4:34:00 AM	0.12	0.23	0.05	-0.11	Pass	0.41	0.48	0.09	-0.070	Pass
9/8/2023 4:29:00 AM	0.13	0.23	0.05	-0.10	Pass	0.47	0.48	0.09	-0.010	Pass
Detector 10										
9/7/2023 4:34:00 AM	0.15	0.21	0.03	-0.06	Pass	0.33	0.39	0.06	-0.060	Pass
9/8/2023 4:29:00 AM	0.11	0.21	0.03	-0.10	FAIL	0.40	0.39	0.06	0.005	Pass
Detector 11										
9/7/2023 4:34:00 AM	0.05	0.20	0.04	-0.15	FAIL	0.42	0.49	0.07	-0.066	Pass
9/8/2023 4:29:00 AM	0.02	0.20	0.04	-0.18	FAIL	0.36	0.49	0.07	-0.126	Pass
Detector 16										
9/7/2023 4:32:00 AM	0.15	0.19	0.04	-0.04	Pass	0.34	0.47	0.06	-0.136	Pass
9/8/2023 4:29:00 AM	0.14	0.19	0.04	-0.06	Pass	0.37	0.47	0.06	-0.106	Pass
Detector 17										
9/7/2023 4:32:00 AM	0.10	0.22	0.05	-0.13	Pass	0.28	0.36	0.06	-0.081	Pass
9/8/2023 4:29:00 AM	0.14	0.22	0.05	-0.08	Pass	0.37	0.36	0.06	0.009	Pass
Detector 18										
9/7/2023 4:32:00 AM	0.16	0.20	0.03	-0.04	Pass	0.32	0.42	0.06	-0.104	Pass
9/8/2023 4:29:00 AM	0.14	0.20	0.03	-0.06	Pass	0.35	0.42	0.06	-0.079	Pass

Gas Proportional Counter Daily Quality Control Checks

Instrument: Purple

	AlphaBKG CPM	BKG Mean	BKG +/- limit	BKG Deviation	BKG Flag		BetaBKG CPM	BetaBKG Mean	BetaBKG +/- limit	BetaBKG Deviation	BetaBKG Flag
Detector 19											
9/7/2023 4:33:00 AM	0.09	0.23	0.04	-0.15	FAIL		0.40	0.52	0.07	-0.125	Pass
9/8/2023 4:30:00 AM	0.13	0.23	0.04	-0.10	Pass		0.35	0.52	0.07	-0.175	Pass
Detector 20											
9/7/2023 4:34:00 AM	0.24	0.24	0.04	0.00	Pass		0.33	0.47	0.08	-0.149	Pass
9/8/2023 4:30:00 AM	0.16	0.24	0.04	-0.08	Pass		0.45	0.47	0.08	-0.024	Pass
Detector 21											
9/7/2023 4:34:00 AM	0.14	0.21	0.04	-0.07	Pass		0.23	0.27	0.04	-0.047	Pass
9/8/2023 4:30:00 AM	0.15	0.21	0.04	-0.06	Pass		0.23	0.27	0.04	-0.042	Pass
Detector 22											
9/7/2023 4:34:00 AM	0.15	0.22	0.04	-0.07	Pass		0.25	0.28	0.04	-0.032	Pass
9/8/2023 4:30:00 AM	0.18	0.22	0.04	-0.04	Pass		0.25	0.28	0.04	-0.032	Pass
Detector 23											
9/7/2023 4:34:00 AM	0.27	0.90	0.14	-0.63	FAIL		0.32	0.71	0.16	-0.400	Pass
9/8/2023 4:30:00 AM	0.35	0.90	0.14	-0.56	FAIL		0.38	0.71	0.16	-0.335	Pass

The Alpha and Beta +/- limit are based upon initial 20-point population.

The Alpha and Beta +/- limit for Efficiency is stated at 3%. Flags are "FAIL" > 3%.


The Alpha and Beta +/- limit for Background is stated at 1 StDev. Flags are "FAIL" > 3 StDev.

The Alpha +/- limit for Crosstalk is stated at 1 StDev. Flags are "Warning > 2 StDev and "DOEF" > 3 StDev. Beta is negligible, for trend only ("NA").

Times shown reflect the end of the count duration.

**Gas Proportional Counter Daily Quality Control Checks****Instrument: Red**

	Alpha CPM	Alpha Mean	Alpha +/- limit	Alpha Deviation	Alpha Flag	A>>B XT CPM	A>>B XT Mean	A>>B XT +/- limit	A>>B XT Deviation	A>>B XT Flag
Check Type = Alpha										
Detector 0										
8/29/2023 12:07:00 AM	9688.71	9785.18	293.56	-96.46	Pass	3352.00	3364.35	39.95	-12.350	Pass
8/30/2023 12:07:00 AM	9635.65	9785.18	293.56	-149.53	Pass	3362.00	3364.35	39.95	-2.350	Pass
Detector 1										
8/29/2023 12:07:00 AM	11080.54	11182.10	335.46	-101.56	Pass	3788.00	3961.88	58.91	-173.875	WARNING
8/30/2023 12:07:00 AM	10970.86	11182.10	335.46	-211.24	Pass	3900.00	3961.88	58.91	-61.875	Pass
Detector 2										
8/29/2023 12:07:00 AM	10327.00	10547.78	316.43	-220.77	Pass	3902.50	3862.43	54.26	40.075	Pass
8/30/2023 12:07:00 AM	10436.77	10547.78	316.43	-111.00	Pass	3933.00	3862.43	54.26	70.575	Pass
Detector 3										
8/29/2023 12:07:00 AM	11558.01	11644.80	349.34	-86.79	Pass	4087.00	4157.70	57.23	-70.700	Pass
8/30/2023 12:07:00 AM	11531.00	11644.80	349.34	-113.80	Pass	4180.50	4157.70	57.23	22.800	Pass
Detector 4										
8/29/2023 12:08:00 AM	15240.50	15407.73	462.23	-167.23	Pass	4933.00	4850.53	67.02	82.475	Pass
8/30/2023 12:07:00 AM	15169.42	15407.73	462.23	-238.30	Pass	4955.00	4850.53	67.02	104.475	Pass
Detector 5										
8/29/2023 12:08:00 AM	15081.17	15246.68	457.40	-165.50	Pass	4789.00	4784.45	54.21	4.550	Pass
8/30/2023 12:07:00 AM	14852.78	15246.68	457.40	-393.90	Pass	4857.00	4784.45	54.21	72.550	Pass
Detector 6										
8/29/2023 12:08:00 AM	12286.99	12512.03	375.36	-225.03	Pass	4314.00	4250.58	61.83	63.425	Pass
8/30/2023 12:08:00 AM	12218.41	12512.03	375.36	-293.62	Pass	4361.50	4250.58	61.83	110.925	Pass
Detector 7										
8/29/2023 12:08:00 AM	12812.56	13104.10	393.12	-291.54	Pass	4624.00	4544.05	59.72	79.950	Pass
8/30/2023 12:07:00 AM	12816.63	13104.10	393.12	-287.47	Pass	4627.00	4544.05	59.72	82.950	Pass
Detector 8										
8/29/2023 12:17:00 AM	8610.50	8616.85	258.51	-6.35	Pass	4429.50	4337.84	112.88	91.660	Pass
8/30/2023 12:15:00 AM	8566.95	8616.85	258.51	-49.90	Pass	4466.50	4337.84	112.88	128.660	Pass
Detector 9										
8/29/2023 12:17:00 AM	11500.37	11482.23	344.47	18.15	Pass	3696.00	3691.35	48.64	4.650	Pass
8/30/2023 12:15:00 AM	11466.85	11482.23	344.47	-15.37	Pass	3737.00	3691.35	48.64	45.650	Pass
Detector 10										
8/29/2023 12:17:00 AM	10823.50	10892.15	326.76	-68.65	Pass	3510.00	3537.60	35.64	-27.600	Pass
8/30/2023 12:15:00 AM	10779.96	10892.15	326.76	-112.19	Pass	3532.50	3537.60	35.64	-5.100	Pass

**Gas Proportional Counter Daily Quality Control Checks****Instrument: Red**

	Alpha CPM	Alpha Mean	Alpha +/- limit	Alpha Deviation	Alpha Flag	A>>B XT CPM	A>>B XT Mean	A>>B XT +/- limit	A>>B XT Deviation	A>>B XT Flag
Detector 11										
8/29/2023 12:17:00 AM	11802.49	11798.93	353.97	3.56	Pass	3781.50	3873.03	45.81	-91.525	Pass
8/30/2023 12:15:00 AM	11660.75	11798.93	353.97	-138.18	Pass	3787.50	3873.03	45.81	-85.525	Pass
Detector 12										
8/29/2023 12:17:00 AM	14632.74	14376.38	431.29	256.36	Pass	5537.50	5778.53	78.33	-241.025	DOEF
8/30/2023 12:15:00 AM	14513.56	14376.38	431.29	137.18	Pass	5631.50	5778.53	78.33	-147.025	Pass
Detector 13										
8/29/2023 12:17:00 AM	14909.30	15112.78	453.38	-203.47	Pass	4731.00	4872.78	66.66	-141.775	WARNING
8/30/2023 12:15:00 AM	15213.99	15112.78	453.38	101.21	Pass	4717.00	4872.78	66.66	-155.775	WARNING
Detector 14										
8/29/2023 12:17:00 AM	12406.21	12445.30	373.36	-39.09	Pass	4294.00	4336.03	47.90	-42.025	Pass
8/30/2023 12:15:00 AM	12344.14	12445.30	373.36	-101.16	Pass	4282.00	4336.03	47.90	-54.025	Pass
Detector 15										
8/29/2023 12:17:00 AM	12784.48	12888.03	386.64	-103.54	Pass	4351.00	4413.40	31.79	-62.400	Pass
8/30/2023 12:16:00 AM	13002.48	12888.03	386.64	114.46	Pass	4437.50	4413.40	31.79	24.100	Pass
Detector 16										
8/29/2023 12:12:00 AM	9889.08	9814.13	294.42	74.96	Pass	3459.50	3388.58	61.49	70.925	Pass
8/30/2023 12:12:00 AM	9705.75	9814.13	294.42	-108.37	Pass	3379.50	3388.58	61.49	-9.075	Pass
Detector 17										
8/29/2023 12:12:00 AM	11106.55	11253.23	337.60	-146.67	Pass	3925.50	3958.00	41.22	-32.500	Pass
8/30/2023 12:12:00 AM	11172.24	11253.23	337.60	-80.99	Pass	4027.50	3958.00	41.22	69.500	Pass
Detector 18										
8/29/2023 12:12:00 AM	10413.65	10555.95	316.68	-142.30	Pass	3971.50	3948.08	59.81	23.425	Pass
8/30/2023 12:12:00 AM	10463.79	10555.95	316.68	-92.16	Pass	4057.00	3948.08	59.81	108.925	Pass
Detector 19										
8/29/2023 12:12:00 AM	11426.70	11591.85	347.76	-165.15	Pass	4110.00	4218.30	50.23	-108.300	WARNING
8/30/2023 12:12:00 AM	11496.90	11591.85	347.76	-94.95	Pass	4129.00	4218.30	50.23	-89.300	Pass
Detector 20										
8/29/2023 12:12:00 AM	15268.50	15329.28	459.88	-60.77	Pass	5144.00	5170.15	64.69	-26.148	Pass
8/30/2023 12:12:00 AM	15248.53	15329.28	459.88	-80.74	Pass	5218.50	5170.15	64.69	48.352	Pass
Detector 21										
8/29/2023 12:13:00 AM	15181.83	15305.28	459.16	-123.45	Pass	5051.50	5199.90	72.13	-148.400	WARNING
8/30/2023 12:12:00 AM	15073.67	15305.28	459.16	-231.60	Pass	5154.00	5199.90	72.13	-45.900	Pass



Gas Proportional Counter Daily Quality Control Checks

Instrument: Red


	Alpha CPM	Alpha Mean	Alpha +/- limit	Alpha Deviation	Alpha Flag	A>>B XT CPM	A>>B XT Mean	A>>B XT +/- limit	A>>B XT Deviation	A>>B XT Flag
Detector 22										
8/29/2023 12:13:00 AM	12251.38	12418.15	372.54	-166.77	Pass	4211.00	4433.95	55.09	-222.950	DOEF
8/30/2023 12:12:00 AM	11985.89	12418.15	372.54	-432.26	FAIL	4389.00	4433.95	55.09	-44.950	Pass
Detector 23										
8/29/2023 12:13:00 AM	12703.30	12827.98	384.84	-124.68	Pass	4710.50	4667.03	71.68	43.475	Pass
8/30/2023 12:12:00 AM	12798.54	12827.98	384.84	-29.43	Pass	4646.00	4667.03	71.68	-21.025	Pass



Gas Proportional Counter Daily Quality Control Checks

Instrument: Red

	Beta CPM	Beta Mean	Beta +/- limit	Beta Deviation	Beta Flag	B>>A XT CPM	B>>A XT Mean	B>>A XT +/- limit	B>>A XT Deviation	B>>A XT Flag
Check Type = Beta										
Detector 0										
8/29/2023 12:13:00 AM	46844.86	46977.48	1409.32	-132.62	Pass	NA	NA	NA	NA	NA
8/30/2023 12:13:00 AM	46723.09	46977.48	1409.32	-254.39	Pass	NA	NA	NA	NA	NA
Detector 1										
8/29/2023 12:13:00 AM	45523.42	45880.28	1376.41	-356.85	Pass	NA	NA	NA	NA	NA
8/30/2023 12:13:00 AM	45307.51	45880.28	1376.41	-572.77	Pass	NA	NA	NA	NA	NA
Detector 2										
8/29/2023 12:13:00 AM	46392.06	47375.98	1421.28	-983.92	Pass	NA	NA	NA	NA	NA
8/30/2023 12:13:00 AM	46154.20	47375.98	1421.28	-1221.78	Pass	NA	NA	NA	NA	NA
Detector 3										
8/29/2023 12:13:00 AM	56370.41	56474.80	1694.24	-104.39	Pass	NA	NA	NA	NA	NA
8/30/2023 12:13:00 AM	56346.08	56474.80	1694.24	-128.72	Pass	NA	NA	NA	NA	NA
Detector 4										
8/29/2023 12:13:00 AM	48124.78	48963.30	1468.90	-838.52	Pass	NA	NA	NA	NA	NA
8/30/2023 12:13:00 AM	48264.60	48963.30	1468.90	-698.70	Pass	NA	NA	NA	NA	NA
Detector 5										
8/29/2023 12:13:00 AM	51509.08	52229.20	1566.88	-720.12	Pass	NA	NA	NA	NA	NA
8/30/2023 12:13:00 AM	51777.07	52229.20	1566.88	-452.13	Pass	NA	NA	NA	NA	NA
Detector 6										
8/29/2023 12:13:00 AM	47928.26	48723.95	1461.72	-795.69	Pass	NA	NA	NA	NA	NA
8/30/2023 12:13:00 AM	47834.62	48723.95	1461.72	-889.33	Pass	NA	NA	NA	NA	NA
Detector 7										
8/29/2023 12:13:00 AM	42820.55	43315.00	1299.45	-494.45	Pass	NA	NA	NA	NA	NA
8/30/2023 12:13:00 AM	43074.75	43315.00	1299.45	-240.25	Pass	NA	NA	NA	NA	NA
Detector 8										
8/29/2023 12:08:00 AM	42477.30	39314.88	1179.45	3162.43	FAIL	NA	NA	NA	NA	NA
8/30/2023 12:08:00 AM	42178.45	39314.88	1179.45	2863.58	FAIL	NA	NA	NA	NA	NA
Detector 9										
8/29/2023 12:08:00 AM	45287.83	45154.48	1354.63	133.35	Pass	NA	NA	NA	NA	NA
8/30/2023 12:08:00 AM	45972.22	45154.48	1354.63	817.74	Pass	NA	NA	NA	NA	NA
Detector 10										
8/29/2023 12:08:00 AM	47070.62	46629.73	1398.89	440.89	Pass	NA	NA	NA	NA	NA
8/30/2023 12:08:00 AM	47225.04	46629.73	1398.89	595.31	Pass	NA	NA	NA	NA	NA


**Gas Proportional Counter Daily Quality Control Checks****Instrument: Red**

	Beta CPM	Beta Mean	Beta +/- limit	Beta Deviation	Beta Flag	B>>A XT CPM	B>>A XT Mean	B>>A XT +/- limit	B>>A XT Deviation	B>>A XT Flag
Detector 11										
8/29/2023 12:08:00 AM	56400.46	55931.08	1677.93	469.38	Pass	NA	NA	NA	NA	NA
8/30/2023 12:08:00 AM	56578.56	55931.08	1677.93	647.49	Pass	NA	NA	NA	NA	NA
Detector 12										
8/29/2023 12:08:00 AM	47167.43	47429.53	1422.89	-262.10	Pass	NA	NA	NA	NA	NA
8/30/2023 12:08:00 AM	46958.28	47429.53	1422.89	-471.25	Pass	NA	NA	NA	NA	NA
Detector 13										
8/29/2023 12:08:00 AM	52036.81	51931.68	1557.95	105.14	Pass	NA	NA	NA	NA	NA
8/30/2023 12:08:00 AM	51391.69	51931.68	1557.95	-539.98	Pass	NA	NA	NA	NA	NA
Detector 14										
8/29/2023 12:08:00 AM	48521.82	48963.20	1468.90	-441.38	Pass	NA	NA	NA	NA	NA
8/30/2023 12:08:00 AM	48397.40	48963.20	1468.90	-565.80	Pass	NA	NA	NA	NA	NA
Detector 15										
8/29/2023 12:08:00 AM	42583.80	43148.10	1294.44	-564.30	Pass	NA	NA	NA	NA	NA
8/30/2023 12:08:00 AM	42912.90	43148.10	1294.44	-235.20	Pass	NA	NA	NA	NA	NA
Detector 16										
8/29/2023 12:17:00 AM	47023.96	46968.15	1409.04	55.81	Pass	NA	NA	NA	NA	NA
8/30/2023 12:16:00 AM	46897.22	46968.15	1409.04	-70.93	Pass	NA	NA	NA	NA	NA
Detector 17										
8/29/2023 12:17:00 AM	45418.44	46192.13	1385.76	-773.68	Pass	NA	NA	NA	NA	NA
8/30/2023 12:16:00 AM	45661.85	46192.13	1385.76	-530.27	Pass	NA	NA	NA	NA	NA
Detector 18										
8/29/2023 12:17:00 AM	46686.11	46867.38	1406.02	-181.26	Pass	NA	NA	NA	NA	NA
8/30/2023 12:16:00 AM	46440.31	46867.38	1406.02	-427.07	Pass	NA	NA	NA	NA	NA
Detector 19										
8/29/2023 12:17:00 AM	56812.69	56633.50	1699.01	179.19	Pass	NA	NA	NA	NA	NA
8/30/2023 12:16:00 AM	56475.36	56633.50	1699.01	-158.14	Pass	NA	NA	NA	NA	NA
Detector 20										
8/29/2023 12:17:00 AM	48330.52	48917.15	1467.51	-586.63	Pass	NA	NA	NA	NA	NA
8/30/2023 12:16:00 AM	48095.38	48917.15	1467.51	-821.77	Pass	NA	NA	NA	NA	NA
Detector 21										
8/29/2023 12:17:00 AM	52285.95	51775.10	1553.25	510.85	Pass	NA	NA	NA	NA	NA
8/30/2023 12:16:00 AM	52027.58	51775.10	1553.25	252.48	Pass	NA	NA	NA	NA	NA

Gas Proportional Counter Daily Quality Control Checks

Instrument: Red

	Beta CPM	Beta Mean	Beta +/- limit	Beta Deviation	Beta Flag	B>>A XT CPM	B>>A XT Mean	B>>A XT +/- limit	B>>A XT Deviation	B>>A XT Flag
Detector 22										
8/29/2023 12:17:00 AM	48191.71	48938.63	1468.16	-746.91	Pass	NA	NA	NA	NA	NA
8/30/2023 12:16:00 AM	47903.34	48938.63	1468.16	-1035.28	Pass	NA	NA	NA	NA	NA
Detector 23										
8/29/2023 12:17:00 AM	42512.19	43236.93	1297.11	-724.73	Pass	NA	NA	NA	NA	NA
8/30/2023 12:16:00 AM	42482.00	43236.93	1297.11	-754.93	Pass	NA	NA	NA	NA	NA



Gas Proportional Counter Daily Quality Control Checks

Instrument: Red

	AlphaBKG CPM	BKG Mean	BKG +/- limit	BKG Deviation	BKG Flag	BetaBKG CPM	BetaBKG Mean	BetaBKG +/- limit	BetaBKG Deviation	BetaBKG Flag
Check Type = BKG										
Detector 0										
8/29/2023 3:40:00 AM	0.09	0.17	0.04	-0.08	Pass	0.48	0.47	0.08	0.009	Pass
8/30/2023 3:38:00 AM	0.04	0.17	0.04	-0.13	FAIL	0.51	0.47	0.08	0.040	Pass
Detector 1										
8/29/2023 3:40:00 AM	0.09	0.17	0.03	-0.08	Pass	0.31	0.41	0.06	-0.098	Pass
8/30/2023 3:38:00 AM	0.11	0.17	0.03	-0.07	Pass	0.23	0.41	0.06	-0.183	Pass
Detector 2										
8/29/2023 3:40:00 AM	0.04	0.19	0.03	-0.15	FAIL	0.25	0.41	0.08	-0.161	Pass
8/30/2023 3:38:00 AM	0.06	0.19	0.03	-0.13	FAIL	0.33	0.41	0.08	-0.081	Pass
Detector 3										
8/29/2023 3:40:00 AM	0.11	0.27	0.05	-0.16	FAIL	0.28	0.62	0.08	-0.349	FAIL
8/30/2023 3:38:00 AM	0.09	0.27	0.05	-0.18	FAIL	0.28	0.62	0.08	-0.349	FAIL
Detector 4										
8/29/2023 3:39:00 AM	0.24	0.29	0.04	-0.05	Pass	0.69	0.48	0.12	0.201	Pass
8/30/2023 3:38:00 AM	0.19	0.29	0.04	-0.10	Pass	0.47	0.48	0.12	-0.019	Pass
Detector 5										
8/29/2023 3:39:00 AM	0.14	0.22	0.05	-0.08	Pass	0.24	0.52	0.20	-0.280	Pass
8/30/2023 3:38:00 AM	0.08	0.22	0.05	-0.15	FAIL	0.30	0.52	0.20	-0.220	Pass
Detector 6										
8/29/2023 3:39:00 AM	0.10	0.25	0.04	-0.15	FAIL	0.32	0.39	0.07	-0.073	Pass
8/30/2023 3:38:00 AM	0.11	0.25	0.04	-0.14	FAIL	0.27	0.39	0.07	-0.118	Pass
Detector 7										
8/29/2023 3:39:00 AM	0.05	0.27	0.04	-0.22	FAIL	0.29	0.57	0.09	-0.284	FAIL
8/30/2023 3:38:00 AM	0.07	0.27	0.04	-0.21	FAIL	0.34	0.57	0.09	-0.229	Pass
Detector 8										
8/29/2023 3:39:00 AM	0.05	0.18	0.04	-0.13	FAIL	0.63	0.40	0.09	0.226	Pass
8/30/2023 3:38:00 AM	0.04	0.18	0.04	-0.15	FAIL	0.59	0.40	0.09	0.191	Pass
Detector 9										
8/29/2023 3:39:00 AM	0.10	0.18	0.03	-0.08	Pass	0.33	0.43	0.07	-0.101	Pass
8/30/2023 3:38:00 AM	0.06	0.18	0.03	-0.12	FAIL	0.41	0.43	0.07	-0.026	Pass
Detector 10										
8/29/2023 3:39:00 AM	0.04	0.19	0.04	-0.15	FAIL	0.47	0.51	0.10	-0.042	Pass
8/30/2023 3:38:00 AM	0.08	0.19	0.04	-0.11	Pass	0.43	0.51	0.10	-0.082	Pass

Gas Proportional Counter Daily Quality Control Checks

Instrument: Red

	AlphaBKG CPM	BKG Mean	BKG +/- limit	BKG Deviation	BKG Flag		BetaBKG CPM	BetaBKG Mean	BetaBKG +/- limit	BetaBKG Deviation	BetaBKG Flag
Detector 11											
8/29/2023 3:39:00 AM	0.05	0.17	0.04	-0.12	FAIL		0.47	0.61	0.09	-0.138	Pass
8/30/2023 3:38:00 AM	0.06	0.17	0.04	-0.11	Pass		0.49	0.61	0.09	-0.118	Pass
Detector 12											
8/29/2023 3:39:00 AM	0.07	0.16	0.03	-0.09	FAIL		0.56	0.46	0.08	0.102	Pass
8/30/2023 3:38:00 AM	0.06	0.16	0.03	-0.10	FAIL		0.54	0.46	0.08	0.082	Pass
Detector 13											
8/29/2023 3:39:00 AM	0.07	0.17	0.04	-0.11	Pass		0.28	0.38	0.06	-0.100	Pass
8/30/2023 3:38:00 AM	0.09	0.17	0.04	-0.09	Pass		0.35	0.38	0.06	-0.030	Pass
Detector 14											
8/29/2023 3:39:00 AM	0.05	0.20	0.04	-0.15	FAIL		0.40	0.50	0.07	-0.106	Pass
8/30/2023 3:38:00 AM	0.08	0.20	0.04	-0.13	FAIL		0.48	0.50	0.07	-0.026	Pass
Detector 15											
8/29/2023 3:39:00 AM	0.08	0.17	0.03	-0.09	FAIL		0.36	0.42	0.06	-0.063	Pass
8/30/2023 3:38:00 AM	0.11	0.17	0.03	-0.06	Pass		0.37	0.42	0.06	-0.053	Pass
Detector 16											
8/29/2023 3:39:00 AM	0.07	0.14	0.03	-0.07	Pass		0.34	0.45	0.10	-0.115	Pass
8/30/2023 3:38:00 AM	0.04	0.14	0.03	-0.10	FAIL		0.49	0.45	0.10	0.035	Pass
Detector 17											
8/29/2023 3:39:00 AM	0.08	0.14	0.02	-0.06	Pass		0.52	6.82	8.30	-6.301	Pass
8/30/2023 3:38:00 AM	0.09	0.14	0.02	-0.06	Pass		0.33	6.82	8.30	-6.491	Pass
Detector 18											
8/29/2023 3:39:00 AM	0.05	0.13	0.03	-0.08	Pass		0.26	0.37	0.08	-0.105	Pass
8/30/2023 3:39:00 AM	0.09	0.13	0.03	-0.04	Pass		0.31	0.37	0.08	-0.060	Pass
Detector 19											
8/29/2023 3:39:00 AM	0.15	0.16	0.05	-0.01	Pass		0.42	0.44	0.08	-0.027	Pass
8/30/2023 3:39:00 AM	0.06	0.16	0.05	-0.10	Pass		0.47	0.44	0.08	0.023	Pass
Detector 20											
8/29/2023 3:39:00 AM	0.08	0.15	0.03	-0.07	Pass		0.38	0.42	0.07	-0.040	Pass
8/30/2023 3:39:00 AM	0.09	0.15	0.03	-0.06	Pass		0.30	0.42	0.07	-0.115	Pass
Detector 21											
8/29/2023 3:39:00 AM	0.12	0.15	0.04	-0.03	Pass		0.33	0.32	0.05	0.008	Pass
8/30/2023 3:39:00 AM	0.08	0.15	0.04	-0.07	Pass		0.37	0.32	0.05	0.043	Pass

Gas Proportional Counter Daily Quality Control Checks

Instrument: Red

	AlphaBKG CPM	BKG Mean	BKG +/- limit	BKG Deviation	BKG Flag	BetaBKG CPM	BetaBKG Mean	BetaBKG +/- limit	BetaBKG Deviation	BetaBKG Flag
Detector 22										
8/29/2023 3:39:00 AM	0.06	0.17	0.04	-0.12	Pass	0.30	0.35	0.06	-0.060	Pass
8/30/2023 3:39:00 AM	0.07	0.17	0.04	-0.11	Pass	0.45	0.35	0.06	0.091	Pass
Detector 23										
8/29/2023 3:39:00 AM	0.05	0.15	0.03	-0.10	FAIL	0.26	0.43	0.06	-0.175	FAIL
8/30/2023 3:39:00 AM	0.07	0.15	0.03	-0.08	Pass	0.36	0.43	0.06	-0.080	Pass

The Alpha and Beta +/- limit are based upon initial 20-point population.

The Alpha and Beta +/- limit for Efficiency is stated at 3%. Flags are "FAIL" > 3%.


The Alpha and Beta +/- limit for Background is stated at 1 StDev. Flags are "FAIL" > 3 StDev.

The Alpha +/- limit for Crosstalk is stated at 1 StDev. Flags are "Warning > 2 StDev and "DOEF" > 3 StDev. Beta is negligible, for trend only ("NA").


Times shown reflect the end of the count duration.

**Gas Proportional Counter Daily Quality Control Checks****Instrument: Red**

	Alpha CPM	Alpha Mean	Alpha +/- limit	Alpha Deviation	Alpha Flag	A>>B XT CPM	A>>B XT Mean	A>>B XT +/- limit	A>>B XT Deviation	A>>B XT Flag
Check Type = Alpha										
Detector 0										
8/30/2023 12:07:00 AM	9635.65	9785.18	293.56	-149.53	Pass	3362.00	3364.35	39.95	-2.350	Pass
8/31/2023 12:09:00 AM	9799.02	9785.18	293.56	13.85	Pass	3455.50	3364.35	39.95	91.150	WARNING
Detector 1										
8/30/2023 12:07:00 AM	10970.86	11182.10	335.46	-211.24	Pass	3900.00	3961.88	58.91	-61.875	Pass
8/31/2023 12:09:00 AM	10870.71	11182.10	335.46	-311.39	Pass	3902.50	3961.88	58.91	-59.375	Pass
Detector 2										
8/30/2023 12:07:00 AM	10436.77	10547.78	316.43	-111.00	Pass	3933.00	3862.43	54.26	70.575	Pass
8/31/2023 12:09:00 AM	10327.60	10547.78	316.43	-220.18	Pass	4044.50	3862.43	54.26	182.075	DOEF
Detector 3										
8/30/2023 12:07:00 AM	11531.00	11644.80	349.34	-113.80	Pass	4180.50	4157.70	57.23	22.800	Pass
8/31/2023 12:09:00 AM	11545.58	11644.80	349.34	-99.22	Pass	4234.50	4157.70	57.23	76.800	Pass
Detector 4										
8/30/2023 12:07:00 AM	15169.42	15407.73	462.23	-238.30	Pass	4955.00	4850.53	67.02	104.475	Pass
8/31/2023 12:09:00 AM	15307.27	15407.73	462.23	-100.46	Pass	4990.50	4850.53	67.02	139.975	WARNING
Detector 5										
8/30/2023 12:07:00 AM	14852.78	15246.68	457.40	-393.90	Pass	4857.00	4784.45	54.21	72.550	Pass
8/31/2023 12:09:00 AM	14966.07	15246.68	457.40	-280.60	Pass	4927.00	4784.45	54.21	142.550	WARNING
Detector 6										
8/30/2023 12:08:00 AM	12218.41	12512.03	375.36	-293.62	Pass	4361.50	4250.58	61.83	110.925	Pass
8/31/2023 12:09:00 AM	12163.85	12512.03	375.36	-348.18	Pass	4388.50	4250.58	61.83	137.925	WARNING
Detector 7										
8/30/2023 12:07:00 AM	12816.63	13104.10	393.12	-287.47	Pass	4627.00	4544.05	59.72	82.950	Pass
8/31/2023 12:09:00 AM	12763.57	13104.10	393.12	-340.53	Pass	4622.00	4544.05	59.72	77.950	Pass
Detector 8										
8/30/2023 12:15:00 AM	8566.95	8616.85	258.51	-49.90	Pass	4466.50	4337.84	112.88	128.660	Pass
8/31/2023 12:16:00 AM	8489.83	8616.85	258.51	-127.02	Pass	4461.00	4337.84	112.88	123.160	Pass
Detector 9										
8/30/2023 12:15:00 AM	11466.85	11482.23	344.47	-15.37	Pass	3737.00	3691.35	48.64	45.650	Pass
8/31/2023 12:16:00 AM	11338.64	11482.23	344.47	-143.58	Pass	3652.50	3691.35	48.64	-38.850	Pass
Detector 10										
8/30/2023 12:15:00 AM	10779.96	10892.15	326.76	-112.19	Pass	3532.50	3537.60	35.64	-5.100	Pass
8/31/2023 12:16:00 AM	10919.79	10892.15	326.76	27.64	Pass	3491.00	3537.60	35.64	-46.600	Pass

**Gas Proportional Counter Daily Quality Control Checks****Instrument: Red**

	Alpha CPM	Alpha Mean	Alpha +/- limit	Alpha Deviation	Alpha Flag	A>>B XT CPM	A>>B XT Mean	A>>B XT +/- limit	A>>B XT Deviation	A>>B XT Flag
Detector 11										
8/30/2023 12:15:00 AM	11660.75	11798.93	353.97	-138.18	Pass	3787.50	3873.03	45.81	-85.525	Pass
8/31/2023 12:16:00 AM	11546.57	11798.93	353.97	-252.36	Pass	3833.50	3873.03	45.81	-39.525	Pass
Detector 12										
8/30/2023 12:15:00 AM	14513.56	14376.38	431.29	137.18	Pass	5631.50	5778.53	78.33	-147.025	Pass
8/31/2023 12:16:00 AM	14330.25	14376.38	431.29	-46.13	Pass	5804.50	5778.53	78.33	25.975	Pass
Detector 13										
8/30/2023 12:15:00 AM	15213.99	15112.78	453.38	101.21	Pass	4717.00	4872.78	66.66	-155.775	WARNING
8/31/2023 12:16:00 AM	14943.50	15112.78	453.38	-169.27	Pass	4862.00	4872.78	66.66	-10.775	Pass
Detector 14										
8/30/2023 12:15:00 AM	12344.14	12445.30	373.36	-101.16	Pass	4282.00	4336.03	47.90	-54.025	Pass
8/31/2023 12:16:00 AM	12390.29	12445.30	373.36	-55.01	Pass	4276.50	4336.03	47.90	-59.525	Pass
Detector 15										
8/30/2023 12:16:00 AM	13002.48	12888.03	386.64	114.46	Pass	4437.50	4413.40	31.79	24.100	Pass
8/31/2023 12:16:00 AM	12860.25	12888.03	386.64	-27.78	Pass	4359.00	4413.40	31.79	-54.400	Pass
Detector 16										
8/30/2023 12:12:00 AM	9705.75	9814.13	294.42	-108.37	Pass	3379.50	3388.58	61.49	-9.075	Pass
8/31/2023 12:13:00 AM	9995.38	9814.13	294.42	181.26	Pass	3413.50	3388.58	61.49	24.925	Pass
Detector 17										
8/30/2023 12:12:00 AM	11172.24	11253.23	337.60	-80.99	Pass	4027.50	3958.00	41.22	69.500	Pass
8/31/2023 12:13:00 AM	11031.00	11253.23	337.60	-222.23	Pass	3915.50	3958.00	41.22	-42.500	Pass
Detector 18										
8/30/2023 12:12:00 AM	10463.79	10555.95	316.68	-92.16	Pass	4057.00	3948.08	59.81	108.925	Pass
8/31/2023 12:13:00 AM	10397.70	10555.95	316.68	-158.25	Pass	4023.00	3948.08	59.81	74.925	Pass
Detector 19										
8/30/2023 12:12:00 AM	11496.90	11591.85	347.76	-94.95	Pass	4129.00	4218.30	50.23	-89.300	Pass
8/31/2023 12:13:00 AM	11491.44	11591.85	347.76	-100.41	Pass	4165.00	4218.30	50.23	-53.300	Pass
Detector 20										
8/30/2023 12:12:00 AM	15248.53	15329.28	459.88	-80.74	Pass	5218.50	5170.15	64.69	48.352	Pass
8/31/2023 12:13:00 AM	15176.95	15329.28	459.88	-152.32	Pass	5128.00	5170.15	64.69	-42.148	Pass
Detector 21										
8/30/2023 12:12:00 AM	15073.67	15305.28	459.16	-231.60	Pass	5154.00	5199.90	72.13	-45.900	Pass
8/31/2023 12:13:00 AM	15090.78	15305.28	459.16	-214.50	Pass	4995.50	5199.90	72.13	-204.400	WARNING



Gas Proportional Counter Daily Quality Control Checks


Instrument: Red

	Alpha CPM	Alpha Mean	Alpha +/- limit	Alpha Deviation	Alpha Flag	A>>B XT CPM	A>>B XT Mean	A>>B XT +/- limit	A>>B XT Deviation	A>>B XT Flag
Detector 22										
8/30/2023 12:12:00 AM	11985.89	12418.15	372.54	-432.26	FAIL	4389.00	4433.95	55.09	-44.950	Pass
8/31/2023 12:13:00 AM	12158.30	12418.15	372.54	-259.85	Pass	4293.00	4433.95	55.09	-140.950	WARNING
Detector 23										
8/30/2023 12:12:00 AM	12798.54	12827.98	384.84	-29.43	Pass	4646.00	4667.03	71.68	-21.025	Pass
8/31/2023 12:13:00 AM	12493.48	12827.98	384.84	-334.50	Pass	4706.00	4667.03	71.68	38.975	Pass

Gas Proportional Counter Daily Quality Control Checks

Instrument: Red

	Beta CPM	Beta Mean	Beta +/- limit	Beta Deviation	Beta Flag	B>>A XT CPM	B>>A XT Mean	B>>A XT +/- limit	B>>A XT Deviation	B>>A XT Flag
Check Type = Beta										
Detector 0										
8/30/2023 12:13:00 AM	46723.09	46977.48	1409.32	-254.39	Pass	NA	NA	NA	NA	NA
8/31/2023 12:14:00 AM	46862.05	46977.48	1409.32	-115.43	Pass	NA	NA	NA	NA	NA
Detector 1										
8/30/2023 12:13:00 AM	45307.51	45880.28	1376.41	-572.77	Pass	NA	NA	NA	NA	NA
8/31/2023 12:14:00 AM	45355.61	45880.28	1376.41	-524.67	Pass	NA	NA	NA	NA	NA
Detector 2										
8/30/2023 12:13:00 AM	46154.20	47375.98	1421.28	-1221.78	Pass	NA	NA	NA	NA	NA
8/31/2023 12:14:00 AM	46063.73	47375.98	1421.28	-1312.25	Pass	NA	NA	NA	NA	NA
Detector 3										
8/30/2023 12:13:00 AM	56346.08	56474.80	1694.24	-128.72	Pass	NA	NA	NA	NA	NA
8/31/2023 12:14:00 AM	56757.99	56474.80	1694.24	283.19	Pass	NA	NA	NA	NA	NA
Detector 4										
8/30/2023 12:13:00 AM	48264.60	48963.30	1468.90	-698.70	Pass	NA	NA	NA	NA	NA
8/31/2023 12:14:00 AM	48259.45	48963.30	1468.90	-703.85	Pass	NA	NA	NA	NA	NA
Detector 5										
8/30/2023 12:13:00 AM	51777.07	52229.20	1566.88	-452.13	Pass	NA	NA	NA	NA	NA
8/31/2023 12:14:00 AM	51572.55	52229.20	1566.88	-656.65	Pass	NA	NA	NA	NA	NA
Detector 6										
8/30/2023 12:13:00 AM	47834.62	48723.95	1461.72	-889.33	Pass	NA	NA	NA	NA	NA
8/31/2023 12:14:00 AM	47772.32	48723.95	1461.72	-951.63	Pass	NA	NA	NA	NA	NA
Detector 7										
8/30/2023 12:13:00 AM	43074.75	43315.00	1299.45	-240.25	Pass	NA	NA	NA	NA	NA
8/31/2023 12:14:00 AM	42638.63	43315.00	1299.45	-676.37	Pass	NA	NA	NA	NA	NA
Detector 8										
8/30/2023 12:08:00 AM	42178.45	39314.88	1179.45	2863.58	FAIL	NA	NA	NA	NA	NA
8/31/2023 12:09:00 AM	41874.62	39314.88	1179.45	2559.74	FAIL	NA	NA	NA	NA	NA
Detector 9										
8/30/2023 12:08:00 AM	45972.22	45154.48	1354.63	817.74	Pass	NA	NA	NA	NA	NA
8/31/2023 12:09:00 AM	45701.03	45154.48	1354.63	546.55	Pass	NA	NA	NA	NA	NA
Detector 10										
8/30/2023 12:08:00 AM	47225.04	46629.73	1398.89	595.31	Pass	NA	NA	NA	NA	NA
8/31/2023 12:09:00 AM	47041.07	46629.73	1398.89	411.34	Pass	NA	NA	NA	NA	NA

**Gas Proportional Counter Daily Quality Control Checks****Instrument: Red**

	Beta CPM	Beta Mean	Beta +/- limit	Beta Deviation	Beta Flag	B>>A XT CPM	B>>A XT Mean	B>>A XT +/- limit	B>>A XT Deviation	B>>A XT Flag
Detector 11										
8/30/2023 12:08:00 AM	56578.56	55931.08	1677.93	647.49	Pass	NA	NA	NA	NA	NA
8/31/2023 12:09:00 AM	56555.89	55931.08	1677.93	624.82	Pass	NA	NA	NA	NA	NA
Detector 12										
8/30/2023 12:08:00 AM	46958.28	47429.53	1422.89	-471.25	Pass	NA	NA	NA	NA	NA
8/31/2023 12:09:00 AM	46423.12	47429.53	1422.89	-1006.40	Pass	NA	NA	NA	NA	NA
Detector 13										
8/30/2023 12:08:00 AM	51391.69	51931.68	1557.95	-539.98	Pass	NA	NA	NA	NA	NA
8/31/2023 12:09:00 AM	52075.04	51931.68	1557.95	143.37	Pass	NA	NA	NA	NA	NA
Detector 14										
8/30/2023 12:08:00 AM	48397.40	48963.20	1468.90	-565.80	Pass	NA	NA	NA	NA	NA
8/31/2023 12:09:00 AM	48183.29	48963.20	1468.90	-779.91	Pass	NA	NA	NA	NA	NA
Detector 15										
8/30/2023 12:08:00 AM	42912.90	43148.10	1294.44	-235.20	Pass	NA	NA	NA	NA	NA
8/31/2023 12:09:00 AM	42463.97	43148.10	1294.44	-684.13	Pass	NA	NA	NA	NA	NA
Detector 16										
8/30/2023 12:16:00 AM	46897.22	46968.15	1409.04	-70.93	Pass	NA	NA	NA	NA	NA
8/31/2023 12:17:00 AM	46887.66	46968.15	1409.04	-80.49	Pass	NA	NA	NA	NA	NA
Detector 17										
8/30/2023 12:16:00 AM	45661.85	46192.13	1385.76	-530.27	Pass	NA	NA	NA	NA	NA
8/31/2023 12:17:00 AM	45498.71	46192.13	1385.76	-693.41	Pass	NA	NA	NA	NA	NA
Detector 18										
8/30/2023 12:16:00 AM	46440.31	46867.38	1406.02	-427.07	Pass	NA	NA	NA	NA	NA
8/31/2023 12:17:00 AM	46344.47	46867.38	1406.02	-522.90	Pass	NA	NA	NA	NA	NA
Detector 19										
8/30/2023 12:16:00 AM	56475.36	56633.50	1699.01	-158.14	Pass	NA	NA	NA	NA	NA
8/31/2023 12:17:00 AM	56350.35	56633.50	1699.01	-283.15	Pass	NA	NA	NA	NA	NA
Detector 20										
8/30/2023 12:16:00 AM	48095.38	48917.15	1467.51	-821.77	Pass	NA	NA	NA	NA	NA
8/31/2023 12:17:00 AM	48636.79	48917.15	1467.51	-280.36	Pass	NA	NA	NA	NA	NA
Detector 21										
8/30/2023 12:16:00 AM	52027.58	51775.10	1553.25	252.48	Pass	NA	NA	NA	NA	NA
8/31/2023 12:17:00 AM	52205.39	51775.10	1553.25	430.29	Pass	NA	NA	NA	NA	NA

Gas Proportional Counter Daily Quality Control Checks

Instrument: Red

	Beta CPM	Beta Mean	Beta +/- limit	Beta Deviation	Beta Flag	B>>A XT CPM	B>>A XT Mean	B>>A XT +/- limit	B>>A XT Deviation	B>>A XT Flag
Detector 22										
8/30/2023 12:16:00 AM	47903.34	48938.63	1468.16	-1035.28	Pass	NA	NA	NA	NA	NA
8/31/2023 12:17:00 AM	47902.10	48938.63	1468.16	-1036.52	Pass	NA	NA	NA	NA	NA
Detector 23										
8/30/2023 12:16:00 AM	42482.00	43236.93	1297.11	-754.93	Pass	NA	NA	NA	NA	NA
8/31/2023 12:17:00 AM	42538.16	43236.93	1297.11	-698.76	Pass	NA	NA	NA	NA	NA



Gas Proportional Counter Daily Quality Control Checks

Instrument: Red

	AlphaBKG CPM	BKG Mean	BKG +/- limit	BKG Deviation	BKG Flag	BetaBKG CPM	BetaBKG Mean	BetaBKG +/- limit	BetaBKG Deviation	BetaBKG Flag
Check Type = BKG										
Detector 0										
8/30/2023 3:38:00 AM	0.04	0.17	0.04	-0.13	FAIL	0.51	0.47	0.08	0.040	Pass
8/31/2023 3:40:00 AM	0.07	0.17	0.04	-0.10	Pass	0.49	0.47	0.08	0.015	Pass
Detector 1										
8/30/2023 3:38:00 AM	0.11	0.17	0.03	-0.07	Pass	0.23	0.41	0.06	-0.183	Pass
8/31/2023 3:40:00 AM	0.06	0.17	0.03	-0.11	FAIL	0.28	0.41	0.06	-0.128	Pass
Detector 2										
8/30/2023 3:38:00 AM	0.06	0.19	0.03	-0.13	FAIL	0.33	0.41	0.08	-0.081	Pass
8/31/2023 3:40:00 AM	0.04	0.19	0.03	-0.15	FAIL	0.40	0.41	0.08	-0.005	Pass
Detector 3										
8/30/2023 3:38:00 AM	0.09	0.27	0.05	-0.18	FAIL	0.28	0.62	0.08	-0.349	FAIL
8/31/2023 3:40:00 AM	0.08	0.27	0.05	-0.19	FAIL	0.36	0.62	0.08	-0.269	FAIL
Detector 4										
8/30/2023 3:38:00 AM	0.19	0.29	0.04	-0.10	Pass	0.47	0.48	0.12	-0.019	Pass
8/31/2023 3:39:00 AM	0.11	0.29	0.04	-0.18	FAIL	0.44	0.48	0.12	-0.049	Pass
Detector 5										
8/30/2023 3:38:00 AM	0.08	0.22	0.05	-0.15	FAIL	0.30	0.52	0.20	-0.220	Pass
8/31/2023 3:39:00 AM	0.11	0.22	0.05	-0.12	Pass	0.29	0.52	0.20	-0.230	Pass
Detector 6										
8/30/2023 3:38:00 AM	0.11	0.25	0.04	-0.14	FAIL	0.27	0.39	0.07	-0.118	Pass
8/31/2023 3:39:00 AM	0.08	0.25	0.04	-0.17	FAIL	0.25	0.39	0.07	-0.143	Pass
Detector 7										
8/30/2023 3:38:00 AM	0.07	0.27	0.04	-0.21	FAIL	0.34	0.57	0.09	-0.229	Pass
8/31/2023 3:39:00 AM	0.11	0.27	0.04	-0.17	FAIL	0.35	0.57	0.09	-0.219	Pass
Detector 8										
8/30/2023 3:38:00 AM	0.04	0.18	0.04	-0.15	FAIL	0.59	0.40	0.09	0.191	Pass
8/31/2023 3:39:00 AM	0.05	0.18	0.04	-0.14	FAIL	0.60	0.40	0.09	0.201	Pass
Detector 9										
8/30/2023 3:38:00 AM	0.06	0.18	0.03	-0.12	FAIL	0.41	0.43	0.07	-0.026	Pass
8/31/2023 3:39:00 AM	0.07	0.18	0.03	-0.11	FAIL	0.34	0.43	0.07	-0.096	Pass
Detector 10										
8/30/2023 3:38:00 AM	0.08	0.19	0.04	-0.11	Pass	0.43	0.51	0.10	-0.082	Pass
8/31/2023 3:39:00 AM	0.03	0.19	0.04	-0.16	FAIL	0.42	0.51	0.10	-0.097	Pass

Gas Proportional Counter Daily Quality Control Checks

Instrument: Red

	AlphaBKG CPM	BKG Mean	BKG +/- limit	BKG Deviation	BKG Flag	BetaBKG CPM	BetaBKG Mean	BetaBKG +/- limit	BetaBKG Deviation	BetaBKG Flag
Detector 11										
8/30/2023 3:38:00 AM	0.06	0.17	0.04	-0.11	Pass	0.49	0.61	0.09	-0.118	Pass
8/31/2023 3:39:00 AM	0.07	0.17	0.04	-0.10	Pass	0.40	0.61	0.09	-0.213	Pass
Detector 12										
8/30/2023 3:38:00 AM	0.06	0.16	0.03	-0.10	FAIL	0.54	0.46	0.08	0.082	Pass
8/31/2023 3:39:00 AM	0.05	0.16	0.03	-0.11	FAIL	0.66	0.46	0.08	0.197	Pass
Detector 13										
8/30/2023 3:38:00 AM	0.09	0.17	0.04	-0.09	Pass	0.35	0.38	0.06	-0.030	Pass
8/31/2023 3:39:00 AM	0.10	0.17	0.04	-0.07	Pass	0.22	0.38	0.06	-0.165	Pass
Detector 14										
8/30/2023 3:38:00 AM	0.08	0.20	0.04	-0.13	FAIL	0.48	0.50	0.07	-0.026	Pass
8/31/2023 3:39:00 AM	0.07	0.20	0.04	-0.14	FAIL	0.47	0.50	0.07	-0.031	Pass
Detector 15										
8/30/2023 3:38:00 AM	0.11	0.17	0.03	-0.06	Pass	0.37	0.42	0.06	-0.053	Pass
8/31/2023 3:39:00 AM	0.07	0.17	0.03	-0.10	FAIL	0.33	0.42	0.06	-0.093	Pass
Detector 16										
8/30/2023 3:38:00 AM	0.04	0.14	0.03	-0.10	FAIL	0.49	0.45	0.10	0.035	Pass
8/31/2023 3:39:00 AM	0.08	0.14	0.03	-0.06	Pass	0.41	0.45	0.10	-0.040	Pass
Detector 17										
8/30/2023 3:38:00 AM	0.09	0.14	0.02	-0.06	Pass	0.33	6.82	8.30	-6.491	Pass
8/31/2023 3:39:00 AM	0.12	0.14	0.02	-0.03	Pass	0.49	6.82	8.30	-6.336	Pass
Detector 18										
8/30/2023 3:39:00 AM	0.09	0.13	0.03	-0.04	Pass	0.31	0.37	0.08	-0.060	Pass
8/31/2023 3:39:00 AM	0.07	0.13	0.03	-0.06	Pass	0.23	0.37	0.08	-0.140	Pass
Detector 19										
8/30/2023 3:39:00 AM	0.06	0.16	0.05	-0.10	Pass	0.47	0.44	0.08	0.023	Pass
8/31/2023 3:39:00 AM	0.06	0.16	0.05	-0.10	Pass	0.37	0.44	0.08	-0.072	Pass
Detector 20										
8/30/2023 3:39:00 AM	0.09	0.15	0.03	-0.06	Pass	0.30	0.42	0.07	-0.115	Pass
8/31/2023 3:39:00 AM	0.04	0.15	0.03	-0.11	FAIL	0.40	0.42	0.07	-0.020	Pass
Detector 21										
8/30/2023 3:39:00 AM	0.08	0.15	0.04	-0.07	Pass	0.37	0.32	0.05	0.043	Pass
8/31/2023 3:39:00 AM	0.09	0.15	0.04	-0.06	Pass	0.25	0.32	0.05	-0.072	Pass

Gas Proportional Counter Daily Quality Control Checks

Instrument: Red

	AlphaBKG CPM	BKG Mean	BKG +/- limit	BKG Deviation	BKG Flag	BetaBKG CPM	BetaBKG Mean	BetaBKG +/- limit	BetaBKG Deviation	BetaBKG Flag
Detector 22										
8/30/2023 3:39:00 AM	0.07	0.17	0.04	-0.11	Pass	0.45	0.35	0.06	0.091	Pass
8/31/2023 3:39:00 AM	0.06	0.17	0.04	-0.12	Pass	0.30	0.35	0.06	-0.060	Pass
Detector 23										
8/30/2023 3:39:00 AM	0.07	0.15	0.03	-0.08	Pass	0.36	0.43	0.06	-0.080	Pass
8/31/2023 3:39:00 AM	0.05	0.15	0.03	-0.11	FAIL	0.28	0.43	0.06	-0.155	Pass

The Alpha and Beta +/- limit are based upon initial 20-point population.

The Alpha and Beta +/- limit for Efficiency is stated at 3%. Flags are "FAIL" > 3%.


The Alpha and Beta +/- limit for Background is stated at 1 StDev. Flags are "FAIL" > 3 StDev.

The Alpha +/- limit for Crosstalk is stated at 1 StDev. Flags are "Warning > 2 StDev and "DOEF" > 3 StDev. Beta is negligible, for trend only ("NA").


Times shown reflect the end of the count duration.

**Gas Proportional Counter Daily Quality Control Checks****Instrument: Red**

	Alpha CPM	Alpha Mean	Alpha +/- limit	Alpha Deviation	Alpha Flag	A>>B XT CPM	A>>B XT Mean	A>>B XT +/- limit	A>>B XT Deviation	A>>B XT Flag
Check Type = Alpha										
Detector 0										
9/7/2023 12:10:00 AM	9649.01	9785.18	293.56	-136.16	Pass	3353.50	3364.35	39.95	-10.850	Pass
9/8/2023 12:09:00 AM	9626.51	9785.18	293.56	-158.67	Pass	3429.00	3364.35	39.95	64.650	Pass
Detector 1										
9/7/2023 12:11:00 AM	11046.90	11182.10	335.46	-135.20	Pass	3876.00	3961.88	58.91	-85.875	Pass
9/8/2023 12:09:00 AM	11033.43	11182.10	335.46	-148.67	Pass	3915.00	3961.88	58.91	-46.875	Pass
Detector 2										
9/7/2023 12:10:00 AM	10475.72	10547.78	316.43	-72.05	Pass	3934.50	3862.43	54.26	72.075	Pass
9/8/2023 12:09:00 AM	10325.45	10547.78	316.43	-222.32	Pass	3927.50	3862.43	54.26	65.075	Pass
Detector 3										
9/7/2023 12:10:00 AM	11650.66	11644.80	349.34	5.86	Pass	4082.00	4157.70	57.23	-75.700	Pass
9/8/2023 12:09:00 AM	11447.29	11644.80	349.34	-197.51	Pass	4080.50	4157.70	57.23	-77.200	Pass
Detector 4										
9/7/2023 12:11:00 AM	15286.19	15407.73	462.23	-121.53	Pass	4961.00	4850.53	67.02	110.475	Pass
9/8/2023 12:09:00 AM	15140.46	15407.73	462.23	-267.27	Pass	5020.00	4850.53	67.02	169.475	WARNING
Detector 5										
9/7/2023 12:11:00 AM	14767.12	15246.68	457.40	-479.56	FAIL	4836.50	4784.45	54.21	52.050	Pass
9/8/2023 12:09:00 AM	14889.94	15246.68	457.40	-356.74	Pass	4816.00	4784.45	54.21	31.550	Pass
Detector 6										
9/7/2023 12:11:00 AM	12136.16	12512.03	375.36	-375.86	FAIL	4426.50	4250.58	61.83	175.925	WARNING
9/8/2023 12:09:00 AM	12145.24	12512.03	375.36	-366.79	Pass	4401.50	4250.58	61.83	150.925	WARNING
Detector 7										
9/7/2023 12:11:00 AM	12889.73	13104.10	393.12	-214.37	Pass	4600.50	4544.05	59.72	56.450	Pass
9/8/2023 12:09:00 AM	12817.63	13104.10	393.12	-286.47	Pass	4667.00	4544.05	59.72	122.950	WARNING
Detector 8										
9/7/2023 12:19:00 AM	8784.70	8616.85	258.51	167.85	Pass	4430.00	4337.84	112.88	92.160	Pass
9/8/2023 12:17:00 AM	8369.88	8616.85	258.51	-246.97	Pass	4553.50	4337.84	112.88	215.660	Pass
Detector 9										
9/7/2023 12:19:00 AM	11412.64	11482.23	344.47	-69.58	Pass	3673.00	3691.35	48.64	-18.350	Pass
9/8/2023 12:17:00 AM	11478.83	11482.23	344.47	-3.39	Pass	3618.00	3691.35	48.64	-73.350	Pass
Detector 10										
9/7/2023 12:19:00 AM	10807.89	10892.15	326.76	-84.26	Pass	3532.50	3537.60	35.64	-5.100	Pass
9/8/2023 12:17:00 AM	10802.93	10892.15	326.76	-89.22	Pass	3601.00	3537.60	35.64	63.400	Pass

**Gas Proportional Counter Daily Quality Control Checks****Instrument: Red**

	Alpha CPM	Alpha Mean	Alpha +/- limit	Alpha Deviation	Alpha Flag	A>>B XT CPM	A>>B XT Mean	A>>B XT +/- limit	A>>B XT Deviation	A>>B XT Flag
Detector 11										
9/7/2023 12:19:00 AM	11707.76	11798.93	353.97	-91.17	Pass	3826.00	3873.03	45.81	-47.025	Pass
9/8/2023 12:17:00 AM	11655.20	11798.93	353.97	-143.73	Pass	3749.00	3873.03	45.81	-124.025	WARNING
Detector 12										
9/7/2023 12:19:00 AM	14603.76	14376.38	431.29	227.38	Pass	5638.00	5778.53	78.33	-140.525	Pass
9/8/2023 12:17:00 AM	14197.98	14376.38	431.29	-178.40	Pass	5849.50	5778.53	78.33	70.975	Pass
Detector 13										
9/7/2023 12:19:00 AM	15185.46	15112.78	453.38	72.69	Pass	4748.50	4872.78	66.66	-124.275	Pass
9/8/2023 12:17:00 AM	14965.57	15112.78	453.38	-147.20	Pass	4673.50	4872.78	66.66	-199.275	WARNING
Detector 14										
9/7/2023 12:19:00 AM	12209.29	12445.30	373.36	-236.01	Pass	4235.00	4336.03	47.90	-101.025	WARNING
9/8/2023 12:17:00 AM	12391.73	12445.30	373.36	-53.57	Pass	4292.50	4336.03	47.90	-43.525	Pass
Detector 15										
9/7/2023 12:19:00 AM	12849.12	12888.03	386.64	-38.90	Pass	4253.50	4413.40	31.79	-159.900	DOEF
9/8/2023 12:17:00 AM	12832.64	12888.03	386.64	-55.38	Pass	4413.50	4413.40	31.79	0.100	Pass
Detector 16										
9/7/2023 12:14:00 AM	9609.89	9814.13	294.42	-204.23	Pass	3466.50	3388.58	61.49	77.925	Pass
9/8/2023 12:13:00 AM	9730.69	9814.13	294.42	-83.44	Pass	3484.50	3388.58	61.49	95.925	Pass
Detector 17										
9/7/2023 12:14:00 AM	11234.26	11253.23	337.60	-18.97	Pass	4037.00	3958.00	41.22	79.000	Pass
9/8/2023 12:13:00 AM	11114.06	11253.23	337.60	-139.17	Pass	4005.00	3958.00	41.22	47.000	Pass
Detector 18										
9/7/2023 12:14:00 AM	10337.40	10555.95	316.68	-218.55	Pass	3964.50	3948.08	59.81	16.425	Pass
9/8/2023 12:13:00 AM	10302.87	10555.95	316.68	-253.08	Pass	3933.00	3948.08	59.81	-15.075	Pass
Detector 19										
9/7/2023 12:14:00 AM	11504.31	11591.85	347.76	-87.54	Pass	4103.50	4218.30	50.23	-114.800	WARNING
9/8/2023 12:13:00 AM	11526.41	11591.85	347.76	-65.44	Pass	4201.50	4218.30	50.23	-16.800	Pass
Detector 20										
9/7/2023 12:14:00 AM	15160.38	15329.28	459.88	-168.89	Pass	5093.50	5170.15	64.69	-76.648	Pass
9/8/2023 12:13:00 AM	15041.20	15329.28	459.88	-288.07	Pass	5190.00	5170.15	64.69	19.852	Pass
Detector 21										
9/7/2023 12:14:00 AM	15156.88	15305.28	459.16	-148.40	Pass	5107.00	5199.90	72.13	-92.900	Pass
9/8/2023 12:13:00 AM	15198.53	15305.28	459.16	-106.75	Pass	5073.00	5199.90	72.13	-126.900	Pass



Gas Proportional Counter Daily Quality Control Checks


Instrument: Red

	Alpha CPM	Alpha Mean	Alpha +/- limit	Alpha Deviation	Alpha Flag	A>>B XT CPM	A>>B XT Mean	A>>B XT +/- limit	A>>B XT Deviation	A>>B XT Flag
Detector 22										
9/7/2023 7:59:00 AM	12152.16	12418.15	372.54	-265.99	Pass	4272.50	4433.95	55.09	-161.450	WARNING
9/8/2023 12:13:00 AM	12185.78	12418.15	372.54	-232.37	Pass	4217.50	4433.95	55.09	-216.450	DOEF
Detector 23										
9/7/2023 7:59:00 AM	12738.87	12827.98	384.84	-89.11	Pass	4709.00	4667.03	71.68	41.975	Pass
9/8/2023 12:13:00 AM	12792.04	12827.98	384.84	-35.94	Pass	4622.50	4667.03	71.68	-44.525	Pass


Gas Proportional Counter Daily Quality Control Checks

Instrument: Red

	Beta CPM	Beta Mean	Beta +/- limit	Beta Deviation	Beta Flag	B>>A XT CPM	B>>A XT Mean	B>>A XT +/- limit	B>>A XT Deviation	B>>A XT Flag
Check Type = Beta										
Detector 0										
9/7/2023 12:15:00 AM	46948.10	46977.48	1409.32	-29.37	Pass	NA	NA	NA	NA	NA
9/8/2023 12:14:00 AM	46836.72	46977.48	1409.32	-140.75	Pass	NA	NA	NA	NA	NA
Detector 1										
9/7/2023 12:15:00 AM	45467.38	45880.28	1376.41	-412.89	Pass	NA	NA	NA	NA	NA
9/8/2023 12:14:00 AM	45294.81	45880.28	1376.41	-585.46	Pass	NA	NA	NA	NA	NA
Detector 2										
9/7/2023 12:15:00 AM	46327.73	47375.98	1421.28	-1048.25	Pass	NA	NA	NA	NA	NA
9/8/2023 12:14:00 AM	45991.20	47375.98	1421.28	-1384.78	Pass	NA	NA	NA	NA	NA
Detector 3										
9/7/2023 12:15:00 AM	56332.92	56474.80	1694.24	-141.88	Pass	NA	NA	NA	NA	NA
9/8/2023 12:14:00 AM	56227.66	56474.80	1694.24	-247.14	Pass	NA	NA	NA	NA	NA
Detector 4										
9/7/2023 12:15:00 AM	48332.90	48963.30	1468.90	-630.40	Pass	NA	NA	NA	NA	NA
9/8/2023 12:14:00 AM	48173.79	48963.30	1468.90	-789.51	Pass	NA	NA	NA	NA	NA
Detector 5										
9/7/2023 12:15:00 AM	51763.70	52229.20	1566.88	-465.50	Pass	NA	NA	NA	NA	NA
9/8/2023 12:14:00 AM	51849.13	52229.20	1566.88	-380.07	Pass	NA	NA	NA	NA	NA
Detector 6										
9/7/2023 12:15:00 AM	47716.81	48723.95	1461.72	-1007.14	Pass	NA	NA	NA	NA	NA
9/8/2023 12:14:00 AM	47526.23	48723.95	1461.72	-1197.72	Pass	NA	NA	NA	NA	NA
Detector 7										
9/7/2023 12:15:00 AM	42489.94	43315.00	1299.45	-825.06	Pass	NA	NA	NA	NA	NA
9/8/2023 12:14:00 AM	42641.89	43315.00	1299.45	-673.11	Pass	NA	NA	NA	NA	NA
Detector 8										
9/7/2023 12:11:00 AM	42521.80	39314.88	1179.45	3206.92	FAIL	NA	NA	NA	NA	NA
9/8/2023 12:09:00 AM	42034.74	39314.88	1179.45	2719.87	FAIL	NA	NA	NA	NA	NA
Detector 9										
9/7/2023 12:11:00 AM	45757.89	45154.48	1354.63	603.42	Pass	NA	NA	NA	NA	NA
9/8/2023 12:09:00 AM	45773.01	45154.48	1354.63	618.54	Pass	NA	NA	NA	NA	NA
Detector 10										
9/7/2023 12:11:00 AM	47412.39	46629.73	1398.89	782.67	Pass	NA	NA	NA	NA	NA
9/8/2023 12:09:00 AM	47215.67	46629.73	1398.89	585.95	Pass	NA	NA	NA	NA	NA

**Gas Proportional Counter Daily Quality Control Checks****Instrument: Red**

	Beta CPM	Beta Mean	Beta +/- limit	Beta Deviation	Beta Flag	B>>A XT CPM	B>>A XT Mean	B>>A XT +/- limit	B>>A XT Deviation	B>>A XT Flag
Detector 11										
9/7/2023 12:11:00 AM	56340.42	55931.08	1677.93	409.35	Pass	NA	NA	NA	NA	NA
9/8/2023 12:09:00 AM	56352.40	55931.08	1677.93	421.32	Pass	NA	NA	NA	NA	NA
Detector 12										
9/7/2023 12:11:00 AM	46623.56	47429.53	1422.89	-805.96	Pass	NA	NA	NA	NA	NA
9/8/2023 12:09:00 AM	46429.91	47429.53	1422.89	-999.62	Pass	NA	NA	NA	NA	NA
Detector 13										
9/7/2023 12:11:00 AM	52322.57	51931.68	1557.95	390.90	Pass	NA	NA	NA	NA	NA
9/8/2023 12:09:00 AM	51943.49	51931.68	1557.95	11.81	Pass	NA	NA	NA	NA	NA
Detector 14										
9/7/2023 12:11:00 AM	48646.98	48963.20	1468.90	-316.22	Pass	NA	NA	NA	NA	NA
9/8/2023 12:09:00 AM	48112.42	48963.20	1468.90	-850.78	Pass	NA	NA	NA	NA	NA
Detector 15										
9/7/2023 12:11:00 AM	42539.75	43148.10	1294.44	-608.35	Pass	NA	NA	NA	NA	NA
9/8/2023 12:09:00 AM	42610.28	43148.10	1294.44	-537.82	Pass	NA	NA	NA	NA	NA
Detector 16										
9/7/2023 12:19:00 AM	46945.67	46968.15	1409.04	-22.48	Pass	NA	NA	NA	NA	NA
9/8/2023 12:17:00 AM	47154.11	46968.15	1409.04	185.96	Pass	NA	NA	NA	NA	NA
Detector 17										
9/7/2023 12:19:00 AM	45836.25	46192.13	1385.76	-355.88	Pass	NA	NA	NA	NA	NA
9/8/2023 12:17:00 AM	45434.68	46192.13	1385.76	-757.45	Pass	NA	NA	NA	NA	NA
Detector 18										
9/7/2023 12:19:00 AM	46215.83	46867.38	1406.02	-651.55	Pass	NA	NA	NA	NA	NA
9/8/2023 12:17:00 AM	46132.02	46867.38	1406.02	-735.35	Pass	NA	NA	NA	NA	NA
Detector 19										
9/7/2023 12:19:00 AM	56353.83	56633.50	1699.01	-279.67	Pass	NA	NA	NA	NA	NA
9/8/2023 12:17:00 AM	56308.01	56633.50	1699.01	-325.49	Pass	NA	NA	NA	NA	NA
Detector 20										
9/7/2023 12:20:00 AM	48658.76	48917.15	1467.51	-258.39	Pass	NA	NA	NA	NA	NA
9/8/2023 12:17:00 AM	48470.98	48917.15	1467.51	-446.17	Pass	NA	NA	NA	NA	NA
Detector 21										
9/7/2023 12:20:00 AM	52531.66	51775.10	1553.25	756.56	Pass	NA	NA	NA	NA	NA
9/8/2023 12:17:00 AM	52153.72	51775.10	1553.25	378.62	Pass	NA	NA	NA	NA	NA



Gas Proportional Counter Daily Quality Control Checks

Instrument: Red


	Beta CPM	Beta Mean	Beta +/- limit	Beta Deviation	Beta Flag	B>>A XT CPM	B>>A XT Mean	B>>A XT +/- limit	B>>A XT Deviation	B>>A XT Flag
Detector 22										
9/7/2023 8:03:00 AM	47598.97	48938.63	1468.16	-1339.65	Pass	NA	NA	NA	NA	NA
9/8/2023 12:17:00 AM	47975.30	48938.63	1468.16	-963.32	Pass	NA	NA	NA	NA	NA
Detector 23										
9/7/2023 8:03:00 AM	42307.97	43236.93	1297.11	-928.95	Pass	NA	NA	NA	NA	NA
9/8/2023 12:17:00 AM	42474.78	43236.93	1297.11	-762.15	Pass	NA	NA	NA	NA	NA



Gas Proportional Counter Daily Quality Control Checks

Instrument: Red

	AlphaBKG CPM	BKG Mean	BKG +/- limit	BKG Deviation	BKG Flag	BetaBKG CPM	BetaBKG Mean	BetaBKG +/- limit	BetaBKG Deviation	BetaBKG Flag
Check Type = BKG										
Detector 0										
9/7/2023 3:42:00 AM	0.10	0.17	0.04	-0.07	Pass	0.43	0.47	0.08	-0.041	Pass
9/8/2023 3:40:00 AM	0.09	0.17	0.04	-0.08	Pass	0.43	0.47	0.08	-0.046	Pass
Detector 1										
9/7/2023 3:42:00 AM	0.12	0.17	0.03	-0.05	Pass	0.30	0.41	0.06	-0.113	Pass
9/8/2023 3:41:00 AM	0.09	0.17	0.03	-0.08	Pass	0.35	0.41	0.06	-0.058	Pass
Detector 2										
9/7/2023 3:42:00 AM	0.06	0.19	0.03	-0.14	FAIL	0.24	0.41	0.08	-0.166	Pass
9/8/2023 3:40:00 AM	0.05	0.19	0.03	-0.14	FAIL	0.31	0.41	0.08	-0.101	Pass
Detector 3										
9/7/2023 3:42:00 AM	0.09	0.27	0.05	-0.18	FAIL	0.39	0.62	0.08	-0.234	Pass
9/8/2023 3:40:00 AM	0.12	0.27	0.05	-0.16	Pass	0.49	0.62	0.08	-0.134	Pass
Detector 4										
9/7/2023 3:42:00 AM	0.20	0.29	0.04	-0.09	Pass	0.58	0.48	0.12	0.091	Pass
9/8/2023 3:40:00 AM	0.21	0.29	0.04	-0.08	Pass	0.60	0.48	0.12	0.111	Pass
Detector 5										
9/7/2023 3:42:00 AM	0.20	0.22	0.05	-0.02	Pass	0.45	0.52	0.20	-0.075	Pass
9/8/2023 3:40:00 AM	0.15	0.22	0.05	-0.07	Pass	0.36	0.52	0.20	-0.165	Pass
Detector 6										
9/7/2023 3:42:00 AM	0.06	0.25	0.04	-0.19	FAIL	0.37	0.39	0.07	-0.023	Pass
9/8/2023 3:40:00 AM	0.06	0.25	0.04	-0.19	FAIL	0.28	0.39	0.07	-0.108	Pass
Detector 7										
9/7/2023 3:42:00 AM	0.08	0.27	0.04	-0.20	FAIL	0.47	0.57	0.09	-0.104	Pass
9/8/2023 3:40:00 AM	0.08	0.27	0.04	-0.19	FAIL	0.33	0.57	0.09	-0.239	Pass
Detector 8										
9/7/2023 3:42:00 AM	0.08	0.18	0.04	-0.10	Pass	0.67	0.40	0.09	0.271	Pass
9/8/2023 3:40:00 AM	0.10	0.18	0.04	-0.09	Pass	0.54	0.40	0.09	0.141	Pass
Detector 9										
9/7/2023 3:42:00 AM	0.09	0.18	0.03	-0.09	Pass	0.35	0.43	0.07	-0.086	Pass
9/8/2023 3:40:00 AM	0.07	0.18	0.03	-0.11	FAIL	0.42	0.43	0.07	-0.016	Pass
Detector 10										
9/7/2023 3:42:00 AM	0.09	0.19	0.04	-0.10	Pass	0.37	0.51	0.10	-0.147	Pass
9/8/2023 3:40:00 AM	0.12	0.19	0.04	-0.08	Pass	0.49	0.51	0.10	-0.022	Pass

**Gas Proportional Counter Daily Quality Control Checks****Instrument: Red**

	AlphaBKG CPM	BKG Mean	BKG +/- limit	BKG Deviation	BKG Flag	BetaBKG CPM	BetaBKG Mean	BetaBKG +/- limit	BetaBKG Deviation	BetaBKG Flag
Detector 11										
9/7/2023 3:42:00 AM	0.05	0.17	0.04	-0.12	FAIL	0.42	0.61	0.09	-0.193	Pass
9/8/2023 3:40:00 AM	0.09	0.17	0.04	-0.08	Pass	0.69	0.61	0.09	0.082	Pass
Detector 12										
9/7/2023 3:42:00 AM	0.10	0.16	0.03	-0.06	Pass	0.68	0.46	0.08	0.222	Pass
9/8/2023 3:40:00 AM	0.08	0.16	0.03	-0.08	Pass	0.61	0.46	0.08	0.147	Pass
Detector 13										
9/7/2023 3:42:00 AM	0.09	0.17	0.04	-0.09	Pass	0.21	0.38	0.06	-0.175	Pass
9/8/2023 3:40:00 AM	0.12	0.17	0.04	-0.05	Pass	0.41	0.38	0.06	0.025	Pass
Detector 14										
9/7/2023 3:42:00 AM	0.09	0.20	0.04	-0.11	Pass	0.37	0.50	0.07	-0.136	Pass
9/8/2023 3:40:00 AM	0.13	0.20	0.04	-0.07	Pass	0.36	0.50	0.07	-0.146	Pass
Detector 15										
9/7/2023 3:42:00 AM	0.16	0.17	0.03	-0.01	Pass	0.32	0.42	0.06	-0.103	Pass
9/8/2023 3:40:00 AM	0.13	0.17	0.03	-0.04	Pass	0.37	0.42	0.06	-0.053	Pass
Detector 16										
9/7/2023 3:42:00 AM	0.08	0.14	0.03	-0.06	Pass	0.42	0.45	0.10	-0.035	Pass
9/8/2023 3:40:00 AM	0.05	0.14	0.03	-0.09	FAIL	0.27	0.45	0.10	-0.185	Pass
Detector 17										
9/7/2023 3:42:00 AM	0.08	0.14	0.02	-0.07	Pass	0.48	6.82	8.30	-6.341	Pass
9/8/2023 3:40:00 AM	0.09	0.14	0.02	-0.06	Pass	0.41	6.82	8.30	-6.411	Pass
Detector 18										
9/7/2023 3:42:00 AM	0.05	0.13	0.03	-0.08	Pass	0.35	0.37	0.08	-0.015	Pass
9/8/2023 3:40:00 AM	0.08	0.13	0.03	-0.05	Pass	0.40	0.37	0.08	0.030	Pass
Detector 19										
9/7/2023 3:42:00 AM	0.09	0.16	0.05	-0.07	Pass	0.43	0.44	0.08	-0.017	Pass
9/8/2023 3:40:00 AM	0.06	0.16	0.05	-0.10	Pass	0.42	0.44	0.08	-0.022	Pass
Detector 20										
9/7/2023 3:42:00 AM	0.10	0.15	0.03	-0.05	Pass	0.44	0.42	0.07	0.020	Pass
9/8/2023 3:40:00 AM	0.07	0.15	0.03	-0.08	FAIL	0.35	0.42	0.07	-0.070	Pass
Detector 21										
9/7/2023 3:42:00 AM	0.10	0.15	0.04	-0.05	Pass	0.24	0.32	0.05	-0.082	Pass
9/8/2023 3:40:00 AM	0.15	0.15	0.04	0.00	Pass	0.33	0.32	0.05	0.003	Pass

Gas Proportional Counter Daily Quality Control Checks

Instrument: Red

	AlphaBKG CPM	BKG Mean	BKG +/- limit	BKG Deviation	BKG Flag	BetaBKG CPM	BetaBKG Mean	BetaBKG +/- limit	BetaBKG Deviation	BetaBKG Flag
Detector 22										
9/7/2023 12:26:00 PM	0.12	0.17	0.04	-0.06	Pass	0.33	0.35	0.06	-0.030	Pass
9/8/2023 3:40:00 AM	0.07	0.17	0.04	-0.11	Pass	0.33	0.35	0.06	-0.025	Pass
Detector 23										
9/7/2023 12:27:00 PM	0.05	0.15	0.03	-0.10	FAIL	0.41	0.43	0.06	-0.030	Pass
9/8/2023 3:40:00 AM	0.04	0.15	0.03	-0.12	FAIL	0.31	0.43	0.06	-0.125	Pass

The Alpha and Beta +/- limit are based upon initial 20-point population.

The Alpha and Beta +/- limit for Efficiency is stated at 3%. Flags are "FAIL" > 3%.

The Alpha and Beta +/- limit for Background is stated at 1 StDev. Flags are "FAIL" > 3 StDev.

The Alpha +/- limit for Crosstalk is stated at 1 StDev. Flags are "Warning > 2 StDev and "DOEF" > 3 StDev. Beta is negligible, for trend only ("NA").


Times shown reflect the end of the count duration.




Gas Proportional Counter Daily Quality Control Checks

Instrument: Red

	Alpha CPM	Alpha Mean	Alpha +/- limit	Alpha Deviation	Alpha Flag	A>>B XT CPM	A>>B XT Mean	A>>B XT +/- limit	A>>B XT Deviation	A>>B XT Flag
Check Type = Alpha										
Detector 0										
9/8/2023 12:09:00 AM	9626.51	9785.18	293.56	-158.67	Pass	3429.00	3364.35	39.95	64.650	Pass
9/11/2023 6:41:00 AM	9620.62	9785.18	293.56	-164.55	Pass	3383.50	3364.35	39.95	19.150	Pass
Detector 1										
9/8/2023 12:09:00 AM	11033.43	11182.10	335.46	-148.67	Pass	3915.00	3961.88	58.91	-46.875	Pass
9/11/2023 6:41:00 AM	10955.91	11182.10	335.46	-226.19	Pass	4016.00	3961.88	58.91	54.125	Pass
Detector 2										
9/8/2023 12:09:00 AM	10325.45	10547.78	316.43	-222.32	Pass	3927.50	3862.43	54.26	65.075	Pass
9/11/2023 6:41:00 AM	10068.05	10547.78	316.43	-479.72	FAIL	4139.50	3862.43	54.26	277.075	DOEF
Detector 3										
9/8/2023 12:09:00 AM	11447.29	11644.80	349.34	-197.51	Pass	4080.50	4157.70	57.23	-77.200	Pass
9/11/2023 6:41:00 AM	11493.53	11644.80	349.34	-151.27	Pass	4252.00	4157.70	57.23	94.300	Pass
Detector 4										
9/8/2023 12:09:00 AM	15140.46	15407.73	462.23	-267.27	Pass	5020.00	4850.53	67.02	169.475	WARNING
9/11/2023 6:41:00 AM	14979.32	15407.73	462.23	-428.40	Pass	5121.00	4850.53	67.02	270.475	DOEF
Detector 5										
9/8/2023 12:09:00 AM	14889.94	15246.68	457.40	-356.74	Pass	4816.00	4784.45	54.21	31.550	Pass
9/11/2023 6:41:00 AM	14571.47	15246.68	457.40	-675.21	FAIL	5105.00	4784.45	54.21	320.550	DOEF
Detector 6										
9/8/2023 12:09:00 AM	12145.24	12512.03	375.36	-366.79	Pass	4401.50	4250.58	61.83	150.925	WARNING
9/11/2023 6:41:00 AM	12046.19	12512.03	375.36	-465.84	FAIL	4559.00	4250.58	61.83	308.425	DOEF
Detector 7										
9/8/2023 12:09:00 AM	12817.63	13104.10	393.12	-286.47	Pass	4667.00	4544.05	59.72	122.950	WARNING
9/11/2023 6:42:00 AM	12554.75	13104.10	393.12	-549.35	FAIL	4851.50	4544.05	59.72	307.450	DOEF
Detector 8										
9/8/2023 12:17:00 AM	8369.88	8616.85	258.51	-246.97	Pass	4553.50	4337.84	112.88	215.660	Pass
9/11/2023 6:46:00 AM	7826.35	8616.85	258.51	-790.50	FAIL	4813.00	4337.84	112.88	475.160	DOEF
Detector 9										
9/8/2023 12:17:00 AM	11478.83	11482.23	344.47	-3.39	Pass	3618.00	3691.35	48.64	-73.350	Pass
9/11/2023 6:47:00 AM	11408.84	11482.23	344.47	-73.39	Pass	3701.00	3691.35	48.64	9.650	Pass
Detector 10										
9/8/2023 12:17:00 AM	10802.93	10892.15	326.76	-89.22	Pass	3601.00	3537.60	35.64	63.400	Pass
9/11/2023 6:47:00 AM	10696.85	10892.15	326.76	-195.30	Pass	3488.00	3537.60	35.64	-49.600	Pass

**Gas Proportional Counter Daily Quality Control Checks****Instrument: Red**

	Alpha CPM	Alpha Mean	Alpha +/- limit	Alpha Deviation	Alpha Flag	A>>B XT CPM	A>>B XT Mean	A>>B XT +/- limit	A>>B XT Deviation	A>>B XT Flag
Detector 11										
9/8/2023 12:17:00 AM	11655.20	11798.93	353.97	-143.73	Pass	3749.00	3873.03	45.81	-124.025	WARNING
9/11/2023 6:47:00 AM	11693.43	11798.93	353.97	-105.49	Pass	3909.00	3873.03	45.81	35.975	Pass
Detector 12										
9/8/2023 12:17:00 AM	14197.98	14376.38	431.29	-178.40	Pass	5849.50	5778.53	78.33	70.975	Pass
9/11/2023 6:47:00 AM	13965.18	14376.38	431.29	-411.20	Pass	6160.00	5778.53	78.33	381.475	DOEF
Detector 13										
9/8/2023 12:17:00 AM	14965.57	15112.78	453.38	-147.20	Pass	4673.50	4872.78	66.66	-199.275	WARNING
9/11/2023 6:47:00 AM	14836.50	15112.78	453.38	-276.28	Pass	4809.00	4872.78	66.66	-63.775	Pass
Detector 14										
9/8/2023 12:17:00 AM	12391.73	12445.30	373.36	-53.57	Pass	4292.50	4336.03	47.90	-43.525	Pass
9/11/2023 6:47:00 AM	12195.98	12445.30	373.36	-249.32	Pass	4370.00	4336.03	47.90	33.975	Pass
Detector 15										
9/8/2023 12:17:00 AM	12832.64	12888.03	386.64	-55.38	Pass	4413.50	4413.40	31.79	0.100	Pass
9/11/2023 6:47:00 AM	12846.84	12888.03	386.64	-41.18	Pass	4431.00	4413.40	31.79	17.600	Pass
Detector 16										
9/8/2023 12:13:00 AM	9730.69	9814.13	294.42	-83.44	Pass	3484.50	3388.58	61.49	95.925	Pass
9/11/2023 6:51:00 AM	9703.76	9814.13	294.42	-110.37	Pass	3476.00	3388.58	61.49	87.425	Pass
Detector 17										
9/8/2023 12:13:00 AM	11114.06	11253.23	337.60	-139.17	Pass	4005.00	3958.00	41.22	47.000	Pass
9/11/2023 6:51:00 AM	11017.50	11253.23	337.60	-235.73	Pass	4027.00	3958.00	41.22	69.000	Pass
Detector 18										
9/8/2023 12:13:00 AM	10302.87	10555.95	316.68	-253.08	Pass	3933.00	3948.08	59.81	-15.075	Pass
9/11/2023 6:51:00 AM	10184.26	10555.95	316.68	-371.69	FAIL	4062.00	3948.08	59.81	113.925	Pass
Detector 19										
9/8/2023 12:13:00 AM	11526.41	11591.85	347.76	-65.44	Pass	4201.50	4218.30	50.23	-16.800	Pass
9/11/2023 6:51:00 AM	11196.87	11591.85	347.76	-394.98	FAIL	4268.00	4218.30	50.23	49.700	Pass
Detector 20										
9/8/2023 12:13:00 AM	15041.20	15329.28	459.88	-288.07	Pass	5190.00	5170.15	64.69	19.852	Pass
9/11/2023 6:51:00 AM	15032.38	15329.28	459.88	-296.89	Pass	5308.50	5170.15	64.69	138.352	WARNING
Detector 21										
9/8/2023 12:13:00 AM	15198.53	15305.28	459.16	-106.75	Pass	5073.00	5199.90	72.13	-126.900	Pass
9/11/2023 6:51:00 AM	15109.04	15305.28	459.16	-196.23	Pass	5290.50	5199.90	72.13	90.600	Pass



Gas Proportional Counter Daily Quality Control Checks

Instrument: Red


	Alpha CPM	Alpha Mean	Alpha +/- limit	Alpha Deviation	Alpha Flag	A>>B XT CPM	A>>B XT Mean	A>>B XT +/- limit	A>>B XT Deviation	A>>B XT Flag
Detector 22										
9/8/2023 12:13:00 AM	12185.78	12418.15	372.54	-232.37	Pass	4217.50	4433.95	55.09	-216.450	DOEF
9/11/2023 6:51:00 AM	12052.66	12418.15	372.54	-365.49	Pass	4332.00	4433.95	55.09	-101.950	Pass
Detector 23										
9/8/2023 12:13:00 AM	12792.04	12827.98	384.84	-35.94	Pass	4622.50	4667.03	71.68	-44.525	Pass
9/11/2023 6:51:00 AM	12613.83	12827.98	384.84	-214.14	Pass	4772.00	4667.03	71.68	104.975	Pass



Gas Proportional Counter Daily Quality Control Checks

Instrument: Red

	Beta CPM	Beta Mean	Beta +/- limit	Beta Deviation	Beta Flag	B>>A XT CPM	B>>A XT Mean	B>>A XT +/- limit	B>>A XT Deviation	B>>A XT Flag
Check Type = Beta										
Detector 0										
9/8/2023 12:14:00 AM	46836.72	46977.48	1409.32	-140.75	Pass	NA	NA	NA	NA	NA
9/11/2023 6:36:00 AM	46452.41	46977.48	1409.32	-525.07	Pass	NA	NA	NA	NA	NA
Detector 1										
9/8/2023 12:14:00 AM	45294.81	45880.28	1376.41	-585.46	Pass	NA	NA	NA	NA	NA
9/11/2023 6:36:00 AM	45120.47	45880.28	1376.41	-759.80	Pass	NA	NA	NA	NA	NA
Detector 2										
9/8/2023 12:14:00 AM	45991.20	47375.98	1421.28	-1384.78	Pass	NA	NA	NA	NA	NA
9/11/2023 6:36:00 AM	45590.19	47375.98	1421.28	-1785.79	FAIL	NA	NA	NA	NA	NA
Detector 3										
9/8/2023 12:14:00 AM	56227.66	56474.80	1694.24	-247.14	Pass	NA	NA	NA	NA	NA
9/11/2023 6:36:00 AM	56234.39	56474.80	1694.24	-240.41	Pass	NA	NA	NA	NA	NA
Detector 4										
9/8/2023 12:14:00 AM	48173.79	48963.30	1468.90	-789.51	Pass	NA	NA	NA	NA	NA
9/11/2023 6:36:00 AM	48464.67	48963.30	1468.90	-498.63	Pass	NA	NA	NA	NA	NA
Detector 5										
9/8/2023 12:14:00 AM	51849.13	52229.20	1566.88	-380.07	Pass	NA	NA	NA	NA	NA
9/11/2023 6:37:00 AM	51360.09	52229.20	1566.88	-869.11	Pass	NA	NA	NA	NA	NA
Detector 6										
9/8/2023 12:14:00 AM	47526.23	48723.95	1461.72	-1197.72	Pass	NA	NA	NA	NA	NA
9/11/2023 6:37:00 AM	46897.10	48723.95	1461.72	-1826.85	FAIL	NA	NA	NA	NA	NA
Detector 7										
9/8/2023 12:14:00 AM	42641.89	43315.00	1299.45	-673.11	Pass	NA	NA	NA	NA	NA
9/11/2023 6:37:00 AM	42362.99	43315.00	1299.45	-952.01	Pass	NA	NA	NA	NA	NA
Detector 8										
9/8/2023 12:09:00 AM	42034.74	39314.88	1179.45	2719.87	FAIL	NA	NA	NA	NA	NA
9/11/2023 6:40:00 AM	39510.23	39314.88	1179.45	195.36	Pass	NA	NA	NA	NA	NA
Detector 9										
9/8/2023 12:09:00 AM	45773.01	45154.48	1354.63	618.54	Pass	NA	NA	NA	NA	NA
9/11/2023 6:40:00 AM	45622.59	45154.48	1354.63	468.12	Pass	NA	NA	NA	NA	NA
Detector 10										
9/8/2023 12:09:00 AM	47215.67	46629.73	1398.89	585.95	Pass	NA	NA	NA	NA	NA
9/11/2023 6:40:00 AM	47220.07	46629.73	1398.89	590.35	Pass	NA	NA	NA	NA	NA



Gas Proportional Counter Daily Quality Control Checks


Instrument: Red

	Beta CPM	Beta Mean	Beta +/- limit	Beta Deviation	Beta Flag	B>>A XT CPM	B>>A XT Mean	B>>A XT +/- limit	B>>A XT Deviation	B>>A XT Flag
Detector 11										
9/8/2023 12:09:00 AM	56352.40	55931.08	1677.93	421.32	Pass	NA	NA	NA	NA	NA
9/11/2023 6:41:00 AM	56338.24	55931.08	1677.93	407.16	Pass	NA	NA	NA	NA	NA
Detector 12										
9/8/2023 12:09:00 AM	46429.91	47429.53	1422.89	-999.62	Pass	NA	NA	NA	NA	NA
9/11/2023 6:41:00 AM	45965.18	47429.53	1422.89	-1464.35	FAIL	NA	NA	NA	NA	NA
Detector 13										
9/8/2023 12:09:00 AM	51943.49	51931.68	1557.95	11.81	Pass	NA	NA	NA	NA	NA
9/11/2023 6:41:00 AM	52274.19	51931.68	1557.95	342.51	Pass	NA	NA	NA	NA	NA
Detector 14										
9/8/2023 12:09:00 AM	48112.42	48963.20	1468.90	-850.78	Pass	NA	NA	NA	NA	NA
9/11/2023 6:41:00 AM	47959.54	48963.20	1468.90	-1003.66	Pass	NA	NA	NA	NA	NA
Detector 15										
9/8/2023 12:09:00 AM	42610.28	43148.10	1294.44	-537.82	Pass	NA	NA	NA	NA	NA
9/11/2023 6:41:00 AM	42576.87	43148.10	1294.44	-571.23	Pass	NA	NA	NA	NA	NA
Detector 16										
9/8/2023 12:17:00 AM	47154.11	46968.15	1409.04	185.96	Pass	NA	NA	NA	NA	NA
9/11/2023 6:46:00 AM	46715.25	46968.15	1409.04	-252.90	Pass	NA	NA	NA	NA	NA
Detector 17										
9/8/2023 12:17:00 AM	45434.68	46192.13	1385.76	-757.45	Pass	NA	NA	NA	NA	NA
9/11/2023 6:46:00 AM	45743.20	46192.13	1385.76	-448.93	Pass	NA	NA	NA	NA	NA
Detector 18										
9/8/2023 12:17:00 AM	46132.02	46867.38	1406.02	-735.35	Pass	NA	NA	NA	NA	NA
9/11/2023 6:46:00 AM	45885.48	46867.38	1406.02	-981.90	Pass	NA	NA	NA	NA	NA
Detector 19										
9/8/2023 12:17:00 AM	56308.01	56633.50	1699.01	-325.49	Pass	NA	NA	NA	NA	NA
9/11/2023 6:46:00 AM	55556.63	56633.50	1699.01	-1076.87	Pass	NA	NA	NA	NA	NA
Detector 20										
9/8/2023 12:17:00 AM	48470.98	48917.15	1467.51	-446.17	Pass	NA	NA	NA	NA	NA
9/11/2023 6:46:00 AM	48084.97	48917.15	1467.51	-832.18	Pass	NA	NA	NA	NA	NA
Detector 21										
9/8/2023 12:17:00 AM	52153.72	51775.10	1553.25	378.62	Pass	NA	NA	NA	NA	NA
9/11/2023 6:46:00 AM	51769.36	51775.10	1553.25	-5.74	Pass	NA	NA	NA	NA	NA

Gas Proportional Counter Daily Quality Control Checks

Instrument: Red

	Beta CPM	Beta Mean	Beta +/- limit	Beta Deviation	Beta Flag	B>>A XT CPM	B>>A XT Mean	B>>A XT +/- limit	B>>A XT Deviation	B>>A XT Flag
Detector 22										
9/8/2023 12:17:00 AM	47975.30	48938.63	1468.16	-963.32	Pass	NA	NA	NA	NA	NA
9/11/2023 6:46:00 AM	47531.17	48938.63	1468.16	-1407.46	Pass	NA	NA	NA	NA	NA
Detector 23										
9/8/2023 12:17:00 AM	42474.78	43236.93	1297.11	-762.15	Pass	NA	NA	NA	NA	NA
9/11/2023 6:46:00 AM	42188.68	43236.93	1297.11	-1048.24	Pass	NA	NA	NA	NA	NA



Gas Proportional Counter Daily Quality Control Checks

Instrument: Red

	AlphaBKG CPM	BKG Mean	BKG +/- limit	BKG Deviation	BKG Flag	BetaBKG CPM	BetaBKG Mean	BetaBKG +/- limit	BetaBKG Deviation	BetaBKG Flag
Check Type = BKG										
Detector 0										
9/8/2023 3:40:00 AM	0.09	0.17	0.04	-0.08	Pass	0.43	0.47	0.08	-0.046	Pass
9/11/2023 3:25:00 AM	0.08	0.17	0.04	-0.09	Pass	0.33	0.47	0.08	-0.146	Pass
Detector 1										
9/8/2023 3:41:00 AM	0.09	0.17	0.03	-0.08	Pass	0.35	0.41	0.06	-0.058	Pass
9/11/2023 3:25:00 AM	0.06	0.17	0.03	-0.12	FAIL	0.27	0.41	0.06	-0.143	Pass
Detector 2										
9/8/2023 3:40:00 AM	0.05	0.19	0.03	-0.14	FAIL	0.31	0.41	0.08	-0.101	Pass
9/11/2023 3:25:00 AM	0.12	0.19	0.03	-0.08	Pass	0.28	0.41	0.08	-0.131	Pass
Detector 3										
9/8/2023 3:40:00 AM	0.12	0.27	0.05	-0.16	Pass	0.49	0.62	0.08	-0.134	Pass
9/11/2023 3:25:00 AM	0.11	0.27	0.05	-0.17	FAIL	0.51	0.62	0.08	-0.114	Pass
Detector 4										
9/8/2023 3:40:00 AM	0.21	0.29	0.04	-0.08	Pass	0.60	0.48	0.12	0.111	Pass
9/11/2023 3:25:00 AM	0.14	0.29	0.04	-0.15	FAIL	0.37	0.48	0.12	-0.119	Pass
Detector 5										
9/8/2023 3:40:00 AM	0.15	0.22	0.05	-0.07	Pass	0.36	0.52	0.20	-0.165	Pass
9/11/2023 3:25:00 AM	0.12	0.22	0.05	-0.10	Pass	0.32	0.52	0.20	-0.200	Pass
Detector 6										
9/8/2023 3:40:00 AM	0.06	0.25	0.04	-0.19	FAIL	0.28	0.39	0.07	-0.108	Pass
9/11/2023 3:25:00 AM	0.08	0.25	0.04	-0.17	FAIL	0.28	0.39	0.07	-0.108	Pass
Detector 7										
9/8/2023 3:40:00 AM	0.08	0.27	0.04	-0.19	FAIL	0.33	0.57	0.09	-0.239	Pass
9/11/2023 3:25:00 AM	0.10	0.27	0.04	-0.17	FAIL	0.30	0.57	0.09	-0.269	FAIL
Detector 8										
9/8/2023 3:40:00 AM	0.10	0.18	0.04	-0.09	Pass	0.54	0.40	0.09	0.141	Pass
9/11/2023 3:25:00 AM	0.10	0.18	0.04	-0.08	Pass	0.26	0.40	0.09	-0.144	Pass
Detector 9										
9/8/2023 3:40:00 AM	0.07	0.18	0.03	-0.11	FAIL	0.42	0.43	0.07	-0.016	Pass
9/11/2023 3:25:00 AM	0.08	0.18	0.03	-0.10	FAIL	0.29	0.43	0.07	-0.141	Pass
Detector 10										
9/8/2023 3:40:00 AM	0.12	0.19	0.04	-0.08	Pass	0.49	0.51	0.10	-0.022	Pass
9/11/2023 3:25:00 AM	0.09	0.19	0.04	-0.10	Pass	0.43	0.51	0.10	-0.082	Pass

Gas Proportional Counter Daily Quality Control Checks

Instrument: Red

	AlphaBKG CPM	BKG Mean	BKG +/- limit	BKG Deviation	BKG Flag	BetaBKG CPM	BetaBKG Mean	BetaBKG +/- limit	BetaBKG Deviation	BetaBKG Flag
Detector 11										
9/8/2023 3:40:00 AM	0.09	0.17	0.04	-0.08	Pass	0.69	0.61	0.09	0.082	Pass
9/11/2023 3:25:00 AM	0.10	0.17	0.04	-0.07	Pass	0.55	0.61	0.09	-0.058	Pass
Detector 12										
9/8/2023 3:40:00 AM	0.08	0.16	0.03	-0.08	Pass	0.61	0.46	0.08	0.147	Pass
9/11/2023 3:25:00 AM	0.07	0.16	0.03	-0.09	FAIL	0.33	0.46	0.08	-0.133	Pass
Detector 13										
9/8/2023 3:40:00 AM	0.12	0.17	0.04	-0.05	Pass	0.41	0.38	0.06	0.025	Pass
9/11/2023 3:25:00 AM	0.12	0.17	0.04	-0.06	Pass	0.46	0.38	0.06	0.080	Pass
Detector 14										
9/8/2023 3:40:00 AM	0.13	0.20	0.04	-0.07	Pass	0.36	0.50	0.07	-0.146	Pass
9/11/2023 3:25:00 AM	0.07	0.20	0.04	-0.14	FAIL	0.40	0.50	0.07	-0.101	Pass
Detector 15										
9/8/2023 3:40:00 AM	0.13	0.17	0.03	-0.04	Pass	0.37	0.42	0.06	-0.053	Pass
9/11/2023 3:25:00 AM	0.10	0.17	0.03	-0.07	Pass	0.48	0.42	0.06	0.052	Pass
Detector 16										
9/8/2023 3:40:00 AM	0.05	0.14	0.03	-0.09	FAIL	0.27	0.45	0.10	-0.185	Pass
9/11/2023 3:25:00 AM	0.08	0.14	0.03	-0.06	Pass	0.30	0.45	0.10	-0.150	Pass
Detector 17										
9/8/2023 3:40:00 AM	0.09	0.14	0.02	-0.06	Pass	0.41	6.82	8.30	-6.411	Pass
9/11/2023 3:25:00 AM	0.14	0.14	0.02	-0.01	Pass	0.54	6.82	8.30	-6.286	Pass
Detector 18										
9/8/2023 3:40:00 AM	0.08	0.13	0.03	-0.05	Pass	0.40	0.37	0.08	0.030	Pass
9/11/2023 3:25:00 AM	0.08	0.13	0.03	-0.05	Pass	0.32	0.37	0.08	-0.045	Pass
Detector 19										
9/8/2023 3:40:00 AM	0.06	0.16	0.05	-0.10	Pass	0.42	0.44	0.08	-0.022	Pass
9/11/2023 3:25:00 AM	0.05	0.16	0.05	-0.11	Pass	0.36	0.44	0.08	-0.082	Pass
Detector 20										
9/8/2023 3:40:00 AM	0.07	0.15	0.03	-0.08	FAIL	0.35	0.42	0.07	-0.070	Pass
9/11/2023 3:25:00 AM	0.10	0.15	0.03	-0.05	Pass	0.42	0.42	0.07	0.005	Pass
Detector 21										
9/8/2023 3:40:00 AM	0.15	0.15	0.04	0.00	Pass	0.33	0.32	0.05	0.003	Pass
9/11/2023 3:25:00 AM	0.14	0.15	0.04	-0.01	Pass	0.28	0.32	0.05	-0.047	Pass

Gas Proportional Counter Daily Quality Control Checks

Instrument: Red

	AlphaBKG CPM	BKG Mean	BKG +/- limit	BKG Deviation	BKG Flag	BetaBKG CPM	BetaBKG Mean	BetaBKG +/- limit	BetaBKG Deviation	BetaBKG Flag
Detector 22										
9/8/2023 3:40:00 AM	0.07	0.17	0.04	-0.11	Pass	0.33	0.35	0.06	-0.025	Pass
9/11/2023 3:25:00 AM	0.11	0.17	0.04	-0.06	Pass	0.34	0.35	0.06	-0.015	Pass
Detector 23										
9/8/2023 3:40:00 AM	0.04	0.15	0.03	-0.12	FAIL	0.31	0.43	0.06	-0.125	Pass
9/11/2023 3:25:00 AM	0.11	0.15	0.03	-0.04	Pass	0.31	0.43	0.06	-0.130	Pass

The Alpha and Beta +/- limit are based upon initial 20-point population.

The Alpha and Beta +/- limit for Efficiency is stated at 3%. Flags are "FAIL" > 3%.

The Alpha and Beta +/- limit for Background is stated at 1 StDev. Flags are "FAIL" > 3 StDev.

The Alpha +/- limit for Crosstalk is stated at 1 StDev. Flags are "Warning > 2 StDev and "DOEF" > 3 StDev. Beta is negligible, for trend only ("NA").

Times shown reflect the end of the count duration.



Alpha Beta Calibrations

Curve is for Gross Beta
Strontium 90
and
Total Strontium

Blue 0

Detector ID	Std ID	Sample Wt	Count Date	Count Time	Beta Counts	DPM	
						37592.71382 CPM	37595.2171 DPM
0	B1	0.0093	3/19/2017 14:32	5	85550	17110.000	0.4551 1mL
0	B2	0.0296	3/20/2017 0:59	5	81536	16307.200	0.4338 1mL
0	B3	0.0574	3/20/2017 0:37	5	82310	16462.000	0.4379 1mL
0	B4	0.0818	3/20/2017 0:22	5	78015	15603.000	0.4151 1mL
0	B5	0.1157	3/19/2017 14:40	5	74417	14883.400	0.3959 1mL
0	B6	0.1470	3/20/2017 1:50	5	74059	14811.800	0.3940 1mL
0	B7	0.1871	3/20/2017 3:22	5	73102	14620.400	0.3889 1mL
0	B8	0.2469	3/20/2017 3:28	5	69810	13962.000	0.3714 1mL

Mass	Measured Efficiency	Theoretical Efficiency	Percent	
			△ Efficiency	Efficiency
0.0093	0.4551	0.4525	0.58%	
0.0296	0.4338	0.4415	-1.74%	
0.0574	0.4379	0.4277	2.38%	
0.0818	0.4151	0.4168	-0.43%	
0.1157	0.3959	0.4037	-1.93%	
0.1470	0.3940	0.3935	0.14%	
0.1871	0.3889	0.3831	1.51%	
0.2469	0.3714	0.3735	-0.57%	



Standard ID
Strontium 90
Sr-90_00004 #6322
Cert# 80573-334 Ref. date 9/17/2009

Initial Activity: 22560 dpm/mL
Reference Date: 9/17/2009
Count Date: 3/19/2017
Elapsed Time: 2740.000 days
Half Life: 10409.625 days
Exponential Term: 0.833227329
Corrected Activity: 18796.60855 dpm/mL
Decay Activity (Sr/Y-90) 37595.2171 dpm

Standard ID
Strontium 90
Sr-90_00004 #6322
Cert# 80573-334 Ref. date 9/17/2009

Initial Activity: 22560 dpm/mL
Reference Date: 9/17/2009
Count Date: 3/20/2017
Elapsed Time: 2741.000 days
Half Life: 10409.625 days
Exponential Term: 0.833171849
Corrected Activity: 18796.35691 dpm/mL
Decay Activity (Sr/Y-90) 37592.71382 dpm

Alpha/Beta Count Results

Sample Activity Report

Blue 0-3 - A

Addr: 0

Sample ID ICABT-6322;Beta1

Repeat 5
Carrier No. 0

Batch ID Beta_IC

Count Method Gross Alpha Beta	Detector Volts 1515
-------------------------------	---------------------

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 3/19/2017 2:32:01 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 3/19/2017 2:37:13 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 mins	Background Count Time	.00 mins
-------------------	-----------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	15	3.000	3.000
sd	0.000			0.000	3.873	0.775	0.775
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	85,550	17,110.000	17,110.000
sd	0.000			0.000	292.489	58.498	58.498

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Blue 0-3 - A

Addr: 0

Sample ID ICABT-6322;Beta5

Repeat 5
Carrier No. 0

Batch ID Beta_IC

Count Method Gross Alpha Beta	Detector Volts 1515
-------------------------------	---------------------

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 3/19/2017 2:40:09 PM	Collection Date 1 1/1/1900	Half Life 0.00 days
Count Ended 3/19/2017 2:45:21 PM	Collection Date 2 1/1/1900	Decay Factor 1.000

Sample Count Time	5.00 mins	Background Count Time	.00 mins
-------------------	-----------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	6	1.200	1.200
sd	0.000			0.000	2.449	0.490	0.490
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	74,417	14,883.400	14,883.400
sd	0.000			0.000	272.795	54.559	54.559

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Blue 0-3 - A

Addr: 0

Sample ID ICABT-6322;Beta4

Repeat 10

Carrier No. 0

Batch ID Beta_IC

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty 0 ml sd 0 ml

Residual Wt 0 mg sd 0 mg

Count Began 3/20/2017 12:22:23 AM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 3/20/2017 12:27:36 AM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	16	3.200	3.200
sd	0.000			0.000	4.000	0.800	0.800
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	78,015	15,603.000	15,603.000
sd	0.000			0.000	279.312	55.862	55.862

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Blue 0-3 - A

Addr: 0

Sample ID ICABT-6322;Beta3

Repeat 11

Carrier No. 0

Batch ID Beta_IC

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 3/20/2017 12:37:38 AM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 3/20/2017 12:42:47 AM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 mins	Background Count Time	.00 mins
-------------------	-----------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	15	3.000	3.000
sd	0.000			0.000	3.873	0.775	0.775
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	82,310	16,462.000	16,462.000
sd	0.000			0.000	286.897	57.379	57.379

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Blue 0-3 - A

Addr: 0

Sample ID ICABT-6322;Beta2

Repeat 12

Carrier No. 0

Batch ID Beta_IC

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty 0 ml sd 0 ml

Residual Wt 0 mg sd 0 mg

Count Began 3/20/2017 12:59:01 AM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 3/20/2017 1:04:10 AM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	15	3.000	3.000
sd	0.000			0.000	3.873	0.775	0.775
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	81,536	16,307.200	16,307.200
sd	0.000			0.000	285.545	57.109	57.109

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Blue 0-3 - A

Addr: 0

Sample ID ICABT-6322;Beta6

Repeat 8
Carrier No. 0

Batch ID Beta_IC

Count Method Gross Alpha Beta	Detector Volts 1515
-------------------------------	---------------------

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 3/20/2017 1:50:40 AM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 3/20/2017 1:55:48 AM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 mins	Background Count Time	.00 mins
-------------------	-----------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	24	4.800	4.800
sd	0.000			0.000	4.899	0.980	0.980
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	74,059	14,811.800	14,811.800
sd	0.000			0.000	272.138	54.428	54.428

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Blue 0-3 - A

Addr: 0

Sample ID ICABT-6322;Beta7

Repeat 8
Carrier No. 0

Batch ID Beta_IC

Count Method Gross Alpha Beta	Detector Volts 1515
-------------------------------	---------------------

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 3/20/2017 3:22:35 AM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 3/20/2017 3:27:46 AM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 mins	Background Count Time	.00 mins
-------------------	-----------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	10	2.000	2.000
sd	0.000			0.000	3.162	0.632	0.632
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	73,102	14,620.400	14,620.400
sd	0.000			0.000	270.374	54.075	54.075

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Blue 0-3 - A

Addr: 0

Sample ID ICABT-6322;Beta8

Repeat 8
Carrier No. 0

Batch ID Beta_IC

Count Method Gross Alpha Beta	Detector Volts 1515
-------------------------------	---------------------

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 3/20/2017 3:28:59 AM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 3/20/2017 3:34:08 AM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 mins	Background Count Time	.00 mins
-------------------	-----------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	9	1.800	1.800
sd	0.000			0.000	3.000	0.600	0.600
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	69,810	13,962.000	13,962.000
sd	0.000			0.000	264.216	52.843	52.843

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie


Error = .00 x sd

Curve is for Gross Alpha

Blue 0


Detector ID	Sample ID	Count Date	Count Time	Alpha Counts	Alpha CPM	DPM	Th-230 Efficiency	Standard Aliquot (mL)	Mass
0	ICABT-1835503; A	6/1/2022 14:10	45	20280	450.667	2254.6	0.1999	1	0.0098
0	ICABT-1835503; B	6/1/2022 19:54	45	18798	417.733	2254.6	0.1853	1	0.0171
0	ICABT-1835503; C	6/1/2022 19:05	45	15258	339.067	2254.6	0.1504	1	0.0282
0	ICABT-1835503; D	6/1/2022 18:17	45	13463	299.178	2254.6	0.1327	1	0.0435
0	ICABT-1835503; E	6/1/2022 17:27	45	20622	458.267	4509.1	0.1016	2	0.0578
0	ICABT-1835503; F	6/1/2022 16:37	45	17294	384.311	4509.1	0.0852	2	0.0756
0	ICABT-1835503; G	6/1/2022 15:49	45	16792	373.156	4509.1	0.0828	2	0.0954
0	ICABT-1835503; H	6/1/2022 15:01	45	15106	335.689	4509.1	0.0744	2	0.1139

Mass	Measured Efficiency	Theoretical Efficiency	Percent		Standard ID
			Δ Efficiency	Efficiency	
0.0098	0.1999	0.2002	-0.18%	0.1999	Thorium-230
0.0171	0.1853	0.1817	1.97%	0.1853	Th-230_00052
0.0282	0.1504	0.1564	-3.82%	0.1504	Container#: 1835503
0.0435	0.1327	0.1271	4.40%	0.1327	Cert #: 114474 Ref. date 10/29/2019
0.0578	0.1016	0.1057	-3.86%	0.1016	Activity (dpm) 2254.57
0.0756	0.0852	0.0871	-2.15%	0.0852	
0.0954	0.0828	0.0769	7.68%	0.0828	
0.1139	0.0744	0.0772	-3.60%	0.0744	



X^2 Coeff: 14.042
X Coeff: -2.9187
Intercept: 0.2275

Sample ID	Mass	Count Time	Alpha Counts	Beta Counts	Alpha CPM	Beta CPM	% α into β	
ICABT-1835503; A	0.0098	45	20280	8359	450.67	185.76	29.19%	Min
ICABT-1835503; B	0.0171	45	18798	7708	417.73	171.29	29.08%	29.08%
ICABT-1835503; C	0.0282	45	15258	6827	339.07	151.71	30.91%	
ICABT-1835503; D	0.0435	45	13463	6284	299.18	139.64	31.82%	Max
ICABT-1835503; E	0.0578	45	20622	10048	458.27	223.29	32.76%	35.41%
ICABT-1835503; F	0.0756	45	17294	9288	384.31	206.40	34.94%	
ICABT-1835503; G	0.0954	45	16792	8995	373.16	199.89	34.88%	Mean
ICABT-1835503; H	0.1139	45	15106	8280	335.69	184.00	35.41%	32.37%



Alpha/Beta Count Results

Sample Activity Report

Blue 0-3 - A

Addr: 0

Sample ID ICABT-1835503; A

Repeat 59

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 6/1/2022 2:10:05 PM

Count Ended 6/1/2022 2:55:14 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.120	20,280	450.667	450.547
	0.011	142.408	3.165	3.165
Beta sd	0.431	8,359	185.756	185.325
	0.021	91.428	2.032	2.032

Alpha/Beta Count Results

Sample Activity Report

Blue 0-3 - A

Addr: 0

Sample ID ICABT-1835503; H

Repeat 60
Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 6/1/2022 3:01:19 PM

Count Ended 6/1/2022 3:47:44 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.120	15,106	335.689	335.569
	0.011	122.906	2.731	2.731
Beta sd	0.431	8,280	184.000	183.569
	0.021	90.995	2.022	2.022

Alpha/Beta Count Results

Sample Activity Report

Blue 0-3 - A

Addr: 0

Sample ID ICABT-1835503; G

Repeat 61

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 6/1/2022 3:49:14 PM

Count Ended 6/1/2022 4:35:05 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.120	16,792	373.156	373.036
	0.011	129.584	2.880	2.880
Beta sd	0.431	8,995	199.889	199.458
	0.021	94.842	2.108	2.108

Alpha/Beta Count Results

Sample Activity Report

Blue 0-3 - A

Addr: 0

Sample ID ICABT-1835503; F

Repeat 62

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 6/1/2022 4:37:58 PM

Count Ended 6/1/2022 5:23:20 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.120	17,294	384.311	384.191
	0.011	131.507	2.922	2.922
Beta sd	0.431	9,288	206.400	205.969
	0.021	96.374	2.142	2.142

Alpha/Beta Count Results

Sample Activity Report

Blue 0-3 - A

Addr: 0

Sample ID ICABT-1835503; E

Repeat 63

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 6/1/2022 5:27:30 PM

Count Ended 6/1/2022 6:12:40 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.120	20,622	458.267	458.147
	0.011	143.604	3.191	3.191
Beta sd	0.431	10,048	223.289	222.858
	0.021	100.240	2.228	2.228

Alpha/Beta Count Results

Sample Activity Report

Blue 0-3 - A

Addr: 0

Sample ID ICABT-1835503; D

Repeat 64

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 6/1/2022 6:17:02 PM

Count Ended 6/1/2022 7:02:09 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.120	13,463	299.178	299.058
	0.011	116.030	2.578	2.578
Beta sd	0.431	6,284	139.644	139.213
	0.021	79.272	1.762	1.762

Alpha/Beta Count Results

Sample Activity Report

Blue 0-3 - A

Addr: 0

Sample ID ICABT-1835503; C

Repeat 65

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 6/1/2022 7:05:24 PM

Count Ended 6/1/2022 7:50:34 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.120	15,258	339.067	338.947
	0.011	123.523	2.745	2.745
Beta sd	0.431	6,827	151.711	151.280
	0.021	82.626	1.836	1.836

Alpha/Beta Count Results

Sample Activity Report

Blue 0-3 - A

Addr: 0

Sample ID ICABT-1835503; B

Repeat 66

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 6/1/2022 7:54:27 PM



Count Ended 6/1/2022 8:39:45 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.120	18,798	417.733	417.613
	0.011	137.106	3.047	3.047
Beta sd	0.431	7,708	171.289	170.858
	0.021	87.795	1.951	1.951

Orange 0

Detector ID	Std ID	Count Date	Sample Wt	Count Time	Beta Counts	DPM CPM	Sr-90 Eff	Standard Aliquot
0	B1	1/23/2013 14:44	0.0093	5	94846	41588.469 18969.200	0.4561	1mL
0	B2	1/23/2013 15:46	0.0296	5	91244	18248.800	0.4388	1mL
0	B3	1/23/2013 15:37	0.0574	5	91691	18338.200	0.4409	1mL
0	B4	1/23/2013 15:26	0.0818	5	87307	17461.400	0.4199	1mL
0	B5	1/23/2013 15:19	0.1157	5	84120	16824.000	0.4045	1mL
0	B6	1/23/2013 15:09	0.1470	5	82888	16577.600	0.3986	1mL
0	B7	1/23/2013 15:01	0.1871	5	82469	16493.800	0.3966	1mL
0	B8	1/23/2013 14:53	0.2469	5	79762	15952.400	0.3836	1mL



Standard ID

Strontium 90
Sr-90_00004 #6322
Cert# 80573-334 Ref. date 9/17/2009

Initial Activity: 22560 dpm/mL
Reference Date: 9/17/2009
Count Date: 1/23/2013
Elapsed Time: 1224.000 days
Half Life: 10409.625 days
Exponential Term: 0.92173026
Corrected Activity: 20794.2346 dpm/mL
Decay Activity (Sr/Y-90) 41588.4692 dpm

Alpha/Beta Count Results

Sample Activity Report

Orange 0-3 - A

Addr: 0

Sample ID ICABT-6322;B1

Repeat 40

Carrier No. 0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0 <i>I</i>	sd	0 <i>I</i>
Residual Wt	0 <i>mg</i>	sd	0 <i>mg</i>

Count Began 1/23/2013 2:44:52 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 1/23/2013 2:50:03 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 <i>mins</i>	Background Count Time	1,000.00 <i>mins</i>
-------------------	------------------	-----------------------	----------------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.078	396	79.200	79.122
sd	0.000			0.009	19.900	3.980	3.980
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.403	94,846	18,969.200	18,968.797
sd	0.000			0.020	307.971	61.594	61.594

	Net Activity dpm	LLD dpm	MDC pCi/l	MPC pCi/l	Net Concentration * pCi/l	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	1.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	1.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Tb = Ts < 10

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Orange 0-3 - A

Addr: 0

Sample ID ICABT-6322;B8

Repeat

40

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0	I	sd	0	I
Residual Wt	0	mg	sd	0	mg

Count Began 1/23/2013 2:53:37 PM	Collection Date 1	1/1/1900	Half Life	0.00 days
Count Ended 1/23/2013 2:58:47 PM	Collection Date 2	1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 mins	Background Count Time	1,000.00 mins
-------------------	-----------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.078	265	53.000	52.922
sd	0.000			0.009	16.279	3.256	3.256
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.403	79,762	15,952.400	15,951.997
sd	0.000			0.020	282.422	56.484	56.484

	Net Activity dpm	LLD dpm	MDC pCi/l	MPC pCi/l	Net Concentration * pCi/l	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	1.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	1.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Tb = Ts < 10

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Orange 0-3 - A

Addr: 0

Sample ID ICABT-6322;B7

Repeat

41

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0	I	sd	0	I
Residual Wt	0	mg	sd	0	mg

Count Began 1/23/2013 3:01:10 PM	Collection Date 1	1/1/1900	Half Life	0.00 days
Count Ended 1/23/2013 3:06:18 PM	Collection Date 2	1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 mins	Background Count Time	1,000.00 mins
-------------------	-----------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.078	306	61.200	61.122
sd	0.000			0.009	17.493	3.499	3.499
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.403	82,469	16,493.800	16,493.397
sd	0.000			0.020	287.174	57.435	57.435

	Net Activity dpm	LLD dpm	MDC pCi/l	MPC pCi/l	Net Concentration * pCi/l	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	1.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	1.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Tb = Ts < 10

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Orange 0-3 - A

Addr: 0

Sample ID ICABT-6322;B6

Repeat

42

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0	I	sd	0	I
Residual Wt	0	mg	sd	0	mg

Count Began 1/23/2013 3:09:26 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 1/23/2013 3:14:35 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 mins	Background Count Time	1,000.00 mins
-------------------	-----------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.078	353	70.600	70.522
sd	0.000			0.009	18.788	3.758	3.758
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.403	82,888	16,577.600	16,577.197
sd	0.000			0.020	287.903	57.581	57.581

	Net Activity dpm	LLD dpm	MDC pCi/l	MPC pCi/l	Net Concentration * pCi/l	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	1.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	1.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Tb = Ts < 10

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Orange 0-3 - A

Addr: 0

Sample ID ICABT-6322;B5

Repeat 43

Carrier No. 0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0 <i>I</i>	sd	0 <i>I</i>
Residual Wt	0 <i>mg</i>	sd	0 <i>mg</i>

Count Began 1/23/2013 3:19:14 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 1/23/2013 3:24:23 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 <i>mins</i>	Background Count Time	1,000.00 <i>mins</i>
-------------------	------------------	-----------------------	----------------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.078	341	68.200	68.122
sd	0.000			0.009	18.466	3.693	3.693
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.403	84,120	16,824.000	16,823.597
sd	0.000			0.020	290.034	58.007	58.007

	Net Activity dpm	LLD dpm	MDC pCi/l	MPC pCi/l	Net Concentration * pCi/l	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	1.000	0.000 ± 0.000 0.000	0.000
sd	0.000					

Beta	0.000	0.000	0.000	1.000	0.000 ± 0.000 0.000	0.000
sd	0.000					

* Note: Decay Corrected

MDC Method Tb = Ts < 10

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Orange 0-3 - A

Addr: 0

Sample ID ICABT-6322;B4

Repeat

45

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0	I	sd	0	I
Residual Wt	0	mg	sd	0	mg

Count Began 1/23/2013 3:26:50 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 1/23/2013 3:32:01 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 mins	Background Count Time	1,000.00 mins
-------------------	-----------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.078	304	60.800	60.722
sd	0.000			0.009	17.436	3.487	3.487
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.403	87,307	17,461.400	17,460.997
sd	0.000			0.020	295.478	59.096	59.096

	Net Activity dpm	LLD dpm	MDC pCi/l	MPC pCi/l	Net Concentration * pCi/l	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	1.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	1.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Tb = Ts < 10

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Orange 0-3 - A

Addr: 0

Sample ID ICABT-6322;B3

Repeat 46

Carrier No. 0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0 <i>I</i>	sd	0 <i>I</i>
Residual Wt	0 <i>mg</i>	sd	0 <i>mg</i>

Count Began 1/23/2013 3:37:05 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 1/23/2013 3:42:15 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 <i>mins</i>	Background Count Time	1,000.00 <i>mins</i>
-------------------	------------------	-----------------------	----------------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.078	362	72.400	72.322
sd	0.000			0.009	19.026	3.805	3.805
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.403	91,691	18,338.200	18,337.797
sd	0.000			0.020	302.805	60.561	60.561

	Net Activity dpm	LLD dpm	MDC pCi/l	MPC pCi/l	Net Concentration * pCi/l	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	1.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	1.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Tb = Ts < 10

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Orange 0-3 - A

Addr: 0

Sample ID ICABT-6322;B2

Repeat

47

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0 <i>I</i>	sd	0 <i>I</i>
Residual Wt	0 <i>mg</i>	sd	0 <i>mg</i>

Count Began 1/23/2013 3:46:01 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 1/23/2013 3:51:11 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 <i>mins</i>	Background Count Time	1,000.00 <i>mins</i>
-------------------	------------------	-----------------------	----------------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.078	363	72.600	72.522
sd	0.000			0.009	19.053	3.811	3.811
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.403	91,244	18,248.800	18,248.397
sd	0.000			0.020	302.066	60.413	60.413

	Net Activity dpm	LLD dpm	MDC pCi/l	MPC pCi/l	Net Concentration * pCi/l	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	1.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	1.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected


MDC Method Tb = Ts < 10

Error = .00 x sd


Orange 0

Detector ID	Sample ID	Count Date	Count Time	Alpha Counts	Net CPM	DPM	Th-230 Efficiency	Standard Aliquot	Mass
0	ICABT-1835503; A	8/26/2020	8:22	25	21783	871.320	4509.1	0.1932	2mL 0.0042
0	ICABT-1835503; B	8/26/2020	13:32	25	20252	810.080	4509.1	0.1797	2mL 0.0135
0	ICABT-1835503; C	8/26/2020	13:05	25	18123	724.920	4509.1	0.1608	2mL 0.0253
0	ICABT-1835503; D	8/26/2020	12:03	25	14804	592.160	4509.1	0.1313	2mL 0.0401
0	ICABT-1835503; ED	8/27/2020	12:57	25	28922	1156.880	9018.3	0.1283	4mL 0.0610
0	ICABT-1835503; F	8/26/2020	10:55	25	24630	985.200	9018.3	0.1092	4mL 0.0736
0	ICABT-1835503; G	8/26/2020	10:26	25	24266	970.640	9018.3	0.1076	4mL 0.0885
0	ICABT-1835503; H	8/26/2020	9:58	25	19181	767.240	9018.3	0.0851	4mL 0.1026

Mass	Measured Efficiency	Theoretical Efficiency	Percent Δ Efficiency
0.0042	0.1932	0.1914	0.95%
0.0135	0.1797	0.1775	1.19%
0.0253	0.1608	0.1612	-0.30%
0.0401	0.1313	0.1429	-8.12%
0.0610	0.1283	0.1211	5.95%
0.0736	0.1092	0.1102	-0.83%
0.0885	0.1076	0.0995	8.22%
0.1026	0.0851	0.0915	-7.04%



Detector ID	Sample ID	Mass	Count Time	Alpha Counts	Beta Counts	Alpha CPM	Beta CPM	% α into β
0	ICABT-1835503; A	0.0042	25	21783	7095	871.32	283.80	24.57% Min
0	ICABT-1835503; B	0.0135	25	20252	6860	810.08	274.40	25.30% 24.57%
0	ICABT-1835503; C	0.0253	25	18123	6162	724.92	246.48	25.37%
0	ICABT-1835503; D	0.0401	25	14804	5290	592.16	211.60	26.33% Max
0	ICABT-1835503; ED	0.0610	25	28922	10044	1156.88	401.76	25.78% 27.14%
0	ICABT-1835503; F	0.0736	25	24630	9154	985.20	366.16	27.10%
0	ICABT-1835503; G	0.0885	25	24266	8797	970.64	351.88	26.61% Mean
0	ICABT-1835503; H	0.1026	25	19181	7144	767.24	285.76	27.14% 26.02%



Standard ID
Thorium-230
Th-230_00052
Container#: 1835503
Cert #: 114474
Activity
Ref. date 10/29/19
2254.57 dpm/mL

Alpha/Beta Count Results

Sample Activity Report

Orange 0-3 - A

Addr: 0

Sample ID ICABT-1835503; A

Repeat 1

Carrier No. 0

Batch ID 449828

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 8/26/2020 8:22:33 AM

Count Ended 8/26/2020 8:47:43 AM

Sample Count Time 25.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.086	21,783	871.320	871.234
	0.009	147.591	5.904	5.904
Beta sd	0.450	7,095	283.800	283.350
	0.021	84.232	3.369	3.369

Alpha/Beta Count Results

Sample Activity Report

Orange 0-3 - A

Addr: 0

Sample ID ICABT-1835503; H

Repeat 2

Carrier No. 0

Batch ID 449828

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 8/26/2020 9:58:26 AM

Count Ended 8/26/2020 10:23:34 AM

Sample Count Time 25.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.086	19,181	767.240	767.154
	0.009	138.495	5.540	5.540
Beta sd	0.450	7,144	285.760	285.310
	0.021	84.522	3.381	3.381

Alpha/Beta Count Results

Sample Activity Report

Orange 0-3 - A

Addr: 0

Sample ID ICABT-1835503; G

Repeat 3

Carrier No. 0

Batch ID 449828

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 8/26/2020 10:26:30 AM

Count Ended 8/26/2020 10:51:36 AM

Sample Count Time 25.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.086	24,266	970.640	970.554
	0.009	155.775	6.231	6.231
Beta sd	0.450	8,797	351.880	351.430
	0.021	93.792	3.752	3.752

Alpha/Beta Count Results

Sample Activity Report

Orange 0-3 - A

Addr: 0

Sample ID ICABT-1835503; F

Repeat

4

Carrier No.

0

Batch ID 449828

Count Method Gross Alpha Beta

Detector Volts

1515

Count Began 8/26/2020 10:55:49 AM

Count Ended 8/26/2020 11:20:58 AM

Sample Count Time

25.00 *mins*

Background Count Time

1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.086	24,630	985.200	985.114
	0.009	156.939	6.278	6.278
Beta sd	0.450	9,154	366.160	365.710
	0.021	95.677	3.827	3.827

Alpha/Beta Count Results

Sample Activity Report

Orange 0-3 - A

Addr: 0

Sample ID ICABT-1835503; D

Repeat 6

Carrier No. 0

Batch ID 449828

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 8/26/2020 12:03:15 PM

Count Ended 8/26/2020 12:28:18 PM

Sample Count Time 25.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.086	14,804	592.160	592.074
	0.009	121.672	4.867	4.867
Beta sd	0.450	5,290	211.600	211.150
	0.021	72.732	2.909	2.909

Alpha/Beta Count Results

Sample Activity Report

Orange 0-3 - A

Addr: 0

Sample ID ICABT-1835503; C

Repeat

7

Carrier No.

0

Batch ID 449828

Count Method Gross Alpha Beta

Detector Volts

1515

Count Began 8/26/2020 1:05:06 PM

Count Ended 8/26/2020 1:30:16 PM

Sample Count Time 25.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.086	18,123	724.920	724.834
	0.009	134.622	5.385	5.385
Beta sd	0.450	6,162	246.480	246.030
	0.021	78.498	3.140	3.140

Alpha/Beta Count Results

Sample Activity Report

Orange 0-3 - A

Addr: 0

Sample ID ICABT-1835503; B

Repeat 8
Carrier No. 0

Batch ID 449828

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 8/26/2020 1:32:08 PM

Count Ended 8/26/2020 1:57:16 PM

Sample Count Time 25.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.086	20,252	810.080	809.994
	0.009	142.310	5.692	5.692
Beta sd	0.450	6,860	274.400	273.950
	0.021	82.825	3.313	3.313

Alpha/Beta Count Results

Sample Activity Report

Orange 0-3 - A

Addr: 0

Sample ID ICABT-1835503; ED

Repeat 15

Carrier No. 0

Batch ID 449828

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 8/27/2020 12:57:27 PM

Count Ended 8/27/2020 1:22:36 PM


Sample Count Time 25.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.086	28,922	1,156.880	1,156.794
	0.009	170.065	6.803	6.803
Beta sd	0.450	10,044	401.760	401.310
	0.021	100.220	4.009	4.009


Orange 3

Detector ID	Std ID	Count Date	Sample Wt	Count Time	Beta Counts	DPM CPM	Sr-90 Eff	Standard Aliquot
3	B1	1/23/2013 15:09	0.0093	5	93370	41588.469 18674.000	0.4490	1mL
3	B2	1/23/2013 15:00	0.0296	5	90236	18047.200	0.4339	1mL
3	B3	1/23/2013 14:53	0.0574	5	89800	17960.000	0.4319	1mL
3	B4	1/23/2013 14:45	0.0818	5	85882	17176.400	0.4130	1mL
3	B5	1/23/2013 15:46	0.1157	5	82510	16502.000	0.3968	1mL
3	B6	1/23/2013 15:37	0.1470	5	81306	16261.200	0.3910	1mL
3	B7	1/23/2013 15:27	0.1871	5	81437	16287.400	0.3916	1mL
3	B8	1/23/2013 15:19	0.2469	5	77961	15592.200	0.3749	1mL

Measured Mass	Efficiency	Theoretical Efficiency	Percent Δ Efficiency
0.0093	0.4490	0.4481	0.20%
0.0296	0.4339	0.4376	-0.84%
0.0574	0.4319	0.4246	1.71%
0.0818	0.4130	0.4145	-0.35%
0.1157	0.3968	0.4023	-1.38%
0.1470	0.3910	0.3932	-0.56%
0.1871	0.3916	0.3844	1.89%
0.2469	0.3749	0.3772	-0.60%



Mass	Efficiency
0.0093	0.4490
0.0296	0.4339
0.0574	0.4319
0.0818	0.4130
0.1157	0.3968
0.1470	0.3910
0.1871	0.3916
0.2469	0.3749



Standard ID
Strontium 90
Sr-90_00004 #6322
Cert# 80573-334 Ref. date 9/17/2009

Initial Activity: 22560 dpm/mL
Reference Date: 9/17/2009
Count Date: 1/23/2013
Elapsed Time: 1224.000 days
Half Life: 10409.625 days
Exponential Term: 0.921730256
Corrected Activity: 20794.23458 dpm/mL
Decay Activity (Sr/Y-90) 41588.46916 dpm

Alpha/Beta Count Results

Sample Activity Report

Orange 0-3 - D

Addr: 3

Sample ID ICABT-6322;B4

Repeat 40

Carrier No. 0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0 <i>I</i>	sd	0 <i>I</i>
Residual Wt	0 <i>mg</i>	sd	0 <i>mg</i>

Count Began 1/23/2013 2:45:05 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 1/23/2013 2:50:15 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 <i>mins</i>	Background Count Time	1,000.00 <i>mins</i>
-------------------	------------------	-----------------------	----------------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.065	30	6.000	5.935
sd	0.000			0.008	5.477	1.095	1.095
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.356	85,882	17,176.400	17,176.044
sd	0.000			0.019	293.056	58.611	58.611

	Net Activity dpm	LLD dpm	MDC pCi/l	MPC pCi/l	Net Concentration * pCi/l	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	1.000	0.000 ± 0.000 0.000	0.000
sd	0.000					

Beta	0.000	0.000	0.000	1.000	0.000 ± 0.000 0.000	0.000
sd	0.000					

* Note: Decay Corrected

MDC Method Tb = Ts < 10

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Orange 0-3 - D

Addr: 3

Sample ID ICABT-6322;B3

Repeat

41

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0 <i>I</i>	sd	0 <i>I</i>
Residual Wt	0 <i>mg</i>	sd	0 <i>mg</i>

Count Began 1/23/2013 2:53:14 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 1/23/2013 2:58:24 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 <i>mins</i>	Background Count Time	1,000.00 <i>mins</i>
-------------------	------------------	-----------------------	----------------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.065	32	6.400	6.335
sd	0.000			0.008	5.657	1.131	1.131
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.356	89,800	17,960.000	17,959.644
sd	0.000			0.019	299.666	59.933	59.933

	Net Activity dpm	LLD dpm	MDC pCi/l	MPC pCi/l	Net Concentration * pCi/l	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	1.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	1.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Tb = Ts < 10

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Orange 0-3 - D

Addr: 3

Sample ID ICABT-6322;B2

Repeat

42

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0 <i>I</i>	sd	0 <i>I</i>
Residual Wt	0 <i>mg</i>	sd	0 <i>mg</i>

Count Began 1/23/2013 3:00:49 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 1/23/2013 3:05:58 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 <i>mins</i>	Background Count Time	1,000.00 <i>mins</i>
-------------------	------------------	-----------------------	----------------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.065	46	9.200	9.135
sd	0.000			0.008	6.782	1.356	1.356
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.356	90,236	18,047.200	18,046.844
sd	0.000			0.019	300.393	60.079	60.079

	Net Activity dpm	LLD dpm	MDC pCi/l	MPC pCi/l	Net Concentration * pCi/l	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	1.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	1.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Tb = Ts < 10

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Orange 0-3 - D

Addr: 3

Sample ID ICABT-6322;B1

Repeat 43

Carrier No. 0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0 <i>I</i>	sd	0 <i>I</i>
Residual Wt	0 <i>mg</i>	sd	0 <i>mg</i>

Count Began 1/23/2013 3:09:03 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 1/23/2013 3:14:12 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 <i>mins</i>	Background Count Time	1,000.00 <i>mins</i>
-------------------	------------------	-----------------------	----------------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.065	29	5.800	5.735
sd	0.000			0.008	5.385	1.077	1.077
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.356	93,370	18,674.000	18,673.644
sd	0.000			0.019	305.565	61.113	61.113

	Net Activity dpm	LLD dpm	MDC pCi/l	MPC pCi/l	Net Concentration * pCi/l	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	1.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	1.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Tb = Ts < 10

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Orange 0-3 - D

Addr: 3

Sample ID ICABT-6322;B8

Repeat

43

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0	/	sd	0	/
Residual Wt	0	mg	sd	0	mg

Count Began 1/23/2013 3:19:26 PM	Collection Date 1	1/1/1900	Half Life	0.00 days
Count Ended 1/23/2013 3:24:34 PM	Collection Date 2	1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 mins	Background Count Time	1,000.00 mins
-------------------	-----------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.065	38	7.600	7.535
sd	0.000			0.008	6.164	1.233	1.233
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.356	77,961	15,592.200	15,591.844
sd	0.000			0.019	279.215	55.843	55.843

	Net Activity dpm	LLD dpm	MDC pCi/l	MPC pCi/l	Net Concentration * pCi/l	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	1.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	1.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Tb = Ts < 10

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Orange 0-3 - D

Addr: 3

Sample ID ICABT-6322;B7

Repeat 44

Carrier No. 0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0 <i>I</i>	sd	0 <i>I</i>
Residual Wt	0 <i>mg</i>	sd	0 <i>mg</i>

Count Began 1/23/2013 3:27:05 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 1/23/2013 3:32:13 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 <i>mins</i>	Background Count Time	1,000.00 <i>mins</i>
-------------------	------------------	-----------------------	----------------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.065	35	7.000	6.935
sd	0.000			0.008	5.916	1.183	1.183
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.356	81,437	16,287.400	16,287.044
sd	0.000			0.019	285.372	57.074	57.074

	Net Activity dpm	LLD dpm	MDC pCi/l	MPC pCi/l	Net Concentration * pCi/l	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	1.000	0.000 ± 0.000 0.000	0.000
sd	0.000					

Beta	0.000	0.000	0.000	1.000	0.000 ± 0.000 0.000	0.000
sd	0.000					

* Note: Decay Corrected

MDC Method Tb = Ts < 10

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Orange 0-3 - D

Addr: 3

Sample ID ICABT-6322;B6

Repeat 45

Carrier No. 0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0 <i>I</i>	sd	0 <i>I</i>
Residual Wt	0 <i>mg</i>	sd	0 <i>mg</i>

Count Began 1/23/2013 3:37:22 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 1/23/2013 3:42:31 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 <i>mins</i>	Background Count Time	1,000.00 <i>mins</i>
-------------------	------------------	-----------------------	----------------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.065	31	6.200	6.135
sd	0.000			0.008	5.568	1.114	1.114
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.356	81,306	16,261.200	16,260.844
sd	0.000			0.019	285.142	57.028	57.028

	Net Activity dpm	LLD dpm	MDC pCi/l	MPC pCi/l	Net Concentration * pCi/l	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	1.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	1.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Tb = Ts < 10

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Orange 0-3 - D

Addr: 3

Sample ID ICABT-6322;B5

Repeat

46

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0 <i>I</i>	sd	0 <i>I</i>
Residual Wt	0 <i>mg</i>	sd	0 <i>mg</i>

Count Began 1/23/2013 3:46:16 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 1/23/2013 3:51:26 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 <i>mins</i>	Background Count Time	1,000.00 <i>mins</i>
-------------------	------------------	-----------------------	----------------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.065	38	7.600	7.535
sd	0.000			0.008	6.164	1.233	1.233
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.356	82,510	16,502.000	16,501.644
sd	0.000			0.019	287.246	57.449	57.449

	Net Activity dpm	LLD dpm	MDC pCi/l	MPC pCi/l	Net Concentration * pCi/l	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	1.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	1.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected


MDC Method Tb = Ts < 10

Error = .00 x sd


Orange 3

Detector ID	Sample ID	Count Date	Count Time	Alpha Counts	Net CPM	DPM	Th-230 Efficiency	Standard Aliquot	Mass
3 ICABT-1835503; A		8/26/2020	10:56	25	20827	833.080	4509.1	0.1848	2mL 0.0042
3 ICABT-1835503; B		8/26/2020	10:26	25	19156	766.240	4509.1	0.1699	2mL 0.0135
3 ICABT-1835503; C		8/26/2020	9:58	25	16711	668.440	4509.1	0.1482	2mL 0.0253
3 ICABT-1835503; D		8/26/2020	9:06	25	13754	550.160	4509.1	0.1220	2mL 0.0401
3 ICABT-1835503; ED		8/27/2020	7:43	25	24828	993.120	9018.3	0.1101	4mL 0.0610
3 ICABT-1835503; F		8/26/2020	13:05	25	23172	926.880	9018.3	0.1028	4mL 0.0736
3 ICABT-1835503; G		8/26/2020	12:03	25	22425	897.000	9018.3	0.0995	4mL 0.0885
3 ICABT-1835503; H		8/26/2020	11:24	25	17521	700.840	9018.3	0.0777	4mL 0.1026

Mass	Measured Efficiency	Theoretical Efficiency	Percent Δ Efficiency
0.0042	0.1848	0.1829	1.03%
0.0135	0.1699	0.1675	1.43%
0.0253	0.1482	0.1499	-1.13%
0.0401	0.1220	0.1307	-6.68%
0.0610	0.1101	0.1091	0.91%
0.0736	0.1028	0.0992	3.60%
0.0885	0.0995	0.0905	9.93%
0.1026	0.0777	0.0852	-8.82%



Detector ID	Sample ID	Mass	Count Time	Alpha Counts	Beta Counts	Alpha CPM	Beta CPM	% α into β
3	ICABT-1835503; A	0.0042	25	20827	7386	833.08	295.44	26.18% Min
3	ICABT-1835503; B	0.0135	25	19156	6818	766.24	272.72	26.25% 26.18%
3	ICABT-1835503; C	0.0253	25	16711	6134	668.44	245.36	26.85%
3	ICABT-1835503; D	0.0401	25	13754	5305	550.16	212.20	27.83% Max
3	ICABT-1835503; ED	0.0610	25	24828	9707	993.12	388.28	28.11% 29.59%
3	ICABT-1835503; F	0.0736	25	23172	9150	926.88	366.00	28.31%
3	ICABT-1835503; G	0.0885	25	22425	9003	897.00	360.12	28.65% Mean
3	ICABT-1835503; H	0.1026	25	17521	7365	700.84	294.60	29.59% 27.72%



Standard ID
Thorium-230
Th-230_00052
Container#: 1835503
Cert #: 114474
Activity
Ref. date 10/29/19
2254.57 dpm/mL

Alpha/Beta Count Results

Sample Activity Report

Orange 0-3 - D

Addr: 3

Sample ID ICABT-1835503; D

Repeat 1

Carrier No. 0

Batch ID 449828

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 8/26/2020 9:06:26 AM

Count Ended 8/26/2020 9:31:31 AM

Sample Count Time 25.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.106	13,754	550.160	550.054
	0.010	117.277	4.691	4.691
Beta sd	0.525	5,305	212.200	211.675
	0.023	72.835	2.913	2.914

Alpha/Beta Count Results

Sample Activity Report

Orange 0-3 - D

Addr: 3

Sample ID ICABT-1835503; C

Repeat 2

Carrier No. 0

Batch ID 449828

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 8/26/2020 9:58:54 AM

Count Ended 8/26/2020 10:24:04 AM

Sample Count Time 25.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.106	16,711	668.440	668.334
	0.010	129.271	5.171	5.171
Beta sd	0.525	6,134	245.360	244.835
	0.023	78.320	3.133	3.133

Alpha/Beta Count Results

Sample Activity Report

Orange 0-3 - D

Addr: 3

Sample ID ICABT-1835503; B

Repeat 3
Carrier No. 0

Batch ID 449828

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 8/26/2020 10:26:42 AM

Count Ended 8/26/2020 10:51:51 AM

Sample Count Time 25.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.106	19,156	766.240	766.134
	0.010	138.405	5.536	5.536
Beta sd	0.525	6,818	272.720	272.195
	0.023	82.571	3.303	3.303

Alpha/Beta Count Results

Sample Activity Report

Orange 0-3 - D

Addr: 3

Sample ID ICABT-1835503; A

Repeat 4

Carrier No. 0

Batch ID 449828

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 8/26/2020 10:56:19 AM

Count Ended 8/26/2020 11:21:28 AM

Sample Count Time 25.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.106	20,827	833.080	832.974
	0.010	144.316	5.773	5.773
Beta sd	0.525	7,386	295.440	294.915
	0.023	85.942	3.438	3.438

Alpha/Beta Count Results

Sample Activity Report

Orange 0-3 - D

Addr: 3

Sample ID ICABT-1835503; H

Repeat 5

Carrier No. 0

Batch ID 449828

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 8/26/2020 11:24:08 AM

Count Ended 8/26/2020 11:49:15 AM

Sample Count Time 25.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.106	17,521	700.840	700.734
	0.010	132.367	5.295	5.295
Beta sd	0.525	7,365	294.600	294.075
	0.023	85.820	3.433	3.433

Alpha/Beta Count Results

Sample Activity Report

Orange 0-3 - D

Addr: 3

Sample ID ICABT-1835503; G

Repeat 6

Carrier No. 0

Batch ID 449828

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 8/26/2020 12:03:29 PM

Count Ended 8/26/2020 12:28:34 PM

Sample Count Time 25.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.106	22,425	897.000	896.894
	0.010	149.750	5.990	5.990
Beta sd	0.525	9,003	360.120	359.595
	0.023	94.884	3.795	3.795

Alpha/Beta Count Results

Sample Activity Report

Orange 0-3 - D

Addr: 3

Sample ID ICABT-1835503; F

Repeat

7

Carrier No.

0

Batch ID 449828

Count Method Gross Alpha Beta

Detector Volts

1515

Count Began 8/26/2020 1:05:22 PM

Count Ended 8/26/2020 1:30:32 PM

Sample Count Time 25.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.106	23,172	926.880	926.774
	0.010	152.224	6.089	6.089
Beta sd	0.525	9,150	366.000	365.475
	0.023	95.656	3.826	3.826

Alpha/Beta Count Results

Sample Activity Report

Orange 0-3 - D

Addr: 3

Sample ID ICABT-1835503; ED

Repeat 12

Carrier No. 0

Batch ID 449828

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 8/27/2020 7:43:04 AM

Count Ended 8/27/2020 8:08:12 AM



Sample Count Time 25.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.106	24,828	993.120	993.014
	0.010	157.569	6.303	6.303
Beta sd	0.525	9,707	388.280	387.755
	0.023	98.524	3.941	3.941

Orange 15

Detector	Std ID	Count Date	Sample Wt	Count Time	Beta Counts	DPM CPM	Sr-90 Eff	Standard Aliquot
15	B1	1/23/2013 17:27	0.0093	5	92715	41588.469 18543.000	0.4459	1mL
15	B2	1/23/2013 17:19	0.0296	5	89283	17856.600	0.4294	1mL
15	B3	1/23/2013 17:12	0.0574	5	88932	17786.400	0.4277	1mL
15	B4	1/23/2013 17:05	0.0818	5	85478	17095.600	0.4111	1mL
15	B5	1/23/2013 16:58	0.1157	5	82369	16473.800	0.3961	1mL
15	B6	1/23/2013 16:47	0.1470	5	81071	16214.200	0.3899	1mL
15	B7	1/23/2013 14:37	0.1871	5	80061	16012.200	0.3850	1mL
15	B8	1/23/2013 14:28	0.2469	5	77598	15519.600	0.3732	1mL

Mass	Measured Efficiency	Theoretical Efficiency	Percent Δ Efficiency
0.0093	0.4459	0.4444	0.33%
0.0296	0.4294	0.4342	-1.12%
0.0574	0.4277	0.4216	1.45%
0.0818	0.4111	0.4117	-0.14%
0.1157	0.3961	0.3998	-0.91%
0.1470	0.3899	0.3907	-0.21%
0.1871	0.3850	0.3818	0.84%
0.2469	0.3732	0.3742	-0.26%



Standard ID
Strontium 90
Sr-90_00004 #6322
Cert# 80573-334 Ref. date 9/17/2009

Initial Activity: 22560 dpm/mL
Reference Date: 9/17/2009
Count Date: 1/23/2013
Elapsed Time: 1224.000 days
Half Life: 10409.625 days
Exponential Term: 0.921730256
Corrected Activity: 20794.23458 dpm/mL
Decay Activity (Sr/Y-90) 41588.46916 dpm

Alpha/Beta Count Results

Sample Activity Report

Orange 12-15 - D

Addr: 15

Sample ID ICABT-6322;B8

Repeat

37

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0 <i>I</i>	sd	0 <i>I</i>
Residual Wt	0 <i>mg</i>	sd	0 <i>mg</i>

Count Began 1/23/2013 2:28:14 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
----------------------------------	----------------------------	-----------	-----------

Count Ended 1/23/2013 2:33:22 PM	Collection Date 2 1/1/1900	Decay Factor	1.000
----------------------------------	----------------------------	--------------	-------

Sample Count Time	5.00 <i>mins</i>	Background Count Time	1,000.00 <i>mins</i>
-------------------	------------------	-----------------------	----------------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.102	76	15.200	15.098
sd	0.000			0.010	8.718	1.744	1.744
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.402	77,598	15,519.600	15,519.198
sd	0.000			0.020	278.564	55.713	55.713

	Net Activity dpm	LLD dpm	MDC pCi/l	MPC pCi/l	Net Concentration * pCi/l	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	1.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	1.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Tb = Ts < 10

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Orange 12-15 - D

Addr: 15

Sample ID ICABT-6322;B7

Repeat 38

Carrier No. 0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0 <i>I</i>	sd	0 <i>I</i>
Residual Wt	0 <i>mg</i>	sd	0 <i>mg</i>

Count Began 1/23/2013 2:37:18 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 1/23/2013 2:42:27 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 <i>mins</i>	Background Count Time	1,000.00 <i>mins</i>
-------------------	------------------	-----------------------	----------------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.102	55	11.000	10.898
sd	0.000			0.010	7.416	1.483	1.483
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.402	80,061	16,012.200	16,011.798
sd	0.000			0.020	282.951	56.590	56.590

	Net Activity dpm	LLD dpm	MDC pCi/l	MPC pCi/l	Net Concentration * pCi/l	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	1.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	1.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Tb = Ts < 10

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Orange 12-15 - D

Addr: 15

Sample ID ICABT-6322;B6

Repeat

47

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0 <i>I</i>	sd	0 <i>I</i>
Residual Wt	0 <i>mg</i>	sd	0 <i>mg</i>

Count Began 1/23/2013 4:47:19 PM Collection Date 1 1/1/1900 Half Life 0.00 *days*

Count Ended 1/23/2013 4:52:27 PM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 *mins* Background Count Time 1,000.00 *mins*

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.102	57	11.400	11.298
sd	0.000			0.010	7.550	1.510	1.510
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.402	81,071	16,214.200	16,213.798
sd	0.000			0.020	284.730	56.946	56.946

	Net Activity dpm	LLD dpm	MDC pCi/l	MPC pCi/l	Net Concentration * pCi/l	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	1.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	1.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Tb = Ts < 10

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Orange 12-15 - D

Addr: 15

Sample ID ICABT-6322;B5

Repeat

48

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0 <i>I</i>	sd	0 <i>I</i>
Residual Wt	0 <i>mg</i>	sd	0 <i>mg</i>

Count Began 1/23/2013 4:58:35 PM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 1/23/2013 5:03:44 PM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 *mins* Background Count Time 1,000.00 *mins*

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.102	76	15.200	15.098
sd	0.000			0.010	8.718	1.744	1.744
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.402	82,369	16,473.800	16,473.398
sd	0.000			0.020	287.000	57.400	57.400

	Net Activity dpm	LLD dpm	MDC pCi/l	MPC pCi/l	Net Concentration * pCi/l	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	1.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	1.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Tb = Ts < 10

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Orange 12-15 - D

Addr: 15

Sample ID ICABT-6322;B4

Repeat

50

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0 <i>I</i>	sd	0 <i>I</i>
Residual Wt	0 <i>mg</i>	sd	0 <i>mg</i>

Count Began 1/23/2013 5:05:37 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
----------------------------------	----------------------------	-----------	-----------

Count Ended 1/23/2013 5:10:48 PM	Collection Date 2 1/1/1900	Decay Factor	1.000
----------------------------------	----------------------------	--------------	-------

Sample Count Time	5.00 <i>mins</i>	Background Count Time	1,000.00 <i>mins</i>
-------------------	------------------	-----------------------	----------------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.102	70	14.000	13.898
sd	0.000			0.010	8.367	1.673	1.673
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.402	85,478	17,095.600	17,095.198
sd	0.000			0.020	292.366	58.473	58.473

	Net Activity dpm	LLD dpm	MDC pCi/l	MPC pCi/l	Net Concentration * pCi/l	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	1.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	1.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Tb = Ts < 10

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Orange 12-15 - D

Addr: 15

Sample ID ICABT-6322;B3

Repeat

51

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0 <i>I</i>	sd	0 <i>I</i>
Residual Wt	0 <i>mg</i>	sd	0 <i>mg</i>

Count Began 1/23/2013 5:12:23 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 1/23/2013 5:17:31 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 <i>mins</i>	Background Count Time	1,000.00 <i>mins</i>
-------------------	------------------	-----------------------	----------------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.102	67	13.400	13.298
sd	0.000			0.010	8.185	1.637	1.637
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.402	88,932	17,786.400	17,785.998
sd	0.000			0.020	298.215	59.643	59.643

	Net Activity dpm	LLD dpm	MDC pCi/l	MPC pCi/l	Net Concentration * pCi/l	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	1.000	0.000 ± 0.000 0.000	0.000
sd	0.000					

Beta	0.000	0.000	0.000	1.000	0.000 ± 0.000 0.000	0.000
sd	0.000					

* Note: Decay Corrected

MDC Method Tb = Ts < 10

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Orange 12-15 - D

Addr: 15

Sample ID ICABT-6322;B2

Repeat

52

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0 <i>I</i>	sd	0 <i>I</i>
Residual Wt	0 <i>mg</i>	sd	0 <i>mg</i>

Count Began 1/23/2013 5:19:09 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 1/23/2013 5:24:18 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 <i>mins</i>	Background Count Time	1,000.00 <i>mins</i>
-------------------	------------------	-----------------------	----------------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.102	72	14.400	14.298
sd	0.000			0.010	8.485	1.697	1.697
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.402	89,283	17,856.600	17,856.198
sd	0.000			0.020	298.803	59.761	59.761

	Net Activity dpm	LLD dpm	MDC pCi/l	MPC pCi/l	Net Concentration * pCi/l	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	1.000	0.000 ± 0.000 0.000	0.000
sd	0.000					

Beta	0.000	0.000	0.000	1.000	0.000 ± 0.000 0.000	0.000
sd	0.000					

* Note: Decay Corrected

MDC Method Tb = Ts < 10

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Orange 12-15 - D

Addr: 15

Sample ID ICABT-6322;B1

Repeat

53

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0 <i>I</i>	sd	0 <i>I</i>
Residual Wt	0 <i>mg</i>	sd	0 <i>mg</i>

Count Began 1/23/2013 5:27:42 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
----------------------------------	----------------------------	-----------	-----------

Count Ended 1/23/2013 5:32:53 PM	Collection Date 2 1/1/1900	Decay Factor	1.000
----------------------------------	----------------------------	--------------	-------

Sample Count Time	5.00 <i>mins</i>	Background Count Time	1,000.00 <i>mins</i>
-------------------	------------------	-----------------------	----------------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.102	64	12.800	12.698
sd	0.000			0.010	8.000	1.600	1.600
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.402	92,715	18,543.000	18,542.598
sd	0.000			0.020	304.491	60.898	60.898

	Net Activity dpm	LLD dpm	MDC pCi/l	MPC pCi/l	Net Concentration * pCi/l	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	1.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	1.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected


MDC Method Tb = Ts < 10

Error = .00 x sd


Orange 15

Detector ID	Sample ID	Count Date	Count Time	Alpha Counts	Net CPM	DPM	Th-230 Efficiency	Standard Aliquot	Mass
15 ICABT-1835503; A		8/27/2020	21:33	21387	855.480	4509.1	0.1897	2mL	0.0042
15 ICABT-1835503; B		8/27/2020	20:47	25	20124	804.960	0.1785	2mL	0.0135
15 ICABT-1835503; C		8/27/2020	19:35	25	17780	711.200	0.1577	2mL	0.0253
15 ICABT-1835503; D		8/27/2020	18:58	25	14509	580.360	0.1287	2mL	0.0401
15 ICABT-1835503; ED		8/27/2020	18:10	25	28209	1128.360	0.1251	4mL	0.0610
15 ICABT-1835503; F		8/27/2020	17:41	25	24254	970.160	0.1076	4mL	0.0736
15 ICABT-1835503; G		8/27/2020	16:53	25	23637	945.480	0.1048	4mL	0.0885
15 ICABT-1835503; H		8/27/2020	15:35	25	18665	746.600	0.0828	4mL	0.1026

Mass	Measured Efficiency	Theoretical Efficiency	Percent Δ Efficiency
0.0042	0.1897	0.1887	0.52%
0.0135	0.1785	0.1749	2.09%
0.0253	0.1577	0.1586	-0.56%
0.0401	0.1287	0.1403	-8.28%
0.0610	0.1251	0.1185	5.56%
0.0736	0.1076	0.1077	-0.07%
0.0885	0.1048	0.0970	8.10%
0.1026	0.0828	0.0891	-7.07%



Detector ID	Sample ID	Mass	Count Time	Alpha Counts	Beta Counts	Alpha CPM	Beta CPM	% α into β	
15 ICABT-1835503; A		0.0042	25	21387	7060	855.48	282.40	24.82%	Min
15 ICABT-1835503; B		0.0135	25	20124	6620	804.96	264.80	24.75%	24.75%
15 ICABT-1835503; C		0.0253	25	17780	6013	711.20	240.52	25.27%	
15 ICABT-1835503; D		0.0401	25	14509	5303	580.36	212.12	26.77%	Max
15 ICABT-1835503; ED		0.0610	25	28209	9794	1128.36	391.76	25.77%	28.56%
15 ICABT-1835503; F		0.0736	25	24254	9013	970.16	360.52	27.09%	
15 ICABT-1835503; G		0.0885	25	23637	8878	945.48	355.12	27.30%	Mean
15 ICABT-1835503; H		0.1026	25	18665	7461	746.60	298.44	28.56%	26.29%



Standard ID
Thorium-230
Th-230_00052
Container#: 1835503
Cert #: 114474
Activity
Ref. date 10/29/19
2254.57 dpm/mL

Alpha/Beta Count Results

Sample Activity Report

Orange 12-15 - D

Addr: 15

Sample ID ICABT-1835503; H

Repeat 9

Carrier No. 0

Batch ID 449828

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 8/27/2020 3:35:37 PM

Count Ended 8/27/2020 4:00:47 PM

Sample Count Time 25.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.122	18,665	746.600	746.478
	0.011	136.620	5.465	5.465
Beta sd	0.398	7,461	298.440	298.042
	0.020	86.377	3.455	3.455

Alpha/Beta Count Results

Sample Activity Report

Orange 12-15 - D

Addr: 15

Sample ID ICABT-1835503; G

Repeat 10

Carrier No. 0

Batch ID 449828

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 8/27/2020 4:53:23 PM

Count Ended 8/27/2020 5:18:29 PM

Sample Count Time 25.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.122	23,637	945.480	945.358
	0.011	153.743	6.150	6.150
Beta sd	0.398	8,878	355.120	354.722
	0.020	94.223	3.769	3.769

Alpha/Beta Count Results

Sample Activity Report

Orange 12-15 - D

Addr: 15

Sample ID ICABT-1835503; F

Repeat 11

Carrier No. 0

Batch ID 449828

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 8/27/2020 5:41:18 PM

Count Ended 8/27/2020 6:06:24 PM

Sample Count Time 25.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.122	24,254	970.160	970.038
	0.011	155.737	6.229	6.229
Beta sd	0.398	9,013	360.520	360.122
	0.020	94.937	3.797	3.798

Alpha/Beta Count Results

Sample Activity Report

Orange 12-15 - D

Addr: 15

Sample ID ICABT-1835503; ED

Repeat

23

Carrier No.

0

Batch ID 449828

Count Method Gross Alpha Beta

Detector Volts

1515

Count Began 8/27/2020 6:10:10 PM

Count Ended 8/27/2020 6:35:16 PM

Sample Count Time 25.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.122	28,209	1,128.360	1,128.238
	0.011	167.955	6.718	6.718
Beta sd	0.398	9,794	391.760	391.362
	0.020	98.965	3.959	3.959

Alpha/Beta Count Results

Sample Activity Report

Orange 12-15 - D

Addr: 15

Sample ID ICABT-1835503; D

Repeat 13

Carrier No. 0

Batch ID 449828

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 8/27/2020 6:58:19 PM

Count Ended 8/27/2020 7:23:25 PM

Sample Count Time 25.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.122	14,509	580.360	580.238
	0.011	120.453	4.818	4.818
Beta sd	0.398	5,303	212.120	211.722
	0.020	72.822	2.913	2.913

Alpha/Beta Count Results

Sample Activity Report

Orange 12-15 - D

Addr: 15

Sample ID ICABT-1835503; C

Repeat 14

Carrier No. 0

Batch ID 449828

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 8/27/2020 7:35:56 PM

Count Ended 8/27/2020 8:01:05 PM

Sample Count Time 25.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.122	17,780	711.200	711.078
	0.011	133.342	5.334	5.334
Beta sd	0.398	6,013	240.520	240.122
	0.020	77.544	3.102	3.102

Alpha/Beta Count Results

Sample Activity Report

Orange 12-15 - D

Addr: 15

Sample ID ICABT-1835503; B

Repeat 15

Carrier No. 0

Batch ID 449828

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 8/27/2020 8:47:53 PM

Count Ended 8/27/2020 9:12:59 PM

Sample Count Time 25.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.122	20,124	804.960	804.838
	0.011	141.859	5.674	5.674
Beta sd	0.398	6,620	264.800	264.402
	0.020	81.363	3.255	3.255

Alpha/Beta Count Results

Sample Activity Report

Orange 12-15 - D

Addr: 15

Sample ID ICABT-1835503; A

Repeat 16

Carrier No. 0

Batch ID 449828

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 8/27/2020 9:33:13 PM

Count Ended 8/27/2020 9:58:23 PM

Sample Count Time 25.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.122	21,387	855.480	855.358
	0.011	146.243	5.850	5.850
Beta sd	0.398	7,060	282.400	282.002
	0.020	84.024	3.361	3.361

Orange 20


Detector	Std ID	Count Date	Sample Wt	Count Time	Beta Counts	DPM CPM	Sr-90 Eff	Standard Aliquot
20	B1	1/23/2013 12:53	0.0093	5	93705	41588.469 18741.000	0.4506	1mL
20	B2	1/23/2013 12:45	0.0296	5	90406	18081.200	0.4348	1mL
20	B3	1/23/2013 12:37	0.0574	5	89849	17969.800	0.4321	1mL
20	B4	1/23/2013 12:30	0.0818	5	85645	17129.000	0.4119	1mL
20	B5	1/23/2013 12:20	0.1157	5	82516	16503.200	0.3968	1mL
20	B6	1/23/2013 13:15	0.1470	5	80825	16165.000	0.3887	1mL
20	B7	1/23/2013 13:07	0.1871	5	81283	16256.600	0.3909	1mL
20	B8	1/23/2013 13:01	0.2469	5	78155	15631.000	0.3758	1mL

Measured
Mass
Efficiency


Theoretical
Efficiency

Δ
Efficiency

0.0093	0.4506	0.4499	0.17%
0.0296	0.4348	0.4385	-0.86%
0.0574	0.4321	0.4246	1.77%
0.0818	0.4119	0.4138	-0.47%
0.1157	0.3968	0.4012	-1.09%
0.1470	0.3887	0.3920	-0.84%
0.1871	0.3909	0.3836	1.91%
0.2469	0.3758	0.3781	-0.58%



Mass	Efficiency
0.0093	0.4506
0.0296	0.4348
0.0574	0.4321
0.0818	0.4119
0.1157	0.3968
0.1470	0.3887
0.1871	0.3909
0.2469	0.3758



Standard ID
Strontium 90
Sr-90_00004 #6322
Cert# 80573-334 Ref. date 9/17/2009

Initial Activity: 22560 dpm/mL
Reference Date: 9/17/2009
Count Date: 1/23/2013
Elapsed Time: 1224.000 days
Half Life: 10409.625 days
Exponential Term: 0.921730256
Corrected Activity: 20794.23458 dpm/mL
Decay Activity (Sr/Y-90) 41588.46916 dpm

Alpha/Beta Count Results

Sample Activity Report

Orange 20-23 - A

Addr: 20

Sample ID ICABT-6322;B5

Repeat

29

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0 <i>I</i>	sd	0 <i>I</i>
Residual Wt	0 <i>mg</i>	sd	0 <i>mg</i>

Count Began 1/23/2013 12:20:34 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 1/23/2013 12:25:54 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 <i>mins</i>	Background Count Time	1,000.00 <i>mins</i>
-------------------	------------------	-----------------------	----------------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.067	52	10.400	10.333
sd	0.000			0.008	7.211	1.442	1.442
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.269	82,516	16,503.200	16,502.931
sd	0.000			0.016	287.256	57.451	57.451

	Net Activity dpm	LLD dpm	MDC pCi/l	MPC pCi/l	Net Concentration * pCi/l	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	1.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	1.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Tb = Ts < 10

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Orange 20-23 - A

Addr: 20

Sample ID ICABT-6322;B4

Repeat 31

Carrier No. 0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0 <i>I</i>	sd	0 <i>I</i>
Residual Wt	0 <i>mg</i>	sd	0 <i>mg</i>

Count Began 1/23/2013 12:30:04 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 1/23/2013 12:35:13 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 <i>mins</i>	Background Count Time	1,000.00 <i>mins</i>
-------------------	------------------	-----------------------	----------------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.067	50	10.000	9.933
sd	0.000			0.008	7.071	1.414	1.414
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.269	85,645	17,129.000	17,128.731
sd	0.000			0.016	292.652	58.530	58.530

	Net Activity dpm	LLD dpm	MDC pCi/l	MPC pCi/l	Net Concentration * pCi/l	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	1.000	0.000 ± 0.000 0.000	0.000
sd	0.000					

Beta	0.000	0.000	0.000	1.000	0.000 ± 0.000 0.000	0.000
sd	0.000					

* Note: Decay Corrected

MDC Method Tb = Ts < 10

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Orange 20-23 - A

Addr: 20

Sample ID ICABT-6322;B3

Repeat

32

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0	/	sd	0	/
Residual Wt	0	mg	sd	0	mg

Count Began 1/23/2013 12:37:48 PM	Collection Date 1	1/1/1900	Half Life	0.00 days
Count Ended 1/23/2013 12:42:58 PM	Collection Date 2	1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 mins	Background Count Time	1,000.00 mins
-------------------	-----------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.067	55	11.000	10.933
sd	0.000			0.008	7.416	1.483	1.483
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.269	89,849	17,969.800	17,969.531
sd	0.000			0.016	299.748	59.950	59.950

	Net Activity dpm	LLD dpm	MDC pCi/l	MPC pCi/l	Net Concentration * pCi/l	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	1.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	1.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Tb = Ts < 10

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Orange 20-23 - A

Addr: 20

Sample ID ICABT-6322;B2

Repeat

33

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0 <i>I</i>	sd	0 <i>I</i>
Residual Wt	0 <i>mg</i>	sd	0 <i>mg</i>

Count Began 1/23/2013 12:45:44 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 1/23/2013 12:50:54 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 <i>mins</i>	Background Count Time	1,000.00 <i>mins</i>
-------------------	------------------	-----------------------	----------------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.067	47	9.400	9.333
sd	0.000			0.008	6.856	1.371	1.371
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.269	90,406	18,081.200	18,080.931
sd	0.000			0.016	300.676	60.135	60.135

	Net Activity dpm	LLD dpm	MDC pCi/l	MPC pCi/l	Net Concentration * pCi/l	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	1.000	0.000 ± 0.000 0.000	0.000
sd	0.000					

Beta	0.000	0.000	0.000	1.000	0.000 ± 0.000 0.000	0.000
sd	0.000					

* Note: Decay Corrected

MDC Method Tb = Ts < 10

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Orange 20-23 - A

Addr: 20

Sample ID ICABT-6322;B1

Repeat

34

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0	/	sd	0	/
Residual Wt	0	mg	sd	0	mg

Count Began 1/23/2013 12:53:16 PM	Collection Date 1	1/1/1900	Half Life	0.00 days
Count Ended 1/23/2013 12:58:26 PM	Collection Date 2	1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 mins	Background Count Time	1,000.00 mins
-------------------	-----------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.067	53	10.600	10.533
sd	0.000			0.008	7.280	1.456	1.456
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.269	93,705	18,741.000	18,740.731
sd	0.000			0.016	306.113	61.223	61.223

	Net Activity dpm	LLD dpm	MDC pCi/l	MPC pCi/l	Net Concentration * pCi/l	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	1.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	1.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Tb = Ts < 10

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Orange 20-23 - A

Addr: 20

Sample ID ICABT-6322;B8

Repeat

34

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0 <i>I</i>	sd	0 <i>I</i>
Residual Wt	0 <i>mg</i>	sd	0 <i>mg</i>

Count Began 1/23/2013 1:01:01 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 1/23/2013 1:06:09 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 <i>mins</i>	Background Count Time	1,000.00 <i>mins</i>
-------------------	------------------	-----------------------	----------------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.067	42	8.400	8.333
sd	0.000			0.008	6.481	1.296	1.296
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.269	78,155	15,631.000	15,630.731
sd	0.000			0.016	279.562	55.912	55.912

	Net Activity dpm	LLD dpm	MDC pCi/l	MPC pCi/l	Net Concentration * pCi/l	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	1.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	1.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Tb = Ts < 10

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Orange 20-23 - A

Addr: 20

Sample ID ICABT-6322;B7

Repeat 35

Carrier No. 0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0 <i>I</i>	sd	0 <i>I</i>
Residual Wt	0 <i>mg</i>	sd	0 <i>mg</i>

Count Began 1/23/2013 1:07:57 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 1/23/2013 1:13:06 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 <i>mins</i>	Background Count Time	1,000.00 <i>mins</i>
-------------------	------------------	-----------------------	----------------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.067	38	7.600	7.533
sd	0.000			0.008	6.164	1.233	1.233
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.269	81,283	16,256.600	16,256.331
sd	0.000			0.016	285.102	57.020	57.020

	Net Activity dpm	LLD dpm	MDC pCi/l	MPC pCi/l	Net Concentration * pCi/l	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	1.000	0.000 ± 0.000 0.000	0.000
sd	0.000					

Beta	0.000	0.000	0.000	1.000	0.000 ± 0.000 0.000	0.000
sd	0.000					

* Note: Decay Corrected

MDC Method Tb = Ts < 10

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Orange 20-23 - A

Addr: 20

Sample ID ICABT-6322;B6

Repeat

36

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0	/	sd	0	/
Residual Wt	0	mg	sd	0	mg

Count Began 1/23/2013 1:15:07 PM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 1/23/2013 1:20:15 PM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time 1,000.00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.067	58	11.600	11.533
sd	0.000			0.008	7.616	1.523	1.523
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.269	80,825	16,165.000	16,164.731
sd	0.000			0.016	284.297	56.859	56.859

	Net Activity dpm	LLD dpm	MDC pCi/l	MPC pCi/l	Net Concentration * pCi/l	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	1.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	1.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Tb = Ts < 10


Error = .00 x sd

Curve is for Gross Alpha


Orange 20

Detector ID	Sample ID	Count Date	Count Time	Alpha Counts	Net CPM	DPM	Th-230 Efficiency	Standard Aliquot	Mass
20 ICABT-1835503; A		8/28/2020	15:20	21645	865.80	4509.1	0.1920	2mL	0.0042
20 ICABT-1835503; B		8/28/2020	13:20	25	20221	808.84	0.1794	2mL	0.0135
20 ICABT-1835503; C		8/28/2020	7:49	25	17844	713.76	0.1583	2mL	0.0253
20 ICABT-1835503; D		8/27/2020	22:38	25	14709	588.36	0.1305	2mL	0.0401
20 ICABT-1835503; ED		8/27/2020	22:09	25	28338	1133.52	0.1257	4mL	0.0610
20 ICABT-1835503; F		8/30/2020	16:32	25	25005	1000.20	0.1109	4mL	0.0736
20 ICABT-1835503; G		8/30/2020	16:06	25	24460	978.40	0.1085	4mL	0.0885
20 ICABT-1835503; H		8/30/2020	15:14	25	18990	759.60	0.0842	4mL	0.1026

Mass	Measured Efficiency	Theoretical Efficiency	Percent Δ Efficiency
0.0042	0.1920	0.1901	0.99%
0.0135	0.1794	0.1763	1.75%
0.0253	0.1583	0.1601	-1.12%
0.0401	0.1305	0.1419	-8.07%
0.0610	0.1257	0.1204	4.41%
0.0736	0.1109	0.1097	1.08%
0.0885	0.1085	0.0994	9.20%
0.1026	0.0842	0.0918	-8.24%



Detector ID	Sample ID	Mass	Count Time	Alpha Counts	Beta Counts	Alpha CPM	Beta CPM	% α into β
20 ICABT-1835503; A		0.0042	25	21645	7365	865.80	294.60	25.39% Min
20 ICABT-1835503; B		0.0135	25	20221	7268	808.84	290.72	26.44% 25.39%
20 ICABT-1835503; C		0.0253	25	17844	6548	713.76	261.92	26.84%
20 ICABT-1835503; D		0.0401	25	14709	5736	588.36	229.44	28.06% Max
20 ICABT-1835503; ED		0.0610	25	28338	10893	1133.52	435.72	27.77% 30.39%
20 ICABT-1835503; F		0.0736	25	25005	10261	1000.20	410.44	29.10%
20 ICABT-1835503; G		0.0885	25	24460	9915	978.40	396.60	28.84% Mean
20 ICABT-1835503; H		0.1026	25	18990	8292	759.60	331.68	30.39% 27.85%



Standard ID
Thorium-230
Th-230_00052
Container#: 1835503
Cert #: 114474
Ref. date 10/29/19
Activity 2254.57 dpm/mL

Alpha/Beta Count Results

Sample Activity Report

Orange 20-23 - A

Addr: 20

Sample ID ICABT-1835503; ED

Repeat 28

Carrier No. 0

Batch ID 449828

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 8/27/2020 10:09:54 PM

Count Ended 8/27/2020 10:35:01 PM

Sample Count Time 25.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.196	28,338	1,133.520	1,133.324
	0.014	168.339	6.734	6.734
Beta sd	0.377	10,893	435.720	435.343
	0.019	104.370	4.175	4.175

Alpha/Beta Count Results

Sample Activity Report

Orange 20-23 - A

Addr: 20

Sample ID ICABT-1835503; D

Repeat 18

Carrier No. 0

Batch ID 449828

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 8/27/2020 10:38:57 PM

Count Ended 8/27/2020 11:04:05 PM

Sample Count Time 25.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.196	14,709	588.360	588.164
	0.014	121.281	4.851	4.851
Beta sd	0.377	5,736	229.440	229.063
	0.019	75.736	3.029	3.030

Alpha/Beta Count Results

Sample Activity Report

Orange 20-23 - A

Addr: 20

Sample ID ICABT-1835503; C

Repeat 19

Carrier No. 0

Batch ID 449828

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 8/28/2020 7:49:17 AM

Count Ended 8/28/2020 8:14:23 AM

Sample Count Time 25.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.196	17,844	713.760	713.564
	0.014	133.581	5.343	5.343
Beta sd	0.377	6,548	261.920	261.543
	0.019	80.920	3.237	3.237

Alpha/Beta Count Results

Sample Activity Report

Orange 20-23 - A

Addr: 20

Sample ID ICABT-1835503; B

Repeat 20
Carrier No. 0

Batch ID 449828

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 8/28/2020 1:20:03 PM

Count Ended 8/28/2020 1:45:10 PM

Sample Count Time 25.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.196	20,221	808.840	808.644
	0.014	142.201	5.688	5.688
Beta sd	0.377	7,268	290.720	290.343
	0.019	85.253	3.410	3.410

Alpha/Beta Count Results

Sample Activity Report

Orange 20-23 - A

Addr: 20

Sample ID ICABT-1835503; A

Repeat 21

Carrier No. 0

Batch ID 449828

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 8/28/2020 3:20:47 PM

Count Ended 8/28/2020 3:45:57 PM

Sample Count Time 25.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.196	21,645	865.800	865.604
	0.014	147.122	5.885	5.885
Beta sd	0.377	7,365	294.600	294.223
	0.019	85.820	3.433	3.433

Alpha/Beta Count Results

Sample Activity Report

Orange 20-23 - A

Addr: 20

Sample ID ICABT-1835503; H

Repeat 22

Carrier No. 0

Batch ID 449828

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 8/30/2020 3:14:56 PM

Count Ended 8/30/2020 3:40:08 PM

Sample Count Time 25.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.196	18,990	759.600	759.404
	0.014	137.804	5.512	5.512
Beta sd	0.377	8,292	331.680	331.303
	0.019	91.060	3.642	3.642

Alpha/Beta Count Results

Sample Activity Report

Orange 20-23 - A

Addr: 20

Sample ID ICABT-1835503; G

Repeat 23

Carrier No. 0

Batch ID 449828

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 8/30/2020 4:06:06 PM

Count Ended 8/30/2020 4:31:17 PM

Sample Count Time 25.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.196	24,460	978.400	978.204
	0.014	156.397	6.256	6.256
Beta sd	0.377	9,915	396.600	396.223
	0.019	99.574	3.983	3.983

Alpha/Beta Count Results

Sample Activity Report

Orange 20-23 - A

Addr: 20

Sample ID ICABT-1835503; F

Repeat 24

Carrier No. 0

Batch ID 449828

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 8/30/2020 4:32:55 PM

Count Ended 8/30/2020 4:58:02 PM

Sample Count Time 25.00 *mins* Background Count Time 1,000.00 *mins*


	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.196	25,005	1,000.200	1,000.004
	0.014	158.130	6.325	6.325
Beta sd	0.377	10,261	410.440	410.063
	0.019	101.297	4.052	4.052

Orange 23


Detector ID	Std ID	Count Date	Sample Wt	Count Time	Beta Counts
23	B1	1/23/2013 13:14	0.0093	5	93320
23	B2	1/23/2013 13:07	0.0296	5	89959
23	B3	1/23/2013 13:00	0.0574	5	90060
23	B4	1/23/2013 12:53	0.0818	5	85913
23	B5	1/23/2013 12:46	0.1157	5	83172
23	B6	1/23/2013 12:38	0.1470	5	81701
23	B7	1/23/2013 12:30	0.1871	5	81277
23	B8	1/23/2013 12:20	0.2469	5	78026

DPM	Sr-90	Standard
41588.469 CPM	Eff	Aliquot
18664.000	0.4488	1mL
17991.800	0.4326	1mL
18012.000	0.4331	1mL
17182.600	0.4132	1mL
16634.400	0.4000	1mL
16340.200	0.3929	1mL
16255.400	0.3909	1mL
15605.200	0.3752	1mL

Measured Mass	Efficiency	Theoretical Efficiency	Percent Δ Efficiency
0.0093	0.4488	0.4474	0.32%
0.0296	0.4326	0.4376	-1.13%
0.0574	0.4331	0.4253	1.84%
0.0818	0.4132	0.4156	-0.58%
0.1157	0.4000	0.4038	-0.95%
0.1470	0.3929	0.3947	-0.46%
0.1871	0.3909	0.3855	1.39%
0.2469	0.3752	0.3769	-0.45%



Mass	Efficiency
0.0093	0.4488
0.0296	0.4326
0.0574	0.4331
0.0818	0.4132
0.1157	0.4000
0.1470	0.3929
0.1871	0.3909
0.2469	0.3752



Standard ID
Strontium 90
Sr-90_00004 #6322
Cert# 80573-334 Ref. date 9/17/2009

Initial Activity: 22560 dpm/mL
Reference Date: 9/17/2009
Count Date: 1/23/2013
Elapsed Time: 1224.000 days
Half Life: 10409.625 days
Exponential Term: 0.921730256
Corrected Activity: 20794.23458 dpm/mL
Decay Activity (Sr/Y-90) 41588.46916 dpm

Alpha/Beta Count Results

Sample Activity Report

Orange 20-23 - D

Addr: 23

Sample ID ICABT-6322;B8

Repeat

29

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0 <i>I</i>	sd	0 <i>I</i>
Residual Wt	0 <i>mg</i>	sd	0 <i>mg</i>

Count Began 1/23/2013 12:20:54 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 1/23/2013 12:26:03 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 <i>mins</i>	Background Count Time	1,000.00 <i>mins</i>
-------------------	------------------	-----------------------	----------------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.046	34	6.800	6.754
sd	0.000			0.007	5.831	1.166	1.166
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.330	78,026	15,605.200	15,604.870
sd	0.000			0.018	279.331	55.866	55.866

	Net Activity dpm	LLD dpm	MDC pCi/l	MPC pCi/l	Net Concentration * pCi/l	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	1.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	1.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Tb = Ts < 10

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Orange 20-23 - D

Addr: 23

Sample ID ICABT-6322;B7

Repeat 30

Carrier No. 0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0 <i>I</i>	sd	0 <i>I</i>
Residual Wt	0 <i>mg</i>	sd	0 <i>mg</i>

Count Began 1/23/2013 12:30:20 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 1/23/2013 12:35:29 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 <i>mins</i>	Background Count Time	1,000.00 <i>mins</i>
-------------------	------------------	-----------------------	----------------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.046	28	5.600	5.554
sd	0.000			0.007	5.292	1.058	1.058
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.330	81,277	16,255.400	16,255.070
sd	0.000			0.018	285.091	57.018	57.018

	Net Activity dpm	LLD dpm	MDC pCi/l	MPC pCi/l	Net Concentration * pCi/l	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	1.000	0.000 ± 0.000 0.000	0.000
sd	0.000					

Beta	0.000	0.000	0.000	1.000	0.000 ± 0.000 0.000	0.000
sd	0.000					

* Note: Decay Corrected

MDC Method Tb = Ts < 10

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Orange 20-23 - D

Addr: 23

Sample ID ICABT-6322;B6

Repeat 31

Carrier No. 0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0 <i>I</i>	sd	0 <i>I</i>
Residual Wt	0 <i>mg</i>	sd	0 <i>mg</i>

Count Began 1/23/2013 12:38:03 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 1/23/2013 12:43:11 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 <i>mins</i>	Background Count Time	1,000.00 <i>mins</i>
-------------------	------------------	-----------------------	----------------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.046	34	6.800	6.754
sd	0.000			0.007	5.831	1.166	1.166
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.330	81,701	16,340.200	16,339.870
sd	0.000			0.018	285.834	57.167	57.167

	Net Activity dpm	LLD dpm	MDC pCi/l	MPC pCi/l	Net Concentration * pCi/l	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	1.000	0.000 ± 0.000 0.000	0.000
sd	0.000					

Beta	0.000	0.000	0.000	1.000	0.000 ± 0.000 0.000	0.000
sd	0.000					

* Note: Decay Corrected

MDC Method Tb = Ts < 10

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Orange 20-23 - D

Addr: 23

Sample ID ICABT-6322;B5

Repeat

32

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0 <i>I</i>	sd	0 <i>I</i>
Residual Wt	0 <i>mg</i>	sd	0 <i>mg</i>

Count Began 1/23/2013 12:46:01 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 1/23/2013 12:51:10 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 <i>mins</i>	Background Count Time	1,000.00 <i>mins</i>
-------------------	------------------	-----------------------	----------------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.046	29	5.800	5.754
sd	0.000			0.007	5.385	1.077	1.077
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.330	83,172	16,634.400	16,634.070
sd	0.000			0.018	288.396	57.679	57.679

	Net Activity dpm	LLD dpm	MDC pCi/l	MPC pCi/l	Net Concentration * pCi/l	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	1.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	1.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Tb = Ts < 10

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Orange 20-23 - D

Addr: 23

Sample ID ICABT-6322;B4

Repeat

34

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0 <i>I</i>	sd	0 <i>I</i>
Residual Wt	0 <i>mg</i>	sd	0 <i>mg</i>

Count Began 1/23/2013 12:53:30 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 1/23/2013 12:58:39 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 <i>mins</i>	Background Count Time	1,000.00 <i>mins</i>
-------------------	------------------	-----------------------	----------------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.046	33	6.600	6.554
sd	0.000			0.007	5.745	1.149	1.149
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.330	85,913	17,182.600	17,182.270
sd	0.000			0.018	293.109	58.622	58.622

	Net Activity dpm	LLD dpm	MDC pCi/l	MPC pCi/l	Net Concentration * pCi/l	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	1.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	1.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Tb = Ts < 10

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Orange 20-23 - D

Addr: 23

Sample ID ICABT-6322;B3

Repeat

35

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0	I	sd	0	I
Residual Wt	0	mg	sd	0	mg

Count Began 1/23/2013 1:00:20 PM	Collection Date 1	1/1/1900	Half Life	0.00 days
Count Ended 1/23/2013 1:05:30 PM	Collection Date 2	1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 mins	Background Count Time	1,000.00 mins
-------------------	-----------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.046	40	8.000	7.954
sd	0.000			0.007	6.325	1.265	1.265
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.330	90,060	18,012.000	18,011.670
sd	0.000			0.018	300.100	60.020	60.020

	Net Activity dpm	LLD dpm	MDC pCi/l	MPC pCi/l	Net Concentration * pCi/l	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	1.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	1.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Tb = Ts < 10

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Orange 20-23 - D

Addr: 23

Sample ID ICABT-6322;B2

Repeat

36

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0	/	sd	0	/
Residual Wt	0	mg	sd	0	mg

Count Began 1/23/2013 1:07:31 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 1/23/2013 1:12:42 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 mins	Background Count Time	1,000.00 mins
-------------------	-----------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.046	28	5.600	5.554
sd	0.000			0.007	5.292	1.058	1.058
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.330	89,959	17,991.800	17,991.470
sd	0.000			0.018	299.932	59.986	59.986

	Net Activity dpm	LLD dpm	MDC pCi/l	MPC pCi/l	Net Concentration * pCi/l	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	1.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	1.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Tb = Ts < 10

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Orange 20-23 - D

Addr: 23

Sample ID ICABT-6322;B1

Repeat

37

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0 <i>I</i>	sd	0 <i>I</i>
Residual Wt	0 <i>mg</i>	sd	0 <i>mg</i>

Count Began 1/23/2013 1:14:46 PM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 1/23/2013 1:19:55 PM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 *mins* Background Count Time 1,000.00 *mins*

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.046	34	6.800	6.754
sd	0.000			0.007	5.831	1.166	1.166
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.330	93,320	18,664.000	18,663.670
sd	0.000			0.018	305.483	61.097	61.097

	Net Activity dpm	LLD dpm	MDC pCi/l	MPC pCi/l	Net Concentration * pCi/l	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	1.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	1.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Tb = Ts < 10



Error = .00 x sd

Orange 23

Detector ID	Sample ID	Count Date	Count Time	Alpha Counts	Net CPM	DPM	Th-230 Efficiency	Standard Aliquot	Mass
23	ICABT-1835503; A	8/30/2020	16:33	25	20292	811.680	4509.1	0.1800	2mL 0.0042
23	ICABT-1835503; B	8/30/2020	16:06	25	19591	783.640	4509.1	0.1738	2mL 0.0135
23	ICABT-1835503; C	8/30/2020	15:15	25	17095	683.800	4509.1	0.1516	2mL 0.0253
23	ICABT-1835503; D	8/28/2020	15:21	25	13689	547.560	4509.1	0.1214	2mL 0.0401
23	ICABT-1835503; ED	8/28/2020	13:20	25	26122	1044.880	9018.3	0.1159	4mL 0.0610
23	ICABT-1835503; F	8/28/2020	7:49	25	22672	906.880	9018.3	0.1006	4mL 0.0736
23	ICABT-1835503; G	8/27/2020	22:39	25	22351	894.040	9018.3	0.0991	4mL 0.0885
23	ICABT-1835503; H	8/27/2020	22:10	25	17116	684.640	9018.3	0.0759	4mL 0.1026

Process Log 04 of 1702

Detector ID	Sample ID	Mass	Count Time	Alpha Counts	Beta Counts	Alpha CPM	Beta CPM	% α into β
23	ICABT-1835503; A	0.0042	25	20292	8418	811.68	336.72	29.32% Min
23	ICABT-1835503; B	0.0135	25	19591	8303	783.64	332.12	29.77% 29.32%
23	ICABT-1835503; C	0.0253	25	17095	7457	683.80	298.28	30.37%
23	ICABT-1835503; D	0.0401	25	13689	6527	547.56	261.08	32.29% Max
23	ICABT-1835503; ED	0.0610	25	26122	12096	1044.88	483.84	31.65% 34.53%
23	ICABT-1835503; F	0.0736	25	22672	11498	906.88	459.92	33.65%
23	ICABT-1835503; G	0.0885	25	22351	11014	894.04	440.56	33.01% Mean
23	ICABT-1835503; H	0.1026	25	17116	9029	684.64	361.16	34.53% 31.82%



Standard ID
Thorium-230
Th-230_00052
Container#: 1835503
Cert #: 114474 Ref. date 10/29/19
Activity 2254.57 dpm/mL

Alpha/Beta Count Results

Sample Activity Report

Orange 20-23 - D

Addr: 23

Sample ID ICABT-1835503; H

Repeat

17

Carrier No.

0

Batch ID 449828

Count Method Gross Alpha Beta

Detector Volts

1515

Count Began 8/27/2020 10:10:10 PM

Count Ended 8/27/2020 10:35:19 PM

Sample Count Time 25.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.091	17,116	684.640	684.549
	0.010	130.828	5.233	5.233
Beta sd	0.392	9,029	361.160	360.768
	0.020	95.021	3.801	3.801

Alpha/Beta Count Results

Sample Activity Report

Orange 20-23 - D

Addr: 23

Sample ID ICABT-1835503; G

Repeat 18

Carrier No. 0

Batch ID 449828

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 8/27/2020 10:39:08 PM

Count Ended 8/27/2020 11:04:15 PM

Sample Count Time 25.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.091	22,351	894.040	893.949
	0.010	149.503	5.980	5.980
Beta sd	0.392	11,014	440.560	440.168
	0.020	104.948	4.198	4.198

Alpha/Beta Count Results

Sample Activity Report

Orange 20-23 - D

Addr: 23

Sample ID ICABT-1835503; F

Repeat 19

Carrier No. 0

Batch ID 449828

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 8/28/2020 7:49:38 AM

Count Ended 8/28/2020 8:14:45 AM

Sample Count Time 25.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.091	22,672	906.880	906.789
	0.010	150.572	6.023	6.023
Beta sd	0.392	11,498	459.920	459.528
	0.020	107.229	4.289	4.289

Alpha/Beta Count Results

Sample Activity Report

Orange 20-23 - D

Addr: 23

Sample ID ICABT-1835503; ED

Repeat 31

Carrier No. 0

Batch ID 449828

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 8/28/2020 1:20:23 PM

Count Ended 8/28/2020 1:45:29 PM

Sample Count Time 25.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.091	26,122	1,044.880	1,044.789
	0.010	161.623	6.465	6.465
Beta sd	0.392	12,096	483.840	483.448
	0.020	109.982	4.399	4.399

Alpha/Beta Count Results

Sample Activity Report

Orange 20-23 - D

Addr: 23

Sample ID ICABT-1835503; D

Repeat

21

Carrier No.

0

Batch ID 449828

Count Method Gross Alpha Beta

Detector Volts

1515

Count Began 8/28/2020 3:21:06 PM

Count Ended 8/28/2020 3:46:13 PM

Sample Count Time 25.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.091	13,689	547.560	547.469
	0.010	117.000	4.680	4.680
Beta sd	0.392	6,527	261.080	260.688
	0.020	80.790	3.232	3.232

Alpha/Beta Count Results

Sample Activity Report

Orange 20-23 - D

Addr: 23

Sample ID ICABT-1835503; C

Repeat 22

Carrier No. 0

Batch ID 449828

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 8/30/2020 3:15:13 PM

Count Ended 8/30/2020 3:40:25 PM

Sample Count Time 25.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.091	17,095	683.800	683.709
	0.010	130.748	5.230	5.230
Beta sd	0.392	7,457	298.280	297.888
	0.020	86.354	3.454	3.454

Alpha/Beta Count Results

Sample Activity Report

Orange 20-23 - D

Addr: 23

Sample ID ICABT-1835503; B

Repeat 23

Carrier No. 0

Batch ID 449828

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 8/30/2020 4:06:20 PM

Count Ended 8/30/2020 4:31:26 PM

Sample Count Time 25.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.091	19,591	783.640	783.549
	0.010	139.968	5.599	5.599
Beta sd	0.392	8,303	332.120	331.728
	0.020	91.121	3.645	3.645

Alpha/Beta Count Results

Sample Activity Report

Orange 20-23 - D

Addr: 23

Sample ID ICABT-1835503; A

Repeat 24

Carrier No. 0

Batch ID 449828

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 8/30/2020 4:33:09 PM

Count Ended 8/30/2020 4:58:18 PM


Sample Count Time 25.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.091	20,292	811.680	811.589
	0.010	142.450	5.698	5.698
Beta sd	0.392	8,418	336.720	336.328
	0.020	91.750	3.670	3.670


Purple 10

Detector	Std ID	Count Date	Sample Wt	Count Time	Beta Counts	DPM CPM	Sr-90 Eff	Standard Aliquot
10	B1	2/3/2013 17:43	0.0093	5	94979	41558.018 18995.800	0.4571	1mL
10	B2	2/3/2013 17:29	0.0296	5	91052	18210.400	0.4382	1mL
10	B3	2/3/2013 17:22	0.0574	5	91150	18230.000	0.4387	1mL
10	B4	2/3/2013 18:51	0.0818	5	86754	17350.800	0.4175	1mL
10	B5	2/3/2013 18:32	0.1157	5	83407	16681.400	0.4014	1mL
10	B6	2/3/2013 18:19	0.1470	5	82434	16486.800	0.3967	1mL
10	B7	2/3/2013 18:07	0.1871	5	82188	16437.600	0.3955	1mL
10	B8	2/3/2013 17:51	0.2469	5	78950	15790.000	0.3800	1mL

Mass	Measured Efficiency	Theoretical Efficiency	Percent Δ Efficiency
0.0093	0.4571	0.4550	0.45%
0.0296	0.4382	0.4440	-1.31%
0.0574	0.4387	0.4303	1.94%
0.0818	0.4175	0.4197	-0.53%
0.1157	0.4014	0.4072	-1.42%
0.1470	0.3967	0.3978	-0.28%
0.1871	0.3955	0.3890	1.69%
0.2469	0.3800	0.3823	-0.61%



Mass	Efficiency
0.0093	0.4571
0.0296	0.4382
0.0574	0.4387
0.0818	0.4175
0.1157	0.4014
0.1470	0.3967
0.1871	0.3955
0.2469	0.3800



Standard ID
Strontium 90
Sr-90_00004 #6322
Cert# 80573-334 Ref. date 9/17/2009

Initial Activity: 22560 dpm/mL
Reference Date: 9/17/2009
Count Date: 2/3/2013
Elapsed Time: 1235.000 days
Half Life: 10409.625 days
Exponential Term: 0.921055374
Corrected Activity: 20779.00924 dpm/mL
Decay Activity (Sr/Y-90) 41558.01848 dpm

Alpha/Beta Count Results

Sample Activity Report

Purple 8-11 - C

Addr: 10

Sample ID ICABT-6322;B3

Repeat

36

Carrier No.

0

Batch ID M122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0	Sample	sd	0	Sample	
Residual Wt	0	mg	sd	0	mg	

Count Began 2/3/2013 5:22:36 PM	Collection Date 1	1/1/1900	Half Life	0.00 days
---------------------------------	-------------------	----------	-----------	-----------

Count Ended 2/3/2013 5:27:45 PM	Collection Date 2	1/1/1900	Decay Factor	1.000
---------------------------------	-------------------	----------	--------------	-------

Sample Count Time	5.00 mins	Background Count Time	1,000.00 mins
-------------------	-----------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.058	141	28.200	28.142
sd	0.000			0.008	11.874	2.375	2.375
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.297	91,150	18,230.000	18,229.703
sd	0.000			0.017	301.911	60.382	60.382

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Purple 8-11 - C

Addr: 10

Sample ID ICABT-6322;B2

Repeat

37

Carrier No.

0

Batch ID M122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0	Sample	sd	0	Sample	
Residual Wt	0	mg	sd	0	mg	

Count Began 2/3/2013 5:29:32 PM	Collection Date 1	1/1/1900	Half Life	0.00 days
---------------------------------	-------------------	----------	-----------	-----------

Count Ended 2/3/2013 5:34:42 PM	Collection Date 2	1/1/1900	Decay Factor	1.000
---------------------------------	-------------------	----------	--------------	-------

Sample Count Time	5.00 mins	Background Count Time	1,000.00 mins
-------------------	-----------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.058	160	32.000	31.942
sd	0.000			0.008	12.649	2.530	2.530
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.297	91,052	18,210.400	18,210.103
sd	0.000			0.017	301.748	60.350	60.350

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Purple 8-11 - C

Addr: 10

Sample ID ICABT-6322;B1

Repeat 38

Carrier No. 0

Batch ID M122627

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0	Sample	sd	0	Sample	
Residual Wt	0	mg	sd	0	mg	

Count Began 2/3/2013 5:43:37 PM	Collection Date 1	1/1/1900	Half Life	0.00 days
---------------------------------	-------------------	----------	-----------	-----------

Count Ended 2/3/2013 5:48:46 PM	Collection Date 2	1/1/1900	Decay Factor	1.000
---------------------------------	-------------------	----------	--------------	-------

Sample Count Time	5.00 mins	Background Count Time	1,000.00 mins
-------------------	-----------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.058	182	36.400	36.342
sd	0.000			0.008	13.491	2.698	2.698
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.297	94,979	18,995.800	18,995.503
sd	0.000			0.017	308.187	61.637	61.637

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Purple 8-11 - C

Addr: 10

Sample ID ICABT-6322:B8

Repeat

38

Carrier No.

0

Batch ID M122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0	Sample	sd	0	Sample	
Residual Wt	0	mg	sd	0	mg	

Count Began 2/3/2013 5:51:36 PM	Collection Date 1	1/1/1900	Half Life	0.00 days
---------------------------------	-------------------	----------	-----------	-----------

Count Ended 2/3/2013 5:56:45 PM	Collection Date 2	1/1/1900	Decay Factor	1.000
---------------------------------	-------------------	----------	--------------	-------

Sample Count Time	5.00 mins	Background Count Time	1,000.00 mins
-------------------	-----------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.058	117	23.400	23.342
sd	0.000			0.008	10.817	2.163	2.163
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.297	78,950	15,790.000	15,789.703
sd	0.000			0.017	280.980	56.196	56.196

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Purple 8-11 - C

Addr: 10

Sample ID ICABT-6322;B7

Repeat 39

Carrier No. 0

Batch ID M122627

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty 0 Sample sd 0 Sample

Residual Wt 0 mg sd 0 mg

Count Began 2/3/2013 6:07:09 PM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 2/3/2013 6:12:19 PM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time 1,000.00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.058	154	30.800	30.742
sd	0.000			0.008	12.410	2.482	2.482
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.297	82,188	16,437.600	16,437.303
sd	0.000			0.017	286.684	57.337	57.337

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Purple 8-11 - C

Addr: 10

Sample ID ICABT-6322;B6

Repeat 40

Carrier No. 0

Batch ID M122627

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty 0 Sample sd 0 Sample

Residual Wt 0 mg sd 0 mg

Count Began 2/3/2013 6:19:54 PM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 2/3/2013 6:25:04 PM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time 1,000.00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.058	143	28.600	28.542
sd	0.000			0.008	11.958	2.392	2.392
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.297	82,434	16,486.800	16,486.503
sd	0.000			0.017	287.113	57.423	57.423

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Purple 8-11 - C

Addr: 10

Sample ID ICABT-6322:B5

Repeat

41

Carrier No.

0

Batch ID M122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0	Sample	sd	0	Sample	
Residual Wt	0	mg	sd	0	mg	

Count Began 2/3/2013 6:32:25 PM	Collection Date 1	1/1/1900	Half Life	0.00 days
---------------------------------	-------------------	----------	-----------	-----------

Count Ended 2/3/2013 6:37:34 PM	Collection Date 2	1/1/1900	Decay Factor	1.000
---------------------------------	-------------------	----------	--------------	-------

Sample Count Time	5.00 mins	Background Count Time	1,000.00 mins
-------------------	-----------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.058	126	25.200	25.142
sd	0.000			0.008	11.225	2.245	2.245
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.297	83,407	16,681.400	16,681.103
sd	0.000			0.017	288.803	57.761	57.761

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Purple 8-11 - C

Addr: 10

Sample ID ICABT-6322;B4

Repeat 43

Carrier No. 0

Batch ID M122627

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty 0 Sample sd 0 Sample

Residual Wt 0 mg sd 0 mg

Count Began 2/3/2013 6:51:10 PM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 2/3/2013 6:56:19 PM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time 1,000.00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.058	129	25.800	25.742
sd	0.000			0.008	11.358	2.272	2.272
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.297	86,754	17,350.800	17,350.503
sd	0.000			0.017	294.540	58.908	58.908

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Curve is for Gross Alpha

Purple 10


Detector ID	Sample ID	Count Date	Count Time	Alpha Counts	Net CPM	DPM	Th-230 Efficiency	Standard Aliquot (mL)	Mass
10	ICABT-1835503; A	7/7/2022 9:51	45	21305	473.444	2254.6	0.2100	1	0.0098
10	ICABT-1835503; B	7/7/2022 9:00	45	19671	437.133	2254.6	0.1939	1	0.0171
10	ICABT-1835503; C	7/7/2022 8:11	45	16190	359.778	2254.6	0.1596	1	0.0282
10	ICABT-1835503; D	7/7/2022 15:07	45	14077	312.822	2254.6	0.1388	1	0.0435
10	ICABT-1835503; E	7/7/2022 14:10	45	21584	479.644	4509.1	0.1064	2	0.0578
10	ICABT-1835503; F	7/7/2022 13:23	45	18609	413.533	4509.1	0.0917	2	0.0756
10	ICABT-1835503; G	7/7/2022 12:33	45	17696	393.244	4509.1	0.0872	2	0.0954
10	ICABT-1835503; H	7/7/2022 10:50	45	16111	358.022	4509.1	0.0794	2	0.1139

Mass	Measured Efficiency	Theoretical Efficiency	Percent	
			Δ Efficiency	
0.0098	0.2100	0.2102	-0.10%	
0.0171	0.1939	0.1908	1.62%	
0.0282	0.1596	0.1643	-2.89%	
0.0435	0.1388	0.1338	3.71%	
0.0578	0.1064	0.1115	-4.58%	
0.0756	0.0917	0.0921	-0.46%	
0.0954	0.0872	0.0816	6.87%	
0.1139	0.0794	0.0822	-3.41%	

Standard ID

Thorium-230
Th-230_00052
Container#: 1835503
Cert #: 114474 Ref. date 10/29/2019
Activity (dpm) 2254.57


X² Coeff: 14.744
X Coeff: -3.0533
Intercept: 0.2387



Sample ID	Mass	Count Time	Alpha Counts	Beta Counts	Alpha CPM	Beta CPM	% α into β	
ICABT-1835503; A	0.0098	45	21305	7747	473.44	172.16	26.67%	Min
ICABT-1835503; B	0.0171	45	19671	7183	437.13	159.62	26.75%	26.67%
ICABT-1835503; C	0.0282	45	16190	6250	359.78	138.89	27.85%	
ICABT-1835503; D	0.0435	45	14077	5762	312.82	128.04	29.04%	Max
ICABT-1835503; E	0.0578	45	21584	9394	479.64	208.76	30.32%	32.89%
ICABT-1835503; F	0.0756	45	18609	8633	413.53	191.84	31.69%	
ICABT-1835503; G	0.0954	45	17696	8385	393.24	186.33	32.15%	Mean
ICABT-1835503; H	0.1139	45	16111	7896	358.02	175.47	32.89%	29.67%

All Points Crosstalk

$y = -3.3024x^2 + 1.0446x + 0.2532$
 $R^2 = 0.9903$



Alpha/Beta Count Results

Sample Activity Report

Purple 8-11 - C

Addr: 10

Sample ID ICABT-1835503; C

Repeat 36

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 7/7/2022 8:11:57 AM

Count Ended 7/7/2022 8:57:05 AM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.176	16,190	359.778	359.602
	0.013	127.240	2.828	2.828
Beta sd	0.317	6,250	138.889	138.572
	0.018	79.057	1.757	1.757

Alpha/Beta Count Results

Sample Activity Report

Purple 8-11 - C

Addr: 10

Sample ID ICABT-1835503; B

Repeat 36

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 7/7/2022 9:00:32 AM

Count Ended 7/7/2022 9:45:40 AM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.176	19,671	437.133	436.957
	0.013	140.253	3.117	3.117
Beta sd	0.317	7,183	159.622	159.305
	0.018	84.753	1.883	1.883

Alpha/Beta Count Results

Sample Activity Report

Purple 8-11 - C

Addr: 10

Sample ID ICABT-1835503; A

Repeat 37

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 7/7/2022 9:51:18 AM

Count Ended 7/7/2022 10:36:28 AM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.176	21,305	473.444	473.268
	0.013	145.962	3.244	3.244
Beta sd	0.317	7,747	172.156	171.839
	0.018	88.017	1.956	1.956

Alpha/Beta Count Results

Sample Activity Report

Purple 8-11 - C

Addr: 10

Sample ID ICABT-1835503; H

Repeat 34

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 7/7/2022 10:50:36 AM

Count Ended 7/7/2022 11:35:45 AM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.176	16,111	358.022	357.846
	0.013	126.929	2.821	2.821
Beta sd	0.317	7,896	175.467	175.150
	0.018	88.859	1.975	1.975

Alpha/Beta Count Results

Sample Activity Report

Purple 8-11 - C

Addr: 10

Sample ID ICABT-1835503; G

Repeat 36

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 7/7/2022 12:33:00 PM

Count Ended 7/7/2022 1:18:11 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.176	17,696	393.244	393.068
	0.013	133.026	2.956	2.956
Beta sd	0.317	8,385	186.333	186.016
	0.018	91.570	2.035	2.035

Alpha/Beta Count Results

Sample Activity Report

Purple 8-11 - C

Addr: 10

Sample ID ICABT-1835503; F

Repeat 37

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 7/7/2022 1:23:32 PM

Count Ended 7/7/2022 2:08:38 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.176	18,609	413.533	413.357
	0.013	136.415	3.031	3.031
Beta sd	0.317	8,633	191.844	191.527
	0.018	92.914	2.065	2.065

Alpha/Beta Count Results

Sample Activity Report

Purple 8-11 - C

Addr: 10

Sample ID ICABT-1835503; E

Repeat 38

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 7/7/2022 2:10:41 PM

Count Ended 7/7/2022 2:55:48 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.176	21,584	479.644	479.468
	0.013	146.915	3.265	3.265
Beta sd	0.317	9,394	208.756	208.439
	0.018	96.923	2.154	2.154

Alpha/Beta Count Results

Sample Activity Report

Purple 8-11 - C

Addr: 10

Sample ID ICABT-1835503; D

Repeat 40

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 7/7/2022 3:07:53 PM

Count Ended 7/7/2022 3:52:58 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*


	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.176	14,077	312.822	312.646
	0.013	118.647	2.637	2.637
Beta sd	0.317	5,762	128.044	127.727
	0.018	75.908	1.687	1.687

Purple 11


Curve is for Gross Beta
 Strontium 90
 and
 Total Strontium

Detector ID	Std ID	Count Date	Sample Wt	Count Time	Beta Counts	DPM	Sr-90 Eff	Standard Aliquot
11	ICABT-6322;B1	12/18/2015 9:33	0.0093	5	86485	38756.83632	0.4463	1mL
11	ICABT-6322;B2	12/18/2015 11:20	0.0296	5	83797	17297.000	0.4324	1mL
11	ICABT-6322;B3	12/18/2015 9:41	0.0574	5	83886	16759.400	0.4329	1mL
11	ICABT-6322;B4	12/18/2015 11:31	0.0818	5	80173	16777.200	0.4137	1mL
11	ICABT-6322;B5	12/18/2015 9:48	0.1157	5	77067	16034.600	0.3977	1mL
11	ICABT-6322;B6	12/18/2015 11:37	0.1470	5	75072	15413.400	0.3874	1mL
11	ICABT-6322;B7	12/18/2015 9:58	0.1871	5	74910	15014.400	0.3866	1mL
11	ICABT-6322;B8	12/18/2015 11:44	0.2469	5	70838	14982.000	0.3656	1mL

Mass	Measured Efficiency	Theoretical Efficiency	Percent Δ Efficiency
0.0093	0.4463	0.4461	0.03%
0.0296	0.4324	0.4366	-0.96%
0.0574	0.4329	0.4244	2.01%
0.0818	0.4137	0.4144	-0.17%
0.1157	0.3977	0.4019	-1.04%
0.1470	0.3874	0.3916	-1.07%
0.1871	0.3866	0.3802	1.67%
0.2469	0.3656	0.3670	-0.40%




Mass	Efficiency
0.0093	0.4463
0.0296	0.4324
0.0574	0.4329
0.0818	0.4137
0.1157	0.3977
0.1470	0.3874
0.1871	0.3866
0.2469	0.3656



Standard ID
 Strontium 90
 Sr-90_00004 #6322
 Cert# 80573-334 Ref. date 9/17/2009

Initial Activity: 22560
 Reference Date: 9/17/2009
 Count Date: 12/18/2015
 Elapsed Time: 2283.000
 Half Life: 10409.625
 Exponential Term: 0.858972436
 Corrected Activity: 19378.41816
 Decay Activity (Sr/Y-90): 38756.83632

**Curve is for Gross Beta
Strontium 90
and
Total Strontium**



dpm/mL

days
days

dpm/mL
dpm

Alpha/Beta Count Results

Sample Activity Report

Purple 8-11 - D

Addr: 11

Sample ID ICABT-6322;B1

Repeat

55

Carrier No.

0

Batch ID M122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0	Sample	sd	0	Sample	
Residual Wt	0	mg	sd	0	mg	

Count Began 12/18/2015 9:33:56 AM	Collection Date 1	1/1/1900	Half Life	0.00 days
-----------------------------------	-------------------	----------	-----------	-----------

Count Ended 12/18/2015 9:39:06 AM	Collection Date 2	1/1/1900	Decay Factor	1.000
-----------------------------------	-------------------	----------	--------------	-------

Sample Count Time	5.00 mins	Background Count Time	1,000.00 mins
-------------------	-----------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.147	18	3.600	3.453
sd	0.000			0.012	4.243	0.849	0.849
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.469	86,485	17,297.000	17,296.531
sd	0.000			0.022	294.083	58.817	58.817

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Purple 8-11 - D

Addr: 11

Sample ID ICABT-6322;B3

Repeat

54

Carrier No.

0

Batch ID M122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0	Sample	sd	0	Sample	
Residual Wt	0	mg	sd	0	mg	

Count Began 12/18/2015 9:41:38 AM	Collection Date 1	1/1/1900	Half Life	0.00 days
-----------------------------------	-------------------	----------	-----------	-----------

Count Ended 12/18/2015 9:46:48 AM	Collection Date 2	1/1/1900	Decay Factor	1.000
-----------------------------------	-------------------	----------	--------------	-------

Sample Count Time	5.00 mins	Background Count Time	1,000.00 mins
-------------------	-----------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.147	11	2.200	2.053
sd	0.000			0.012	3.317	0.663	0.663
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.469	83,886	16,777.200	16,776.731
sd	0.000			0.022	289.631	57.926	57.926

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Purple 8-11 - D

Addr: 11

Sample ID ICABT-6322;B5

Repeat

53

Carrier No.

0

Batch ID M122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0	Sample	sd	0	Sample	
Residual Wt	0	mg	sd	0	mg	

Count Began 12/18/2015 9:48:21 AM	Collection Date 1	1/1/1900	Half Life	0.00 days
-----------------------------------	-------------------	----------	-----------	-----------

Count Ended 12/18/2015 9:53:30 AM	Collection Date 2	1/1/1900	Decay Factor	1.000
-----------------------------------	-------------------	----------	--------------	-------

Sample Count Time	5.00 mins	Background Count Time	1,000.00 mins
-------------------	-----------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.147	10	2.000	1.853
sd	0.000			0.012	3.162	0.632	0.633
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.469	77,067	15,413.400	15,412.931
sd	0.000			0.022	277.609	55.522	55.522

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Purple 8-11 - D

Addr: 11

Sample ID ICABT-6322;B7

Repeat 53

Carrier No. 0

Batch ID M122627

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0	Sample	sd	0	Sample	
------------	---	--------	----	---	--------	--

Residual Wt	0	mg	sd	0	mg	
-------------	---	----	----	---	----	--

Count Began 12/18/2015 9:58:06 AM	Collection Date 1	1/1/1900	Half Life	0.00 days
-----------------------------------	-------------------	----------	-----------	-----------

Count Ended 12/18/2015 10:03:15 AM	Collection Date 2	1/1/1900	Decay Factor	1.000
------------------------------------	-------------------	----------	--------------	-------

Sample Count Time	5.00 mins	Background Count Time	1,000.00 mins
-------------------	-----------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.147	10	2.000	1.853
sd	0.000			0.012	3.162	0.632	0.633
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.469	74,910	14,982.000	14,981.531
sd	0.000			0.022	273.697	54.739	54.739

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Purple 8-11 - D

Addr: 11

Sample ID ICABT-6322;B2

Repeat

56

Carrier No.

0

Batch ID M122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0	Sample	sd	0	Sample	
Residual Wt	0	mg	sd	0	mg	

Count Began 12/18/2015 11:20:20 AM	Collection Date 1	1/1/1900	Half Life	0.00 days
------------------------------------	-------------------	----------	-----------	-----------

Count Ended 12/18/2015 11:25:28 AM	Collection Date 2	1/1/1900	Decay Factor	1.000
------------------------------------	-------------------	----------	--------------	-------

Sample Count Time	5.00 mins	Background Count Time	1,000.00 mins
-------------------	-----------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.147	19	3.800	3.653
sd	0.000			0.012	4.359	0.872	0.872
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.469	83,797	16,759.400	16,758.931
sd	0.000			0.022	289.477	57.895	57.895

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Purple 8-11 - D

Addr: 11

Sample ID ICABT-6322;B4

Repeat

55

Carrier No.

0

Batch ID M122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0	Sample	sd	0	Sample	
Residual Wt	0	mg	sd	0	mg	

Count Began 12/18/2015 11:31:04 AM	Collection Date 1	1/1/1900	Half Life	0.00 days
------------------------------------	-------------------	----------	-----------	-----------

Count Ended 12/18/2015 11:36:12 AM	Collection Date 2	1/1/1900	Decay Factor	1.000
------------------------------------	-------------------	----------	--------------	-------

Sample Count Time	5.00 mins	Background Count Time	1,000.00 mins
-------------------	-----------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.147	15	3.000	2.853
sd	0.000			0.012	3.873	0.775	0.775
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.469	80,173	16,034.600	16,034.131
sd	0.000			0.022	283.148	56.630	56.630

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Purple 8-11 - D

Addr: 11

Sample ID ICABT-6322;B6

Repeat

54

Carrier No.

0

Batch ID M122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0	Sample	sd	0	Sample	
Residual Wt	0	mg	sd	0	mg	

Count Began 12/18/2015 11:37:58 AM	Collection Date 1	1/1/1900	Half Life	0.00 days
------------------------------------	-------------------	----------	-----------	-----------

Count Ended 12/18/2015 11:43:06 AM	Collection Date 2	1/1/1900	Decay Factor	1.000
------------------------------------	-------------------	----------	--------------	-------

Sample Count Time	5.00 mins	Background Count Time	1,000.00 mins
-------------------	-----------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.147	18	3.600	3.453
sd	0.000			0.012	4.243	0.849	0.849
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.469	75,072	15,014.400	15,013.931
sd	0.000			0.022	273.993	54.799	54.799

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Purple 8-11 - D

Addr: 11

Sample ID ICABT-6322;B8

Repeat

54

Carrier No.

0

Batch ID M122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0	Sample	sd	0	Sample	
Residual Wt	0	mg	sd	0	mg	

Count Began 12/18/2015 11:44:12 AM	Collection Date 1	1/1/1900	Half Life	0.00 days
------------------------------------	-------------------	----------	-----------	-----------

Count Ended 12/18/2015 11:49:19 AM	Collection Date 2	1/1/1900	Decay Factor	1.000
------------------------------------	-------------------	----------	--------------	-------

Sample Count Time	5.00 mins	Background Count Time	1,000.00 mins
-------------------	-----------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.147	15	3.000	2.853
sd	0.000			0.012	3.873	0.775	0.775
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.469	70,838	14,167.600	14,167.131
sd	0.000			0.022	266.154	53.231	53.231

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie


Error = .00 x sd

Curve is for Gross Alpha

Purple 11


Detector ID	Sample ID	Count Date	Count Time	Alpha Counts	Net CPM	DPM	Th-230 Efficiency	Standard Aliquot (mL)	Mass	
11	ICABT-1835503; A	7/7/2022	10:50	45	20747	461.044	2254.6	0.2045	1	0.0098
11	ICABT-1835503; B	7/7/2022	9:51	45	19412	431.378	2254.6	0.1913	1	0.0171
11	ICABT-1835503; C	7/7/2022	9:00	45	15614	346.978	2254.6	0.1539	1	0.0282
11	ICABT-1835503; D	7/7/2022	8:12	45	13762	305.822	2254.6	0.1356	1	0.0435
11	ICABT-1835503; E	7/7/2022	15:07	45	21153	470.067	4509.1	0.1042	2	0.0578
11	ICABT-1835503; F	7/7/2022	14:10	45	18344	407.644	4509.1	0.0904	2	0.0756
11	ICABT-1835503; G	7/7/2022	13:23	45	17679	392.867	4509.1	0.0871	2	0.0954
11	ICABT-1835503; H	7/7/2022	12:33	45	15770	350.444	4509.1	0.0777	2	0.1139

Mass	Measured Efficiency	Theoretical Efficiency	Percent	<u>Standard ID</u>
			Δ Efficiency	
0.0098	0.2045	0.2051	-0.31%	Thorium-230
0.0171	0.1913	0.1863	2.71%	Th-230_00052
0.0282	0.1539	0.1606	-4.17%	Container#: 1835503
0.0435	0.1356	0.1310	3.56%	Cert #: 114474 Ref. date 10/29/2019
0.0578	0.1042	0.1094	-4.68%	Activity (dpm) 2254.57
0.0756	0.0904	0.0907	-0.30%	
0.0954	0.0871	0.0806	8.15%	
0.1139	0.0777	0.0813	-4.38%	



X^2 Coeff: 14.352
X Coeff: -2.965
Intercept: 0.2328

Sample ID	Mass	Count Time	Alpha Counts	Beta Counts	Alpha CPM	Beta CPM	% α into β	
ICABT-1835503; A	0.0098	45	20747	7431	461.04	165.13	26.37%	Min
ICABT-1835503; B	0.0171	45	19412	6831	431.38	151.80	26.03%	26.03%
ICABT-1835503; C	0.0282	45	15614	6012	346.98	133.60	27.80%	
ICABT-1835503; D	0.0435	45	13762	5584	305.82	124.09	28.86%	Max
ICABT-1835503; E	0.0578	45	21153	8893	470.07	197.62	29.60%	32.84%
ICABT-1835503; F	0.0756	45	18344	8485	407.64	188.56	31.63%	
ICABT-1835503; G	0.0954	45	17679	8156	392.87	181.24	31.57%	Mean
ICABT-1835503; H	0.1139	45	15770	7711	350.44	171.36	32.84%	29.34%



Alpha/Beta Count Results

Sample Activity Report

Purple 8-11 - D

Addr: 11

Sample ID ICABT-1835503; D

Repeat 33

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 7/7/2022 8:12:02 AM

Count Ended 7/7/2022 8:57:13 AM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.096	13,762	305.822	305.726
	0.010	117.312	2.607	2.607
Beta sd	0.607	5,584	124.089	123.482
	0.025	74.726	1.661	1.661

Alpha/Beta Count Results

Sample Activity Report

Purple 8-11 - D

Addr: 11

Sample ID ICABT-1835503; C

Repeat

37

Carrier No.

0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts

1515

Count Began 7/7/2022 9:00:35 AM

Count Ended 7/7/2022 9:45:40 AM

Sample Count Time

45.00 *mins*

Background Count Time

1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.096	15,614	346.978	346.882
	0.010	124.956	2.777	2.777
Beta sd	0.607	6,012	133.600	132.993
	0.025	77.537	1.723	1.723

Alpha/Beta Count Results

Sample Activity Report

Purple 8-11 - D

Addr: 11

Sample ID ICABT-1835503; B

Repeat 37

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 7/7/2022 9:51:22 AM

Count Ended 7/7/2022 10:36:29 AM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.096	19,412	431.378	431.282
	0.010	139.327	3.096	3.096
Beta sd	0.607	6,831	151.800	151.193
	0.025	82.650	1.837	1.837

Alpha/Beta Count Results

Sample Activity Report

Purple 8-11 - D

Addr: 11

Sample ID ICABT-1835503; A

Repeat 38

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 7/7/2022 10:50:39 AM

Count Ended 7/7/2022 11:35:45 AM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.096	20,747	461.044	460.948
	0.010	144.038	3.201	3.201
Beta sd	0.607	7,431	165.133	164.526
	0.025	86.203	1.916	1.916

Alpha/Beta Count Results

Sample Activity Report

Purple 8-11 - D

Addr: 11

Sample ID ICABT-1835503; H

Repeat 35

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 7/7/2022 12:33:03 PM

Count Ended 7/7/2022 1:18:12 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.096	15,770	350.444	350.348
	0.010	125.579	2.791	2.791
Beta sd	0.607	7,711	171.356	170.749
	0.025	87.812	1.951	1.952

Alpha/Beta Count Results

Sample Activity Report

Purple 8-11 - D

Addr: 11

Sample ID ICABT-1835503; G

Repeat 37

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 7/7/2022 1:23:35 PM

Count Ended 7/7/2022 2:08:45 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.096	17,679	392.867	392.771
	0.010	132.962	2.955	2.955
Beta sd	0.607	8,156	181.244	180.637
	0.025	90.311	2.007	2.007

Alpha/Beta Count Results

Sample Activity Report

Purple 8-11 - D

Addr: 11

Sample ID ICABT-1835503; F

Repeat 38

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 7/7/2022 2:10:46 PM

Count Ended 7/7/2022 2:55:56 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.096	18,344	407.644	407.548
	0.010	135.440	3.010	3.010
Beta sd	0.607	8,485	188.556	187.949
	0.025	92.114	2.047	2.047

Alpha/Beta Count Results

Sample Activity Report

Purple 8-11 - D

Addr: 11

Sample ID ICABT-1835503; E

Repeat 39

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 7/7/2022 3:07:56 PM

Count Ended 7/7/2022 3:53:05 PM



Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.096	21,153	470.067	469.971
	0.010	145.441	3.232	3.232
Beta sd	0.607	8,893	197.622	197.015
	0.025	94.303	2.096	2.096

Purple 16

Detector	Std ID	Count Date	Sample Wt	Count Time	Beta Counts	DPM CPM	Sr-90 Eff	Standard Aliquot
16	B1	2/3/2013 19:04	0.0093	5	93524	41558.018	0.4501	1mL
16	B2	2/3/2013 20:25	0.0296	5	90736	18704.800	0.4367	1mL
16	B3	2/3/2013 20:17	0.0574	5	90972	18147.200	0.4378	1mL
16	B4	2/3/2013 20:08	0.0818	5	85671	18194.400	0.4123	1mL
16	B5	2/3/2013 20:00	0.1157	5	83046	17134.200	0.3997	1mL
16	B6	2/3/2013 19:53	0.1470	5	81078	16609.200	0.3902	1mL
16	B7	2/3/2013 19:21	0.1871	5	80914	16215.600	0.3894	1mL
16	B8	2/3/2013 19:13	0.2469	5	78316	15663.200	0.3769	1mL

Mass	Measured Efficiency	Theoretical Efficiency	Percent Δ Efficiency
0.0093	0.4501	0.4513	-0.27%
0.0296	0.4367	0.4402	-0.81%
0.0574	0.4378	0.4265	2.66%
0.0818	0.4123	0.4158	-0.85%
0.1157	0.3997	0.4032	-0.87%
0.1470	0.3902	0.3937	-0.89%
0.1871	0.3894	0.3847	1.22%
0.2469	0.3769	0.3778	-0.24%



Standard ID
Strontium 90
Sr-90_00004 #6322
Cert# 80573-334 Ref. date 9/17/2009

Initial Activity: 22560 dpm/mL
Reference Date: 9/17/2009
Count Date: 2/3/2013
Elapsed Time: 1235.000 days
Half Life: 10409.625 days
Exponential Term: 0.921055374
Corrected Activity: 20779.00924 dpm/mL
Decay Activity (Sr/Y-90) 41558.01848 dpm

Alpha/Beta Count Results

Sample Activity Report

Purple 16-19 - A

Addr: 16

Sample ID ICABT-6322;B1

Repeat

44

Carrier No.

0

Batch ID M122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0	Sample	sd	0	Sample	
Residual Wt	0	mg	sd	0	mg	

Count Began 2/3/2013 7:04:43 PM	Collection Date 1	1/1/1900	Half Life	0.00 days
---------------------------------	-------------------	----------	-----------	-----------

Count Ended 2/3/2013 7:09:54 PM	Collection Date 2	1/1/1900	Decay Factor	1.000
---------------------------------	-------------------	----------	--------------	-------

Sample Count Time	5.00 mins	Background Count Time	1,000.00 mins
-------------------	-----------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.170	156	31.200	31.030
sd	0.000			0.013	12.490	2.498	2.498
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.397	93,524	18,704.800	18,704.403
sd	0.000			0.020	305.817	61.163	61.163

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Purple 16-19 - A

Addr: 16

Sample ID ICABT-6322:B8

Repeat

44

Carrier No.

0

Batch ID M122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0	Sample	sd	0	Sample	
Residual Wt	0	mg	sd	0	mg	

Count Began 2/3/2013 7:13:49 PM	Collection Date 1	1/1/1900	Half Life	0.00 days
---------------------------------	-------------------	----------	-----------	-----------

Count Ended 2/3/2013 7:19:00 PM	Collection Date 2	1/1/1900	Decay Factor	1.000
---------------------------------	-------------------	----------	--------------	-------

Sample Count Time	5.00 mins	Background Count Time	1,000.00 mins
-------------------	-----------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.170	117	23.400	23.230
sd	0.000			0.013	10.817	2.163	2.163
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.397	78,316	15,663.200	15,662.803
sd	0.000			0.020	279.850	55.970	55.970

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Purple 16-19 - A

Addr: 16

Sample ID ICABT-6322;B7

Repeat 45

Carrier No. 0

Batch ID M122627

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0	Sample	sd	0	Sample	
Residual Wt	0	mg	sd	0	mg	

Count Began 2/3/2013 7:21:06 PM	Collection Date 1	1/1/1900	Half Life	0.00 days
---------------------------------	-------------------	----------	-----------	-----------

Count Ended 2/3/2013 7:26:16 PM	Collection Date 2	1/1/1900	Decay Factor	1.000
---------------------------------	-------------------	----------	--------------	-------

Sample Count Time	5.00 mins	Background Count Time	1,000.00 mins
-------------------	-----------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.170	118	23.600	23.430
sd	0.000			0.013	10.863	2.173	2.173
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.397	80,914	16,182.800	16,182.403
sd	0.000			0.020	284.454	56.891	56.891

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Purple 16-19 - A

Addr: 16

Sample ID ICABT-6322;B6

Repeat

46

Carrier No.

0

Batch ID M122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0	Sample	sd	0	Sample	
Residual Wt	0	mg	sd	0	mg	

Count Began 2/3/2013 7:53:17 PM	Collection Date 1	1/1/1900	Half Life	0.00 days
---------------------------------	-------------------	----------	-----------	-----------

Count Ended 2/3/2013 7:58:26 PM	Collection Date 2	1/1/1900	Decay Factor	1.000
---------------------------------	-------------------	----------	--------------	-------

Sample Count Time	5.00 mins	Background Count Time	1,000.00 mins
-------------------	-----------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.170	101	20.200	20.030
sd	0.000			0.013	10.050	2.010	2.010
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.397	81,078	16,215.600	16,215.203
sd	0.000			0.020	284.742	56.948	56.948

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Purple 16-19 - A

Addr: 16

Sample ID ICABT-6322;B5

Repeat

47

Carrier No.

0

Batch ID M122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0	Sample	sd	0	Sample	
Residual Wt	0	mg	sd	0	mg	

Count Began 2/3/2013 8:00:50 PM	Collection Date 1	1/1/1900	Half Life	0.00 days
---------------------------------	-------------------	----------	-----------	-----------

Count Ended 2/3/2013 8:05:58 PM	Collection Date 2	1/1/1900	Decay Factor	1.000
---------------------------------	-------------------	----------	--------------	-------

Sample Count Time	5.00 mins	Background Count Time	1,000.00 mins
-------------------	-----------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.170	134	26.800	26.630
sd	0.000			0.013	11.576	2.315	2.315
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.397	83,046	16,609.200	16,608.803
sd	0.000			0.020	288.177	57.635	57.635

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Purple 16-19 - A

Addr: 16

Sample ID ICABT-6322;B4

Repeat 49

Carrier No. 0

Batch ID M122627

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0	Sample	sd	0	Sample	
------------	---	--------	----	---	--------	--

Residual Wt	0	mg	sd	0	mg	
-------------	---	----	----	---	----	--

Count Began 2/3/2013 8:08:09 PM	Collection Date 1	1/1/1900	Half Life	0.00 days
---------------------------------	-------------------	----------	-----------	-----------

Count Ended 2/3/2013 8:13:17 PM	Collection Date 2	1/1/1900	Decay Factor	1.000
---------------------------------	-------------------	----------	--------------	-------

Sample Count Time	5.00 mins	Background Count Time	1,000.00 mins
-------------------	-----------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.170	155	31.000	30.830
sd	0.000			0.013	12.450	2.490	2.490
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.397	85,671	17,134.200	17,133.803
sd	0.000			0.020	292.696	58.539	58.539

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Purple 16-19 - A

Addr: 16

Sample ID ICABT-6322;B3

Repeat 50

Carrier No. 0

Batch ID M122627

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0	Sample	sd	0	Sample	
------------	---	--------	----	---	--------	--

Residual Wt	0	mg	sd	0	mg	
-------------	---	----	----	---	----	--

Count Began 2/3/2013 8:17:49 PM	Collection Date 1	1/1/1900	Half Life	0.00 days
---------------------------------	-------------------	----------	-----------	-----------

Count Ended 2/3/2013 8:22:58 PM	Collection Date 2	1/1/1900	Decay Factor	1.000
---------------------------------	-------------------	----------	--------------	-------

Sample Count Time	5.00 mins	Background Count Time	1,000.00 mins
-------------------	-----------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.170	148	29.600	29.430
sd	0.000			0.013	12.166	2.433	2.433
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.397	90,972	18,194.400	18,194.003
sd	0.000			0.020	301.616	60.323	60.323

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Purple 16-19 - A

Addr: 16

Sample ID ICABT-6322;B2

Repeat

51

Carrier No.

0

Batch ID M122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0	Sample	sd	0	Sample	
Residual Wt	0	mg	sd	0	mg	

Count Began 2/3/2013 8:25:21 PM	Collection Date 1	1/1/1900	Half Life	0.00 days
---------------------------------	-------------------	----------	-----------	-----------

Count Ended 2/3/2013 8:30:32 PM	Collection Date 2	1/1/1900	Decay Factor	1.000
---------------------------------	-------------------	----------	--------------	-------

Sample Count Time	5.00 mins	Background Count Time	1,000.00 mins
-------------------	-----------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.170	179	35.800	35.630
sd	0.000			0.013	13.379	2.676	2.676
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.397	90,736	18,147.200	18,146.803
sd	0.000			0.020	301.224	60.245	60.245

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie


Error = .00 x sd

Curve is for Gross Alpha


Purple 16

Detector ID	Sample ID	Count Date	Count Time	Alpha Counts	Net CPM	DPM	Th-230 Efficiency	Standard Aliquot (mL)	Mass	
16	ICABT-1835503; A	7/7/2022	15:57	45	21045	467.667	2254.6	0.2074	1	0.0098
16	ICABT-1835503; B	7/7/2022	22:37	45	19649	436.644	2254.6	0.1937	1	0.0171
16	ICABT-1835503; C	7/7/2022	21:49	45	16043	356.511	2254.6	0.1581	1	0.0282
16	ICABT-1835503; D	7/7/2022	20:20	45	13941	309.800	2254.6	0.1374	1	0.0435
16	ICABT-1835503; E	7/7/2022	19:32	45	21642	480.933	4509.1	0.1067	2	0.0578
16	ICABT-1835503; F	7/7/2022	18:42	45	18675	415.000	4509.1	0.0920	2	0.0756
16	ICABT-1835503; G	7/7/2022	17:54	45	17636	391.911	4509.1	0.0869	2	0.0954
16	ICABT-1835503; H	7/7/2022	16:49	45	16089	357.533	4509.1	0.0793	2	0.1139

Mass	Measured Efficiency	Percent		Standard ID
		Theoretical Efficiency	Δ Efficiency	
0.0098	0.2074	0.2083	-0.43%	Thorium-230
0.0171	0.1937	0.1893	2.32%	Th-230_00052
0.0282	0.1581	0.1633	-3.15%	Container#: 1835503
0.0435	0.1374	0.1332	3.12%	Cert #: 114474 Ref. date 10/29/2019
0.0578	0.1067	0.1113	-4.16%	Activity (dpm) 2254.57
0.0756	0.0920	0.0922	-0.15%	
0.0954	0.0869	0.0816	6.45%	
0.1139	0.0793	0.0820	-3.33%	



Sample ID	Mass	Count Time	Alpha Counts	Beta Counts	Alpha CPM	Beta CPM	% α into β
ICABT-1835503; A	0.0098	45	21045	7284	467.67	161.87	25.71% Min
ICABT-1835503; B	0.0171	45	19649	6693	436.64	148.73	25.41%
ICABT-1835503; C	0.0282	45	16043	5754	356.51	127.87	26.40%
ICABT-1835503; D	0.0435	45	13941	5277	309.80	117.27	27.46%
ICABT-1835503; E	0.0578	45	21642	8674	480.93	192.76	28.61%
ICABT-1835503; F	0.0756	45	18675	8213	415.00	182.51	30.55%
ICABT-1835503; G	0.0954	45	17636	7990	391.91	177.56	31.18%
ICABT-1835503; H	0.1139	45	16089	7288	357.53	161.96	31.18% Mean
							28.31% Max



Alpha/Beta Count Results

Sample Activity Report

Purple 16-19 - A

Addr: 16

Sample ID ICABT-1835503; A

Repeat 43

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 7/7/2022 3:57:09 PM

Count Ended 7/7/2022 4:42:17 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.149	21,045	467.667	467.518
	0.012	145.069	3.224	3.224
Beta sd	0.442	7,284	161.867	161.425
	0.021	85.346	1.897	1.897

Alpha/Beta Count Results

Sample Activity Report

Purple 16-19 - A

Addr: 16

Sample ID ICABT-1835503; H

Repeat 40

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 7/7/2022 4:49:35 PM

Count Ended 7/7/2022 5:34:44 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.149	16,089	357.533	357.384
	0.012	126.842	2.819	2.819
Beta sd	0.442	7,288	161.956	161.514
	0.021	85.370	1.897	1.897

Alpha/Beta Count Results

Sample Activity Report

Purple 16-19 - A

Addr: 16

Sample ID ICABT-1835503; G

Repeat 42

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 7/7/2022 5:54:27 PM

Count Ended 7/7/2022 6:39:35 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.149	17,636	391.911	391.762
	0.012	132.801	2.951	2.951
Beta sd	0.442	7,990	177.556	177.114
	0.021	89.387	1.986	1.986

Alpha/Beta Count Results

Sample Activity Report

Purple 16-19 - A

Addr: 16

Sample ID ICABT-1835503; F

Repeat 43

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 7/7/2022 6:42:44 PM

Count Ended 7/7/2022 7:27:51 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.149	18,675	415.000	414.851
	0.012	136.657	3.037	3.037
Beta sd	0.442	8,213	182.511	182.069
	0.021	90.626	2.014	2.014

Alpha/Beta Count Results

Sample Activity Report

Purple 16-19 - A

Addr: 16

Sample ID ICABT-1835503; E

Repeat 44

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 7/7/2022 7:32:08 PM

Count Ended 7/7/2022 8:17:16 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.149	21,642	480.933	480.784
	0.012	147.112	3.269	3.269
Beta sd	0.442	8,674	192.756	192.314
	0.021	93.134	2.070	2.070

Alpha/Beta Count Results

Sample Activity Report

Purple 16-19 - A

Addr: 16

Sample ID ICABT-1835503; D

Repeat 46

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 7/7/2022 8:20:23 PM

Count Ended 7/7/2022 9:05:33 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.149	13,941	309.800	309.651
	0.012	118.072	2.624	2.624
Beta sd	0.442	5,277	117.267	116.825
	0.021	72.643	1.614	1.614

Alpha/Beta Count Results

Sample Activity Report

Purple 16-19 - A

Addr: 16

Sample ID ICABT-1835503; C

Repeat 50

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 7/7/2022 9:49:59 PM

Count Ended 7/7/2022 10:35:09 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.149	16,043	356.511	356.362
	0.012	126.661	2.815	2.815
Beta sd	0.442	5,754	127.867	127.425
	0.021	75.855	1.686	1.686

Alpha/Beta Count Results

Sample Activity Report

Purple 16-19 - A

Addr: 16

Sample ID ICABT-1835503; B

Repeat 50

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 7/7/2022 10:37:22 PM

Count Ended 7/7/2022 11:22:32 PM



Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.149	19,649	436.644	436.495
	0.012	140.175	3.115	3.115
Beta sd	0.442	6,693	148.733	148.291
	0.021	81.811	1.818	1.818

Purple 18

Detector	Std ID	Count Date	Sample Wt	Count Time	Beta Counts	DPM 41558.018 CPM	Sr-90 Eff	Standard Aliquot
18	B1	2/3/2013 19:21	0.0093	5	93422	18684.400	0.4496	1mL
18	B2	2/3/2013 19:13	0.0296	5	89762	17952.400	0.4320	1mL
18	B3	2/3/2013 19:04	0.0574	5	89614	17922.800	0.4313	1mL
18	B4	2/3/2013 20:25	0.0818	5	85627	17125.400	0.4121	1mL
18	B5	2/3/2013 20:17	0.1157	5	82362	16472.400	0.3964	1mL
18	B6	2/3/2013 20:08	0.1470	5	81610	16322.000	0.3928	1mL
18	B7	2/3/2013 20:01	0.1871	5	80938	16187.600	0.3895	1mL
18	B8	2/3/2013 19:53	0.2469	5	78059	15611.800	0.3757	1mL

Measured Mass	Efficiency	Theoretical Efficiency	Percent Δ Efficiency
0.0093	0.4496	0.4477	0.43%
0.0296	0.4320	0.4371	-1.18%
0.0574	0.4313	0.4241	1.70%
0.0818	0.4121	0.4139	-0.45%
0.1157	0.3964	0.4019	-1.37%
0.1470	0.3928	0.3929	-0.03%
0.1871	0.3895	0.3843	1.37%
0.2469	0.3757	0.3776	-0.52%



Standard ID
Strontium 90
Sr-90_00004 #6322
Cert# 80573-334 Ref. date 9/17/2009

Initial Activity: 22560 dpm/mL
Reference Date: 9/17/2009
Count Date: 2/3/2013
Elapsed Time: 1235.000 days
Half Life: 10409.625 days
Exponential Term: 0.921055374
Corrected Activity: 20779.00924 dpm/mL
Decay Activity (Sr/Y-90) 41558.01848 dpm

Alpha/Beta Count Results

Sample Activity Report

Purple 16-19 - C

Addr: 18

Sample ID ICABT-6322;B3

Repeat

44

Carrier No.

0

Batch ID M122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0	Sample	sd	0	Sample	
Residual Wt	0	mg	sd	0	mg	

Count Began 2/3/2013 7:04:53 PM	Collection Date 1	1/1/1900	Half Life	0.00 days
---------------------------------	-------------------	----------	-----------	-----------

Count Ended 2/3/2013 7:10:03 PM	Collection Date 2	1/1/1900	Decay Factor	1.000
---------------------------------	-------------------	----------	--------------	-------

Sample Count Time	5.00 mins	Background Count Time	1,000.00 mins
-------------------	-----------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.122	62	12.400	12.278
sd	0.000			0.011	7.874	1.575	1.575
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.458	89,614	17,922.800	17,922.342
sd	0.000			0.021	299.356	59.871	59.871

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Purple 16-19 - C

Addr: 18

Sample ID ICABT-6322;B2

Repeat

45

Carrier No.

0

Batch ID M122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0	Sample	sd	0	Sample	
Residual Wt	0	mg	sd	0	mg	

Count Began 2/3/2013 7:13:58 PM	Collection Date 1	1/1/1900	Half Life	0.00 days
---------------------------------	-------------------	----------	-----------	-----------

Count Ended 2/3/2013 7:19:08 PM	Collection Date 2	1/1/1900	Decay Factor	1.000
---------------------------------	-------------------	----------	--------------	-------

Sample Count Time	5.00 mins	Background Count Time	1,000.00 mins
-------------------	-----------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.122	70	14.000	13.878
sd	0.000			0.011	8.367	1.673	1.673
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.458	89,762	17,952.400	17,951.942
sd	0.000			0.021	299.603	59.921	59.921

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Purple 16-19 - C

Addr: 18

Sample ID ICABT-6322;B1

Repeat

46

Carrier No.

0

Batch ID M122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0	Sample	sd	0	Sample	
Residual Wt	0	mg	sd	0	mg	

Count Began 2/3/2013 7:21:15 PM	Collection Date 1	1/1/1900	Half Life	0.00 days
---------------------------------	-------------------	----------	-----------	-----------

Count Ended 2/3/2013 7:26:25 PM	Collection Date 2	1/1/1900	Decay Factor	1.000
---------------------------------	-------------------	----------	--------------	-------

Sample Count Time	5.00 mins	Background Count Time	1,000.00 mins
-------------------	-----------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.122	79	15.800	15.678
sd	0.000			0.011	8.888	1.778	1.778
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.458	93,422	18,684.400	18,683.942
sd	0.000			0.021	305.650	61.130	61.130

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Purple 16-19 - C

Addr: 18

Sample ID ICABT-6322;B8

Repeat

46

Carrier No.

0

Batch ID M122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0	Sample	sd	0	Sample	
Residual Wt	0	mg	sd	0	mg	

Count Began 2/3/2013 7:53:29 PM	Collection Date 1	1/1/1900	Half Life	0.00 days
---------------------------------	-------------------	----------	-----------	-----------

Count Ended 2/3/2013 7:58:38 PM	Collection Date 2	1/1/1900	Decay Factor	1.000
---------------------------------	-------------------	----------	--------------	-------

Sample Count Time	5.00 mins	Background Count Time	1,000.00 mins
-------------------	-----------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.122	43	8.600	8.478
sd	0.000			0.011	6.557	1.311	1.312
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.458	78,059	15,611.800	15,611.342
sd	0.000			0.021	279.390	55.878	55.878

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Purple 16-19 - C

Addr: 18

Sample ID ICABT-6322;B7

Repeat

47

Carrier No.

0

Batch ID M122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0	Sample	sd	0	Sample	
Residual Wt	0	mg	sd	0	mg	

Count Began 2/3/2013 8:01:00 PM	Collection Date 1	1/1/1900	Half Life	0.00 days
---------------------------------	-------------------	----------	-----------	-----------

Count Ended 2/3/2013 8:06:09 PM	Collection Date 2	1/1/1900	Decay Factor	1.000
---------------------------------	-------------------	----------	--------------	-------

Sample Count Time	5.00 mins	Background Count Time	1,000.00 mins
-------------------	-----------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.122	53	10.600	10.478
sd	0.000			0.011	7.280	1.456	1.456
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.458	80,938	16,187.600	16,187.142
sd	0.000			0.021	284.496	56.899	56.899

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Purple 16-19 - C

Addr: 18

Sample ID ICABT-6322;B6

Repeat 48

Carrier No. 0

Batch ID M122627

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0	Sample	sd	0	Sample	
------------	---	--------	----	---	--------	--

Residual Wt	0	mg	sd	0	mg	
-------------	---	----	----	---	----	--

Count Began 2/3/2013 8:08:19 PM	Collection Date 1	1/1/1900	Half Life	0.00 days
---------------------------------	-------------------	----------	-----------	-----------

Count Ended 2/3/2013 8:13:29 PM	Collection Date 2	1/1/1900	Decay Factor	1.000
---------------------------------	-------------------	----------	--------------	-------

Sample Count Time	5.00 mins	Background Count Time	1,000.00 mins
-------------------	-----------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.122	58	11.600	11.478
sd	0.000			0.011	7.616	1.523	1.523
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.458	81,610	16,322.000	16,321.542
sd	0.000			0.021	285.675	57.135	57.135

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Purple 16-19 - C

Addr: 18

Sample ID ICABT-6322;B5

Repeat

49

Carrier No.

0

Batch ID M122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0	Sample	sd	0	Sample	
Residual Wt	0	mg	sd	0	mg	

Count Began 2/3/2013 8:17:59 PM	Collection Date 1	1/1/1900	Half Life	0.00 days
---------------------------------	-------------------	----------	-----------	-----------

Count Ended 2/3/2013 8:23:07 PM	Collection Date 2	1/1/1900	Decay Factor	1.000
---------------------------------	-------------------	----------	--------------	-------

Sample Count Time	5.00 mins	Background Count Time	1,000.00 mins
-------------------	-----------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.122	63	12.600	12.478
sd	0.000			0.011	7.937	1.587	1.587
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.458	82,362	16,472.400	16,471.942
sd	0.000			0.021	286.988	57.398	57.398

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Purple 16-19 - C

Addr: 18

Sample ID ICABT-6322;B4

Repeat

51

Carrier No.

0

Batch ID M122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0	Sample	sd	0	Sample	
Residual Wt	0	mg	sd	0	mg	

Count Began 2/3/2013 8:25:31 PM	Collection Date 1	1/1/1900	Half Life	0.00 days
---------------------------------	-------------------	----------	-----------	-----------

Count Ended 2/3/2013 8:30:40 PM	Collection Date 2	1/1/1900	Decay Factor	1.000
---------------------------------	-------------------	----------	--------------	-------

Sample Count Time	5.00 mins	Background Count Time	1,000.00 mins
-------------------	-----------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.122	56	11.200	11.078
sd	0.000			0.011	7.483	1.497	1.497
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.458	85,627	17,125.400	17,124.942
sd	0.000			0.021	292.621	58.524	58.524

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Curve is for Gross Alpha


Purple 18

Detector ID	Sample ID	Count Date	Count Time	Alpha Counts	Net CPM	DPM	Th-230 Efficiency	Standard Aliquot (mL)	Mass	
18 ICABT-1835503; A		7/7/2022	17:54	45	21363	474.733	2254.6	0.2106	1	0.0098
18 ICABT-1835503; B		7/7/2022	16:48	45	20117	447.044	2254.6	0.1983	1	0.0171
18 ICABT-1835503; C		7/7/2022	15:57	45	15817	351.489	2254.6	0.1559	1	0.0282
18 ICABT-1835503; D		7/7/2022	22:37	45	14214	315.867	2254.6	0.1401	1	0.0435
18 ICABT-1835503; E		7/7/2022	21:50	45	21959	487.978	4509.1	0.1082	2	0.0578
18 ICABT-1835503; F		7/7/2022	20:20	45	18645	414.333	4509.1	0.0919	2	0.0756
18 ICABT-1835503; G		7/7/2022	19:32	45	17873	397.178	4509.1	0.0881	2	0.0954
18 ICABT-1835503; H		7/7/2022	18:43	45	16253	361.178	4509.1	0.0801	2	0.1139


Mass	Measured Efficiency	Theoretical Efficiency	Percent Δ Efficiency
0.0098	0.2106	0.2114	-0.38%
0.0171	0.1983	0.1918	3.37%
0.0282	0.1559	0.1652	-5.61%
0.0435	0.1401	0.1344	4.21%
0.0578	0.1082	0.1120	-3.41%
0.0756	0.0919	0.0927	-0.88%
0.0954	0.0881	0.0823	7.03%
0.1139	0.0801	0.0832	-3.68%

Standard ID
 Thorium-230
 Th-230_00052
 Container#: 1835503
 Cert #: 114474 Ref. date 10/29/2019
 Activity (dpm) 2254.57

X² Coeff: 14.931
 X Coeff: -3.0785
 Intercept: 0.2401



Sample ID	Mass	Count Time	Alpha Counts	Beta Counts	Alpha CPM	Beta CPM	% α into β
ICABT-1835503; A	0.0098	45	21363	7599	474.73	168.87	26.24% Min
ICABT-1835503; B	0.0171	45	20117	7120	447.04	158.22	26.14% 26.14%
ICABT-1835503; C	0.0282	45	15817	6240	351.49	138.67	28.29%
ICABT-1835503; D	0.0435	45	14214	5798	315.87	128.84	28.97% Max
ICABT-1835503; E	0.0578	45	21959	9457	487.98	210.16	30.10%
ICABT-1835503; F	0.0756	45	18645	8516	414.33	189.24	31.35%
ICABT-1835503; G	0.0954	45	17873	8329	397.18	185.09	31.79% Mean
ICABT-1835503; H	0.1139	45	16253	7864	361.18	174.76	32.61% 29.44%



Alpha/Beta Count Results

Sample Activity Report

Purple 16-19 - C

Addr: 18

Sample ID ICABT-1835503; C

Repeat 44

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 7/7/2022 3:57:19 PM

Count Ended 7/7/2022 4:42:25 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.134	15,817	351.489	351.355
	0.012	125.766	2.795	2.795
Beta sd	0.370	6,240	138.667	138.297
	0.019	78.994	1.755	1.756

Alpha/Beta Count Results

Sample Activity Report

Purple 16-19 - C

Addr: 18

Sample ID ICABT-1835503; B

Repeat 44

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 7/7/2022 4:48:43 PM

Count Ended 7/7/2022 5:33:55 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.134	20,117	447.044	446.910
	0.012	141.834	3.152	3.152
Beta sd	0.370	7,120	158.222	157.852
	0.019	84.380	1.875	1.875

Alpha/Beta Count Results

Sample Activity Report

Purple 16-19 - C

Addr: 18

Sample ID ICABT-1835503; A

Repeat 45

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 7/7/2022 5:54:06 PM

Count Ended 7/7/2022 6:39:13 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.134	21,363	474.733	474.599
	0.012	146.161	3.248	3.248
Beta sd	0.370	7,599	168.867	168.497
	0.019	87.172	1.937	1.937

Alpha/Beta Count Results

Sample Activity Report

Purple 16-19 - C

Addr: 18

Sample ID ICABT-1835503; H

Repeat 42

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 7/7/2022 6:43:11 PM

Count Ended 7/7/2022 7:28:22 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.134	16,253	361.178	361.044
	0.012	127.487	2.833	2.833
Beta sd	0.370	7,864	174.756	174.386
	0.019	88.679	1.971	1.971

Alpha/Beta Count Results

Sample Activity Report

Purple 16-19 - C

Addr: 18

Sample ID ICABT-1835503; G

Repeat 44

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 7/7/2022 7:32:14 PM

Count Ended 7/7/2022 8:17:20 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.134	17,873	397.178	397.044
	0.012	133.690	2.971	2.971
Beta sd	0.370	8,329	185.089	184.719
	0.019	91.263	2.028	2.028

Alpha/Beta Count Results

Sample Activity Report

Purple 16-19 - C

Addr: 18

Sample ID ICABT-1835503; F

Repeat 45

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 7/7/2022 8:20:33 PM

Count Ended 7/7/2022 9:05:42 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.134	18,645	414.333	414.199
	0.012	136.547	3.034	3.034
Beta sd	0.370	8,516	189.244	188.874
	0.019	92.282	2.051	2.051

Alpha/Beta Count Results

Sample Activity Report

Purple 16-19 - C

Addr: 18

Sample ID ICABT-1835503; E

Repeat 46

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 7/7/2022 9:50:08 PM

Count Ended 7/7/2022 10:35:17 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.134	21,959	487.978	487.844
	0.012	148.186	3.293	3.293
Beta sd	0.370	9,457	210.156	209.786
	0.019	97.247	2.161	2.161

Alpha/Beta Count Results

Sample Activity Report

Purple 16-19 - C

Addr: 18

Sample ID ICABT-1835503; D

Repeat 48

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 7/7/2022 10:37:30 PM

Count Ended 7/7/2022 11:22:41 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*


	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.134	14,214	315.867	315.733
	0.012	119.222	2.649	2.649
Beta sd	0.370	5,798	128.844	128.474
	0.019	76.145	1.692	1.692

Purple 23


Curve is for Gross Beta
 Strontium 90
 and
 Total Strontium

Detector	Std ID	Count Date	Sample Wt	Count Time	Beta Counts	DPM CPM	Sr-90 Eff	Standard Aliquot
23	ICABT-6322;B1	12/18/2015 11:20	0.0093	5	84733	16946.600	0.4373	1mL
23	ICABT-6322;B2	12/18/2015 9:34	0.0296	5	81014	16202.800	0.4181	1mL
23	ICABT-6322;B3	12/18/2015 11:31	0.0574	5	81981	16396.200	0.4231	1mL
23	ICABT-6322;B4	12/18/2015 9:41	0.0818	5	77896	15579.200	0.4020	1mL
23	ICABT-6322;B5	12/18/2015 11:38	0.1157	5	75080	15016.000	0.3874	1mL
23	ICABT-6322;B6	12/18/2015 9:48	0.1470	5	73855	14771.000	0.3811	1mL
23	ICABT-6322;B7	12/18/2015 11:44	0.1871	5	73090	14618.000	0.3772	1mL
23	ICABT-6322;B8	12/18/2015 9:58	0.2469	5	70512	14102.400	0.3639	1mL

Mass	Measured Efficiency	Theoretical Efficiency	Percent Δ Efficiency
0.0093	0.4373	0.4353	0.46%
0.0296	0.4181	0.4254	-1.73%
0.0574	0.4231	0.4131	2.40%
0.0818	0.4020	0.4034	-0.36%
0.1157	0.3874	0.3917	-1.07%
0.1470	0.3811	0.3825	-0.37%
0.1871	0.3772	0.3734	1.02%
0.2469	0.3639	0.3648	-0.26%



Mass	Efficiency
0.0093	0.4373
0.0296	0.4181
0.0574	0.4231
0.0818	0.4020
0.1157	0.3874
0.1470	0.3811
0.1871	0.3772
0.2469	0.3639



Standard ID
 Strontium 90
 Sr-90_00004 #6322
 Cert# 80573-334 Ref. date 9/17/2009

Initial Activity: 22560 dpm/mL
 Reference Date: 9/17/2009
 Count Date: 12/18/2015
 Elapsed Time: 2283.000 days
 Half Life: 10409.625 days
 Exponential Term: 0.858972436
 Corrected Activity: 19378.41816 dpm/mL
 Decay Activity (Sr/Y-90) 38756.83632 dpm

Alpha/Beta Count Results

Sample Activity Report

Purple 20-23 - D

Addr: 23

Sample ID ICABT-6322;B2

Repeat

55

Carrier No.

0

Batch ID M122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0	Sample	sd	0	Sample	
Residual Wt	0	mg	sd	0	mg	

Count Began 12/18/2015 9:34:18 AM	Collection Date 1	1/1/1900	Half Life	0.00 days
-----------------------------------	-------------------	----------	-----------	-----------

Count Ended 12/18/2015 9:39:28 AM	Collection Date 2	1/1/1900	Decay Factor	1.000
-----------------------------------	-------------------	----------	--------------	-------

Sample Count Time	5.00 mins	Background Count Time	1,000.00 mins
-------------------	-----------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.117	1,886	377.200	377.083
sd	0.000			0.011	43.428	8.686	8.686
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.746	81,014	16,202.800	16,202.054
sd	0.000			0.027	284.630	56.926	56.926

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Purple 20-23 - D

Addr: 23

Sample ID ICABT-6322;B4

Repeat

54

Carrier No.

0

Batch ID M122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0	Sample	sd	0	Sample	
Residual Wt	0	mg	sd	0	mg	

Count Began 12/18/2015 9:41:53 AM	Collection Date 1	1/1/1900	Half Life	0.00 days
-----------------------------------	-------------------	----------	-----------	-----------

Count Ended 12/18/2015 9:47:02 AM	Collection Date 2	1/1/1900	Decay Factor	1.000
-----------------------------------	-------------------	----------	--------------	-------

Sample Count Time	5.00 mins	Background Count Time	1,000.00 mins
-------------------	-----------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.117	1,660	332.000	331.883
sd	0.000			0.011	40.743	8.149	8.149
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.746	77,896	15,579.200	15,578.454
sd	0.000			0.027	279.099	55.820	55.820

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Purple 20-23 - D

Addr: 23

Sample ID ICABT-6322;B6

Repeat

53

Carrier No.

0

Batch ID M122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0	Sample	sd	0	Sample	
Residual Wt	0	mg	sd	0	mg	

Count Began 12/18/2015 9:48:36 AM	Collection Date 1	1/1/1900	Half Life	0.00 days
-----------------------------------	-------------------	----------	-----------	-----------

Count Ended 12/18/2015 9:53:45 AM	Collection Date 2	1/1/1900	Decay Factor	1.000
-----------------------------------	-------------------	----------	--------------	-------

Sample Count Time	5.00 mins	Background Count Time	1,000.00 mins
-------------------	-----------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.117	1,525	305.000	304.883
sd	0.000			0.011	39.051	7.810	7.810
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.746	73,855	14,771.000	14,770.254
sd	0.000			0.027	271.763	54.353	54.353

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Purple 20-23 - D

Addr: 23

Sample ID ICABT-6322;B8

Repeat

53

Carrier No.

0

Batch ID M122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0	Sample	sd	0	Sample	
Residual Wt	0	mg	sd	0	mg	

Count Began 12/18/2015 9:58:15 AM	Collection Date 1	1/1/1900	Half Life	0.00 days
-----------------------------------	-------------------	----------	-----------	-----------

Count Ended 12/18/2015 10:03:25 AM	Collection Date 2	1/1/1900	Decay Factor	1.000
------------------------------------	-------------------	----------	--------------	-------

Sample Count Time	5.00 mins	Background Count Time	1,000.00 mins
-------------------	-----------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.117	1,349	269.800	269.683
sd	0.000			0.011	36.729	7.346	7.346
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.746	70,512	14,102.400	14,101.654
sd	0.000			0.027	265.541	53.108	53.108

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Purple 20-23 - D

Addr: 23

Sample ID ICABT-6322;B1

Repeat

56

Carrier No.

0

Batch ID M122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0	Sample	sd	0	Sample	
Residual Wt	0	mg	sd	0	mg	

Count Began 12/18/2015 11:20:09 AM	Collection Date 1	1/1/1900	Half Life	0.00 days
------------------------------------	-------------------	----------	-----------	-----------

Count Ended 12/18/2015 11:25:20 AM	Collection Date 2	1/1/1900	Decay Factor	1.000
------------------------------------	-------------------	----------	--------------	-------

Sample Count Time	5.00 mins	Background Count Time	1,000.00 mins
-------------------	-----------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.117	1,952	390.400	390.283
sd	0.000			0.011	44.181	8.836	8.836
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.746	84,733	16,946.600	16,945.854
sd	0.000			0.027	291.089	58.218	58.218

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Purple 20-23 - D

Addr: 23

Sample ID ICABT-6322;B3

Repeat

55

Carrier No.

0

Batch ID M122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0	Sample	sd	0	Sample	
Residual Wt	0	mg	sd	0	mg	

Count Began 12/18/2015 11:31:12 AM	Collection Date 1	1/1/1900	Half Life	0.00 days
------------------------------------	-------------------	----------	-----------	-----------

Count Ended 12/18/2015 11:36:21 AM	Collection Date 2	1/1/1900	Decay Factor	1.000
------------------------------------	-------------------	----------	--------------	-------

Sample Count Time	5.00 mins	Background Count Time	1,000.00 mins
-------------------	-----------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.117	1,853	370.600	370.483
sd	0.000			0.011	43.046	8.609	8.609
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.746	81,981	16,396.200	16,395.454
sd	0.000			0.027	286.323	57.265	57.265

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Purple 20-23 - D

Addr: 23

Sample ID ICABT-6322:B5

Repeat

54

Carrier No.

0

Batch ID M122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0	Sample	sd	0	Sample	
Residual Wt	0	mg	sd	0	mg	

Count Began 12/18/2015 11:38:07 AM	Collection Date 1	1/1/1900	Half Life	0.00 days
------------------------------------	-------------------	----------	-----------	-----------

Count Ended 12/18/2015 11:43:16 AM	Collection Date 2	1/1/1900	Decay Factor	1.000
------------------------------------	-------------------	----------	--------------	-------

Sample Count Time	5.00 mins	Background Count Time	1,000.00 mins
-------------------	-----------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.117	1,594	318.800	318.683
sd	0.000			0.011	39.925	7.985	7.985
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.746	75,080	15,016.000	15,015.254
sd	0.000			0.027	274.007	54.801	54.801

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Purple 20-23 - D

Addr: 23

Sample ID ICABT-6322;B7

Repeat 54

Carrier No. 0

Batch ID M122627

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0	Sample	sd	0	Sample	
Residual Wt	0	mg	sd	0	mg	

Count Began 12/18/2015 11:44:20 AM	Collection Date 1	1/1/1900	Half Life	0.00 days
------------------------------------	-------------------	----------	-----------	-----------

Count Ended 12/18/2015 11:49:29 AM	Collection Date 2	1/1/1900	Decay Factor	1.000
------------------------------------	-------------------	----------	--------------	-------

Sample Count Time	5.00 mins	Background Count Time	1,000.00 mins
-------------------	-----------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.117	1,509	301.800	301.683
sd	0.000			0.011	38.846	7.769	7.769
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.746	73,090	14,618.000	14,617.254
sd	0.000			0.027	270.352	54.070	54.070

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Curve is for Gross Alpha


Purple 23

Detector ID	Sample ID	Count Date	Count Time	Alpha Counts	Net CPM	DPM	Th-230 Efficiency	Standard Aliquot (mL)	Mass
23	ICABT-1835503; A	7/7/2022	22:37	45	20759	461.311	2254.6	0.2046	1
23	ICABT-1835503; B	7/7/2022	21:49	45	19303	428.956	2254.6	0.1903	1
23	ICABT-1835503; C	7/7/2022	20:20	45	15338	340.844	2254.6	0.1512	1
23	ICABT-1835503; D	7/7/2022	19:32	45	13785	306.333	2254.6	0.1359	1
23	ICABT-1835503; E	7/7/2022	18:43	45	20709	460.200	4509.1	0.1021	2
23	ICABT-1835503; F	7/7/2022	17:54	45	17916	398.133	4509.1	0.0883	2
23	ICABT-1835503; G	7/7/2022	16:49	45	17247	383.267	4509.1	0.0850	2
23	ICABT-1835503; H	7/7/2022	15:57	45	15358	341.289	4509.1	0.0757	2


Mass	Measured Efficiency	Theoretical Efficiency	Percent Δ Efficiency
0.0098	0.2046	0.2046	0.03%
0.0171	0.1903	0.1855	2.58%
0.0282	0.1512	0.1594	-5.19%
0.0435	0.1359	0.1294	4.96%
0.0578	0.1021	0.1076	-5.12%
0.0756	0.0883	0.0886	-0.39%
0.0954	0.0850	0.0784	8.37%
0.1139	0.0757	0.0792	-4.43%

Standard ID

Thorium-230
Th-230_00052
Container#: 1835503
Cert #: 114474 Ref. date 10/29/2019
Activity (dpm) 2254.57



X² Coeff: 14.553
X Coeff: -3.0044
Intercept: 0.2326



Alpha/Beta Count Results

Sample Activity Report

Purple 20-23 - D

Addr: 23

Sample ID ICABT-1835503; H

Repeat 39

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 7/7/2022 3:57:44 PM

Count Ended 7/7/2022 4:42:56 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.438	15,358	341.289	340.851
	0.021	123.927	2.754	2.754
Beta sd	0.456	8,621	191.578	191.122
	0.021	92.849	2.063	2.063

Alpha/Beta Count Results

Sample Activity Report

Purple 20-23 - D

Addr: 23

Sample ID ICABT-1835503; G

Repeat 41

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 7/7/2022 4:49:31 PM

Count Ended 7/7/2022 5:34:40 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.438	17,247	383.267	382.829
	0.021	131.328	2.918	2.918
Beta sd	0.456	9,454	210.089	209.633
	0.021	97.232	2.161	2.161

Alpha/Beta Count Results

Sample Activity Report

Purple 20-23 - D

Addr: 23

Sample ID ICABT-1835503; F

Repeat 42

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 7/7/2022 5:54:23 PM

Count Ended 7/7/2022 6:39:31 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.438	17,916	398.133	397.695
	0.021	133.851	2.974	2.975
Beta sd	0.456	9,384	208.533	208.077
	0.021	96.871	2.153	2.153

Alpha/Beta Count Results

Sample Activity Report

Purple 20-23 - D

Addr: 23

Sample ID ICABT-1835503; E

Repeat 43

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 7/7/2022 6:43:02 PM

Count Ended 7/7/2022 7:28:09 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.438	20,709	460.200	459.762
	0.021	143.906	3.198	3.198
Beta sd	0.456	10,325	229.444	228.988
	0.021	101.612	2.258	2.258

Alpha/Beta Count Results

Sample Activity Report

Purple 20-23 - D

Addr: 23

Sample ID ICABT-1835503; D

Repeat 45

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 7/7/2022 7:32:03 PM

Count Ended 7/7/2022 8:17:16 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.438	13,785	306.333	305.895
	0.021	117.410	2.609	2.609
Beta sd	0.456	6,202	137.822	137.366
	0.021	78.753	1.750	1.750

Alpha/Beta Count Results

Sample Activity Report

Purple 20-23 - D

Addr: 23

Sample ID ICABT-1835503; C

Repeat 49

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 7/7/2022 8:20:20 PM

Count Ended 7/7/2022 9:05:28 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.438	15,338	340.844	340.406
	0.021	123.847	2.752	2.752
Beta sd	0.456	6,869	152.644	152.188
	0.021	82.879	1.842	1.842

Alpha/Beta Count Results

Sample Activity Report

Purple 20-23 - D

Addr: 23

Sample ID ICABT-1835503; B

Repeat 49

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 7/7/2022 9:49:56 PM

Count Ended 7/7/2022 10:35:04 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.438	19,303	428.956	428.518
	0.021	138.935	3.087	3.088
Beta sd	0.456	7,674	170.533	170.077
	0.021	87.601	1.947	1.947

Alpha/Beta Count Results

Sample Activity Report

Purple 20-23 - D

Addr: 23

Sample ID ICABT-1835503; A

Repeat 50

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 7/7/2022 10:37:19 PM

Count Ended 7/7/2022 11:22:28 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*


	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.438	20,759	461.311	460.873
	0.021	144.080	3.202	3.202
Beta sd	0.456	8,263	183.622	183.166
	0.021	90.901	2.020	2.020

Red 0

Curve is for Gross Beta
 Strontium 90
 and
 Total Strontium

Detector ID	Std ID	Count Date	Count Time	Beta Counts	CPM	Sr-90 Eff	Standard Aliquot	Sample Wt
0	6322;B1	6/16/2019 23:47		5	80004	16000.800	0.4480	1mL 0.0092
0	6322;B2	6/18/2019 11:49		5	75635	15127.000	0.4236	1mL 0.0353
0	6322;B3	6/18/2019 10:52		5	76103	15220.600	0.4262	1mL 0.0658
0	6322;B4	6/18/2019 10:02		5	72537	14507.400	0.4062	1mL 0.0916
0	6322;B5	6/17/2019 16:37		5	69994	13998.800	0.3920	1mL 0.1285
0	6322;B6	6/17/2019 14:34		5	68686	13737.200	0.3846	1mL 0.1615
0	6322;B7	6/17/2019 13:38		5	67428	13485.600	0.3776	1mL 0.2003
0	6322;B8	6/17/2019 0:34		5	63959	12791.800	0.3582	1mL 0.2634

Mass	Measured Efficiency	Theoretical Efficiency	Percent
			Δ Efficiency
0.0092	0.4480	0.4441	0.87%
0.0353	0.4236	0.4320	-1.95%
0.0658	0.4262	0.4188	1.76%
0.0916	0.4062	0.4085	-0.56%
0.1285	0.3920	0.3952	-0.81%
0.1615	0.3846	0.3846	0.02%
0.2003	0.3776	0.3737	1.04%
0.2634	0.3582	0.3598	-0.47%



Standard ID
 Strontium 90
 Sr-90_00004 #6322
 Cert# 80573-334 Ref. date 9/17/2009

Initial Activity: 22560 dpm/mL
 Reference Date: 9/17/2009
 Count Date: 6/16/2019
 Elapsed Time: 3559.000 days
 Half Life: 10555.725 days
 Exponential Term: 0.791596419
 Corrected Activity: 17858.41522 dpm/mL
 Decay Activity (Sr/Y-90) 35716.83043 dpm

Standard ID
 Strontium 90
 Sr-90_00004 #6322
 Cert# 80573-334 Ref. date 9/17/2009

Initial Activity: 22560 dpm/mL
 Reference Date: 9/17/2009
 Count Date: 6/17/2019
 Elapsed Time: 3560.000 days
 Half Life: 10555.725 days
 Exponential Term: 0.79154444
 Corrected Activity: 17857.24257 dpm/mL
 Decay Activity (Sr/Y-90) 35714.48514 dpm

Standard ID
 Strontium 90
 Sr-90_00004 #6322
 Cert# 80573-334 Ref. date 9/17/2009

Initial Activity: 22560 dpm/mL
 Reference Date: 9/17/2009
 Count Date: 6/18/2019
 Elapsed Time: 3561.000 days
 Half Life: 10555.725 days
 Exponential Term: 0.791492465
 Corrected Activity: 17856.07 dpm/mL
 Decay Activity (Sr/Y-90) 35712.14001 dpm

Alpha/Beta Count Results

Sample Activity Report

Red 1 (0-3) - A

Addr: 0

Sample ID ICABT-6322;B1

Repeat

1

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty 0 Sample sd 0 Sample

Residual Wt 0 mg sd 0 mg

Count Began 6/16/2019 11:47:17 PM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 6/16/2019 11:52:29 PM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	7	1.400	1.400
sd	0.000			0.000	2.646	0.529	0.529
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	80,004	16,000.800	16,000.800
sd	0.000			0.000	282.850	56.570	56.570

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 1 (0-3) - A

Addr: 0

Sample ID ICABT-6322;B8

Repeat

2

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty 0 Sample sd 0 Sample

Residual Wt 0 mg sd 0 mg

Count Began 6/17/2019 12:34:04 AM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 6/17/2019 12:39:14 AM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	5	1.000	1.000
sd	0.000			0.000	2.236	0.447	0.447
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	63,959	12,791.800	12,791.800
sd	0.000			0.000	252.901	50.580	50.580

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 1 (0-3) - A

Addr: 0

Sample ID ICABT-6322;B7

Repeat 3
Carrier No. 0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0	Sample	sd	0	Sample	
Residual Wt	0	mg	sd	0	mg	

Count Began 6/17/2019 1:38:49 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 6/17/2019 1:44:02 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 mins	Background Count Time	.00 mins
-------------------	-----------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	9	1.800	1.800
sd	0.000			0.000	3.000	0.600	0.600
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	67,428	13,485.600	13,485.600
sd	0.000			0.000	259.669	51.934	51.934

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 1 (0-3) - A

Addr: 0

Sample ID ICABT-6322;B6

Repeat

4

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty 0 Sample sd 0 Sample

Residual Wt 0 mg sd 0 mg

Count Began 6/17/2019 2:34:26 PM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 6/17/2019 2:39:37 PM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	9	1.800	1.800
sd	0.000			0.000	3.000	0.600	0.600
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	68,686	13,737.200	13,737.200
sd	0.000			0.000	262.080	52.416	52.416

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 1 (0-3) - A

Addr: 0

Sample ID ICABT-6322;B5

Repeat 5

Carrier No. 0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty 0 Sample sd 0 Sample

Residual Wt 0 mg sd 0 mg

Count Began 6/17/2019 4:37:39 PM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 6/17/2019 4:42:50 PM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	4	0.800	0.800
sd	0.000			0.000	2.000	0.400	0.400
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	69,994	13,998.800	13,998.800
sd	0.000			0.000	264.564	52.913	52.913

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 1 (0-3) - A

Addr: 0

Sample ID ICABT-6322;B4

Repeat

6

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty 0 Sample sd 0 Sample

Residual Wt 0 mg sd 0 mg

Count Began 6/18/2019 10:02:49 AM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 6/18/2019 10:08:01 AM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	7	1.400	1.400
sd	0.000			0.000	2.646	0.529	0.529
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	72,537	14,507.400	14,507.400
sd	0.000			0.000	269.327	53.865	53.865

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 1 (0-3) - A

Addr: 0

Sample ID ICABT-6322;B3

Repeat

7

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0	Sample	sd	0	Sample	
Residual Wt	0	mg	sd	0	mg	

Count Began	6/18/2019 10:52:02 AM	Collection Date 1	1/1/1900	Half Life	0.00 days
-------------	-----------------------	-------------------	----------	-----------	-----------

Count Ended	6/18/2019 10:57:14 AM	Collection Date 2	1/1/1900	Decay Factor	1.000
-------------	-----------------------	-------------------	----------	--------------	-------

Sample Count Time	5.00 mins	Background Count Time	.00 mins
-------------------	-----------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	10	2.000	2.000
sd	0.000			0.000	3.162	0.632	0.632
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	76,103	15,220.600	15,220.600
sd	0.000			0.000	275.868	55.174	55.174

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 1 (0-3) - A

Addr: 0

Sample ID ICABT-6322;B2

Repeat 8

Carrier No. 0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty 0 Sample sd 0 Sample

Residual Wt 0 mg sd 0 mg

Count Began 6/18/2019 11:49:35 AM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 6/18/2019 11:54:47 AM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	5	1.000	1.000
sd	0.000			0.000	2.236	0.447	0.447
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	75,635	15,127.000	15,127.000
sd	0.000			0.000	275.018	55.004	55.004

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie


Error = .00 x sd

Curve is for Gross Alpha

Red 0


Detector ID	Sample ID	Count Date	Count Time	Alpha Counts	Alpha CPM	DPM	Th-230 Efficiency	Standard Aliquot (mL)	Mass
0	ICABT-1835503; A	5/13/2022 12:27	45	20325	451.6666667	2254.6	0.2003	1	0.0098
0	ICABT-1835503; B	5/13/2022 18:48	45	19128	425.0666667	2254.6	0.1885	1	0.0171
0	ICABT-1835503; C	5/13/2022 17:59	45	15277	339.4888889	2254.6	0.1506	1	0.0282
0	ICABT-1835503; D	5/13/2022 17:01	45	13454	298.9777778	2254.6	0.1326	1	0.0435
0	ICABT-1835503; E	5/13/2022 16:01	45	20364	452.5333333	4509.1	0.1004	2	0.0578
0	ICABT-1835503; F	5/13/2022 15:14	45	17536	389.6888889	4509.1	0.0864	2	0.0756
0	ICABT-1835503; G	5/13/2022 14:22	45	16900	375.5555556	4509.1	0.0833	2	0.0954
0	ICABT-1835503; H	5/13/2022 13:28	45	15379	341.7555556	4509.1	0.0758	2	0.1139

Mass	Measured Efficiency	Theoretical Efficiency	Percent		Standard ID
			Δ Efficiency	Activity (dpm)	
0.0098	0.2003	0.2018	-0.75%		Thorium-230
0.0171	0.1885	0.1828	3.11%		Th-230_00052
0.0282	0.1506	0.1570	-4.06%		Container#: 1835503
0.0435	0.1326	0.1272	4.26%		Cert #: 114474 Ref. date 10/29/2019
0.0578	0.1004	0.1056	-4.95%		Activity (dpm) 2254.57
0.0756	0.0864	0.0871	-0.73%		
0.0954	0.0833	0.0774	7.64%		
0.1139	0.0758	0.0787	-3.71%		



X² Coeff: 14.663
X Coeff: -2.9966
Intercept: 0.2298

Sample ID	Mass	Count Time	Alpha Counts	Beta Counts	Alpha CPM	Beta CPM	% α into β	
ICABT-1835503; A	0.0098	45	20325	7460	451.67	165.78	26.85%	Min
ICABT-1835503; B	0.0171	45	19128	6995	425.07	155.44	26.78%	26.78%
ICABT-1835503; C	0.0282	45	15277	6032	339.49	134.04	28.31%	
ICABT-1835503; D	0.0435	45	13454	5651	298.98	125.58	29.58%	Max
ICABT-1835503; E	0.0578	45	20364	9025	452.53	200.56	30.71%	32.74%
ICABT-1835503; F	0.0756	45	17536	8206	389.69	182.36	31.88%	
ICABT-1835503; G	0.0954	45	16900	8203	375.56	182.29	32.68%	Mean
ICABT-1835503; H	0.1139	45	15379	7487	341.76	166.38	32.74%	29.94%



Alpha/Beta Count Results

Sample Activity Report

Red 1 (0-3) - A

Addr: 0

Sample ID ICABT-1835503; A

Repeat 13

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/13/2022 12:27:29 PM

Count Ended 5/13/2022 1:12:49 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.089	20,325	451.667	451.578
	0.009	142.566	3.168	3.168
Beta sd	0.374	7,460	165.778	165.404
	0.019	86.371	1.919	1.919

Alpha/Beta Count Results

Sample Activity Report

Red 1 (0-3) - A

Addr: 0

Sample ID ICABT-1835503; H

Repeat 14

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/13/2022 1:28:40 PM

Count Ended 5/13/2022 2:13:48 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.089	15,379	341.756	341.667
	0.009	124.012	2.756	2.756
Beta sd	0.374	7,487	166.378	166.004
	0.019	86.527	1.923	1.923

Alpha/Beta Count Results

Sample Activity Report

Red 1 (0-3) - A

Addr: 0

Sample ID ICABT-1835503; G

Repeat 15

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/13/2022 2:22:27 PM

Count Ended 5/13/2022 3:07:35 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.089	16,900	375.556	375.467
	0.009	130.000	2.889	2.889
Beta sd	0.374	8,203	182.289	181.915
	0.019	90.570	2.013	2.013

Alpha/Beta Count Results

Sample Activity Report

Red 1 (0-3) - A

Addr: 0

Sample ID ICABT-1835503; F

Repeat 16

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/13/2022 3:14:20 PM

Count Ended 5/13/2022 3:59:27 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.089	17,536	389.689	389.600
	0.009	132.424	2.943	2.943
Beta sd	0.374	8,206	182.356	181.982
	0.019	90.587	2.013	2.013

Alpha/Beta Count Results

Sample Activity Report

Red 1 (0-3) - A

Addr: 0

Sample ID ICABT-1835503; E

Repeat 17

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/13/2022 4:01:49 PM

Count Ended 5/13/2022 4:46:58 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.089	20,364	452.533	452.444
	0.009	142.702	3.171	3.171
Beta sd	0.374	9,025	200.556	200.182
	0.019	95.000	2.111	2.111

Alpha/Beta Count Results

Sample Activity Report

Red 1 (0-3) - A

Addr: 0

Sample ID ICABT-1835503; D

Repeat 18

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/13/2022 5:01:48 PM

Count Ended 5/13/2022 5:46:54 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.089	13,454	298.978	298.889
	0.009	115.991	2.578	2.578
Beta sd	0.374	5,651	125.578	125.204
	0.019	75.173	1.671	1.671

Alpha/Beta Count Results

Sample Activity Report

Red 1 (0-3) - A

Addr: 0

Sample ID ICABT-1835503; C

Repeat 19

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/13/2022 5:59:06 PM

Count Ended 5/13/2022 6:44:14 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.089	15,277	339.489	339.400
	0.009	123.600	2.747	2.747
Beta sd	0.374	6,032	134.044	133.670
	0.019	77.666	1.726	1.726

Alpha/Beta Count Results

Sample Activity Report

Red 1 (0-3) - A

Addr: 0

Sample ID ICABT-1835503; B

Repeat 20

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/13/2022 6:48:00 PM

Count Ended 5/13/2022 7:33:08 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*


	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.089	19,128	425.067	424.978
	0.009	138.304	3.073	3.073
Beta sd	0.374	6,995	155.444	155.070
	0.019	83.636	1.859	1.859

Red 1

Curve is for Gross Beta
Strontium 90
 and
Total Strontium

Detector ID	Std ID	Count Date	Count Time	Beta Counts	CPM	DPM	Sr-90 Standard Aliquot	Sample Wt
						DPM		
1	6322;B1	6/17/2019 0:33	5	79121	15824.200	35716.83	1mL	0.0092
1	6322;B2	6/16/2019 23:47	5	75729	15145.800	35714.485	1mL	0.0353
1	6322;B3	6/18/2019 11:49	5	76337	15267.400	35712.14	1mL	0.0658
1	6322;B4	6/18/2019 10:52	5	72389	14477.800	0.4431	1mL	0.0916
1	6322;B5	6/18/2019 10:02	5	69628	13925.600	0.4241	1mL	0.1285
1	6322;B6	6/17/2019 16:37	5	68518	13703.600	0.4275	1mL	0.1615
1	6322;B7	6/17/2019 14:34	5	67209	13441.800	0.4054	1mL	0.2003
1	6322;B8	6/17/2019 13:38	5	64155	12831.000	0.3899	1mL	0.2634

Mass	Measured Efficiency	Theoretical Efficiency	Percent	
			Efficiency	△ Efficiency
0.0092	0.4431	0.4420	0.25%	-0.14%
0.0353	0.4241	0.4302	-1.43%	-0.50%
0.0658	0.4275	0.4174	2.42%	-0.10%
0.0916	0.4054	0.4074	-0.50%	-0.14%
0.1285	0.3899	0.3944	-0.10%	-0.16%
0.1615	0.3837	0.3841	-0.10%	-0.05%
0.2003	0.3764	0.3735	0.77%	-0.05%
0.2634	0.3593	0.3599	0.77%	-0.16%



Standard ID
 Strontium 90
 Sr-90_00004 #6322
 Cert# 80573-334 Ref. date 9/17/2009

Initial Activity: 22560 dpm/mL
 Reference Date: 9/17/2009
 Count Date: 6/16/2019
 Elapsed Time: 3559.000 days
 Half Life: 10555.725 days
 Exponential Term: 0.791596419
 Corrected Activity: 17856.41522 dpm/mL
 Decay Activity (Sr/Y-90) 35716.83043 dpm

Standard ID
 Strontium 90
 Sr-90_00004 #6322
 Cert# 80573-334 Ref. date 9/17/2009

Initial Activity: 22560 dpm/mL
 Reference Date: 9/17/2009
 Count Date: 6/17/2019
 Elapsed Time: 3560.000 days
 Half Life: 10555.725 days
 Exponential Term: 0.79154444
 Corrected Activity: 17857.24257 dpm/mL
 Decay Activity (Sr/Y-90) 35714.48514 dpm

Standard ID
 Strontium 90
 Sr-90_00004 #6322
 Cert# 80573-334 Ref. date 9/17/2009

Initial Activity: 22560 dpm/mL
 Reference Date: 9/17/2009
 Count Date: 6/18/2019
 Elapsed Time: 3561.000 days
 Half Life: 10555.725 days
 Exponential Term: 0.791492465
 Corrected Activity: 17856.07 dpm/mL
 Decay Activity (Sr/Y-90) 35712.14001 dpm

Alpha/Beta Count Results

Sample Activity Report

Red 1 (0-3) - B

Addr: 1

Sample ID ICABT-6322;B2

Repeat

1

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty 0 Sample sd 0 Sample

Residual Wt 0 mg sd 0 mg

Count Began 6/16/2019 11:47:22 PM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 6/16/2019 11:52:36 PM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	10	2.000	2.000
sd	0.000			0.000	3.162	0.632	0.632
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	75,729	15,145.800	15,145.800
sd	0.000			0.000	275.189	55.038	55.038

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 1 (0-3) - B

Addr: 1

Sample ID ICABT-6322;B1

Repeat

2

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0	Sample	sd	0	Sample	
Residual Wt	0	mg	sd	0	mg	

Count Began 6/17/2019 12:33:38 AM	Collection Date 1 1/1/1900	Half Life	0.00 days
-----------------------------------	----------------------------	-----------	-----------

Count Ended 6/17/2019 12:38:50 AM	Collection Date 2 1/1/1900	Decay Factor	1.000
-----------------------------------	----------------------------	--------------	-------

Sample Count Time	5.00 mins	Background Count Time	.00 mins
-------------------	-----------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	18	3.600	3.600
sd	0.000			0.000	4.243	0.849	0.849
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	79,121	15,824.200	15,824.200
sd	0.000			0.000	281.285	56.257	56.257

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 1 (0-3) - B

Addr: 1

Sample ID ICABT-6322;B8

Repeat 3

Carrier No. 0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty 0 Sample sd 0 Sample

Residual Wt 0 mg sd 0 mg

Count Began 6/17/2019 1:38:57 PM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 6/17/2019 1:44:08 PM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	5	1.000	1.000
sd	0.000			0.000	2.236	0.447	0.447
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	64,155	12,831.000	12,831.000
sd	0.000			0.000	253.288	50.658	50.658

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 1 (0-3) - B

Addr: 1

Sample ID ICABT-6322;B7

Repeat 4

Carrier No. 0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty 0 Sample sd 0 Sample

Residual Wt 0 mg sd 0 mg

Count Began 6/17/2019 2:34:31 PM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 6/17/2019 2:39:44 PM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	6	1.200	1.200
sd	0.000			0.000	2.449	0.490	0.490
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	67,209	13,441.800	13,441.800
sd	0.000			0.000	259.247	51.849	51.849

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 1 (0-3) - B

Addr: 1

Sample ID ICABT-6322;B6

Repeat 5

Carrier No. 0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0	Sample	sd	0	Sample	
Residual Wt	0	mg	sd	0	mg	

Count Began 6/17/2019 4:37:45 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 6/17/2019 4:42:57 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 mins	Background Count Time	.00 mins
-------------------	-----------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	8	1.600	1.600
sd	0.000			0.000	2.828	0.566	0.566
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	68,518	13,703.600	13,703.600
sd	0.000			0.000	261.759	52.352	52.352

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 1 (0-3) - B

Addr: 1

Sample ID ICABT-6322;B5

Repeat 6

Carrier No. 0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty 0 Sample sd 0 Sample

Residual Wt 0 mg sd 0 mg

Count Began 6/18/2019 10:02:55 AM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 6/18/2019 10:08:08 AM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	3	0.600	0.600
sd	0.000			0.000	1.732	0.346	0.346
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	69,628	13,925.600	13,925.600
sd	0.000			0.000	263.871	52.774	52.774

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 1 (0-3) - B

Addr: 1

Sample ID ICABT-6322;B4

Repeat

7

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty 0 Sample sd 0 Sample

Residual Wt 0 mg sd 0 mg

Count Began 6/18/2019 10:52:07 AM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 6/18/2019 10:57:20 AM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	7	1.400	1.400
sd	0.000			0.000	2.646	0.529	0.529
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	72,389	14,477.800	14,477.800
sd	0.000			0.000	269.052	53.810	53.810

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 1 (0-3) - B

Addr: 1

Sample ID ICABT-6322;B3

Repeat 8

Carrier No. 0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty 0 Sample sd 0 Sample

Residual Wt 0 mg sd 0 mg

Count Began 6/18/2019 11:49:40 AM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 6/18/2019 11:54:53 AM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	10	2.000	2.000
sd	0.000			0.000	3.162	0.632	0.632
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	76,337	15,267.400	15,267.400
sd	0.000			0.000	276.292	55.258	55.258

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie


Error = .00 x sd

Curve is for Gross Alpha


Red 1

Detector ID	Sample ID	Count Date	Count Time	Alpha Counts	Net CPM	DPM	Th-230 Efficiency	Standard Aliquot (mL)	Mass
1	ICABT-1835503; A	5/13/2022 13:28	45	20266	450.356	2254.6	0.1998	1	0.0098
1	ICABT-1835503; B	5/13/2022 12:27	45	18896	419.911	2254.6	0.1862	1	0.0171
1	ICABT-1835503; C	5/13/2022 18:48	45	15111	335.800	2254.6	0.1489	1	0.0282
1	ICABT-1835503; D	5/13/2022 17:59	45	13382	297.378	2254.6	0.1319	1	0.0435
1	ICABT-1835503; E	5/13/2022 17:01	45	20652	458.933	4509.1	0.1018	2	0.0578
1	ICABT-1835503; F	5/13/2022 16:01	45	17682	392.933	4509.1	0.0871	2	0.0756
1	ICABT-1835503; G	5/13/2022 15:14	45	16704	371.200	4509.1	0.0823	2	0.0954
1	ICABT-1835503; H	5/13/2022 14:22	45	15342	340.933	4509.1	0.0756	2	0.1139

Mass	Measured Efficiency	Theoretical Efficiency	Percent		Standard ID
			Δ	Efficiency	
0.0098	0.1998	0.2001	-0.17%		Thorium-230
0.0171	0.1862	0.1815	2.60%		Th-230_00052
0.0282	0.1489	0.1562	-4.64%		Container#: 1835503
0.0435	0.1319	0.1270	3.86%		Cert #: 114474 Ref. date 10/29/2019
0.0578	0.1018	0.1057	-3.72%		Activity (dpm) 2254.57
0.0756	0.0871	0.0873	-0.22%		
0.0954	0.0823	0.0774	6.30%		
0.1139	0.0756	0.0783	-3.39%		



Sample ID	Mass	Count Time	Alpha Counts	Beta Counts	Alpha CPM	Beta CPM	% α into β
ICABT-1835503; A	0.0098	45	20266	7537	450.36	167.49	27.11% Min
ICABT-1835503; B	0.0171	45	18896	7149	419.91	158.87	27.45% 27.11%
ICABT-1835503; C	0.0282	45	15111	6286	335.80	139.69	29.38%
ICABT-1835503; D	0.0435	45	13382	5690	297.38	126.44	29.83% Max
ICABT-1835503; E	0.0578	45	20652	9261	458.93	205.80	30.96% 33.38%
ICABT-1835503; F	0.0756	45	17682	8402	392.93	186.71	32.21%
ICABT-1835503; G	0.0954	45	16704	8225	371.20	182.78	32.99% Mean
ICABT-1835503; H	0.1139	45	15342	7686	340.93	170.80	33.38% 30.41%



Alpha/Beta Count Results

Sample Activity Report

Red 1 (0-3) - B

Addr: 1

Sample ID ICABT-1835503; B

Repeat 13

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/13/2022 12:27:36 PM

Count Ended 5/13/2022 1:12:49 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.095	18,896	419.911	419.816
	0.010	137.463	3.055	3.055
Beta sd	0.348	7,149	158.867	158.519
	0.019	84.552	1.879	1.879

Alpha/Beta Count Results

Sample Activity Report

Red 1 (0-3) - B

Addr: 1

Sample ID ICABT-1835503; A

Repeat 14

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/13/2022 1:28:01 PM

Count Ended 5/13/2022 2:13:11 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.095	20,266	450.356	450.261
	0.010	142.359	3.164	3.164
Beta sd	0.348	7,537	167.489	167.141
	0.019	86.816	1.929	1.929

Alpha/Beta Count Results

Sample Activity Report

Red 1 (0-3) - B

Addr: 1

Sample ID ICABT-1835503; H

Repeat 15

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/13/2022 2:22:31 PM

Count Ended 5/13/2022 3:07:41 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.095	15,342	340.933	340.838
	0.010	123.863	2.753	2.753
Beta sd	0.348	7,686	170.800	170.452
	0.019	87.670	1.948	1.948

Alpha/Beta Count Results

Sample Activity Report

Red 1 (0-3) - B

Addr: 1

Sample ID ICABT-1835503; G

Repeat 16

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/13/2022 3:14:25 PM

Count Ended 5/13/2022 3:59:35 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.095	16,704	371.200	371.105
	0.010	129.244	2.872	2.872
Beta sd	0.348	8,225	182.778	182.430
	0.019	90.692	2.015	2.015

Alpha/Beta Count Results

Sample Activity Report

Red 1 (0-3) - B

Addr: 1

Sample ID ICABT-1835503; F

Repeat 17

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/13/2022 4:01:54 PM

Count Ended 5/13/2022 4:47:04 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.095	17,682	392.933	392.838
	0.010	132.974	2.955	2.955
Beta sd	0.348	8,402	186.711	186.363
	0.019	91.662	2.037	2.037

Alpha/Beta Count Results

Sample Activity Report

Red 1 (0-3) - B

Addr: 1

Sample ID ICABT-1835503; E

Repeat 18

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/13/2022 5:01:52 PM

Count Ended 5/13/2022 5:47:03 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.095	20,652	458.933	458.838
	0.010	143.708	3.194	3.194
Beta sd	0.348	9,261	205.800	205.452
	0.019	96.234	2.139	2.139

Alpha/Beta Count Results

Sample Activity Report

Red 1 (0-3) - B

Addr: 1

Sample ID ICABT-1835503; D

Repeat 19

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/13/2022 5:59:13 PM

Count Ended 5/13/2022 6:44:21 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.095	13,382	297.378	297.283
	0.010	115.681	2.571	2.571
Beta sd	0.348	5,690	126.444	126.096
	0.019	75.432	1.676	1.676

Alpha/Beta Count Results

Sample Activity Report

Red 1 (0-3) - B

Addr: 1

Sample ID ICABT-1835503; C

Repeat 20

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/13/2022 6:48:06 PM

Count Ended 5/13/2022 7:33:15 PM


Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.095	15,111	335.800	335.705
	0.010	122.927	2.732	2.732
Beta sd	0.348	6,286	139.689	139.341
	0.019	79.284	1.762	1.762

Curve is for Gross Beta
Strontium 90
 and
Total Strontium

Detector ID	Std ID	Count Date	Count Time	Beta Counts	CPM	Sr-90 Eff	Standard Aliquot	Sample Wt
2	6322;B1	6/17/2019 13:39		5	79135	15827.000	0.4432	1mL 0.0092
2	6322;B2	6/17/2019 0:33		5	75648	15129.600	0.4236	1mL 0.0353
2	6322;B3	6/16/2019 23:47		5	76451	15290.200	0.4281	1mL 0.0658
2	6322;B4	6/18/2019 11:50		5	72629	14525.800	0.4067	1mL 0.0916
2	6322;B5	6/18/2019 10:52		5	69643	13928.600	0.3900	1mL 0.1285
2	6322;B6	6/18/2019 10:03		5	68353	13670.600	0.3828	1mL 0.1615
2	6322;B7	6/17/2019 16:37		5	67460	13492.000	0.3778	1mL 0.2003
2	6322;B8	6/17/2019 14:34		5	64633	12926.600	0.3619	1mL 0.2634

Mass	Measured Efficiency	Theoretical Efficiency	Percent	
			△ Efficiency	Efficiency
0.0092	0.4432	0.4423	0.20%	
0.0353	0.4236	0.4303	-1.56%	
0.0658	0.4281	0.4175	2.54%	
0.0916	0.4067	0.4075	-0.18%	
0.1285	0.3900	0.3947	-1.18%	
0.1615	0.3828	0.3847	-0.48%	
0.2003	0.3778	0.3746	0.84%	
0.2634	0.3619	0.3623	-0.11%	

**Standard ID**

Strontium 90
 Sr-90_00004 #6322
 Cert# 80573-334 Ref. date 9/17/2009

Initial Activity: 22560 dpm/mL

Reference Date: 9/17/2009

Count Date: 6/16/2019

Elapsed Time: 3559.000 days

Half Life: 10555.725 days

Exponential Term: 0.791596419

Corrected Activity: 17858.41522 dpm/mL

Decay Activity (Sr/Y-90) 35716.83043 dpm

Standard ID

Strontium 90
 Sr-90_00004 #6322
 Cert# 80573-334 Ref. date 9/17/2009

Initial Activity: 22560 dpm/mL

Reference Date: 9/17/2009

Count Date: 6/17/2019

Elapsed Time: 3560.000 days

Half Life: 10555.725 days

Exponential Term: 0.79154444

Corrected Activity: 17857.24257 dpm/mL

Decay Activity (Sr/Y-90) 35714.48514 dpm

Standard ID

Strontium 90
 Sr-90_00004 #6322
 Cert# 80573-334 Ref. date 9/17/2009

Initial Activity: 22560 dpm/mL

Reference Date: 9/17/2009

Count Date: 6/18/2019

Elapsed Time: 3561.000 days

Half Life: 10555.725 days

Exponential Term: 0.791492465

Corrected Activity: 17856.07 dpm/mL

Decay Activity (Sr/Y-90) 35712.14001 dpm

Alpha/Beta Count Results

Sample Activity Report

Red 1 (0-3) - C

Addr: 2

Sample ID ICABT-6322;B3

Repeat 1
Carrier No. 0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty 0 Sample sd 0 Sample

Residual Wt 0 mg sd 0 mg

Count Began 6/16/2019 11:47:27 PM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 6/16/2019 11:52:39 PM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	9	1.800	1.800
sd	0.000			0.000	3.000	0.600	0.600
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	76,451	15,290.200	15,290.200
sd	0.000			0.000	276.498	55.300	55.300

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 1 (0-3) - C

Addr: 2

Sample ID ICABT-6322;B2

Repeat

2

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty 0 Sample sd 0 Sample

Residual Wt 0 mg sd 0 mg

Count Began 6/17/2019 12:33:42 AM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 6/17/2019 12:38:54 AM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	4	0.800	0.800
sd	0.000			0.000	2.000	0.400	0.400
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	75,648	15,129.600	15,129.600
sd	0.000			0.000	275.042	55.008	55.008

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 1 (0-3) - C

Addr: 2

Sample ID ICABT-6322;B1

Repeat 3

Carrier No. 0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty 0 Sample sd 0 Sample

Residual Wt 0 mg sd 0 mg

Count Began 6/17/2019 1:39:04 PM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 6/17/2019 1:44:18 PM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	5	1.000	1.000
sd	0.000			0.000	2.236	0.447	0.447
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	79,135	15,827.000	15,827.000
sd	0.000			0.000	281.309	56.262	56.262

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 1 (0-3) - C

Addr: 2

Sample ID ICABT-6322;B8

Repeat

4

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty 0 Sample sd 0 Sample

Residual Wt 0 mg sd 0 mg

Count Began 6/17/2019 2:34:38 PM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 6/17/2019 2:39:50 PM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	2	0.400	0.400
sd	0.000			0.000	1.414	0.283	0.283
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	64,633	12,926.600	12,926.600
sd	0.000			0.000	254.230	50.846	50.846

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 1 (0-3) - C

Addr: 2

Sample ID ICABT-6322;B7

Repeat 5
Carrier No. 0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0	Sample	sd	0	Sample
Residual Wt	0	mg	sd	0	mg

Count Began 6/17/2019 4:37:51 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 6/17/2019 4:43:04 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 mins	Background Count Time	.00 mins
-------------------	-----------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	2	0.400	0.400
sd	0.000			0.000	1.414	0.283	0.283
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	67,460	13,492.000	13,492.000
sd	0.000			0.000	259.731	51.946	51.946

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 1 (0-3) - C

Addr: 2

Sample ID ICABT-6322;B6

Repeat 6

Carrier No. 0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty 0 Sample sd 0 Sample

Residual Wt 0 mg sd 0 mg

Count Began 6/18/2019 10:03:00 AM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 6/18/2019 10:08:11 AM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	5	1.000	1.000
sd	0.000			0.000	2.236	0.447	0.447
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	68,353	13,670.600	13,670.600
sd	0.000			0.000	261.444	52.289	52.289

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 1 (0-3) - C

Addr: 2

Sample ID ICABT-6322;B5

Repeat

7

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty 0 Sample sd 0 Sample

Residual Wt 0 mg sd 0 mg

Count Began 6/18/2019 10:52:13 AM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 6/18/2019 10:57:24 AM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	3	0.600	0.600
sd	0.000			0.000	1.732	0.346	0.346
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	69,643	13,928.600	13,928.600
sd	0.000			0.000	263.900	52.780	52.780

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 1 (0-3) - C

Addr: 2

Sample ID ICABT-6322;B4

Repeat 8

Carrier No. 0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty 0 Sample sd 0 Sample

Residual Wt 0 mg sd 0 mg

Count Began 6/18/2019 11:50:02 AM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 6/18/2019 11:55:14 AM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	9	1.800	1.800
sd	0.000			0.000	3.000	0.600	0.600
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	72,629	14,525.800	14,525.800
sd	0.000			0.000	269.498	53.900	53.900

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie


Error = .00 x sd

Curve is for Gross Alpha

Red 2


Detector ID	Sample ID	Count Date	Count Time	Alpha Counts	Net CPM	DPM	Th-230 Efficiency	Standard Aliquot (mL)	Mass	
2	ICABT-1835503; A	5/13/2022	14:21	45	20688	459.733	2254.6	0.2039	1	0.0098
2	ICABT-1835503; B	5/13/2022	13:28	45	18687	415.267	2254.6	0.1842	1	0.0171
2	ICABT-1835503; C	5/13/2022	12:27	45	15328	340.622	2254.6	0.1511	1	0.0282
2	ICABT-1835503; D	5/13/2022	18:48	45	13679	303.978	2254.6	0.1348	1	0.0435
2	ICABT-1835503; E	5/13/2022	17:59	45	20598	457.733	4509.1	0.1015	2	0.0578
2	ICABT-1835503; F	5/13/2022	17:01	45	17587	390.822	4509.1	0.0867	2	0.0756
2	ICABT-1835503; G	5/13/2022	16:02	45	17181	381.800	4509.1	0.0847	2	0.0954
2	ICABT-1835503; H	5/13/2022	15:14	45	15378	341.733	4509.1	0.0758	2	0.1139

Mass	Measured Efficiency	Theoretical Efficiency	Percent		Standard ID
			Efficiency	Δ Efficiency	
0.0098	0.2039	0.2020	0.93%		Thorium-230
0.0171	0.1842	0.1832	0.52%		Th-230_00052
0.0282	0.1511	0.1576	-4.13%		Container#: 1835503
0.0435	0.1348	0.1281	5.29%		Cert #: 114474 Ref. date 10/29/2019
0.0578	0.1015	0.1066	-4.73%		Activity (dpm) 2254.57
0.0756	0.0867	0.0880	-1.54%		
0.0954	0.0847	0.0781	8.35%		
0.1139	0.0758	0.0791	-4.22%		



χ^2 Coeff: 14.413
X Coeff: -2.9636
Intercept: 0.2297

Sample ID	Mass	Count Time	Alpha Counts	Beta Counts	Alpha CPM	Beta CPM	% α into β	
ICABT-1835503; A	0.0098	45	20688	7766	459.73	172.58	27.29%	Min
ICABT-1835503; B	0.0171	45	18687	7365	415.27	163.67	28.27%	27.29%
ICABT-1835503; C	0.0282	45	15328	6280	340.62	139.56	29.06%	
ICABT-1835503; D	0.0435	45	13679	5738	303.98	127.51	29.55%	Max
ICABT-1835503; E	0.0578	45	20598	9363	457.73	208.07	31.25%	33.71%
ICABT-1835503; F	0.0756	45	17587	8527	390.82	189.49	32.65%	
ICABT-1835503; G	0.0954	45	17181	8398	381.80	186.62	32.83%	Mean
ICABT-1835503; H	0.1139	45	15378	7819	341.73	173.76	33.71%	30.58%



Alpha/Beta Count Results

Sample Activity Report

Red 1 (0-3) - C

Addr: 2

Sample ID ICABT-1835503; C

Repeat 13

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/13/2022 12:27:44 PM

Count Ended 5/13/2022 1:12:53 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.088	15,328	340.622	340.534
	0.009	123.806	2.751	2.751
Beta sd	0.323	6,280	139.556	139.233
	0.018	79.246	1.761	1.761

Alpha/Beta Count Results

Sample Activity Report

Red 1 (0-3) - C

Addr: 2

Sample ID ICABT-1835503; B

Repeat 14

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/13/2022 1:28:07 PM

Count Ended 5/13/2022 2:13:15 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.088	18,687	415.267	415.179
	0.009	136.700	3.038	3.038
Beta sd	0.323	7,365	163.667	163.344
	0.018	85.820	1.907	1.907

Alpha/Beta Count Results

Sample Activity Report

Red 1 (0-3) - C

Addr: 2

Sample ID ICABT-1835503; A

Repeat 15

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/13/2022 2:21:52 PM

Count Ended 5/13/2022 3:07:01 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.088	20,688	459.733	459.645
	0.009	143.833	3.196	3.196
Beta sd	0.323	7,766	172.578	172.255
	0.018	88.125	1.958	1.958

Alpha/Beta Count Results

Sample Activity Report

Red 1 (0-3) - C

Addr: 2

Sample ID ICABT-1835503; H

Repeat 16

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/13/2022 3:14:30 PM

Count Ended 5/13/2022 3:59:38 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.088	15,378	341.733	341.645
	0.009	124.008	2.756	2.756
Beta sd	0.323	7,819	173.756	173.433
	0.018	88.425	1.965	1.965

Alpha/Beta Count Results

Sample Activity Report

Red 1 (0-3) - C

Addr: 2

Sample ID ICABT-1835503; G

Repeat 17

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/13/2022 4:02:00 PM

Count Ended 5/13/2022 4:47:09 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.088	17,181	381.800	381.712
	0.009	131.076	2.913	2.913
Beta sd	0.323	8,398	186.622	186.299
	0.018	91.641	2.036	2.037

Alpha/Beta Count Results

Sample Activity Report

Red 1 (0-3) - C

Addr: 2

Sample ID ICABT-1835503; F

Repeat 18

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/13/2022 5:01:57 PM

Count Ended 5/13/2022 5:47:06 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.088	17,587	390.822	390.734
	0.009	132.616	2.947	2.947
Beta sd	0.323	8,527	189.489	189.166
	0.018	92.342	2.052	2.052

Alpha/Beta Count Results

Sample Activity Report

Red 1 (0-3) - C

Addr: 2

Sample ID ICABT-1835503; E

Repeat 19

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/13/2022 5:59:20 PM

Count Ended 5/13/2022 6:44:30 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.088	20,598	457.733	457.645
	0.009	143.520	3.189	3.189
Beta sd	0.323	9,363	208.067	207.744
	0.018	96.763	2.150	2.150

Alpha/Beta Count Results

Sample Activity Report

Red 1 (0-3) - C

Addr: 2

Sample ID ICABT-1835503; D

Repeat 20

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/13/2022 6:48:12 PM

Count Ended 5/13/2022 7:33:19 PM


Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.088	13,679	303.978	303.890
	0.009	116.957	2.599	2.599
Beta sd	0.323	5,738	127.511	127.188
	0.018	75.750	1.683	1.683

Curve is for Gross Beta
Strontium 90
 and
Total Strontium

Detector ID	Std ID	Count Date	Count Time	Beta Counts	CPM	Sr-90 Eff	Standard Aliquot	Sample Wt
4	6322;B1	6/17/2019 16:38		5	77634	15526.800	0.4347	1mL 0.0092
4	6322;B2	6/17/2019 14:34		5	75588	15117.600	0.4233	1mL 0.0353
4	6322;B3	6/17/2019 13:39		5	75702	15140.400	0.4239	1mL 0.0658
4	6322;B4	6/17/2019 0:33		5	72245	14449.000	0.4046	1mL 0.0916
4	6322;B5	6/16/2019 23:47		5	68449	13689.800	0.3833	1mL 0.1285
4	6322;B6	6/18/2019 11:50		5	67908	13581.600	0.3803	1mL 0.1615
4	6322;B7	6/18/2019 10:52		5	66681	13336.200	0.3734	1mL 0.2003
4	6322;B8	6/18/2019 10:03		5	63759	12751.800	0.3571	1mL 0.2634

Mass	Measured Efficiency	Theoretical Efficiency	Percent
			△ Efficiency
0.0092	0.4347	0.4371	-0.53%
0.0353	0.4233	0.4258	-0.59%
0.0658	0.4239	0.4135	2.51%
0.0916	0.4046	0.4039	0.16%
0.1285	0.3833	0.3913	-2.05%
0.1615	0.3803	0.3812	-0.24%
0.2003	0.3734	0.3708	0.72%
0.2634	0.3571	0.3571	0.00%



Standard ID

Strontium 90
 Sr-90_00004 #6322
 Cert# 80573-334 Ref. date 9/17/2009

Initial Activity: 22560 dpm/mL
 Reference Date: 9/17/2009
 Count Date: 6/16/2019
 Elapsed Time: 3559.000 days
 Half Life: 10555.725 days
 Exponential Term: 0.791596419
 Corrected Activity: 17858.41522 dpm/mL
 Decay Activity (Sr/Y-90) 35716.83043 dpm

Standard ID

Strontium 90
 Sr-90_00004 #6322
 Cert# 80573-334 Ref. date 9/17/2009

Initial Activity: 22560 dpm/mL
 Reference Date: 9/17/2009
 Count Date: 6/17/2019
 Elapsed Time: 3560.000 days
 Half Life: 10555.725 days
 Exponential Term: 0.79154444
 Corrected Activity: 17857.24257 dpm/mL
 Decay Activity (Sr/Y-90) 35714.48514 dpm

Standard ID

Strontium 90
 Sr-90_00004 #6322
 Cert# 80573-334 Ref. date 9/17/2009

Initial Activity: 22560 dpm/mL
 Reference Date: 9/17/2009
 Count Date: 6/18/2019
 Elapsed Time: 3561.000 days
 Half Life: 10555.725 days
 Exponential Term: 0.791492465
 Corrected Activity: 17856.07 dpm/mL
 Decay Activity (Sr/Y-90) 35712.14001 dpm

Alpha/Beta Count Results

Sample Activity Report

Red 1 (4-7) - A

Addr: 4

Sample ID ICABT-6322;B5

Repeat

1

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty 0 Sample sd 0 Sample

Residual Wt 0 mg sd 0 mg

Count Began 6/16/2019 11:47:34 PM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 6/16/2019 11:52:46 PM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	4	0.800	0.800
sd	0.000			0.000	2.000	0.400	0.400
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	68,449	13,689.800	13,689.800
sd	0.000			0.000	261.628	52.326	52.326

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 1 (4-7) - A

Addr: 4

Sample ID ICABT-6322;B4

Repeat

2

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty 0 Sample sd 0 Sample

Residual Wt 0 mg sd 0 mg

Count Began 6/17/2019 12:33:48 AM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 6/17/2019 12:39:01 AM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	4	0.800	0.800
sd	0.000			0.000	2.000	0.400	0.400
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	72,245	14,449.000	14,449.000
sd	0.000			0.000	268.784	53.757	53.757

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 1 (4-7) - A

Addr: 4

Sample ID ICABT-6322;B3

Repeat 3

Carrier No. 0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0	Sample	sd	0	Sample	
Residual Wt	0	mg	sd	0	mg	

Count Began 6/17/2019 1:39:17 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
----------------------------------	----------------------------	-----------	-----------

Count Ended 6/17/2019 1:44:31 PM	Collection Date 2 1/1/1900	Decay Factor	1.000
----------------------------------	----------------------------	--------------	-------

Sample Count Time	5.00 mins	Background Count Time	.00 mins
-------------------	-----------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	7	1.400	1.400
sd	0.000			0.000	2.646	0.529	0.529
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	75,702	15,140.400	15,140.400
sd	0.000			0.000	275.140	55.028	55.028

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 1 (4-7) - A

Addr: 4

Sample ID ICABT-6322;B2

Repeat

4

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty 0 Sample sd 0 Sample

Residual Wt 0 mg sd 0 mg

Count Began 6/17/2019 2:34:50 PM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 6/17/2019 2:40:03 PM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	6	1.200	1.200
sd	0.000			0.000	2.449	0.490	0.490
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	75,588	15,117.600	15,117.600
sd	0.000			0.000	274.933	54.987	54.987

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 1 (4-7) - A

Addr: 4

Sample ID ICABT-6322;B1

Repeat

5

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0	Sample	sd	0	Sample	
Residual Wt	0	mg	sd	0	mg	

Count Began 6/17/2019 4:38:06 PM	Collection Date 1	1/1/1900	Half Life	0.00 days
----------------------------------	-------------------	----------	-----------	-----------

Count Ended 6/17/2019 4:43:18 PM	Collection Date 2	1/1/1900	Decay Factor	1.000
----------------------------------	-------------------	----------	--------------	-------

Sample Count Time	5.00 mins	Background Count Time	.00 mins
-------------------	-----------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	6	1.200	1.200
sd	0.000			0.000	2.449	0.490	0.490
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	77,634	15,526.800	15,526.800
sd	0.000			0.000	278.629	55.726	55.726

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 1 (4-7) - A

Addr: 4

Sample ID ICABT-6322;B8

Repeat

6

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0	Sample	sd	0	Sample	
Residual Wt	0	mg	sd	0	mg	

Count Began	6/18/2019 10:03:12 AM	Collection Date 1	1/1/1900	Half Life	0.00 days
-------------	-----------------------	-------------------	----------	-----------	-----------

Count Ended	6/18/2019 10:08:21 AM	Collection Date 2	1/1/1900	Decay Factor	1.000
-------------	-----------------------	-------------------	----------	--------------	-------

Sample Count Time	5.00 mins	Background Count Time	.00 mins
-------------------	-----------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	5	1.000	1.000
sd	0.000			0.000	2.236	0.447	0.447
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	63,759	12,751.800	12,751.800
sd	0.000			0.000	252.505	50.501	50.501

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 1 (4-7) - A

Addr: 4

Sample ID ICABT-6322;B7

Repeat

7

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty 0 Sample sd 0 Sample

Residual Wt 0 mg sd 0 mg

Count Began 6/18/2019 10:52:28 AM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 6/18/2019 10:57:40 AM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	3	0.600	0.600
sd	0.000			0.000	1.732	0.346	0.346
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	66,681	13,336.200	13,336.200
sd	0.000			0.000	258.227	51.645	51.645

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 1 (4-7) - A

Addr: 4

Sample ID ICABT-6322;B6

Repeat 8

Carrier No. 0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0	Sample	sd	0	Sample	
Residual Wt	0	mg	sd	0	mg	

Count Began 6/18/2019 11:50:13 AM	Collection Date 1 1/1/1900	Half Life	0.00 days
-----------------------------------	----------------------------	-----------	-----------

Count Ended 6/18/2019 11:55:25 AM	Collection Date 2 1/1/1900	Decay Factor	1.000
-----------------------------------	----------------------------	--------------	-------

Sample Count Time	5.00 mins	Background Count Time	.00 mins
-------------------	-----------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	2	0.400	0.400
sd	0.000			0.000	1.414	0.283	0.283
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	67,908	13,581.600	13,581.600
sd	0.000			0.000	260.592	52.118	52.118

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie


Error = .00 x sd

Curve is for Gross Alpha

Red 4


Detector ID	Sample ID	Count Date	Count Time	Alpha Counts	Net CPM	DPM	Th-230 Efficiency	Standard Aliquot (mL)	Mass	
4	ICABT-1835503; A	5/18/2022	18:30	45	20351	452.244	2254.6	0.2006	1	0.0098
4	ICABT-1835503; B	5/19/2022	1:55	45	18845	418.778	2254.6	0.1857	1	0.0171
4	ICABT-1835503; C	5/19/2022	1:08	45	15069	334.867	2254.6	0.1485	1	0.0282
4	ICABT-1835503; D	5/19/2022	0:17	45	13541	300.911	2254.6	0.1335	1	0.0435
4	ICABT-1835503; E	5/18/2022	23:27	45	20404	453.422	4509.1	0.1006	2	0.0578
4	ICABT-1835503; F	5/18/2022	22:38	45	17184	381.867	4509.1	0.0847	2	0.0756
4	ICABT-1835503; G	5/18/2022	21:31	45	16712	371.378	4509.1	0.0824	2	0.0954
4	ICABT-1835503; H	5/18/2022	20:02	45	15032	334.044	4509.1	0.0741	2	0.1139

Mass	Measured Efficiency	Theoretical Efficiency	Percent	Standard ID
			Δ Efficiency	
0.0098	0.2006	0.2006	0.00%	Thorium-230
0.0171	0.1857	0.1818	2.16%	Th-230_00052
0.0282	0.1485	0.1562	-4.90%	Container#: 1835503
0.0435	0.1335	0.1266	5.39%	Cert #: 114474 Ref. date 10/29/2019
0.0578	0.1006	0.1051	-4.31%	Activity (dpm)
0.0756	0.0847	0.0864	-2.01%	2254.57
0.0954	0.0824	0.0763	7.91%	
0.1139	0.0741	0.0770	-3.82%	



X² Coeff: 14.31
X Coeff: -2.9572
Intercept: 0.2282

Sample ID	Mass	Count Time	Alpha Counts	Beta Counts	Alpha CPM	Beta CPM	% α into β	
ICABT-1835503; A	0.0098	45	20351	7529	452.24	167.31	27.01%	Min
ICABT-1835503; B	0.0171	45	18845	6819	418.78	151.53	26.57%	26.57%
ICABT-1835503; C	0.0282	45	15069	5955	334.87	132.33	28.32%	
ICABT-1835503; D	0.0435	45	13541	5408	300.91	120.18	28.54%	Max
ICABT-1835503; E	0.0578	45	20404	9038	453.42	200.84	30.70%	32.75%
ICABT-1835503; F	0.0756	45	17184	8270	381.87	183.78	32.49%	
ICABT-1835503; G	0.0954	45	16712	8063	371.38	179.18	32.54%	Mean
ICABT-1835503; H	0.1139	45	15032	7320	334.04	162.67	32.75%	29.87%



Alpha/Beta Count Results

Sample Activity Report

Red 1 (4-7) - A

Addr: 4

Sample ID ICABT-1835503; A

Repeat 21

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/18/2022 6:30:43 PM

Count Ended 5/18/2022 7:16:00 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.264	20,351	452.244	451.980
	0.016	142.657	3.170	3.170
Beta sd	0.524	7,529	167.311	166.787
	0.023	86.770	1.928	1.928

Alpha/Beta Count Results

Sample Activity Report

Red 1 (4-7) - A

Addr: 4

Sample ID ICABT-1835503; H

Repeat 21

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/18/2022 8:02:22 PM

Count Ended 5/18/2022 8:47:29 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.264	15,032	334.044	333.780
	0.016	122.605	2.725	2.725
Beta sd	0.524	7,320	162.667	162.143
	0.023	85.557	1.901	1.901

Alpha/Beta Count Results

Sample Activity Report

Red 1 (4-7) - A

Addr: 4

Sample ID ICABT-1835503; G

Repeat 21

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/18/2022 9:31:46 PM

Count Ended 5/18/2022 10:16:53 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.264	16,712	371.378	371.114
	0.016	129.275	2.873	2.873
Beta sd	0.524	8,063	179.178	178.654
	0.023	89.794	1.995	1.996

Alpha/Beta Count Results

Sample Activity Report

Red 1 (4-7) - A

Addr: 4

Sample ID ICABT-1835503; F

Repeat 21

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/18/2022 10:38:50 PM

Count Ended 5/18/2022 11:23:57 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.264	17,184	381.867	381.603
	0.016	131.088	2.913	2.913
Beta sd	0.524	8,270	183.778	183.254
	0.023	90.940	2.021	2.021

Alpha/Beta Count Results

Sample Activity Report

Red 1 (4-7) - A

Addr: 4

Sample ID ICABT-1835503; E

Repeat 21

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/18/2022 11:27:47 PM

Count Ended 5/19/2022 12:12:56 AM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.264	20,404	453.422	453.158
	0.016	142.843	3.174	3.174
Beta sd	0.524	9,038	200.844	200.320
	0.023	95.068	2.113	2.113

Alpha/Beta Count Results

Sample Activity Report

Red 1 (4-7) - A

Addr: 4

Sample ID ICABT-1835503; D

Repeat 22

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/19/2022 12:17:07 AM

Count Ended 5/19/2022 1:02:14 AM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.264	13,541	300.911	300.647
	0.016	116.366	2.586	2.586
Beta sd	0.524	5,408	120.178	119.654
	0.023	73.539	1.634	1.634

Alpha/Beta Count Results

Sample Activity Report

Red 1 (4-7) - A

Addr: 4

Sample ID ICABT-1835503; C

Repeat 23

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/19/2022 1:08:07 AM

Count Ended 5/19/2022 1:53:13 AM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.264	15,069	334.867	334.603
	0.016	122.756	2.728	2.728
Beta sd	0.524	5,955	132.333	131.809
	0.023	77.169	1.715	1.715

Alpha/Beta Count Results

Sample Activity Report

Red 1 (4-7) - A

Addr: 4

Sample ID ICABT-1835503; B

Repeat 24

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/19/2022 1:55:10 AM

Count Ended 5/19/2022 2:40:17 AM


Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.264	18,845	418.778	418.514
	0.016	137.277	3.051	3.051
Beta sd	0.524	6,819	151.533	151.009
	0.023	82.577	1.835	1.835

Curve is for Gross Beta
Strontium 90
 and
Total Strontium

Detector ID	Std ID	Count Date	Count Time	Beta Counts	CPM	Sr-90 Eff	Standard Aliquot	Sample Wt
5	6322;B1	6/18/2019 10:03		5	78961	15792.200	0.4422	1mL 0.0092
5	6322;B2	6/17/2019 16:38		5	76157	15231.400	0.4265	1mL 0.0353
5	6322;B3	6/17/2019 14:34		5	76310	15262.000	0.4273	1mL 0.0658
5	6322;B4	6/17/2019 13:39		5	72161	14432.200	0.4041	1mL 0.0916
5	6322;B5	6/17/2019 0:33		5	68871	13774.200	0.3857	1mL 0.1285
5	6322;B6	6/16/2019 23:47		5	68444	13688.800	0.3833	1mL 0.1615
5	6322;B7	6/18/2019 11:50		5	66917	13383.400	0.3748	1mL 0.2003
5	6322;B8	6/18/2019 10:52		5	64325	12865.000	0.3602	1mL 0.2634

Mass	Measured Efficiency	Theoretical Efficiency	Percent	
			△	Efficiency
0.0092	0.4422	0.4431	-0.19%	
0.0353	0.4265	0.4303	-0.88%	
0.0658	0.4273	0.4166	2.59%	
0.0916	0.4041	0.4060	-0.47%	
0.1285	0.3857	0.3926	-1.78%	
0.1615	0.3833	0.3824	0.23%	
0.2003	0.3748	0.3723	0.66%	
0.2634	0.3602	0.3606	-0.11%	

**Standard ID**

Strontium 90
 Sr-90_00004 #6322
 Cert# 80573-334 Ref. date 9/17/2009

Initial Activity: 22560 dpm/mL
 Reference Date: 9/17/2009
 Count Date: 6/16/2019
 Elapsed Time: 3559.000 days
 Half Life: 10555.725 days
 Exponential Term: 0.791596419
 Corrected Activity: 17858.41522 dpm/mL
 Decay Activity (Sr/Y-90) 35716.83043 dpm

Standard ID

Strontium 90
 Sr-90_00004 #6322
 Cert# 80573-334 Ref. date 9/17/2009

Initial Activity: 22560 dpm/mL
 Reference Date: 9/17/2009
 Count Date: 6/17/2019
 Elapsed Time: 3560.000 days
 Half Life: 10555.725 days
 Exponential Term: 0.79154444
 Corrected Activity: 17857.24257 dpm/mL
 Decay Activity (Sr/Y-90) 35714.48514 dpm

Standard ID

Strontium 90
 Sr-90_00004 #6322
 Cert# 80573-334 Ref. date 9/17/2009

Initial Activity: 22560 dpm/mL
 Reference Date: 9/17/2009
 Count Date: 6/18/2019
 Elapsed Time: 3561.000 days
 Half Life: 10555.725 days
 Exponential Term: 0.791492465
 Corrected Activity: 17856.07 dpm/mL
 Decay Activity (Sr/Y-90) 35712.14001 dpm

Alpha/Beta Count Results

Sample Activity Report

Red 1 (4-7) - B

Addr: 5

Sample ID ICABT-6322;B6

Repeat 1

Carrier No. 0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0	Sample	sd	0	Sample	
Residual Wt	0	mg	sd	0	mg	

Count Began 6/16/2019 11:47:38 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
-----------------------------------	----------------------------	-----------	-----------

Count Ended 6/16/2019 11:52:52 PM	Collection Date 2 1/1/1900	Decay Factor	1.000
-----------------------------------	----------------------------	--------------	-------

Sample Count Time	5.00 mins	Background Count Time	.00 mins
-------------------	-----------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	4	0.800	0.800
sd	0.000			0.000	2.000	0.400	0.400
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	68,444	13,688.800	13,688.800
sd	0.000			0.000	261.618	52.324	52.324

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 1 (4-7) - B

Addr: 5

Sample ID ICABT-6322;B5

Repeat

2

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0	Sample	sd	0	Sample	
Residual Wt	0	mg	sd	0	mg	

Count Began 6/17/2019 12:33:51 AM	Collection Date 1	1/1/1900	Half Life	0.00 days
-----------------------------------	-------------------	----------	-----------	-----------

Count Ended 6/17/2019 12:39:04 AM	Collection Date 2	1/1/1900	Decay Factor	1.000
-----------------------------------	-------------------	----------	--------------	-------

Sample Count Time	5.00 mins	Background Count Time	.00 mins
-------------------	-----------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	5	1.000	1.000
sd	0.000			0.000	2.236	0.447	0.447
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	68,871	13,774.200	13,774.200
sd	0.000			0.000	262.433	52.487	52.487

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 1 (4-7) - B

Addr: 5

Sample ID ICABT-6322;B4

Repeat 3

Carrier No. 0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty 0 Sample sd 0 Sample

Residual Wt 0 mg sd 0 mg

Count Began 6/17/2019 1:39:24 PM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 6/17/2019 1:44:36 PM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	2	0.400	0.400
sd	0.000			0.000	1.414	0.283	0.283
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	72,161	14,432.200	14,432.200
sd	0.000			0.000	268.628	53.726	53.726

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 1 (4-7) - B

Addr: 5

Sample ID ICABT-6322;B3

Repeat

4

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty 0 Sample sd 0 Sample

Residual Wt 0 mg sd 0 mg

Count Began 6/17/2019 2:34:56 PM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 6/17/2019 2:40:09 PM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	5	1.000	1.000
sd	0.000			0.000	2.236	0.447	0.447
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	76,310	15,262.000	15,262.000
sd	0.000			0.000	276.243	55.249	55.249

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 1 (4-7) - B

Addr: 5

Sample ID ICABT-6322;B2

Repeat 5

Carrier No. 0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty 0 Sample sd 0 Sample

Residual Wt 0 mg sd 0 mg

Count Began 6/17/2019 4:38:12 PM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 6/17/2019 4:43:26 PM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	11	2.200	2.200
sd	0.000			0.000	3.317	0.663	0.663
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	76,157	15,231.400	15,231.400
sd	0.000			0.000	275.966	55.193	55.193

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 1 (4-7) - B

Addr: 5

Sample ID ICABT-6322;B1

Repeat 6

Carrier No. 0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty 0 Sample sd 0 Sample

Residual Wt 0 mg sd 0 mg

Count Began 6/18/2019 10:03:17 AM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 6/18/2019 10:08:30 AM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	4	0.800	0.800
sd	0.000			0.000	2.000	0.400	0.400
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	78,961	15,792.200	15,792.200
sd	0.000			0.000	281.000	56.200	56.200

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 1 (4-7) - B

Addr: 5

Sample ID ICABT-6322;B8

Repeat

7

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0	Sample	sd	0	Sample	
Residual Wt	0	mg	sd	0	mg	

Count Began	6/18/2019 10:52:35 AM	Collection Date 1	1/1/1900	Half Life	0.00 days
-------------	-----------------------	-------------------	----------	-----------	-----------

Count Ended	6/18/2019 10:57:45 AM	Collection Date 2	1/1/1900	Decay Factor	1.000
-------------	-----------------------	-------------------	----------	--------------	-------

Sample Count Time	5.00 mins	Background Count Time	.00 mins
-------------------	-----------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	3	0.600	0.600
sd	0.000			0.000	1.732	0.346	0.346
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	64,325	12,865.000	12,865.000
sd	0.000			0.000	253.624	50.725	50.725

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 1 (4-7) - B

Addr: 5

Sample ID ICABT-6322;B7

Repeat 8

Carrier No. 0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0	Sample	sd	0	Sample	
------------	---	--------	----	---	--------	--

Residual Wt	0	mg	sd	0	mg	
-------------	---	----	----	---	----	--

Count Began 6/18/2019 11:50:19 AM	Collection Date 1	1/1/1900	Half Life	0.00 days
-----------------------------------	-------------------	----------	-----------	-----------

Count Ended 6/18/2019 11:55:30 AM	Collection Date 2	1/1/1900	Decay Factor	1.000
-----------------------------------	-------------------	----------	--------------	-------

Sample Count Time	5.00 mins	Background Count Time	.00 mins
-------------------	-----------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	3	0.600	0.600
sd	0.000			0.000	1.732	0.346	0.346
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	66,917	13,383.400	13,383.400
sd	0.000			0.000	258.683	51.737	51.737

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie



Error = .00 x sd

Curve is for Gross Alpha

Red 5

Detector ID	Sample ID	Count Date	Count Time	Alpha Counts	Net CPM	DPM	Th-230 Efficiency	Standard Aliquot (mL)	Mass
5	ICABT-1835503; A	5/18/2022 20:02	45	20049	445.533	2254.6	0.1976	1	0.0098
5	ICABT-1835503; B	5/18/2022 18:30	45	18591	413.133	2254.6	0.1832	1	0.0171
5	ICABT-1835503; C	5/19/2022 1:55	45	14894	330.978	2254.6	0.1468	1	0.0282
5	ICABT-1835503; D	5/19/2022 1:08	45	13123	291.622	2254.6	0.1293	1	0.0435
5	ICABT-1835503; E	5/19/2022 0:16	45	20027	445.044	4509.1	0.0987	2	0.0578
5	ICABT-1835503; F	5/18/2022 23:27	45	17020	378.222	4509.1	0.0839	2	0.0756
5	ICABT-1835503; G	5/18/2022 22:38	45	16175	359.444	4509.1	0.0797	2	0.0954
5	ICABT-1835503; H	5/18/2022 21:31	45	14874	330.533	4509.1	0.0733	2	0.1139

Mass	Measured Efficiency	Theoretical Efficiency	Percent	
			Δ	Efficiency
0.0098	0.1976	0.1978	-0.10%	
0.0171	0.1832	0.1791	2.33%	
0.0282	0.1468	0.1535	-4.37%	
0.0435	0.1293	0.1241	4.21%	
0.0578	0.0987	0.1027	-3.94%	
0.0756	0.0839	0.0844	-0.60%	
0.0954	0.0797	0.0747	6.71%	
0.1139	0.0733	0.0759	-3.39%	



Alpha/Beta Count Results

Sample Activity Report

Red 1 (4-7) - B

Addr: 5

Sample ID ICABT-1835503; B

Repeat 21

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/18/2022 6:30:49 PM

Count Ended 5/18/2022 7:16:04 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.159	18,591	413.133	412.974
	0.013	136.349	3.030	3.030
Beta sd	0.311	6,780	150.667	150.356
	0.018	82.341	1.830	1.830

Alpha/Beta Count Results

Sample Activity Report

Red 1 (4-7) - B

Addr: 5

Sample ID ICABT-1835503; A

Repeat 22

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/18/2022 8:02:28 PM

Count Ended 5/18/2022 8:47:37 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.159	20,049	445.533	445.374
	0.013	141.594	3.147	3.147
Beta sd	0.311	7,444	165.422	165.111
	0.018	86.279	1.917	1.917

Alpha/Beta Count Results

Sample Activity Report

Red 1 (4-7) - B

Addr: 5

Sample ID ICABT-1835503; H

Repeat 22

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/18/2022 9:31:51 PM

Count Ended 5/18/2022 10:17:00 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.159	14,874	330.533	330.374
	0.013	121.959	2.710	2.710
Beta sd	0.311	7,378	163.956	163.645
	0.018	85.895	1.909	1.909

Alpha/Beta Count Results

Sample Activity Report

Red 1 (4-7) - B

Addr: 5

Sample ID ICABT-1835503; G

Repeat 22

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/18/2022 10:38:57 PM

Count Ended 5/18/2022 11:24:05 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.159	16,175	359.444	359.285
	0.013	127.181	2.826	2.826
Beta sd	0.311	7,856	174.578	174.267
	0.018	88.634	1.970	1.970

Alpha/Beta Count Results

Sample Activity Report

Red 1 (4-7) - B

Addr: 5

Sample ID ICABT-1835503; F

Repeat 22

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/18/2022 11:27:54 PM

Count Ended 5/19/2022 12:13:02 AM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.159	17,020	378.222	378.063
	0.013	130.461	2.899	2.899
Beta sd	0.311	8,207	182.378	182.067
	0.018	90.592	2.013	2.013

Alpha/Beta Count Results

Sample Activity Report

Red 1 (4-7) - B

Addr: 5

Sample ID ICABT-1835503; E

Repeat 22

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/19/2022 12:16:54 AM

Count Ended 5/19/2022 1:02:04 AM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.159	20,027	445.044	444.885
	0.013	141.517	3.145	3.145
Beta sd	0.311	9,176	203.911	203.600
	0.018	95.791	2.129	2.129

Alpha/Beta Count Results

Sample Activity Report

Red 1 (4-7) - B

Addr: 5

Sample ID ICABT-1835503; D

Repeat 23

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/19/2022 1:08:13 AM

Count Ended 5/19/2022 1:53:21 AM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.159	13,123	291.622	291.463
	0.013	114.556	2.546	2.546
Beta sd	0.311	5,615	124.778	124.467
	0.018	74.933	1.665	1.665

Alpha/Beta Count Results

Sample Activity Report

Red 1 (4-7) - B

Addr: 5

Sample ID ICABT-1835503; C

Repeat 24

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/19/2022 1:55:16 AM

Count Ended 5/19/2022 2:40:24 AM


Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.159	14,894	330.978	330.819
	0.013	122.041	2.712	2.712
Beta sd	0.311	6,023	133.844	133.533
	0.018	77.608	1.725	1.725

Curve is for Gross Beta
Strontium 90
 and
Total Strontium

Detector ID	Std ID	Count Date	Count Time	Beta Counts	CPM	Sr-90 Eff	Standard Aliquot	Sample Wt
6	6322;B1	6/18/2019 10:52		5	77858	15571.600	0.4360	1mL 0.0092
6	6322;B2	6/18/2019 10:03		5	74490	14898.000	0.4172	1mL 0.0353
6	6322;B3	6/17/2019 16:38		5	75580	15116.000	0.4232	1mL 0.0658
6	6322;B4	6/17/2019 14:35		5	71458	14291.600	0.4002	1mL 0.0916
6	6322;B5	6/17/2019 13:39		5	68524	13704.800	0.3837	1mL 0.1285
6	6322;B6	6/17/2019 0:33		5	67830	13566.000	0.3798	1mL 0.1615
6	6322;B7	6/16/2019 23:47		5	66717	13343.400	0.3736	1mL 0.2003
6	6322;B8	6/18/2019 11:50		5	63404	12680.800	0.3551	1mL 0.2634

Mass	Measured Efficiency	Theoretical Efficiency	Percent	
			△ Efficiency	Efficiency
0.0092	0.4360	0.4349	0.25%	
0.0353	0.4172	0.4239	-1.59%	
0.0658	0.4232	0.4118	2.77%	
0.0916	0.4002	0.4024	-0.55%	
0.1285	0.3837	0.3900	-1.60%	
0.1615	0.3798	0.3800	-0.04%	
0.2003	0.3736	0.3697	1.05%	
0.2634	0.3551	0.3561	-0.29%	



Standard ID
 Strontium 90
 Sr-90_00004 #6322
 Cert# 80573-334 Ref. date 9/17/2009

Initial Activity: 22560 dpm/mL
 Reference Date: 9/17/2009
 Count Date: 6/16/2019
 Elapsed Time: 3559.000 days
 Half Life: 10555.725 days
 Exponential Term: 0.791596419
 Corrected Activity: 17858.41522 dpm/mL
 Decay Activity (Sr/Y-90) 35716.83043 dpm

Standard ID
 Strontium 90
 Sr-90_00004 #6322
 Cert# 80573-334 Ref. date 9/17/2009

Initial Activity: 22560 dpm/mL
 Reference Date: 9/17/2009
 Count Date: 6/17/2019
 Elapsed Time: 3560.000 days
 Half Life: 10555.725 days
 Exponential Term: 0.79154444
 Corrected Activity: 17857.24257 dpm/mL
 Decay Activity (Sr/Y-90) 35714.48514 dpm

Standard ID
 Strontium 90
 Sr-90_00004 #6322
 Cert# 80573-334 Ref. date 9/17/2009

Initial Activity: 22560 dpm/mL
 Reference Date: 9/17/2009
 Count Date: 6/18/2019
 Elapsed Time: 3561.000 days
 Half Life: 10555.725 days
 Exponential Term: 0.791492465
 Corrected Activity: 17856.07 dpm/mL
 Decay Activity (Sr/Y-90) 35712.14001 dpm

Alpha/Beta Count Results

Sample Activity Report

Red 1 (4-7) - C

Addr: 6

Sample ID ICABT-6322;B7

Repeat 1
Carrier No. 0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty 0 Sample sd 0 Sample

Residual Wt 0 mg sd 0 mg

Count Began 6/16/2019 11:47:42 PM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 6/16/2019 11:52:55 PM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	6	1.200	1.200
sd	0.000			0.000	2.449	0.490	0.490
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	66,717	13,343.400	13,343.400
sd	0.000			0.000	258.296	51.659	51.659

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 1 (4-7) - C

Addr: 6

Sample ID ICABT-6322;B6

Repeat

2

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty 0 Sample sd 0 Sample

Residual Wt 0 mg sd 0 mg

Count Began 6/17/2019 12:33:56 AM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 6/17/2019 12:39:08 AM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	2	0.400	0.400
sd	0.000			0.000	1.414	0.283	0.283
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	67,830	13,566.000	13,566.000
sd	0.000			0.000	260.442	52.088	52.088

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 1 (4-7) - C

Addr: 6

Sample ID ICABT-6322;B5

Repeat 3

Carrier No. 0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty 0 Sample sd 0 Sample

Residual Wt 0 mg sd 0 mg

Count Began 6/17/2019 1:39:30 PM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 6/17/2019 1:44:42 PM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	5	1.000	1.000
sd	0.000			0.000	2.236	0.447	0.447
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	68,524	13,704.800	13,704.800
sd	0.000			0.000	261.771	52.354	52.354

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 1 (4-7) - C

Addr: 6

Sample ID ICABT-6322;B4

Repeat

4

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty 0 Sample sd 0 Sample

Residual Wt 0 mg sd 0 mg

Count Began 6/17/2019 2:35:02 PM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 6/17/2019 2:40:14 PM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	5	1.000	1.000
sd	0.000			0.000	2.236	0.447	0.447
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	71,458	14,291.600	14,291.600
sd	0.000			0.000	267.316	53.463	53.463

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 1 (4-7) - C

Addr: 6

Sample ID ICABT-6322;B3

Repeat 5

Carrier No. 0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty 0 Sample sd 0 Sample

Residual Wt 0 mg sd 0 mg

Count Began 6/17/2019 4:38:18 PM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 6/17/2019 4:43:32 PM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	7	1.400	1.400
sd	0.000			0.000	2.646	0.529	0.529
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	75,580	15,116.000	15,116.000
sd	0.000			0.000	274.918	54.984	54.984

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 1 (4-7) - C

Addr: 6

Sample ID ICABT-6322;B2

Repeat 6

Carrier No. 0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty 0 Sample sd 0 Sample

Residual Wt 0 mg sd 0 mg

Count Began 6/18/2019 10:03:23 AM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 6/18/2019 10:08:35 AM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	4	0.800	0.800
sd	0.000			0.000	2.000	0.400	0.400
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	74,490	14,898.000	14,898.000
sd	0.000			0.000	272.929	54.586	54.586

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 1 (4-7) - C

Addr: 6

Sample ID ICABT-6322;B1

Repeat

7

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty 0 Sample sd 0 Sample

Residual Wt 0 mg sd 0 mg

Count Began 6/18/2019 10:52:41 AM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 6/18/2019 10:57:53 AM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	3	0.600	0.600
sd	0.000			0.000	1.732	0.346	0.346
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	77,858	15,571.600	15,571.600
sd	0.000			0.000	279.030	55.806	55.806

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 1 (4-7) - C

Addr: 6

Sample ID ICABT-6322;B8

Repeat 8

Carrier No. 0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty 0 Sample sd 0 Sample

Residual Wt 0 mg sd 0 mg

Count Began 6/18/2019 11:50:24 AM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 6/18/2019 11:55:36 AM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	3	0.600	0.600
sd	0.000			0.000	1.732	0.346	0.346
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	63,404	12,680.800	12,680.800
sd	0.000			0.000	251.802	50.360	50.360

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Curve is for Gross Alpha

Red 6


Detector ID	Sample ID	Count Date	Count Time	Alpha Counts	Net CPM	DPM	Th-230 Efficiency	Standard Aliquot (mL)	Mass	
6	ICABT-1835503; A	5/18/2022	21:31	45	20178	448.400	2254.6	0.1989	1	0.0098
6	ICABT-1835503; B	5/18/2022	20:02	45	18655	414.556	2254.6	0.1839	1	0.0171
6	ICABT-1835503; C	5/18/2022	18:30	45	15264	339.200	2254.6	0.1504	1	0.0282
6	ICABT-1835503; D	5/19/2022	1:55	45	13420	298.222	2254.6	0.1323	1	0.0435
6	ICABT-1835503; E	5/19/2022	1:08	45	20638	458.622	4509.1	0.1017	2	0.0578
6	ICABT-1835503; F	5/19/2022	0:17	45	17452	387.822	4509.1	0.0860	2	0.0756
6	ICABT-1835503; G	5/18/2022	23:27	45	16834	374.089	4509.1	0.0830	2	0.0954
6	ICABT-1835503; H	5/18/2022	22:39	45	15169	337.089	4509.1	0.0748	2	0.1139

Mass	Measured Efficiency	Theoretical Efficiency	Percent	
			Efficiency	Δ Efficiency
0.0098	0.1989	0.1991	-0.10%	
0.0171	0.1839	0.1808	1.68%	
0.0282	0.1504	0.1559	-3.49%	
0.0435	0.1323	0.1271	4.10%	
0.0578	0.1017	0.1060	-4.01%	
0.0756	0.0860	0.0875	-1.76%	
0.0954	0.0830	0.0773	7.29%	
0.1139	0.0748	0.0775	-3.59%	


Standard ID

Thorium-230
Th-230_00052
Container#: 1835503
Cert #: 114474 Ref. date 10/29/2019
Activity (dpm) 2254.57

X² Coeff: 13.772
X Coeff: -2.8712
Intercept: 0.2259



Sample ID	Mass	Count Time	Alpha Counts	Beta Counts	Alpha CPM	Beta CPM	% α into β	
ICABT-1835503; A	0.0098	45	20178	7530	448.40	167.33	27.18%	Min
ICABT-1835503; B	0.0171	45	18655	7053	414.56	156.73	27.44%	27.18%
ICABT-1835503; C	0.0282	45	15264	6111	339.20	135.80	28.59%	
ICABT-1835503; D	0.0435	45	13420	5584	298.22	124.09	29.38%	Max
ICABT-1835503; E	0.0578	45	20638	9086	458.62	201.91	30.57%	33.35%
ICABT-1835503; F	0.0756	45	17452	8149	387.82	181.09	31.83%	
ICABT-1835503; G	0.0954	45	16834	8077	374.09	179.49	32.42%	Mean
ICABT-1835503; H	0.1139	45	15169	7589	337.09	168.64	33.35%	30.09%



Alpha/Beta Count Results

Sample Activity Report

Red 1 (4-7) - C

Addr: 6

Sample ID ICABT-1835503; C

Repeat 21

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/18/2022 6:30:56 PM

Count Ended 5/18/2022 7:16:04 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.093	15,264	339.200	339.107
	0.010	123.548	2.746	2.746
Beta sd	0.319	6,111	135.800	135.481
	0.018	78.173	1.737	1.737

Alpha/Beta Count Results

Sample Activity Report

Red 1 (4-7) - C

Addr: 6

Sample ID ICABT-1835503; B

Repeat 22

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/18/2022 8:02:34 PM

Count Ended 5/18/2022 8:47:43 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.093	18,655	414.556	414.463
	0.010	136.583	3.035	3.035
Beta sd	0.319	7,053	156.733	156.414
	0.018	83.982	1.866	1.866

Alpha/Beta Count Results

Sample Activity Report

Red 1 (4-7) - C

Addr: 6

Sample ID ICABT-1835503; A

Repeat 23

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/18/2022 9:31:57 PM

Count Ended 5/18/2022 10:17:05 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.093	20,178	448.400	448.307
	0.010	142.049	3.157	3.157
Beta sd	0.319	7,530	167.333	167.014
	0.018	86.776	1.928	1.928

Alpha/Beta Count Results

Sample Activity Report

Red 1 (4-7) - C

Addr: 6

Sample ID ICABT-1835503; H

Repeat 23

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/18/2022 10:39:02 PM

Count Ended 5/18/2022 11:24:11 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.093	15,169	337.089	336.996
	0.010	123.162	2.737	2.737
Beta sd	0.319	7,589	168.644	168.325
	0.018	87.115	1.936	1.936

Alpha/Beta Count Results

Sample Activity Report

Red 1 (4-7) - C

Addr: 6

Sample ID ICABT-1835503; G

Repeat 23

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/18/2022 11:27:59 PM

Count Ended 5/19/2022 12:13:07 AM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.093	16,834	374.089	373.996
	0.010	129.746	2.883	2.883
Beta sd	0.319	8,077	179.489	179.170
	0.018	89.872	1.997	1.997

Alpha/Beta Count Results

Sample Activity Report

Red 1 (4-7) - C

Addr: 6

Sample ID ICABT-1835503; F

Repeat 23

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/19/2022 12:17:00 AM

Count Ended 5/19/2022 1:02:10 AM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.093	17,452	387.822	387.729
	0.010	132.106	2.936	2.936
Beta sd	0.319	8,149	181.089	180.770
	0.018	90.272	2.006	2.006

Alpha/Beta Count Results

Sample Activity Report

Red 1 (4-7) - C

Addr: 6

Sample ID ICABT-1835503; E

Repeat

23

Carrier No.

0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts

1515

Count Began 5/19/2022 1:08:18 AM

Count Ended 5/19/2022 1:53:26 AM

Sample Count Time

45.00 *mins*

Background Count Time

1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.093	20,638	458.622	458.529
	0.010	143.659	3.192	3.192
Beta sd	0.319	9,086	201.911	201.592
	0.018	95.321	2.118	2.118

Alpha/Beta Count Results

Sample Activity Report

Red 1 (4-7) - C

Addr: 6

Sample ID ICABT-1835503; D

Repeat 24

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515


Count Began 5/19/2022 1:55:21 AM

Count Ended 5/19/2022 2:40:27 AM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.093	13,420	298.222	298.129
	0.010	115.845	2.574	2.574
Beta sd	0.319	5,584	124.089	123.770
	0.018	74.726	1.661	1.661

Curve is for Gross Beta
Strontium 90
 and
Total Strontium



Standard ID
 Strontium 90
 Sr-90_00004 #6322
 Cert# 80573-334 Ref. date 9/17/2009

Initial Activity: 22560 dpm/mL
 Reference Date: 9/17/2009
 Count Date: 6/16/2019
 Elapsed Time: 3559.000 days
 Half Life: 10555.725 days
 Exponential Term: 0.791596419
 Corrected Activity: 17858.41522 dpm/mL
 Decay Activity (Sr/Y-90) 35716.83043 dpm

Standard ID
 Strontium 90
 Sr-90_00004 #6322
 Cert# 80573-334 Ref. date 9/17/2009

Initial Activity: 22560 dpm/mL
 Reference Date: 9/17/2009
 Count Date: 6/17/2019
 Elapsed Time: 3560.000 days
 Half Life: 10555.725 days
 Exponential Term: 0.79154444
 Corrected Activity: 17857.24257 dpm/mL
 Decay Activity (Sr/Y-90) 35714.48514 dpm

Standard ID
 Strontium 90
 Sr-90_00004 #6322
 Cert# 80573-334 Ref. date 9/17/2009

Initial Activity: 22560 dpm/mL
 Reference Date: 9/17/2009
 Count Date: 6/18/2019
 Elapsed Time: 3561.000 days
 Half Life: 10555.725 days
 Exponential Term: 0.791492465
 Corrected Activity: 17856.07 dpm/mL
 Decay Activity (Sr/Y-90) 35712.14001 dpm

Alpha/Beta Count Results

Sample Activity Report

Red 1 (4-7) - D

Addr: 7

Sample ID ICABT-6322;B8

Repeat

1

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0	Sample	sd	0	Sample	
Residual Wt	0	mg	sd	0	mg	

Count Began 6/16/2019 11:47:46 PM	Collection Date 1	1/1/1900	Half Life	0.00 days
-----------------------------------	-------------------	----------	-----------	-----------

Count Ended 6/16/2019 11:52:58 PM	Collection Date 2	1/1/1900	Decay Factor	1.000
-----------------------------------	-------------------	----------	--------------	-------

Sample Count Time	5.00 mins	Background Count Time	.00 mins
-------------------	-----------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	3	0.600	0.600
sd	0.000			0.000	1.732	0.346	0.346
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	64,638	12,927.600	12,927.600
sd	0.000			0.000	254.240	50.848	50.848

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 1 (4-7) - D

Addr: 7

Sample ID ICABT-6322;B7

Repeat 2
Carrier No. 0

Batch ID m122627

Count Method Gross Alpha Beta	Detector Volts	1515
-------------------------------	----------------	------

Sample Qty	0	Sample	sd	0	Sample
Residual Wt	0	mg	sd	0	mg

Count Began 6/17/2019 12:33:59 AM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 6/17/2019 12:39:11 AM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 mins	Background Count Time	.00 mins
-------------------	-----------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	1	0.200	0.200
sd	0.000			0.000	1.000	0.200	0.200
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	68,060	13,612.000	13,612.000
sd	0.000			0.000	260.883	52.177	52.177

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 1 (4-7) - D

Addr: 7

Sample ID ICABT-6322;B6

Repeat 3

Carrier No. 0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0	Sample	sd	0	Sample	
Residual Wt	0	mg	sd	0	mg	

Count Began 6/17/2019 1:39:39 PM	Collection Date 1	1/1/1900	Half Life	0.00 days
----------------------------------	-------------------	----------	-----------	-----------

Count Ended 6/17/2019 1:44:52 PM	Collection Date 2	1/1/1900	Decay Factor	1.000
----------------------------------	-------------------	----------	--------------	-------

Sample Count Time	5.00 mins	Background Count Time	.00 mins
-------------------	-----------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	4	0.800	0.800
sd	0.000			0.000	2.000	0.400	0.400
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	68,691	13,738.200	13,738.200
sd	0.000			0.000	262.090	52.418	52.418

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 1 (4-7) - D

Addr: 7

Sample ID ICABT-6322;B5

Repeat

4

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0	Sample	sd	0	Sample	
Residual Wt	0	mg	sd	0	mg	

Count Began 6/17/2019 2:35:08 PM	Collection Date 1	1/1/1900	Half Life	0.00 days
----------------------------------	-------------------	----------	-----------	-----------

Count Ended 6/17/2019 2:40:19 PM	Collection Date 2	1/1/1900	Decay Factor	1.000
----------------------------------	-------------------	----------	--------------	-------

Sample Count Time	5.00 mins	Background Count Time	.00 mins
-------------------	-----------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	3	0.600	0.600
sd	0.000			0.000	1.732	0.346	0.346
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	69,909	13,981.800	13,981.800
sd	0.000			0.000	264.403	52.881	52.881

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 1 (4-7) - D

Addr: 7

Sample ID ICABT-6322;B4

Repeat

5

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0	Sample	sd	0	Sample	
Residual Wt	0	mg	sd	0	mg	

Count Began 6/17/2019 4:38:26 PM	Collection Date 1	1/1/1900	Half Life	0.00 days
----------------------------------	-------------------	----------	-----------	-----------

Count Ended 6/17/2019 4:43:39 PM	Collection Date 2	1/1/1900	Decay Factor	1.000
----------------------------------	-------------------	----------	--------------	-------

Sample Count Time	5.00 mins	Background Count Time	.00 mins
-------------------	-----------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	3	0.600	0.600
sd	0.000			0.000	1.732	0.346	0.346
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	72,736	14,547.200	14,547.200
sd	0.000			0.000	269.696	53.939	53.939

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 1 (4-7) - D

Addr: 7

Sample ID ICABT-6322;B3

Repeat 6
Carrier No. 0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty 0 Sample sd 0 Sample

Residual Wt 0 mg sd 0 mg

Count Began 6/18/2019 10:03:29 AM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 6/18/2019 10:08:43 AM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	8	1.600	1.600
sd	0.000			0.000	2.828	0.566	0.566
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	77,009	15,401.800	15,401.800
sd	0.000			0.000	277.505	55.501	55.501

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 1 (4-7) - D

Addr: 7

Sample ID ICABT-6322;B2

Repeat

7

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0	Sample	sd	0	Sample	
Residual Wt	0	mg	sd	0	mg	

Count Began 6/18/2019 10:52:47 AM	Collection Date 1 1/1/1900	Half Life	0.00 days
-----------------------------------	----------------------------	-----------	-----------

Count Ended 6/18/2019 10:58:01 AM	Collection Date 2 1/1/1900	Decay Factor	1.000
-----------------------------------	----------------------------	--------------	-------

Sample Count Time	5.00 mins	Background Count Time	.00 mins
-------------------	-----------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	4	0.800	0.800
sd	0.000			0.000	2.000	0.400	0.400
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	75,678	15,135.600	15,135.600
sd	0.000			0.000	275.096	55.019	55.019

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 1 (4-7) - D

Addr: 7

Sample ID ICABT-6322;B1

Repeat 8

Carrier No. 0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0	Sample	sd	0	Sample	
Residual Wt	0	mg	sd	0	mg	

Count Began 6/18/2019 11:50:31 AM	Collection Date 1 1/1/1900	Half Life	0.00 days
-----------------------------------	----------------------------	-----------	-----------

Count Ended 6/18/2019 11:55:46 AM	Collection Date 2 1/1/1900	Decay Factor	1.000
-----------------------------------	----------------------------	--------------	-------

Sample Count Time	5.00 mins	Background Count Time	.00 mins
-------------------	-----------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	11	2.200	2.200
sd	0.000			0.000	3.317	0.663	0.663
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	80,076	16,015.200	16,015.200
sd	0.000			0.000	282.977	56.595	56.595

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie


Error = .00 x sd

Curve is for Gross Alpha


Red 7

Detector ID	Sample ID	Count Date	Count Time	Alpha Counts	Net CPM	DPM	Th-230 Efficiency	Standard Aliquot (mL)	Mass
7	ICABT-1835503; A	5/18/2022 22:39	45	20714	460.311	2254.6	0.2042	1	0.0098
7	ICABT-1835503; B	5/18/2022 21:32	45	19076	423.911	2254.6	0.1880	1	0.0171
7	ICABT-1835503; C	5/18/2022 20:02	45	15202	337.822	2254.6	0.1498	1	0.0282
7	ICABT-1835503; D	5/18/2022 18:31	45	13792	306.489	2254.6	0.1359	1	0.0435
7	ICABT-1835503; E	5/19/2022 1:55	45	21033	467.400	4509.1	0.1037	2	0.0578
7	ICABT-1835503; F	5/19/2022 1:08	45	17775	395.000	4509.1	0.0876	2	0.0756
7	ICABT-1835503; G	5/19/2022 0:17	45	17177	381.711	4509.1	0.0847	2	0.0954
7	ICABT-1835503; H	5/18/2022 23:28	45	15665	348.111	4509.1	0.0772	2	0.1139

Mass	Measured Efficiency	Theoretical Efficiency	Percent		<u>Standard ID</u>
			Δ Efficiency		
0.0098	0.2042	0.2033	0.41%		Thorium-230
0.0171	0.1880	0.1845	1.92%		Th-230_00052
0.0282	0.1498	0.1587	-5.61%		Container#: 1835503
0.0435	0.1359	0.1291	5.29%		Cert #: 114474 Ref. date 10/29/2019
0.0578	0.1037	0.1076	-3.62%		Activity (dpm) 2254.57
0.0756	0.0876	0.0890	-1.56%		
0.0954	0.0847	0.0791	7.01%		
0.1139	0.0772	0.0801	-3.67%		



Sample ID	Mass	Count Time	Alpha Counts	Beta Counts	Alpha CPM	Beta CPM	% α into β	
ICABT-1835503; A	0.0098	45	20714	7584	460.31	168.53	26.80%	Min
ICABT-1835503; B	0.0171	45	19076	7115	423.91	158.11	27.17%	26.80%
ICABT-1835503; C	0.0282	45	15202	6206	337.82	137.91	28.99%	
ICABT-1835503; D	0.0435	45	13792	5822	306.49	129.38	29.68%	Max
ICABT-1835503; E	0.0578	45	21033	9051	467.40	201.13	30.09%	32.92%
ICABT-1835503; F	0.0756	45	17775	8445	395.00	187.67	32.21%	
ICABT-1835503; G	0.0954	45	17177	8258	381.71	183.51	32.47%	Mean
ICABT-1835503; H	0.1139	45	15665	7688	348.11	170.84	32.92%	30.04%



Alpha/Beta Count Results

Sample Activity Report

Red 1 (4-7) - D

Addr: 7

Sample ID ICABT-1835503; D

Repeat 21

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/18/2022 6:31:01 PM

Count Ended 5/18/2022 7:16:09 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.084	13,792	306.489	306.405
	0.009	117.439	2.610	2.610
Beta sd	0.374	5,822	129.378	129.004
	0.019	76.302	1.696	1.696

Alpha/Beta Count Results

Sample Activity Report

Red 1 (4-7) - D

Addr: 7

Sample ID ICABT-1835503; C

Repeat 22

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/18/2022 8:02:44 PM

Count Ended 5/18/2022 8:47:53 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.084	15,202	337.822	337.738
	0.009	123.296	2.740	2.740
Beta sd	0.374	6,206	137.911	137.537
	0.019	78.778	1.751	1.751

Alpha/Beta Count Results

Sample Activity Report

Red 1 (4-7) - D

Addr: 7

Sample ID ICABT-1835503; B

Repeat 23

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/18/2022 9:32:02 PM

Count Ended 5/18/2022 10:17:10 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.084	19,076	423.911	423.827
	0.009	138.116	3.069	3.069
Beta sd	0.374	7,115	158.111	157.737
	0.019	84.350	1.874	1.875

Alpha/Beta Count Results

Sample Activity Report

Red 1 (4-7) - D

Addr: 7

Sample ID ICABT-1835503; A

Repeat 24

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/18/2022 10:39:07 PM

Count Ended 5/18/2022 11:24:16 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.084	20,714	460.311	460.227
	0.009	143.924	3.198	3.198
Beta sd	0.374	7,584	168.533	168.159
	0.019	87.086	1.935	1.935

Alpha/Beta Count Results

Sample Activity Report

Red 1 (4-7) - D

Addr: 7

Sample ID ICABT-1835503; H

Repeat 24

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/18/2022 11:28:04 PM

Count Ended 5/19/2022 12:13:13 AM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.084	15,665	348.111	348.027
	0.009	125.160	2.781	2.781
Beta sd	0.374	7,688	170.844	170.470
	0.019	87.681	1.948	1.949

Alpha/Beta Count Results

Sample Activity Report

Red 1 (4-7) - D

Addr: 7

Sample ID ICABT-1835503; G

Repeat 24

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/19/2022 12:17:12 AM

Count Ended 5/19/2022 1:02:20 AM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.084	17,177	381.711	381.627
	0.009	131.061	2.912	2.912
Beta sd	0.374	8,258	183.511	183.137
	0.019	90.874	2.019	2.020

Alpha/Beta Count Results

Sample Activity Report

Red 1 (4-7) - D

Addr: 7

Sample ID ICABT-1835503; F

Repeat 24

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/19/2022 1:08:24 AM

Count Ended 5/19/2022 1:53:32 AM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.084	17,775	395.000	394.916
	0.009	133.323	2.963	2.963
Beta sd	0.374	8,445	187.667	187.293
	0.019	91.897	2.042	2.042

Alpha/Beta Count Results

Sample Activity Report

Red 1 (4-7) - D

Addr: 7

Sample ID ICABT-1835503; E

Repeat 24

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/19/2022 1:55:26 AM

Count Ended 5/19/2022 2:40:35 AM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*


	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.084	21,033	467.400	467.316
	0.009	145.028	3.223	3.223
Beta sd	0.374	9,051	201.133	200.759
	0.019	95.137	2.114	2.114

Red 9

Curve is for Gross Beta
 Strontium 90
 and
 Total Strontium

Detector ID	Std ID	Count Date	Count Time	Beta Counts	DPM	12-Jun
					DPM	
9	6322;B1	6/13/2019 0:05	5	78747	35726.21	
9	6322;B2	6/12/2019 12:55	5	75036	35723.87	13-Jun
9	6322;B3	6/13/2019 12:11	5	76836	15007.200	
9	6322;B4	6/13/2019 10:25	5	72173	15367.200	
9	6322;B5	6/13/2019 8:37	5	69205	14434.600	
9	6322;B6	6/13/2019 2:18	5	67813	13841.000	
9	6322;B7	6/13/2019 1:11	5	66725	13562.600	
9	6322;B8	6/13/2019 0:12	5	63965	13345.000	
					12793.000	

Mass	Measured Efficiency	Theoretical Efficiency	Percent
			Δ Efficiency
0.0092	0.4409	0.4405	0.08%
0.0353	0.4201	0.4286	-1.99%
0.0658	0.4302	0.4157	3.49%
0.0916	0.4041	0.4056	-0.37%
0.1285	0.3874	0.3925	-1.28%
0.1615	0.3797	0.3821	-0.63%
0.2003	0.3736	0.3714	0.57%
0.2634	0.3581	0.3579	0.06%



Standard ID
 Strontium 90
 Sr-90_00004 #6322
 Cert# 80573-334 Ref. date 9/17/2009

Initial Activity: 22560 dpm/mL
 Reference Date: 9/17/2009
 Count Date: 6/12/2019
 Elapsed Time: 3555.000 days
 Half Life: 10555.725 days
 Exponential Term: 0.791804369
 Corrected Activity: 17863.10656 dpm/mL
 Decay Activity (Sr/Y-90) 35726.21312 dpm

Standard ID
 Strontium 90
 Sr-90_00004 #6322
 Cert# 80573-334 Ref. date 9/17/2009

Initial Activity: 22560 dpm/mL
 Reference Date: 9/17/2009
 Count Date: 6/13/2019
 Elapsed Time: 3556.000 days
 Half Life: 10555.725 days
 Exponential Term: 0.791752376
 Corrected Activity: 17861.93361 dpm/mL
 Decay Activity (Sr/Y-90) 35723.86722 dpm

Alpha/Beta Count Results

Sample Activity Report

Red 2 (8-11) - B

Addr: 9

Sample ID ICABT-6322;B2

Repeat

1

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty 0 ml sd 0 ml

Residual Wt 0 mg sd 0 mg

Count Began 6/12/2019 12:55:07 PM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 6/12/2019 1:00:19 PM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	30	6.000	6.000
sd	0.000			0.000	5.477	1.095	1.095
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	75,036	15,007.200	15,007.200
sd	0.000			0.000	273.927	54.785	54.785

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 2 (8-11) - B

Addr: 9

Sample ID ICABT-6322;B1

Repeat 2

Carrier No. 0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty 0 ml sd 0 ml

Residual Wt 0 mg sd 0 mg

Count Began 6/13/2019 12:05:59 AM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 6/13/2019 12:11:12 AM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	17	3.400	3.400
sd	0.000			0.000	4.123	0.825	0.825
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	78,747	15,749.400	15,749.400
sd	0.000			0.000	280.619	56.124	56.124

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 2 (8-11) - B

Addr: 9

Sample ID ICABT-6322;B8

Repeat 3

Carrier No. 0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty 0 ml sd 0 ml

Residual Wt 0 mg sd 0 mg

Count Began 6/13/2019 12:12:47 AM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 6/13/2019 12:17:59 AM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	13	2.600	2.600
sd	0.000			0.000	3.606	0.721	0.721
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	63,965	12,793.000	12,793.000
sd	0.000			0.000	252.913	50.583	50.583

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 2 (8-11) - B

Addr: 9

Sample ID ICABT-6322;B7

Repeat 4
Carrier No. 0

Batch ID m122627

Count Method Gross Alpha Beta	Detector Volts	1515
-------------------------------	----------------	------

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 6/13/2019 1:11:20 AM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 6/13/2019 1:16:31 AM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 mins	Background Count Time	.00 mins
-------------------	-----------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	10	2.000	2.000
sd	0.000			0.000	3.162	0.632	0.632
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	66,725	13,345.000	13,345.000
sd	0.000			0.000	258.312	51.662	51.662

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 2 (8-11) - B

Addr: 9

Sample ID ICABT-6322;B6

Repeat 5

Carrier No. 0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty 0 ml sd 0 ml

Residual Wt 0 mg sd 0 mg

Count Began 6/13/2019 2:18:10 AM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 6/13/2019 2:23:23 AM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	21	4.200	4.200
sd	0.000			0.000	4.583	0.917	0.917
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	67,813	13,562.600	13,562.600
sd	0.000			0.000	260.409	52.082	52.082

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 2 (8-11) - B

Addr: 9

Sample ID ICABT-6322;B5

Repeat	6
Carrier No.	0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 6/13/2019 8:37:20 AM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 6/13/2019 8:42:32 AM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 mins	Background Count Time	.00 mins
-------------------	-----------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	19	3.800	3.800
sd	0.000			0.000	4.359	0.872	0.872
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	69,205	13,841.000	13,841.000
sd	0.000			0.000	263.068	52.614	52.614

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 2 (8-11) - B

Addr: 9

Sample ID ICABT-6322;B4

Repeat

7

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0 ml	sd	0 ml
------------	------	----	------

Residual Wt	0 mg	sd	0 mg
-------------	------	----	------

Count Began 6/13/2019 10:25:49 AM	Collection Date 1 1/1/1900	Half Life	0.00 days
-----------------------------------	----------------------------	-----------	-----------

Count Ended 6/13/2019 10:31:03 AM	Collection Date 2 1/1/1900	Decay Factor	1.000
-----------------------------------	----------------------------	--------------	-------

Sample Count Time	5.00 mins	Background Count Time	.00 mins
-------------------	-----------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	20	4.000	4.000
sd	0.000			0.000	4.472	0.894	0.894
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	72,173	14,434.600	14,434.600
sd	0.000			0.000	268.650	53.730	53.730

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 2 (8-11) - B

Addr: 9

Sample ID ICABT-6322;B3

Repeat 8

Carrier No. 0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty 0 ml sd 0 ml

Residual Wt 0 mg sd 0 mg

Count Began 6/13/2019 12:11:42 PM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 6/13/2019 12:16:55 PM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	16	3.200	3.200
sd	0.000			0.000	4.000	0.800	0.800
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	76,836	15,367.200	15,367.200
sd	0.000			0.000	277.193	55.439	55.439

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie


Error = .00 x sd

Curve is for Gross Alpha


Red 9

Detector ID	Sample ID	Count Date	Count Time	Alpha Counts	Net CPM	DPM	Th-230 Efficiency	Standard Aliquot (mL)	Mass
9	ICABT-1835503; A	5/13/2022 21:56	45	20662	459.156	2254.6	0.2037	1	0.0098
9	ICABT-1835503; B	5/13/2022 20:48	45	19312	429.156	2254.6	0.1903	1	0.0171
9	ICABT-1835503; C	5/14/2022 7:14	45	15695	348.778	2254.6	0.1547	1	0.0282
9	ICABT-1835503; D	5/14/2022 6:23	45	13882	308.489	2254.6	0.1368	1	0.0435
9	ICABT-1835503; E	5/14/2022 1:15	45	21159	470.200	4509.1	0.1043	2	0.0578
9	ICABT-1835503; F	5/14/2022 0:28	45	17982	399.600	4509.1	0.0886	2	0.0756
9	ICABT-1835503; G	5/13/2022 23:37	45	17320	384.889	4509.1	0.0854	2	0.0954
9	ICABT-1835503; H	5/13/2022 22:44	45	15577	346.156	4509.1	0.0768	2	0.1139

Mass	Measured Efficiency	Theoretical Efficiency	Percent		Standard ID
			Efficiency	Δ Efficiency	
0.0098	0.2037	0.2047	-0.53%		Thorium-230
0.0171	0.1903	0.1861	2.31%		Th-230_00052
0.0282	0.1547	0.1605	-3.61%		Container#: 1835503
0.0435	0.1368	0.1309	4.52%		Cert #: 114474 Ref. date 10/29/2019
0.0578	0.1043	0.1092	-4.52%		Activity (dpm) 2254.57
0.0756	0.0886	0.0902	-1.78%		
0.0954	0.0854	0.0795	7.31%		
0.1139	0.0768	0.0795	-3.45%		



Sample ID	Mass	Count Time	Alpha Counts	Beta Counts	Alpha CPM	Beta CPM	% α into β	
ICABT-1835503; A	0.0098	45	20662	7074	459.16	157.20	25.50%	Min
ICABT-1835503; B	0.0171	45	19312	6631	429.16	147.36	25.56%	25.50%
ICABT-1835503; C	0.0282	45	15695	5676	348.78	126.13	26.56%	
ICABT-1835503; D	0.0435	45	13882	5275	308.49	117.22	27.54%	Max
ICABT-1835503; E	0.0578	45	21159	8408	470.20	186.84	28.44%	31.14%
ICABT-1835503; F	0.0756	45	17982	7770	399.60	172.67	30.17%	
ICABT-1835503; G	0.0954	45	17320	7610	384.89	169.11	30.53%	Mean
ICABT-1835503; H	0.1139	45	15577	7045	346.16	156.56	31.14%	28.18%



Alpha/Beta Count Results

Sample Activity Report

Red 2 (8-11) - B

Addr: 9

Sample ID ICABT-1835503; B

Repeat 9

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/13/2022 8:48:49 PM

Count Ended 5/13/2022 9:33:59 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.084	19,312	429.156	429.072
	0.009	138.968	3.088	3.088
Beta sd	0.359	6,631	147.356	146.997
	0.019	81.431	1.810	1.810

Alpha/Beta Count Results

Sample Activity Report

Red 2 (8-11) - B

Addr: 9

Sample ID ICABT-1835503; A

Repeat 10

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/13/2022 9:56:48 PM

Count Ended 5/13/2022 10:41:56 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.084	20,662	459.156	459.072
	0.009	143.743	3.194	3.194
Beta sd	0.359	7,074	157.200	156.841
	0.019	84.107	1.869	1.869

Alpha/Beta Count Results

Sample Activity Report

Red 2 (8-11) - B

Addr: 9

Sample ID ICABT-1835503; H

Repeat 11

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/13/2022 10:44:55 PM

Count Ended 5/13/2022 11:30:05 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.084	15,577	346.156	346.072
	0.009	124.808	2.774	2.774
Beta sd	0.359	7,045	156.556	156.197
	0.019	83.934	1.865	1.865

Alpha/Beta Count Results

Sample Activity Report

Red 2 (8-11) - B

Addr: 9

Sample ID ICABT-1835503; G

Repeat 12

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/13/2022 11:37:52 PM

Count Ended 5/14/2022 12:22:59 AM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.084	17,320	384.889	384.805
	0.009	131.605	2.925	2.925
Beta sd	0.359	7,610	169.111	168.752
	0.019	87.235	1.939	1.939

Alpha/Beta Count Results

Sample Activity Report

Red 2 (8-11) - B

Addr: 9

Sample ID ICABT-1835503; F

Repeat 13

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/14/2022 12:28:06 AM

Count Ended 5/14/2022 1:13:16 AM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.084	17,982	399.600	399.516
	0.009	134.097	2.980	2.980
Beta sd	0.359	7,770	172.667	172.308
	0.019	88.148	1.959	1.959

Alpha/Beta Count Results

Sample Activity Report

Red 2 (8-11) - B

Addr: 9

Sample ID ICABT-1835503; E

Repeat 14

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/14/2022 1:15:54 AM

Count Ended 5/14/2022 2:01:04 AM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.084	21,159	470.200	470.116
	0.009	145.461	3.232	3.232
Beta sd	0.359	8,408	186.844	186.485
	0.019	91.695	2.038	2.038

Alpha/Beta Count Results

Sample Activity Report

Red 2 (8-11) - B

Addr: 9

Sample ID ICABT-1835503; D

Repeat 15

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/14/2022 6:23:21 AM

Count Ended 5/14/2022 7:08:28 AM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.084	13,882	308.489	308.405
	0.009	117.822	2.618	2.618
Beta sd	0.359	5,275	117.222	116.863
	0.019	72.629	1.614	1.614

Alpha/Beta Count Results

Sample Activity Report

Red 2 (8-11) - B

Addr: 9

Sample ID ICABT-1835503; C

Repeat 16

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/14/2022 7:14:01 AM

Count Ended 5/14/2022 7:59:09 AM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*


	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.084	15,695	348.778	348.694
	0.009	125.280	2.784	2.784
Beta sd	0.359	5,676	126.133	125.774
	0.019	75.339	1.674	1.674

Red 10

Curve is for Gross Beta
Strontium 90
and
Total Strontium

Detector ID	Std ID	Count Date	Count Time	Beta Counts	DPM	12-Jun	Sr-90 Standard Aliquot	Sample Wt
					CPM			
10	6322;B1	6/13/2019 0:12	5	79735	35726.21	12-Jun	0.4464	1mL 0.0092
10	6322;B2	6/13/2019 0:06	5	76360	35723.87	13-Jun	0.4275	1mL 0.0353
10	6322;B3	6/12/2019 12:55	5	77317	15463.400		0.4328	1mL 0.0658
10	6322;B4	6/13/2019 12:11	5	73657	14731.400		0.4124	1mL 0.0916
10	6322;B5	6/13/2019 10:25	5	70271	14054.200		0.3934	1mL 0.1285
10	6322;B6	6/13/2019 8:37	5	69065	13813.000		0.3867	1mL 0.1615
10	6322;B7	6/13/2019 2:18	5	67987	13597.400		0.3806	1mL 0.2003
10	6322;B8	6/13/2019 1:11	5	65093	13018.600		0.3644	1mL 0.2634

Mass	Measured Efficiency	Theoretical Efficiency	Percent
			△ Efficiency
0.0092	0.4464	0.4460	0.08%
0.0353	0.4275	0.4344	-1.59%
0.0658	0.4328	0.4218	2.63%
0.0916	0.4124	0.4118	0.13%
0.1285	0.3934	0.3989	-1.39%
0.1615	0.3867	0.3887	-0.52%
0.2003	0.3806	0.3781	0.67%
0.2634	0.3644	0.3644	0.00%



Standard ID

Strontium 90
Sr-90_00004 #6322
Cert# 80573-334 Ref. date 9/17/2009

Initial Activity: 22560 dpm/mL
Reference Date: 9/17/2009
Count Date: 6/12/2019
Elapsed Time: 3555.000 days
Half Life: 10555.725 days
Exponential Term: 0.791804369
Corrected Activity: 17863.10656 dpm/mL
Decay Activity (Sr/Y-90) 35726.21312 dpm

Standard ID

Strontium 90
Sr-90_00004 #6322
Cert# 80573-334 Ref. date 9/17/2009

Initial Activity: 22560 dpm/mL
Reference Date: 9/17/2009
Count Date: 6/13/2019
Elapsed Time: 3556.000 days
Half Life: 10555.725 days
Exponential Term: 0.791752376
Corrected Activity: 17861.93361 dpm/mL
Decay Activity (Sr/Y-90) 35723.86722 dpm

Alpha/Beta Count Results

Sample Activity Report

Red 2 (8-11) - C

Addr: 10

Sample ID ICABT-6322;B3

Repeat	1
Carrier No.	0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 6/12/2019 12:55:27 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 6/12/2019 1:00:40 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 mins	Background Count Time	.00 mins
-------------------	-----------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	21	4.200	4.200
sd	0.000			0.000	4.583	0.917	0.917
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	77,317	15,463.400	15,463.400
sd	0.000			0.000	278.059	55.612	55.612

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 2 (8-11) - C

Addr: 10

Sample ID ICABT-6322;B2

Repeat

2

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty 0 ml sd 0 ml

Residual Wt 0 mg sd 0 mg

Count Began 6/13/2019 12:06:02 AM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 6/13/2019 12:11:16 AM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	15	3.000	3.000
sd	0.000			0.000	3.873	0.775	0.775
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	76,360	15,272.000	15,272.000
sd	0.000			0.000	276.333	55.267	55.267

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 2 (8-11) - C

Addr: 10

Sample ID ICABT-6322;B1

Repeat 3

Carrier No. 0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty 0 ml sd 0 ml

Residual Wt 0 mg sd 0 mg

Count Began 6/13/2019 12:12:53 AM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 6/13/2019 12:18:06 AM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	27	5.400	5.400
sd	0.000			0.000	5.196	1.039	1.039
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	79,735	15,947.000	15,947.000
sd	0.000			0.000	282.374	56.475	56.475

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 2 (8-11) - C

Addr: 10

Sample ID ICABT-6322;B8

Repeat

4

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty 0 ml sd 0 ml

Residual Wt 0 mg sd 0 mg

Count Began 6/13/2019 1:11:23 AM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 6/13/2019 1:16:34 AM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	15	3.000	3.000
sd	0.000			0.000	3.873	0.775	0.775
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	65,093	13,018.600	13,018.600
sd	0.000			0.000	255.133	51.027	51.027

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 2 (8-11) - C

Addr: 10

Sample ID ICABT-6322;B7

Repeat	5
Carrier No.	0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 6/13/2019 2:18:14 AM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 6/13/2019 2:23:26 AM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 mins	Background Count Time	.00 mins
-------------------	-----------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	14	2.800	2.800
sd	0.000			0.000	3.742	0.748	0.748
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	67,987	13,597.400	13,597.400
sd	0.000			0.000	260.743	52.149	52.149

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 2 (8-11) - C

Addr: 10

Sample ID ICABT-6322;B6

Repeat

6

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty 0 ml sd 0 ml

Residual Wt 0 mg sd 0 mg

Count Began 6/13/2019 8:37:24 AM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 6/13/2019 8:42:38 AM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	19	3.800	3.800
sd	0.000			0.000	4.359	0.872	0.872
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	69,065	13,813.000	13,813.000
sd	0.000			0.000	262.802	52.560	52.560

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 2 (8-11) - C

Addr: 10

Sample ID ICABT-6322;B5

Repeat

7

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty 0 ml sd 0 ml

Residual Wt 0 mg sd 0 mg

Count Began 6/13/2019 10:25:58 AM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 6/13/2019 10:31:10 AM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	14	2.800	2.800
sd	0.000			0.000	3.742	0.748	0.748
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	70,271	14,054.200	14,054.200
sd	0.000			0.000	265.087	53.017	53.017

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 2 (8-11) - C

Addr: 10

Sample ID ICABT-6322;B4

Repeat 8

Carrier No. 0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty 0 ml sd 0 ml

Residual Wt 0 mg sd 0 mg

Count Began 6/13/2019 12:11:46 PM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 6/13/2019 12:16:58 PM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	16	3.200	3.200
sd	0.000			0.000	4.000	0.800	0.800
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	73,657	14,731.400	14,731.400
sd	0.000			0.000	271.398	54.280	54.280

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Curve is for Gross Alpha

Red 10


Detector ID	Sample ID	Count Date	Count Time	Alpha Counts	Net CPM	DPM	Th-230 Efficiency	Standard Aliquot (mL)	Mass
10	ICABT-1835503; A	5/13/2022 22:45	45	21286	473.022	2254.6	0.2098	1	0.0098
10	ICABT-1835503; B	5/13/2022 21:56	45	19396	431.022	2254.6	0.1912	1	0.0171
10	ICABT-1835503; C	5/13/2022 20:48	45	15637	347.489	2254.6	0.1541	1	0.0282
10	ICABT-1835503; D	5/14/2022 7:14	45	13865	308.111	2254.6	0.1367	1	0.0435
10	ICABT-1835503; E	5/14/2022 6:23	45	21382	475.156	4509.1	0.1054	2	0.0578
10	ICABT-1835503; F	5/14/2022 1:16	45	18150	403.333	4509.1	0.0894	2	0.0756
10	ICABT-1835503; G	5/14/2022 0:28	45	17857	396.822	4509.1	0.0880	2	0.0954
10	ICABT-1835503; H	5/13/2022 23:37	45	15750	350.000	4509.1	0.0776	2	0.1139

Mass	Measured Efficiency	Theoretical Efficiency	Percent
			Δ Efficiency
0.0098	0.2098	0.2080	0.87%
0.0171	0.1912	0.1886	1.39%
0.0282	0.1541	0.1621	-4.89%
0.0435	0.1367	0.1316	3.86%
0.0578	0.1054	0.1094	-3.72%
0.0756	0.0894	0.0905	-1.11%
0.0954	0.0880	0.0805	9.34%
0.1139	0.0776	0.0818	-5.09%


Standard ID

Thorium-230
Th-230_00052
Container#: 1835503
Cert #: 114474 Ref. date 10/29/2019
Activity (dpm) 2254.57

X² Coeff: 14.985
X Coeff: -3.066
Intercept: 0.2366



Sample ID	Mass	Count Time	Alpha Counts	Beta Counts	Alpha CPM	Beta CPM	% α into β
ICABT-1835503; A	0.0098	45	21286	7151	473.02	158.91	25.15% Min
ICABT-1835503; B	0.0171	45	19396	6648	431.02	147.73	25.53%
ICABT-1835503; C	0.0282	45	15637	5845	347.49	129.89	27.21%
ICABT-1835503; D	0.0435	45	13865	5368	308.11	119.29	27.91% Max
ICABT-1835503; E	0.0578	45	21382	8716	475.16	193.69	28.96%
ICABT-1835503; F	0.0756	45	18150	7844	403.33	174.31	30.18%
ICABT-1835503; G	0.0954	45	17857	7808	396.82	173.51	30.42% Mean
ICABT-1835503; H	0.1139	45	15750	7358	350.00	163.51	31.84% 28.40%



Alpha/Beta Count Results

Sample Activity Report

Red 2 (8-11) - C

Addr: 10

Sample ID ICABT-1835503; C

Repeat 9

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/13/2022 8:48:55 PM

Count Ended 5/13/2022 9:34:02 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.091	15,637	347.489	347.398
	0.010	125.048	2.779	2.779
Beta sd	0.450	5,845	129.889	129.439
	0.021	76.453	1.699	1.699

Alpha/Beta Count Results

Sample Activity Report

Red 2 (8-11) - C

Addr: 10

Sample ID ICABT-1835503; B

Repeat 10

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/13/2022 9:56:54 PM

Count Ended 5/13/2022 10:42:02 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.091	19,396	431.022	430.931
	0.010	139.270	3.095	3.095
Beta sd	0.450	6,648	147.733	147.283
	0.021	81.535	1.812	1.812

Alpha/Beta Count Results

Sample Activity Report

Red 2 (8-11) - C

Addr: 10

Sample ID ICABT-1835503; A

Repeat 11

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/13/2022 10:45:00 PM

Count Ended 5/13/2022 11:30:09 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.091	21,286	473.022	472.931
	0.010	145.897	3.242	3.242
Beta sd	0.450	7,151	158.911	158.461
	0.021	84.564	1.879	1.879

Alpha/Beta Count Results

Sample Activity Report

Red 2 (8-11) - C

Addr: 10

Sample ID ICABT-1835503; H

Repeat 12

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/13/2022 11:37:55 PM

Count Ended 5/14/2022 12:23:04 AM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.091	15,750	350.000	349.909
	0.010	125.499	2.789	2.789
Beta sd	0.450	7,358	163.511	163.061
	0.021	85.779	1.906	1.906

Alpha/Beta Count Results

Sample Activity Report

Red 2 (8-11) - C

Addr: 10

Sample ID ICABT-1835503; G

Repeat 13

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/14/2022 12:28:12 AM

Count Ended 5/14/2022 1:13:20 AM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.091	17,857	396.822	396.731
	0.010	133.630	2.970	2.970
Beta sd	0.450	7,808	173.511	173.061
	0.021	88.363	1.964	1.964

Alpha/Beta Count Results

Sample Activity Report

Red 2 (8-11) - C

Addr: 10

Sample ID ICABT-1835503; F

Repeat 14

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/14/2022 1:16:00 AM

Count Ended 5/14/2022 2:01:08 AM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.091	18,150	403.333	403.242
	0.010	134.722	2.994	2.994
Beta sd	0.450	7,844	174.311	173.861
	0.021	88.566	1.968	1.968

Alpha/Beta Count Results

Sample Activity Report

Red 2 (8-11) - C

Addr: 10

Sample ID ICABT-1835503; E

Repeat 15

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/14/2022 6:23:31 AM

Count Ended 5/14/2022 7:08:40 AM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.091	21,382	475.156	475.065
	0.010	146.226	3.249	3.249
Beta sd	0.450	8,716	193.689	193.239
	0.021	93.360	2.075	2.075

Alpha/Beta Count Results

Sample Activity Report

Red 2 (8-11) - C

Addr: 10

Sample ID ICABT-1835503; D

Repeat 16

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/14/2022 7:14:13 AM

Count Ended 5/14/2022 7:59:21 AM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*


	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.091	13,865	308.111	308.020
	0.010	117.750	2.617	2.617
Beta sd	0.450	5,368	119.289	118.839
	0.021	73.267	1.628	1.628

Red 11

Curve is for Gross Beta
Strontium 90
 and
Total Strontium

Detector ID	Std ID	Count Date	Count Time	Beta Counts	DPM	12-Jun
					DPM	
11	6322;B1	6/13/2019 1:11	5	79242	35726.21	
11	6322;B2	6/13/2019 0:12	5	75652	35723.87	13-Jun
11	6322;B3	6/13/2019 0:06	5	76945	15130.400	
11	6322;B4	6/12/2019 12:55	5	72477	15389.000	
11	6322;B5	6/13/2019 12:11	5	69894	14495.400	
11	6322;B6	6/13/2019 10:26	5	69174	13978.800	
11	6322;B7	6/13/2019 8:37	5	67591	13834.800	
11	6322;B8	6/13/2019 2:18	5	64715	13518.200	
					12943.000	

Mass	Measured Efficiency	Theoretical Efficiency	Percent
			Δ Efficiency
0.0092	0.4436	0.4422	0.31%
0.0353	0.4235	0.4309	-1.72%
0.0658	0.4308	0.4186	2.90%
0.0916	0.4057	0.4090	-0.80%
0.1285	0.3913	0.3965	-1.30%
0.1615	0.3873	0.3865	0.21%
0.2003	0.3784	0.3762	0.59%
0.2634	0.3623	0.3628	-0.15%



Standard ID
 Strontium 90
 Sr-90_00004 #6322
 Cert# 80573-334 Ref. date 9/17/2009

Initial Activity: 22560 dpm/mL
 Reference Date: 9/17/2009
 Count Date: 6/12/2019
 Elapsed Time: 3555.000 days
 Half Life: 10555.725 days
 Exponential Term: 0.791804369
 Corrected Activity: 17863.10656 dpm/mL
 Decay Activity (Sr/Y-90) 35726.21312 dpm

Standard ID
 Strontium 90
 Sr-90_00004 #6322
 Cert# 80573-334 Ref. date 9/17/2009

Initial Activity: 22560 dpm/mL
 Reference Date: 9/17/2009
 Count Date: 6/13/2019
 Elapsed Time: 3556.000 days
 Half Life: 10555.725 days
 Exponential Term: 0.791752376
 Corrected Activity: 17861.93361 dpm/mL
 Decay Activity (Sr/Y-90) 35723.86722 dpm

Alpha/Beta Count Results

Sample Activity Report

Red 2 (8-11) - D

Addr: 11

Sample ID ICABT-6322;B4

Repeat

1

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty 0 ml sd 0 ml

Residual Wt 0 mg sd 0 mg

Count Began 6/12/2019 12:55:32 PM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 6/12/2019 1:00:44 PM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	32	6.400	6.400
sd	0.000			0.000	5.657	1.131	1.131
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	72,477	14,495.400	14,495.400
sd	0.000			0.000	269.216	53.843	53.843

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 2 (8-11) - D

Addr: 11

Sample ID ICABT-6322;B3

Repeat

2

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty 0 ml sd 0 ml

Residual Wt 0 mg sd 0 mg

Count Began 6/13/2019 12:06:05 AM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 6/13/2019 12:11:19 AM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	16	3.200	3.200
sd	0.000			0.000	4.000	0.800	0.800
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	76,945	15,389.000	15,389.000
sd	0.000			0.000	277.390	55.478	55.478

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 2 (8-11) - D

Addr: 11

Sample ID ICABT-6322;B2

Repeat

3

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty 0 ml sd 0 ml

Residual Wt 0 mg sd 0 mg

Count Began 6/13/2019 12:12:56 AM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 6/13/2019 12:18:10 AM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	27	5.400	5.400
sd	0.000			0.000	5.196	1.039	1.039
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	75,652	15,130.400	15,130.400
sd	0.000			0.000	275.049	55.010	55.010

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 2 (8-11) - D

Addr: 11

Sample ID ICABT-6322;B1

Repeat

4

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty 0 ml sd 0 ml

Residual Wt 0 mg sd 0 mg

Count Began 6/13/2019 1:11:01 AM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 6/13/2019 1:16:13 AM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	17	3.400	3.400
sd	0.000			0.000	4.123	0.825	0.825
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	79,242	15,848.400	15,848.400
sd	0.000			0.000	281.500	56.300	56.300

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 2 (8-11) - D

Addr: 11

Sample ID ICABT-6322;B8

Repeat

5

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty 0 ml sd 0 ml

Residual Wt 0 mg sd 0 mg

Count Began 6/13/2019 2:18:17 AM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 6/13/2019 2:23:29 AM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	14	2.800	2.800
sd	0.000			0.000	3.742	0.748	0.748
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	64,715	12,943.000	12,943.000
sd	0.000			0.000	254.391	50.878	50.878

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 2 (8-11) - D

Addr: 11

Sample ID ICABT-6322;B7

Repeat 6
Carrier No. 0

Batch ID m122627

Count Method Gross Alpha Beta	Detector Volts	1515
-------------------------------	----------------	------

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 6/13/2019 8:37:29 AM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 6/13/2019 8:42:42 AM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 mins	Background Count Time	.00 mins
-------------------	-----------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	12	2.400	2.400
sd	0.000			0.000	3.464	0.693	0.693
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	67,591	13,518.200	13,518.200
sd	0.000			0.000	259.983	51.997	51.997

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 2 (8-11) - D

Addr: 11

Sample ID ICABT-6322;B6

Repeat

7

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 6/13/2019 10:26:10 AM	Collection Date 1 1/1/1900	Half Life	0.00 days
-----------------------------------	----------------------------	-----------	-----------

Count Ended 6/13/2019 10:31:22 AM	Collection Date 2 1/1/1900	Decay Factor	1.000
-----------------------------------	----------------------------	--------------	-------

Sample Count Time	5.00 mins	Background Count Time	.00 mins
-------------------	-----------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	23	4.600	4.600
sd	0.000			0.000	4.796	0.959	0.959
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	69,174	13,834.800	13,834.800
sd	0.000			0.000	263.010	52.602	52.602

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 2 (8-11) - D

Addr: 11

Sample ID ICABT-6322;B5

Repeat

8

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty 0 ml sd 0 ml

Residual Wt 0 mg sd 0 mg

Count Began 6/13/2019 12:11:50 PM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 6/13/2019 12:17:02 PM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	13	2.600	2.600
sd	0.000			0.000	3.606	0.721	0.721
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	69,894	13,978.800	13,978.800
sd	0.000			0.000	264.375	52.875	52.875

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie


Error = .00 x sd

Curve is for Gross Alpha

Red 11


Detector ID	Sample ID	Count Date	Count Time	Alpha Counts	Net CPM	DPM	Th-230 Efficiency	Standard Aliquot (mL)	Mass	
11	ICABT-1835503; A	5/13/2022	23:37	45	21054	467.867	2254.6	0.2075	1	0.0098
11	ICABT-1835503; B	5/13/2022	22:45	45	19279	428.422	2254.6	0.1900	1	0.0171
11	ICABT-1835503; C	5/13/2022	21:57	45	15649	347.756	2254.6	0.1542	1	0.0282
11	ICABT-1835503; D	5/13/2022	20:49	45	13829	307.311	2254.6	0.1363	1	0.0435
11	ICABT-1835503; E	5/14/2022	7:14	45	21055	467.889	4509.1	0.1038	2	0.0578
11	ICABT-1835503; F	5/14/2022	6:23	45	17820	396.000	4509.1	0.0878	2	0.0756
11	ICABT-1835503; G	5/14/2022	1:16	45	17268	383.733	4509.1	0.0851	2	0.0954
11	ICABT-1835503; H	5/14/2022	0:28	45	15549	345.533	4509.1	0.0766	2	0.1139

Mass	Measured Efficiency	Theoretical Efficiency	Percent		<u>Standard ID</u>
			Δ Efficiency	Efficiency	
0.0098	0.2075	0.2068	0.36%	0.2075	Thorium-230
0.0171	0.1900	0.1874	1.41%	0.1900	Th-230_00052
0.0282	0.1542	0.1609	-4.15%	0.1542	Container#: 1835503
0.0435	0.1363	0.1305	4.48%	0.1363	Cert #: 114474 Ref. date 10/29/2019
0.0578	0.1038	0.1083	-4.16%	0.1038	Activity (dpm) 2254.57
0.0756	0.0878	0.0891	-1.47%	0.0878	
0.0954	0.0851	0.0789	7.87%	0.0851	
0.1139	0.0766	0.0798	-4.03%	0.0766	



X^2 Coeff: 14.848
X Coeff: -3.056
Intercept: 0.2353

Sample ID	Mass	Count Time	Alpha Counts	Beta Counts	Alpha CPM	Beta CPM	% α into β	
ICABT-1835503; A	0.0098	45	21054	7278	467.87	161.73	25.69%	Min
ICABT-1835503; B	0.0171	45	19279	6731	428.42	149.58	25.88%	25.69%
ICABT-1835503; C	0.0282	45	15649	5927	347.76	131.71	27.47%	
ICABT-1835503; D	0.0435	45	13829	5240	307.31	116.44	27.48%	Max
ICABT-1835503; E	0.0578	45	21055	8701	467.89	193.36	29.24%	31.82%
ICABT-1835503; F	0.0756	45	17820	7811	396.00	173.58	30.47%	
ICABT-1835503; G	0.0954	45	17268	7872	383.73	174.93	31.31%	Mean
ICABT-1835503; H	0.1139	45	15549	7258	345.53	161.29	31.82%	28.67%



Alpha/Beta Count Results

Sample Activity Report

Red 2 (8-11) - D

Addr: 11

Sample ID ICABT-1835503; D

Repeat 9

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/13/2022 8:49:00 PM

Count Ended 5/13/2022 9:34:08 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.075	13,829	307.311	307.236
	0.009	117.597	2.613	2.613
Beta sd	0.519	5,240	116.444	115.925
	0.023	72.388	1.609	1.609

Alpha/Beta Count Results

Sample Activity Report

Red 2 (8-11) - D

Addr: 11

Sample ID ICABT-1835503; C

Repeat 10

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/13/2022 9:57:00 PM

Count Ended 5/13/2022 10:42:09 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.075	15,649	347.756	347.681
	0.009	125.096	2.780	2.780
Beta sd	0.519	5,927	131.711	131.192
	0.023	76.987	1.711	1.711

Alpha/Beta Count Results

Sample Activity Report

Red 2 (8-11) - D

Addr: 11

Sample ID ICABT-1835503; B

Repeat 11

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/13/2022 10:45:05 PM

Count Ended 5/13/2022 11:30:15 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.075	19,279	428.422	428.347
	0.009	138.849	3.086	3.086
Beta sd	0.519	6,731	149.578	149.059
	0.023	82.043	1.823	1.823

Alpha/Beta Count Results

Sample Activity Report

Red 2 (8-11) - D

Addr: 11

Sample ID ICABT-1835503; A

Repeat 12

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/13/2022 11:37:18 PM

Count Ended 5/14/2022 12:22:27 AM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.075	21,054	467.867	467.792
	0.009	145.100	3.224	3.224
Beta sd	0.519	7,278	161.733	161.214
	0.023	85.311	1.896	1.896

Alpha/Beta Count Results

Sample Activity Report

Red 2 (8-11) - D

Addr: 11

Sample ID ICABT-1835503; H

Repeat 13

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/14/2022 12:28:17 AM

Count Ended 5/14/2022 1:13:26 AM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.075	15,549	345.533	345.458
	0.009	124.696	2.771	2.771
Beta sd	0.519	7,258	161.289	160.770
	0.023	85.194	1.893	1.893

Alpha/Beta Count Results

Sample Activity Report

Red 2 (8-11) - D

Addr: 11

Sample ID ICABT-1835503; G

Repeat 14

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/14/2022 1:16:06 AM

Count Ended 5/14/2022 2:01:14 AM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.075	17,268	383.733	383.658
	0.009	131.408	2.920	2.920
Beta sd	0.519	7,872	174.933	174.414
	0.023	88.724	1.972	1.972

Alpha/Beta Count Results

Sample Activity Report

Red 2 (8-11) - D

Addr: 11

Sample ID ICABT-1835503; F

Repeat 15

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/14/2022 6:23:47 AM

Count Ended 5/14/2022 7:08:55 AM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.075	17,820	396.000	395.925
	0.009	133.492	2.966	2.966
Beta sd	0.519	7,811	173.578	173.059
	0.023	88.380	1.964	1.964

Alpha/Beta Count Results

Sample Activity Report

Red 2 (8-11) - D

Addr: 11

Sample ID ICABT-1835503; E

Repeat 16

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/14/2022 7:14:23 AM

Count Ended 5/14/2022 7:59:33 AM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*


	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.075	21,055	467.889	467.814
	0.009	145.103	3.225	3.225
Beta sd	0.519	8,701	193.356	192.837
	0.023	93.279	2.073	2.073

Red 12

**Curve is for Gross Beta
Strontium 90
and
Total Strontium**

Detector ID	Std ID	Count Date	Count Time	Beta Counts	DPM	12-Jun
					35726.21	
12	6322;B1	6/13/2019 2:17		5	79449	35723.87
12	6322;B2	6/13/2019 1:11		5	75544	
12	6322;B3	6/13/2019 0:13		5	76462	
12	6322;B4	6/13/2019 0:06		5	72311	
12	6322;B5	6/12/2019 12:55		5	70388	
12	6322;B6	6/13/2019 12:11		5	68563	
12	6322;B7	6/13/2019 10:26		5	67577	
12	6322;B8	6/13/2019 8:37		5	64824	

Mass	Measured Efficiency	Theoretical Efficiency	Percent
			△ Efficiency
0.0092	0.4448	0.4425	0.51%
0.0353	0.4229	0.4307	-1.81%
0.0658	0.4281	0.4180	2.40%
0.0916	0.4048	0.4082	-0.82%
0.1285	0.3940	0.3955	-0.37%
0.1615	0.3838	0.3856	-0.46%
0.2003	0.3783	0.3757	0.70%
0.2634	0.3629	0.3635	-0.17%

**Standard ID**

Strontium 90
Sr-90_00004 #6322
Cert# 80573-334 Ref. date 9/17/2009

Initial Activity: 22560 dpm/mL
Reference Date: 9/17/2009
Count Date: 6/12/2019
Elapsed Time: 3555.000 days
Half Life: 10555.725 days
Exponential Term: 0.791804369
Corrected Activity: 17863.10656 dpm/mL
Decay Activity (Sr/Y-90) 35726.21312 dpm

Standard ID

Strontium 90
Sr-90_00004 #6322
Cert# 80573-334 Ref. date 9/17/2009

Initial Activity: 22560 dpm/mL
Reference Date: 9/17/2009
Count Date: 6/13/2019
Elapsed Time: 3556.000 days
Half Life: 10555.725 days
Exponential Term: 0.791752376
Corrected Activity: 17861.93361 dpm/mL
Decay Activity (Sr/Y-90) 35723.86722 dpm

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - A

Addr: 12

Sample ID ICABT-6322;B5

Repeat

1

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty 0 ml sd 0 ml

Residual Wt 0 mg sd 0 mg

Count Began 6/12/2019 12:55:37 PM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 6/12/2019 1:00:49 PM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	2	0.400	0.400
sd	0.000			0.000	1.414	0.283	0.283
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	70,388	14,077.600	14,077.600
sd	0.000			0.000	265.307	53.061	53.061

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - A

Addr: 12

Sample ID ICABT-6322;B4

Repeat

2

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty 0 ml sd 0 ml

Residual Wt 0 mg sd 0 mg

Count Began 6/13/2019 12:06:09 AM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 6/13/2019 12:11:20 AM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	9	1.800	1.800
sd	0.000			0.000	3.000	0.600	0.600
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	72,311	14,462.200	14,462.200
sd	0.000			0.000	268.907	53.781	53.781

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - A

Addr: 12

Sample ID ICABT-6322;B3

Repeat 3

Carrier No. 0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0 ml	sd	0 ml
------------	------	----	------

Residual Wt	0 mg	sd	0 mg
-------------	------	----	------

Count Began 6/13/2019 12:13:00 AM	Collection Date 1 1/1/1900	Half Life	0.00 days
-----------------------------------	----------------------------	-----------	-----------

Count Ended 6/13/2019 12:18:13 AM	Collection Date 2 1/1/1900	Decay Factor	1.000
-----------------------------------	----------------------------	--------------	-------

Sample Count Time	5.00 mins	Background Count Time	.00 mins
-------------------	-----------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	7	1.400	1.400
sd	0.000			0.000	2.646	0.529	0.529
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	76,462	15,292.400	15,292.400
sd	0.000			0.000	276.518	55.304	55.304

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - A

Addr: 12

Sample ID ICABT-6322;B2

Repeat

4

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty 0 ml sd 0 ml

Residual Wt 0 mg sd 0 mg

Count Began 6/13/2019 1:11:05 AM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 6/13/2019 1:16:17 AM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	6	1.200	1.200
sd	0.000			0.000	2.449	0.490	0.490
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	75,544	15,108.800	15,108.800
sd	0.000			0.000	274.853	54.971	54.971

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - A

Addr: 12

Sample ID ICABT-6322;B1

Repeat

5

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty 0 ml sd 0 ml

Residual Wt 0 mg sd 0 mg

Count Began 6/13/2019 2:17:52 AM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 6/13/2019 2:23:05 AM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	7	1.400	1.400
sd	0.000			0.000	2.646	0.529	0.529
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	79,449	15,889.800	15,889.800
sd	0.000			0.000	281.867	56.373	56.373

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - A

Addr: 12

Sample ID ICABT-6322;B8

Repeat

6

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty 0 ml sd 0 ml

Residual Wt 0 mg sd 0 mg

Count Began 6/13/2019 8:37:38 AM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 6/13/2019 8:42:50 AM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	7	1.400	1.400
sd	0.000			0.000	2.646	0.529	0.529
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	64,824	12,964.800	12,964.800
sd	0.000			0.000	254.606	50.921	50.921

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - A

Addr: 12

Sample ID ICABT-6322;B7

Repeat

7

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0 ml	sd	0 ml
------------	------	----	------

Residual Wt	0 mg	sd	0 mg
-------------	------	----	------

Count Began 6/13/2019 10:26:16 AM	Collection Date 1 1/1/1900	Half Life	0.00 days
-----------------------------------	----------------------------	-----------	-----------

Count Ended 6/13/2019 10:31:28 AM	Collection Date 2 1/1/1900	Decay Factor	1.000
-----------------------------------	----------------------------	--------------	-------

Sample Count Time	5.00 mins	Background Count Time	.00 mins
-------------------	-----------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	3	0.600	0.600
sd	0.000			0.000	1.732	0.346	0.346
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	67,577	13,515.400	13,515.400
sd	0.000			0.000	259.956	51.991	51.991

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - A

Addr: 12

Sample ID ICABT-6322;B6

Repeat

8

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty 0 ml sd 0 ml

Residual Wt 0 mg sd 0 mg

Count Began 6/13/2019 12:11:54 PM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 6/13/2019 12:17:06 PM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	9	1.800	1.800
sd	0.000			0.000	3.000	0.600	0.600
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	68,563	13,712.600	13,712.600
sd	0.000			0.000	261.845	52.369	52.369

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Curve is for Gross Alpha


Red 12

Detector ID	Sample ID	Count Date	Count Time	Alpha Counts	Net CPM	DPM	Th-230 Efficiency	Standard Aliquot (mL)	Mass
12	ICABT-1835503; A	5/14/2022 0:28	45	18862	419.156	2254.6	0.1859	1	0.0098
12	ICABT-1835503; B	5/13/2022 23:37	45	17657	392.378	2254.6	0.1740	1	0.0171
12	ICABT-1835503; C	5/13/2022 22:45	45	13756	305.689	2254.6	0.1356	1	0.0282
12	ICABT-1835503; D	5/13/2022 21:57	45	12560	279.111	2254.6	0.1238	1	0.0435
12	ICABT-1835503; E	5/13/2022 20:49	45	18822	418.267	4509.1	0.0928	2	0.0578
12	ICABT-1835503; F	5/14/2022 7:14	45	15623	347.178	4509.1	0.0770	2	0.0756
12	ICABT-1835503; G	5/14/2022 6:23	45	15473	343.844	4509.1	0.0763	2	0.0954
12	ICABT-1835503; H	5/14/2022 1:16	45	13663	303.622	4509.1	0.0673	2	0.1139


Mass	Measured Efficiency	Theoretical Efficiency	Percent Δ Efficiency
0.0098	0.1859	0.1863	-0.20%
0.0171	0.1740	0.1687	3.19%
0.0282	0.1356	0.1446	-6.23%
0.0435	0.1238	0.1169	5.93%
0.0578	0.0928	0.0967	-4.03%
0.0756	0.0770	0.0792	-2.75%
0.0954	0.0763	0.0697	9.35%
0.1139	0.0673	0.0704	-4.42%

Standard ID
 Thorium-230
 Th-230_00052
 Container#: 1835503
 Cert #: 114474 Ref. date 10/29/2019
 Activity (dpm) 2254.57

X² Coeff: 13.45
 X Coeff: -2.7765
 Intercept: 0.2122



Sample ID	Mass	Count Time	Alpha Counts	Beta Counts	Alpha CPM	Beta CPM	% α into β
ICABT-1835503; A	0.0098	45	18862	8487	419.16	188.60	31.03% Min
ICABT-1835503; B	0.0171	45	17657	8009	392.38	177.98	31.20%
ICABT-1835503; C	0.0282	45	13756	6905	305.69	153.44	33.42%
ICABT-1835503; D	0.0435	45	12560	6270	279.11	139.33	33.30%
ICABT-1835503; E	0.0578	45	18822	10100	418.27	224.44	34.92%
ICABT-1835503; F	0.0756	45	15623	9399	347.18	208.87	37.56%
ICABT-1835503; G	0.0954	45	15473	9199	343.84	204.42	37.29%
ICABT-1835503; H	0.1139	45	13663	8584	303.62	190.76	38.58% Mean
							34.66% Max



Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - A

Addr: 12

Sample ID ICABT-1835503; E

Repeat 9

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/13/2022 8:49:07 PM

Count Ended 5/13/2022 9:34:15 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.074	18,822	418.267	418.193
	0.009	137.193	3.049	3.049
Beta sd	0.395	10,100	224.444	224.049
	0.020	100.499	2.233	2.233

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - A

Addr: 12

Sample ID ICABT-1835503; D

Repeat 10

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/13/2022 9:57:06 PM

Count Ended 5/13/2022 10:42:12 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.074	12,560	279.111	279.037
	0.009	112.071	2.490	2.490
Beta sd	0.395	6,270	139.333	138.938
	0.020	79.183	1.760	1.760

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - A

Addr: 12

Sample ID ICABT-1835503; C

Repeat 11

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/13/2022 10:45:10 PM

Count Ended 5/13/2022 11:30:19 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.074	13,756	305.689	305.615
	0.009	117.286	2.606	2.606
Beta sd	0.395	6,905	153.444	153.049
	0.020	83.096	1.847	1.847

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - A

Addr: 12

Sample ID ICABT-1835503; B

Repeat 12

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/13/2022 11:37:24 PM

Count Ended 5/14/2022 12:22:31 AM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.074	17,657	392.378	392.304
	0.009	132.880	2.953	2.953
Beta sd	0.395	8,009	177.978	177.583
	0.020	89.493	1.989	1.989

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - A

Addr: 12

Sample ID ICABT-1835503; A

Repeat 13

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/14/2022 12:28:23 AM

Count Ended 5/14/2022 1:13:33 AM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.074	18,862	419.156	419.082
	0.009	137.339	3.052	3.052
Beta sd	0.395	8,487	188.600	188.205
	0.020	92.125	2.047	2.047

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - A

Addr: 12

Sample ID ICABT-1835503; H

Repeat 14

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/14/2022 1:16:20 AM

Count Ended 5/14/2022 2:01:26 AM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.074	13,663	303.622	303.548
	0.009	116.889	2.598	2.598
Beta sd	0.395	8,584	190.756	190.361
	0.020	92.650	2.059	2.059

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - A

Addr: 12

Sample ID ICABT-1835503; G

Repeat 15

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/14/2022 6:23:57 AM

Count Ended 5/14/2022 7:09:04 AM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.074	15,473	343.844	343.770
	0.009	124.391	2.764	2.764
Beta sd	0.395	9,199	204.422	204.027
	0.020	95.911	2.131	2.131

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - A

Addr: 12

Sample ID ICABT-1835503; F

Repeat 16

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/14/2022 7:14:33 AM

Count Ended 5/14/2022 7:59:39 AM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.074	15,623	347.178	347.104
	0.009	124.992	2.778	2.778
Beta sd	0.395	9,399	208.867	208.472
	0.020	96.948	2.154	2.155


Red 13

**Curve is for Gross Beta
Strontium 90
and
Total Strontium**

Detector ID	Std ID	Count Date	Count Time	Beta Counts	DPM	12-Jun
					DPM	
13	6322;B1	6/13/2019 8:37		5	78930	35726.21
13	6322;B2	6/13/2019 2:17		5	75883	35723.87
13	6322;B3	6/13/2019 1:11		5	76210	
13	6322;B4	6/13/2019 0:13		5	72786	
13	6322;B5	6/13/2019 0:06		5	69385	
13	6322;B6	6/12/2019 12:55		5	68767	
13	6322;B7	6/13/2019 12:11		5	67433	
13	6322;B8	6/13/2019 10:26		5	64914	

13-Jun	Sr-90 Eff	Standard Aliquot	Sample Wt
	0.4419	1mL	0.0092
	0.4248	1mL	0.0353
	0.4267	1mL	0.0658
	0.4075	1mL	0.0916
	0.3885	1mL	0.1285
	0.3850	1mL	0.1615
	0.3775	1mL	0.2003
	0.3634	1mL	0.2634

Mass	Measured Efficiency	Theoretical Efficiency	Percent
			△ Efficiency
0.0092	0.4419	0.4418	0.02%
0.0353	0.4248	0.4300	-1.19%
0.0658	0.4267	0.4172	2.27%
0.0916	0.4075	0.4074	0.03%
0.1285	0.3885	0.3948	-1.60%
0.1615	0.3850	0.3850	-0.01%
0.2003	0.3775	0.3753	0.59%
0.2634	0.3634	0.3636	-0.06%

**Standard ID**

Strontium 90
Sr-90_00004 #6322
Cert# 80573-334 Ref. date 9/17/2009

Initial Activity: 22560 dpm/mL
Reference Date: 9/17/2009
Count Date: 6/12/2019
Elapsed Time: 3555.000 days
Half Life: 10555.725 days
Exponential Term: 0.791804369
Corrected Activity: 17863.10656 dpm/mL
Decay Activity (Sr/Y-90) 35726.21312 dpm

Standard ID

Strontium 90
Sr-90_00004 #6322
Cert# 80573-334 Ref. date 9/17/2009

Initial Activity: 22560 dpm/mL
Reference Date: 9/17/2009
Count Date: 6/13/2019
Elapsed Time: 3556.000 days
Half Life: 10555.725 days
Exponential Term: 0.791752376
Corrected Activity: 17861.93361 dpm/mL
Decay Activity (Sr/Y-90) 35723.86722 dpm

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - B

Addr: 13

Sample ID ICABT-6322;B6

Repeat

1

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty 0 ml sd 0 ml

Residual Wt 0 mg sd 0 mg

Count Began 6/12/2019 12:55:42 PM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 6/12/2019 1:00:55 PM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	6	1.200	1.200
sd	0.000			0.000	2.449	0.490	0.490
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	68,767	13,753.400	13,753.400
sd	0.000			0.000	262.235	52.447	52.447

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - B

Addr: 13

Sample ID ICABT-6322;B5

Repeat

2

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 6/13/2019 12:06:12 AM	Collection Date 1 1/1/1900	Half Life	0.00 days
-----------------------------------	----------------------------	-----------	-----------

Count Ended 6/13/2019 12:11:24 AM	Collection Date 2 1/1/1900	Decay Factor	1.000
-----------------------------------	----------------------------	--------------	-------

Sample Count Time	5.00 mins	Background Count Time	.00 mins
-------------------	-----------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	3	0.600	0.600
sd	0.000			0.000	1.732	0.346	0.346
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	69,385	13,877.000	13,877.000
sd	0.000			0.000	263.410	52.682	52.682

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - B

Addr: 13

Sample ID ICABT-6322;B4

Repeat

3

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty 0 ml sd 0 ml

Residual Wt 0 mg sd 0 mg

Count Began 6/13/2019 12:13:03 AM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 6/13/2019 12:18:16 AM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	8	1.600	1.600
sd	0.000			0.000	2.828	0.566	0.566
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	72,786	14,557.200	14,557.200
sd	0.000			0.000	269.789	53.958	53.958

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - B

Addr: 13

Sample ID ICABT-6322;B3

Repeat

4

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty 0 ml sd 0 ml

Residual Wt 0 mg sd 0 mg

Count Began 6/13/2019 1:11:07 AM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 6/13/2019 1:16:20 AM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	9	1.800	1.800
sd	0.000			0.000	3.000	0.600	0.600
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	76,210	15,242.000	15,242.000
sd	0.000			0.000	276.062	55.212	55.212

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - B

Addr: 13

Sample ID ICABT-6322;B2

Repeat

5

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty 0 ml sd 0 ml

Residual Wt 0 mg sd 0 mg

Count Began 6/13/2019 2:17:56 AM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 6/13/2019 2:23:09 AM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	5	1.000	1.000
sd	0.000			0.000	2.236	0.447	0.447
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	75,883	15,176.600	15,176.600
sd	0.000			0.000	275.469	55.094	55.094

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - B

Addr: 13

Sample ID ICABT-6322;B1

Repeat

6

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty 0 ml sd 0 ml

Residual Wt 0 mg sd 0 mg

Count Began 6/13/2019 8:37:44 AM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 6/13/2019 8:42:58 AM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	11	2.200	2.200
sd	0.000			0.000	3.317	0.663	0.663
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	78,930	15,786.000	15,786.000
sd	0.000			0.000	280.945	56.189	56.189

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - B

Addr: 13

Sample ID ICABT-6322;B8

Repeat

7

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 6/13/2019 10:26:21 AM	Collection Date 1 1/1/1900	Half Life	0.00 days
-----------------------------------	----------------------------	-----------	-----------

Count Ended 6/13/2019 10:31:34 AM	Collection Date 2 1/1/1900	Decay Factor	1.000
-----------------------------------	----------------------------	--------------	-------

Sample Count Time	5.00 mins	Background Count Time	.00 mins
-------------------	-----------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	5	1.000	1.000
sd	0.000			0.000	2.236	0.447	0.447
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	64,914	12,982.800	12,982.800
sd	0.000			0.000	254.782	50.956	50.956

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - B

Addr: 13

Sample ID ICABT-6322;B7

Repeat	8
Carrier No.	0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 6/13/2019 12:11:57 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 6/13/2019 12:17:09 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 mins	Background Count Time	.00 mins
-------------------	-----------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	4	0.800	0.800
sd	0.000			0.000	2.000	0.400	0.400
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	67,433	13,486.600	13,486.600
sd	0.000			0.000	259.679	51.936	51.936

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Curve is for Gross Alpha


Red 13

Detector ID	Sample ID	Count Date	Count Time	Alpha Counts	Net CPM	DPM	Th-230 Efficiency	Standard Aliquot (mL)	Mass	
13	ICABT-1835503; A	5/14/2022	1:16	45	19936	443.022	2254.6	0.1965	1	0.0098
13	ICABT-1835503; B	5/14/2022	0:28	45	18185	404.111	2254.6	0.1792	1	0.0171
13	ICABT-1835503; C	5/13/2022	23:37	45	14618	324.844	2254.6	0.1441	1	0.0282
13	ICABT-1835503; D	5/13/2022	22:45	45	12996	288.800	2254.6	0.1281	1	0.0435
13	ICABT-1835503; E	5/13/2022	21:57	45	20003	444.511	4509.1	0.0986	2	0.0578
13	ICABT-1835503; F	5/13/2022	20:49	45	16718	371.511	4509.1	0.0824	2	0.0756
13	ICABT-1835503; G	5/14/2022	7:14	45	16196	359.911	4509.1	0.0798	2	0.0954
13	ICABT-1835503; H	5/14/2022	6:24	45	14649	325.533	4509.1	0.0722	2	0.1139


Mass	Measured Efficiency	Percent	
		Theoretical Efficiency	Δ Efficiency
0.0098	0.1965	0.1951	0.71%
0.0171	0.1792	0.1767	1.44%
0.0282	0.1441	0.1516	-4.96%
0.0435	0.1281	0.1227	4.39%
0.0578	0.0986	0.1017	-3.07%
0.0756	0.0824	0.0836	-1.50%
0.0954	0.0798	0.0741	7.73%
0.1139	0.0722	0.0752	-3.99%

Standard ID
 Thorium-230
 Th-230_00052
 Container#: 1835503
 Cert #: 114474 Ref. date 10/29/2019
 Activity (dpm) 2254.57

X² Coeff: 14.153
 X Coeff: -2.9027
 Intercept: 0.2222



Sample ID	Mass	Count Time	Alpha Counts	Beta Counts	Alpha CPM	Beta CPM	% α into β
ICABT-1835503; A	0.0098	45	19936	7548	443.02	167.73	27.46% Min
ICABT-1835503; B	0.0171	45	18185	6933	404.11	154.07	27.60%
ICABT-1835503; C	0.0282	45	14618	6088	324.84	135.29	29.40%
ICABT-1835503; D	0.0435	45	12996	5505	288.80	122.33	29.76%
ICABT-1835503; E	0.0578	45	20003	8982	444.51	199.60	30.99%
ICABT-1835503; F	0.0756	45	16718	8011	371.51	178.02	32.40%
ICABT-1835503; G	0.0954	45	16196	8180	359.91	181.78	33.56%
ICABT-1835503; H	0.1139	45	14649	7472	325.53	166.04	33.78% Mean
							30.62% Max



Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - B

Addr: 13

Sample ID ICABT-1835503; F

Repeat 9

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/13/2022 8:49:12 PM

Count Ended 5/13/2022 9:34:21 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.119	16,718	371.511	371.392
	0.011	129.298	2.873	2.873
Beta sd	0.346	8,011	178.022	177.676
	0.019	89.504	1.989	1.989

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - B

Addr: 13

Sample ID ICABT-1835503; E

Repeat 10

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/13/2022 9:57:12 PM

Count Ended 5/13/2022 10:42:21 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.119	20,003	444.511	444.392
	0.011	141.432	3.143	3.143
Beta sd	0.346	8,982	199.600	199.254
	0.019	94.773	2.106	2.106

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - B

Addr: 13

Sample ID ICABT-1835503; D

Repeat 11

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/13/2022 10:45:15 PM

Count Ended 5/13/2022 11:30:22 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.119	12,996	288.800	288.681
	0.011	114.000	2.533	2.533
Beta sd	0.346	5,505	122.333	121.987
	0.019	74.196	1.649	1.649

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - B

Addr: 13

Sample ID ICABT-1835503; C

Repeat 12

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/13/2022 11:37:29 PM

Count Ended 5/14/2022 12:22:38 AM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.119	14,618	324.844	324.725
	0.011	120.905	2.687	2.687
Beta sd	0.346	6,088	135.289	134.943
	0.019	78.026	1.734	1.734

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - B

Addr: 13

Sample ID ICABT-1835503; B

Repeat 13

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/14/2022 12:28:29 AM

Count Ended 5/14/2022 1:13:36 AM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.119	18,185	404.111	403.992
	0.011	134.852	2.997	2.997
Beta sd	0.346	6,933	154.067	153.721
	0.019	83.265	1.850	1.850

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - B

Addr: 13

Sample ID ICABT-1835503; A

Repeat 14

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/14/2022 1:16:25 AM

Count Ended 5/14/2022 2:01:34 AM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.119	19,936	443.022	442.903
	0.011	141.195	3.138	3.138
Beta sd	0.346	7,548	167.733	167.387
	0.019	86.879	1.931	1.931

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - B

Addr: 13

Sample ID ICABT-1835503; H

Repeat 15

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/14/2022 6:24:23 AM

Count Ended 5/14/2022 7:09:33 AM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.119	14,649	325.533	325.414
	0.011	121.033	2.690	2.690
Beta sd	0.346	7,472	166.044	165.698
	0.019	86.441	1.921	1.921

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - B

Addr: 13

Sample ID ICABT-1835503; G

Repeat 16

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/14/2022 7:14:43 AM

Count Ended 5/14/2022 7:59:50 AM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.119	16,196	359.911	359.792
	0.011	127.264	2.828	2.828
Beta sd	0.346	8,180	181.778	181.432
	0.019	90.443	2.010	2.010


Red 14

**Curve is for Gross Beta
Strontium 90
and
Total Strontium**

Detector ID	Std ID	Count Date	Count Time	Beta Counts	DPM	12-Jun
					DPM	
14	6322;B1	6/13/2019 10:26		5	35726.21	
14	6322;B2	6/13/2019 8:37		5	75628	
14	6322;B3	6/13/2019 2:17		5	76707	
14	6322;B4	6/13/2019 1:11		5	72487	
14	6322;B5	6/13/2019 0:13		5	69272	
14	6322;B6	6/13/2019 0:06		5	68410	
14	6322;B7	6/12/2019 12:55		5	67462	
14	6322;B8	6/13/2019 12:12		5	64224	

Detector ID	Std ID	Count Date	Count Time	Beta Counts	DPM	13-Jun	Sr-90 CPM	Standard Aliquot	Sample Wt
					DPM				
14	6322;B1	6/13/2019 10:26		5	35723.87		15867.400	1mL	0.0092
14	6322;B2	6/13/2019 8:37		5		15125.600	1mL	0.0353	
14	6322;B3	6/13/2019 2:17		5		15341.400	1mL	0.0658	
14	6322;B4	6/13/2019 1:11		5		14497.400	1mL	0.0916	
14	6322;B5	6/13/2019 0:13		5		13854.400	1mL	0.1285	
14	6322;B6	6/13/2019 0:06		5		13682.000	1mL	0.1615	
14	6322;B7	6/12/2019 12:55		5		13492.400	1mL	0.2003	
14	6322;B8	6/13/2019 12:12		5		12844.800	1mL	0.2634	

Mass	Measured Efficiency	Theoretical Efficiency	Percent
			△ Efficiency
0.0092	0.4442	0.4430	0.26%
0.0353	0.4234	0.4308	-1.72%
0.0658	0.4294	0.4177	2.82%
0.0916	0.4058	0.4074	-0.39%
0.1285	0.3878	0.3942	-1.63%
0.1615	0.3830	0.3839	-0.24%
0.2003	0.3777	0.3735	1.12%
0.2634	0.3596	0.3606	-0.28%

**Standard ID**

Strontium 90
Sr-90_00004 #6322
Cert# 80573-334 Ref. date 9/17/2009

Initial Activity: 22560 dpm/mL
Reference Date: 9/17/2009
Count Date: 6/12/2019
Elapsed Time: 3555.000 days
Half Life: 10555.725 days
Exponential Term: 0.791804369
Corrected Activity: 17863.10656 dpm/mL
Decay Activity (Sr/Y-90) 35726.21312 dpm

Standard ID

Strontium 90
Sr-90_00004 #6322
Cert# 80573-334 Ref. date 9/17/2009

Initial Activity: 22560 dpm/mL
Reference Date: 9/17/2009
Count Date: 6/13/2019
Elapsed Time: 3556.000 days
Half Life: 10555.725 days
Exponential Term: 0.791752376
Corrected Activity: 17861.93361 dpm/mL
Decay Activity (Sr/Y-90) 35723.86722 dpm

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - C

Addr: 14

Sample ID ICABT-6322;B7

Repeat 1
Carrier No. 0

Batch ID m122627

Count Method Gross Alpha Beta	Detector Volts 1515
-------------------------------	---------------------

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 6/12/2019 12:55:46 PM	Collection Date 1 1/1/1900	Half Life 0.00 days
Count Ended 6/12/2019 1:00:58 PM	Collection Date 2 1/1/1900	Decay Factor 1.000

Sample Count Time	5.00 mins	Background Count Time	.00 mins
-------------------	-----------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	5	1.000	1.000
sd	0.000			0.000	2.236	0.447	0.447
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	67,462	13,492.400	13,492.400
sd	0.000			0.000	259.734	51.947	51.947

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - C

Addr: 14

Sample ID ICABT-6322;B6

Repeat

2

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0 ml	sd	0 ml
------------	------	----	------

Residual Wt	0 mg	sd	0 mg
-------------	------	----	------

Count Began 6/13/2019 12:06:15 AM	Collection Date 1 1/1/1900	Half Life	0.00 days
-----------------------------------	----------------------------	-----------	-----------

Count Ended 6/13/2019 12:11:27 AM	Collection Date 2 1/1/1900	Decay Factor	1.000
-----------------------------------	----------------------------	--------------	-------

Sample Count Time	5.00 mins	Background Count Time	.00 mins
-------------------	-----------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	6	1.200	1.200
sd	0.000			0.000	2.449	0.490	0.490
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	68,410	13,682.000	13,682.000
sd	0.000			0.000	261.553	52.311	52.311

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - C

Addr: 14

Sample ID ICABT-6322;B5

Repeat 3

Carrier No. 0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty 0 ml sd 0 ml

Residual Wt 0 mg sd 0 mg

Count Began 6/13/2019 12:13:07 AM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 6/13/2019 12:18:20 AM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	8	1.600	1.600
sd	0.000			0.000	2.828	0.566	0.566
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	69,272	13,854.400	13,854.400
sd	0.000			0.000	263.196	52.639	52.639

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - C

Addr: 14

Sample ID ICABT-6322;B4

Repeat

4

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 6/13/2019 1:11:10 AM	Collection Date 1 1/1/1900	Half Life	0.00 days
----------------------------------	----------------------------	-----------	-----------

Count Ended 6/13/2019 1:16:24 AM	Collection Date 2 1/1/1900	Decay Factor	1.000
----------------------------------	----------------------------	--------------	-------

Sample Count Time	5.00 mins	Background Count Time	.00 mins
-------------------	-----------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	5	1.000	1.000
sd	0.000			0.000	2.236	0.447	0.447
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	72,487	14,497.400	14,497.400
sd	0.000			0.000	269.234	53.847	53.847

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - C

Addr: 14

Sample ID ICABT-6322;B3

Repeat

5

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0 ml	sd	0 ml
------------	------	----	------

Residual Wt	0 mg	sd	0 mg
-------------	------	----	------

Count Began 6/13/2019 2:17:59 AM	Collection Date 1 1/1/1900	Half Life	0.00 days
----------------------------------	----------------------------	-----------	-----------

Count Ended 6/13/2019 2:23:13 AM	Collection Date 2 1/1/1900	Decay Factor	1.000
----------------------------------	----------------------------	--------------	-------

Sample Count Time	5.00 mins	Background Count Time	.00 mins
-------------------	-----------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	10	2.000	2.000
sd	0.000			0.000	3.162	0.632	0.632
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	76,707	15,341.400	15,341.400
sd	0.000			0.000	276.960	55.392	55.392

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - C

Addr: 14

Sample ID ICABT-6322;B2

Repeat

6

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty 0 ml sd 0 ml

Residual Wt 0 mg sd 0 mg

Count Began 6/13/2019 8:37:48 AM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 6/13/2019 8:43:01 AM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	8	1.600	1.600
sd	0.000			0.000	2.828	0.566	0.566
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	75,628	15,125.600	15,125.600
sd	0.000			0.000	275.005	55.001	55.001

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - C

Addr: 14

Sample ID ICABT-6322;B1

Repeat

7

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0 ml	sd	0 ml
------------	------	----	------

Residual Wt	0 mg	sd	0 mg
-------------	------	----	------

Count Began 6/13/2019 10:26:27 AM	Collection Date 1 1/1/1900	Half Life	0.00 days
-----------------------------------	----------------------------	-----------	-----------

Count Ended 6/13/2019 10:31:42 AM	Collection Date 2 1/1/1900	Decay Factor	1.000
-----------------------------------	----------------------------	--------------	-------

Sample Count Time	5.00 mins	Background Count Time	.00 mins
-------------------	-----------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	6	1.200	1.200
sd	0.000			0.000	2.449	0.490	0.490
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	79,337	15,867.400	15,867.400
sd	0.000			0.000	281.668	56.334	56.334

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - C

Addr: 14

Sample ID ICABT-6322;B8

Repeat

8

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty 0 ml sd 0 ml

Residual Wt 0 mg sd 0 mg

Count Began 6/13/2019 12:12:05 PM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 6/13/2019 12:17:17 PM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	8	1.600	1.600
sd	0.000			0.000	2.828	0.566	0.566
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	64,224	12,844.800	12,844.800
sd	0.000			0.000	253.425	50.685	50.685

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Curve is for Gross Alpha


Red 14

Detector ID	Sample ID	Count Date	Count Time	Alpha Counts	Net CPM	DPM	Th-230 Efficiency	Standard Aliquot (mL)	Mass	
14	ICABT-1835503; A	5/14/2022	6:24	45	20247	449.933	2254.6	0.1996	1	0.0098
14	ICABT-1835503; B	5/14/2022	1:16	45	18483	410.733	2254.6	0.1822	1	0.0171
14	ICABT-1835503; C	5/14/2022	0:28	45	14876	330.578	2254.6	0.1466	1	0.0282
14	ICABT-1835503; D	5/13/2022	23:37	45	13070	290.444	2254.6	0.1288	1	0.0435
14	ICABT-1835503; E	5/13/2022	22:45	45	20077	446.156	4509.1	0.0989	2	0.0578
14	ICABT-1835503; F	5/13/2022	21:57	45	17266	383.689	4509.1	0.0851	2	0.0756
14	ICABT-1835503; G	5/13/2022	20:49	45	16817	373.711	4509.1	0.0829	2	0.0954
14	ICABT-1835503; H	5/14/2022	7:14	45	14680	326.222	4509.1	0.0723	2	0.1139


Mass	Measured Efficiency	Theoretical Efficiency	Percent Δ Efficiency
0.0098	0.1996	0.1980	0.80%
0.0171	0.1822	0.1793	1.58%
0.0282	0.1466	0.1539	-4.75%
0.0435	0.1288	0.1247	3.30%
0.0578	0.0989	0.1034	-4.35%
0.0756	0.0851	0.0852	-0.10%
0.0954	0.0829	0.0755	9.75%
0.1139	0.0723	0.0766	-5.61%

Standard ID
 Thorium-230
 Th-230_00052
 Container#: 1835503
 Cert #: 114474 Ref. date 10/29/2019
 Activity (dpm) 2254.57

X' Coeff: 14.33
 X Coeff: -2.9382
 Intercept: 0.2254



Sample ID	Mass	Count Time	Alpha Counts	Beta Counts	Alpha CPM	Beta CPM	% α into β
ICABT-1835503; A	0.0098	45	20247	7686	449.93	170.80	27.52% Min
ICABT-1835503; B	0.0171	45	18483	6991	410.73	155.36	27.44%
ICABT-1835503; C	0.0282	45	14876	6132	330.58	136.27	29.19%
ICABT-1835503; D	0.0435	45	13070	5736	290.44	127.47	30.50% Max
ICABT-1835503; E	0.0578	45	20077	9250	446.16	205.56	31.54%
ICABT-1835503; F	0.0756	45	17266	8404	383.69	186.76	32.74%
ICABT-1835503; G	0.0954	45	16817	8271	373.71	183.80	32.97%
ICABT-1835503; H	0.1139	45	14680	7663	326.22	170.29	34.30% Mean
							30.77% Min



Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - C

Addr: 14

Sample ID ICABT-1835503; G

Repeat

9

Carrier No.

0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts

1515

Count Began 5/13/2022 8:49:18 PM

Count Ended 5/13/2022 9:34:26 PM

Sample Count Time

45.00 *mins*

Background Count Time

1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.106	16,817	373.711	373.605
	0.010	129.680	2.882	2.882
Beta sd	0.402	8,271	183.800	183.398
	0.020	90.945	2.021	2.021

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - C

Addr: 14

Sample ID ICABT-1835503; F

Repeat 10

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/13/2022 9:57:18 PM

Count Ended 5/13/2022 10:42:27 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.106	17,266	383.689	383.583
	0.010	131.400	2.920	2.920
Beta sd	0.402	8,404	186.756	186.354
	0.020	91.673	2.037	2.037

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - C

Addr: 14

Sample ID ICABT-1835503; E

Repeat 11

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/13/2022 10:45:22 PM

Count Ended 5/13/2022 11:30:30 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.106	20,077	446.156	446.050
	0.010	141.693	3.149	3.149
Beta sd	0.402	9,250	205.556	205.154
	0.020	96.177	2.137	2.137

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - C

Addr: 14

Sample ID ICABT-1835503; D

Repeat 12

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/13/2022 11:37:34 PM

Count Ended 5/14/2022 12:22:41 AM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.106	13,070	290.444	290.338
	0.010	114.324	2.541	2.541
Beta sd	0.402	5,736	127.467	127.065
	0.020	75.736	1.683	1.683

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - C

Addr: 14

Sample ID ICABT-1835503; C

Repeat 13

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/14/2022 12:28:34 AM

Count Ended 5/14/2022 1:13:42 AM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.106	14,876	330.578	330.472
	0.010	121.967	2.710	2.710
Beta sd	0.402	6,132	136.267	135.865
	0.020	78.307	1.740	1.740

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - C

Addr: 14

Sample ID ICABT-1835503; B

Repeat 14

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/14/2022 1:16:30 AM

Count Ended 5/14/2022 2:01:40 AM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.106	18,483	410.733	410.627
	0.010	135.952	3.021	3.021
Beta sd	0.402	6,991	155.356	154.954
	0.020	83.612	1.858	1.858

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - C

Addr: 14

Sample ID ICABT-1835503; A

Repeat 15

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/14/2022 6:24:35 AM

Count Ended 5/14/2022 7:09:43 AM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.106	20,247	449.933	449.827
	0.010	142.292	3.162	3.162
Beta sd	0.402	7,686	170.800	170.398
	0.020	87.670	1.948	1.948

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - C

Addr: 14

Sample ID ICABT-1835503; H

Repeat 16

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/14/2022 7:14:53 AM

Count Ended 5/14/2022 8:00:01 AM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.106	14,680	326.222	326.116
	0.010	121.161	2.692	2.692
Beta sd	0.402	7,663	170.289	169.887
	0.020	87.539	1.945	1.945


Red 15

**Curve is for Gross Beta
Strontium 90
and
Total Strontium**

Detector ID	Std ID	Count Date	Count Time	Beta Counts
15	6322;B1	6/13/2019 12:12		5 79287
15	6322;B2	6/13/2019 10:26		5 75681
15	6322;B3	6/13/2019 8:37		5 76217
15	6322;B4	6/13/2019 2:18		5 72467
15	6322;B5	6/13/2019 1:11		5 69130
15	6322;B6	6/13/2019 0:13		5 68186
15	6322;B7	6/13/2019 0:06		5 67491
15	6322;B8	6/12/2019 12:55		5 64411

DPM	35726.21	12-Jun
DPM	35723.87	13-Jun
Sr-90		
CPM		
Eff		
Standard Aliquot		
Sample Wt		

Mass	Measured Efficiency	Theoretical Efficiency	Percent
			△ Efficiency
0.0092	0.4439	0.4427	0.26%
0.0353	0.4237	0.4301	-1.50%
0.0658	0.4267	0.4167	2.41%
0.0916	0.4057	0.4063	-0.15%
0.1285	0.3870	0.3932	-1.56%
0.1615	0.3817	0.3831	-0.35%
0.2003	0.3778	0.3732	1.25%
0.2634	0.3606	0.3617	-0.31%

**Standard ID**

Strontium 90
Sr-90_00004 #6322
Cert# 80573-334 Ref. date 9/17/2009

Initial Activity: 22560 dpm/mL
Reference Date: 9/17/2009
Count Date: 6/12/2019
Elapsed Time: 3555.000 days
Half Life: 10555.725 days
Exponential Term: 0.791804369
Corrected Activity: 17863.10656 dpm/mL
Decay Activity (Sr/Y-90) 35726.21312 dpm

Standard ID

Strontium 90
Sr-90_00004 #6322
Cert# 80573-334 Ref. date 9/17/2009

Initial Activity: 22560 dpm/mL
Reference Date: 9/17/2009
Count Date: 6/13/2019
Elapsed Time: 3556.000 days
Half Life: 10555.725 days
Exponential Term: 0.791752376
Corrected Activity: 17861.93361 dpm/mL
Decay Activity (Sr/Y-90) 35723.86722 dpm

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - D

Addr: 15

Sample ID ICABT-6322;B8

Repeat

1

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty 0 ml sd 0 ml

Residual Wt 0 mg sd 0 mg

Count Began 6/12/2019 12:55:50 PM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 6/12/2019 1:01:01 PM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	10	2.000	2.000
sd	0.000			0.000	3.162	0.632	0.632
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	64,411	12,882.200	12,882.200
sd	0.000			0.000	253.793	50.759	50.759

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - D

Addr: 15

Sample ID ICABT-6322;B7

Repeat 2
Carrier No. 0

Batch ID m122627

Count Method Gross Alpha Beta	Detector Volts 1515
-------------------------------	---------------------

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 6/13/2019 12:06:21 AM	Collection Date 1 1/1/1900	Half Life 0.00 days
Count Ended 6/13/2019 12:11:32 AM	Collection Date 2 1/1/1900	Decay Factor 1.000

Sample Count Time	5.00 mins	Background Count Time	.00 mins
-------------------	-----------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	11	2.200	2.200
sd	0.000			0.000	3.317	0.663	0.663
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	67,491	13,498.200	13,498.200
sd	0.000			0.000	259.790	51.958	51.958

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - D

Addr: 15

Sample ID ICABT-6322;B6

Repeat

3

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty 0 ml sd 0 ml

Residual Wt 0 mg sd 0 mg

Count Began 6/13/2019 12:13:10 AM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 6/13/2019 12:18:23 AM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	4	0.800	0.800
sd	0.000			0.000	2.000	0.400	0.400
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	68,186	13,637.200	13,637.200
sd	0.000			0.000	261.124	52.225	52.225

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - D

Addr: 15

Sample ID ICABT-6322;B5

Repeat

4

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty 0 ml sd 0 ml

Residual Wt 0 mg sd 0 mg

Count Began 6/13/2019 1:11:13 AM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 6/13/2019 1:16:24 AM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	3	0.600	0.600
sd	0.000			0.000	1.732	0.346	0.346
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	69,130	13,826.000	13,826.000
sd	0.000			0.000	262.926	52.585	52.585

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - D

Addr: 15

Sample ID ICABT-6322;B4

Repeat

5

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty 0 ml sd 0 ml

Residual Wt 0 mg sd 0 mg

Count Began 6/13/2019 2:18:02 AM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 6/13/2019 2:23:13 AM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	8	1.600	1.600
sd	0.000			0.000	2.828	0.566	0.566
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	72,467	14,493.400	14,493.400
sd	0.000			0.000	269.197	53.839	53.839

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - D

Addr: 15

Sample ID ICABT-6322;B3

Repeat 6
Carrier No. 0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 6/13/2019 8:37:52 AM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 6/13/2019 8:43:04 AM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 mins	Background Count Time	.00 mins
-------------------	-----------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	6	1.200	1.200
sd	0.000			0.000	2.449	0.490	0.490
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	76,217	15,243.400	15,243.400
sd	0.000			0.000	276.074	55.215	55.215

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - D

Addr: 15

Sample ID ICABT-6322;B2

Repeat

7

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty 0 ml sd 0 ml

Residual Wt 0 mg sd 0 mg

Count Began 6/13/2019 10:26:31 AM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 6/13/2019 10:31:45 AM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	5	1.000	1.000
sd	0.000			0.000	2.236	0.447	0.447
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	75,681	15,136.200	15,136.200
sd	0.000			0.000	275.102	55.020	55.020

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - D

Addr: 15

Sample ID ICABT-6322;B1

Repeat

8

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty 0 ml sd 0 ml

Residual Wt 0 mg sd 0 mg

Count Began 6/13/2019 12:12:12 PM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 6/13/2019 12:17:24 PM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	12	2.400	2.400
sd	0.000			0.000	3.464	0.693	0.693
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	79,287	15,857.400	15,857.400
sd	0.000			0.000	281.579	56.316	56.316

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Curve is for Gross Alpha


Red 15

Detector ID	Sample ID	Count Date	Count Time	Alpha Counts	Net CPM	DPM	Th-230 Efficiency	Standard Aliquot (mL)	Mass	
15	ICABT-1835503; A	5/14/2022	7:15	45	19825	440.556	2254.6	0.1954	1	0.0098
15	ICABT-1835503; B	5/14/2022	6:24	45	18463	410.289	2254.6	0.1820	1	0.0171
15	ICABT-1835503; C	5/14/2022	1:16	45	14810	329.111	2254.6	0.1460	1	0.0282
15	ICABT-1835503; D	5/14/2022	0:28	45	13064	290.311	2254.6	0.1288	1	0.0435
15	ICABT-1835503; E	5/13/2022	23:37	45	20108	446.844	4509.1	0.0991	2	0.0578
15	ICABT-1835503; F	5/13/2022	22:45	45	16920	376.000	4509.1	0.0834	2	0.0756
15	ICABT-1835503; G	5/13/2022	21:57	45	16353	363.400	4509.1	0.0806	2	0.0954
15	ICABT-1835503; H	5/13/2022	20:49	45	14713	326.956	4509.1	0.0725	2	0.1139


Mass	Measured Efficiency	Percent Δ	
		Theoretical Efficiency	Efficiency
0.0098	0.1954	0.1958	-0.22%
0.0171	0.1820	0.1776	2.49%
0.0282	0.1460	0.1526	-4.35%
0.0435	0.1288	0.1238	3.97%
0.0578	0.0991	0.1028	-3.65%
0.0756	0.0834	0.0847	-1.50%
0.0954	0.0806	0.0748	7.77%
0.1139	0.0725	0.0754	-3.85%

Standard ID
 Thorium-230
 Th-230_00052
 Container#: 1835503
 Cert #: 114474 Ref. date 10/29/2019
 Activity (dpm) 2254.57

X² Coeff: 13.912
 X Coeff: -2.8777
 Intercept: 0.2227



Sample ID	Mass	Count Time	Alpha Counts	Beta Counts	Alpha CPM	Beta CPM	% α into β
ICABT-1835503; A	0.0098	45	19825	7441	440.56	165.36	27.29% Min
ICABT-1835503; B	0.0171	45	18463	7007	410.29	155.71	27.51%
ICABT-1835503; C	0.0282	45	14810	6055	329.11	134.56	29.02%
ICABT-1835503; D	0.0435	45	13064	5556	290.31	123.47	29.84% Max
ICABT-1835503; E	0.0578	45	20108	9301	446.84	206.69	31.63% 33.70%
ICABT-1835503; F	0.0756	45	16920	8222	376.00	182.71	32.70%
ICABT-1835503; G	0.0954	45	16353	8245	363.40	183.22	33.52% Mean
ICABT-1835503; H	0.1139	45	14713	7480	326.96	166.22	33.70% 30.65%



Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - D

Addr: 15

Sample ID ICABT-1835503; H

Repeat 9

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/13/2022 8:49:22 PM

Count Ended 5/13/2022 9:34:29 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.111	14,713	326.956	326.845
	0.011	121.297	2.695	2.696
Beta sd	0.351	7,480	166.222	165.871
	0.019	86.487	1.922	1.922

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - D

Addr: 15

Sample ID ICABT-1835503; G

Repeat 10

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/13/2022 9:57:23 PM

Count Ended 5/13/2022 10:42:32 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.111	16,353	363.400	363.289
	0.011	127.879	2.842	2.842
Beta sd	0.351	8,245	183.222	182.871
	0.019	90.802	2.018	2.018

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - D

Addr: 15

Sample ID ICABT-1835503; F

Repeat 11

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/13/2022 10:45:27 PM

Count Ended 5/13/2022 11:30:35 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.111	16,920	376.000	375.889
	0.011	130.077	2.891	2.891
Beta sd	0.351	8,222	182.711	182.360
	0.019	90.675	2.015	2.015

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - D

Addr: 15

Sample ID ICABT-1835503; E

Repeat 12

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/13/2022 11:37:39 PM

Count Ended 5/14/2022 12:22:47 AM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.111	20,108	446.844	446.733
	0.011	141.803	3.151	3.151
Beta sd	0.351	9,301	206.689	206.338
	0.019	96.442	2.143	2.143

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - D

Addr: 15

Sample ID ICABT-1835503; D

Repeat 13

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/14/2022 12:28:38 AM

Count Ended 5/14/2022 1:13:45 AM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.111	13,064	290.311	290.200
	0.011	114.298	2.540	2.540
Beta sd	0.351	5,556	123.467	123.116
	0.019	74.539	1.656	1.657

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - D

Addr: 15

Sample ID ICABT-1835503; C

Repeat 14

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/14/2022 1:16:34 AM

Count Ended 5/14/2022 2:01:43 AM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.111	14,810	329.111	329.000
	0.011	121.696	2.704	2.704
Beta sd	0.351	6,055	134.556	134.205
	0.019	77.814	1.729	1.729

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - D

Addr: 15

Sample ID ICABT-1835503; B

Repeat 15

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/14/2022 6:24:44 AM

Count Ended 5/14/2022 7:09:53 AM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.111	18,463	410.289	410.178
	0.011	135.879	3.020	3.020
Beta sd	0.351	7,007	155.711	155.360
	0.019	83.708	1.860	1.860

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - D

Addr: 15

Sample ID ICABT-1835503; A

Repeat 16

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/14/2022 7:15:03 AM

Count Ended 5/14/2022 8:00:13 AM


Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.111	19,825	440.556	440.445
	0.011	140.801	3.129	3.129
Beta sd	0.351	7,441	165.356	165.005
	0.019	86.261	1.917	1.917

Curve is for Gross Beta
 Strontium 90
 and
 Total Strontium

Detector ID	Std ID	Count Date	Count Time	Beta Counts	DPM	DPM	Standard Aliquot	Sample Wt
					CPM			
16	6322;B1	6/13/2019 14:37		5	79556	35723.87	13-Jun	
16	6322;B2	6/14/2019 12:27		5	75734	35721.52	14-Jun	
16	6322;B3	6/14/2019 11:22		5	76594			
16	6322;B4	6/14/2019 1:01		5	72770	15911.200	0.4454	1mL 0.0092
16	6322;B5	6/13/2019 22:55		5	70069	15146.800	0.4240	1mL 0.0353
16	6322;B6	6/13/2019 22:07		5	68814	15318.800	0.4288	1mL 0.0658
16	6322;B7	6/13/2019 20:42		5	67634	14554.000	0.4074	1mL 0.0916
16	6322;B8	6/13/2019 20:16		5	64785	14013.800	0.3923	1mL 0.1285

Mass	Measured Efficiency	Theoretical Efficiency	Percent
			Δ Efficiency
0.0092	0.4454	0.4434	0.44%
0.0353	0.4240	0.4316	-1.76%
0.0658	0.4288	0.4189	2.38%
0.0916	0.4074	0.4090	-0.37%
0.1285	0.3923	0.3962	-0.98%
0.1615	0.3853	0.3861	-0.22%
0.2003	0.3786	0.3759	0.72%
0.2634	0.3627	0.3633	-0.16%

**Standard ID**

Strontium 90
 Sr-90_00004 #6322
 Cert# 80573-334 Ref. date 9/17/2009

Initial Activity: 22560 dpm/mL

Reference Date: 9/17/2009

Count Date: 6/13/2019

Elapsed Time: 3556.000 days

Half Life: 10555.725 days

Exponential Term: 0.791752376

Corrected Activity: 17861.93361 dpm/mL

Decay Activity (Sr/Y-90) 35723.86722 dpm

Standard ID

Strontium 90
 Sr-90_00004 #6322
 Cert# 80573-334 Ref. date 9/17/2009

Initial Activity: 22560 dpm/mL

Reference Date: 9/17/2009

Count Date: 6/14/2019

Elapsed Time: 3557.000 days

Half Life: 10555.725 days

Exponential Term: 0.791700387

Corrected Activity: 17860.76073 dpm/mL

Decay Activity (Sr/Y-90) 35721.52147 dpm

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - A

Addr: 16

Sample ID ICABT-6322;B1

Repeat 1
Carrier No. 0

Batch ID m122627

Count Method Gross Alpha Beta	Detector Volts 1515
-------------------------------	---------------------

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 6/13/2019 2:37:15 PM	Collection Date 1 1/1/1900	Half Life 0.00 days
Count Ended 6/13/2019 2:42:27 PM	Collection Date 2 1/1/1900	Decay Factor 1.000

Sample Count Time	5.00 mins	Background Count Time	.00 mins
-------------------	-----------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	11	2.200	2.200
sd	0.000			0.000	3.317	0.663	0.663
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	79,556	15,911.200	15,911.200
sd	0.000			0.000	282.057	56.411	56.411

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - A

Addr: 16

Sample ID ICABT-6322;B8

Repeat

2

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty 0 ml sd 0 ml

Residual Wt 0 mg sd 0 mg

Count Began 6/13/2019 8:16:13 PM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 6/13/2019 8:21:24 PM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	11	2.200	2.200
sd	0.000			0.000	3.317	0.663	0.663
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	64,785	12,957.000	12,957.000
sd	0.000			0.000	254.529	50.906	50.906

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - A

Addr: 16

Sample ID ICABT-6322;B7

Repeat 3
Carrier No. 0

Batch ID m122627

Count Method Gross Alpha Beta	Detector Volts 1515
-------------------------------	---------------------

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 6/13/2019 8:42:25 PM	Collection Date 1 1/1/1900	Half Life 0.00 days
Count Ended 6/13/2019 8:47:38 PM	Collection Date 2 1/1/1900	Decay Factor 1.000

Sample Count Time	5.00 mins	Background Count Time	.00 mins
-------------------	-----------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	11	2.200	2.200
sd	0.000			0.000	3.317	0.663	0.663
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	67,634	13,526.800	13,526.800
sd	0.000			0.000	260.065	52.013	52.013

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - A

Addr: 16

Sample ID ICABT-6322;B6

Repeat

4

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty 0 ml sd 0 ml

Residual Wt 0 mg sd 0 mg

Count Began 6/13/2019 10:07:55 PM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 6/13/2019 10:13:07 PM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	9	1.800	1.800
sd	0.000			0.000	3.000	0.600	0.600
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	68,814	13,762.800	13,762.800
sd	0.000			0.000	262.324	52.465	52.465

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - A

Addr: 16

Sample ID ICABT-6322;B5

Repeat

5

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty 0 ml sd 0 ml

Residual Wt 0 mg sd 0 mg

Count Began 6/13/2019 10:55:41 PM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 6/13/2019 11:00:54 PM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	7	1.400	1.400
sd	0.000			0.000	2.646	0.529	0.529
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	70,069	14,013.800	14,013.800
sd	0.000			0.000	264.705	52.941	52.941

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - A

Addr: 16

Sample ID ICABT-6322;B4

Repeat

6

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty 0 ml sd 0 ml

Residual Wt 0 mg sd 0 mg

Count Began 6/14/2019 1:01:57 AM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 6/14/2019 1:07:10 AM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	13	2.600	2.600
sd	0.000			0.000	3.606	0.721	0.721
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	72,770	14,554.000	14,554.000
sd	0.000			0.000	269.759	53.952	53.952

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - A

Addr: 16

Sample ID ICABT-6322;B3

Repeat

7

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty 0 ml sd 0 ml

Residual Wt 0 mg sd 0 mg

Count Began 6/14/2019 11:22:25 AM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 6/14/2019 11:27:39 AM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	4	0.800	0.800
sd	0.000			0.000	2.000	0.400	0.400
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	76,594	15,318.800	15,318.800
sd	0.000			0.000	276.756	55.351	55.351

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - A

Addr: 16

Sample ID ICABT-6322;B2

Repeat

8

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty 0 ml sd 0 ml

Residual Wt 0 mg sd 0 mg

Count Began 6/14/2019 12:27:22 PM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 6/14/2019 12:32:36 PM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	15	3.000	3.000
sd	0.000			0.000	3.873	0.775	0.775
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	75,734	15,146.800	15,146.800
sd	0.000			0.000	275.198	55.040	55.040

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Curve is for Gross Alpha


Red 16

Detector ID	Sample ID	Count Date	Count Time	Alpha Counts	Net CPM	DPM	Th-230 Efficiency	Standard Aliquot (mL)	Mass	
16	ICABT-1835503; A	5/14/2022	8:32	45	20553	456.733	2254.6	0.2026	1	0.0098
16	ICABT-1835503; B	5/15/2022	17:41	45	18931	420.689	2254.6	0.1866	1	0.0171
16	ICABT-1835503; C	5/15/2022	16:52	45	15373	341.622	2254.6	0.1515	1	0.0282
16	ICABT-1835503; D	5/15/2022	16:04	45	13744	305.422	2254.6	0.1355	1	0.0435
16	ICABT-1835503; E	5/15/2022	15:16	45	20662	459.156	4509.1	0.1018	2	0.0578
16	ICABT-1835503; F	5/15/2022	14:25	45	17511	389.133	4509.1	0.0863	2	0.0756
16	ICABT-1835503; G	5/15/2022	13:35	45	16609	369.089	4509.1	0.0819	2	0.0954
16	ICABT-1835503; H	5/15/2022	12:46	45	15069	334.867	4509.1	0.0743	2	0.1139


Mass	Measured Efficiency	Theoretical Efficiency	Percent	
			Efficiency	Δ Efficiency
0.0098	0.2026	0.2024	0.08%	
0.0171	0.1866	0.1837	1.58%	
0.0282	0.1515	0.1581	-4.14%	
0.0435	0.1355	0.1284	5.48%	
0.0578	0.1018	0.1067	-4.54%	
0.0756	0.0863	0.0876	-1.47%	
0.0954	0.0819	0.0768	6.58%	
0.1139	0.0743	0.0767	-3.13%	

Standard ID
 Thorium-230
 Th-230_00052
 Container#: 1835503
 Cert #: 114474 Ref. date 10/29/2019
 Activity (dpm) 2254.57

X^c Coeff: 14.022
 X Coeff: -2.9425
 Intercept: 0.2299



Sample ID	Mass	Count Time	Alpha Counts	Beta Counts	Alpha CPM	Beta CPM	% α into β
ICABT-1835503; A	0.0098	45	20553	7539	456.73	167.53	26.84% Min
ICABT-1835503; B	0.0171	45	18931	6887	420.69	153.04	26.68%
ICABT-1835503; C	0.0282	45	15373	6112	341.62	135.82	28.45%
ICABT-1835503; D	0.0435	45	13744	5641	305.42	125.36	29.10%
ICABT-1835503; E	0.0578	45	20662	9151	459.16	203.36	30.69%
ICABT-1835503; F	0.0756	45	17511	8240	389.13	183.11	32.00%
ICABT-1835503; G	0.0954	45	16609	8204	369.09	182.31	33.06%
ICABT-1835503; H	0.1139	45	15069	7473	334.87	166.07	33.15% Mean
							30.00% Max



Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - A

Addr: 16

Sample ID ICABT-1835503; A

Repeat

7

Carrier No.

0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts

1515

Count Began 5/14/2022 8:32:29 AM

Count Ended 5/14/2022 9:17:45 AM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.078	20,553	456.733	456.655
	0.009	143.363	3.186	3.186
Beta sd	0.356	7,539	167.533	167.177
	0.019	86.827	1.929	1.930

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - A

Addr: 16

Sample ID ICABT-1835503; H

Repeat 8

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/15/2022 12:46:26 PM

Count Ended 5/15/2022 1:31:33 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.078	15,069	334.867	334.789
	0.009	122.756	2.728	2.728
Beta sd	0.356	7,473	166.067	165.711
	0.019	86.447	1.921	1.921

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - A

Addr: 16

Sample ID ICABT-1835503; G

Repeat 9

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/15/2022 1:35:33 PM

Count Ended 5/15/2022 2:20:40 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.078	16,609	369.089	369.011
	0.009	128.876	2.864	2.864
Beta sd	0.356	8,204	182.311	181.955
	0.019	90.576	2.013	2.013

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - A

Addr: 16

Sample ID ICABT-1835503; F

Repeat 10

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/15/2022 2:25:35 PM

Count Ended 5/15/2022 3:10:43 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.078	17,511	389.133	389.055
	0.009	132.329	2.941	2.941
Beta sd	0.356	8,240	183.111	182.755
	0.019	90.774	2.017	2.017

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - A

Addr: 16

Sample ID ICABT-1835503; E

Repeat 11

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/15/2022 3:16:22 PM

Count Ended 5/15/2022 4:01:31 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.078	20,662	459.156	459.078
	0.009	143.743	3.194	3.194
Beta sd	0.356	9,151	203.356	203.000
	0.019	95.661	2.126	2.126

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - A

Addr: 16

Sample ID ICABT-1835503; D

Repeat 12

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/15/2022 4:04:28 PM

Count Ended 5/15/2022 4:49:35 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.078	13,744	305.422	305.344
	0.009	117.235	2.605	2.605
Beta sd	0.356	5,641	125.356	125.000
	0.019	75.107	1.669	1.669

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - A

Addr: 16

Sample ID ICABT-1835503; C

Repeat 13

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/15/2022 4:52:51 PM

Count Ended 5/15/2022 5:37:58 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.078	15,373	341.622	341.544
	0.009	123.988	2.755	2.755
Beta sd	0.356	6,112	135.822	135.466
	0.019	78.179	1.737	1.737

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - A

Addr: 16

Sample ID ICABT-1835503; B

Repeat 14

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/15/2022 5:41:17 PM

Count Ended 5/15/2022 6:26:25 PM


Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.078	18,931	420.689	420.611
	0.009	137.590	3.058	3.058
Beta sd	0.356	6,887	153.044	152.688
	0.019	82.988	1.844	1.844

Curve is for Gross Beta
 Strontium 90
 and
 Total Strontium

Detector	Std ID	Count Date	Count Time	Beta Counts	DPM	Sr-90 Eff	Standard Aliquot	Sample Wt
					DPM			
17	6322;B1	6/13/2019 20:15		5	35723.87	13-Jun		
17	6322;B2	6/13/2019 14:37		5	35721.52	14-Jun		
17	6322;B3	6/14/2019 12:27		5	15980.400	0.4473	1mL	0.0092
17	6322;B4	6/14/2019 11:22		5	15291.600	0.4280	1mL	0.0353
17	6322;B5	6/14/2019 1:02		5	15398.200	0.4311	1mL	0.0658
17	6322;B6	6/13/2019 22:55		5	14663.200	0.4105	1mL	0.0916
17	6322;B7	6/13/2019 22:07		5	13969.800	0.3911	1mL	0.1285
17	6322;B8	6/13/2019 20:42		5	13848.000	0.3876	1mL	0.1615
17				5	13612.000	0.3810	1mL	0.2003
17				5	12984.600	0.3635	1mL	0.2634

Mass	Measured Efficiency	Theoretical Efficiency	Percent
			△ Efficiency
0.0092	0.4473	0.4463	0.22%
0.0353	0.4280	0.4342	-1.43%
0.0658	0.4311	0.4212	2.35%
0.0916	0.4105	0.4110	-0.13%
0.1285	0.3911	0.3979	-1.72%
0.1615	0.3876	0.3876	0.00%
0.2003	0.3810	0.3773	0.99%
0.2634	0.3635	0.3644	-0.26%



Standard ID
 Strontium 90
 Sr-90_00004 #6322
 Cert# 80573-334 Ref. date 9/17/2009

Initial Activity: 22560 dpm/mL
 Reference Date: 9/17/2009
 Count Date: 6/13/2019
 Elapsed Time: 3556.000 days
 Half Life: 10555.725 days
 Exponential Term: 0.791752376
 Corrected Activity: 17861.93361 dpm/mL
 Decay Activity (Sr/Y-90) 35723.86722 dpm

Standard ID
 Strontium 90
 Sr-90_00004 #6322
 Cert# 80573-334 Ref. date 9/17/2009

Initial Activity: 22560 dpm/mL
 Reference Date: 9/17/2009
 Count Date: 6/14/2019
 Elapsed Time: 3557.000 days
 Half Life: 10555.725 days
 Exponential Term: 0.791700387
 Corrected Activity: 17860.76073 dpm/mL
 Decay Activity (Sr/Y-90) 35721.52147 dpm

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - B

Addr: 17

Sample ID ICABT-6322;B2

Repeat

1

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty 0 ml sd 0 ml

Residual Wt 0 mg sd 0 mg

Count Began 6/13/2019 2:37:24 PM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 6/13/2019 2:42:37 PM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	4	0.800	0.800
sd	0.000			0.000	2.000	0.400	0.400
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	76,458	15,291.600	15,291.600
sd	0.000			0.000	276.510	55.302	55.302

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - B

Addr: 17

Sample ID ICABT-6322;B1

Repeat

2

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty 0 ml sd 0 ml

Residual Wt 0 mg sd 0 mg

Count Began 6/13/2019 8:15:49 PM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 6/13/2019 8:21:04 PM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	3	0.600	0.600
sd	0.000			0.000	1.732	0.346	0.346
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	79,902	15,980.400	15,980.400
sd	0.000			0.000	282.669	56.534	56.534

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - B

Addr: 17

Sample ID ICABT-6322;B8

Repeat

3

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty 0 ml sd 0 ml

Residual Wt 0 mg sd 0 mg

Count Began 6/13/2019 8:42:29 PM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 6/13/2019 8:47:41 PM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	5	1.000	1.000
sd	0.000			0.000	2.236	0.447	0.447
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	64,923	12,984.600	12,984.600
sd	0.000			0.000	254.800	50.960	50.960

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - B

Addr: 17

Sample ID ICABT-6322;B7

Repeat	4
Carrier No.	0

Batch ID m122627

Count Method Gross Alpha Beta	Detector Volts	1515
-------------------------------	----------------	------

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 6/13/2019 10:07:59 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 6/13/2019 10:13:12 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 mins	Background Count Time	.00 mins
-------------------	-----------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	2	0.400	0.400
sd	0.000			0.000	1.414	0.283	0.283
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	68,060	13,612.000	13,612.000
sd	0.000			0.000	260.883	52.177	52.177

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - B

Addr: 17

Sample ID ICABT-6322;B6

Repeat

5

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty 0 ml sd 0 ml

Residual Wt 0 mg sd 0 mg

Count Began 6/13/2019 10:55:44 PM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 6/13/2019 11:00:57 PM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	4	0.800	0.800
sd	0.000			0.000	2.000	0.400	0.400
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	69,240	13,848.000	13,848.000
sd	0.000			0.000	263.135	52.627	52.627

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - B

Addr: 17

Sample ID ICABT-6322;B5

Repeat 6
Carrier No. 0

Batch ID m122627

Count Method Gross Alpha Beta	Detector Volts 1515
-------------------------------	---------------------

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 6/14/2019 1:02:01 AM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 6/14/2019 1:07:13 AM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 mins	Background Count Time	.00 mins
-------------------	-----------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	1	0.200	0.200
sd	0.000			0.000	1.000	0.200	0.200
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	69,849	13,969.800	13,969.800
sd	0.000			0.000	264.290	52.858	52.858

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - B

Addr: 17

Sample ID ICABT-6322;B4

Repeat

7

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty 0 ml sd 0 ml

Residual Wt 0 mg sd 0 mg

Count Began 6/14/2019 11:22:31 AM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 6/14/2019 11:27:43 AM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	0	0.000	0.000
sd	0.000			0.000	0.000	0.000	0.000
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	73,316	14,663.200	14,663.200
sd	0.000			0.000	270.769	54.154	54.154

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - B

Addr: 17

Sample ID ICABT-6322;B3

Repeat

8

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty 0 ml sd 0 ml

Residual Wt 0 mg sd 0 mg

Count Began 6/14/2019 12:27:27 PM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 6/14/2019 12:32:39 PM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	3	0.600	0.600
sd	0.000			0.000	1.732	0.346	0.346
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	76,991	15,398.200	15,398.200
sd	0.000			0.000	277.473	55.495	55.495

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Curve is for Gross Alpha

Red 17


Detector ID	Sample ID	Count Date	Count Time	Alpha Counts	Net CPM	DPM	Th-230 Efficiency	Standard Aliquot (mL)	Mass	
17	ICABT-1835503; A	5/15/2022	12:46	45	20482	455.156	2254.6	0.2019	1	0.0098
17	ICABT-1835503; B	5/14/2022	8:32	45	18829	418.422	2254.6	0.1856	1	0.0171
17	ICABT-1835503; C	5/15/2022	17:41	45	15270	339.333	2254.6	0.1505	1	0.0282
17	ICABT-1835503; D	5/15/2022	16:52	45	13540	300.889	2254.6	0.1335	1	0.0435
17	ICABT-1835503; E	5/15/2022	16:04	45	20545	456.556	4509.1	0.1013	2	0.0578
17	ICABT-1835503; F	5/15/2022	15:16	45	17383	386.289	4509.1	0.0857	2	0.0756
17	ICABT-1835503; G	5/15/2022	14:25	45	16717	371.489	4509.1	0.0824	2	0.0954
17	ICABT-1835503; H	5/15/2022	13:35	45	14964	332.533	4509.1	0.0737	2	0.1139

Mass	Measured Efficiency	Theoretical Efficiency	Percent
			Δ Efficiency
0.0098	0.2019	0.2015	0.21%
0.0171	0.1856	0.1827	1.58%
0.0282	0.1505	0.1571	-4.19%
0.0435	0.1335	0.1275	4.68%
0.0578	0.1013	0.1058	-4.33%
0.0756	0.0857	0.0870	-1.48%
0.0954	0.0824	0.0765	7.69%
0.1139	0.0737	0.0768	-3.93%


Standard ID

Thorium-230
Th-230_00052
Container#: 1835503
Cert #: 114474 Ref. date 10/29/2019
Activity (dpm) 2254.57

X² Coeff: 14.161
X Coeff: -2.9495
Intercept: 0.229



Sample ID	Mass	Count Time	Alpha Counts	Beta Counts	Alpha CPM	Beta CPM	% α into β
ICABT-1835503; A	0.0098	45	20482	7679	455.16	170.64	27.27%
ICABT-1835503; B	0.0171	45	18829	7273	418.42	161.62	27.86%
ICABT-1835503; C	0.0282	45	15270	6343	339.33	140.96	29.35%
ICABT-1835503; D	0.0435	45	13540	5696	300.89	126.58	29.61%
ICABT-1835503; E	0.0578	45	20545	9451	456.56	210.02	31.51%
ICABT-1835503; F	0.0756	45	17383	8549	386.29	189.98	32.97%
ICABT-1835503; G	0.0954	45	16717	8331	371.49	185.13	33.26%
ICABT-1835503; H	0.1139	45	14964	7928	332.53	176.18	34.63%



Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - B

Addr: 17

Sample ID ICABT-1835503; B

Repeat

7

Carrier No.

0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts

1515

Count Began 5/14/2022 8:32:37 AM

Count Ended 5/14/2022 9:17:49 AM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.073	18,829	418.422	418.349
	0.009	137.219	3.049	3.049
Beta sd	1.642	7,273	161.622	159.980
	0.041	85.282	1.895	1.896

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - B

Addr: 17

Sample ID ICABT-1835503; A

Repeat 8

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/15/2022 12:46:31 PM

Count Ended 5/15/2022 1:31:39 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.073	20,482	455.156	455.083
	0.009	143.115	3.180	3.180
Beta sd	1.642	7,679	170.644	169.002
	0.041	87.630	1.947	1.948

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - B

Addr: 17

Sample ID ICABT-1835503; H

Repeat 9

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/15/2022 1:35:36 PM

Count Ended 5/15/2022 2:20:43 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.073	14,964	332.533	332.460
	0.009	122.327	2.718	2.718
Beta sd	1.642	7,928	176.178	174.536
	0.041	89.039	1.979	1.979

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - B

Addr: 17

Sample ID ICABT-1835503; G

Repeat 10

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/15/2022 2:25:40 PM

Count Ended 5/15/2022 3:10:49 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.073	16,717	371.489	371.416
	0.009	129.294	2.873	2.873
Beta sd	1.642	8,331	185.133	183.491
	0.041	91.274	2.028	2.029

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - B

Addr: 17

Sample ID ICABT-1835503; F

Repeat 11

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/15/2022 3:16:29 PM

Count Ended 5/15/2022 4:01:37 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.073	17,383	386.289	386.216
	0.009	131.845	2.930	2.930
Beta sd	1.642	8,549	189.978	188.336
	0.041	92.461	2.055	2.055

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - B

Addr: 17

Sample ID ICABT-1835503; E

Repeat 12

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/15/2022 4:04:33 PM

Count Ended 5/15/2022 4:49:41 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.073	20,545	456.556	456.483
	0.009	143.335	3.185	3.185
Beta sd	1.642	9,451	210.022	208.380
	0.041	97.216	2.160	2.161

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - B

Addr: 17

Sample ID ICABT-1835503; D

Repeat 13

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/15/2022 4:52:55 PM

Count Ended 5/15/2022 5:38:01 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.073	13,540	300.889	300.816
	0.009	116.362	2.586	2.586
Beta sd	1.642	5,696	126.578	124.936
	0.041	75.472	1.677	1.678

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - B

Addr: 17

Sample ID ICABT-1835503; C

Repeat 14

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/15/2022 5:41:21 PM

Count Ended 5/15/2022 6:26:29 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*


	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.073	15,270	339.333	339.260
	0.009	123.572	2.746	2.746
Beta sd	1.642	6,343	140.956	139.314
	0.041	79.643	1.770	1.770

Curve is for Gross Beta
Strontium 90
 and
Total Strontium

Detector	Std ID	Count Date	Count Time	Beta Counts	DPM	13-Jun
					DPM	
18	6322;B1	6/13/2019 20:42	5	78710	35723.87	
18	6322;B2	6/13/2019 20:15	5	75682	15136.4	
18	6322;B3	6/13/2019 14:37	5	76591	15318.2	
18	6322;B4	6/14/2019 12:27	5	72137	14427.4	
18	6322;B5	6/14/2019 11:22	5	70023	14004.6	
18	6322;B6	6/14/2019 1:02	5	68307	13661.4	
18	6322;B7	6/13/2019 22:55	5	67335	13467	
18	6322;B8	6/13/2019 22:08	5	64631	12926.2	

				Sr-90	Standard	Sample
				Eff	Aliquot	Wt
18	6322;B1	6/13/2019 20:42	5	0.4407	1mL	0.0092
18	6322;B2	6/13/2019 20:15	5	0.4237	1mL	0.0353
18	6322;B3	6/13/2019 14:37	5	0.4288	1mL	0.0658
18	6322;B4	6/14/2019 12:27	5	0.4039	1mL	0.0916
18	6322;B5	6/14/2019 11:22	5	0.3920	1mL	0.1285
18	6322;B6	6/14/2019 1:02	5	0.3824	1mL	0.1615
18	6322;B7	6/13/2019 22:55	5	0.3770	1mL	0.2003
18	6322;B8	6/13/2019 22:08	5	0.3618	1mL	0.2634

Mass	Measured Efficiency	Theoretical Efficiency	Percent
			△ Efficiency
0.0092	0.4407	0.4408	-0.03%
0.0353	0.4237	0.4293	-1.31%
0.0658	0.4288	0.4169	2.84%
0.0916	0.4039	0.4073	-0.83%
0.1285	0.3920	0.3947	-0.68%
0.1615	0.3824	0.3848	-0.61%
0.2003	0.3770	0.3747	0.61%
0.2634	0.3618	0.3619	-0.01%



Standard ID
 Strontium 90
 Sr-90_00004 #6322
 Cert# 80573-334 Ref. date 9/17/2009

Initial Activity: 22560 dpm/mL
 Reference Date: 9/17/2009
 Count Date: 6/13/2019
 Elapsed Time: 3556.000 days
 Half Life: 10555.725 days
 Exponential Term: 0.791752376
 Corrected Activity: 17861.93361 dpm/mL
 Decay Activity (Sr/Y-90) 35723.86722 dpm

Standard ID
 Strontium 90
 Sr-90_00004 #6322
 Cert# 80573-334 Ref. date 9/17/2009

Initial Activity: 22560 dpm/mL
 Reference Date: 9/17/2009
 Count Date: 6/14/2019
 Elapsed Time: 3557.000 days
 Half Life: 10555.725 days
 Exponential Term: 0.791700387
 Corrected Activity: 17860.76073 dpm/mL
 Decay Activity (Sr/Y-90) 35721.52147 dpm

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - C

Addr: 18

Sample ID ICABT-6322;B3

Repeat 1
Carrier No. 0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0 <i>ml</i>	sd	0 <i>ml</i>
Residual Wt	0 <i>mg</i>	sd	0 <i>mg</i>

Count Began 6/13/2019 2:37:28 PM	Collection Date 1 1/1/1900	Half Life	0.00 <i>days</i>
Count Ended 6/13/2019 2:42:37 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 <i>mins</i>	Background Count Time	.00 <i>mins</i>
-------------------	------------------	-----------------------	-----------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	6	1.200	1.200
sd	0.000			0.000	2.449	0.490	0.490
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	76,591	15,318.200	15,318.200
sd	0.000			0.000	276.751	55.350	55.350

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - C

Addr: 18

Sample ID ICABT-6322;B2

Repeat

2

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty 0 ml sd 0 ml

Residual Wt 0 mg sd 0 mg

Count Began 6/13/2019 8:15:52 PM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 6/13/2019 8:21:01 PM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	4	0.800	0.800
sd	0.000			0.000	2.000	0.400	0.400
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	75,682	15,136.400	15,136.400
sd	0.000			0.000	275.104	55.021	55.021

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - C

Addr: 18

Sample ID ICABT-6322;B1

Repeat 3

Carrier No. 0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty 0 ml sd 0 ml

Residual Wt 0 mg sd 0 mg

Count Began 6/13/2019 8:42:05 PM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 6/13/2019 8:47:14 PM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	10	2.000	2.000
sd	0.000			0.000	3.162	0.632	0.632
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	78,710	15,742.000	15,742.000
sd	0.000			0.000	280.553	56.111	56.111

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - C

Addr: 18

Sample ID ICABT-6322;B8

Repeat

4

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0 ml	sd	0 ml
------------	------	----	------

Residual Wt	0 mg	sd	0 mg
-------------	------	----	------

Count Began 6/13/2019 10:08:04 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
-----------------------------------	----------------------------	-----------	-----------

Count Ended 6/13/2019 10:44:31 PM	Collection Date 2 1/1/1900	Decay Factor	1.000
-----------------------------------	----------------------------	--------------	-------

Sample Count Time	5.00 mins	Background Count Time	.00 mins
-------------------	-----------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	8	1.600	1.600
sd	0.000			0.000	2.828	0.566	0.566
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	64,631	12,926.200	12,926.200
sd	0.000			0.000	254.226	50.845	50.845

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - C

Addr: 18

Sample ID ICABT-6322;B7

Repeat	5
Carrier No.	0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 6/13/2019 10:55:47 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 6/13/2019 11:00:57 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 mins	Background Count Time	.00 mins
-------------------	-----------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	3	0.600	0.600
sd	0.000			0.000	1.732	0.346	0.346
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	67,335	13,467.000	13,467.000
sd	0.000			0.000	259.490	51.898	51.898

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - C

Addr: 18

Sample ID ICABT-6322;B6

Repeat

6

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0 ml	sd	0 ml
------------	------	----	------

Residual Wt	0 mg	sd	0 mg
-------------	------	----	------

Count Began 6/14/2019 1:02:03 AM	Collection Date 1 1/1/1900	Half Life	0.00 days
----------------------------------	----------------------------	-----------	-----------

Count Ended 6/14/2019 1:07:13 AM	Collection Date 2 1/1/1900	Decay Factor	1.000
----------------------------------	----------------------------	--------------	-------

Sample Count Time	5.00 mins	Background Count Time	.00 mins
-------------------	-----------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	3	0.600	0.600
sd	0.000			0.000	1.732	0.346	0.346
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	68,307	13,661.400	13,661.400
sd	0.000			0.000	261.356	52.271	52.271

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - C

Addr: 18

Sample ID ICABT-6322;B5

Repeat

7

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 6/14/2019 11:22:35 AM	Collection Date 1 1/1/1900	Half Life	0.00 days
-----------------------------------	----------------------------	-----------	-----------

Count Ended 6/14/2019 11:27:47 AM	Collection Date 2 1/1/1900	Decay Factor	1.000
-----------------------------------	----------------------------	--------------	-------

Sample Count Time	5.00 mins	Background Count Time	.00 mins
-------------------	-----------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	3	0.600	0.600
sd	0.000			0.000	1.732	0.346	0.346
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	70,023	14,004.600	14,004.600
sd	0.000			0.000	264.619	52.924	52.924

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - C

Addr: 18

Sample ID ICABT-6322;B4

Repeat

8

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty 0 ml sd 0 ml

Residual Wt 0 mg sd 0 mg

Count Began 6/14/2019 12:27:31 PM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 6/14/2019 12:32:40 PM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	2	0.400	0.400
sd	0.000			0.000	1.414	0.283	0.283
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	72,137	14,427.400	14,427.400
sd	0.000			0.000	268.583	53.717	53.717

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Curve is for Gross Alpha


Red 18

Detector ID	Sample ID	Count Date	Count Time	Alpha Counts	Net CPM	DPM	Th-230 Efficiency	Standard Aliquot (mL)	Mass	
18	ICABT-1835503; A	5/15/2022	13:35	45	20331	451.800	2254.6	0.2004	1	0.0098
18	ICABT-1835503; B	5/15/2022	12:46	45	18556	412.356	2254.6	0.1829	1	0.0171
18	ICABT-1835503; C	5/14/2022	8:32	45	15220	338.222	2254.6	0.1500	1	0.0282
18	ICABT-1835503; D	5/15/2022	17:41	45	13562	301.378	2254.6	0.1337	1	0.0435
18	ICABT-1835503; E	5/15/2022	16:52	45	20588	457.511	4509.1	0.1015	2	0.0578
18	ICABT-1835503; F	5/15/2022	16:04	45	17350	385.556	4509.1	0.0855	2	0.0756
18	ICABT-1835503; G	5/15/2022	15:16	45	16600	368.889	4509.1	0.0818	2	0.0954
18	ICABT-1835503; H	5/15/2022	14:25	45	15231	338.467	4509.1	0.0751	2	0.1139


Mass	Measured Efficiency	Theoretical Efficiency	Percent Δ Efficiency
0.0098	0.2004	0.1996	0.39%
0.0171	0.1829	0.1812	0.95%
0.0282	0.1500	0.1560	-3.84%
0.0435	0.1337	0.1269	5.32%
0.0578	0.1015	0.1057	-3.97%
0.0756	0.0855	0.0872	-1.90%
0.0954	0.0818	0.0770	6.30%
0.1139	0.0751	0.0773	-2.92%

Standard ID
 Thorium-230
 Th-230_00052
 Container#: 1835503
 Cert #: 114474 Ref. date 10/29/2019
 Activity (dpm) 2254.57

X² Coeff: 13.951
 X Coeff: -2.9005
 Intercept: 0.2267



Sample ID	Mass	Count Time	Alpha Counts	Beta Counts	Alpha CPM	Beta CPM	% α into β
ICABT-1835503; A	0.0098	45	20331	7955	451.80	176.78	28.12% Min
ICABT-1835503; B	0.0171	45	18556	7374	412.36	163.87	28.44%
ICABT-1835503; C	0.0282	45	15220	6459	338.22	143.53	29.79%
ICABT-1835503; D	0.0435	45	13562	5863	301.38	130.29	30.18% Max
ICABT-1835503; E	0.0578	45	20588	9815	457.51	218.11	32.28%
ICABT-1835503; F	0.0756	45	17350	8608	385.56	191.29	33.16%
ICABT-1835503; G	0.0954	45	16600	8667	368.89	192.60	34.30% Mean
ICABT-1835503; H	0.1139	45	15231	8019	338.47	178.20	34.49% 31.35%



Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - C

Addr: 18

Sample ID ICABT-1835503; C

Repeat

7

Carrier No.

0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts

1515

Count Began 5/14/2022 8:32:45 AM

Count Ended 5/14/2022 9:17:53 AM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.093	15,220	338.222	338.129
	0.010	123.369	2.742	2.742
Beta sd	0.286	6,459	143.533	143.247
	0.017	80.368	1.786	1.786

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - C

Addr: 18

Sample ID ICABT-1835503; B

Repeat 8

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/15/2022 12:46:34 PM

Count Ended 5/15/2022 1:31:43 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.093	18,556	412.356	412.263
	0.010	136.220	3.027	3.027
Beta sd	0.286	7,374	163.867	163.581
	0.017	85.872	1.908	1.908

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - C

Addr: 18

Sample ID ICABT-1835503; A

Repeat 9

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/15/2022 1:35:09 PM

Count Ended 5/15/2022 2:20:18 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.093	20,331	451.800	451.707
	0.010	142.587	3.169	3.169
Beta sd	0.286	7,955	176.778	176.492
	0.017	89.191	1.982	1.982

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - C

Addr: 18

Sample ID ICABT-1835503; H

Repeat 10

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/15/2022 2:25:45 PM

Count Ended 5/15/2022 3:10:52 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.093	15,231	338.467	338.374
	0.010	123.414	2.743	2.743
Beta sd	0.286	8,019	178.200	177.914
	0.017	89.549	1.990	1.990

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - C

Addr: 18

Sample ID ICABT-1835503; G

Repeat 11

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/15/2022 3:16:32 PM

Count Ended 5/15/2022 4:01:40 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.093	16,600	368.889	368.796
	0.010	128.841	2.863	2.863
Beta sd	0.286	8,667	192.600	192.314
	0.017	93.097	2.069	2.069

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - C

Addr: 18

Sample ID ICABT-1835503; F

Repeat 12

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/15/2022 4:04:35 PM

Count Ended 5/15/2022 4:49:44 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.093	17,350	385.556	385.463
	0.010	131.719	2.927	2.927
Beta sd	0.286	8,608	191.289	191.003
	0.017	92.779	2.062	2.062

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - C

Addr: 18

Sample ID ICABT-1835503; E

Repeat 13

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/15/2022 4:52:58 PM

Count Ended 5/15/2022 5:38:05 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.093	20,588	457.511	457.418
	0.010	143.485	3.189	3.189
Beta sd	0.286	9,815	218.111	217.825
	0.017	99.071	2.202	2.202

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - C

Addr: 18

Sample ID ICABT-1835503; D

Repeat 14

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/15/2022 5:41:23 PM

Count Ended 5/15/2022 6:26:29 PM


Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.093	13,562	301.378	301.285
	0.010	116.456	2.588	2.588
Beta sd	0.286	5,863	130.289	130.003
	0.017	76.570	1.702	1.702

Curve is for Gross Beta
 Strontium 90
 and
 Total Strontium

Detector ID	Std ID	Count Date	Count Time	Beta Counts	DPM	13-Jun
					DPM	
19	6322;B1	6/13/2019 22:07	5	81410	35723.87	
19	6322;B2	6/13/2019 20:42	5	77354	16282	
19	6322;B3	6/13/2019 20:15	5	79107	35721.52	14-Jun
19	6322;B4	6/13/2019 14:37	5	73707	15470.8	
19	6322;B5	6/14/2019 12:27	5	71254	15821.4	
19	6322;B6	6/14/2019 11:22	5	70031	14250.8	
19	6322;B7	6/14/2019 1:02	5	69366	14006.2	
19	6322;B8	6/13/2019 22:55	5	65443	13873.2	
					0.4558	1mL
					0.4331	0.0092
					0.4429	1mL
					0.4126	0.0353
					0.3989	1mL
					0.3921	0.0658
					0.3884	0.0916
					0.3664	0.1285
						0.2634

Mass	Measured Efficiency	Theoretical Efficiency	Percent
			Efficiency
0.0092	0.4558	0.4539	0.41%
0.0353	0.4331	0.4416	-1.94%
0.0658	0.4429	0.4283	3.40%
0.0916	0.4126	0.4179	-1.26%
0.1285	0.3989	0.4043	-1.33%
0.1615	0.3921	0.3935	-0.37%
0.2003	0.3884	0.3824	1.55%
0.2634	0.3664	0.3681	-0.47%



Standard ID

Strontium 90
 Sr-90_00004 #6322
 Cert# 80573-334 Ref. date 9/17/2009

Initial Activity: 22560 dpm/mL

Reference Date: 9/17/2009
 Count Date: 6/13/2019
 Elapsed Time: 3556.000 days
 Half Life: 10555.725 days
 Exponential Term: 0.791752376
 Corrected Activity: 17861.93361 dpm/mL
 Decay Activity (Sr/Y-90) 35723.86722 dpm

Standard ID

Strontium 90
 Sr-90_00004 #6322
 Cert# 80573-334 Ref. date 9/17/2009

Initial Activity: 22560 dpm/mL

Reference Date: 9/17/2009
 Count Date: 6/14/2019
 Elapsed Time: 3557.000 days
 Half Life: 10555.725 days
 Exponential Term: 0.791700387
 Corrected Activity: 17860.76073 dpm/mL
 Decay Activity (Sr/Y-90) 35721.52147 dpm

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - D

Addr: 19

Sample ID ICABT-6322;B4

Repeat

1

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty 0 ml sd 0 ml

Residual Wt 0 mg sd 0 mg

Count Began 6/13/2019 2:37:33 PM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 6/13/2019 2:42:47 PM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	1	0.200	0.200
sd	0.000			0.000	1.000	0.200	0.200
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	73,707	14,741.400	14,741.400
sd	0.000			0.000	271.490	54.298	54.298

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - D

Addr: 19

Sample ID ICABT-6322;B3

Repeat

2

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty 0 ml sd 0 ml

Residual Wt 0 mg sd 0 mg

Count Began 6/13/2019 8:15:56 PM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 6/13/2019 8:21:11 PM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	6	1.200	1.200
sd	0.000			0.000	2.449	0.490	0.490
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	79,107	15,821.400	15,821.400
sd	0.000			0.000	281.260	56.252	56.252

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - D

Addr: 19

Sample ID ICABT-6322;B2

Repeat 3

Carrier No. 0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty 0 ml sd 0 ml

Residual Wt 0 mg sd 0 mg

Count Began 6/13/2019 8:42:08 PM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 6/13/2019 8:47:21 PM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	3	0.600	0.600
sd	0.000			0.000	1.732	0.346	0.346
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	77,354	15,470.800	15,470.800
sd	0.000			0.000	278.126	55.625	55.625

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - D

Addr: 19

Sample ID ICABT-6322;B1

Repeat

4

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty 0 ml sd 0 ml

Residual Wt 0 mg sd 0 mg

Count Began 6/13/2019 10:07:37 PM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 6/13/2019 10:12:49 PM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	3	0.600	0.600
sd	0.000			0.000	1.732	0.346	0.346
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	81,410	16,282.000	16,282.000
sd	0.000			0.000	285.324	57.065	57.065

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - D

Addr: 19

Sample ID ICABT-6322;B8

Repeat

5

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 6/13/2019 10:55:51 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
-----------------------------------	----------------------------	-----------	-----------

Count Ended 6/13/2019 11:01:03 PM	Collection Date 2 1/1/1900	Decay Factor	1.000
-----------------------------------	----------------------------	--------------	-------

Sample Count Time	5.00 mins	Background Count Time	.00 mins
-------------------	-----------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	4	0.800	0.800
sd	0.000			0.000	2.000	0.400	0.400
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	65,443	13,088.600	13,088.600
sd	0.000			0.000	255.818	51.164	51.164

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - D

Addr: 19

Sample ID ICABT-6322;B7

Repeat	6
Carrier No.	0

Batch ID m122627

Count Method Gross Alpha Beta	Detector Volts	1515
-------------------------------	----------------	------

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 6/14/2019 1:02:06 AM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 6/14/2019 1:07:19 AM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 mins	Background Count Time	.00 mins
-------------------	-----------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	4	0.800	0.800
sd	0.000			0.000	2.000	0.400	0.400
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	69,366	13,873.200	13,873.200
sd	0.000			0.000	263.374	52.675	52.675

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - D

Addr: 19

Sample ID ICABT-6322;B6

Repeat

7

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty 0 ml sd 0 ml

Residual Wt 0 mg sd 0 mg

Count Began 6/14/2019 11:22:40 AM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 6/14/2019 11:27:53 AM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	1	0.200	0.200
sd	0.000			0.000	1.000	0.200	0.200
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	70,031	14,006.200	14,006.200
sd	0.000			0.000	264.634	52.927	52.927

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - D

Addr: 19

Sample ID ICABT-6322;B5

Repeat

8

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty 0 ml sd 0 ml

Residual Wt 0 mg sd 0 mg

Count Began 6/14/2019 12:27:35 PM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 6/14/2019 12:32:49 PM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	5	1.000	1.000
sd	0.000			0.000	2.236	0.447	0.447
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	71,254	14,250.800	14,250.800
sd	0.000			0.000	266.934	53.387	53.387

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Curve is for Gross Alpha


Red 19

Detector ID	Sample ID	Count Date	Count Time	Alpha Counts	Net CPM	DPM	Th-230 Efficiency	Standard Aliquot (mL)	Mass	
19	ICABT-1835503; A	5/15/2022	14:25	45	20480	455.111	2254.6	0.2019	1	0.0098
19	ICABT-1835503; B	5/15/2022	13:35	45	18835	418.556	2254.6	0.1856	1	0.0171
19	ICABT-1835503; C	5/15/2022	12:46	45	15118	335.956	2254.6	0.1490	1	0.0282
19	ICABT-1835503; D	5/14/2022	8:32	45	13529	300.644	2254.6	0.1333	1	0.0435
19	ICABT-1835503; E	5/15/2022	17:41	45	20428	453.956	4509.1	0.1007	2	0.0578
19	ICABT-1835503; F	5/15/2022	16:53	45	17547	389.933	4509.1	0.0865	2	0.0756
19	ICABT-1835503; G	5/15/2022	16:04	45	16694	370.978	4509.1	0.0823	2	0.0954
19	ICABT-1835503; H	5/15/2022	15:16	45	15312	340.267	4509.1	0.0755	2	0.1139


Mass	Measured Efficiency	Theoretical Efficiency	Percent	
			Efficiency	Δ Efficiency
0.0098	0.2019	0.2012	0.33%	
0.0171	0.1856	0.1823	1.83%	
0.0282	0.1490	0.1566	-4.82%	
0.0435	0.1333	0.1269	5.07%	
0.0578	0.1007	0.1054	-4.46%	
0.0756	0.0865	0.0868	-0.43%	
0.0954	0.0823	0.0771	6.76%	
0.1139	0.0755	0.0782	-3.52%	

Standard ID
 Thorium-230
 Th-230_00052
 Container#: 1835503
 Cert #: 114474 Ref. date 10/29/2019
 Activity (dpm) 2254.57

X² Coeff: 14.529
 X Coeff: -2.9787
 Intercept: 0.229



Sample ID	Mass	Count Time	Alpha Counts	Beta Counts	Alpha CPM	Beta CPM	% α into β
ICABT-1835503; A	0.0098	45	20480	7973	455.11	177.18	28.02% Min
ICABT-1835503; B	0.0171	45	18835	7306	418.56	162.36	27.95%
ICABT-1835503; C	0.0282	45	15118	6524	335.96	144.98	30.15%
ICABT-1835503; D	0.0435	45	13529	6317	300.64	140.38	31.83% Max
ICABT-1835503; E	0.0578	45	20428	9650	453.96	214.44	32.08% 34.18%
ICABT-1835503; F	0.0756	45	17547	8657	389.93	192.38	33.04%
ICABT-1835503; G	0.0954	45	16694	8670	370.98	192.67	34.18% Mean
ICABT-1835503; H	0.1139	45	15312	7892	340.27	175.38	34.01% 31.41%



Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - D

Addr: 19

Sample ID ICABT-1835503; D

Repeat

7

Carrier No.

0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts

1515

Count Began 5/14/2022 8:32:51 AM

Count Ended 5/14/2022 9:17:59 AM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.064	13,529	300.644	300.580
	0.008	116.314	2.585	2.585
Beta sd	0.407	6,317	140.378	139.971
	0.020	79.480	1.766	1.766

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - D

Addr: 19

Sample ID ICABT-1835503; C

Repeat 8

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/15/2022 12:46:37 PM

Count Ended 5/15/2022 1:31:46 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.064	15,118	335.956	335.892
	0.008	122.955	2.732	2.732
Beta sd	0.407	6,524	144.978	144.571
	0.020	80.771	1.795	1.795

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - D

Addr: 19

Sample ID ICABT-1835503; B

Repeat 9

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/15/2022 1:35:12 PM

Count Ended 5/15/2022 2:20:22 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.064	18,835	418.556	418.492
	0.008	137.241	3.050	3.050
Beta sd	0.407	7,306	162.356	161.949
	0.020	85.475	1.899	1.900

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - D

Addr: 19

Sample ID ICABT-1835503; A

Repeat 10

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/15/2022 2:25:13 PM

Count Ended 5/15/2022 3:10:23 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.064	20,480	455.111	455.047
	0.008	143.108	3.180	3.180
Beta sd	0.407	7,973	177.178	176.771
	0.020	89.292	1.984	1.984

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - D

Addr: 19

Sample ID ICABT-1835503; H

Repeat 11

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/15/2022 3:16:35 PM

Count Ended 5/15/2022 4:01:43 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.064	15,312	340.267	340.203
	0.008	123.742	2.750	2.750
Beta sd	0.407	7,892	175.378	174.971
	0.020	88.837	1.974	1.974

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - D

Addr: 19

Sample ID ICABT-1835503; G

Repeat 12

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/15/2022 4:04:38 PM

Count Ended 5/15/2022 4:49:47 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.064	16,694	370.978	370.914
	0.008	129.205	2.871	2.871
Beta sd	0.407	8,670	192.667	192.260
	0.020	93.113	2.069	2.069

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - D

Addr: 19

Sample ID ICABT-1835503; F

Repeat 13

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/15/2022 4:53:00 PM

Count Ended 5/15/2022 5:38:10 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.064	17,547	389.933	389.869
	0.008	132.465	2.944	2.944
Beta sd	0.407	8,657	192.378	191.971
	0.020	93.043	2.068	2.068

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - D

Addr: 19

Sample ID ICABT-1835503; E

Repeat 14

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/15/2022 5:41:27 PM

Count Ended 5/15/2022 6:26:35 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*


	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.064	20,428	453.956	453.892
	0.008	142.927	3.176	3.176
Beta sd	0.407	9,650	214.444	214.037
	0.020	98.234	2.183	2.183

Red 20

Curve is for Gross Beta
 Strontium 90
 and
 Total Strontium

Detector ID	Std ID	Count Date	Count Time	Beta Counts	DPM	13-Jun	Standard Sr-90	Sample Wt
					DPM	14-Jun		
20	6322;B1	6/13/2019 22:55	5	78641	35723.87	13-Jun	0.4403	0.0092
20	6322;B2	6/13/2019 22:07	5	75202	15040.400		0.4210	0.0353
20	6322;B3	6/13/2019 20:42	5	76048	15209.600		0.4258	0.0658
20	6322;B4	6/13/2019 20:15	5	72248	14449.600		0.4045	0.0916
20	6322;B5	6/13/2019 14:37	5	69166	13833.200		0.3873	0.1285
20	6322;B6	6/14/2019 12:27	5	68498	13699.600		0.3835	0.1615
20	6322;B7	6/14/2019 11:22	5	66776	13355.200		0.3739	0.2003
20	6322;B8	6/14/2019 1:02	5	64256	12851.200		0.3598	0.2634

Mass	Measured Efficiency	Theoretical Efficiency	Percent
			△ Efficiency
0.0092	0.4403	0.4393	0.22%
0.0353	0.4210	0.4277	-1.57%
0.0658	0.4258	0.4152	2.55%
0.0916	0.4045	0.4054	-0.22%
0.1285	0.3873	0.3928	-1.40%
0.1615	0.3835	0.3828	0.20%
0.2003	0.3739	0.3726	0.34%
0.2634	0.3598	0.3598	-0.01%

**Standard ID**

Strontium 90
 Sr-90_00004 #6322
 Cert# 80573-334 Ref. date 9/17/2009

Initial Activity: 22560 dpm/mL
 Reference Date: 9/17/2009
 Count Date: 6/13/2019
 Elapsed Time: 3556.000 days
 Half Life: 10555.725 days
 Exponential Term: 0.791752376
 Corrected Activity: 17861.93361 dpm/mL
 Decay Activity (Sr/Y-90) 35723.86722 dpm

Standard ID

Strontium 90
 Sr-90_00004 #6322
 Cert# 80573-334 Ref. date 9/17/2009

Initial Activity: 22560 dpm/mL
 Reference Date: 9/17/2009
 Count Date: 6/14/2019
 Elapsed Time: 3557.000 days
 Half Life: 10555.725 days
 Exponential Term: 0.791700387
 Corrected Activity: 17860.76073 dpm/mL
 Decay Activity (Sr/Y-90) 35721.52147 dpm

Alpha/Beta Count Results

Sample Activity Report

Red 3 (20-23) - A

Addr: 20

Sample ID ICABT-6322;B5

Repeat

1

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty 0 ml sd 0 ml

Residual Wt 0 mg sd 0 mg

Count Began 6/13/2019 2:37:40 PM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 6/13/2019 2:42:51 PM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	3	0.600	0.600
sd	0.000			0.000	1.732	0.346	0.346
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	69,166	13,833.200	13,833.200
sd	0.000			0.000	262.994	52.599	52.599

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 3 (20-23) - A

Addr: 20

Sample ID ICABT-6322;B4

Repeat

2

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty 0 ml sd 0 ml

Residual Wt 0 mg sd 0 mg

Count Began 6/13/2019 8:15:59 PM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 6/13/2019 8:21:11 PM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	4	0.800	0.800
sd	0.000			0.000	2.000	0.400	0.400
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	72,248	14,449.600	14,449.600
sd	0.000			0.000	268.790	53.758	53.758

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 3 (20-23) - A

Addr: 20

Sample ID ICABT-6322;B3

Repeat 3
Carrier No. 0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 6/13/2019 8:42:12 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 6/13/2019 8:47:24 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 mins	Background Count Time	.00 mins
-------------------	-----------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	2	0.400	0.400
sd	0.000			0.000	1.414	0.283	0.283
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	76,048	15,209.600	15,209.600
sd	0.000			0.000	275.768	55.154	55.154

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 3 (20-23) - A

Addr: 20

Sample ID ICABT-6322;B2

Repeat

4

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty 0 ml sd 0 ml

Residual Wt 0 mg sd 0 mg

Count Began 6/13/2019 10:07:40 PM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 6/13/2019 10:12:53 PM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	6	1.200	1.200
sd	0.000			0.000	2.449	0.490	0.490
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	75,202	15,040.400	15,040.400
sd	0.000			0.000	274.230	54.846	54.846

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 3 (20-23) - A

Addr: 20

Sample ID ICABT-6322;B1

Repeat

5

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty 0 ml sd 0 ml

Residual Wt 0 mg sd 0 mg

Count Began 6/13/2019 10:55:28 PM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 6/13/2019 11:00:42 PM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	3	0.600	0.600
sd	0.000			0.000	1.732	0.346	0.346
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	78,641	15,728.200	15,728.200
sd	0.000			0.000	280.430	56.086	56.086

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 3 (20-23) - A

Addr: 20

Sample ID ICABT-6322;B8

Repeat

6

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty 0 ml sd 0 ml

Residual Wt 0 mg sd 0 mg

Count Began 6/14/2019 1:02:12 AM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 6/14/2019 1:07:23 AM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	3	0.600	0.600
sd	0.000			0.000	1.732	0.346	0.346
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	64,256	12,851.200	12,851.200
sd	0.000			0.000	253.488	50.698	50.698

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 3 (20-23) - A

Addr: 20

Sample ID ICABT-6322;B7

Repeat

7

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty 0 ml sd 0 ml

Residual Wt 0 mg sd 0 mg

Count Began 6/14/2019 11:22:50 AM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 6/14/2019 11:28:02 AM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	1	0.200	0.200
sd	0.000			0.000	1.000	0.200	0.200
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	66,776	13,355.200	13,355.200
sd	0.000			0.000	258.411	51.682	51.682

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 3 (20-23) - A

Addr: 20

Sample ID ICABT-6322;B6

Repeat

8

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty 0 ml sd 0 ml

Residual Wt 0 mg sd 0 mg

Count Began 6/14/2019 12:27:39 PM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 6/14/2019 12:32:49 PM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	6	1.200	1.200
sd	0.000			0.000	2.449	0.490	0.490
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	68,498	13,699.600	13,699.600
sd	0.000			0.000	261.721	52.344	52.344

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Curve is for Gross Alpha


Red 20

Detector ID	Sample ID	Count Date	Count Time	Alpha Counts	Net CPM	DPM	Th-230 Efficiency	Standard Aliquot (mL)	Mass	
20	ICABT-1835503; A	5/15/2022	15:16	45	20072	446.044	2254.6	0.1978	1	0.0098
20	ICABT-1835503; B	5/15/2022	14:25	45	18605	413.444	2254.6	0.1834	1	0.0171
20	ICABT-1835503; C	5/15/2022	13:35	45	14933	331.844	2254.6	0.1472	1	0.0282
20	ICABT-1835503; D	5/15/2022	12:46	45	13253	294.511	2254.6	0.1306	1	0.0435
20	ICABT-1835503; E	5/14/2022	8:32	45	20589	457.533	4509.1	0.1015	2	0.0578
20	ICABT-1835503; F	5/15/2022	17:41	45	17238	383.067	4509.1	0.0850	2	0.0756
20	ICABT-1835503; G	5/15/2022	16:53	45	16805	373.444	4509.1	0.0828	2	0.0954
20	ICABT-1835503; H	5/15/2022	16:04	45	15033	334.067	4509.1	0.0741	2	0.1139


Mass	Measured Efficiency	Theoretical Efficiency	Percent Δ Efficiency
0.0098	0.1978	0.1977	0.09%
0.0171	0.1834	0.1794	2.21%
0.0282	0.1472	0.1545	-4.72%
0.0435	0.1306	0.1257	3.89%
0.0578	0.1015	0.1048	-3.13%
0.0756	0.0850	0.0866	-1.86%
0.0954	0.0828	0.0767	8.02%
0.1139	0.0741	0.0773	-4.12%

Standard ID
 Thorium-230
 Th-230_00052
 Container#: 1835503
 Cert #: 114474 Ref. date 10/29/2019
 Activity (dpm) 2254.57

X² Coeff: 13.888
 X Coeff: -2.8745
 Intercept: 0.2245



Sample ID	Mass	Count Time	Alpha Counts	Beta Counts	Alpha CPM	Beta CPM	% α into β
ICABT-1835503; A	0.0098	45	20072	7824	446.04	173.87	28.05% Min
ICABT-1835503; B	0.0171	45	18605	7451	413.44	165.58	28.60%
ICABT-1835503; C	0.0282	45	14933	6571	331.84	146.02	30.56%
ICABT-1835503; D	0.0435	45	13253	5962	294.51	132.49	31.03% Max
ICABT-1835503; E	0.0578	45	20589	9263	457.53	205.84	31.03%
ICABT-1835503; F	0.0756	45	17238	8646	383.07	192.13	33.40%
ICABT-1835503; G	0.0954	45	16805	8696	373.44	193.24	34.10%
ICABT-1835503; H	0.1139	45	15033	7982	334.07	177.38	34.68% Mean
							31.43% Max



Alpha/Beta Count Results

Sample Activity Report

Red 3 (20-23) - A

Addr: 20

Sample ID ICABT-1835503; E

Repeat

7

Carrier No.

0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts

1515

Count Began 5/14/2022 8:32:58 AM

Count Ended 5/14/2022 9:18:16 AM

Sample Count Time

45.00 *mins*

Background Count Time

1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.056	20,589	457.533	457.477
	0.007	143.489	3.189	3.189
Beta sd	0.353	9,263	205.844	205.491
	0.019	96.244	2.139	2.139

Alpha/Beta Count Results

Sample Activity Report

Red 3 (20-23) - A

Addr: 20

Sample ID ICABT-1835503; D

Repeat 8

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/15/2022 12:46:40 PM

Count Ended 5/15/2022 1:31:47 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.056	13,253	294.511	294.455
	0.007	115.122	2.558	2.558
Beta sd	0.353	5,962	132.489	132.136
	0.019	77.214	1.716	1.716

Alpha/Beta Count Results

Sample Activity Report

Red 3 (20-23) - A

Addr: 20

Sample ID ICABT-1835503; C

Repeat

9

Carrier No.

0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts

1515

Count Began 5/15/2022 1:35:16 PM

Count Ended 5/15/2022 2:20:26 PM

Sample Count Time

45.00 *mins*

Background Count Time

1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.056	14,933	331.844	331.788
	0.007	122.201	2.716	2.716
Beta sd	0.353	6,571	146.022	145.669
	0.019	81.062	1.801	1.801

Alpha/Beta Count Results

Sample Activity Report

Red 3 (20-23) - A

Addr: 20

Sample ID ICABT-1835503; B

Repeat 10

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/15/2022 2:25:19 PM

Count Ended 5/15/2022 3:10:27 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.056	18,605	413.444	413.388
	0.007	136.400	3.031	3.031
Beta sd	0.353	7,451	165.578	165.225
	0.019	86.319	1.918	1.918

Alpha/Beta Count Results

Sample Activity Report

Red 3 (20-23) - A

Addr: 20

Sample ID ICABT-1835503; A

Repeat 11

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/15/2022 3:16:09 PM

Count Ended 5/15/2022 4:01:17 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.056	20,072	446.044	445.988
	0.007	141.676	3.148	3.148
Beta sd	0.353	7,824	173.867	173.514
	0.019	88.453	1.966	1.966

Alpha/Beta Count Results

Sample Activity Report

Red 3 (20-23) - A

Addr: 20

Sample ID ICABT-1835503; H

Repeat 12

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/15/2022 4:04:42 PM

Count Ended 5/15/2022 4:49:51 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.056	15,033	334.067	334.011
	0.007	122.609	2.725	2.725
Beta sd	0.353	7,982	177.378	177.025
	0.019	89.342	1.985	1.985

Alpha/Beta Count Results

Sample Activity Report

Red 3 (20-23) - A

Addr: 20

Sample ID ICABT-1835503; G

Repeat 13

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/15/2022 4:53:04 PM

Count Ended 5/15/2022 5:38:11 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.056	16,805	373.444	373.388
	0.007	129.634	2.881	2.881
Beta sd	0.353	8,696	193.244	192.891
	0.019	93.252	2.072	2.072

Alpha/Beta Count Results

Sample Activity Report

Red 3 (20-23) - A

Addr: 20

Sample ID ICABT-1835503; F

Repeat 14

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/15/2022 5:41:31 PM

Count Ended 5/15/2022 6:26:39 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*


	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.056	17,238	383.067	383.011
	0.007	131.294	2.918	2.918
Beta sd	0.353	8,646	192.133	191.780
	0.019	92.984	2.066	2.066

Red 21

Curve is for Gross Beta
 Strontium 90
 and
 Total Strontium

Detector ID	Std ID	Count Date	Count Time	Beta Counts	DPM	13-Jun	Standard Sr-90	Sample Wt
					DPM		Eff	
21	6322;B1	6/14/2019 1:01		5	79449	35723.87	0.4448	1mL 0.0092
21	6322;B2	6/13/2019 22:55		5	75899	35721.52	0.4249	1mL 0.0353
21	6322;B3	6/13/2019 22:07		5	76426		0.4279	1mL 0.0658
21	6322;B4	6/13/2019 20:42		5	72600		0.4065	1mL 0.0916
21	6322;B5	6/13/2019 20:16		5	69407		0.3886	1mL 0.1285
21	6322;B6	6/13/2019 14:37		5	68305		0.3824	1mL 0.1615
21	6322;B7	6/14/2019 12:27		5	67561		0.3783	1mL 0.2003
21	6322;B8	6/14/2019 11:22		5	64415		0.3607	1mL 0.2634

Mass	Measured Efficiency	Theoretical Efficiency	Percent	Δ Efficiency
			All Points	
0.0092	0.4448	0.4438	0.24%	
0.0353	0.4249	0.4312	-1.46%	
0.0658	0.4279	0.4178	2.42%	
0.0916	0.4065	0.4074	-0.23%	
0.1285	0.3886	0.3942	-1.42%	
0.1615	0.3824	0.3839	-0.39%	
0.2003	0.3783	0.3738	1.20%	
0.2634	0.3607	0.3617	-0.29%	



Standard ID

Strontium 90
 Sr-90_00004 #6322
 Cert# 80573-334 Ref. date 9/17/2009

Initial Activity: 22560 dpm/mL
 Reference Date: 9/17/2009
 Count Date: 6/13/2019
 Elapsed Time: 3556.000 days
 Half Life: 10555.725 days
 Exponential Term: 0.791752376
 Corrected Activity: 17861.93361 dpm/mL
 Decay Activity (Sr/Y-90) 35723.86722 dpm

Standard ID

Strontium 90
 Sr-90_00004 #6322
 Cert# 80573-334 Ref. date 9/17/2009

Initial Activity: 22560 dpm/mL
 Reference Date: 9/17/2009
 Count Date: 6/14/2019
 Elapsed Time: 3557.000 days
 Half Life: 10555.725 days
 Exponential Term: 0.791700387
 Corrected Activity: 17860.76073 dpm/mL
 Decay Activity (Sr/Y-90) 35721.52147 dpm

Alpha/Beta Count Results

Sample Activity Report

Red 3 (20-23) - B

Addr: 21

Sample ID ICABT-6322;B6

Repeat

1

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty 0 ml sd 0 ml

Residual Wt 0 mg sd 0 mg

Count Began 6/13/2019 2:37:45 PM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 6/13/2019 2:42:56 PM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	2	0.400	0.400
sd	0.000			0.000	1.414	0.283	0.283
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	68,305	13,661.000	13,661.000
sd	0.000			0.000	261.352	52.270	52.270

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 3 (20-23) - B

Addr: 21

Sample ID ICABT-6322;B5

Repeat

2

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty 0 ml sd 0 ml

Residual Wt 0 mg sd 0 mg

Count Began 6/13/2019 8:16:02 PM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 6/13/2019 8:21:15 PM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	4	0.800	0.800
sd	0.000			0.000	2.000	0.400	0.400
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	69,407	13,881.400	13,881.400
sd	0.000			0.000	263.452	52.690	52.690

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 3 (20-23) - B

Addr: 21

Sample ID ICABT-6322;B4

Repeat

3

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty 0 ml sd 0 ml

Residual Wt 0 mg sd 0 mg

Count Began 6/13/2019 8:42:16 PM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 6/13/2019 8:47:28 PM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	6	1.200	1.200
sd	0.000			0.000	2.449	0.490	0.490
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	72,600	14,520.000	14,520.000
sd	0.000			0.000	269.444	53.889	53.889

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 3 (20-23) - B

Addr: 21

Sample ID ICABT-6322;B3

Repeat

4

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty 0 ml sd 0 ml

Residual Wt 0 mg sd 0 mg

Count Began 6/13/2019 10:07:44 PM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 6/13/2019 10:12:56 PM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	2	0.400	0.400
sd	0.000			0.000	1.414	0.283	0.283
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	76,426	15,285.200	15,285.200
sd	0.000			0.000	276.453	55.291	55.291

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 3 (20-23) - B

Addr: 21

Sample ID ICABT-6322;B2

Repeat

5

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty 0 ml sd 0 ml

Residual Wt 0 mg sd 0 mg

Count Began 6/13/2019 10:55:33 PM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 6/13/2019 11:00:45 PM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	4	0.800	0.800
sd	0.000			0.000	2.000	0.400	0.400
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	75,899	15,179.800	15,179.800
sd	0.000			0.000	275.498	55.100	55.100

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 3 (20-23) - B

Addr: 21

Sample ID ICABT-6322;B1

Repeat

6

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty 0 ml sd 0 ml

Residual Wt 0 mg sd 0 mg

Count Began 6/14/2019 1:01:49 AM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 6/14/2019 1:07:02 AM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	5	1.000	1.000
sd	0.000			0.000	2.236	0.447	0.447
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	79,449	15,889.800	15,889.800
sd	0.000			0.000	281.867	56.373	56.373

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 3 (20-23) - B

Addr: 21

Sample ID ICABT-6322;B8

Repeat

7

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty 0 ml sd 0 ml

Residual Wt 0 mg sd 0 mg

Count Began 6/14/2019 11:22:54 AM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 6/14/2019 11:28:05 AM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	1	0.200	0.200
sd	0.000			0.000	1.000	0.200	0.200
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	64,415	12,883.000	12,883.000
sd	0.000			0.000	253.801	50.760	50.760

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 3 (20-23) - B

Addr: 21

Sample ID ICABT-6322;B7

Repeat 8
Carrier No. 0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 6/14/2019 12:27:43 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 6/14/2019 12:32:56 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 mins	Background Count Time	.00 mins
-------------------	-----------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	7	1.400	1.400
sd	0.000			0.000	2.646	0.529	0.529
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	67,561	13,512.200	13,512.200
sd	0.000			0.000	259.925	51.985	51.985

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Curve is for Gross Alpha


Red 21

Detector ID	Sample ID	Count Date	Count Time	Alpha Counts	Net CPM	DPM	Th-230 Efficiency	Standard Aliquot (mL)	Mass	
21	ICABT-1835503; A	5/15/2022	16:04	45	20126	447.244	2254.6	0.1984	1	0.0098
21	ICABT-1835503; B	5/15/2022	15:16	45	19360	430.222	2254.6	0.1908	1	0.0171
21	ICABT-1835503; C	5/15/2022	14:25	45	15124	336.089	2254.6	0.1491	1	0.0282
21	ICABT-1835503; D	5/15/2022	13:35	45	13420	298.222	2254.6	0.1323	1	0.0435
21	ICABT-1835503; E	5/15/2022	12:46	45	20526	456.133	4509.1	0.1012	2	0.0578
21	ICABT-1835503; F	5/14/2022	8:33	45	17586	390.800	4509.1	0.0867	2	0.0756
21	ICABT-1835503; G	5/15/2022	17:41	45	16930	376.222	4509.1	0.0834	2	0.0954
21	ICABT-1835503; H	5/15/2022	16:53	45	14935	331.889	4509.1	0.0736	2	0.1139


Mass	Measured Efficiency	Theoretical Efficiency	Percent	
			Efficiency	Δ
0.0098	0.1984	0.2011	-1.34%	
0.0171	0.1908	0.1825	4.59%	
0.0282	0.1491	0.1570	-5.06%	
0.0435	0.1323	0.1276	3.64%	
0.0578	0.1012	0.1061	-4.65%	
0.0756	0.0867	0.0873	-0.74%	
0.0954	0.0834	0.0769	8.55%	
0.1139	0.0736	0.0770	-4.46%	

Standard ID
 Thorium-230
 Th-230_00052
 Container#: 1835503
 Cert #: 114474 Ref. date 10/29/2019
 Activity (dpm) 2254.57

X² Coeff: 14.031
 X Coeff: -2.927
 Intercept: 0.2284



Sample ID	Mass	Count Time	Alpha Counts	Beta Counts	Alpha CPM	Beta CPM	% α into β
ICABT-1835503; A	0.0098	45	20126	7985	447.24	177.44	28.41% Min
ICABT-1835503; B	0.0171	45	19360	7363	430.22	163.62	27.55%
ICABT-1835503; C	0.0282	45	15124	6393	336.09	142.07	29.71%
ICABT-1835503; D	0.0435	45	13420	6052	298.22	134.49	31.08%
ICABT-1835503; E	0.0578	45	20526	9549	456.13	212.20	31.75%
ICABT-1835503; F	0.0756	45	17586	8647	390.80	192.16	32.96%
ICABT-1835503; G	0.0954	45	16930	8543	376.22	189.84	33.54%
ICABT-1835503; H	0.1139	45	14935	7918	331.89	175.96	34.65% Mean
							31.21% Max



Alpha/Beta Count Results

Sample Activity Report

Red 3 (20-23) - B

Addr: 21

Sample ID ICABT-1835503; F

Repeat

7

Carrier No.

0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts

1515

Count Began 5/14/2022 8:33:04 AM

Count Ended 5/14/2022 9:18:16 AM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.076	17,586	390.800	390.724
	0.009	132.612	2.947	2.947
Beta sd	0.281	8,647	192.156	191.875
	0.017	92.989	2.066	2.066

Alpha/Beta Count Results

Sample Activity Report

Red 3 (20-23) - B

Addr: 21

Sample ID ICABT-1835503; E

Repeat 8

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/15/2022 12:46:44 PM

Count Ended 5/15/2022 1:31:53 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.076	20,526	456.133	456.057
	0.009	143.269	3.184	3.184
Beta sd	0.281	9,549	212.200	211.919
	0.017	97.719	2.172	2.172

Alpha/Beta Count Results

Sample Activity Report

Red 3 (20-23) - B

Addr: 21

Sample ID ICABT-1835503; D

Repeat 9

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/15/2022 1:35:19 PM

Count Ended 5/15/2022 2:20:26 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.076	13,420	298.222	298.146
	0.009	115.845	2.574	2.574
Beta sd	0.281	6,052	134.489	134.208
	0.017	77.795	1.729	1.729

Alpha/Beta Count Results

Sample Activity Report

Red 3 (20-23) - B

Addr: 21

Sample ID ICABT-1835503; C

Repeat 10

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/15/2022 2:25:23 PM

Count Ended 5/15/2022 3:10:30 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.076	15,124	336.089	336.013
	0.009	122.980	2.733	2.733
Beta sd	0.281	6,393	142.067	141.786
	0.017	79.956	1.777	1.777

Alpha/Beta Count Results

Sample Activity Report

Red 3 (20-23) - B

Addr: 21

Sample ID ICABT-1835503; B

Repeat 11

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/15/2022 3:16:12 PM

Count Ended 5/15/2022 4:01:20 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.076	19,360	430.222	430.146
	0.009	139.140	3.092	3.092
Beta sd	0.281	7,363	163.622	163.341
	0.017	85.808	1.907	1.907

Alpha/Beta Count Results

Sample Activity Report

Red 3 (20-23) - B

Addr: 21

Sample ID ICABT-1835503; A

Repeat 12

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/15/2022 4:04:17 PM

Count Ended 5/15/2022 4:49:27 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.076	20,126	447.244	447.168
	0.009	141.866	3.153	3.153
Beta sd	0.281	7,985	177.444	177.163
	0.017	89.359	1.986	1.986

Alpha/Beta Count Results

Sample Activity Report

Red 3 (20-23) - B

Addr: 21

Sample ID ICABT-1835503; H

Repeat 13

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/15/2022 4:53:08 PM

Count Ended 5/15/2022 5:38:17 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.076	14,935	331.889	331.813
	0.009	122.209	2.716	2.716
Beta sd	0.281	7,918	175.956	175.675
	0.017	88.983	1.977	1.977

Alpha/Beta Count Results

Sample Activity Report

Red 3 (20-23) - B

Addr: 21

Sample ID ICABT-1835503; G

Repeat 14

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/15/2022 5:41:34 PM

Count Ended 5/15/2022 6:26:42 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*


	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.076	16,930	376.222	376.146
	0.009	130.115	2.891	2.891
Beta sd	0.281	8,543	189.844	189.563
	0.017	92.428	2.054	2.054

Red 22

Curve is for Gross Beta
 Strontium 90
 and
 Total Strontium

Detector ID	Std ID	Count Date	Count Time	Beta Counts	DPM	35723.87	13-Jun
					DPM	35721.52	14-Jun
22	6322;B1	6/14/2019 11:22		5	79900	15980.000	0.4473
22	6322;B2	6/14/2019 1:01		5	76238	15247.600	0.4268
22	6322;B3	6/13/2019 22:55		5	77132	15426.400	0.4319
22	6322;B4	6/13/2019 22:07		5	73234	14646.800	0.4100
22	6322;B5	6/13/2019 20:42		5	69940	13988.000	0.3916
22	6322;B6	6/13/2019 20:16		5	69089	13817.800	0.3868
22	6322;B7	6/13/2019 14:37		5	68041	13608.200	0.3810
22	6322;B8	6/14/2019 12:27		5	64892	12978.400	0.3633

Mass	Measured Efficiency	Theoretical Efficiency	Percent
			△ Efficiency
0.0092	0.4473	0.4461	0.29%
0.0353	0.4268	0.4340	-1.65%
0.0658	0.4319	0.4210	2.58%
0.0916	0.4100	0.4109	-0.20%
0.1285	0.3916	0.3978	-1.56%
0.1615	0.3868	0.3875	-0.18%
0.2003	0.3810	0.3771	1.01%
0.2634	0.3633	0.3642	-0.24%

**Standard ID**

Strontium 90
 Sr-90_00004 #6322
 Cert# 80573-334 Ref. date 9/17/2009

Initial Activity: 22560 dpm/mL
 Reference Date: 9/17/2009
 Count Date: 6/13/2019
 Elapsed Time: 3556.000 days
 Half Life: 10555.725 days
 Exponential Term: 0.791752376
 Corrected Activity: 17861.93361 dpm/mL
 Decay Activity (Sr/Y-90) 35723.86722 dpm

Standard ID

Strontium 90
 Sr-90_00004 #6322
 Cert# 80573-334 Ref. date 9/17/2009

Initial Activity: 22560 dpm/mL
 Reference Date: 9/17/2009
 Count Date: 6/14/2019
 Elapsed Time: 3557.000 days
 Half Life: 10555.725 days
 Exponential Term: 0.791700387
 Corrected Activity: 17860.76073 dpm/mL
 Decay Activity (Sr/Y-90) 35721.52147 dpm

Alpha/Beta Count Results

Sample Activity Report

Red 3 (20-23) - C

Addr: 22

Sample ID ICABT-6322;B7

Repeat	1
Carrier No.	0

Batch ID m122627

Count Method Gross Alpha Beta	Detector Volts	1515
-------------------------------	----------------	------

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 6/13/2019 2:37:49 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 6/13/2019 2:43:02 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 mins	Background Count Time	.00 mins
-------------------	-----------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	6	1.200	1.200
sd	0.000			0.000	2.449	0.490	0.490
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	68,041	13,608.200	13,608.200
sd	0.000			0.000	260.847	52.169	52.169

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 3 (20-23) - C

Addr: 22

Sample ID ICABT-6322;B6

Repeat

2

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty 0 ml sd 0 ml

Residual Wt 0 mg sd 0 mg

Count Began 6/13/2019 8:16:05 PM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 6/13/2019 8:21:18 PM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	6	1.200	1.200
sd	0.000			0.000	2.449	0.490	0.490
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	69,089	13,817.800	13,817.800
sd	0.000			0.000	262.848	52.570	52.570

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 3 (20-23) - C

Addr: 22

Sample ID ICABT-6322;B5

Repeat

3

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty 0 ml sd 0 ml

Residual Wt 0 mg sd 0 mg

Count Began 6/13/2019 8:42:19 PM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 6/13/2019 8:47:31 PM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	13	2.600	2.600
sd	0.000			0.000	3.606	0.721	0.721
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	69,940	13,988.000	13,988.000
sd	0.000			0.000	264.462	52.892	52.892

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 3 (20-23) - C

Addr: 22

Sample ID ICABT-6322;B4

Repeat

4

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty 0 ml sd 0 ml

Residual Wt 0 mg sd 0 mg

Count Began 6/13/2019 10:07:48 PM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 6/13/2019 10:13:00 PM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	10	2.000	2.000
sd	0.000			0.000	3.162	0.632	0.632
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	73,234	14,646.800	14,646.800
sd	0.000			0.000	270.618	54.124	54.124

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 3 (20-23) - C

Addr: 22

Sample ID ICABT-6322;B3

Repeat

5

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty 0 ml sd 0 ml

Residual Wt 0 mg sd 0 mg

Count Began 6/13/2019 10:55:34 PM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 6/13/2019 11:00:49 PM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	7	1.400	1.400
sd	0.000			0.000	2.646	0.529	0.529
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	77,132	15,426.400	15,426.400
sd	0.000			0.000	277.726	55.545	55.545

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 3 (20-23) - C

Addr: 22

Sample ID ICABT-6322;B2

Repeat

6

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty 0 ml sd 0 ml

Residual Wt 0 mg sd 0 mg

Count Began 6/14/2019 1:01:52 AM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 6/14/2019 1:07:05 AM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	6	1.200	1.200
sd	0.000			0.000	2.449	0.490	0.490
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	76,238	15,247.600	15,247.600
sd	0.000			0.000	276.112	55.222	55.222

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 3 (20-23) - C

Addr: 22

Sample ID ICABT-6322;B1

Repeat

7

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0 <i>ml</i>	sd	0 <i>ml</i>
------------	-------------	----	-------------

Residual Wt	0 <i>mg</i>	sd	0 <i>mg</i>
-------------	-------------	----	-------------

Count Began 6/14/2019 11:22:59 AM	Collection Date 1 1/1/1900	Half Life	0.00 <i>days</i>
-----------------------------------	----------------------------	-----------	------------------

Count Ended 6/14/2019 11:28:13 AM	Collection Date 2 1/1/1900	Decay Factor	1.000
-----------------------------------	----------------------------	--------------	-------

Sample Count Time	5.00 <i>mins</i>	Background Count Time	.00 <i>mins</i>
-------------------	------------------	-----------------------	-----------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	12	2.400	2.400
sd	0.000			0.000	3.464	0.693	0.693
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	79,900	15,980.000	15,980.000
sd	0.000			0.000	282.666	56.533	56.533

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 3 (20-23) - C

Addr: 22

Sample ID ICABT-6322;B8

Repeat

8

Carrier No.

0

Batch ID m122627

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty 0 ml sd 0 ml

Residual Wt 0 mg sd 0 mg

Count Began 6/14/2019 12:27:47 PM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 6/14/2019 12:32:59 PM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	6	1.200	1.200
sd	0.000			0.000	2.449	0.490	0.490
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	64,892	12,978.400	12,978.400
sd	0.000			0.000	254.739	50.948	50.948

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Curve is for Gross Alpha


Red 22

Detector ID	Sample ID	Count Date	Count Time	Alpha Counts	Net CPM	DPM	Th-230 Efficiency	Standard Aliquot (mL)	Mass	
22	ICABT-1835503; A	5/15/2022	16:52	45	20425	453.889	2254.6	0.2013	1	0.0098
22	ICABT-1835503; B	5/15/2022	16:04	45	18641	414.244	2254.6	0.1837	1	0.0171
22	ICABT-1835503; C	5/15/2022	15:16	45	15297	339.933	2254.6	0.1508	1	0.0282
22	ICABT-1835503; D	5/15/2022	14:25	45	13241	294.244	2254.6	0.1305	1	0.0435
22	ICABT-1835503; E	5/15/2022	13:35	45	20096	446.578	4509.1	0.0990	2	0.0578
22	ICABT-1835503; F	5/15/2022	12:46	45	17239	383.089	4509.1	0.0850	2	0.0756
22	ICABT-1835503; G	5/14/2022	8:33	45	16706	371.244	4509.1	0.0823	2	0.0954
22	ICABT-1835503; H	5/15/2022	17:41	45	15074	334.978	4509.1	0.0743	2	0.1139


Mass	Measured Efficiency	Percent Δ	
		Theoretical Efficiency	Efficiency
0.0098	0.2013	0.2007	0.31%
0.0171	0.1837	0.1816	1.18%
0.0282	0.1508	0.1556	-3.10%
0.0435	0.1305	0.1257	3.81%
0.0578	0.0990	0.1041	-4.83%
0.0756	0.0850	0.0856	-0.71%
0.0954	0.0823	0.0760	8.32%
0.1139	0.0743	0.0776	-4.22%

Standard ID
 Thorium-230
 Th-230_00052
 Container#: 1835503
 Cert #: 114474 Ref. date 10/29/2019
 Activity (dpm) 2254.57

X² Coeff: 14.799
 X Coeff: -3.0134
 Intercept: 0.2288



Sample ID	Mass	Count Time	Alpha Counts	Beta Counts	Alpha CPM	Beta CPM	% α into β
ICABT-1835503; A	0.0098	45	20425	7714	453.89	171.42	27.41% Min
ICABT-1835503; B	0.0171	45	18641	7232	414.24	160.71	27.95%
ICABT-1835503; C	0.0282	45	15297	6222	339.93	138.27	28.91%
ICABT-1835503; D	0.0435	45	13241	5859	294.24	130.20	30.68% Max
ICABT-1835503; E	0.0578	45	20096	9528	446.58	211.73	32.16% 34.02%
ICABT-1835503; F	0.0756	45	17239	8890	383.09	197.56	34.02%
ICABT-1835503; G	0.0954	45	16706	8427	371.24	187.27	33.53% Mean
ICABT-1835503; H	0.1139	45	15074	7759	334.98	172.42	33.98% 31.08%



Alpha/Beta Count Results

Sample Activity Report

Red 3 (20-23) - C

Addr: 22

Sample ID ICABT-1835503; G

Repeat

7

Carrier No.

0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts

1515

Count Began 5/14/2022 8:33:11 AM

Count Ended 5/14/2022 9:18:20 AM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.097	16,706	371.244	371.147
	0.010	129.252	2.872	2.872
Beta sd	0.337	8,427	187.267	186.930
	0.018	91.799	2.040	2.040

Alpha/Beta Count Results

Sample Activity Report

Red 3 (20-23) - C

Addr: 22

Sample ID ICABT-1835503; F

Repeat 8

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/15/2022 12:46:48 PM

Count Ended 5/15/2022 1:31:56 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.097	17,239	383.089	382.992
	0.010	131.297	2.918	2.918
Beta sd	0.337	8,890	197.556	197.219
	0.018	94.287	2.095	2.095

Alpha/Beta Count Results

Sample Activity Report

Red 3 (20-23) - C

Addr: 22

Sample ID ICABT-1835503; E

Repeat

9

Carrier No.

0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts

1515

Count Began 5/15/2022 1:35:22 PM

Count Ended 5/15/2022 2:20:32 PM

Sample Count Time

45.00 *mins*

Background Count Time

1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.097	20,096	446.578	446.481
	0.010	141.760	3.150	3.150
Beta sd	0.337	9,528	211.733	211.396
	0.018	97.611	2.169	2.169

Alpha/Beta Count Results

Sample Activity Report

Red 3 (20-23) - C

Addr: 22

Sample ID ICABT-1835503; D

Repeat 10

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/15/2022 2:25:27 PM

Count Ended 5/15/2022 3:10:33 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.097	13,241	294.244	294.147
	0.010	115.070	2.557	2.557
Beta sd	0.337	5,859	130.200	129.863
	0.018	76.544	1.701	1.701

Alpha/Beta Count Results

Sample Activity Report

Red 3 (20-23) - C

Addr: 22

Sample ID ICABT-1835503; C

Repeat 11

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/15/2022 3:16:15 PM

Count Ended 5/15/2022 4:01:24 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.097	15,297	339.933	339.836
	0.010	123.681	2.748	2.748
Beta sd	0.337	6,222	138.267	137.930
	0.018	78.880	1.753	1.753

Alpha/Beta Count Results

Sample Activity Report

Red 3 (20-23) - C

Addr: 22

Sample ID ICABT-1835503; B

Repeat 12

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/15/2022 4:04:20 PM

Count Ended 5/15/2022 4:49:28 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.097	18,641	414.244	414.147
	0.010	136.532	3.034	3.034
Beta sd	0.337	7,232	160.711	160.374
	0.018	85.041	1.890	1.890

Alpha/Beta Count Results

Sample Activity Report

Red 3 (20-23) - C

Addr: 22

Sample ID ICABT-1835503; A

Repeat 13

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/15/2022 4:52:42 PM

Count Ended 5/15/2022 5:37:51 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.097	20,425	453.889	453.792
	0.010	142.916	3.176	3.176
Beta sd	0.337	7,714	171.422	171.085
	0.018	87.829	1.952	1.952

Alpha/Beta Count Results

Sample Activity Report

Red 3 (20-23) - C

Addr: 22

Sample ID ICABT-1835503; H

Repeat 14

Carrier No. 0

Batch ID 565419

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/15/2022 5:41:37 PM

Count Ended 5/15/2022 6:26:45 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.097	15,074	334.978	334.881
	0.010	122.776	2.728	2.728
Beta sd	0.337	7,759	172.422	172.085
	0.018	88.085	1.957	1.958


Ra-226

Calibrations

Ra-226 Calibration 2019

Blue 3

Std #	Sample Time	Count Time	Alpha Counts	CPM	Sep Time	Ingrowth	Recovery	Adj CPM	DPM	Efficiency	Mass
ICRa6-1063071;Ra2	7/26/2019 16:32	15	46028	3068.5333	2/13/2017 13:30	4.0000	0.4487	1709.6036	7534.6	0.2269	0.0063
ICRa6-1063071;Ra3	7/26/2019 16:14	15	65354	4356.9333	2/13/2017 13:30	4.0000	0.6933	1571.1758	7534.6	0.2085	0.0146
ICRa6-1063071;Ra4	7/26/2019 15:56	15	71098	4739.8667	2/13/2017 13:30	4.0000	0.7265	1631.0622	7534.6	0.2165	0.0204
ICRa6-1063071;Ra5	7/26/2019 18:14	15	82384	5492.2667	2/13/2017 13:30	4.0000	0.8604	1595.8469	7534.6	0.2118	0.0302
ICRa6-1063071;Ra6	7/26/2019 17:42	15	72176	4811.7333	2/13/2017 13:30	4.0000	0.9364	1284.6774	7534.6	0.1705	0.0493
ICRa6-1063071;Ra7	7/26/2019 17:23	15	69202	4613.4667	2/13/2017 13:30	4.0000	0.9274	1243.7232	7534.6	0.1651	0.0651
ICRa6-1063071;Ra8	7/26/2019 17:06	15	63621	4241.4000	2/13/2017 13:30	4.0000	0.9402	1127.8279	7534.6	0.1497	0.0990



Reagent ID:Ra-226_00022

Container #:986404

Final Conc.: 7534.60740 dpm/mL

Added: 1mL

Reagent ID:Ba Carrier_00026

Container #: 1015438

Cert.#: 16I027

Alpha/Beta Count Results

Sample Activity Report

Blue 0-3 - D

Addr: 3

Sample ID ICRa6-1063071;Ra4

Repeat 18

Carrier No. 0

Batch ID Ra226 - IC

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty 0 Sample sd 0 Sample

Residual Wt 0 mg sd 0 mg

Count Began 7/26/2019 3:56:22 PM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 7/26/2019 4:11:43 PM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 15.00 mins Background Count Time 1,000.00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.086	71,098	4,739.867	4,739.781
sd	0.000			0.009	266.642	17.776	17.776
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.393	82,741	5,516.067	5,515.674
sd	0.000			0.020	287.647	19.176	19.177

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Blue 0-3 - D

Addr: 3

Sample ID ICRa6-1063071;Ra3

Repeat 19

Carrier No. 0

Batch ID Ra226 - IC

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0	Sample	sd	0	Sample	
Residual Wt	0	mg	sd	0	mg	

Count Began 7/26/2019 4:14:54 PM	Collection Date 1	1/1/1900	Half Life	0.00 days
----------------------------------	-------------------	----------	-----------	-----------

Count Ended 7/26/2019 4:30:14 PM	Collection Date 2	1/1/1900	Decay Factor	1.000
----------------------------------	-------------------	----------	--------------	-------

Sample Count Time	15.00 mins	Background Count Time	1,000.00 mins
-------------------	------------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.086	65,354	4,356.933	4,356.847
sd	0.000			0.009	255.644	17.043	17.043
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.393	75,403	5,026.867	5,026.474
sd	0.000			0.020	274.596	18.306	18.306

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Blue 0-3 - D

Addr: 3

Sample ID ICRa6-1063071;Ra2

Repeat 20
Carrier No. 0

Batch ID Ra226 - IC

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0	Sample	sd	0	Sample	
Residual Wt	0	mg	sd	0	mg	

Count Began 7/26/2019 4:32:17 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 7/26/2019 4:47:35 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	15.00 mins	Background Count Time	1,000.00 mins
-------------------	------------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.086	46,028	3,068.533	3,068.447
sd	0.000			0.009	214.541	14.303	14.303
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.393	51,168	3,411.200	3,410.807
sd	0.000			0.020	226.203	15.080	15.080

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Blue 0-3 - D

Addr: 3

Sample ID ICRa6-1063071;Ra8

Repeat

21

Carrier No.

0

Batch ID Ra226 - IC

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0	Sample	sd	0	Sample	
Residual Wt	0	mg	sd	0	mg	

Count Began 7/26/2019 5:06:17 PM	Collection Date 1	1/1/1900	Half Life	0.00 days
----------------------------------	-------------------	----------	-----------	-----------

Count Ended 7/26/2019 5:21:41 PM	Collection Date 2	1/1/1900	Decay Factor	1.000
----------------------------------	-------------------	----------	--------------	-------

Sample Count Time	15.00 mins	Background Count Time	1,000.00 mins
-------------------	------------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.086	63,621	4,241.400	4,241.314
sd	0.000			0.009	252.232	16.815	16.815
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.393	99,452	6,630.133	6,629.740
sd	0.000			0.020	315.360	21.024	21.024

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Blue 0-3 - D

Addr: 3

Sample ID ICRa6-1063071;Ra7

Repeat 23

Carrier No. 0

Batch ID Ra226 - IC

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0	Sample	sd	0	Sample	
Residual Wt	0	mg	sd	0	mg	

Count Began 7/26/2019 5:23:12 PM	Collection Date 1	1/1/1900	Half Life	0.00 days
----------------------------------	-------------------	----------	-----------	-----------

Count Ended 7/26/2019 5:38:30 PM	Collection Date 2	1/1/1900	Decay Factor	1.000
----------------------------------	-------------------	----------	--------------	-------

Sample Count Time	15.00 mins	Background Count Time	1,000.00 mins
-------------------	------------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.086	69,202	4,613.467	4,613.381
sd	0.000			0.009	263.063	17.538	17.538
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.393	96,142	6,409.467	6,409.074
sd	0.000			0.020	310.068	20.671	20.671

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Blue 0-3 - D

Addr: 3

Sample ID ICRa6-1063071;Ra6

Repeat 24

Carrier No. 0

Batch ID Ra226 - IC

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0	Sample	sd	0	Sample	
Residual Wt	0	mg	sd	0	mg	

Count Began 7/26/2019 5:42:22 PM	Collection Date 1	1/1/1900	Half Life	0.00 days
----------------------------------	-------------------	----------	-----------	-----------

Count Ended 7/26/2019 5:57:42 PM	Collection Date 2	1/1/1900	Decay Factor	1.000
----------------------------------	-------------------	----------	--------------	-------

Sample Count Time	15.00 mins	Background Count Time	1,000.00 mins
-------------------	------------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.086	72,176	4,811.733	4,811.647
sd	0.000			0.009	268.656	17.910	17.910
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.393	97,377	6,491.800	6,491.407
sd	0.000			0.020	312.053	20.804	20.804

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Blue 0-3 - D

Addr: 3

Sample ID ICRa6-1063071;Ra5

Repeat 25

Carrier No. 0

Batch ID Ra226 - IC

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0	Sample	sd	0	Sample	
------------	---	--------	----	---	--------	--

Residual Wt	0	mg	sd	0	mg	
-------------	---	----	----	---	----	--

Count Began 7/26/2019 6:14:29 PM	Collection Date 1	1/1/1900	Half Life	0.00 days
----------------------------------	-------------------	----------	-----------	-----------

Count Ended 7/26/2019 6:29:54 PM	Collection Date 2	1/1/1900	Decay Factor	1.000
----------------------------------	-------------------	----------	--------------	-------

Sample Count Time	15.00 mins	Background Count Time	1,000.00 mins
-------------------	------------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.086	82,384	5,492.267	5,492.181
sd	0.000			0.009	287.026	19.135	19.135
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.393	96,306	6,420.400	6,420.007
sd	0.000			0.020	310.332	20.689	20.689

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected


MDC Method Currie

Error = .00 x sd

Ra-226 Calibration 2019

Blue 10

Std #	Sample Time	Count Time	Alpha Counts	CPM	Sep Time	Ingrowth	Recovery	Adj CPM	DPM	Efficiency	Mass
ICRa6-1063071;Ra2	7/24/2019 13:58	15	46141	3076.0667	2/13/2017 13:30	4.0000	0.4487	1713.8007	7534.6	0.2275	0.0063
ICRa6-1063071;Ra3	7/24/2019 13:40	15	66333	4422.2000	2/13/2017 13:30	4.0000	0.6933	1594.7119	7534.6	0.2117	0.0146
ICRa6-1063071;Ra4	7/24/2019 17:07	15	71613	4774.2000	2/13/2017 13:30	4.0000	0.7265	1642.8768	7534.6	0.2180	0.0204
ICRa6-1063071;Ra5	7/24/2019 16:50	15	83057	5537.1333	2/13/2017 13:30	4.0000	0.8604	1608.8835	7534.6	0.2135	0.0302
ICRa6-1063071;Ra6	7/24/2019 16:26	15	72708	4847.2000	2/13/2017 13:30	4.0000	0.9364	1294.1465	7534.6	0.1718	0.0493
ICRa6-1063071;Ra7	7/24/2019 15:48	15	69277	4618.4667	2/13/2017 13:30	4.0000	0.9274	1245.0711	7534.6	0.1652	0.0651
ICRa6-1063071;Ra8	7/24/2019 15:16	15	63768	4251.2000	2/13/2017 13:30	4.0000	0.9402	1130.4339	7534.6	0.1500	0.0990



Reagent ID:Ra-226_00022

Container #:986404

Final Conc.: 7534.60740 dpm/mL

Added: 1mL

Reagent ID:Ba Carrier_00026

Container #: 1015438

Cert.#: 16I027

Alpha/Beta Count Results

Sample Activity Report

Blue 8-11 - C

Addr: 10

Sample ID ICRa6-1063071;Ra3

Repeat 10
Carrier No. 0

Batch ID Ra226 - IC

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0	Sample	sd	0	Sample	
Residual Wt	0	mg	sd	0	mg	

Count Began 7/24/2019 1:40:27 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 7/24/2019 1:55:49 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	15.00 mins	Background Count Time	1,000.00 mins
-------------------	------------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.132	66,333	4,422.200	4,422.068
sd	0.000			0.011	257.552	17.170	17.170
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.298	76,445	5,096.333	5,096.035
sd	0.000			0.017	276.487	18.432	18.432

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Blue 8-11 - C

Addr: 10

Sample ID ICRa6-1063071;Ra2

Repeat 11

Carrier No. 0

Batch ID Ra226 - IC

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0	Sample	sd	0	Sample	
Residual Wt	0	mg	sd	0	mg	

Count Began 7/24/2019 1:58:12 PM	Collection Date 1	1/1/1900	Half Life	0.00 days
----------------------------------	-------------------	----------	-----------	-----------

Count Ended 7/24/2019 2:13:31 PM	Collection Date 2	1/1/1900	Decay Factor	1.000
----------------------------------	-------------------	----------	--------------	-------

Sample Count Time	15.00 mins	Background Count Time	1,000.00 mins
-------------------	------------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.132	46,141	3,076.067	3,075.935
sd	0.000			0.011	214.805	14.320	14.320
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.298	51,199	3,413.267	3,412.969
sd	0.000			0.017	226.272	15.085	15.085

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Blue 8-11 - C

Addr: 10

Sample ID ICRa6-1063071;Ra8

Repeat 12
Carrier No. 0

Batch ID Ra226 - IC

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0	Sample	sd	0	Sample	
Residual Wt	0	mg	sd	0	mg	

Count Began 7/24/2019 3:16:51 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 7/24/2019 3:32:14 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	15.00 mins	Background Count Time	1,000.00 mins
-------------------	------------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.132	63,768	4,251.200	4,251.068
sd	0.000			0.011	252.523	16.835	16.835
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.298	99,772	6,651.467	6,651.169
sd	0.000			0.017	315.867	21.058	21.058

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Blue 8-11 - C

Addr: 10

Sample ID ICRa6-1063071;Ra7

Repeat 14

Carrier No. 0

Batch ID Ra226 - IC

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0	Sample	sd	0	Sample	
Residual Wt	0	mg	sd	0	mg	

Count Began 7/24/2019 3:48:31 PM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 7/24/2019 4:03:54 PM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 15.00 mins Background Count Time 1,000.00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.132	69,277	4,618.467	4,618.335
sd	0.000			0.011	263.205	17.547	17.547
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.298	96,832	6,455.467	6,455.169
sd	0.000			0.017	311.178	20.745	20.745

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Blue 8-11 - C

Addr: 10

Sample ID ICRa6-1063071;Ra6

Repeat 15
Carrier No. 0

Batch ID Ra226 - IC

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0	Sample	sd	0	Sample	
Residual Wt	0	mg	sd	0	mg	

Count Began 7/24/2019 4:26:08 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 7/24/2019 4:41:32 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	15.00 mins	Background Count Time	1,000.00 mins
-------------------	------------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.132	72,708	4,847.200	4,847.068
sd	0.000			0.011	269.644	17.976	17.976
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.298	98,322	6,554.800	6,554.502
sd	0.000			0.017	313.563	20.904	20.904

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Blue 8-11 - C

Addr: 10

Sample ID ICRa6-1063071;Ra5

Repeat 16
Carrier No. 0

Batch ID Ra226 - IC

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty 0 Sample sd 0 Sample

Residual Wt 0 mg sd 0 mg

Count Began 7/24/2019 4:50:05 PM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 7/24/2019 5:05:25 PM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 15.00 mins Background Count Time 1,000.00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.132	83,057	5,537.133	5,537.001
sd	0.000			0.011	288.196	19.213	19.213
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.298	97,101	6,473.400	6,473.102
sd	0.000			0.017	311.610	20.774	20.774

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Blue 8-11 - C

Addr: 10

Sample ID ICRa6-1063071;Ra4

Repeat 17

Carrier No. 0

Batch ID Ra226 - IC

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0	Sample	sd	0	Sample	
------------	---	--------	----	---	--------	--

Residual Wt	0	mg	sd	0	mg	
-------------	---	----	----	---	----	--

Count Began 7/24/2019 5:07:43 PM	Collection Date 1	1/1/1900	Half Life	0.00 days
----------------------------------	-------------------	----------	-----------	-----------

Count Ended 7/24/2019 5:23:01 PM	Collection Date 2	1/1/1900	Decay Factor	1.000
----------------------------------	-------------------	----------	--------------	-------

Sample Count Time	15.00 mins	Background Count Time	1,000.00 mins
-------------------	------------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.132	71,613	4,774.200	4,774.068
sd	0.000			0.011	267.606	17.840	17.840
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.298	83,167	5,544.467	5,544.169
sd	0.000			0.017	288.387	19.226	19.226

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected


MDC Method Currie

Error = .00 x sd

Ra-226 Calibration 2019

Blue 11

Std #	Sample Time	Count Time	Alpha Counts	CPM	Sep Time	Ingrowth	Recovery	Adj CPM	DPM	Efficiency	Mass
ICRa6-1063071;Ra2	7/24/2019 14:34	15	45544	3036.2667	2/13/2017 13:30	4.0000	0.4487	1691.6266	7534.6	0.2245	0.0063
ICRa6-1063071;Ra3	7/24/2019 13:58	15	65074	4338.2667	2/13/2017 13:30	4.0000	0.6933	1564.4443	7534.6	0.2076	0.0146
ICRa6-1063071;Ra4	7/24/2019 13:40	15	70591	4706.0667	2/13/2017 13:30	4.0000	0.7265	1619.4311	7534.6	0.2149	0.0204
ICRa6-1063071;Ra5	7/24/2019 17:07	15	82464	5497.6000	2/13/2017 13:30	4.0000	0.8604	1597.3966	7534.6	0.2120	0.0302
ICRa6-1063071;Ra6	7/24/2019 16:50	15	71922	4794.8000	2/13/2017 13:30	4.0000	0.9364	1280.1563	7534.6	0.1699	0.0493
ICRa6-1063071;Ra7	7/24/2019 16:26	15	68380	4558.6667	2/13/2017 13:30	4.0000	0.9274	1228.9499	7534.6	0.1631	0.0651
ICRa6-1063071;Ra8	7/24/2019 15:48	15	63691	4246.0667	2/13/2017 13:30	4.0000	0.9402	1129.0689	7534.6	0.1499	0.0990



Reagent ID:Ra-226_00022

Container #:986404

Final Conc.: 7534.60740 dpm/mL

Added: 1mL

Reagent ID:Ba Carrier_00026

Container #: 1015438

Cert.#: 16I027

Alpha/Beta Count Results

Sample Activity Report

Blue 8-11 - D

Addr: 11

Sample ID ICRa6-1063071;Ra4

Repeat 10

Carrier No. 0

Batch ID Ra226 - IC

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0	Sample	sd	0	Sample	
------------	---	--------	----	---	--------	--

Residual Wt	0	mg	sd	0	mg	
-------------	---	----	----	---	----	--

Count Began 7/24/2019 1:40:31 PM	Collection Date 1	1/1/1900	Half Life	0.00 days
----------------------------------	-------------------	----------	-----------	-----------

Count Ended 7/24/2019 1:55:54 PM	Collection Date 2	1/1/1900	Decay Factor	1.000
----------------------------------	-------------------	----------	--------------	-------

Sample Count Time	15.00 mins	Background Count Time	1,000.00 mins
-------------------	------------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.074	70,591	4,706.067	4,705.993
sd	0.000			0.009	265.690	17.713	17.713
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.450	84,254	5,616.933	5,616.483
sd	0.000			0.021	290.265	19.351	19.351

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Blue 8-11 - D

Addr: 11

Sample ID ICRa6-1063071;Ra3

Repeat 11

Carrier No. 0

Batch ID Ra226 - IC

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0	Sample	sd	0	Sample	
Residual Wt	0	mg	sd	0	mg	

Count Began 7/24/2019 1:58:17 PM	Collection Date 1	1/1/1900	Half Life	0.00 days
----------------------------------	-------------------	----------	-----------	-----------

Count Ended 7/24/2019 2:13:40 PM	Collection Date 2	1/1/1900	Decay Factor	1.000
----------------------------------	-------------------	----------	--------------	-------

Sample Count Time	15.00 mins	Background Count Time	1,000.00 mins
-------------------	------------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.074	65,074	4,338.267	4,338.193
sd	0.000			0.009	255.096	17.006	17.006
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.450	76,073	5,071.533	5,071.083
sd	0.000			0.021	275.813	18.388	18.388

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Blue 8-11 - D

Addr: 11

Sample ID ICRa6-1063071;Ra2

Repeat 12
Carrier No. 0

Batch ID Ra226 - IC

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0	Sample	sd	0	Sample	
Residual Wt	0	mg	sd	0	mg	

Count Began 7/24/2019 2:34:42 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 7/24/2019 2:49:58 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	15.00 mins	Background Count Time	1,000.00 mins
-------------------	------------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.074	45,544	3,036.267	3,036.193
sd	0.000			0.009	213.410	14.227	14.227
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.450	51,419	3,427.933	3,427.483
sd	0.000			0.021	226.758	15.117	15.117

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Blue 8-11 - D

Addr: 11

Sample ID ICRa6-1063071;Ra8

Repeat 13

Carrier No. 0

Batch ID Ra226 - IC

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0	Sample	sd	0	Sample	
------------	---	--------	----	---	--------	--

Residual Wt	0	mg	sd	0	mg	
-------------	---	----	----	---	----	--

Count Began 7/24/2019 3:48:36 PM	Collection Date 1	1/1/1900	Half Life	0.00 days
----------------------------------	-------------------	----------	-----------	-----------

Count Ended 7/24/2019 4:03:56 PM	Collection Date 2	1/1/1900	Decay Factor	1.000
----------------------------------	-------------------	----------	--------------	-------

Sample Count Time	15.00 mins	Background Count Time	1,000.00 mins
-------------------	------------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.074	63,691	4,246.067	4,245.993
sd	0.000			0.009	252.371	16.825	16.825
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.450	100,815	6,721.000	6,720.550
sd	0.000			0.021	317.514	21.168	21.168

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Blue 8-11 - D

Addr: 11

Sample ID ICRa6-1063071;Ra7

Repeat 15

Carrier No. 0

Batch ID Ra226 - IC

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0	Sample	sd	0	Sample	
------------	---	--------	----	---	--------	--

Residual Wt	0	mg	sd	0	mg	
-------------	---	----	----	---	----	--

Count Began 7/24/2019 4:26:14 PM	Collection Date 1	1/1/1900	Half Life	0.00 days
----------------------------------	-------------------	----------	-----------	-----------

Count Ended 7/24/2019 4:41:34 PM	Collection Date 2	1/1/1900	Decay Factor	1.000
----------------------------------	-------------------	----------	--------------	-------

Sample Count Time	15.00 mins	Background Count Time	1,000.00 mins
-------------------	------------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.074	68,380	4,558.667	4,558.593
sd	0.000			0.009	261.496	17.433	17.433
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.450	97,043	6,469.533	6,469.083
sd	0.000			0.021	311.517	20.768	20.768

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Blue 8-11 - D

Addr: 11

Sample ID ICRa6-1063071;Ra6

Repeat 16
Carrier No. 0

Batch ID Ra226 - IC

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0	Sample	sd	0	Sample	
Residual Wt	0	mg	sd	0	mg	

Count Began 7/24/2019 4:50:10 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 7/24/2019 5:05:33 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	15.00 mins	Background Count Time	1,000.00 mins
-------------------	------------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.074	71,922	4,794.800	4,794.726
sd	0.000			0.009	268.183	17.879	17.879
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.450	99,009	6,600.600	6,600.150
sd	0.000			0.021	314.657	20.977	20.977

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Blue 8-11 - D

Addr: 11

Sample ID ICRa6-1063071;Ra5

Repeat

17

Carrier No.

0

Batch ID Ra226 - IC

Count Method Gross Alpha Beta

Detector Volts


1515

Sample Qty	0	Sample	sd	0	Sample	
Residual Wt	0	mg	sd	0	mg	

Ra-226 Calibration 2019

Blue 12

Std #	Sample Time	Count Time	Alpha Counts	CPM	Sep Time	Ingrowth	Recovery	Adj CPM	DPM	Efficiency	Mass
ICRa6-1063071;Ra2	7/24/2019 15:17	15	42771	2851.400	2/13/2017 13:30	4.0000	0.4487	1588.6299	7534.6	0.2108	0.0063
ICRa6-1063071;Ra3	7/24/2019 14:34	15	61453	4096.867	2/13/2017 13:30	4.0000	0.6933	1477.3918	7534.6	0.1961	0.0146
ICRa6-1063071;Ra4	7/24/2019 13:58	15	65449	4363.267	2/13/2017 13:30	4.0000	0.7265	1501.4682	7534.6	0.1993	0.0204
ICRa6-1063071;Ra5	7/24/2019 13:40	15	76519	5101.267	2/13/2017 13:30	4.0000	0.8604	1482.2369	7534.6	0.1967	0.0302
ICRa6-1063071;Ra6	7/24/2019 17:07	15	65981	4398.733	2/13/2017 13:30	4.0000	0.9364	1174.4111	7534.6	0.1559	0.0493
ICRa6-1063071;Ra7	7/24/2019 16:50	15	63875	4258.333	2/13/2017 13:30	4.0000	0.9274	1147.9844	7534.6	0.1524	0.0651
ICRa6-1063071;Ra8	7/24/2019 16:26	15	58360	3890.667	2/13/2017 13:30	4.0000	0.9402	1034.5647	7534.6	0.1373	0.0990



Reagent ID:Ra-226_00022

Container #:986404

Final Conc.: 7534.60740 dpm/mL

Added: 1mL

Reagent ID:Ba Carrier_00026

Container #: 1015438

Cert.#: 16I027

Alpha/Beta Count Results

Sample Activity Report

Blue 12-15 - A

Addr: 12

Sample ID ICRa6-1063071;Ra5

Repeat 10
Carrier No. 0

Batch ID Ra226 - IC

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0	Sample	sd	0	Sample	
Residual Wt	0	mg	sd	0	mg	

Count Began 7/24/2019 1:40:36 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 7/24/2019 1:55:57 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	15.00 mins	Background Count Time	1,000.00 mins
-------------------	------------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.118	76,519	5,101.267	5,101.149
sd	0.000			0.011	276.621	18.441	18.441
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.357	102,691	6,846.067	6,845.710
sd	0.000			0.019	320.454	21.364	21.364

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Blue 12-15 - A

Addr: 12

Sample ID ICRa6-1063071;Ra4

Repeat 11

Carrier No. 0

Batch ID Ra226 - IC

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0	Sample	sd	0	Sample	
------------	---	--------	----	---	--------	--

Residual Wt	0	mg	sd	0	mg	
-------------	---	----	----	---	----	--

Count Began 7/24/2019 1:58:22 PM	Collection Date 1	1/1/1900	Half Life	0.00 days
----------------------------------	-------------------	----------	-----------	-----------

Count Ended 7/24/2019 2:13:45 PM	Collection Date 2	1/1/1900	Decay Factor	1.000
----------------------------------	-------------------	----------	--------------	-------

Sample Count Time	15.00 mins	Background Count Time	1,000.00 mins
-------------------	------------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.118	65,449	4,363.267	4,363.149
sd	0.000			0.011	255.830	17.055	17.055
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.357	88,049	5,869.933	5,869.576
sd	0.000			0.019	296.731	19.782	19.782

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Blue 12-15 - A

Addr: 12

Sample ID ICRa6-1063071;Ra3

Repeat 12
Carrier No. 0

Batch ID Ra226 - IC

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0	Sample	sd	0	Sample	
Residual Wt	0	mg	sd	0	mg	

Count Began 7/24/2019 2:34:47 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 7/24/2019 2:50:06 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	15.00 mins	Background Count Time	1,000.00 mins
-------------------	------------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.118	61,453	4,096.867	4,096.749
sd	0.000			0.011	247.897	16.526	16.526
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.357	79,673	5,311.533	5,311.176
sd	0.000			0.019	282.264	18.818	18.818

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Blue 12-15 - A

Addr: 12

Sample ID ICRa6-1063071;Ra2

Repeat 13

Carrier No. 0

Batch ID Ra226 - IC

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0	Sample	sd	0	Sample	
------------	---	--------	----	---	--------	--

Residual Wt	0	mg	sd	0	mg	
-------------	---	----	----	---	----	--

Count Began 7/24/2019 3:17:00 PM	Collection Date 1	1/1/1900	Half Life	0.00 days
----------------------------------	-------------------	----------	-----------	-----------

Count Ended 7/24/2019 3:32:18 PM	Collection Date 2	1/1/1900	Decay Factor	1.000
----------------------------------	-------------------	----------	--------------	-------

Sample Count Time	15.00 mins	Background Count Time	1,000.00 mins
-------------------	------------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.118	42,771	2,851.400	2,851.282
sd	0.000			0.011	206.812	13.787	13.787
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.357	54,183	3,612.200	3,611.843
sd	0.000			0.019	232.772	15.518	15.518

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Blue 12-15 - A

Addr: 12

Sample ID ICRa6-1063071;Ra8

Repeat

14

Carrier No.

0

Batch ID Ra226 - IC

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0	Sample	sd	0	Sample	
Residual Wt	0	mg	sd	0	mg	

Alpha/Beta Count Results

Sample Activity Report

Blue 12-15 - A

Addr: 12

Sample ID ICRa6-1063071;Ra7

Repeat

16

Carrier No.

0

Batch ID Ra226 - IC

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0	Sample	sd	0	Sample	
Residual Wt	0	mg	sd	0	mg	

Count Began 7/24/2019 4:50:14 PM	Collection Date 1	1/1/1900	Half Life	0.00 days
----------------------------------	-------------------	----------	-----------	-----------

Count Ended 7/24/2019 5:05:36 PM	Collection Date 2	1/1/1900	Decay Factor	1.000
----------------------------------	-------------------	----------	--------------	-------

Sample Count Time	15.00 mins	Background Count Time	1,000.00 mins
-------------------	------------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.118	63,875	4,258.333	4,258.215
sd	0.000			0.011	252.735	16.849	16.849
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.357	102,124	6,808.267	6,807.910
sd	0.000			0.019	319.568	21.305	21.305

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Blue 12-15 - A

Addr: 12

Sample ID ICRa6-1063071;Ra6

Repeat

17

Carrier No.

0

Batch ID Ra226 - IC

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0	Sample	sd	0	Sample	
Residual Wt	0	mg	sd	0	mg	

Count Began 7/24/2019 5:07:51 PM	Collection Date 1	1/1/1900	Half Life	0.00 days
----------------------------------	-------------------	----------	-----------	-----------

Count Ended 7/24/2019 5:23:11 PM	Collection Date 2	1/1/1900	Decay Factor	1.000
----------------------------------	-------------------	----------	--------------	-------

Sample Count Time	15.00 mins	Background Count Time	1,000.00 mins
-------------------	------------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.118	65,981	4,398.733	4,398.615
sd	0.000			0.011	256.868	17.125	17.125
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.357	103,183	6,878.867	6,878.510
sd	0.000			0.019	321.221	21.415	21.415

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected


MDC Method Currie

Error = .00 x sd

Ra-226 Calibration 2019

Blue 13

Std #	Sample Time	Count Time	Alpha Counts	CPM	Sep Time	Ingrowth	Recovery	Adj CPM	DPM	Efficiency	Mass
ICRa6-1063071;Ra2	7/24/2019 15:48	15	47540	3169.333	2/13/2017 13:30	4.0000	0.4487	1765.7634	7534.6	0.2344	0.0063
ICRa6-1063071;Ra3	7/24/2019 15:17	15	67578	4505.200	2/13/2017 13:30	4.0000	0.6933	1624.6430	7534.6	0.2156	0.0146
ICRa6-1063071;Ra4	7/24/2019 14:34	15	73095	4873.000	2/13/2017 13:30	4.0000	0.7265	1676.8754	7534.6	0.2226	0.0204
ICRa6-1063071;Ra5	7/24/2019 13:58	15	85066	5671.067	2/13/2017 13:30	4.0000	0.8604	1647.7995	7534.6	0.2187	0.0302
ICRa6-1063071;Ra6	7/24/2019 13:40	15	74944	4996.267	2/13/2017 13:30	4.0000	0.9364	1333.9456	7534.6	0.1770	0.0493
ICRa6-1063071;Ra7	7/24/2019 17:07	15	711396	4759.733	2/13/2017 13:30	4.0000	0.9274	1283.1545	7534.6	0.1703	0.0651
ICRa6-1063071;Ra8	7/24/2019 16:50	15	66214	4414.267	2/13/2017 13:30	4.0000	0.9402	1173.7948	7534.6	0.1558	0.0990



Reagent ID:Ra-226_00022

Container #:986404

Final Conc.: 7534.60740 dpm/mL

Added: 1mL

Reagent ID:Ba Carrier_00026

Container #: 1015438

Cert.#: 16I027

Alpha/Beta Count Results

Sample Activity Report

Blue 12-15 - B

Addr: 13

Sample ID ICRa6-1063071;Ra6

Repeat 10
Carrier No. 0

Batch ID Ra226 - IC

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty 0 Sample sd 0 Sample

Residual Wt 0 mg sd 0 mg

Count Began 7/24/2019 1:40:40 PM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 7/24/2019 1:56:00 PM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 15.00 mins Background Count Time 1,000.00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.111	74,944	4,996.267	4,996.156
sd	0.000			0.011	273.759	18.251	18.251
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.361	95,462	6,364.133	6,363.772
sd	0.000			0.019	308.969	20.598	20.598

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Blue 12-15 - B

Addr: 13

Sample ID ICRa6-1063071;Ra5

Repeat 11

Carrier No. 0

Batch ID Ra226 - IC

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0	Sample	sd	0	Sample	
------------	---	--------	----	---	--------	--

Residual Wt	0	mg	sd	0	mg	
-------------	---	----	----	---	----	--

Count Began 7/24/2019 1:58:27 PM	Collection Date 1	1/1/1900	Half Life	0.00 days
----------------------------------	-------------------	----------	-----------	-----------

Count Ended 7/24/2019 2:13:47 PM	Collection Date 2	1/1/1900	Decay Factor	1.000
----------------------------------	-------------------	----------	--------------	-------

Sample Count Time	15.00 mins	Background Count Time	1,000.00 mins
-------------------	------------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.111	85,066	5,671.067	5,670.956
sd	0.000			0.011	291.661	19.444	19.444
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.361	94,997	6,333.133	6,332.772
sd	0.000			0.019	308.216	20.548	20.548

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Blue 12-15 - B

Addr: 13

Sample ID ICRa6-1063071;Ra4

Repeat 12

Carrier No. 0

Batch ID Ra226 - IC

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0	Sample	sd	0	Sample	
------------	---	--------	----	---	--------	--

Residual Wt	0	mg	sd	0	mg	
-------------	---	----	----	---	----	--

Count Began 7/24/2019 2:34:52 PM	Collection Date 1	1/1/1900	Half Life	0.00 days
----------------------------------	-------------------	----------	-----------	-----------

Count Ended 7/24/2019 2:50:15 PM	Collection Date 2	1/1/1900	Decay Factor	1.000
----------------------------------	-------------------	----------	--------------	-------

Sample Count Time	15.00 mins	Background Count Time	1,000.00 mins
-------------------	------------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.111	73,095	4,873.000	4,872.889
sd	0.000			0.011	270.361	18.024	18.024
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.361	81,045	5,403.000	5,402.639
sd	0.000			0.019	284.684	18.979	18.979

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Blue 12-15 - B

Addr: 13

Sample ID ICRa6-1063071;Ra3

Repeat

13

Carrier No.

0

Batch ID Ra226 - IC

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0	Sample	sd	0	Sample	
Residual Wt	0	mg	sd	0	mg	

Alpha/Beta Count Results

Sample Activity Report

Blue 12-15 - B

Addr: 13

Sample ID ICRa6-1063071;Ra2

Repeat 14

Carrier No. 0

Batch ID Ra226 - IC

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty 0 Sample sd 0 Sample

Residual Wt 0 mg sd 0 mg

Count Began 7/24/2019 3:48:47 PM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 7/24/2019 4:04:03 PM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 15.00 mins Background Count Time 1,000.00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.111	47,540	3,169.333	3,169.222
sd	0.000			0.011	218.037	14.536	14.536
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.361	49,713	3,314.200	3,313.839
sd	0.000			0.019	222.964	14.864	14.864

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Blue 12-15 - B

Addr: 13

Sample ID ICRa6-1063071;Ra8

Repeat 15

Carrier No. 0

Batch ID Ra226 - IC

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0	Sample	sd	0	Sample	
Residual Wt	0	mg	sd	0	mg	

Count Began 7/24/2019 4:50:19 PM	Collection Date 1	1/1/1900	Half Life	0.00 days
----------------------------------	-------------------	----------	-----------	-----------

Count Ended 7/24/2019 5:05:37 PM	Collection Date 2	1/1/1900	Decay Factor	1.000
----------------------------------	-------------------	----------	--------------	-------

Sample Count Time	15.00 mins	Background Count Time	1,000.00 mins
-------------------	------------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.111	66,214	4,414.267	4,414.156
sd	0.000			0.011	257.321	17.155	17.155
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.361	97,725	6,515.000	6,514.639
sd	0.000			0.019	312.610	20.841	20.841

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Blue 12-15 - B

Addr: 13

Sample ID ICRa6-1063071;Ra7

Repeat

17

Carrier No.

0

Batch ID Ra226 - IC

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0	Sample	sd	0	Sample	
Residual Wt	0	mg	sd	0	mg	

Count Began 7/24/2019 5:07:57 PM	Collection Date 1	1/1/1900	Half Life	0.00 days
----------------------------------	-------------------	----------	-----------	-----------

Count Ended 7/24/2019 5:23:19 PM	Collection Date 2	1/1/1900	Decay Factor	1.000
----------------------------------	-------------------	----------	--------------	-------

Sample Count Time	15.00 mins	Background Count Time	1,000.00 mins
-------------------	------------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.111	71,396	4,759.733	4,759.622
sd	0.000			0.011	267.200	17.813	17.813
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.361	94,040	6,269.333	6,268.972
sd	0.000			0.019	306.659	20.444	20.444

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected


MDC Method Currie

Error = .00 x sd

Ra-226 Calibration 2017

Purple 0

Std #	Mass	Count Time	Sample Time	Alpha Counts	CPM	Sep Time	Ingrowth	Recovery	Adj CPM	DPM	Efficiency
R2	0.0063	15.00	2/17/2017 1:15	28735	1915.6667	2/13/2017 13:30	2.4064	0.4487	1774.0852	7534.6	0.2355
R3	0.0146	15.00	2/17/2017 3:21	44155	2943.6667	2/13/2017 13:30	2.4314	0.6933	1746.3557	7534.6	0.2318
R4	0.0204	15.00	2/17/2017 3:04	45140	3009.3333	2/13/2017 13:30	2.4280	0.7265	1706.0163	7534.6	0.2264
R5	0.0302	15.00	2/17/2017 2:46	52073	3471.5333	2/13/2017 13:30	2.4245	0.8604	1664.1494	7534.6	0.2209
R6	0.0493	15.00	2/17/2017 2:29	45436	3029.0667	2/13/2017 13:30	2.4212	0.9364	1336.1015	7534.6	0.1773
R7	0.0651	15.00	2/17/2017 2:12	43806	2920.4000	2/13/2017 13:30	2.4178	0.9274	1302.5167	7534.6	0.1729
R8	0.0990	15.00	2/17/2017 1:55	39113	2607.5333	2/13/2017 13:30	2.4144	0.9402	1148.7426	7534.6	0.1525



Alpha/Beta Count Results

Sample Activity Report

Purple 0-3 - A

Addr: 0

Sample ID ICRA6-986404;2-A

Repeat

17

Carrier No.

0

Batch ID 291968

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0	Sample	sd	0	Sample	
Residual Wt	0	mg	sd	0	mg	

Count Began 2/17/2017 1:15:45 AM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 2/17/2017 1:30:51 AM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	15.00 mins	Background Count Time	1,000.00 mins
-------------------	------------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.166	28,735	1,915.667	1,915.501
	0.000			0.013	169.514	11.301	11.301
A to B	0.000	1.000				0.000	
	0.000					0.000	
Beta	0.000	1.000	1.000	0.457	22,366	1,491.067	1,490.610
	0.000			0.021	149.553	9.970	9.970

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
	0.000				0.000	
Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Purple 0-3 - A

Addr: 0

Sample ID ICRA6-986404;-8-A

Repeat

19

Carrier No.

0

Batch ID 291968

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0	Sample	sd	0	Sample	
Residual Wt	0	mg	sd	0	mg	

Count Began 2/17/2017 1:55:26 AM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 2/17/2017 2:10:41 AM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	15.00 mins	Background Count Time	1,000.00 mins
-------------------	------------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.166	39,113	2,607.533	2,607.367
	0.000			0.013	197.770	13.185	13.185
A to B	0.000	1.000				0.000	
	0.000					0.000	
Beta	0.000	1.000	1.000	0.457	44,495	2,966.333	2,965.876
	0.000			0.021	210.938	14.063	14.063

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
	0.000				0.000	
Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Purple 0-3 - A

Addr: 0

Sample ID ICRA6-986404;-7-A

Repeat

20

Carrier No.

0

Batch ID 291968

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0	Sample	sd	0	Sample	
Residual Wt	0	mg	sd	0	mg	

Count Began 2/17/2017 2:12:35 AM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 2/17/2017 2:27:46 AM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	15.00 mins	Background Count Time	1,000.00 mins
-------------------	------------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.166	43,806	2,920.400	2,920.234
	0.000			0.013	209.299	13.953	13.953
A to B	0.000	1.000				0.000	
	0.000					0.000	
Beta	0.000	1.000	1.000	0.457	43,875	2,925.000	2,924.543
	0.000			0.021	209.464	13.964	13.964

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
	0.000				0.000	
Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Purple 0-3 - A

Addr: 0

Sample ID ICRA6-986404;-6-A

Repeat

21

Carrier No.

0

Batch ID 291968

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0	Sample	sd	0	Sample	
Residual Wt	0	mg	sd	0	mg	

Count Began 2/17/2017 2:29:34 AM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 2/17/2017 2:44:47 AM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	15.00 mins	Background Count Time	1,000.00 mins
-------------------	------------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.166	45,436	3,029.067	3,028.901
	0.000			0.013	213.157	14.210	14.210
A to B	0.000	1.000				0.000	
	0.000					0.000	
Beta	0.000	1.000	1.000	0.457	45,333	3,022.200	3,021.743
	0.000			0.021	212.915	14.194	14.194

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
	0.000				0.000	
Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Purple 0-3 - A

Addr: 0

Sample ID ICRA6-986404;-5-A

Repeat

22

Carrier No.

0

Batch ID 291968

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0	Sample	sd	0	Sample	
Residual Wt	0	mg	sd	0	mg	

Count Began 2/17/2017 2:46:37 AM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 2/17/2017 3:01:51 AM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	15.00 mins	Background Count Time	1,000.00 mins
-------------------	------------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.166	52,073	3,471.533	3,471.367
	0.000			0.013	228.195	15.213	15.213
A to B	0.000	1.000				0.000	
	0.000					0.000	
Beta	0.000	1.000	1.000	0.457	43,471	2,898.067	2,897.610
	0.000			0.021	208.497	13.900	13.900

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Purple 0-3 - A

Addr: 0

Sample ID ICRA6-986404;4-A

Repeat

23

Carrier No.

0

Batch ID 291968

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0	Sample	sd	0	Sample	
Residual Wt	0	mg	sd	0	mg	

Count Began 2/17/2017 3:04:11 AM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 2/17/2017 3:19:26 AM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	15.00 mins	Background Count Time	1,000.00 mins
-------------------	------------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.166	45,140	3,009.333	3,009.167
	0.000			0.013	212.462	14.164	14.164
A to B	0.000	1.000				0.000	
	0.000					0.000	
Beta	0.000	1.000	1.000	0.457	37,808	2,520.533	2,520.076
	0.000			0.021	194.443	12.963	12.963

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
	0.000				0.000	
Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Purple 0-3 - A

Addr: 0

Sample ID ICRA6-986404;3-A

Repeat

24

Carrier No.

0

Batch ID 291968

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0	Sample	sd	0	Sample	
Residual Wt	0	mg	sd	0	mg	

Count Began 2/17/2017 3:21:24 AM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 2/17/2017 3:36:36 AM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	15.00 mins	Background Count Time	1,000.00 mins
-------------------	------------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.166	44,155	2,943.667	2,943.501
sd	0.000			0.013	210.131	14.009	14.009
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.457	35,762	2,384.133	2,383.676
sd	0.000			0.021	189.108	12.607	12.607

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	
Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd


Ra-226 Calibration 2017

Purple 22

Std #	Mass	Count Time	Sample Time	Alpha Counts	CPM	Sep Time	Ingrowth	Recovery	Adj CPM	DPM	Efficiency
R2	0.0063	15.00	2/16/2017 21:37	27662	1844.1333	2/13/2017 13:30	2.3621	0.4487	1739.8866	7534.6	0.2309
R3	0.0146	15.00	2/16/2017 21:20	41900	2793.3333	2/13/2017 13:30	2.3586	0.6933	1708.3377	7534.6	0.2267
R4	0.0204	15.00	2/16/2017 13:00	40274	2684.9333	2/13/2017 13:30	2.2519	0.7265	1641.1208	7534.6	0.2178
R5	0.0302	15.00	2/16/2017 12:12	46424	3094.9333	2/13/2017 13:30	2.2412	0.8604	1604.9948	7534.6	0.2130
R6	0.0493	15.00	2/16/2017 11:52	40448	2696.5333	2/13/2017 13:30	2.2369	0.9364	1287.3772	7534.6	0.1709
R7	0.0651	15.00	2/16/2017 11:30	38418	2561.2000	2/13/2017 13:30	2.2320	0.9274	1237.3890	7534.6	0.1642
R8	0.0990	15.00	2/16/2017 10:40	33599	2239.9333	2/13/2017 13:30	2.2208	0.9402	1072.7865	7534.6	0.1424

Ra-226 Efficiency

$$y = 5.7973x^2 - 1.6469x + 0.2472$$
$$R^2 = 0.9679$$



Alpha/Beta Count Results

Sample Activity Report

Purple 20-23 - C

Addr: 22

Sample ID ICRa6-986404;8-A

Repeat 1

Carrier No. 0

Batch ID 291968

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0	Sample	sd	0	Sample	
Residual Wt	0	mg	sd	0	mg	

Count Began 2/16/2017 10:40:37 AM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 2/16/2017 10:55:48 AM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	15.00 mins	Background Count Time	1,000.00 mins
-------------------	------------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.126	33,599	2,239.933	2,239.807
	0.000			0.011	183.300	12.220	12.220
A to B	0.000	1.000				0.000	
	0.000					0.000	
Beta	0.000	1.000	1.000	0.298	39,535	2,635.667	2,635.369
	0.000			0.017	198.834	13.256	13.256

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
	0.000				0.000	
Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Purple 20-23 - C

Addr: 22

Sample ID ICRa6-986404;7-A

Repeat 2

Carrier No. 0

Batch ID 291968

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0	Sample	sd	0	Sample	
Residual Wt	0	mg	sd	0	mg	

Count Began 2/16/2017 11:30:38 AM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 2/16/2017 11:45:47 AM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	15.00 mins	Background Count Time	1,000.00 mins
-------------------	------------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.126	38,418	2,561.200	2,561.074
	0.000			0.011	196.005	13.067	13.067
A to B	0.000	1.000				0.000	
	0.000					0.000	
Beta	0.000	1.000	1.000	0.298	39,510	2,634.000	2,633.702
	0.000			0.017	198.771	13.251	13.251

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
	0.000				0.000	
Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Purple 20-23 - C

Addr: 22

Sample ID ICRA6-986404;6-A

Repeat 3

Carrier No. 0

Batch ID 291968

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0	Sample	sd	0	Sample	
Residual Wt	0	mg	sd	0	mg	

Count Began 2/16/2017 11:52:50 AM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 2/16/2017 12:08:01 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	15.00 mins	Background Count Time	1,000.00 mins
-------------------	------------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.126	40,448	2,696.533	2,696.407
	0.000			0.011	201.117	13.408	13.408
A to B	0.000	1.000				0.000	
	0.000					0.000	
Beta	0.000	1.000	1.000	0.298	40,767	2,717.800	2,717.502
	0.000			0.017	201.908	13.461	13.461

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
	0.000				0.000	
Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Purple 20-23 - C

Addr: 22

Sample ID ICRA6-986404;5-A

Repeat 4

Carrier No. 0

Batch ID 291968

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0	Sample	sd	0	Sample	
Residual Wt	0	mg	sd	0	mg	

Count Began 2/16/2017 12:12:01 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 2/16/2017 12:27:13 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	15.00 mins	Background Count Time	1,000.00 mins
-------------------	------------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.126	46,424	3,094.933	3,094.807
	0.000			0.011	215.462	14.364	14.364
A to B	0.000	1.000				0.000	
	0.000					0.000	
Beta	0.000	1.000	1.000	0.298	39,084	2,605.600	2,605.302
	0.000			0.017	197.697	13.180	13.180

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
	0.000				0.000	
Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Purple 20-23 - C

Addr: 22

Sample ID ICRa6-986404;4-A

Repeat 5

Carrier No. 0

Batch ID 291968

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0	Sample	sd	0	Sample	
Residual Wt	0	mg	sd	0	mg	

Count Began 2/16/2017 1:00:46 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 2/16/2017 1:15:59 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	15.00 mins	Background Count Time	1,000.00 mins
-------------------	------------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.126	40,274	2,684.933	2,684.807
	0.000			0.011	200.684	13.379	13.379
A to B	0.000	1.000				0.000	
	0.000					0.000	
Beta	0.000	1.000	1.000	0.298	33,824	2,254.933	2,254.635
	0.000			0.017	183.913	12.261	12.261

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
	0.000				0.000	
Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Purple 20-23 - C

Addr: 22

Sample ID ICRA6-986404;-3-A

Repeat 6

Carrier No. 0

Batch ID 291968

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0	Sample	sd	0	Sample	
Residual Wt	0	mg	sd	0	mg	

Count Began 2/16/2017 9:20:52 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 2/16/2017 9:36:03 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	15.00 mins	Background Count Time	1,000.00 mins
-------------------	------------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.126	41,900	2,793.333	2,793.207
	0.000			0.011	204.695	13.646	13.646
A to B	0.000	1.000				0.000	
	0.000					0.000	
Beta	0.000	1.000	1.000	0.298	34,815	2,321.000	2,320.702
	0.000			0.017	186.588	12.439	12.439

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
	0.000				0.000	
Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Purple 20-23 - C

Addr: 22

Sample ID ICRA6-986404;2-A

Repeat

7

Carrier No.

0

Batch ID 291968

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0	Sample	sd	0	Sample	
Residual Wt	0	mg	sd	0	mg	

Count Began 2/16/2017 9:37:48 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 2/16/2017 9:52:59 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	15.00 mins	Background Count Time	1,000.00 mins
-------------------	------------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.126	27,662	1,844.133	1,844.007
	0.000			0.011	166.319	11.088	11.088
A to B	0.000	1.000				0.000	
	0.000					0.000	
Beta	0.000	1.000	1.000	0.298	22,771	1,518.067	1,517.769
	0.000			0.017	150.901	10.060	10.060

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
	0.000				0.000	
Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Ra-226 Calibration 2019


Detector	ID	Mass	Count Time	Sample Time	Alpha Counts	CPM	Sep Time	Ingrowth	Recovery	Adj CPM	DPM	Efficiency
0	ICRa6-1063071;Ra2	0.0063	15.00	7/9/2019 19:02	46456	3097.0667	2/13/2017 13:30	4.0000	0.4487	1725.5007	7534.6	0.2290
0	ICRa6-1063071;Ra3	0.0146	15.00	7/9/2019 18:44	67362	4490.8000	2/13/2017 13:30	4.0000	0.6933	1619.4501	7534.6	0.2149
0	ICRa6-1063071;Ra4	0.0204	15.00	7/9/2019 18:26	72587	4839.1333	2/13/2017 13:30	4.0000	0.7265	1665.2214	7534.6	0.2210
0	ICRa6-1063071;Ra5	0.0302	15.00	7/9/2019 18:08	83106	5540.4000	2/13/2017 13:30	4.0000	0.8604	1609.8326	7534.6	0.2137
0	ICRa6-1063071;Ra6	0.0493	15.00	7/9/2019 17:49	72905	4860.3333	2/13/2017 13:30	4.0000	0.9364	1297.6530	7534.6	0.1722
0	ICRa6-1063071;Ra7	0.0651	15.00	7/9/2019 17:30	70766	4717.7333	2/13/2017 13:30	4.0000	0.9274	1271.8319	7534.6	0.1688
0	ICRa6-1063071;Ra8	0.0990	15.00	7/9/2019 16:46	64599	4306.6000	2/13/2017 13:30	4.0000	0.9402	1145.1652	7534.6	0.1520

Page 1039 of 1702

Ra-226 Efficiency

$$y = 5.6187x^2 - 1.4757x + 0.2415$$

$R^2 = 0.9389$



Reagent ID:Ra-226_00022
Container #:986404
Final Conc.: 7534.60740 dpm/mL
Added: 1mL

Reagent ID:Ba Carrier_00026
Container #: 1015438
Cert.#: 16I027

Alpha/Beta Count Results

Sample Activity Report

Red 1 (0-3) - A

Addr: 0

Sample ID ICRa6-1063071;Ra8

Repeat

2

Carrier No.

0

Batch ID ra226-ic

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty 0 Sample sd 0 Sample

Residual Wt 0 mg sd 0 mg

Count Began 7/9/2019 4:46:29 PM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 7/9/2019 5:01:53 PM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 15.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	64,599	4,306.600	4,306.600
sd	0.000			0.000	254.163	16.944	16.944
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	97,468	6,497.867	6,497.867
sd	0.000			0.000	312.199	20.813	20.813

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 1 (0-3) - A

Addr: 0

Sample ID ICRa6-1063071;Ra7

Repeat 3

Carrier No. 0

Batch ID ra226-ic

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty 0 Sample sd 0 Sample

Residual Wt 0 mg sd 0 mg

Count Began 7/9/2019 5:30:02 PM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 7/9/2019 5:45:28 PM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 15.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	70,766	4,717.733	4,717.733
sd	0.000			0.000	266.019	17.735	17.735
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	94,866	6,324.400	6,324.400
sd	0.000			0.000	308.003	20.534	20.534

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 1 (0-3) - A

Addr: 0

Sample ID ICRa6-1063071;Ra6

Repeat 4

Carrier No. 0

Batch ID ra226-ic

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty 0 Sample sd 0 Sample

Residual Wt 0 mg sd 0 mg

Count Began 7/9/2019 5:49:26 PM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 7/9/2019 6:04:53 PM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 15.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	72,905	4,860.333	4,860.333
sd	0.000			0.000	270.009	18.001	18.001
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	96,156	6,410.400	6,410.400
sd	0.000			0.000	310.090	20.673	20.673

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 1 (0-3) - A

Addr: 0

Sample ID ICRa6-1063071;Ra5

Repeat 5

Carrier No. 0

Batch ID ra226-ic

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty 0 Sample sd 0 Sample

Residual Wt 0 mg sd 0 mg

Count Began 7/9/2019 6:08:17 PM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 7/9/2019 6:23:42 PM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 15.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	83,106	5,540.400	5,540.400
sd	0.000			0.000	288.281	19.219	19.219
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	94,327	6,288.467	6,288.467
sd	0.000			0.000	307.127	20.475	20.475

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 1 (0-3) - A

Addr: 0

Sample ID ICRa6-1063071;Ra4

Repeat 6

Carrier No. 0

Batch ID ra226-ic

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty 0 Sample sd 0 Sample

Residual Wt 0 mg sd 0 mg

Count Began 7/9/2019 6:26:37 PM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 7/9/2019 6:42:02 PM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 15.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	72,587	4,839.133	4,839.133
sd	0.000			0.000	269.420	17.961	17.961
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	82,122	5,474.800	5,474.800
sd	0.000			0.000	286.569	19.105	19.105

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 1 (0-3) - A

Addr: 0

Sample ID ICRa6-1063071;Ra3

Repeat

7

Carrier No.

0

Batch ID ra226-ic

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty 0 Sample sd 0 Sample

Residual Wt 0 mg sd 0 mg

Count Began 7/9/2019 6:44:29 PM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 7/9/2019 6:59:51 PM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 15.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	67,362	4,490.800	4,490.800
sd	0.000			0.000	259.542	17.303	17.303
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	75,109	5,007.267	5,007.267
sd	0.000			0.000	274.060	18.271	18.271

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 1 (0-3) - A

Addr: 0

Sample ID ICRa6-1063071;Ra2

Repeat 8

Carrier No. 0

Batch ID ra226-ic

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty 0 Sample sd 0 Sample

Residual Wt 0 mg sd 0 mg

Count Began 7/9/2019 7:02:14 PM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 7/9/2019 7:17:30 PM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 15.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	46,456	3,097.067	3,097.067
sd	0.000			0.000	215.537	14.369	14.369
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	49,928	3,328.533	3,328.533
sd	0.000			0.000	223.446	14.896	14.896

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Ra-226 Calibration 2019


Detector	Std #	Mass	Count Time	Sample Time	Alpha Counts	CPM	Sep Time	Ingrowth	Recovery	Adj CPM	DPM	Efficiency
1	ICRa6-1063071;Ra2	0.0063	15.00	7/9/2019 16:28	46425	3095.0000	2/13/2017 13:30	4.0000	0.4487	1724.3493	7534.6	0.2289
1	ICRa6-1063071;Ra3	0.0146	15.00	7/9/2019 19:02	67740	4516.0000	2/13/2017 13:30	4.0000	0.6933	1628.5376	7534.6	0.2161
1	ICRa6-1063071;Ra4	0.0204	15.00	7/9/2019 18:44	71778	4785.2000	2/13/2017 13:30	4.0000	0.7265	1646.6621	7534.6	0.2185
1	ICRa6-1063071;Ra5	0.0302	15.00	7/9/2019 18:26	83517	5567.8000	2/13/2017 13:30	4.0000	0.8604	1617.7940	7534.6	0.2147
1	ICRa6-1063071;Ra6	0.0493	15.00	7/9/2019 18:08	73397	4893.1333	2/13/2017 13:30	4.0000	0.9364	1306.4102	7534.6	0.1734
1	ICRa6-1063071;Ra7	0.0651	15.00	7/9/2019 17:49	70420	4694.6667	2/13/2017 13:30	4.0000	0.9274	1265.6135	7534.6	0.1680
1	ICRa6-1063071;Ra8	0.0990	15.00	7/9/2019 17:30	64666	4311.0667	2/13/2017 13:30	4.0000	0.9402	1146.3530	7534.6	0.1521

Page 1047 of 1702

Ra-226 Efficiency

$$y = 5.5085x^2 - 1.4624x + 0.2413$$

$R^2 = 0.9449$



Reagent ID:Ra-226_00022
Container #:986404
Final Conc.: 7534.60740 dpm/mL
Added: 1mL

Reagent ID:Ba Carrier_00026
Container #: 1015438
Cert.#: 16I027

Alpha/Beta Count Results

Sample Activity Report

Red 1 (0-3) - B

Addr: 1

Sample ID ICRa6-1063071;Ra2

Repeat 1
Carrier No. 0

Batch ID ra226-ic

Count Method Gross Alpha Beta	Detector Volts	1515
-------------------------------	----------------	------

Sample Qty	0	Sample	sd	0	Sample
Residual Wt	0	mg	sd	0	mg

Count Began 7/9/2019 4:28:20 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 7/9/2019 4:43:35 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	15.00 mins	Background Count Time	.00 mins
-------------------	------------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	46,425	3,095.000	3,095.000
sd	0.000			0.000	215.465	14.364	14.364
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	50,021	3,334.733	3,334.733
sd	0.000			0.000	223.654	14.910	14.910

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 1 (0-3) - B

Addr: 1

Sample ID ICRa6-1063071;Ra8

Repeat 3

Carrier No. 0

Batch ID ra226-ic

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0	Sample	sd	0	Sample	
Residual Wt	0	mg	sd	0	mg	

Count Began 7/9/2019 5:30:11 PM	Collection Date 1	1/1/1900	Half Life	0.00 days
---------------------------------	-------------------	----------	-----------	-----------

Count Ended 7/9/2019 5:45:35 PM	Collection Date 2	1/1/1900	Decay Factor	1.000
---------------------------------	-------------------	----------	--------------	-------

Sample Count Time	15.00 mins	Background Count Time	.00 mins
-------------------	------------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	64,666	4,311.067	4,311.067
sd	0.000			0.000	254.295	16.953	16.953
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	97,839	6,522.600	6,522.600
sd	0.000			0.000	312.792	20.853	20.853

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 1 (0-3) - B

Addr: 1

Sample ID ICRa6-1063071;Ra7

Repeat

4

Carrier No.

0

Batch ID ra226-ic

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0	Sample	sd	0	Sample	
Residual Wt	0	mg	sd	0	mg	

Count Began 7/9/2019 5:49:35 PM	Collection Date 1	1/1/1900	Half Life	0.00 days
---------------------------------	-------------------	----------	-----------	-----------

Count Ended 7/9/2019 6:04:59 PM	Collection Date 2	1/1/1900	Decay Factor	1.000
---------------------------------	-------------------	----------	--------------	-------

Sample Count Time	15.00 mins	Background Count Time	.00 mins
-------------------	------------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	70,420	4,694.667	4,694.667
sd	0.000			0.000	265.368	17.691	17.691
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	94,568	6,304.533	6,304.533
sd	0.000			0.000	307.519	20.501	20.501

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 1 (0-3) - B

Addr: 1

Sample ID ICRa6-1063071;Ra6

Repeat 5
Carrier No. 0

Batch ID ra226-ic

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0	Sample	sd	0	Sample	
Residual Wt	0	mg	sd	0	mg	

Count Began 7/9/2019 6:08:23 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 7/9/2019 6:23:49 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	15.00 mins	Background Count Time	.00 mins
-------------------	------------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	73,397	4,893.133	4,893.133
sd	0.000			0.000	270.919	18.061	18.061
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	96,177	6,411.800	6,411.800
sd	0.000			0.000	310.124	20.675	20.675

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 1 (0-3) - B

Addr: 1

Sample ID ICRa6-1063071;Ra5

Repeat 6
Carrier No. 0

Batch ID ra226-ic

Count Method Gross Alpha Beta	Detector Volts	1515
-------------------------------	----------------	------

Sample Qty	0	Sample	sd	0	Sample
Residual Wt	0	mg	sd	0	mg

Count Began 7/9/2019 6:26:45 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 7/9/2019 6:42:11 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	15.00 mins	Background Count Time	.00 mins
-------------------	------------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	83,517	5,567.800	5,567.800
sd	0.000			0.000	288.993	19.266	19.266
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	94,830	6,322.000	6,322.000
sd	0.000			0.000	307.945	20.530	20.530

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 1 (0-3) - B

Addr: 1

Sample ID ICRa6-1063071;Ra4

Repeat

7

Carrier No.

0

Batch ID ra226-ic

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty 0 Sample sd 0 Sample

Residual Wt 0 mg sd 0 mg

Count Began 7/9/2019 6:44:37 PM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 7/9/2019 7:00:01 PM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 15.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	71,778	4,785.200	4,785.200
sd	0.000			0.000	267.914	17.861	17.861
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	82,371	5,491.400	5,491.400
sd	0.000			0.000	287.003	19.134	19.134

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 1 (0-3) - B

Addr: 1

Sample ID ICRa6-1063071;Ra3

Repeat 8

Carrier No. 0

Batch ID ra226-ic

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty 0 Sample sd 0 Sample

Residual Wt 0 mg sd 0 mg

Count Began 7/9/2019 7:02:21 PM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 7/9/2019 7:17:42 PM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 15.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	67,740	4,516.000	4,516.000
sd	0.000			0.000	260.269	17.351	17.351
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	75,820	5,054.667	5,054.667
sd	0.000			0.000	275.354	18.357	18.357

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Ra-226 Calibration 2019


Detector	Std #	Mass	Count Time	Sample Time	Alpha Counts	CPM	Sep Time	Ingrowth	Recovery	Adj CPM	DPM	Efficiency
4	ICRa6-1063071;Ra2	0.0063	15.00	7/9/2019 17:50	45997	3066.4667	2/13/2017 13:30	4.0000	0.4487	1708.4522	7534.6	0.2267
4	ICRa6-1063071;Ra3	0.0146	15.00	7/9/2019 17:31	67107	4473.8000	2/13/2017 13:30	4.0000	0.6933	1613.3197	7534.6	0.2141
4	ICRa6-1063071;Ra4	0.0204	15.00	7/9/2019 16:47	71424	4761.6000	2/13/2017 13:30	4.0000	0.7265	1638.5409	7534.6	0.2175
4	ICRa6-1063071;Ra5	0.0302	15.00	7/9/2019 16:28	83383	5558.8667	2/13/2017 13:30	4.0000	0.8604	1615.1984	7534.6	0.2144
4	ICRa6-1063071;Ra6	0.0493	15.00	7/9/2019 19:02	72777	4851.8000	2/13/2017 13:30	4.0000	0.9364	1295.3747	7534.6	0.1719
4	ICRa6-1063071;Ra7	0.0651	15.00	7/9/2019 18:45	69823	4654.8667	2/13/2017 13:30	4.0000	0.9274	1254.8840	7534.6	0.1665
4	ICRa6-1063071;Ra8	0.0990	15.00	7/9/2019 18:27	64265	4284.3333	2/13/2017 13:30	4.0000	0.9402	1139.2443	7534.6	0.1512

Page 1055 of 1702

Ra-226 Efficiency

$$y = 5.307x^2 - 1.434x + 0.2393$$

$R^2 = 0.9362$



Reagent ID:Ra-226_00022
Container #:986404
Final Conc.: 7534.60740 dpm/mL
Added: 1mL

Reagent ID:Ba Carrier_00026
Container #: 1015438
Cert.#: 16I027

Alpha/Beta Count Results

Sample Activity Report

Red 1 (4-7) - A

Addr: 4

Sample ID ICRa6-1063071;Ra5

Repeat 1
Carrier No. 0

Batch ID ra226-ic

Count Method Gross Alpha Beta	Detector Volts 1515
-------------------------------	---------------------

Sample Qty 0 Sample sd 0 Sample

Residual Wt 0 mg sd 0 mg

Count Began 7/9/2019 4:28:38 PM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 7/9/2019 4:44:05 PM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 15.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	83,383	5,558.867	5,558.867
sd	0.000			0.000	288.761	19.251	19.251
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	94,989	6,332.600	6,332.600
sd	0.000			0.000	308.203	20.547	20.547

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 1 (4-7) - A

Addr: 4

Sample ID ICRa6-1063071;Ra4

Repeat 2

Carrier No. 0

Batch ID ra226-ic

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty 0 Sample sd 0 Sample

Residual Wt 0 mg sd 0 mg

Count Began 7/9/2019 4:47:03 PM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 7/9/2019 5:02:25 PM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 15.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	71,424	4,761.600	4,761.600
sd	0.000			0.000	267.253	17.817	17.817
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	82,002	5,466.800	5,466.800
sd	0.000			0.000	286.360	19.091	19.091

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 1 (4-7) - A

Addr: 4

Sample ID ICRa6-1063071;Ra3

Repeat 3

Carrier No. 0

Batch ID ra226-ic

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty 0 Sample sd 0 Sample

Residual Wt 0 mg sd 0 mg

Count Began 7/9/2019 5:31:06 PM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 7/9/2019 5:46:29 PM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 15.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	67,107	4,473.800	4,473.800
sd	0.000			0.000	259.050	17.270	17.270
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	74,957	4,997.133	4,997.133
sd	0.000			0.000	273.783	18.252	18.252

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 1 (4-7) - A

Addr: 4

Sample ID ICRa6-1063071;Ra2

Repeat

4

Carrier No.

0

Batch ID ra226-ic

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty 0 Sample sd 0 Sample

Residual Wt 0 mg sd 0 mg

Count Began 7/9/2019 5:50:00 PM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 7/9/2019 6:05:15 PM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 15.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	45,997	3,066.467	3,066.467
sd	0.000			0.000	214.469	14.298	14.298
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	49,635	3,309.000	3,309.000
sd	0.000			0.000	222.789	14.853	14.853

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 1 (4-7) - A

Addr: 4

Sample ID ICRa6-1063071;Ra8

Repeat 6

Carrier No. 0

Batch ID ra226-ic

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty 0 Sample sd 0 Sample

Residual Wt 0 mg sd 0 mg

Count Began 7/9/2019 6:27:10 PM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 7/9/2019 6:42:35 PM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 15.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	64,265	4,284.333	4,284.333
sd	0.000			0.000	253.505	16.900	16.900
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	96,702	6,446.800	6,446.800
sd	0.000			0.000	310.969	20.731	20.731

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 1 (4-7) - A

Addr: 4

Sample ID ICRa6-1063071;Ra7

Repeat

7

Carrier No.

0

Batch ID ra226-ic

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty 0 Sample sd 0 Sample

Residual Wt 0 mg sd 0 mg

Count Began 7/9/2019 6:45:00 PM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 7/9/2019 7:00:26 PM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 15.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	69,823	4,654.867	4,654.867
sd	0.000			0.000	264.240	17.616	17.616
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	95,239	6,349.267	6,349.267
sd	0.000			0.000	308.608	20.574	20.574

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 1 (4-7) - A

Addr: 4

Sample ID ICRa6-1063071;Ra6

Repeat 8

Carrier No. 0

Batch ID ra226-ic

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty 0 Sample sd 0 Sample

Residual Wt 0 mg sd 0 mg

Count Began 7/9/2019 7:02:35 PM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 7/9/2019 7:18:02 PM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 15.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	72,777	4,851.800	4,851.800
sd	0.000			0.000	269.772	17.985	17.985
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	95,307	6,353.800	6,353.800
sd	0.000			0.000	308.718	20.581	20.581

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Ra-226 Calibration 2019


Detector	Std #	Mass	Count Time	Sample Time	Alpha Counts	CPM	Sep Time	Ingrowth	Recovery	Adj CPM	DPM	Efficiency
8	ICRa6-1063071;Ra2	0.0063	15.00	7/10/2019 11:32	38517	2567.8000	2/13/2017 13:30	4.0000	0.4487	1430.6249	7534.6	0.1899
8	ICRa6-1063071;Ra3	0.0146	15.00	7/10/2019 11:14	56373	3758.2000	2/13/2017 13:30	4.0000	0.6933	1355.2635	7534.6	0.1799
8	ICRa6-1063071;Ra4	0.0204	15.00	7/10/2019 10:57	60273	4018.2000	2/13/2017 13:30	4.0000	0.7265	1382.7254	7534.6	0.1835
8	ICRa6-1063071;Ra5	0.0302	15.00	7/10/2019 10:23	71373	4758.2000	2/13/2017 13:30	4.0000	0.8604	1382.5546	7534.6	0.1835
8	ICRa6-1063071;Ra6	0.0493	15.00	7/10/2019 10:05	60350	4023.3333	2/13/2017 13:30	4.0000	0.9364	1074.1836	7534.6	0.1426
8	ICRa6-1063071;Ra7	0.0651	15.00	7/10/2019 9:47	57987	3865.8000	2/13/2017 13:30	4.0000	0.9274	1042.1632	7534.6	0.1383
8	ICRa6-1063071;Ra8	0.0990	15.00	7/10/2019 9:27	55020	3668.0000	2/13/2017 13:30	4.0000	0.9402	975.3555	7534.6	0.1295

Page 1063 of 1702

Ra-226 Efficiency

$$y = 5.2034x^2 - 1.2735x + 0.2023$$

$R^2 = 0.8998$



Reagent ID:Ra-226_00022
Container #:986404
Final Conc.: 7534.60740 dpm/mL
Added: 1mL

Reagent ID:Ba Carrier_00026
Container #: 1015438
Cert.#: 16I027

Alpha/Beta Count Results

Sample Activity Report

Red 2 (8-11) - A

Addr: 8

Sample ID ICRa6-1063071;Ra8

Repeat 2

Carrier No. 0

Batch ID Ra226 IC

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty 0 ml sd 0 ml

Residual Wt 0 mg sd 0 mg

Count Began 7/10/2019 9:27:14 AM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 7/10/2019 9:42:35 AM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 15.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	55,020	3,668.000	3,668.000
sd	0.000			0.000	234.563	15.638	15.638
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	95,760	6,384.000	6,384.000
sd	0.000			0.000	309.451	20.630	20.630

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 2 (8-11) - A

Addr: 8

Sample ID ICRa6-1063071;Ra7

Repeat 3
Carrier No. 0

Batch ID Ra226 IC

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 7/10/2019 9:47:05 AM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 7/10/2019 10:02:28 AM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	15.00 mins	Background Count Time	.00 mins
-------------------	------------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	57,987	3,865.800	3,865.800
sd	0.000			0.000	240.805	16.054	16.054
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	94,071	6,271.400	6,271.400
sd	0.000			0.000	306.710	20.447	20.447

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 2 (8-11) - A

Addr: 8

Sample ID ICRa6-1063071;Ra6

Repeat	4
Carrier No.	0

Batch ID Ra226 IC

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 7/10/2019 10:05:19 AM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 7/10/2019 10:20:41 AM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	15.00 mins	Background Count Time	.00 mins
-------------------	------------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	60,350	4,023.333	4,023.333
sd	0.000			0.000	245.662	16.377	16.377
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	95,165	6,344.333	6,344.333
sd	0.000			0.000	308.488	20.566	20.566

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 2 (8-11) - A

Addr: 8

Sample ID ICRa6-1063071;Ra5

Repeat	5
Carrier No.	0

Batch ID Ra226 IC

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 7/10/2019 10:23:10 AM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 7/10/2019 10:38:35 AM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	15.00 mins	Background Count Time	.00 mins
-------------------	------------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	71,373	4,758.200	4,758.200
sd	0.000			0.000	267.157	17.810	17.810
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	95,865	6,391.000	6,391.000
sd	0.000			0.000	309.621	20.641	20.641

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 2 (8-11) - A

Addr: 8

Sample ID ICRa6-1063071;Ra4

Repeat	6
Carrier No.	0

Batch ID Ra226 IC

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 7/10/2019 10:57:12 AM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 7/10/2019 11:12:34 AM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	15.00 mins	Background Count Time	.00 mins
-------------------	------------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	60,273	4,018.200	4,018.200
sd	0.000			0.000	245.506	16.367	16.367
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	82,525	5,501.667	5,501.667
sd	0.000			0.000	287.272	19.151	19.151

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 2 (8-11) - A

Addr: 8

Sample ID ICRa6-1063071;Ra3

Repeat

7

Carrier No.

0

Batch ID Ra226 IC

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty 0 ml sd 0 ml

Residual Wt 0 mg sd 0 mg

Count Began 7/10/2019 11:14:43 AM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 7/10/2019 11:30:04 AM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 15.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	56,373	3,758.200	3,758.200
sd	0.000			0.000	237.430	15.829	15.829
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	76,470	5,098.000	5,098.000
sd	0.000			0.000	276.532	18.435	18.435

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 2 (8-11) - A

Addr: 8

Sample ID ICRa6-1063071;Ra2

Repeat 8
Carrier No. 0

Batch ID Ra226 IC

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 7/10/2019 11:32:33 AM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 7/10/2019 11:47:47 AM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	15.00 mins	Background Count Time	.00 mins
-------------------	------------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	38,517	2,567.800	2,567.800
sd	0.000			0.000	196.257	13.084	13.084
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	50,951	3,396.733	3,396.733
sd	0.000			0.000	225.723	15.048	15.048

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Ra-226 Calibration 2019

Detector	Std #	Mass	Count Time	Sample Time	Alpha Counts	CPM	Sep Time	Ingrowth	Recovery	Adj CPM	DPM	Efficiency
9	ICRa6-1063071;Ra2	0.0063	15.00	7/9/2019 19:38	46572	3104.8000	2/13/2017 13:30	4.0000	0.4487	1729.8092	7534.6	0.2296
9	ICRa6-1063071;Ra3	0.0146	15.00	7/10/2019 11:32	68183	4545.5333	2/13/2017 13:30	4.0000	0.6933	1639.1878	7534.6	0.2176
9	ICRa6-1063071;Ra4	0.0204	15.00	7/10/2019 11:14	72615	4841.0000	2/13/2017 13:30	4.0000	0.7265	1665.8637	7534.6	0.2211
9	ICRa6-1063071;Ra5	0.0302	15.00	7/10/2019 10:57	84462	5630.8000	2/13/2017 13:30	4.0000	0.8604	1636.0995	7534.6	0.2171
9	ICRa6-1063071;Ra6	0.0493	15.00	7/10/2019 10:23	73985	4932.3333	2/13/2017 13:30	4.0000	0.9364	1316.8762	7534.6	0.1748
9	ICRa6-1063071;Ra7	0.0651	15.00	7/10/2019 10:05	71106	4740.4000	2/13/2017 13:30	4.0000	0.9274	1277.9425	7534.6	0.1696
9	ICRa6-1063071;Ra8	0.0990	15.00	7/10/2019 9:47	65156	4343.7333	2/13/2017 13:30	4.0000	0.9402	1155.0393	7534.6	0.1533


Page 1071 of 1702

Efficiency

Ra-226 Efficiency

$$y = 5.1217x^2 - 1.4253x + 0.2424$$

$R^2 = 0.938$



Reagent ID:Ra-226_00022

Container #:986404

Final Conc.: 7534.60740 dpm/mL

Added: 1mL

Reagent ID:Ba Carrier_00026

Container #: 1015438

Cert.#: 16I027

Alpha/Beta Count Results

Sample Activity Report

Red 2 (8-11) - B

Addr: 9

Sample ID ICRa6-1063071;Ra2

Repeat	1
Carrier No.	0

Batch ID Ra226 IC

Count Method Gross Alpha Beta	Detector Volts	1515
-------------------------------	----------------	------

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 7/9/2019 7:38:25 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 7/9/2019 7:53:41 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	15.00 mins	Background Count Time	.00 mins
-------------------	------------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	46,572	3,104.800	3,104.800
sd	0.000			0.000	215.805	14.387	14.387
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	48,650	3,243.333	3,243.333
sd	0.000			0.000	220.567	14.704	14.704

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 2 (8-11) - B

Addr: 9

Sample ID ICRa6-1063071;Ra8

Repeat 3

Carrier No. 0

Batch ID Ra226 IC

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty 0 ml sd 0 ml

Residual Wt 0 mg sd 0 mg

Count Began 7/10/2019 9:47:11 AM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 7/10/2019 10:02:35 AM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 15.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	65,156	4,343.733	4,343.733
sd	0.000			0.000	255.257	17.017	17.017
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	96,026	6,401.733	6,401.733
sd	0.000			0.000	309.881	20.659	20.659

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 2 (8-11) - B

Addr: 9

Sample ID ICRa6-1063071;Ra7

Repeat 4

Carrier No. 0

Batch ID Ra226 IC

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty 0 ml sd 0 ml

Residual Wt 0 mg sd 0 mg

Count Began 7/10/2019 10:05:26 AM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 7/10/2019 10:20:51 AM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 15.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	71,106	4,740.400	4,740.400
sd	0.000			0.000	266.657	17.777	17.777
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	93,049	6,203.267	6,203.267
sd	0.000			0.000	305.039	20.336	20.336

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 2 (8-11) - B

Addr: 9

Sample ID ICRa6-1063071;Ra6

Repeat 5
Carrier No. 0

Batch ID Ra226 IC

Count Method Gross Alpha Beta	Detector Volts	1515
-------------------------------	----------------	------

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 7/10/2019 10:23:16 AM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 7/10/2019 10:38:43 AM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	15.00 mins	Background Count Time	.00 mins
-------------------	------------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	73,985	4,932.333	4,932.333
sd	0.000			0.000	272.002	18.133	18.133
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	93,949	6,263.267	6,263.267
sd	0.000			0.000	306.511	20.434	20.434

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 2 (8-11) - B

Addr: 9

Sample ID ICRa6-1063071;Ra5

Repeat	6
Carrier No.	0

Batch ID Ra226 IC

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 7/10/2019 10:57:21 AM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 7/10/2019 11:12:47 AM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	15.00 mins	Background Count Time	.00 mins
-------------------	------------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	84,462	5,630.800	5,630.800
sd	0.000			0.000	290.623	19.375	19.375
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	92,489	6,165.933	6,165.933
sd	0.000			0.000	304.120	20.275	20.275

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 2 (8-11) - B

Addr: 9

Sample ID ICRa6-1063071;Ra4

Repeat

7

Carrier No.

0

Batch ID Ra226 IC

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty 0 ml sd 0 ml

Residual Wt 0 mg sd 0 mg

Count Began 7/10/2019 11:14:46 AM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 7/10/2019 11:30:10 AM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 15.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	72,615	4,841.000	4,841.000
sd	0.000			0.000	269.472	17.965	17.965
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	80,264	5,350.933	5,350.933
sd	0.000			0.000	283.309	18.887	18.887

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 2 (8-11) - B

Addr: 9

Sample ID ICRa6-1063071;Ra3

Repeat 8

Carrier No. 0

Batch ID Ra226 IC

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty 0 ml sd 0 ml

Residual Wt 0 mg sd 0 mg

Count Began 7/10/2019 11:32:39 AM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 7/10/2019 11:48:02 AM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 15.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	68,183	4,545.533	4,545.533
sd	0.000			0.000	261.119	17.408	17.408
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	73,582	4,905.467	4,905.467
sd	0.000			0.000	271.260	18.084	18.084

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected


MDC Method Currie

Error = .00 x sd

Ra-226 Calibration 2019

Detector	Std #	Mass	Count Time	Sample Time	Alpha Counts	CPM	Sep Time	Ingrowth	Recovery	Adj CPM	DPM	Efficiency
10	ICRa6-1063071;Ra2	0.0063	15.00	7/10/2019 9:26	47309	3153.9333	2/13/2017 13:30	4.0000	0.4487	1757.1834	7534.6	0.2332
10	ICRa6-1063071;Ra3	0.0146	15.00	7/9/2019 19:38	69235	4615.6667	2/13/2017 13:30	4.0000	0.6933	1664.4789	7534.6	0.2209
10	ICRa6-1063071;Ra4	0.0204	15.00	7/10/2019 11:32	73545	4903.0000	2/13/2017 13:30	4.0000	0.7265	1687.1989	7534.6	0.2239
10	ICRa6-1063071;Ra5	0.0302	15.00	7/10/2019 11:14	85651	5710.0667	2/13/2017 13:30	4.0000	0.8604	1659.1314	7534.6	0.2202
10	ICRa6-1063071;Ra6	0.0493	15.00	7/10/2019 10:57	75090	5006.0000	2/13/2017 13:30	4.0000	0.9364	1336.5443	7534.6	0.1774
10	ICRa6-1063071;Ra7	0.0651	15.00	7/10/2019 10:23	72078	4805.2000	2/13/2017 13:30	4.0000	0.9274	1295.4117	7534.6	0.1719
10	ICRa6-1063071;Ra8	0.0990	15.00	7/10/2019 10:05	66098	4406.5333	2/13/2017 13:30	4.0000	0.9402	1171.7384	7534.6	0.1555

Page 1079 of 1702



Reagent ID:Ra-226_00022
Container #:986404
Final Conc.: 7534.60740 dpm/mL
Added: 1mL

Reagent ID:Ba Carrier_00026
Container #: 1015438
Cert.#: 16I027

Alpha/Beta Count Results

Sample Activity Report

Red 2 (8-11) - C

Addr: 10

Sample ID ICRa6-1063071;Ra3

Repeat	1
Carrier No.	0

Batch ID Ra226 IC

Count Method Gross Alpha Beta	Detector Volts	1515
-------------------------------	----------------	------

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 7/9/2019 7:38:30 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 7/9/2019 7:53:51 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	15.00 mins	Background Count Time	.00 mins
-------------------	------------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	69,235	4,615.667	4,615.667
sd	0.000			0.000	263.125	17.542	17.542
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	73,630	4,908.667	4,908.667
sd	0.000			0.000	271.348	18.090	18.090

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 2 (8-11) - C

Addr: 10

Sample ID ICRa6-1063071;Ra2

Repeat	2
Carrier No.	0

Batch ID Ra226 IC

Count Method Gross Alpha Beta	Detector Volts	1515
-------------------------------	----------------	------

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 7/10/2019 9:26:07 AM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 7/10/2019 9:41:25 AM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	15.00 mins	Background Count Time	.00 mins
-------------------	------------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	47,309	3,153.933	3,153.933
sd	0.000			0.000	217.506	14.500	14.500
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	49,097	3,273.133	3,273.133
sd	0.000			0.000	221.578	14.772	14.772

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 2 (8-11) - C

Addr: 10

Sample ID ICRa6-1063071;Ra8

Repeat

4

Carrier No.

0

Batch ID Ra226 IC

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty 0 ml sd 0 ml

Residual Wt 0 mg sd 0 mg

Count Began 7/10/2019 10:05:31 AM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 7/10/2019 10:20:56 AM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 15.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	66,098	4,406.533	4,406.533
sd	0.000			0.000	257.095	17.140	17.140
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	95,609	6,373.933	6,373.933
sd	0.000			0.000	309.207	20.614	20.614

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 2 (8-11) - C

Addr: 10

Sample ID ICRa6-1063071;Ra7

Repeat 5

Carrier No. 0

Batch ID Ra226 IC

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty 0 ml sd 0 ml

Residual Wt 0 mg sd 0 mg

Count Began 7/10/2019 10:23:22 AM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 7/10/2019 10:38:48 AM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 15.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	72,078	4,805.200	4,805.200
sd	0.000			0.000	268.473	17.898	17.898
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	93,024	6,201.600	6,201.600
sd	0.000			0.000	304.998	20.333	20.333

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 2 (8-11) - C

Addr: 10

Sample ID ICRa6-1063071;Ra6

Repeat	6
Carrier No.	0

Batch ID Ra226 IC

Count Method Gross Alpha Beta	Detector Volts	1515
-------------------------------	----------------	------

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 7/10/2019 10:57:28 AM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 7/10/2019 11:12:54 AM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	15.00 mins	Background Count Time	.00 mins
-------------------	------------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	75,090	5,006.000	5,006.000
sd	0.000			0.000	274.026	18.268	18.268
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	94,268	6,284.533	6,284.533
sd	0.000			0.000	307.031	20.469	20.469

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 2 (8-11) - C

Addr: 10

Sample ID ICRa6-1063071;Ra5

Repeat

7

Carrier No.

0

Batch ID Ra226 IC

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty 0 ml sd 0 ml

Residual Wt 0 mg sd 0 mg

Count Began 7/10/2019 11:14:54 AM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 7/10/2019 11:30:20 AM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 15.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	85,651	5,710.067	5,710.067
sd	0.000			0.000	292.662	19.511	19.511
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	92,949	6,196.600	6,196.600
sd	0.000			0.000	304.875	20.325	20.325

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 2 (8-11) - C

Addr: 10

Sample ID ICRa6-1063071;Ra4

Repeat 8

Carrier No. 0

Batch ID Ra226 IC

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty 0 ml sd 0 ml

Residual Wt 0 mg sd 0 mg

Count Began 7/10/2019 11:32:45 AM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 7/10/2019 11:48:09 AM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 15.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	73,545	4,903.000	4,903.000
sd	0.000			0.000	271.192	18.079	18.079
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	80,745	5,383.000	5,383.000
sd	0.000			0.000	284.157	18.944	18.944

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Ra-226 Calibration 2019


Detector	Std #	Mass	Count Time	Sample Time	Alpha Counts	CPM	Sep Time	Ingrowth	Recovery	Adj CPM	DPM	Efficiency
12	ICRa6-1063071;Ra2	0.0063	15.00	7/10/2019 10:04	46251	3083.4000	2/13/2017 13:30	4.0000	0.4487	1717.8864	7534.6	0.2280
12	ICRa6-1063071;Ra3	0.0146	15.00	7/10/2019 9:46	66884	4458.9333	2/13/2017 13:30	4.0000	0.6933	1607.9585	7534.6	0.2134
12	ICRa6-1063071;Ra4	0.0204	15.00	7/10/2019 9:26	71187	4745.8000	2/13/2017 13:30	4.0000	0.7265	1633.1039	7534.6	0.2167
12	ICRa6-1063071;Ra5	0.0302	15.00	7/9/2019 19:38	83100	5540.0000	2/13/2017 13:30	4.0000	0.8604	1609.7164	7534.6	0.2136
12	ICRa6-1063071;Ra6	0.0493	15.00	7/10/2019 11:32	73114	4874.2667	2/13/2017 13:30	4.0000	0.9364	1301.3730	7534.6	0.1727
12	ICRa6-1063071;Ra7	0.0651	15.00	7/10/2019 11:15	69426	4628.4000	2/13/2017 13:30	4.0000	0.9274	1247.7490	7534.6	0.1656
12	ICRa6-1063071;Ra8	0.0990	15.00	7/10/2019 10:57	64324	4288.2667	2/13/2017 13:30	4.0000	0.9402	1140.2902	7534.6	0.1513

Page 1087 of 1702

Ra-226 Efficiency

$$y = 5.6594x^2 - 1.4722x + 0.2398$$

$R^2 = 0.9427$



Reagent ID:Ra-226_00022

Container #:986404

Final Conc.: 7534.60740 dpm/mL

Added: 1mL

Reagent ID:Ba Carrier_00026

Container #: 1015438

Cert.#: 16I027

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - A

Addr: 12

Sample ID ICRa6-1063071;Ra5

Repeat	1
Carrier No.	0

Batch ID Ra226 IC

Count Method Gross Alpha Beta	Detector Volts	1515
-------------------------------	----------------	------

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 7/9/2019 7:38:39 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 7/9/2019 7:54:05 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	15.00 mins	Background Count Time	.00 mins
-------------------	------------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	83,100	5,540.000	5,540.000
sd	0.000			0.000	288.271	19.218	19.218
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	94,193	6,279.533	6,279.533
sd	0.000			0.000	306.909	20.461	20.461

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - A

Addr: 12

Sample ID ICRa6-1063071;Ra4

Repeat 2

Carrier No. 0

Batch ID Ra226 IC

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty 0 ml sd 0 ml

Residual Wt 0 mg sd 0 mg

Count Began 7/10/2019 9:26:20 AM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 7/10/2019 9:41:43 AM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 15.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	71,187	4,745.800	4,745.800
sd	0.000			0.000	266.809	17.787	17.787
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	81,436	5,429.067	5,429.067
sd	0.000			0.000	285.370	19.025	19.025

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - A

Addr: 12

Sample ID ICRa6-1063071;Ra3

Repeat 3
Carrier No. 0

Batch ID Ra226 IC

Count Method Gross Alpha Beta	Detector Volts 1515
-------------------------------	---------------------

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 7/10/2019 9:46:34 AM	Collection Date 1 1/1/1900	Half Life 0.00 days
Count Ended 7/10/2019 10:01:56 AM	Collection Date 2 1/1/1900	Decay Factor 1.000

Sample Count Time 15.00 mins	Background Count Time .00 mins
------------------------------	--------------------------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	66,884	4,458.933	4,458.933
sd	0.000			0.000	258.619	17.241	17.241
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	75,141	5,009.400	5,009.400
sd	0.000			0.000	274.119	18.275	18.275

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - A

Addr: 12

Sample ID ICRa6-1063071;Ra2

Repeat	4
Carrier No.	0

Batch ID Ra226 IC

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0 <i>ml</i>	sd	0 <i>ml</i>
Residual Wt	0 <i>mg</i>	sd	0 <i>mg</i>

Count Began 7/10/2019 10:04:48 AM	Collection Date 1 1/1/1900	Half Life	0.00 <i>days</i>
Count Ended 7/10/2019 10:20:05 AM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	15.00 <i>mins</i>	Background Count Time	.00 <i>mins</i>
-------------------	-------------------	-----------------------	-----------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	46,251	3,083.400	3,083.400
sd	0.000			0.000	215.060	14.337	14.337
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	50,421	3,361.400	3,361.400
sd	0.000			0.000	224.546	14.970	14.970

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - A

Addr: 12

Sample ID ICRa6-1063071;Ra8

Repeat	6
Carrier No.	0

Batch ID Ra226 IC

Count Method Gross Alpha Beta	Detector Volts	1515
-------------------------------	----------------	------

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 7/10/2019 10:57:42 AM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 7/10/2019 11:13:06 AM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	15.00 mins	Background Count Time	.00 mins
-------------------	------------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	64,324	4,288.267	4,288.267
sd	0.000			0.000	253.622	16.908	16.908
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	97,206	6,480.400	6,480.400
sd	0.000			0.000	311.779	20.785	20.785

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - A

Addr: 12

Sample ID ICRa6-1063071;Ra7

Repeat

7

Carrier No.

0

Batch ID Ra226 IC

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty 0 ml sd 0 ml

Residual Wt 0 mg sd 0 mg

Count Began 7/10/2019 11:15:08 AM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 7/10/2019 11:30:32 AM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 15.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	69,426	4,628.400	4,628.400
sd	0.000			0.000	263.488	17.566	17.566
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	94,031	6,268.733	6,268.733
sd	0.000			0.000	306.645	20.443	20.443

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - A

Addr: 12

Sample ID ICRa6-1063071;Ra6

Repeat 8
Carrier No. 0

Batch ID Ra226 IC

Count Method Gross Alpha Beta	Detector Volts 1515
-------------------------------	---------------------

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 7/10/2019 11:32:57 AM	Collection Date 1 1/1/1900	Half Life 0.00 days
Count Ended 7/10/2019 11:48:22 AM	Collection Date 2 1/1/1900	Decay Factor 1.000

Sample Count Time 15.00 mins	Background Count Time .00 mins
------------------------------	--------------------------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	73,114	4,874.267	4,874.267
sd	0.000			0.000	270.396	18.026	18.026
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	95,834	6,388.933	6,388.933
sd	0.000			0.000	309.571	20.638	20.638

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Ra-226 Calibration 2019


Detector	Std #	Mass	Count Time	Sample Time	Alpha Counts	CPM	Sep Time	Ingrowth	Recovery	Adj CPM	DPM	Efficiency
13	ICRa6-1063071;Ra2	0.0063	15.00	7/10/2019 10:22	45994	3066.2667	2/13/2017 13:30	4.0000	0.4487	1708.3408	7534.6	0.2267
13	ICRa6-1063071;Ra3	0.0146	15.00	7/10/2019 10:04	67400	4493.3333	2/13/2017 13:30	4.0000	0.6933	1620.3637	7534.6	0.2151
13	ICRa6-1063071;Ra4	0.0204	15.00	7/10/2019 9:46	71661	4777.4000	2/13/2017 13:30	4.0000	0.7265	1643.9780	7534.6	0.2182
13	ICRa6-1063071;Ra5	0.0302	15.00	7/10/2019 9:26	83475	5565.0000	2/13/2017 13:30	4.0000	0.8604	1616.9805	7534.6	0.2146
13	ICRa6-1063071;Ra6	0.0493	15.00	7/9/2019 19:38	74005	4933.6667	2/13/2017 13:30	4.0000	0.9364	1317.2321	7534.6	0.1748
13	ICRa6-1063071;Ra7	0.0651	15.00	7/10/2019 11:33	70601	4706.7333	2/13/2017 13:30	4.0000	0.9274	1268.8665	7534.6	0.1684
13	ICRa6-1063071;Ra8	0.0990	15.00	7/10/2019 11:15	64373	4291.5333	2/13/2017 13:30	4.0000	0.9402	1141.1589	7534.6	0.1515

Page 1095 of 1702

Ra-226 Efficiency

$$y = 4.4162x^2 - 1.3346x + 0.2385$$

$R^2 = 0.9444$



Reagent ID:Ra-226_00022
Container #:986404
Final Conc.: 7534.60740 dpm/mL
Added: 1mL

Reagent ID:Ba Carrier_00026
Container #: 1015438
Cert.#: 16I027

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - B

Addr: 13

Sample ID ICRa6-1063071;Ra6

Repeat	1
Carrier No.	0

Batch ID Ra226 IC

Count Method Gross Alpha Beta	Detector Volts	1515
-------------------------------	----------------	------

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 7/9/2019 7:38:44 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 7/9/2019 7:54:11 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	15.00 mins	Background Count Time	.00 mins
-------------------	------------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	74,005	4,933.667	4,933.667
sd	0.000			0.000	272.039	18.136	18.136
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	95,237	6,349.133	6,349.133
sd	0.000			0.000	308.605	20.574	20.574

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - B

Addr: 13

Sample ID ICRa6-1063071;Ra5

Repeat	2
Carrier No.	0

Batch ID Ra226 IC

Count Method Gross Alpha Beta	Detector Volts	1515
-------------------------------	----------------	------

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 7/10/2019 9:26:29 AM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 7/10/2019 9:41:54 AM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	15.00 mins	Background Count Time	.00 mins
-------------------	------------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	83,475	5,565.000	5,565.000
sd	0.000			0.000	288.920	19.261	19.261
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	94,394	6,292.933	6,292.933
sd	0.000			0.000	307.236	20.482	20.482

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - B

Addr: 13

Sample ID ICRa6-1063071;Ra4

Repeat 3
Carrier No. 0

Batch ID Ra226 IC

Count Method Gross Alpha Beta	Detector Volts 1515
-------------------------------	---------------------

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 7/10/2019 9:46:41 AM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 7/10/2019 10:02:04 AM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	15.00 mins	Background Count Time	.00 mins
-------------------	------------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	71,661	4,777.400	4,777.400
sd	0.000			0.000	267.696	17.846	17.846
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	80,985	5,399.000	5,399.000
sd	0.000			0.000	284.579	18.972	18.972

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - B

Addr: 13

Sample ID ICRa6-1063071;Ra3

Repeat	4
Carrier No.	0

Batch ID Ra226 IC

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0 <i>ml</i>	sd	0 <i>ml</i>
Residual Wt	0 <i>mg</i>	sd	0 <i>mg</i>

Count Began 7/10/2019 10:04:55 AM	Collection Date 1 1/1/1900	Half Life	0.00 <i>days</i>
Count Ended 7/10/2019 10:20:17 AM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	15.00 <i>mins</i>	Background Count Time	.00 <i>mins</i>
-------------------	-------------------	-----------------------	-----------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	67,400	4,493.333	4,493.333
sd	0.000			0.000	259.615	17.308	17.308
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	74,481	4,965.400	4,965.400
sd	0.000			0.000	272.912	18.194	18.194

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - B

Addr: 13

Sample ID ICRa6-1063071;Ra2

Repeat	5
Carrier No.	0

Batch ID Ra226 IC

Count Method Gross Alpha Beta	Detector Volts	1515
-------------------------------	----------------	------

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 7/10/2019 10:22:45 AM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 7/10/2019 10:38:01 AM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	15.00 mins	Background Count Time	.00 mins
-------------------	------------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	45,994	3,066.267	3,066.267
sd	0.000			0.000	214.462	14.297	14.297
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	49,259	3,283.933	3,283.933
sd	0.000			0.000	221.944	14.796	14.796

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - B

Addr: 13

Sample ID ICRa6-1063071;Ra8

Repeat

7

Carrier No.

0

Batch ID Ra226 IC

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0 ml	sd	0 ml
------------	------	----	------

Residual Wt	0 mg	sd	0 mg
-------------	------	----	------

Count Began 7/10/2019 11:15:15 AM	Collection Date 1 1/1/1900	Half Life	0.00 days
-----------------------------------	----------------------------	-----------	-----------

Count Ended 7/10/2019 11:30:41 AM	Collection Date 2 1/1/1900	Decay Factor	1.000
-----------------------------------	----------------------------	--------------	-------

Sample Count Time	15.00 mins	Background Count Time	.00 mins
-------------------	------------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	64,373	4,291.533	4,291.533
sd	0.000			0.000	253.718	16.915	16.915
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	97,501	6,500.067	6,500.067
sd	0.000			0.000	312.252	20.817	20.817

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - B

Addr: 13

Sample ID ICRa6-1063071;Ra7

Repeat

8

Carrier No.

0

Batch ID Ra226 IC

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0 ml	sd	0 ml
------------	------	----	------

Residual Wt	0 mg	sd	0 mg
-------------	------	----	------

Count Began 7/10/2019 11:33:02 AM	Collection Date 1 1/1/1900	Half Life	0.00 days
-----------------------------------	----------------------------	-----------	-----------

Count Ended 7/10/2019 11:48:27 AM	Collection Date 2 1/1/1900	Decay Factor	1.000
-----------------------------------	----------------------------	--------------	-------

Sample Count Time	15.00 mins	Background Count Time	.00 mins
-------------------	------------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	70,601	4,706.733	4,706.733
sd	0.000			0.000	265.708	17.714	17.714
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	94,264	6,284.267	6,284.267
sd	0.000			0.000	307.024	20.468	20.468

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Ra-226 Calibration 2019


Detector	Std #	Mass	Count Time	Sample Time	Alpha Counts	CPM	Sep Time	Ingrowth	Recovery	Adj CPM	DPM	Efficiency
14	ICRa6-1063071;Ra2	0.0063	15.00	7/10/2019 10:58	46314	3087.6000	2/13/2017 13:30	4.0000	0.4487	1720.2264	7534.6	0.2283
14	ICRa6-1063071;Ra3	0.0146	15.00	7/10/2019 10:22	67396	4493.0667	2/13/2017 13:30	4.0000	0.6933	1620.2675	7534.6	0.2150
14	ICRa6-1063071;Ra4	0.0204	15.00	7/10/2019 10:05	72031	4802.0667	2/13/2017 13:30	4.0000	0.7265	1652.4662	7534.6	0.2193
14	ICRa6-1063071;Ra5	0.0302	15.00	7/10/2019 9:46	83258	5550.5333	2/13/2017 13:30	4.0000	0.8604	1612.7770	7534.6	0.2140
14	ICRa6-1063071;Ra6	0.0493	15.00	7/10/2019 9:26	73296	4886.4000	2/13/2017 13:30	4.0000	0.9364	1304.6125	7534.6	0.1731
14	ICRa6-1063071;Ra7	0.0651	15.00	7/9/2019 19:38	70580	4705.3333	2/13/2017 13:30	4.0000	0.9274	1268.4891	7534.6	0.1684
14	ICRa6-1063071;Ra8	0.0990	15.00	7/10/2019 11:33	64569	4304.6000	2/13/2017 13:30	4.0000	0.9402	1144.6334	7534.6	0.1519

Page 1103 of 1702

Ra-226 Efficiency

$$y = 5.3066x^2 - 1.4364x + 0.2405$$

$R^2 = 0.9425$



Reagent ID:Ra-226_00022
Container #:986404
Final Conc.: 7534.60740 dpm/mL
Added: 1mL

Reagent ID:Ba Carrier_00026
Container #: 1015438
Cert.#: 16I027

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - C

Addr: 14

Sample ID ICRa6-1063071;Ra7

Repeat

1

Carrier No.

0

Batch ID Ra226 IC

Count Method Gross Alpha Beta

Detector Volts

1515

Count Began 7/9/2019 7:38:48 PM

Count Ended 7/9/2019 7:54:14 PM

Sample Count Time

15.00 *mins*

Background Count Time

.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.000	70,580	4,705.333	4,705.333
	0.000	265.669	17.711	17.711
Beta sd	0.000	94,421	6,294.733	6,294.733
	0.000	307.280	20.485	20.485

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - C

Addr: 14

Sample ID ICRa6-1063071;Ra6

Repeat 2
Carrier No. 0

Batch ID Ra226 IC

Count Method Gross Alpha Beta	Detector Volts 1515
-------------------------------	---------------------

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 7/10/2019 9:26:42 AM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 7/10/2019 9:42:07 AM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	15.00 mins	Background Count Time	.00 mins
-------------------	------------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	73,296	4,886.400	4,886.400
sd	0.000			0.000	270.732	18.049	18.049
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	95,113	6,340.867	6,340.867
sd	0.000			0.000	308.404	20.560	20.560

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - C

Addr: 14

Sample ID ICRa6-1063071;Ra5

Repeat 3
Carrier No. 0

Batch ID Ra226 IC

Count Method Gross Alpha Beta	Detector Volts 1515
-------------------------------	---------------------

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 7/10/2019 9:46:48 AM	Collection Date 1 1/1/1900	Half Life 0.00 days
Count Ended 7/10/2019 10:02:16 AM	Collection Date 2 1/1/1900	Decay Factor 1.000

Sample Count Time 15.00 mins	Background Count Time .00 mins
------------------------------	--------------------------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	83,258	5,550.533	5,550.533
sd	0.000			0.000	288.545	19.236	19.236
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	94,109	6,273.933	6,273.933
sd	0.000			0.000	306.772	20.451	20.451

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - C

Addr: 14

Sample ID ICRa6-1063071;Ra4

Repeat

4

Carrier No.

0

Batch ID Ra226 IC

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty 0 ml sd 0 ml

Residual Wt 0 mg sd 0 mg

Count Began 7/10/2019 10:05:04 AM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 7/10/2019 10:20:29 AM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 15.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	72,031	4,802.067	4,802.067
sd	0.000			0.000	268.386	17.892	17.892
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	80,583	5,372.200	5,372.200
sd	0.000			0.000	283.871	18.925	18.925

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - C

Addr: 14

Sample ID ICRa6-1063071;Ra3

Repeat	5
Carrier No.	0

Batch ID Ra226 IC

Count Method Gross Alpha Beta	Detector Volts	1515
-------------------------------	----------------	------

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 7/10/2019 10:22:54 AM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 7/10/2019 10:38:16 AM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	15.00 mins	Background Count Time	.00 mins
-------------------	------------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	67,396	4,493.067	4,493.067
sd	0.000			0.000	259.607	17.307	17.307
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	74,575	4,971.667	4,971.667
sd	0.000			0.000	273.084	18.206	18.206

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - C

Addr: 14

Sample ID ICRa6-1063071;Ra2

Repeat	6
Carrier No.	0

Batch ID Ra226 IC

Count Method Gross Alpha Beta	Detector Volts	1515
-------------------------------	----------------	------

Sample Qty	0 <i>ml</i>	sd	0 <i>ml</i>
Residual Wt	0 <i>mg</i>	sd	0 <i>mg</i>

Count Began 7/10/2019 10:58:00 AM	Collection Date 1 1/1/1900	Half Life	0.00 <i>days</i>
Count Ended 7/10/2019 11:13:17 AM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	15.00 <i>mins</i>	Background Count Time	.00 <i>mins</i>
-------------------	-------------------	-----------------------	-----------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	46,314	3,087.600	3,087.600
sd	0.000			0.000	215.207	14.347	14.347
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	49,505	3,300.333	3,300.333
sd	0.000			0.000	222.497	14.833	14.833

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - C

Addr: 14

Sample ID ICRa6-1063071;Ra8

Repeat	8
Carrier No.	0

Batch ID Ra226 IC

Count Method Gross Alpha Beta	Detector Volts	1515
-------------------------------	----------------	------

Sample Qty	0 <i>ml</i>	sd	0 <i>ml</i>
Residual Wt	0 <i>mg</i>	sd	0 <i>mg</i>

Count Began 7/10/2019 11:33:08 AM	Collection Date 1 1/1/1900	Half Life	0.00 <i>days</i>
Count Ended 7/10/2019 11:48:32 AM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	15.00 <i>mins</i>	Background Count Time	.00 <i>mins</i>
-------------------	-------------------	-----------------------	-----------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	64,569	4,304.600	4,304.600
sd	0.000			0.000	254.104	16.940	16.940
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	96,721	6,448.067	6,448.067
sd	0.000			0.000	311.000	20.733	20.733

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Ra-226 Calibration 2019


Detector	Std #	Mass	Count Time	Sample Time	Alpha Counts	CPM	Sep Time	Ingrowth	Recovery	Adj CPM	DPM	Efficiency
15	ICRa6-1063071;Ra2	0.0063	15.00	7/10/2019 11:15	46167	3077.8000	2/13/2017 13:30	4.0000	0.4487	1714.7664	7534.6	0.2276
15	ICRa6-1063071;Ra3	0.0146	15.00	7/10/2019 10:58	67095	4473.0000	2/13/2017 13:30	4.0000	0.6933	1613.0312	7534.6	0.2141
15	ICRa6-1063071;Ra4	0.0204	15.00	7/10/2019 10:23	71626	4775.0667	2/13/2017 13:30	4.0000	0.7265	1643.1750	7534.6	0.2181
15	ICRa6-1063071;Ra5	0.0302	15.00	7/10/2019 10:05	82828	5521.8667	2/13/2017 13:30	4.0000	0.8604	1604.4475	7534.6	0.2129
15	ICRa6-1063071;Ra6	0.0493	15.00	7/10/2019 9:46	73153	4876.8667	2/13/2017 13:30	4.0000	0.9364	1302.0672	7534.6	0.1728
15	ICRa6-1063071;Ra7	0.0651	15.00	7/10/2019 9:26	69626	4641.7333	2/13/2017 13:30	4.0000	0.9274	1251.3434	7534.6	0.1661
15	ICRa6-1063071;Ra8	0.0990	15.00	7/9/2019 19:38	64832	4322.1333	2/13/2017 13:30	4.0000	0.9402	1149.2957	7534.6	0.1525

Page 1111 of 1702

Ra-226 Efficiency

$$y = 5.8735x^2 - 1.4853x + 0.2402$$

$R^2 = 0.9432$



Reagent ID:Ra-226_00022

Container #:986404

Final Conc.: 7534.60740 dpm/mL

Added: 1mL

Reagent ID:Ba Carrier_00026

Container #: 1015438

Cert.#: 16I027

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - D

Addr: 15

Sample ID ICRa6-1063071;Ra8

Repeat	1
Carrier No.	0

Batch ID Ra226 IC

Count Method Gross Alpha Beta	Detector Volts	1515
-------------------------------	----------------	------

Sample Qty	0 <i>ml</i>	sd	0 <i>ml</i>
Residual Wt	0 <i>mg</i>	sd	0 <i>mg</i>

Count Began 7/9/2019 7:38:52 PM	Collection Date 1 1/1/1900	Half Life	0.00 <i>days</i>
Count Ended 7/9/2019 7:54:16 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	15.00 <i>mins</i>	Background Count Time	.00 <i>mins</i>
-------------------	-------------------	-----------------------	-----------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	64,832	4,322.133	4,322.133
sd	0.000			0.000	254.621	16.975	16.975
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	96,799	6,453.267	6,453.267
sd	0.000			0.000	311.125	20.742	20.742

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - D

Addr: 15

Sample ID ICRa6-1063071;Ra7

Repeat 2
Carrier No. 0

Batch ID Ra226 IC

Count Method Gross Alpha Beta	Detector Volts 1515
-------------------------------	---------------------

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 7/10/2019 9:26:56 AM	Collection Date 1 1/1/1900	Half Life 0.00 days
Count Ended 7/10/2019 9:42:20 AM	Collection Date 2 1/1/1900	Decay Factor 1.000

Sample Count Time 15.00 mins	Background Count Time .00 mins
------------------------------	--------------------------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	69,626	4,641.733	4,641.733
sd	0.000			0.000	263.867	17.591	17.591
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	94,280	6,285.333	6,285.333
sd	0.000			0.000	307.050	20.470	20.470

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - D

Addr: 15

Sample ID ICRa6-1063071;Ra6

Repeat	3
Carrier No.	0

Batch ID Ra226 IC

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty 0 ml sd 0 ml

Residual Wt 0 mg sd 0 mg

Count Began 7/10/2019 9:46:56 AM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 7/10/2019 10:02:21 AM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 15.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	73,153	4,876.867	4,876.867
sd	0.000			0.000	270.468	18.031	18.031
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	95,348	6,356.533	6,356.533
sd	0.000			0.000	308.785	20.586	20.586

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - D

Addr: 15

Sample ID ICRa6-1063071;Ra5

Repeat	4
Carrier No.	0

Batch ID Ra226 IC

Count Method Gross Alpha Beta	Detector Volts	1515
-------------------------------	----------------	------

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 7/10/2019 10:05:09 AM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 7/10/2019 10:20:37 AM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	15.00 mins	Background Count Time	.00 mins
-------------------	------------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	82,828	5,521.867	5,521.867
sd	0.000			0.000	287.799	19.187	19.187
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	93,683	6,245.533	6,245.533
sd	0.000			0.000	306.077	20.405	20.405

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - D

Addr: 15

Sample ID ICRa6-1063071;Ra4

Repeat

5

Carrier No.

0

Batch ID Ra226 IC

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty 0 ml sd 0 ml

Residual Wt 0 mg sd 0 mg

Count Began 7/10/2019 10:23:02 AM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 7/10/2019 10:38:25 AM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 15.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	71,626	4,775.067	4,775.067
sd	0.000			0.000	267.630	17.842	17.842
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	80,893	5,392.867	5,392.867
sd	0.000			0.000	284.417	18.961	18.961

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - D

Addr: 15

Sample ID ICRa6-1063071;Ra3

Repeat 6
Carrier No. 0

Batch ID Ra226 IC

Count Method Gross Alpha Beta	Detector Volts 1515
-------------------------------	---------------------

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 7/10/2019 10:58:07 AM	Collection Date 1 1/1/1900	Half Life 0.00 days
Count Ended 7/10/2019 11:13:29 AM	Collection Date 2 1/1/1900	Decay Factor 1.000

Sample Count Time 15.00 mins	Background Count Time .00 mins
------------------------------	--------------------------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	67,095	4,473.000	4,473.000
sd	0.000			0.000	259.027	17.268	17.268
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	74,690	4,979.333	4,979.333
sd	0.000			0.000	273.295	18.220	18.220

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - D

Addr: 15

Sample ID ICRa6-1063071;Ra2

Repeat

7

Carrier No.

0

Batch ID Ra226 IC

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0 ml	sd	0 ml
------------	------	----	------

Residual Wt	0 mg	sd	0 mg
-------------	------	----	------

Count Began 7/10/2019 11:15:26 AM	Collection Date 1 1/1/1900	Half Life	0.00 days
-----------------------------------	----------------------------	-----------	-----------

Count Ended 7/10/2019 11:30:41 AM	Collection Date 2 1/1/1900	Decay Factor	1.000
-----------------------------------	----------------------------	--------------	-------

Sample Count Time	15.00 mins	Background Count Time	.00 mins
-------------------	------------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	46,167	3,077.800	3,077.800
sd	0.000			0.000	214.865	14.324	14.324
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	49,953	3,330.200	3,330.200
sd	0.000			0.000	223.502	14.900	14.900

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Ra-226 Calibration 2019


Detector	Std #	Mass	Count Time	Sample Time	Alpha Counts	CPM	Sep Time	Ingrowth	Recovery	Adj CPM	DPM	Efficiency
16	ICRa6-1063071;Ra2	0.0063	15.00	7/9/2019 15:07	45743	3049.5333	2/13/2017 13:30	4.0000	0.4487	1699.0179	7534.6	0.2255
16	ICRa6-1063071;Ra3	0.0146	15.00	7/9/2019 14:48	67344	4489.6000	2/13/2017 13:30	4.0000	0.6933	1619.0174	7534.6	0.2149
16	ICRa6-1063071;Ra4	0.0204	15.00	7/9/2019 14:29	71881	4792.0667	2/13/2017 13:30	4.0000	0.7265	1649.0250	7534.6	0.2189
16	ICRa6-1063071;Ra5	0.0302	15.00	7/9/2019 14:09	82978	5531.8667	2/13/2017 13:30	4.0000	0.8604	1607.3532	7534.6	0.2133
16	ICRa6-1063071;Ra6	0.0493	15.00	7/9/2019 13:41	73750	4916.6667	2/13/2017 13:30	4.0000	0.9364	1312.6933	7534.6	0.1742
16	ICRa6-1063071;Ra7	0.0651	15.00	7/9/2019 13:22	70449	4696.6000	2/13/2017 13:30	4.0000	0.9274	1266.1347	7534.6	0.1680
16	ICRa6-1063071;Ra8	0.0990	15.00	7/9/2019 13:00	64357	4290.4667	2/13/2017 13:30	4.0000	0.9402	1140.8752	7534.6	0.1514

Page 1119 of 1702

Ra-226 Efficiency

$$y = 4.4707x^2 - 1.3355x + 0.238$$

$R^2 = 0.9438$



Reagent ID:Ra-226_00022
Container #:986404
Final Conc.: 7534.60740 dpm/mL
Added: 1mL

Reagent ID:Ba Carrier_00026
Container #: 1015438
Cert.#: 16I027

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - A

Addr: 16

Sample ID ICRa6-1063071;Ra8

Repeat	2
Carrier No.	0

Batch ID Ra226_IC

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 7/9/2019 1:00:30 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 7/9/2019 1:15:55 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	15.00 mins	Background Count Time	.00 mins
-------------------	------------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	64,357	4,290.467	4,290.467
sd	0.000			0.000	253.687	16.912	16.912
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	97,328	6,488.533	6,488.533
sd	0.000			0.000	311.974	20.798	20.798

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - A

Addr: 16

Sample ID ICRa6-1063071;Ra7

Repeat 3
Carrier No. 0

Batch ID Ra226_IC

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0 <i>ml</i>	sd	0 <i>ml</i>
Residual Wt	0 <i>mg</i>	sd	0 <i>mg</i>

Count Began 7/9/2019 1:22:07 PM	Collection Date 1 1/1/1900	Half Life	0.00 <i>days</i>
Count Ended 7/9/2019 1:37:34 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	15.00 <i>mins</i>	Background Count Time	.00 <i>mins</i>
-------------------	-------------------	-----------------------	-----------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	70,449	4,696.600	4,696.600
sd	0.000			0.000	265.422	17.695	17.695
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	95,214	6,347.600	6,347.600
sd	0.000			0.000	308.568	20.571	20.571

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - A

Addr: 16

Sample ID ICRa6-1063071;Ra6

Repeat 4
Carrier No. 0

Batch ID Ra226_IC

Count Method Gross Alpha Beta	Detector Volts	1515
-------------------------------	----------------	------

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 7/9/2019 1:41:47 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 7/9/2019 1:57:12 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	15.00 mins	Background Count Time	.00 mins
-------------------	------------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	73,750	4,916.667	4,916.667
sd	0.000			0.000	271.570	18.105	18.105
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	96,074	6,404.933	6,404.933
sd	0.000			0.000	309.958	20.664	20.664

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - A

Addr: 16

Sample ID ICRa6-1063071;Ra5

Repeat 5
Carrier No. 0

Batch ID Ra226_IC

Count Method Gross Alpha Beta	Detector Volts	1515
-------------------------------	----------------	------

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 7/9/2019 2:09:54 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 7/9/2019 2:25:21 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	15.00 mins	Background Count Time	.00 mins
-------------------	------------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	82,978	5,531.867	5,531.867
sd	0.000			0.000	288.059	19.204	19.204
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	93,924	6,261.600	6,261.600
sd	0.000			0.000	306.470	20.431	20.431

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - A

Addr: 16

Sample ID ICRa6-1063071;Ra4

Repeat	6
Carrier No.	0

Batch ID Ra226_IC

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 7/9/2019 2:29:30 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 7/9/2019 2:44:53 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	15.00 mins	Background Count Time	.00 mins
-------------------	------------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	71,881	4,792.067	4,792.067
sd	0.000			0.000	268.106	17.874	17.874
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	81,922	5,461.467	5,461.467
sd	0.000			0.000	286.220	19.081	19.081

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - A

Addr: 16

Sample ID ICRa6-1063071;Ra3

Repeat

7

Carrier No.

0

Batch ID Ra226_IC

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0 <i>ml</i>	sd	0 <i>ml</i>
------------	-------------	----	-------------

Residual Wt	0 <i>mg</i>	sd	0 <i>mg</i>
-------------	-------------	----	-------------

Count Began 7/9/2019 2:48:36 PM	Collection Date 1 1/1/1900	Half Life	0.00 <i>days</i>
---------------------------------	----------------------------	-----------	------------------

Count Ended 7/9/2019 3:03:57 PM	Collection Date 2 1/1/1900	Decay Factor	1.000
---------------------------------	----------------------------	--------------	-------

Sample Count Time	15.00 <i>mins</i>	Background Count Time	.00 <i>mins</i>
-------------------	-------------------	-----------------------	-----------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	67,344	4,489.600	4,489.600
sd	0.000			0.000	259.507	17.300	17.300
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	74,876	4,991.733	4,991.733
sd	0.000			0.000	273.635	18.242	18.242

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - A

Addr: 16

Sample ID ICRa6-1063071;Ra2

Repeat 8
Carrier No. 0

Batch ID Ra226_IC

Count Method Gross Alpha Beta	Detector Volts 1515
-------------------------------	---------------------

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 7/9/2019 3:07:09 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 7/9/2019 3:22:25 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	15.00 mins	Background Count Time	.00 mins
-------------------	------------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	45,743	3,049.533	3,049.533
sd	0.000			0.000	213.876	14.258	14.258
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	49,858	3,323.867	3,323.867
sd	0.000			0.000	223.289	14.886	14.886

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Ra-226 Calibration 2019

Detector	Std #	Mass	Count Time	Sample Time	Alpha Counts	CPM	Sep Time	Ingrowth	Recovery	Adj CPM	DPM	Efficiency
17	ICRa6-1063071;Ra2	0.0063	15.00	7/9/2019 12:41	46417	3094.4667	2/13/2017 13:30	4.0000	0.4487	1724.0521	7534.6	0.2288
17	ICRa6-1063071;Ra3	0.0146	15.00	7/9/2019 15:07	68436	4562.4000	2/13/2017 13:30	4.0000	0.6933	1645.2702	7534.6	0.2184
17	ICRa6-1063071;Ra4	0.0204	15.00	7/9/2019 14:48	72582	4838.8000	2/13/2017 13:30	4.0000	0.7265	1665.1067	7534.6	0.2210
17	ICRa6-1063071;Ra5	0.0302	15.00	7/9/2019 14:29	84007	5600.4667	2/13/2017 13:30	4.0000	0.8604	1627.2858	7534.6	0.2160
17	ICRa6-1063071;Ra6	0.0493	15.00	7/9/2019 14:10	73910	4927.3333	2/13/2017 13:30	4.0000	0.9364	1315.5412	7534.6	0.1746
17	ICRa6-1063071;Ra7	0.0651	15.00	7/9/2019 13:41	70314	4687.6000	2/13/2017 13:30	4.0000	0.9274	1263.7084	7534.6	0.1677
17	ICRa6-1063071;Ra8	0.0990	15.00	7/9/2019 13:22	65252	4350.1333	2/13/2017 13:30	4.0000	0.9402	1156.7412	7534.6	0.1535


Page 1127 of 1702

Efficiency

Ra-226 Efficiency

$$y = 5.6011x^2 - 1.4774x + 0.2428$$

$R^2 = 0.9418$



Reagent ID:Ra-226_00022
Container #:986404
Final Conc.: 7534.60740 dpm/mL
Added: 1mL

Reagent ID:Ba Carrier_00026
Container #: 1015438
Cert.#: 16I027

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - B

Addr: 17

Sample ID ICRa6-1063071;Ra2

Repeat	1
Carrier No.	0

Batch ID Ra226_IC

Count Method Gross Alpha Beta	Detector Volts	1515
-------------------------------	----------------	------

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 7/9/2019 12:41:35 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 7/9/2019 12:56:53 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	15.00 mins	Background Count Time	.00 mins
-------------------	------------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	46,417	3,094.467	3,094.467
sd	0.000			0.000	215.446	14.363	14.363
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	50,296	3,353.067	3,353.067
sd	0.000			0.000	224.268	14.951	14.951

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - B

Addr: 17

Sample ID ICRa6-1063071;Ra8

Repeat 3
Carrier No. 0

Batch ID Ra226_IC

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0 <i>ml</i>	sd	0 <i>ml</i>
Residual Wt	0 <i>mg</i>	sd	0 <i>mg</i>

Count Began 7/9/2019 1:22:21 PM	Collection Date 1 1/1/1900	Half Life	0.00 <i>days</i>
Count Ended 7/9/2019 1:37:46 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	15.00 <i>mins</i>	Background Count Time	.00 <i>mins</i>
-------------------	-------------------	-----------------------	-----------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	65,252	4,350.133	4,350.133
sd	0.000			0.000	255.445	17.030	17.030
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	97,963	6,530.867	6,530.867
sd	0.000			0.000	312.990	20.866	20.866

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - B

Addr: 17

Sample ID ICRa6-1063071;Ra7

Repeat

4

Carrier No.

0

Batch ID Ra226_IC

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty 0 ml sd 0 ml

Residual Wt 0 mg sd 0 mg

Count Began 7/9/2019 1:41:59 PM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 7/9/2019 1:57:25 PM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 15.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	70,314	4,687.600	4,687.600
sd	0.000			0.000	265.168	17.678	17.678
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	95,711	6,380.733	6,380.733
sd	0.000			0.000	309.372	20.625	20.625

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - B

Addr: 17

Sample ID ICRa6-1063071;Ra6

Repeat	5
Carrier No.	0

Batch ID Ra226_IC

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 7/9/2019 2:10:04 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 7/9/2019 2:25:31 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	15.00 mins	Background Count Time	.00 mins
-------------------	------------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	73,910	4,927.333	4,927.333
sd	0.000			0.000	271.864	18.124	18.124
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	96,510	6,434.000	6,434.000
sd	0.000			0.000	310.661	20.711	20.711

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - B

Addr: 17

Sample ID ICRa6-1063071;Ra5

Repeat	6
Carrier No.	0

Batch ID Ra226_IC

Count Method Gross Alpha Beta	Detector Volts	1515
-------------------------------	----------------	------

Sample Qty	0 <i>ml</i>	sd	0 <i>ml</i>
Residual Wt	0 <i>mg</i>	sd	0 <i>mg</i>

Count Began 7/9/2019 2:29:40 PM	Collection Date 1 1/1/1900	Half Life	0.00 <i>days</i>
Count Ended 7/9/2019 2:45:08 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	15.00 <i>mins</i>	Background Count Time	.00 <i>mins</i>
-------------------	-------------------	-----------------------	-----------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	84,007	5,600.467	5,600.467
sd	0.000			0.000	289.840	19.323	19.323
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	95,035	6,335.667	6,335.667
sd	0.000			0.000	308.277	20.552	20.552

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - B

Addr: 17

Sample ID ICRa6-1063071;Ra4

Repeat

7

Carrier No.

0

Batch ID Ra226_IC

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty 0 ml sd 0 ml

Residual Wt 0 mg sd 0 mg

Count Began 7/9/2019 2:48:44 PM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 7/9/2019 3:04:09 PM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 15.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	72,582	4,838.800	4,838.800
sd	0.000			0.000	269.410	17.961	17.961
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	82,414	5,494.267	5,494.267
sd	0.000			0.000	287.078	19.139	19.139

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - B

Addr: 17

Sample ID ICRa6-1063071;Ra3

Repeat 8
Carrier No. 0

Batch ID Ra226_IC

Count Method Gross Alpha Beta	Detector Volts 1515
-------------------------------	---------------------

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 7/9/2019 3:07:17 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 7/9/2019 3:22:41 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	15.00 mins	Background Count Time	.00 mins
-------------------	------------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	68,436	4,562.400	4,562.400
sd	0.000			0.000	261.603	17.440	17.440
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	75,818	5,054.533	5,054.533
sd	0.000			0.000	275.351	18.357	18.357

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd


Ra-226 Calibration 2019

Detector	Std #	Mass	Count Time	Sample Time	Alpha Counts	CPM	Sep Time	Ingrowth	Recovery	Adj CPM	DPM	Efficiency
18	ICRa6-1063071;Ra2	0.0063	15.00	7/9/2019 13:01	45206	3013.7333	2/13/2017 13:30	4.0000	0.4487	1679.0723	7534.6	0.2228
18	ICRa6-1063071;Ra3	0.0146	15.00	7/9/2019 12:41	65622	4374.8000	2/13/2017 13:30	4.0000	0.6933	1577.6188	7534.6	0.2094
18	ICRa6-1063071;Ra4	0.0204	15.00	7/9/2019 15:07	70646	4709.7333	2/13/2017 13:30	4.0000	0.7265	1620.6928	7534.6	0.2151
18	ICRa6-1063071;Ra5	0.0302	15.00	7/9/2019 14:48	81421	5428.0667	2/13/2017 13:30	4.0000	0.8604	1577.1928	7534.6	0.2093
18	ICRa6-1063071;Ra6	0.0493	15.00	7/9/2019 14:29	70815	4721.0000	2/13/2017 13:30	4.0000	0.9364	1260.4526	7534.6	0.1673
18	ICRa6-1063071;Ra7	0.0651	15.00	7/9/2019 14:10	68102	4540.1333	2/13/2017 13:30	4.0000	0.9274	1223.9536	7534.6	0.1624
18	ICRa6-1063071;Ra8	0.0990	15.00	7/9/2019 13:42	62806	4187.0667	2/13/2017 13:30	4.0000	0.9402	1113.3802	7534.6	0.1478

Page 1135 of 1702

Reagent ID:Ra-226_00022
 Container #:986404
 Final Conc.: 7534.60740 dpm/mL
 Added: 1mL

Reagent ID:Ba Carrier_00026
 Container #: 1015438
 Cert.#: 16I027



Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - C

Addr: 18

Sample ID ICRa6-1063071;Ra3

Repeat 1
Carrier No. 0

Batch ID Ra226_IC

Count Method Gross Alpha Beta	Detector Volts	1515
-------------------------------	----------------	------

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 7/9/2019 12:41:41 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 7/9/2019 12:56:57 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	15.00 mins	Background Count Time	.00 mins
-------------------	------------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	65,622	4,374.800	4,374.800
sd	0.000			0.000	256.168	17.078	17.078
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	77,517	5,167.800	5,167.800
sd	0.000			0.000	278.419	18.561	18.561

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - C

Addr: 18

Sample ID ICRa6-1063071;Ra2

Repeat 2
Carrier No. 0

Batch ID Ra226_IC

Count Method Gross Alpha Beta	Detector Volts 1515
-------------------------------	---------------------

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 7/9/2019 1:01:17 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 7/9/2019 1:16:31 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	15.00 mins	Background Count Time	.00 mins
-------------------	------------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	45,206	3,013.733	3,013.733
sd	0.000			0.000	212.617	14.174	14.174
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	51,402	3,426.800	3,426.800
sd	0.000			0.000	226.720	15.115	15.115

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - C

Addr: 18

Sample ID ICRa6-1063071;Ra8

Repeat

4

Carrier No.

0

Batch ID Ra226_IC

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty 0 ml sd 0 ml

Residual Wt 0 mg sd 0 mg

Count Began 7/9/2019 1:42:08 PM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 7/9/2019 1:57:26 PM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 15.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	62,806	4,187.067	4,187.067
sd	0.000			0.000	250.611	16.707	16.707
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	100,203	6,680.200	6,680.200
sd	0.000			0.000	316.549	21.103	21.103

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - C

Addr: 18

Sample ID ICRa6-1063071;Ra7

Repeat 5
Carrier No. 0

Batch ID Ra226_IC

Count Method Gross Alpha Beta	Detector Volts	1515
-------------------------------	----------------	------

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 7/9/2019 2:10:13 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 7/9/2019 2:25:32 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	15.00 mins	Background Count Time	.00 mins
-------------------	------------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	68,102	4,540.133	4,540.133
sd	0.000			0.000	260.964	17.398	17.398
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	97,132	6,475.467	6,475.467
sd	0.000			0.000	311.660	20.777	20.777

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - C

Addr: 18

Sample ID ICRa6-1063071;Ra6

Repeat	6
Carrier No.	0

Batch ID Ra226_IC

Count Method Gross Alpha Beta	Detector Volts	1515
-------------------------------	----------------	------

Sample Qty	0 <i>ml</i>	sd	0 <i>ml</i>
Residual Wt	0 <i>mg</i>	sd	0 <i>mg</i>

Count Began 7/9/2019 2:29:51 PM	Collection Date 1 1/1/1900	Half Life	0.00 <i>days</i>
Count Ended 7/9/2019 2:45:09 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	15.00 <i>mins</i>	Background Count Time	.00 <i>mins</i>
-------------------	-------------------	-----------------------	-----------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	70,815	4,721.000	4,721.000
sd	0.000			0.000	266.111	17.741	17.741
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	98,256	6,550.400	6,550.400
sd	0.000			0.000	313.458	20.897	20.897

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - C

Addr: 18

Sample ID ICRa6-1063071;Ra5

Repeat

7

Carrier No.

0

Batch ID Ra226_IC

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty 0 ml sd 0 ml

Residual Wt 0 mg sd 0 mg

Count Began 7/9/2019 2:48:52 PM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 7/9/2019 3:04:13 PM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 15.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	81,421	5,428.067	5,428.067
sd	0.000			0.000	285.344	19.023	19.023
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	97,694	6,512.933	6,512.933
sd	0.000			0.000	312.560	20.837	20.837

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - C

Addr: 18

Sample ID ICRa6-1063071;Ra4

Repeat 8

Carrier No. 0

Batch ID Ra226_IC

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty 0 ml sd 0 ml

Residual Wt 0 mg sd 0 mg

Count Began 7/9/2019 3:07:28 PM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 7/9/2019 3:22:44 PM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 15.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	70,646	4,709.733	4,709.733
sd	0.000			0.000	265.793	17.720	17.720
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	84,962	5,664.133	5,664.133
sd	0.000			0.000	291.482	19.432	19.432

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Ra-226 Calibration 2019

Detector	Std #	Mass	Count Time	Sample Time	Alpha Counts	CPM	Sep Time	Ingrowth	Recovery	Adj CPM	DPM	Efficiency
19	ICRa6-1063071;Ra2	0.0063	15.00	7/9/2019 13:22	45874	3058.2667	2/13/2017 13:30	4.0000	0.4487	1703.8836	7534.6	0.2261
19	ICRa6-1063071;Ra3	0.0146	15.00	7/9/2019 13:01	68016	4534.4000	2/13/2017 13:30	4.0000	0.6933	1635.1730	7534.6	0.2170
19	ICRa6-1063071;Ra4	0.0204	15.00	7/9/2019 12:41	72578	4838.5333	2/13/2017 13:30	4.0000	0.7265	1665.0149	7534.6	0.2210
19	ICRa6-1063071;Ra5	0.0302	15.00	7/9/2019 15:07	83791	5586.0667	2/13/2017 13:30	4.0000	0.8604	1623.1017	7534.6	0.2154
19	ICRa6-1063071;Ra6	0.0493	15.00	7/9/2019 14:49	73459	4897.2667	2/13/2017 13:30	4.0000	0.9364	1307.5138	7534.6	0.1735
19	ICRa6-1063071;Ra7	0.0651	15.00	7/9/2019 14:30	70113	4674.2000	2/13/2017 13:30	4.0000	0.9274	1260.0960	7534.6	0.1672
19	ICRa6-1063071;Ra8	0.0990	15.00	7/9/2019 14:10	65561	4370.7333	2/13/2017 13:30	4.0000	0.9402	1162.2189	7534.6	0.1543

Page 1143 of 1702


Reagent ID:Ra-226_00022
 Container #:986404
 Final Conc.: 7534.60740 dpm/mL
 Added: 1mL

Reagent ID:Ba Carrier_00026
 Container #: 1015438
 Cert.#: 16I027

Ra-226 Efficiency

$$y = 5.4871x^2 - 1.4416x + 0.2409$$

$R^2 = 0.9299$



Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - D

Addr: 19

Sample ID ICRa6-1063071;Ra4

Repeat 1
Carrier No. 0

Batch ID Ra226_IC

Count Method Gross Alpha Beta	Detector Volts	1515
-------------------------------	----------------	------

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 7/9/2019 12:41:46 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 7/9/2019 12:57:11 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	15.00 mins	Background Count Time	.00 mins
-------------------	------------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	72,578	4,838.533	4,838.533
sd	0.000			0.000	269.403	17.960	17.960
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	85,570	5,704.667	5,704.667
sd	0.000			0.000	292.524	19.502	19.502

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - D

Addr: 19

Sample ID ICRa6-1063071;Ra3

Repeat 2
Carrier No. 0

Batch ID Ra226_IC

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0 <i>ml</i>	sd	0 <i>ml</i>
Residual Wt	0 <i>mg</i>	sd	0 <i>mg</i>

Count Began 7/9/2019 1:01:29 PM	Collection Date 1 1/1/1900	Half Life	0.00 <i>days</i>
Count Ended 7/9/2019 1:16:51 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	15.00 <i>mins</i>	Background Count Time	.00 <i>mins</i>
-------------------	-------------------	-----------------------	-----------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	68,016	4,534.400	4,534.400
sd	0.000			0.000	260.799	17.387	17.387
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	78,531	5,235.400	5,235.400
sd	0.000			0.000	280.234	18.682	18.682

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - D

Addr: 19

Sample ID ICRa6-1063071;Ra2

Repeat 3
Carrier No. 0

Batch ID Ra226_IC

Count Method Gross Alpha Beta	Detector Volts 1515
-------------------------------	---------------------

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 7/9/2019 1:22:39 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 7/9/2019 1:37:56 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	15.00 mins	Background Count Time	.00 mins
-------------------	------------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	45,874	3,058.267	3,058.267
sd	0.000			0.000	214.182	14.279	14.279
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	52,152	3,476.800	3,476.800
sd	0.000			0.000	228.368	15.225	15.225

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - D

Addr: 19

Sample ID ICRa6-1063071;Ra8

Repeat	5
Carrier No.	0

Batch ID Ra226_IC

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 7/9/2019 2:10:23 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 7/9/2019 2:25:49 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	15.00 mins	Background Count Time	.00 mins
-------------------	------------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	65,561	4,370.733	4,370.733
sd	0.000			0.000	256.049	17.070	17.070
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	100,427	6,695.133	6,695.133
sd	0.000			0.000	316.902	21.127	21.127

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - D

Addr: 19

Sample ID ICRa6-1063071;Ra7

Repeat	6
Carrier No.	0

Batch ID Ra226_IC

Count Method Gross Alpha Beta	Detector Volts	1515
-------------------------------	----------------	------

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 7/9/2019 2:30:01 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 7/9/2019 2:45:26 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	15.00 mins	Background Count Time	.00 mins
-------------------	------------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	70,113	4,674.200	4,674.200
sd	0.000			0.000	264.789	17.653	17.653
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	97,355	6,490.333	6,490.333
sd	0.000			0.000	312.018	20.801	20.801

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - D

Addr: 19

Sample ID ICRa6-1063071;Ra6

Repeat

7

Carrier No.

0

Batch ID Ra226_IC

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty 0 ml sd 0 ml

Residual Wt 0 mg sd 0 mg

Count Began 7/9/2019 2:49:01 PM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 7/9/2019 3:04:27 PM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 15.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	73,459	4,897.267	4,897.267
sd	0.000			0.000	271.033	18.069	18.069
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	98,533	6,568.867	6,568.867
sd	0.000			0.000	313.900	20.927	20.927

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - D

Addr: 19

Sample ID ICRa6-1063071;Ra5

Repeat	8
Carrier No.	0

Batch ID Ra226_IC

Count Method Gross Alpha Beta	Detector Volts	1515
-------------------------------	----------------	------

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 7/9/2019 3:07:35 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 7/9/2019 3:23:04 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	15.00 mins	Background Count Time	.00 mins
-------------------	------------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	83,791	5,586.067	5,586.067
sd	0.000			0.000	289.467	19.298	19.298
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	98,619	6,574.600	6,574.600
sd	0.000			0.000	314.037	20.936	20.936

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Ra-226 Calibration 2019


Detector	Std #	Mass	Count Time	Sample Time	Alpha Counts	CPM	Sep Time	Ingrowth	Recovery	Adj CPM	DPM	Efficiency
21	ICRa6-1063071;Ra2	0.0063	15.00	7/9/2019 14:10	45638	3042.5333	2/13/2017 13:30	4.0000	0.4487	1695.1180	7534.6	0.2250
21	ICRa6-1063071;Ra3	0.0146	15.00	7/9/2019 13:42	66158	4410.5333	2/13/2017 13:30	4.0000	0.6933	1590.5048	7534.6	0.2111
21	ICRa6-1063071;Ra4	0.0204	15.00	7/9/2019 13:22	70957	4730.4667	2/13/2017 13:30	4.0000	0.7265	1627.8275	7534.6	0.2160
21	ICRa6-1063071;Ra5	0.0302	15.00	7/9/2019 13:01	82049	5469.9333	2/13/2017 13:30	4.0000	0.8604	1589.3577	7534.6	0.2109
21	ICRa6-1063071;Ra6	0.0493	15.00	7/9/2019 12:41	72082	4805.4667	2/13/2017 13:30	4.0000	0.9364	1283.0042	7534.6	0.1703
21	ICRa6-1063071;Ra7	0.0651	15.00	7/9/2019 15:07	68660	4577.3333	2/13/2017 13:30	4.0000	0.9274	1233.9821	7534.6	0.1638
21	ICRa6-1063071;Ra8	0.0990	15.00	7/9/2019 14:49	63493	4232.8667	2/13/2017 13:30	4.0000	0.9402	1125.5589	7534.6	0.1494

Page 1151 of 1702

Ra-226 Efficiency

$$y = 5.5589x^2 - 1.4575x + 0.2373$$

$R^2 = 0.9399$



Reagent ID:Ra-226_00022

Container #:986404

Final Conc.: 7534.60740 dpm/mL

Added: 1mL

Reagent ID:Ba Carrier_00026

Container #: 1015438

Cert.#: 16I027

Alpha/Beta Count Results

Sample Activity Report

Red 3 (20-23) - B

Addr: 21

Sample ID ICRa6-1063071;Ra5

Repeat 2
Carrier No. 0

Batch ID Ra226_IC

Count Method Gross Alpha Beta	Detector Volts	1515
-------------------------------	----------------	------

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 7/9/2019 1:01:47 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 7/9/2019 1:17:14 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	15.00 mins	Background Count Time	.00 mins
-------------------	------------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	82,049	5,469.933	5,469.933
sd	0.000			0.000	286.442	19.096	19.096
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	96,010	6,400.667	6,400.667
sd	0.000			0.000	309.855	20.657	20.657

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 3 (20-23) - B

Addr: 21

Sample ID ICRa6-1063071;Ra4

Repeat 3
Carrier No. 0

Batch ID Ra226_IC

Count Method Gross Alpha Beta	Detector Volts 1515
-------------------------------	---------------------

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 7/9/2019 1:22:59 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 7/9/2019 1:38:24 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	15.00 mins	Background Count Time	.00 mins
-------------------	------------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	70,957	4,730.467	4,730.467
sd	0.000			0.000	266.378	17.759	17.759
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	83,231	5,548.733	5,548.733
sd	0.000			0.000	288.498	19.233	19.233

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 3 (20-23) - B

Addr: 21

Sample ID ICRa6-1063071;Ra3

Repeat 4
Carrier No. 0

Batch ID Ra226_IC

Count Method Gross Alpha Beta	Detector Volts 1515
-------------------------------	---------------------

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 7/9/2019 1:42:33 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 7/9/2019 1:57:54 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	15.00 mins	Background Count Time	.00 mins
-------------------	------------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	66,158	4,410.533	4,410.533
sd	0.000			0.000	257.212	17.147	17.147
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	76,020	5,068.000	5,068.000
sd	0.000			0.000	275.717	18.381	18.381

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 3 (20-23) - B

Addr: 21

Sample ID ICRa6-1063071;Ra2

Repeat	5
Carrier No.	0

Batch ID Ra226_IC

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 7/9/2019 2:10:37 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 7/9/2019 2:25:56 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	15.00 mins	Background Count Time	.00 mins
-------------------	------------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	45,638	3,042.533	3,042.533
sd	0.000			0.000	213.631	14.242	14.242
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	50,704	3,380.267	3,380.267
sd	0.000			0.000	225.175	15.012	15.012

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 3 (20-23) - B

Addr: 21

Sample ID ICRa6-1063071;Ra8

Repeat

7

Carrier No.

0

Batch ID Ra226_IC

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0 ml	sd	0 ml
------------	------	----	------

Residual Wt	0 mg	sd	0 mg
-------------	------	----	------

Count Began 7/9/2019 2:49:20 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
---------------------------------	----------------------------	-----------	-----------

Count Ended 7/9/2019 3:04:45 PM	Collection Date 2 1/1/1900	Decay Factor	1.000
---------------------------------	----------------------------	--------------	-------

Sample Count Time	15.00 mins	Background Count Time	.00 mins
-------------------	------------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	63,493	4,232.867	4,232.867
sd	0.000			0.000	251.978	16.799	16.799
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	98,523	6,568.200	6,568.200
sd	0.000			0.000	313.884	20.926	20.926

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 3 (20-23) - B

Addr: 21

Sample ID ICRa6-1063071;Ra7

Repeat	8
Carrier No.	0

Batch ID Ra226_IC

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 7/9/2019 3:07:53 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 7/9/2019 3:23:19 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	15.00 mins	Background Count Time	.00 mins
-------------------	------------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	68,660	4,577.333	4,577.333
sd	0.000			0.000	262.031	17.469	17.469
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	95,817	6,387.800	6,387.800
sd	0.000			0.000	309.543	20.636	20.636

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Ra-226 Calibration 2019

Detector	Std #	Mass	Count Time	Sample Time	Alpha Counts	CPM	Sep Time	Ingrowth	Recovery	Adj CPM	DPM	Efficiency
22	ICRa6-1063071;Ra2	0.0063	15.00	7/9/2019 14:30	45523	3034.8667	2/13/2017 13:30	4.0000	0.4487	1690.8466	7534.6	0.2244
22	ICRa6-1063071;Ra3	0.0146	15.00	7/9/2019 14:10	66468	4431.2000	2/13/2017 13:30	4.0000	0.6933	1597.9575	7534.6	0.2121
22	ICRa6-1063071;Ra4	0.0204	15.00	7/9/2019 13:42	71351	4756.7333	2/13/2017 13:30	4.0000	0.7265	1636.8663	7534.6	0.2172
22	ICRa6-1063071;Ra5	0.0302	15.00	7/9/2019 13:23	82604	5506.9333	2/13/2017 13:30	4.0000	0.8604	1600.1085	7534.6	0.2124
22	ICRa6-1063071;Ra6	0.0493	15.00	7/9/2019 13:01	72815	4854.3333	2/13/2017 13:30	4.0000	0.9364	1296.0511	7534.6	0.1720
22	ICRa6-1063071;Ra7	0.0651	15.00	7/9/2019 12:42	68703	4580.2000	2/13/2017 13:30	4.0000	0.9274	1234.7549	7534.6	0.1639
22	ICRa6-1063071;Ra8	0.0990	15.00	7/9/2019 15:08	63625	4241.6667	2/13/2017 13:30	4.0000	0.9402	1127.8989	7534.6	0.1497

Page 1158 of 1702


Reagent ID:Ra-226_00022
 Container #:986404
 Final Conc.: 7534.60740 dpm/mL
 Added: 1mL

Reagent ID:Ba Carrier_00026
 Container #: 1015438
 Cert.#: 16I027

Ra-226 Efficiency

$$y = 4.9969x^2 - 1.4007x + 0.2372$$

$R^2 = 0.9372$



Alpha/Beta Count Results

Sample Activity Report

Red 3 (20-23) - C

Addr: 22

Sample ID ICRa6-1063071;Ra7

Repeat	1
Carrier No.	0

Batch ID Ra226_IC

Count Method Gross Alpha Beta	Detector Volts	1515
-------------------------------	----------------	------

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 7/9/2019 12:42:00 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 7/9/2019 12:57:24 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	15.00 mins	Background Count Time	.00 mins
-------------------	------------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	68,703	4,580.200	4,580.200
sd	0.000			0.000	262.113	17.474	17.474
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	95,716	6,381.067	6,381.067
sd	0.000			0.000	309.380	20.625	20.625

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 3 (20-23) - C

Addr: 22

Sample ID ICRa6-1063071;Ra6

Repeat	2
Carrier No.	0

Batch ID Ra226_IC

Count Method Gross Alpha Beta	Detector Volts	1515
-------------------------------	----------------	------

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 7/9/2019 1:01:55 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 7/9/2019 1:17:22 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	15.00 mins	Background Count Time	.00 mins
-------------------	------------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	72,815	4,854.333	4,854.333
sd	0.000			0.000	269.843	17.990	17.990
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	96,891	6,459.400	6,459.400
sd	0.000			0.000	311.273	20.752	20.752

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 3 (20-23) - C

Addr: 22

Sample ID ICRa6-1063071;Ra5

Repeat	3
Carrier No.	0

Batch ID Ra226_IC

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 7/9/2019 1:23:09 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 7/9/2019 1:38:36 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	15.00 mins	Background Count Time	.00 mins
-------------------	------------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	82,604	5,506.933	5,506.933
sd	0.000			0.000	287.409	19.161	19.161
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	96,452	6,430.133	6,430.133
sd	0.000			0.000	310.567	20.704	20.704

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 3 (20-23) - C

Addr: 22

Sample ID ICRa6-1063071;Ra4

Repeat	4
Carrier No.	0

Batch ID Ra226_IC

Count Method Gross Alpha Beta	Detector Volts	1515
-------------------------------	----------------	------

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 7/9/2019 1:42:41 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 7/9/2019 1:58:05 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	15.00 mins	Background Count Time	.00 mins
-------------------	------------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	71,351	4,756.733	4,756.733
sd	0.000			0.000	267.116	17.808	17.808
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	82,916	5,527.733	5,527.733
sd	0.000			0.000	287.951	19.197	19.197

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 3 (20-23) - C

Addr: 22

Sample ID ICRa6-1063071;Ra3

Repeat	5
Carrier No.	0

Batch ID Ra226_IC

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 7/9/2019 2:10:42 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 7/9/2019 2:26:04 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	15.00 mins	Background Count Time	.00 mins
-------------------	------------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	66,468	4,431.200	4,431.200
sd	0.000			0.000	257.814	17.188	17.188
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	76,478	5,098.533	5,098.533
sd	0.000			0.000	276.547	18.436	18.436

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 3 (20-23) - C

Addr: 22

Sample ID ICRa6-1063071;Ra2

Repeat	6
Carrier No.	0

Batch ID Ra226_IC

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 7/9/2019 2:30:27 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 7/9/2019 2:45:44 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	15.00 mins	Background Count Time	.00 mins
-------------------	------------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	45,523	3,034.867	3,034.867
sd	0.000			0.000	213.361	14.224	14.224
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	51,219	3,414.600	3,414.600
sd	0.000			0.000	226.316	15.088	15.088

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 3 (20-23) - C

Addr: 22

Sample ID ICRa6-1063071;Ra8

Repeat	8
Carrier No.	0

Batch ID Ra226_IC

Count Method Gross Alpha Beta	Detector Volts	1515
-------------------------------	----------------	------

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 7/9/2019 3:08:03 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 7/9/2019 3:23:27 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	15.00 mins	Background Count Time	.00 mins
-------------------	------------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	63,625	4,241.667	4,241.667
sd	0.000			0.000	252.240	16.816	16.816
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	98,254	6,550.267	6,550.267
sd	0.000			0.000	313.455	20.897	20.897

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha Beta Calibration Verifications

**ICV is for Gross Beta
Strontium 90
and
Total Strontium**

Blue - Beta ICV 2017				
Detector	Low Mass Recovery	Medium Mass Recovery	High Mass Recovery	Mean Recovery
0	98.34%	96.97%	97.96%	97.76%

Beta Activity 1815.077 pCi

Standard ID

Strontium 90

Sr-90_00018 #51512

Cert# 92352 Ref. date 11/29/12

Initial Activity: 2238.7 dpm

Reference Date: 11/29/2012

Count Date: 3/31/2017

Elapsed Time: 1583.000 days

Half Life: 10409.625 days

Exponential Term: 0.899957764

Corrected Activity: 2014.735445 dpm

Decay Activity (Sr/Y-90) 4029.47089 dpm 1815.077 pCi

Prep Batch: 239589

Detector	Beta 1	Activity	Units
0	Low Mass	1.785E+03	pCi/mL

Beta 2	Activity	Units
Medium Mass	1.760E+03	pCi/mL

Beta 3	Activity	Units
High Mass	1.778E+03	pCi/mL

Alpha/Beta Count Results

Sample Activity Report

Blue 0-3 - A

Addr: 0

Sample ID ICVABT-51512;Beta1

Repeat 1
Carrier No. 0

Batch ID Beta_ICV

Count Method Gross Alpha Beta	Detector Volts 1575
-------------------------------	---------------------

Sample Qty 0	Sample sd	0 Sample
Residual Wt 0 mg	sd	0 mg

Count Began 3/31/2017 12:09:35 PM	Collection Date 1 1/1/1900	Half Life 0.00 days
Count Ended 3/31/2017 12:14:39 PM	Collection Date 2 1/1/1900	Decay Factor 1.000

Sample Count Time 5.00 mins	Background Count Time 1,000.00 mins
-----------------------------	-------------------------------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.026	87	17.400	17.400
sd	0.000			0.000	9.327	1.865	1.865
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.350	8,534	1,706.800	1,706.800
sd	0.000			0.000	92.380	18.476	18.476

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Blue 0-3 - A

Addr: 0

Sample ID ICVABT-51512;Beta3

Repeat 3
Carrier No. 0

Batch ID Beta_ICV

Count Method Gross Alpha Beta	Detector Volts 1575
-------------------------------	---------------------

Sample Qty 0	Sample sd	0 Sample
Residual Wt 0 mg	sd	0 mg

Count Began 3/31/2017 12:27:24 PM	Collection Date 1 1/1/1900	Half Life 0.00 days
Count Ended 3/31/2017 12:32:26 PM	Collection Date 2 1/1/1900	Decay Factor 1.000

Sample Count Time 5.00 mins	Background Count Time 1,000.00 mins
-----------------------------	-------------------------------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.026	78	15.600	15.600
sd	0.000			0.000	8.832	1.766	1.766
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.350	7,590	1,518.000	1,518.000
sd	0.000			0.000	87.121	17.424	17.424

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Blue 0-3 - A

Addr: 0

Sample ID ICVABT-51512;Beta2

Repeat 4
Carrier No. 0

Batch ID Beta_ICV

Count Method Gross Alpha Beta	Detector Volts 1575
-------------------------------	---------------------

Sample Qty 0	Sample sd	0 Sample
Residual Wt 0 mg	sd	0 mg

Count Began 3/31/2017 12:43:28 PM	Collection Date 1 1/1/1900	Half Life 0.00 days
Count Ended 3/31/2017 12:48:30 PM	Collection Date 2 1/1/1900	Decay Factor 1.000

Sample Count Time 5.00 mins	Background Count Time 1,000.00 mins
-----------------------------	-------------------------------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.026	58	11.600	11.600
sd	0.000			0.000	7.616	1.523	1.523
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.350	7,918	1,583.600	1,583.600
sd	0.000			0.000	88.983	17.797	17.797

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

ICV is for Gross Alpha

Blue - Alpha ICV

	Low Mass	Medium Mass	High Mass	Mean
Detector	Recovery	Recovery	Recovery	Recovery
0	85.52%	96.48%	103.46%	95.15%

Standard ID

Thorium-230

Th-230_00056 #1835527

Cert # 114475 Ref. date 10/29/19

Activity 1.031E+06 pCi/L

Prep Batch: 566222

	A1 = Low Mass	A2 = Medium Mass	A3 = High Mass
	0.0232	0.0537	0.0846
Detector	Activity (pCi/mL)	Activity (pCi/mL)	Activity (pCi/mL)
0	8.820E+05	9.950E+05	1.067E+06

Alpha/Beta Count Results

Sample Activity Report

Blue 0-3 - A

Addr: 0

Sample ID ICVABT-1835527; A

Repeat 44

Carrier No. 0

Batch ID 566222

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 6/2/2022 12:44:20 PM

Count Ended 6/2/2022 1:04:30 PM

Sample Count Time 20.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.120	6,556	327.800	327.680
	0.011	80.969	4.048	4.048
Beta sd	0.431	3,008	150.400	149.969
	0.021	54.845	2.742	2.742

Alpha/Beta Count Results

Sample Activity Report

Blue 0-3 - A

Addr: 0

Sample ID ICVABT-1835527; C

Repeat 49

Carrier No. 0

Batch ID 566222

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 6/2/2022 3:07:13 PM

Count Ended 6/2/2022 3:27:57 PM

Sample Count Time 20.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.120	7,683	384.150	384.030
	0.011	87.653	4.383	4.383
Beta sd	0.431	3,908	195.400	194.969
	0.021	62.514	3.126	3.126

Alpha/Beta Count Results

Sample Activity Report

Blue 0-3 - A

Addr: 0

Sample ID ICVABT-1835527; B

Repeat 51

Carrier No. 0

Batch ID 566222

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 6/2/2022 3:29:45 PM

Count Ended 6/2/2022 3:50:03 PM

Sample Count Time 20.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.120	9,833	491.650	491.530
	0.011	99.161	4.958	4.958
Beta sd	0.431	4,754	237.700	237.269
	0.021	68.949	3.447	3.448

**ICV is for Gross Beta
Strontium 90
and
Total Strontium**

Orange Beta ICV 2013					Beta Activity	2009.34 pCi
Detector	Low Mass Recovery	Medium Mass Recovery	High Mass Recovery	Mean Recovery		
0	97.69%	98.94%	99.54%	98.72%		

Standard ID

Strontium 90

Sr-90 00018 #51512

Cert# 92352 Ref. date 11/29/12

Initial Activity: 2238.7 dpm

Reference Date: 11/29/2012

Count Date: 1/24/2013

Elapsed Time: 56.000 days

Half Life: 10409.625

Exponential Term: 0.996278064

Corrected Activity: 2230.367701 dpm

Decay Activity (Sr/Y-90) 4460.735402 dpm

1999-2000 (1999-2000) 1999-2000

Alpha/Beta Count Results

Sample Activity Report

Orange 0-3 - A

Addr: 0

Sample ID ICV-51512;Beta 1

Repeat 8
Carrier No. 0

Batch ID m122640

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0 <i>I</i>	sd	0 <i>I</i>
Residual Wt	0 <i>mg</i>	sd	0 <i>mg</i>

Count Began 1/24/2013 7:06:32 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 1/24/2013 7:11:34 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 <i>mins</i>	Background Count Time	1,000.00 <i>mins</i>
-------------------	------------------	-----------------------	----------------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.078	32	6.400	6.322
sd	0.000			0.009	5.657	1.131	1.131
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.403	9,465	1,893.000	1,892.597
sd	0.000			0.020	97.288	19.458	19.458

	Net Activity dpm	LLD dpm	MDC pCi/l	MPC pCi/l	Net Concentration * pCi/l	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	1.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	1.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Tb = Ts < 10

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Orange 0-3 - A

Addr: 0

Sample ID ICV-51512;Beta 3

Repeat 8

Carrier No. 0

Batch ID m122640

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0 <i>I</i>	sd	0 <i>I</i>
Residual Wt	0 <i>mg</i>	sd	0 <i>mg</i>

Count Began 1/24/2013 7:16:00 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 1/24/2013 7:21:03 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 <i>mins</i>	Background Count Time	1,000.00 <i>mins</i>
-------------------	------------------	-----------------------	----------------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.078	30	6.000	5.922
sd	0.000			0.009	5.477	1.095	1.095
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.403	8,720	1,744.000	1,743.597
sd	0.000			0.020	93.381	18.676	18.676

	Net Activity dpm	LLD dpm	MDC pCi/l	MPC pCi/l	Net Concentration * pCi/l	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	1.000	0.000 ± 0.000 0.000	0.000
sd	0.000					

Beta	0.000	0.000	0.000	1.000	0.000 ± 0.000 0.000	0.000
sd	0.000					

* Note: Decay Corrected

MDC Method Tb = Ts < 10

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Orange 0-3 - A

Addr: 0

Sample ID ICV-51512;Beta 2

Repeat

9

Carrier No.

0

Batch ID m122640

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0	I	sd	0	I
Residual Wt	0	mg	sd	0	mg

Count Began 1/24/2013 7:24:30 PM	Collection Date 1	1/1/1900	Half Life	0.00 days
Count Ended 1/24/2013 7:29:34 PM	Collection Date 2	1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 mins	Background Count Time	1,000.00 mins
-------------------	-----------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.078	39	7.800	7.722
sd	0.000			0.009	6.245	1.249	1.249
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.403	9,066	1,813.200	1,812.797
sd	0.000			0.020	95.216	19.043	19.043

	Net Activity dpm	LLD dpm	MDC pCi/l	MPC pCi/l	Net Concentration * pCi/l	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	1.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	1.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Tb = Ts < 10

Error = .00 x sd

Analysis Report for Gross Alpha/Beta

Batch: 451383 Operator:

<u>Sample ID</u>	<u>WRKNO</u>	<u>Analyte</u>	<u>Aliquot</u>	<u>Mass</u>	<u>Instr ID</u>	<u>CountTime</u>	<u>Ts</u>	<u>Th</u>	<u>Dilution</u>	<u>Sigma</u>	<u>MDA</u>	<u>DLC</u>	
			<u>Cl</u>	<u>XI</u>	<u>CPMs</u>	<u>CPM#</u>	<u>Eff</u>	<u>Activity</u>	<u>UncTot</u>	<u>UncCnt</u>			
ICVABT-1835527; A	160-36042-A-1-BG	Gross Alpha	1.000E+000mL	0.0314	g Orange0	8/27/20	14:35	15.00	1000.00	1.00	1.00		
ICVABT-1835527; B	160-36042-A-1-BH	Gross Alpha	10063	86	0.00	6.709E+002	8.600E-002	0.1534	1.970E+003pCi/mL	1.140E+002	1.964E+001	1.324E+000	
ICVABT-1835527; C	160-36042-A-1-BI	Gross Alpha	1.000E+000mL	0.0588	g Orange0	8/27/20	15:33	15.00	1000.00	1.00	1.00	3.685E-001	
			8773	86	0.00	5.852E+002	8.600E-002	0.1232	2.140E+003pCi/mL	1.241E+002	2.285E+001	1.649E+000	113.9665
			13865	86	0.00	9.243E+002	8.600E-002	0.0949	4.386E+003pCi/mL	2.528E+002	3.725E+001	2.140E+000	4.590E-001
												124.1057	
												252.7815	

Laboratory Control Sample Information

<u>SampleID</u>	<u>WRKNO</u>	<u>Analyte</u>	<u>Activity</u>	<u>StdAdded</u>	<u>Recovery</u>	<u>LCL</u>	<u>UCL</u>	<u>ZFactor</u>
					%			

Sample Duplicate Information

<u>Sample ID</u>	<u>Dup Sample ID</u>	<u>Analyte</u>	<u>Sample Activity</u>	<u>Dup Activity</u>	<u>RPD</u>	<u>RER</u>	<u>DER</u>	<u>ZFactor</u>

Matrix Spike Information

<u>SampleID</u>	<u>SamMSID</u>	<u>Analyte</u>	<u>Sample Activity</u>	<u>MS Activity</u>	<u>StdAdded</u>	<u>MSRecover%</u>	<u>ZFactor</u>

Blanks Information

<u>SampleID</u>	<u>WRKNO</u>	<u>Analyte</u>	<u>Activity</u>	<u>UncTotal</u>	<u>Zfactor</u>

ICV is for Gross Alpha

Orange Alpha ICV 2020

	Low Mass	Medium Mass	High Mass	Mean Recovery
Detector	Recovery	Recovery	Recovery	
0	98.86%	107.39%	110.05%	105.43%

Standard ID

Thorium-230

Th-230_00056 #1835527

Cert # 95358 Ref. date 01/11/2017

Activity 2x 1992.7 pCi/mL

Activity 4x 3985.5 pCi/mL

Prep Batch: 451383

	Low Mass	Medium Mass	High Mass
	0.314g	0.0588g	0.0961
Detector	Activity (pCi/mL)	Activity (pCi/mL)	Activity (pCi/mL)
0	1.97E+03	2.14E+03	4.39E+03

Alpha/Beta Count Results

Sample Activity Report

Orange 0-3 - A

Addr: 0

Sample ID ICVABT-1835527; A

Repeat 4

Carrier No. 0

Batch ID 451383

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 8/27/2020 2:35:33 PM

Count Ended 8/27/2020 2:50:41 PM

Sample Count Time 15.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.086	10,063	670.867	670.781
	0.009	100.315	6.688	6.688
Beta sd	0.450	3,684	245.600	245.150
	0.021	60.696	4.046	4.046

Alpha/Beta Count Results

Sample Activity Report

Orange 0-3 - A

Addr: 0

Sample ID ICVABT-1835527; C

Repeat 5

Carrier No. 0

Batch ID 451383

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 8/27/2020 3:06:03 PM

Count Ended 8/27/2020 3:21:10 PM

Sample Count Time 15.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.086	13,865	924.333	924.247
	0.009	117.750	7.850	7.850
Beta sd	0.450	5,154	343.600	343.150
	0.021	71.791	4.786	4.786

Alpha/Beta Count Results

Sample Activity Report

Orange 0-3 - A

Addr: 0

Sample ID ICVABT-1835527; B

Repeat 6
Carrier No. 0

Batch ID 451383

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 8/27/2020 3:33:40 PM

Count Ended 8/27/2020 3:48:49 PM

Sample Count Time 15.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.086	8,778	585.200	585.114
	0.009	93.691	6.246	6.246
Beta sd	0.450	3,227	215.133	214.683
	0.021	56.807	3.787	3.787

**ICV is for Gross Beta
Strontium 90
and
Total Strontium**

Orange Beta ICV 2013				
Detector	Low Mass Recovery	Medium Mass Recovery	High Mass Recovery	Mean Recovery
3	98.34%	99.19%	98.84%	98.79%

Beta Activity 2009.34 pCi

Standard ID

Strontium 90

Sr-90 00018 #51512 (Rad12-0043)

Cert# 92352 Ref. date 11/29/12

Initial Activity: 2238.7 dpm

Reference Date: 11/29/2012

Current Date:

Elapsed Time: 56.000 days

Half Life: 10409.625 da

Exponential Term: 0.996278064

Corrected Activity: 2230.367701 dpm

Decay Activity (Sr/Y-90) 4460.735402 dpm

Body Activity (min.) 1160.00 102.00 100.00

(or date at which you wish to determine activity)

Alpha/Beta Count Results

Sample Activity Report

Orange 0-3 - D

Addr: 3

Sample ID ICV-51512;Beta 2

Repeat

5

Carrier No.

0

Batch ID m122640

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0	I	sd	0	I
Residual Wt	0	mg	sd	0	mg

Count Began 1/24/2013 6:41:04 PM	Collection Date 1	1/1/1900	Half Life	0.00 days
Count Ended 1/24/2013 6:46:08 PM	Collection Date 2	1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 mins	Background Count Time	1,000.00 mins
-------------------	-----------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.065	7	1.400	1.335
sd	0.000			0.008	2.646	0.529	0.529
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.356	8,934	1,786.800	1,786.444
sd	0.000			0.019	94.520	18.904	18.904

	Net Activity dpm	LLD dpm	MDC pCi/l	MPC pCi/l	Net Concentration * pCi/l	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	1.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	1.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Tb = Ts < 10

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Orange 0-3 - D

Addr: 3

Sample ID ICV-51512;Beta 1

Repeat 6
Carrier No. 0

Batch ID m122640

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0 <i>I</i>	sd	0 <i>I</i>
Residual Wt	0 <i>mg</i>	sd	0 <i>mg</i>

Count Began 1/24/2013 6:47:17 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 1/24/2013 6:52:20 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 <i>mins</i>	Background Count Time	1,000.00 <i>mins</i>
-------------------	------------------	-----------------------	----------------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.065	6	1.200	1.135
sd	0.000			0.008	2.449	0.490	0.490
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.356	9,374	1,874.800	1,874.444
sd	0.000			0.019	96.819	19.364	19.364

	Net Activity dpm	LLD dpm	MDC pCi/l	MPC pCi/l	Net Concentration * pCi/l	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	1.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	1.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Tb = Ts < 10

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Orange 0-3 - D

Addr: 3

Sample ID ICV-51512;Beta 3

Repeat

7

Carrier No.

0

Batch ID m122640

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0	I	sd	0	I
Residual Wt	0	mg	sd	0	mg

Count Began 1/24/2013 6:56:50 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 1/24/2013 7:01:54 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 mins	Background Count Time	1,000.00 mins
-------------------	-----------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.065	6	1.200	1.135
sd	0.000			0.008	2.449	0.490	0.490
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.356	8,500	1,700.000	1,699.644
sd	0.000			0.019	92.195	18.439	18.439

	Net Activity dpm	LLD dpm	MDC pCi/l	MPC pCi/l	Net Concentration * pCi/l	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	1.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	1.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Tb = Ts < 10

Error = .00 x sd

Analysis Report for Gross Alpha/Beta
Batch: 451383 Operator:

<u>Sample ID</u>	<u>WRKNO</u>	<u>Aliquot</u>	<u>Mass</u>	<u>Instr ID</u>	<u>CountTime</u>	<u>CPMs</u>	<u>CPM#</u>	<u>Eff</u>	<u>Activity</u>	<u>Ts</u>	<u>Tb</u>	<u>Dilution</u>	<u>Sigma</u>	<u>MDA</u>	<u>DLC</u>
ICVABT-1835527; A	160-36042-A-1-BG	1.000E+000mL	0.0314 g	Orange3	8 / 27 / 20 13:01	15.00	1000.00	1.00	1.00	1.00	1.00	1.00	1.00	4.431E-001	112.2655
ICVABT-1835527; B	Gross Alpha	913B	106	0.00	6.092E-002	1.060E-001	0.1416	1.937E+003pCi/mL	1.123E+002	2.027E+001	1.522E+000	4.431E-001	112.2655		
ICVABT-1835527; C	160-36042-A-1-BI	1.000E+000mL	0.0588 g	Orange3	8 / 27 / 20 14:04	15.00	1000.00	1.00	1.00	1.00	1.00	1.00	1.00	5.649E-001	123.5471

Laboratory Control Sample Information

<u>SamplD</u>	<u>WRKNO</u>	<u>Analyte</u>	<u>Activity</u>	<u>StdAdded</u>	<u>Recovery</u>	<u>LCL</u>	<u>UCL</u>	<u>ZFactor</u>

Sample Duplicate Information

<u>Sample ID</u>	<u>Dup Sample ID</u>	<u>Analyte</u>	<u>Sample Activity</u>	<u>Dup Activity</u>	<u>RPD</u>	<u>RER</u>	<u>DER</u>	<u>ZFactor</u>

Matrix Spike Information

<u>SamplD</u>	<u>SamplMSID</u>	<u>Analyte</u>	<u>Sample Activity</u>	<u>MS Activity</u>	<u>StdAdded</u>	<u>MSRecovery</u>	<u>ZFactor</u>

Blanks Information

<u>SamplD</u>	<u>WRKNO</u>	<u>Analyte</u>	<u>Activity</u>	<u>UncTotal</u>	<u>ZFactor</u>

ICV is for Gross Alpha

Orange Alpha ICV 2020

	Low Mass	Medium Mass	High Mass	Mean Recovery
Detector	Recovery	Recovery	Recovery	
3	97.20%	106.69%	107.82%	103.90%

Standard ID

Thorium-230

Th-230_00056 #1835527

Cert # 95358 Ref. date 01/11/2017

Activity 2x 1992.7 pCi/mL

Activity 4x 3985.5 pCi/mL

Prep Batch: 451383

	Low Mass	Medium Mass	High Mass
	0.314g	0.0588g	0.0961
Detector	Activity (pCi/mL)	Activity (pCi/mL)	Activity (pCi/mL)
3	1.94E+03	2.13E+03	4.30E+03

Alpha/Beta Count Results

Sample Activity Report

Orange 0-3 - D

Addr: 3

Sample ID ICVABT-1835527; A

Repeat 1

Carrier No. 0

Batch ID 451383

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 8/27/2020 1:01:07 PM

Count Ended 8/27/2020 1:16:36 PM

Sample Count Time 15.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.106	9,138	609.200	609.094
	0.010	95.593	6.373	6.373
Beta sd	0.525	3,599	239.933	239.408
	0.023	59.992	3.999	4.000

Alpha/Beta Count Results

Sample Activity Report

Orange 0-3 - D

Addr: 3

Sample ID ICVABT-1835527; C

Repeat 2
Carrier No. 0

Batch ID 451383

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 8/27/2020 1:28:28 PM

Count Ended 8/27/2020 1:43:36 PM

Sample Count Time 15.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.106	12,492	832.800	832.694
	0.010	111.768	7.451	7.451
Beta sd	0.525	5,048	336.533	336.008
	0.023	71.049	4.737	4.737

Alpha/Beta Count Results

Sample Activity Report

Orange 0-3 - D

Addr: 3

Sample ID ICVABT-1835527; B

Repeat 3
Carrier No. 0

Batch ID 451383

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 8/27/2020 2:04:51 PM

Count Ended 8/27/2020 2:19:55 PM

Sample Count Time 15.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.106	7,868	524.533	524.427
	0.010	88.702	5.913	5.913
Beta sd	0.525	3,187	212.467	211.942
	0.023	56.454	3.764	3.764

**ICV is for Gross Beta
Strontium 90
and
Total Strontium**

Orange Beta ICV 2013					Beta Activity	2009.34 pCi
Detector	Low Mass Recovery	Medium Mass Recovery	High Mass Recovery	Mean Recovery		
15	99.49%	99.39%	99.49%	99.45%		

Standard ID

Strontium 90

Sr-90_00018 #51512 (Rad12-0043)

Cert# 92352 Ref. date 11/29/12

Initial Activity: 2238.7 dpm

Reference Date: 11/29/2012

Current Date: 1/24/2013

Elapsed Time: 56.000 days

Half Life: 10409.625 days

Exponential Term: 0.996278064

Corrected Activity: 2230.367701 dpm

Decay Activity (Sr/Y-90) 4460.735402 dpm

Body Activity (SIT + ST) Present level up... 2000.0 : per

Alpha/Beta Count Results

Sample Activity Report

Orange 12-15 - D

Addr: 15

Sample ID ICV-51512;Beta 3

Repeat

14

Carrier No.

0

Batch ID m122640

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0	I	sd	0	I
Residual Wt	0	mg	sd	0	mg

Count Began 1/24/2013 9:14:38 PM	Collection Date 1	1/1/1900	Half Life	0.00 days
Count Ended 1/24/2013 9:19:40 PM	Collection Date 2	1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 mins	Background Count Time	1,000.00 mins
-------------------	-----------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.102	9	1.800	1.698
sd	0.000			0.010	3.000	0.600	0.600
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.402	8,500	1,700.000	1,699.598
sd	0.000			0.020	92.195	18.439	18.439

	Net Activity dpm	LLD dpm	MDC pCi/l	MPC pCi/l	Net Concentration * pCi/l	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	1.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	1.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Tb = Ts < 10

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Orange 12-15 - D

Addr: 15

Sample ID ICV-51512;Beta 2

Repeat 15

Carrier No. 0

Batch ID m122640

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0 <i>I</i>	sd	0 <i>I</i>
Residual Wt	0 <i>mg</i>	sd	0 <i>mg</i>

Count Began 1/24/2013 9:23:10 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 1/24/2013 9:28:13 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 <i>mins</i>	Background Count Time	1,000.00 <i>mins</i>
-------------------	------------------	-----------------------	----------------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.102	4	0.800	0.698
sd	0.000			0.010	2.000	0.400	0.400
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.402	8,892	1,778.400	1,777.998
sd	0.000			0.020	94.297	18.859	18.859

	Net Activity dpm	LLD dpm	MDC pCi/l	MPC pCi/l	Net Concentration * pCi/l	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	1.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	1.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Tb = Ts < 10

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Orange 12-15 - D

Addr: 15

Sample ID ICV-51512;Beta 1

Repeat 16
Carrier No. 0

Batch ID m122640

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0 <i>I</i>	sd	0 <i>I</i>
Residual Wt	0 <i>mg</i>	sd	0 <i>mg</i>

Count Began 1/24/2013 9:34:32 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 1/24/2013 9:39:35 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 <i>mins</i>	Background Count Time	1,000.00 <i>mins</i>
-------------------	------------------	-----------------------	----------------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.102	6	1.200	1.098
sd	0.000			0.010	2.449	0.490	0.490
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.402	9,415	1,883.000	1,882.598
sd	0.000			0.020	97.031	19.406	19.406

	Net Activity dpm	LLD dpm	MDC pCi/l	MPC pCi/l	Net Concentration * pCi/l	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	1.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	1.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Tb = Ts < 10

Error = .00 x sd

Analysis Report for Gross Alpha/Beta

Batch: 451383

Operator:

Sample ID	WRKNO	Aliquot	Mass	Instr ID	CountTime	Ts	Tb	Dilution	Sigma	
Analyte	Cs	Cb	XI	CPMs	CPMb	Eff	Activity	UncTot	MDA	DLC
ICVABT-1835527; A	160-36042-A-1-BG	1.000E+000mL	0.0314	9	Orange15	8/30/20 17:09	15.00	1000.00	1.00	1.00
Gross Alpha	10068	122	0.00	6.712E+002	1.220E-001	0.1508	2.005E+003pCi/mL	1.160E+002	1.998E+001	1.490E+000
ICVABT-1835527; B	160-36042-A-1-BH	1.000E+000mL	0.0588	9	Orange15	8/30/20 16:29	15.00	1000.00	1.00	1.00
Gross Alpha	8588	122	0.00	5.725E+002	1.220E-001	0.11206	2.138E+003pCi/mL	1.240E+002	2.307E+001	1.863E+000
ICVABT-1835527; C	160-36042-A-1-BI	1.000E+000mL	0.0961	9	Orange15	8/30/20 16:07	15.00	1000.00	1.00	1.00
Gross Alpha	13815	122	0.00	9.210E+002	1.220E-001	0.0925	4.486E+003pCi/mL	2.585E+002	3.817E+001	2.431E+000
										258.5413

Laboratory Control Sample Information

SampID	WRKNO	Analyte	Activity	StdAdded	Recovery	LCL	UCL	ZFactor
					%			

Sample Duplicate Information

Sample ID	Dup Sample ID	Analyte	Sample Activity	Dup Activity	RPD	RER	DER	ZFactor

Matrix Spike Information

SampID	SampMSID	Analyte	Sample Activity	MS Activity	StdAdded	MSRecovery	%

Blanks Information

SampID	WRKNO	Analyte	Activity	UncTotal	ZFactor

ICV is for Gross Alpha

Orange Alpha ICV 2020

	Low Mass	Medium Mass	High Mass	Mean Recovery
Detector	Recovery	Recovery	Recovery	
15	100.62%	107.29%	112.56%	106.82%

Standard ID

Thorium-230

Th-230_00056 #1835527

Cert # 95358 Ref. date 01/11/2017

Activity 2x 1992.7 pCi/mL

Activity 4x 3985.5 pCi/mL

Prep Batch: 451383

	Low Mass	Medium Mass	High Mass
	0.314g	0.0588g	0.0961
Detector	Activity (pCi/mL)	Activity (pCi/mL)	Activity (pCi/mL)
15	2.01E+03	2.14E+03	4.49E+03

Alpha/Beta Count Results

Sample Activity Report

Orange 12-15 - D

Addr: 15

Sample ID ICVABT-1835527; C

Repeat 14

Carrier No. 0

Batch ID 451383

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 8/30/2020 4:07:45 PM

Count Ended 8/30/2020 4:22:51 PM

Sample Count Time 15.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.122	13,815	921.000	920.878
	0.011	117.537	7.836	7.836
Beta sd	0.398	5,427	361.800	361.402
	0.020	73.668	4.911	4.911

Alpha/Beta Count Results

Sample Activity Report

Orange 12-15 - D

Addr: 15

Sample ID ICVABT-1835527; B

Repeat 15
Carrier No. 0

Batch ID 451383

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 8/30/2020 4:29:16 PM

Count Ended 8/30/2020 4:44:24 PM

Sample Count Time 15.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.122	8,588	572.533	572.411
	0.011	92.671	6.178	6.178
Beta sd	0.398	3,074	204.933	204.535
	0.020	55.444	3.696	3.696

Alpha/Beta Count Results

Sample Activity Report

Orange 12-15 - D

Addr: 15

Sample ID ICVABT-1835527; A

Repeat 16

Carrier No. 0

Batch ID 451383

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 8/30/2020 5:09:24 PM

Count Ended 8/30/2020 5:24:30 PM

Sample Count Time 15.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.122	10,068	671.200	671.078
	0.011	100.339	6.689	6.689
Beta sd	0.398	3,595	239.667	239.269
	0.020	59.958	3.997	3.997

**ICV is for Gross Beta
Strontium 90
and
Total Strontium**

Orange Beta ICV 2013					Beta Activity	2009.34 pCi
Detector	Low Mass Recovery	Medium Mass Recovery	High Mass Recovery	Mean Recovery		
20	100.68%	99.39%	100.88%	100.31%		

Standard ID

Strontium 90

Sr-90_00018 #51512 (Rad12-0043)

Cert# 92352 Ref. date 11/29/12

Initial Activity: 2238.7 dpm

Reference Date: 11/29/2012

Current Date: 1/24/2013

Elapsed Time: 56.000 days

Half Life: 10409.625 days

Exponential Term: 0.996278064

Corrected Activity: 2230.367701 dpm

Decay Activity (Sr/Y-90) 4460.735402 dpm

Body Activity (SIT + SIT) - Present for up... 2000.0 / per

Alpha/Beta Count Results

Sample Activity Report

Orange 20-23 - A

Addr: 20

Sample ID ICV-51512;Beta 1

Repeat

21

Carrier No.

0

Batch ID m122640

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0	/	sd	0	/
Residual Wt	0	mg	sd	0	mg

Count Began 1/24/2013 10:42:44 PM	Collection Date 1	1/1/1900	Half Life	0.00 days
Count Ended 1/24/2013 10:47:48 PM	Collection Date 2	1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 mins	Background Count Time	1,000.00 mins
-------------------	-----------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.067	8	1.600	1.533
sd	0.000			0.008	2.828	0.566	0.566
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.269	9,601	1,920.200	1,919.931
sd	0.000			0.016	97.985	19.597	19.597

	Net Activity dpm	LLD dpm	MDC pCi/l	MPC pCi/l	Net Concentration * pCi/l	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	1.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	1.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Tb = Ts < 10

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Orange 20-23 - A

Addr: 20

Sample ID ICV-51512;Beta 3

Repeat 23

Carrier No. 0

Batch ID m122640

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0 <i>I</i>	sd	0 <i>I</i>
Residual Wt	0 <i>mg</i>	sd	0 <i>mg</i>

Count Began 1/24/2013 11:01:17 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 1/24/2013 11:06:20 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 <i>mins</i>	Background Count Time	1,000.00 <i>mins</i>
-------------------	------------------	-----------------------	----------------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.067	6	1.200	1.133
sd	0.000			0.008	2.449	0.490	0.490
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.269	8,653	1,730.600	1,730.331
sd	0.000			0.016	93.022	18.604	18.604

	Net Activity dpm	LLD dpm	MDC pCi/l	MPC pCi/l	Net Concentration * pCi/l	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	1.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	1.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Tb = Ts < 10

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Orange 20-23 - A

Addr: 20

Sample ID ICV-51512;Beta 2

Repeat

24

Carrier No.

0

Batch ID m122640

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0 <i>I</i>	sd	0 <i>I</i>
Residual Wt	0 <i>mg</i>	sd	0 <i>mg</i>

Count Began 1/24/2013 11:07:27 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 1/24/2013 11:12:29 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 <i>mins</i>	Background Count Time	1,000.00 <i>mins</i>
-------------------	------------------	-----------------------	----------------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.067	6	1.200	1.133
sd	0.000			0.008	2.449	0.490	0.490
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.269	8,925	1,785.000	1,784.731
sd	0.000			0.016	94.472	18.894	18.894

	Net Activity dpm	LLD dpm	MDC pCi/l	MPC pCi/l	Net Concentration * pCi/l	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	1.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	1.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Tb = Ts < 10

Error = .00 x sd



Environment Testing
TestAmerica

Analysis Report for Gross Alpha/Beta

Batch: 451383

Operator:

<u>Sample ID</u>	<u>WRKNO</u>	<u>Aliquot</u>	<u>Mass</u>	<u>Instr ID</u>	<u>CountTime</u>	<u>Ts</u>	<u>Tb</u>	<u>Dilution</u>	<u>Sigma</u>		
<u>Analyte</u>	<u>Cs</u>	<u>Cb</u>	<u>Xt</u>	<u>CPMs</u>	<u>CPM_b</u>	<u>Eff</u>	<u>Activity</u>	<u>UncTot</u>	<u>UncCnt</u>	<u>MDA</u>	<u>DLC</u>
ICVABT-1835527; A	160-36042-A-1-BG	1.000E+000mL	0.0314 g	Orange20	8 / 30 / 20	19:33	15.00	1000.00	1.00	1.00	
Gross Alpha	10160	196	0.00	6.773E+002	1.960E-001	0.1523	2.003E+003pCi/mL	1.159E+002	1.987E+001	1.712E+000	5.603E-001
ICVABT-1835527; B	160-36042-A-1-BH	1.000E+000mL	0.0568 g	Orange20	8 / 30 / 20	19:01	15.00	1000.00	1.00	1.00	115.8637
Gross Alpha	8826	196	0.00	5.894E+002	1.960E-001	0.1224	2.164E+003pCi/mL	1.255E+002	2.304E+001	2.130E+000	6.970E-001
ICVABT-1835527; C	160-36042-A-1-BI	1.000E+000mL	0.0961 g	Orange20	8 / 30 / 20	18:38	15.00	1000.00	1.00	1.00	125.4913
Gross Alpha	13981	196	0.00	9.321E+002	1.960E-001	0.0950	4.418E+003pCi/mL	2.546E+002	3.737E+001	2.745E+000	8.982E-001

Laboratory Control Sample Information

<u>SampID</u>	<u>WRKNO</u>	<u>Analyte</u>	<u>Activity</u>	<u>StdAdded</u>	<u>Recovery</u>	<u>LCL</u>	<u>UCL</u>	<u>ZFactor</u>
---------------	--------------	----------------	-----------------	-----------------	-----------------	------------	------------	----------------

Sample Duplicate Information

<u>Sample ID</u>	<u>Dup Sample ID</u>	<u>Analyte</u>	<u>Sample Activity</u>	<u>Dup Activity</u>	<u>RPD</u>	<u>RER</u>	<u>DER</u>	<u>ZFactor</u>
------------------	----------------------	----------------	------------------------	---------------------	------------	------------	------------	----------------

Matrix Spike Information

<u>SampID</u>	<u>SampMSID</u>	<u>Analyte</u>	<u>Sample Activity</u>	<u>MS Activity</u>	<u>StdAdded</u>	<u>MS Recovery</u>	<u>ZFactor</u>
---------------	-----------------	----------------	------------------------	--------------------	-----------------	--------------------	----------------

Blanks Information

<u>SampID</u>	<u>WRKNO</u>	<u>Analyte</u>	<u>Activity</u>	<u>UncTotal</u>	<u>ZFactor</u>
---------------	--------------	----------------	-----------------	-----------------	----------------

ICV is for Gross Alpha

Orange Alpha ICV 2020

Detector	Low Mass	Medium Mass	High Mass	Mean Recovery
	Recovery	Recovery	Recovery	
	20	100.52%	108.60%	110.85%
				106.66%

Standard ID

Thorium-230

Th-230_00056 #1835527

Cert # 95358 Ref. date 01/11/2017

Activity 2x 1992.7 pCi/mL

Activity 4x 3985.5 pCi/mL

Prep Batch: 451383

	Low Mass	Medium Mass	High Mass
	0.314g	0.0588g	0.0961
Detector	Activity (pCi/mL)	Activity (pCi/mL)	Activity (pCi/mL)
20	2.00E+03	2.16E+03	4.42E+03

Alpha/Beta Count Results

Sample Activity Report

Orange 20-23 - A

Addr: 20

Sample ID ICVABT-1835527; C

Repeat 19
Carrier No. 0

Batch ID 451383

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 8/30/2020 6:38:55 PM

Count Ended 8/30/2020 6:54:00 PM

Sample Count Time 15.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.196	13,981	932.067	931.871
	0.014	118.241	7.883	7.883
Beta sd	0.377	5,776	385.067	384.690
	0.019	76.000	5.067	5.067

Alpha/Beta Count Results

Sample Activity Report

Orange 20-23 - A

Addr: 20

Sample ID ICVABT-1835527; B

Repeat 20
Carrier No. 0

Batch ID 451383

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 8/30/2020 7:01:43 PM

Count Ended 8/30/2020 7:16:51 PM

Sample Count Time 15.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.196	8,826	588.400	588.204
	0.014	93.947	6.263	6.263
Beta sd	0.377	3,449	229.933	229.556
	0.019	58.728	3.915	3.915

Alpha/Beta Count Results

Sample Activity Report

Orange 20-23 - A

Addr: 20

Sample ID ICVABT-1835527; A

Repeat 21

Carrier No. 0

Batch ID 451383

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 8/30/2020 7:33:19 PM

Count Ended 8/30/2020 7:48:28 PM

Sample Count Time 15.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.196	10,160	677.333	677.137
	0.014	100.797	6.720	6.720
Beta sd	0.377	3,858	257.200	256.823
	0.019	62.113	4.141	4.141

**ICV is for Gross Beta
Strontium 90
and
Total Strontium**

Orange Beta ICV 2013					Beta Activity	2009.34 pCi
Detector	Low Mass Recovery	Medium Mass Recovery	High Mass Recovery	Mean Recovery		
23	98.69%	98.64%	101.53%	99.62%		

Standard ID

Strontium 90

Sr-90 00018 #51512 (Rad12-0043)

Cert# 92352 Ref date 11/29/12

Initial Activity: 2238.7 dpm

Reference Date: 11/29/2012

Current Date: 1/24/2013

Elapsed Time: 56,000 days

Half Life: 10409.625 days

Exponential Term: 0.996278064

Corrected Activity: 2230.367701

Decay Activity (Sr/Y-90) 4460 735402 dpm 2009 34 pCi

Alpha/Beta Count Results

Sample Activity Report

Orange 20-23 - D

Addr: 23

Sample ID ICV-51512;Beta 3

Repeat

22

Carrier No.

0

Batch ID m122640

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0 <i>I</i>	sd	0 <i>I</i>
Residual Wt	0 <i>mg</i>	sd	0 <i>mg</i>

Count Began 1/24/2013 10:51:11 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 1/24/2013 10:56:14 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 <i>mins</i>	Background Count Time	1,000.00 <i>mins</i>
-------------------	------------------	-----------------------	----------------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.046	3	0.600	0.554
sd	0.000			0.007	1.732	0.346	0.346
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.330	8,756	1,751.200	1,750.870
sd	0.000			0.018	93.574	18.715	18.715

	Net Activity dpm	LLD dpm	MDC pCi/l	MPC pCi/l	Net Concentration * pCi/l	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	1.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	1.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Tb = Ts < 10

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Orange 20-23 - D

Addr: 23

Sample ID ICV-51512;Beta 2

Repeat

23

Carrier No.

0

Batch ID m122640

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0 <i>I</i>	sd	0 <i>I</i>
Residual Wt	0 <i>mg</i>	sd	0 <i>mg</i>

Count Began 1/24/2013 11:01:28 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 1/24/2013 11:06:30 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 <i>mins</i>	Background Count Time	1,000.00 <i>mins</i>
-------------------	------------------	-----------------------	----------------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.046	5	1.000	0.954
sd	0.000			0.007	2.236	0.447	0.447
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.330	8,918	1,783.600	1,783.270
sd	0.000			0.018	94.435	18.887	18.887

	Net Activity dpm	LLD dpm	MDC pCi/l	MPC pCi/l	Net Concentration * pCi/l	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	1.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	1.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Tb = Ts < 10

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Orange 20-23 - D

Addr: 23

Sample ID ICV-51512;Beta 1

Repeat

24

Carrier No.

0

Batch ID m122640

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0 <i>I</i>	sd	0 <i>I</i>
Residual Wt	0 <i>mg</i>	sd	0 <i>mg</i>

Count Began 1/24/2013 11:07:36 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 1/24/2013 11:12:38 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 <i>mins</i>	Background Count Time	1,000.00 <i>mins</i>
-------------------	------------------	-----------------------	----------------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.046	3	0.600	0.554
sd	0.000			0.007	1.732	0.346	0.346
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.330	9,421	1,884.200	1,883.870
sd	0.000			0.018	97.062	19.412	19.412

	Net Activity dpm	LLD dpm	MDC pCi/l	MPC pCi/l	Net Concentration * pCi/l	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	1.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	1.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Tb = Ts < 10

Error = .00 x sd



Environment Testing
TestAmerica

Analysis Report for Gross Alpha/Beta

Batch: 451383 Operator:

<u>Sample ID</u>	<u>WRKNO</u>	<u>Aliquot</u>	<u>Mass</u>	<u>Instr ID</u>	<u>CountTime</u>	<u>Ts</u>	<u>Tb</u>	<u>Dilution</u>	<u>Sigma</u>	<u>MDA</u>	<u>DLC</u>
<u>Analyte</u>	<u>Cs</u>	<u>Cb</u>	<u>Xt</u>	<u>CPMs</u>	<u>CPM_b</u>	<u>Eff</u>	<u>Activity</u>	<u>UncTot</u>	<u>UncCnt</u>	<u>MDA</u>	<u>DLC</u>
ICVABT-1835527; A	160-36042-A-1-BG	1.000E+000mL	0.0374	9	Orange23	8 / 30 / 20 21:08	15.00	1000.00	1.00	1.00	114.9929
Gross Alpha	9493	91	0.00	6.329E+002	9.100E-002	0.1436	1.985E+003pCi/mL	1.150E+002	2.038E+001	1.438E+000	4.050E-001
ICVABT-1835527; B	160-36042-A-1-BH	1.000E+000mL	0.0568	9	Orange23	8 / 30 / 20 20:50	15.00	1000.00	1.00	1.00	125.7053
Gross Alpha	8185	91	0.00	5.457E+002	9.100E-002	0.1135	2.165E+003pCi/mL	1.257E+002	2.393E+001	1.819E+000	5.122E-001
ICVABT-1835527; C	160-36042-A-1-BI	1.000E+000mL	0.0961	9	Orange23	8 / 30 / 20 20:03	15.00	1000.00	1.00	1.00	261.7984
Gross Alpha	12954	91	0.00	8.636E+002	9.100E-002	0.0857	4.539E+003pCi/mL	2.618E+002	3.989E+001	2.409E+000	6.786E-001

Laboratory Control Sample Information

<u>SampID</u>	<u>WRKNO</u>	<u>Analyte</u>	<u>Activity</u>	<u>StdAdded</u>	<u>Recovery</u>	<u>LCL</u>	<u>UCL</u>	<u>ZFactor</u>
					%			

Sample Duplicate Information

<u>Sample ID</u>	<u>Dup Sample ID</u>	<u>Analyte</u>	<u>Sample Activity</u>	<u>Dup Activity</u>	<u>RPD</u>	<u>RER</u>	<u>DER</u>	<u>ZFactor</u>

Matrix Spike Information

<u>SampID</u>	<u>SampMSID</u>	<u>Analyte</u>	<u>Sample Activity</u>	<u>MS Activity</u>	<u>StdAdded</u>	<u>MS Recovery</u>	<u>ZFactor</u>
						%	

Blanks Information

<u>SampID</u>	<u>WRKNO</u>	<u>Analyte</u>	<u>Activity</u>	<u>UncTotal</u>	<u>ZFactor</u>

ICV is for Gross Alpha

Orange Alpha ICV 2020

Detector	Low Mass	Medium Mass	High Mass	Mean Recovery
	Recovery	Recovery	Recovery	
	23	99.61%	108.65%	113.89%
				107.38%

Standard ID

Thorium-230

Th-230_00056 #1835527

Cert # 95358 Ref. date 01/11/2017

Activity 2x 1992.7 pCi/mL

Activity 4x 3985.5 pCi/mL

Prep Batch: 451383

	Low Mass	Medium Mass	High Mass
	0.314g	0.0588g	0.0961
Detector	Activity (pCi/mL)	Activity (pCi/mL)	Activity (pCi/mL)
23	1.99E+03	2.17E+03	4.54E+03

Alpha/Beta Count Results

Sample Activity Report

Orange 20-23 - D

Addr: 23

Sample ID ICVABT-1835527; C

Repeat 22
Carrier No. 0

Batch ID 451383

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 8/30/2020 8:03:42 PM

Count Ended 8/30/2020 8:18:45 PM

Sample Count Time 15.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.091	12,954	863.600	863.509
	0.010	113.816	7.588	7.588
Beta sd	0.392	6,485	432.333	431.941
	0.020	80.529	5.369	5.369

Alpha/Beta Count Results

Sample Activity Report

Orange 20-23 - D

Addr: 23

Sample ID ICVABT-1835527; B

Repeat 23

Carrier No. 0

Batch ID 451383

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 8/30/2020 8:50:12 PM

Count Ended 8/30/2020 9:05:18 PM

Sample Count Time 15.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.091	8,185	545.667	545.576
	0.010	90.471	6.031	6.031
Beta sd	0.392	3,667	244.467	244.075
	0.020	60.556	4.037	4.037

Alpha/Beta Count Results

Sample Activity Report

Orange 20-23 - D

Addr: 23

Sample ID ICVABT-1835527; A

Repeat

24

Carrier No.

0

Batch ID 451383

Count Method Gross Alpha Beta

Detector Volts

1515

Count Began 8/30/2020 9:08:40 PM

Count Ended 8/30/2020 9:23:45 PM

Sample Count Time

15.00 *mins*

Background Count Time

1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.091	9,493	632.867	632.776
	0.010	97.432	6.495	6.495
Beta sd	0.392	4,158	277.200	276.808
	0.020	64.483	4.299	4.299

ICV is for Gross Beta
Strontium 90
and
Total Strontium

Purple Beta ICV 2013

Detector	Low Mass Recovery	Medium Mass Recovery	High Mass Recovery	Mean Recovery
10	98.06%	98.56%	98.06%	98.23%

Beta Activity 2007.869 pCi

Standard ID

Strontium 90

Sr-90_00018 #51512

Cert# 92352 Ref. date 11/29/12

Initial Activity: 2238.7 dpm

Reference Date: 11/29/2012

Current Date: 2/4/2013 (or date at which you wish to determine activity)

Elapsed Time: 67.000 days

Half Life: 10409.625 days

Exponential Term: 0.995548598

Corrected Activity: 2228.734647 dpm

Decay Activity (Sr/Y-90) 4457.469295 dpm 2007.869 pCi

Alpha/Beta Count Results

Sample Activity Report

Purple 8-11 - C

Addr: 10

Sample ID ICVABT-51512;Beta 3

Repeat

21

Carrier No.

0

Batch ID m122640

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0	Sample	sd	0	Sample	
Residual Wt	0	mg	sd	0	mg	

Count Began 2/4/2013 6:35:10 PM	Collection Date 1	1/1/1900	Half Life	0.00 days
---------------------------------	-------------------	----------	-----------	-----------

Count Ended 2/4/2013 6:40:12 PM	Collection Date 2	1/1/1900	Decay Factor	1.000
---------------------------------	-------------------	----------	--------------	-------

Sample Count Time	5.00 mins	Background Count Time	1,000.00 mins
-------------------	-----------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.058	19	3.800	3.742
sd	0.000			0.008	4.359	0.872	0.872
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.297	8,525	1,705.000	1,704.703
sd	0.000			0.017	92.331	18.466	18.466

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Purple 8-11 - C

Addr: 10

Sample ID ICVABT-51512;Beta 2

Repeat 4
Carrier No. 0

Batch ID m122640

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0	Sample	sd	0	Sample	
Residual Wt	0	mg	sd	0	mg	

Count Began 2/4/2013 6:57:08 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 2/4/2013 7:02:09 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 mins	Background Count Time	1,000.00 mins
-------------------	-----------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.058	17	3.400	3.342
sd	0.000			0.008	4.123	0.825	0.825
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.297	8,978	1,795.600	1,795.303
sd	0.000			0.017	94.752	18.950	18.950

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Purple 8-11 - C

Addr: 10

Sample ID ICVABT-51512;Beta 1

Repeat 5
Carrier No. 0

Batch ID m122640

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0	Sample	sd	0	Sample	
Residual Wt	0	mg	sd	0	mg	

Count Began 2/4/2013 7:02:55 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 2/4/2013 7:07:57 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 mins	Background Count Time	1,000.00 mins
-------------------	-----------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.058	22	4.400	4.342
sd	0.000			0.008	4.690	0.938	0.938
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.297	9,468	1,893.600	1,893.303
sd	0.000			0.017	97.304	19.461	19.461

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

ICV is for Gross Alpha

Purple - Alpha ICV 2021

	Low Mass	Medium Mass	High Mass	Mean
Detector	Recovery	Recovery	Recovery	Recovery
10	88.49%	98.61%	104.82%	97.30%

Standard ID

Thorium-230

Th-230_00056 #1835527

Cert # 114475 Ref. date 10/29/19

Activity 1.031E+06 pCi/L

Prep Batch: 566222

	A1 = Low Mass	A2 = Medium Mass	A3 = High Mass
	0.0232	0.0537	0.0846
Detector	Activity (pCi/mL)	Activity (pCi/mL)	Activity (pCi/mL)
10	9.126E+05	1.017E+06	1.081E+06



Environment Testing
TestAmerica

Analysis Report for Gross Alpha/Beta

Batch: 566222

Operator:

<u>Sample ID</u>	<u>WRKNO</u>	<u>Aliquot</u>	<u>Mass</u>	<u>Instr ID</u>	<u>CountTime</u>	<u>Ts</u>	<u>Tb</u>	<u>Dilution</u>	<u>Sigma</u>	
	<u>Analyte</u>	<u>Cs</u>	<u>Cb</u>	<u>XT</u>	<u>CPMs</u>	<u>CPMb</u>	<u>Eff</u>	<u>Activity</u>	<u>MDA</u>	<u>DLC</u>
ICVABT-1835527; A	160-45488-A-1-A	1.000E+000mL	0.0232	g	Purple10	7/19/22	0:17	20.00	1000.00	1.00
	Gross Alpha	7127	176	0.00	3.564E+002	1.760E-001	0.1758	9.126E+005pCi/L	5.313E+004	1.082E+004
ICVABT-1835527; B	160-45488-A-2-A	2.000E+000mL	0.0537	g	Purple10	7/18/22	23:43	20.00	1000.00	1.00
	Gross Alpha	10597	176	0.00	5.299E+002	1.760E-001	0.1173	1.017E+006pCi/L	5.883E+004	9.887E+003
ICVABT-1835527; C	160-45488-A-3-A	2.000E+000mL	0.0846	g	Purple10	7/18/22	23:10	20.00	1000.00	1.00
	Gross Alpha	8253	176	0.00	4.126E+002	1.760E-001	0.0859	1.081E+006pCi/L	6.277E+004	1.191E+004

Laboratory Control Sample Information

<u>SampID</u>	<u>WRKNO</u>	<u>Analyte</u>	<u>Activity</u>	<u>StdAdded</u>	<u>Recovery</u> %	<u>LCL</u>	<u>UCL</u>	<u>ZFactor</u>

Sample Duplicate Information

<u>Sample ID</u>	<u>Dup Sample ID</u>	<u>Analyte</u>	<u>Sample Activity</u>	<u>Dup Activity</u>	<u>RPD</u>	<u>RER</u>	<u>DER</u>	<u>ZFactor</u>

Matrix Spike Information

<u>SampID</u>	<u>SampMSID</u>	<u>Analyte</u>	<u>Sample Activity</u>	<u>MS Activity</u>	<u>StdAdded</u>	<u>MSRecovery</u> %	<u>ZFactor</u>

Blanks Information

<u>SampID</u>	<u>WRKNO</u>	<u>Analyte</u>	<u>Activity</u>	<u>UncTotal</u>	<u>ZFactor</u>

Alpha/Beta Count Results

Sample Activity Report

Purple 8-11 - C

Addr: 10

Sample ID ICVABT-1835527; C

Repeat 65

Carrier No. 0

Batch ID 566222

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 7/18/2022 11:10:00 PM

Count Ended 7/18/2022 11:30:08 PM

Sample Count Time 20.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.176	8,253	412.650	412.474
	0.013	90.846	4.542	4.542
Beta sd	0.317	3,884	194.200	193.883
	0.018	62.322	3.116	3.116

Alpha/Beta Count Results

Sample Activity Report

Purple 8-11 - C

Addr: 10

Sample ID ICVABT-1835527; B

Repeat 62
Carrier No. 0

Batch ID 566222

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 7/18/2022 11:43:17 PM

Count Ended 7/19/2022 12:03:23 AM

Sample Count Time 20.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.176	10,597	529.850	529.674
	0.013	102.942	5.147	5.147
Beta sd	0.317	4,513	225.650	225.333
	0.018	67.179	3.359	3.359

Alpha/Beta Count Results

Sample Activity Report

Purple 8-11 - C

Addr: 10

Sample ID ICVABT-1835527; A

Repeat 68

Carrier No. 0

Batch ID 566222

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 7/19/2022 12:17:29 AM

Count Ended 7/19/2022 12:37:37 AM

Sample Count Time 20.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.176	7,127	356.350	356.174
	0.013	84.422	4.221	4.221
Beta sd	0.317	2,768	138.400	138.083
	0.018	52.612	2.631	2.631

Purple Beta ICV 2013

Detector	Low Mass Recovery	Medium Mass Recovery	High Mass Recovery	Mean Recovery
11	99.48%	95.32%	97.35%	97.38%

Beta Activity 12/18/2015
1872.6551 pCi

Standard ID

Strontium 90

Sr-90_00018 #51512

Cert# 92352 Ref. date 11/29/12

Initial Activity:	2238.7 dpm	
Reference Date:	11/29/2012	
Count Date:	12/18/2015	(or date at which you wish to determine activity)
Elapsed Time:	1114.000 days	
Half Life:	10409.625 days	
Exponential Term:	0.928506334	
Corrected Activity:	2078.64713 dpm	
Decay Activity (Sr/Y-90)	4157.29426 dpm	1872.655 pCi

Alpha/Beta Count Results

Sample Activity Report

Purple 8-11 - D

Addr: 11

Sample ID ICVABT-51512;B1

Repeat

3

Carrier No.

0

Batch ID m122640

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0	Sample	sd	0	Sample	
Residual Wt	0	mg	sd	0	mg	

Count Began 12/18/2015 1:10:51 PM	Collection Date 1	1/1/1900	Half Life	0.00 days
-----------------------------------	-------------------	----------	-----------	-----------

Count Ended 12/18/2015 1:15:54 PM	Collection Date 2	1/1/1900	Decay Factor	1.000
-----------------------------------	-------------------	----------	--------------	-------

Sample Count Time	5.00 mins	Background Count Time	1,000.00 mins
-------------------	-----------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.147	2	0.400	0.253
sd	0.000			0.012	1.414	0.283	0.283
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.469	8,830	1,766.000	1,765.531
sd	0.000			0.022	93.968	18.794	18.794

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Purple 8-11 - D

Addr: 11

Sample ID ICVABT-51512;B3

Repeat

3

Carrier No.

0

Batch ID m122640

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0	Sample	sd	0	Sample	
Residual Wt	0	mg	sd	0	mg	

Count Began 12/18/2015 1:16:58 PM	Collection Date 1	1/1/1900	Half Life	0.00 days
-----------------------------------	-------------------	----------	-----------	-----------

Count Ended 12/18/2015 1:21:59 PM	Collection Date 2	1/1/1900	Decay Factor	1.000
-----------------------------------	-------------------	----------	--------------	-------

Sample Count Time	5.00 mins	Background Count Time	1,000.00 mins
-------------------	-----------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.147	4	0.800	0.653
sd	0.000			0.012	2.000	0.400	0.400
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.469	7,726	1,545.200	1,544.731
sd	0.000			0.022	87.898	17.580	17.580

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Purple 8-11 - D

Addr: 11

Sample ID ICVABT-51512;B2

Repeat

53

Carrier No.

0

Batch ID M122640

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0	Sample	sd	0	Sample	
Residual Wt	0	mg	sd	0	mg	

Count Began 12/18/2015 1:22:51 PM	Collection Date 1	1/1/1900	Half Life	0.00 days
-----------------------------------	-------------------	----------	-----------	-----------

Count Ended 12/18/2015 1:27:53 PM	Collection Date 2	1/1/1900	Decay Factor	1.000
-----------------------------------	-------------------	----------	--------------	-------

Sample Count Time	5.00 mins	Background Count Time	1,000.00 mins
-------------------	-----------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.147	0	0.000	-0.147
sd	0.000			0.012	0.000	0.000	0.243
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.469	7,997	1,599.400	1,598.931
sd	0.000			0.022	89.426	17.885	17.885

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

ICV is for Gross Alpha

Purple - Alpha ICV 2021

	Low Mass	Medium Mass	High Mass	Mean
Detector	Recovery	Recovery	Recovery	Recovery
11	88.72%	100.55%	105.11%	98.12%

Standard ID

Thorium-230

Th-230_00056 #1835527

Cert # 114475 Ref. date 10/29/19

Activity 1.031E+06 pCi/L

Prep Batch: 566222

	A1 = Low Mass	A2 = Medium Mass	A3 = High Mass
	0.0232	0.0537	0.0846
Detector	Activity (pCi/mL)	Activity (pCi/mL)	Activity (pCi/mL)
11	9.150E+05	1.037E+06	1.084E+06



Environment Testing
TestAmerica

Analysis Report for Gross Alpha/Beta

Batch: 566222

Operator:

<u>Sample ID</u>	<u>WRKNO</u>	<u>Aliquot</u>	<u>Mass</u>	<u>Instr ID</u>	<u>CountTime</u>	<u>Ts</u>	<u>Tb</u>	<u>Dilution</u>	<u>Sigma</u>	
	<u>Analyte</u>	<u>Cs</u>	<u>Cb</u>	<u>XT</u>	<u>CPMs</u>	<u>CPMb</u>	<u>Eff</u>	<u>Activity</u>	<u>MDA</u>	<u>DLC</u>
ICVABT-1835527; A	160-45488-A-1-A	1.000E+000mL		0.0232	g Purple11	7/19/22	0:38	20.00	1000.00	1.00
	Gross Alpha	6979	96	0.00	3.489E+002	9.600E-002	0.1717	9.150E+005 pCi/L	5.329E+004	1.096E+004
ICVABT-1835527; B	160-45488-A-2-A	2.000E+000mL		0.0537	g Purple11	7/19/22	0:17	20.00	1000.00	1.00
	Gross Alpha	10587	96	0.00	5.294E+002	9.600E-002	0.1150	1.037E+006 pCi/L	5.995E+004	1.008E+004
ICVABT-1835527; C	160-45488-A-3-A	2.000E+000mL		0.0846	g Purple11	7/18/22	23:43	20.00	1000.00	1.00
	Gross Alpha	8151	96	0.00	4.076E+002	9.600E-002	0.0847	1.084E+006 pCi/L	6.293E+004	1.201E+004

Laboratory Control Sample Information

<u>SampID</u>	<u>WRKNO</u>	<u>Analyte</u>	<u>Activity</u>	<u>StdAdded</u>	<u>Recovery</u> %	<u>LCL</u>	<u>UCL</u>	<u>ZFactor</u>

Sample Duplicate Information

<u>Sample ID</u>	<u>Dup Sample ID</u>	<u>Analyte</u>	<u>Sample Activity</u>	<u>Dup Activity</u>	<u>RPD</u>	<u>RER</u>	<u>DER</u>	<u>ZFactor</u>

Matrix Spike Information

<u>SampID</u>	<u>SampMSID</u>	<u>Analyte</u>	<u>Sample Activity</u>	<u>MS Activity</u>	<u>StdAdded</u>	<u>MSRecovery</u> %	<u>ZFactor</u>

Blanks Information

<u>SampID</u>	<u>WRKNO</u>	<u>Analyte</u>	<u>Activity</u>	<u>UncTotal</u>	<u>ZFactor</u>

Alpha/Beta Count Results

Sample Activity Report

Purple 8-11 - D

Addr: 11

Sample ID ICVABT-1835527; C

Repeat 66
Carrier No. 0

Batch ID 566222

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 7/18/2022 11:43:19 PM

Count Ended 7/19/2022 12:03:23 AM

Sample Count Time 20.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.096	8,151	407.550	407.454
	0.010	90.283	4.514	4.514
Beta sd	0.607	3,736	186.800	186.193
	0.025	61.123	3.056	3.056

Alpha/Beta Count Results

Sample Activity Report

Purple 8-11 - D

Addr: 11

Sample ID ICVABT-1835527; B

Repeat 63

Carrier No. 0

Batch ID 566222

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 7/19/2022 12:17:32 AM

Count Ended 7/19/2022 12:37:41 AM

Sample Count Time 20.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.096	10,587	529.350	529.254
	0.010	102.893	5.145	5.145
Beta sd	0.607	4,364	218.200	217.593
	0.025	66.061	3.303	3.303

Alpha/Beta Count Results

Sample Activity Report

Purple 8-11 - D

Addr: 11

Sample ID ICVABT-1835527; A

Repeat 69

Carrier No. 0

Batch ID 566222

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 7/19/2022 12:38:34 AM

Count Ended 7/19/2022 12:58:37 AM

Sample Count Time 20.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.096	6,979	348.950	348.854
	0.010	83.540	4.177	4.177
Beta sd	0.607	2,622	131.100	130.493
	0.025	51.205	2.560	2.560

ICV is for Gross Beta
Strontium 90
and
Total Strontium

Purple Beta ICV 2013

Detector	Low Mass Recovery	Medium Mass Recovery	High Mass Recovery	Mean Recovery
16	97.67%	100.06%	98.26%	98.66%

Beta Activity 2007.869 pCi

Standard ID

Stronitum 90

Sr-90_00018 #51512

Cert# 92352 Ref. date 11/29/12

Initial Activity: 2238.7 dpm

Reference Date: 11/29/2012

Current Date: 2/4/2013 (or date at which you wish to determine activity)

Elapsed Time: 67.000 days

Half Life: 10409.625 days

Exponential Term: 0.995548598

Corrected Activity: 2228.734647 dpm

Decay Activity (Sr/Y-90) 4457.469295 dpm 2007.869 pCi

Alpha/Beta Count Results

Sample Activity Report

Purple 16-19 - A

Addr: 16

Sample ID ICVABT-51512;Beta 1

Repeat 11

Carrier No. 0

Batch ID m122640

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0	Sample	sd	0	Sample	
------------	---	--------	----	---	--------	--

Residual Wt	0	mg	sd	0	mg	
-------------	---	----	----	---	----	--

Count Began 2/4/2013 8:45:31 PM	Collection Date 1	1/1/1900	Half Life	0.00 days
---------------------------------	-------------------	----------	-----------	-----------

Count Ended 2/4/2013 8:50:33 PM	Collection Date 2	1/1/1900	Decay Factor	1.000
---------------------------------	-------------------	----------	--------------	-------

Sample Count Time	5.00 mins	Background Count Time	1,000.00 mins
-------------------	-----------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.170	21	4.200	4.030
sd	0.000			0.013	4.583	0.917	0.917
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.397	9,346	1,869.200	1,868.803
sd	0.000			0.020	96.675	19.335	19.335

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Purple 16-19 - A

Addr: 16

Sample ID ICVABT-51512;Beta 3

Repeat 35
Carrier No. 0

Batch ID m122640

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty 0 Sample sd 0 Sample

Residual Wt 0 mg sd 0 mg

Count Began 2/4/2013 9:41:48 PM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 2/4/2013 9:46:50 PM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time 1,000.00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.170	12	2.400	2.230
sd	0.000			0.013	3.464	0.693	0.693
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.397	8,452	1,690.400	1,690.003
sd	0.000			0.020	91.935	18.387	18.387

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Purple 16-19 - A

Addr: 16

Sample ID ICVABT-51512;Beta 2

Repeat 18
Carrier No. 0

Batch ID m122640

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0	Sample	sd	0	Sample	
Residual Wt	0	mg	sd	0	mg	

Count Began 2/4/2013 9:47:37 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 2/4/2013 9:52:39 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 mins	Background Count Time	1,000.00 mins
-------------------	-----------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.170	10	2.000	1.830
sd	0.000			0.013	3.162	0.632	0.633
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.397	9,024	1,804.800	1,804.403
sd	0.000			0.020	94.995	18.999	18.999

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

ICV is for Gross Alpha

Purple - Alpha ICV 2021

	Low Mass	Medium Mass	High Mass	Mean
Detector	Recovery	Recovery	Recovery	Recovery
16	88.00%	100.74%	101.71%	96.82%

Standard ID

Thorium-230

Th-230_00056 #1835527

Cert # 114475 Ref. date 10/29/19

Activity 1.031E+06 pCi/L

Prep Batch: 566222

	A1 = Low Mass	A2 = Medium Mass	A3 = High Mass
	0.0232	0.0537	0.0846
Detector	Activity (pCi/mL)	Activity (pCi/mL)	Activity (pCi/mL)
16	9.076E+05	1.039E+06	1.049E+06



Environment Testing
TestAmerica

Analysis Report for Gross Alpha/Beta

Batch: 566222

Operator:

<u>Sample ID</u>	<u>WRKNO</u>	<u>Aliquot</u>	<u>Mass</u>	<u>Instr ID</u>	<u>CountTime</u>	<u>Ts</u>	<u>Tb</u>	<u>Dilution</u>	<u>Sigma</u>	
	<u>Analyte</u>	<u>Cs</u>	<u>Cb</u>	<u>XT</u>	<u>CPMs</u>	<u>CPMb</u>	<u>Eff</u>	<u>Activity</u>	<u>MDA</u>	<u>DLC</u>
ICVABT-1835527; A	160-45488-A-1-A	1.000E+000mL	0.0232	g	Purple16	7/19/22	10:09	20.00	1000.00	1.00
	Gross Alpha	7037	149	0.00	3.519E+002	1.490E-001	0.1746	9.076E+005 pCi/L	5.285E+004	1.082E+004
ICVABT-1835527; B	160-45488-A-2-A	2.000E+000mL	0.0537	g	Purple16	7/19/22	14:31	20.00	1000.00	1.00
	Gross Alpha	10800	149	0.00	5.400E+002	1.490E-001	0.1170	1.039E+006 pCi/L	6.009E+004	1.000E+004
ICVABT-1835527; C	160-45488-A-3-A	2.000E+000mL	0.0846	g	Purple16	7/19/22	14:01	20.00	1000.00	1.00
	Gross Alpha	8011	149	0.00	4.006E+002	1.490E-001	0.0860	1.049E+006 pCi/L	6.092E+004	1.172E+004

Laboratory Control Sample Information

<u>SampID</u>	<u>WRKNO</u>	<u>Analyte</u>	<u>Activity</u>	<u>StdAdded</u>	<u>Recovery</u> %	<u>LCL</u>	<u>UCL</u>	<u>ZFactor</u>

Sample Duplicate Information

<u>Sample ID</u>	<u>Dup Sample ID</u>	<u>Analyte</u>	<u>Sample Activity</u>	<u>Dup Activity</u>	<u>RPD</u>	<u>RER</u>	<u>DER</u>	<u>ZFactor</u>

Matrix Spike Information

<u>SampID</u>	<u>SampMSID</u>	<u>Analyte</u>	<u>Sample Activity</u>	<u>MS Activity</u>	<u>StdAdded</u>	<u>MSRecovery</u> %	<u>ZFactor</u>

Blanks Information

<u>SampID</u>	<u>WRKNO</u>	<u>Analyte</u>	<u>Activity</u>	<u>UncTotal</u>	<u>ZFactor</u>

Alpha/Beta Count Results

Sample Activity Report

Purple 16-19 - A

Addr: 16

Sample ID ICVABT-1835527; A

Repeat 74

Carrier No. 0

Batch ID 566222

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 7/19/2022 10:09:16 AM

Count Ended 7/19/2022 10:29:22 AM

Sample Count Time 20.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.149	7,037	351.850	351.701
	0.012	83.887	4.194	4.194
Beta sd	0.442	2,568	128.400	127.958
	0.021	50.675	2.534	2.534

Alpha/Beta Count Results

Sample Activity Report

Purple 16-19 - A

Addr: 16

Sample ID ICVABT-1835527; C

Repeat

79

Carrier No.

0

Batch ID 566222

Count Method Gross Alpha Beta

Detector Volts

1515

Count Began 7/19/2022 2:01:17 PM

Count Ended 7/19/2022 2:21:20 PM

Sample Count Time

20.00 *mins*

Background Count Time

1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.149	8,011	400.550	400.401
	0.012	89.504	4.475	4.475
Beta sd	0.442	3,555	177.750	177.308
	0.021	59.624	2.981	2.981

Alpha/Beta Count Results

Sample Activity Report

Purple 16-19 - A

Addr: 16

Sample ID ICVABT-1835527; B

Repeat 76

Carrier No. 0

Batch ID 566222

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 7/19/2022 2:31:22 PM

Count Ended 7/19/2022 2:51:25 PM

Sample Count Time 20.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.149	10,800	540.000	539.851
	0.012	103.923	5.196	5.196
Beta sd	0.442	4,196	209.800	209.358
	0.021	64.777	3.239	3.239

ICV is for Gross Beta
Strontium 90
and
Total Strontium

Purple Beta ICV 2013

Detector	Low Mass Recovery	Medium Mass Recovery	High Mass Recovery	Mean Recovery
18	99.11%	97.62%	97.91%	98.21%

Beta Activity 2007.869 pCi

Standard ID

Strontium 90

Sr-90_00018 #51512

Cert# 92352 Ref. date 11/29/12

Initial Activity: 2238.7 dpm

Reference Date: 11/29/2012

Current Date: 2/4/2013 (or date at which you wish to determine activity)

Elapsed Time: 67.000 days

Half Life: 10409.625 days

Exponential Term: 0.995548598

Corrected Activity: 2228.734647 dpm

Decay Activity (Sr/Y-90) 4457.469295 dpm 2007.869 pCi

Alpha/Beta Count Results

Sample Activity Report

Purple 16-19 - C

Addr: 18

Sample ID ICVABT-51512;Beta 3

Repeat

29

Carrier No.

0

Batch ID m122640

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0	Sample	sd	0	Sample	
Residual Wt	0	mg	sd	0	mg	

Count Began 2/4/2013 8:45:40 PM	Collection Date 1	1/1/1900	Half Life	0.00 days
---------------------------------	-------------------	----------	-----------	-----------

Count Ended 2/4/2013 8:50:43 PM	Collection Date 2	1/1/1900	Decay Factor	1.000
---------------------------------	-------------------	----------	--------------	-------

Sample Count Time	5.00 mins	Background Count Time	1,000.00 mins
-------------------	-----------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.122	9	1.800	1.678
sd	0.000			0.011	3.000	0.600	0.600
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.458	8,412	1,682.400	1,681.942
sd	0.000			0.021	91.717	18.343	18.343

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Purple 16-19 - C

Addr: 18

Sample ID ICVABT-51512;Beta 2

Repeat 12
Carrier No. 0

Batch ID m122640

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0	Sample	sd	0	Sample	
Residual Wt	0	mg	sd	0	mg	

Count Began 2/4/2013 8:54:49 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 2/4/2013 8:59:52 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 mins	Background Count Time	1,000.00 mins
-------------------	-----------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.122	6	1.200	1.078
sd	0.000			0.011	2.449	0.490	0.490
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.458	8,774	1,754.800	1,754.342
sd	0.000			0.021	93.670	18.734	18.734

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Purple 16-19 - C

Addr: 18

Sample ID ICVABT-51512;Beta 1

Repeat 13

Carrier No. 0

Batch ID m122640

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0	Sample	sd	0	Sample	
------------	---	--------	----	---	--------	--

Residual Wt	0	mg	sd	0	mg	
-------------	---	----	----	---	----	--

Count Began 2/4/2013 9:00:37 PM	Collection Date 1	1/1/1900	Half Life	0.00 days
---------------------------------	-------------------	----------	-----------	-----------

Count Ended 2/4/2013 9:05:39 PM	Collection Date 2	1/1/1900	Decay Factor	1.000
---------------------------------	-------------------	----------	--------------	-------

Sample Count Time	5.00 mins	Background Count Time	1,000.00 mins
-------------------	-----------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.122	10	2.000	1.878
sd	0.000			0.011	3.162	0.632	0.633
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.458	9,428	1,885.600	1,885.142
sd	0.000			0.021	97.098	19.420	19.420

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

ICV is for Gross Alpha

Purple - Alpha ICV 2021

	Low Mass	Medium Mass	High Mass	Mean
Detector	Recovery	Recovery	Recovery	Recovery
18	88.70%	100.45%	105.40%	98.18%

Standard ID

Thorium-230

Th-230_00056 #1835527

Cert # 114475 Ref. date 10/29/19

Activity 1.031E+06 pCi/L

Prep Batch: 566222

	A1 = Low Mass	A2 = Medium Mass	A3 = High Mass
	0.0232	0.0537	0.0846
Detector	Activity (pCi/mL)	Activity (pCi/mL)	Activity (pCi/mL)
18	9.148E+05	1.036E+06	1.087E+06



Environment Testing
TestAmerica

Analysis Report for Gross Alpha/Beta

Batch: 566222

Operator:

<u>Sample ID</u>	<u>WRKNO</u>	<u>Aliquot</u>	<u>Mass</u>	<u>Instr ID</u>	<u>CountTime</u>	<u>Ts</u>	<u>Tb</u>	<u>Dilution</u>	<u>Sigma</u>	
	<u>Analyte</u>	<u>Cs</u>	<u>Cb</u>	<u>XT</u>	<u>CPMs</u>	<u>CPMb</u>	<u>Eff</u>	<u>Activity</u>	<u>MDA</u>	<u>DLC</u>
ICVABT-1835527; A	160-45488-A-1-A	1.000E+000mL		0.0232	g Purple18	7/19/22	12:24	20.00	1000.00	1.00
	Gross Alpha	7180	134	0.00	3.590E+002	1.340E-001	0.1767	9.148E+005 pCi/L	5.325E+004	1.080E+004
ICVABT-1835527; B	160-45488-A-2-A	2.000E+000mL		0.0537	g Purple18	7/19/22	10:32	20.00	1000.00	1.00
	Gross Alpha	10841	134	0.00	5.420E+002	1.340E-001	0.1178	1.036E+006 pCi/L	5.987E+004	9.950E+003
ICVABT-1835527; C	160-45488-A-3-A	2.000E+000mL		0.0846	g Purple18	7/19/22	10:09	20.00	1000.00	1.00
	Gross Alpha	8358	134	0.00	4.179E+002	1.340E-001	0.0865	1.087E+006 pCi/L	6.312E+004	1.190E+004

Laboratory Control Sample Information

<u>SampID</u>	<u>WRKNO</u>	<u>Analyte</u>	<u>Activity</u>	<u>StdAdded</u>	<u>Recovery</u> %	<u>LCL</u>	<u>UCL</u>	<u>ZFactor</u>

Sample Duplicate Information

<u>Sample ID</u>	<u>Dup Sample ID</u>	<u>Analyte</u>	<u>Sample Activity</u>	<u>Dup Activity</u>	<u>RPD</u>	<u>RER</u>	<u>DER</u>	<u>ZFactor</u>

Matrix Spike Information

<u>SampID</u>	<u>SampMSID</u>	<u>Analyte</u>	<u>Sample Activity</u>	<u>MS Activity</u>	<u>StdAdded</u>	<u>MSRecovery</u> %	<u>ZFactor</u>

Blanks Information

<u>SampID</u>	<u>WRKNO</u>	<u>Analyte</u>	<u>Activity</u>	<u>UncTotal</u>	<u>ZFactor</u>

Alpha/Beta Count Results

Sample Activity Report

Purple 16-19 - C

Addr: 18

Sample ID ICVABT-1835527; C

Repeat 73

Carrier No. 0

Batch ID 566222

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 7/19/2022 10:09:24 AM

Count Ended 7/19/2022 10:29:31 AM

Sample Count Time 20.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.134	8,358	417.900	417.766
	0.012	91.422	4.571	4.571
Beta sd	0.370	3,900	195.000	194.630
	0.019	62.450	3.122	3.123

Alpha/Beta Count Results

Sample Activity Report

Purple 16-19 - C

Addr: 18

Sample ID ICVABT-1835527; B

Repeat 70

Carrier No. 0

Batch ID 566222

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 7/19/2022 10:32:05 AM

Count Ended 7/19/2022 10:52:11 AM

Sample Count Time 20.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.134	10,841	542.050	541.916
	0.012	104.120	5.206	5.206
Beta sd	0.370	4,580	229.000	228.630
	0.019	67.676	3.384	3.384

Alpha/Beta Count Results

Sample Activity Report

Purple 16-19 - C

Addr: 18

Sample ID ICVABT-1835527; A

Repeat

76

Carrier No.

0

Batch ID 566222

Count Method Gross Alpha Beta

Detector Volts

1515

Count Began 7/19/2022 12:24:56 PM

Count Ended 7/19/2022 12:44:59 PM

Sample Count Time

20.00 *mins*

Background Count Time

1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.134	7,180	359.000	358.866
	0.012	84.735	4.237	4.237
Beta sd	0.370	2,792	139.600	139.230
	0.019	52.839	2.642	2.642

Purple Beta ICV 2013

Detector	Low Mass Recovery	Medium Mass Recovery	High Mass Recovery	Mean Recovery
23	96.44%	92.97%	99.45%	96.29%

Beta 12/18/2015
 Activity 1872.6551 pCi

Beta 12/21/2015
 Activity 1872.281 pCi

Standard ID

Strontium 90

Sr-90_00018 #51512

Cert# 92352 Ref. date 11/29/12

Initial Activity:	2238.7 dpm	
Reference Date:	11/29/2012	
Count Date:	12/18/2015	(or date at which you wish to determine activity)
Elapsed Time:	1114.000 days	
Half Life:	10409.625 days	
Exponential Term:	0.928506334	
Corrected Activity:	2078.64713 dpm	
Decay Activity (Sr/Y-90)	4157.29426 dpm	1872.655 pCi

Standard ID

Strontium 90

Sr-90_00018 #51512

Cert# 92352 Ref. date 11/29/12

Initial Activity:	2238.7 dpm	
Reference Date:	11/29/2012	
Count Date:	12/21/2015	(or date at which you wish to determine activity)
Elapsed Time:	1117.000 days	
Half Life:	10409.625 days	
Exponential Term:	0.928320873	
Corrected Activity:	2078.231938 dpm	
Decay Activity (Sr/Y-90)	4156.463876 dpm	1872.281 pCi

Alpha/Beta Count Results

Sample Activity Report

Purple 20-23 - D

Addr: 23

Sample ID ICVABT-51512;B2

Repeat

3

Carrier No.

0

Batch ID m122640

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0	Sample	sd	0	Sample	
Residual Wt	0	mg	sd	0	mg	

Count Began 12/18/2015 1:11:00 PM	Collection Date 1	1/1/1900	Half Life	0.00 days
Count Ended 12/18/2015 1:16:03 PM	Collection Date 2	1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 mins	Background Count Time	1,000.00 mins
-------------------	-----------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.117	202	40.400	40.283
sd	0.000			0.011	14.213	2.843	2.843
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.746	7,601	1,520.200	1,519.454
sd	0.000			0.027	87.184	17.437	17.437

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Purple 20-23 - D

Addr: 23

Sample ID ICVABT-51512;B1

Repeat

53

Carrier No.

0

Batch ID M122640

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0	Sample	sd	0	Sample	
Residual Wt	0	mg	sd	0	mg	

Count Began 12/18/2015 1:19:24 PM	Collection Date 1	1/1/1900	Half Life	0.00 days
-----------------------------------	-------------------	----------	-----------	-----------

Count Ended 12/18/2015 1:24:27 PM	Collection Date 2	1/1/1900	Decay Factor	1.000
-----------------------------------	-------------------	----------	--------------	-------

Sample Count Time	5.00 mins	Background Count Time	1,000.00 mins
-------------------	-----------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.117	227	45.400	45.283
sd	0.000			0.011	15.067	3.013	3.013
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.746	8,339	1,667.800	1,667.054
sd	0.000			0.027	91.318	18.264	18.264

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Purple 20-23 - D

Addr: 23

Sample ID ICVABT-51512;B3

Repeat

27

Carrier No.

0

Batch ID m122640

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0	Sample	sd	0	Sample	
Residual Wt	0	mg	sd	0	mg	

Count Began 12/21/2015 2:13:15 PM	Collection Date 1	1/1/1900	Half Life	0.00 days
-----------------------------------	-------------------	----------	-----------	-----------

Count Ended 12/21/2015 2:18:18 PM	Collection Date 2	1/1/1900	Decay Factor	1.000
-----------------------------------	-------------------	----------	--------------	-------

Sample Count Time	5.00 mins	Background Count Time	1,000.00 mins
-------------------	-----------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.117	208	41.600	41.483
sd	0.000			0.011	14.422	2.884	2.884
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.746	7,743	1,548.600	1,547.854
sd	0.000			0.027	87.994	17.599	17.599

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

ICV is for Gross Alpha

Purple - Alpha ICV 2021

	Low Mass	Medium Mass	High Mass	Mean
Detector	Recovery	Recovery	Recovery	Recovery
23	88.57%	97.35%	106.08%	97.33%

Standard ID

Thorium-230

Th-230_00056 #1835527

Cert # 114475 Ref. date 10/29/19

Activity 1.031E+06 pCi/L

Prep Batch: 566222

	A1 = Low Mass	A2 = Medium Mass	A3 = High Mass
	0.0232	0.0537	0.0846
Detector	Activity (pCi/mL)	Activity (pCi/mL)	Activity (pCi/mL)
23	9.134E+05	1.004E+06	1.094E+06



Environment Testing
TestAmerica

Analysis Report for Gross Alpha/Beta

Batch: 566222

Operator:

<u>Sample ID</u>	<u>WRKNO</u>	<u>Aliquot</u>	<u>Mass</u>	<u>Instr ID</u>	<u>CountTime</u>	<u>Ts</u>	<u>Tb</u>	<u>Dilution</u>	<u>Sigma</u>	
	<u>Analyte</u>	<u>Cs</u>	<u>Cb</u>	<u>XT</u>	<u>CPMs</u>	<u>CPMb</u>	<u>Eff</u>	<u>Activity</u>	<u>MDA</u>	<u>DLC</u>
ICVABT-1835527; A	160-45488-A-1-A	1.000E+000mL		0.0232	g Purple23	7/19/22 14:31		20.00	1000.00	1.00
	Gross Alpha	6933	438	0.00	3.466E+002	4.380E-001	0.1707	9.134E+005 pCi/L	5.321E+004	1.098E+004
ICVABT-1835527; B	160-45488-A-2-A	2.000E+000mL		0.0537	g Purple23	7/19/22 14:01		20.00	1000.00	1.00
	Gross Alpha	10106	438	0.00	5.053E+002	4.380E-001	0.1132	1.004E+006 pCi/L	5.811E+004	9.998E+003
ICVABT-1835527; C	160-45488-A-3-A	2.000E+000mL		0.0846	g Purple23	7/19/22 13:36		20.00	1000.00	1.00
	Gross Alpha	8034	438	0.00	4.017E+002	4.380E-001	0.0826	1.094E+006 pCi/L	6.356E+004	1.222E+004

Laboratory Control Sample Information

<u>SampID</u>	<u>WRKNO</u>	<u>Analyte</u>	<u>Activity</u>	<u>StdAdded</u>	<u>Recovery</u> %	<u>LCL</u>	<u>UCL</u>	<u>ZFactor</u>

Sample Duplicate Information

<u>Sample ID</u>	<u>Dup Sample ID</u>	<u>Analyte</u>	<u>Sample Activity</u>	<u>Dup Activity</u>	<u>RPD</u>	<u>RER</u>	<u>DER</u>	<u>ZFactor</u>

Matrix Spike Information

<u>SampID</u>	<u>SampMSID</u>	<u>Analyte</u>	<u>Sample Activity</u>	<u>MS Activity</u>	<u>StdAdded</u>	<u>MSRecovery</u> %	<u>ZFactor</u>

Blanks Information

<u>SampID</u>	<u>WRKNO</u>	<u>Analyte</u>	<u>Activity</u>	<u>UncTotal</u>	<u>ZFactor</u>

Alpha/Beta Count Results

Sample Activity Report

Purple 20-23 - D

Addr: 23

Sample ID ICVABT-1835527; C

Repeat 78

Carrier No. 0

Batch ID 566222

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 7/19/2022 1:36:48 PM

Count Ended 7/19/2022 1:56:53 PM

Sample Count Time 20.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.438	8,034	401.700	401.262
	0.021	89.633	4.482	4.482
Beta sd	0.456	4,159	207.950	207.494
	0.021	64.490	3.225	3.225

Alpha/Beta Count Results

Sample Activity Report

Purple 20-23 - D

Addr: 23

Sample ID ICVABT-1835527; B

Repeat 75
Carrier No. 0

Batch ID 566222

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 7/19/2022 2:01:13 PM

Count Ended 7/19/2022 2:21:22 PM

Sample Count Time 20.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.438	10,106	505.300	504.862
	0.021	100.529	5.026	5.026
Beta sd	0.456	4,858	242.900	242.444
	0.021	69.699	3.485	3.485

Alpha/Beta Count Results

Sample Activity Report

Purple 20-23 - D

Addr: 23

Sample ID ICVABT-1835527; A

Repeat 81

Carrier No. 0

Batch ID 566222

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 7/19/2022 2:31:19 PM

Count Ended 7/19/2022 2:51:27 PM

Sample Count Time 20.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.438	6,933	346.650	346.212
	0.021	83.265	4.163	4.163
Beta sd	0.456	3,060	153.000	152.544
	0.021	55.317	2.766	2.766

Alpha/Beta Count Results

Sample Activity Report

Red 1 (0-3) - A

Addr: 0

Sample ID ICVABT-51512;B1

Repeat

2

Carrier No.

0

Batch ID 239589

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty 0 Sample sd 0 Sample

Residual Wt 0 mg sd 0 mg

Count Began 7/8/2019 10:15:29 AM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 7/8/2019 10:20:33 AM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	1	0.200	0.200
sd	0.000			0.000	1.000	0.200	0.200
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	7,702	1,540.400	1,540.400
sd	0.000			0.000	87.761	17.552	17.552

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 1 (0-3) - A

Addr: 0

Sample ID ICVABT-51512;B1

Repeat

2

Carrier No.

0

Batch ID 239589

Count Method Gross Alpha Beta

Detector Volts

1515

Count Began 7/8/2019 10:15:29 AM

Count Ended 7/8/2019 10:20:33 AM

Sample Count Time

5.00 *mins*

Background Count Time

.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.000	1	0.200	0.200
	0.000	1.000	0.200	0.200
Beta sd	0.000	7,702	1,540.400	1,540.400
	0.000	87.761	17.552	17.552

**ICV is for Gross Beta
Strontium 90
and
Total Strontium**

Red - Beta ICV 2019

Detector	Low Mass Recovery	Medium Mass Recovery	High Mass Recovery	Mean Recovery
0	94.85%	92.74%	96.09%	94.56%

Prep Batch: 239589

Detector	B1	Activity	Units
0	Low Mass	3624.90	dpm/mL

B2	Activity	Units
Medium Mass	3544.20	dpm/mL

B3	Activity	Units
High Mass	3672.00	dpm/mL

Standard ID

Strontium 90

Sr-90_00018 #51512

Cert# 92352 Ref. date 11/29/12

Raw Sample/Standard Information

Initial Date/Time (t_0): 11/29/2012 0:00
Decayto Date/Time (t): 7/8/19 0:00
Initial Activity (A_0): 2,238.70 dpm
Initial Aliquot: 1 mL
Initial Conc: 2238.7 dpm/mL
***Soln. Density:** 1 g/mL
Nuclide: Sr-90
Half-Life (days): 10555.725 decay days fraction
****Decay Factor:** 0.8535 2412.00 0.22850
Decay Corr Activity: 1.9108E+03 dpm
Decay Corr Conc: 1.9108E+03 dpm/mL

Conversion/Calculations

Final Activity Unit: dpm
Activity Unit Factor: 1.00000
Final Volume Unit: mL
Volume Unit Factor: 1.000
Final Concentration: 1.9108E+03 dpm/mL
Aliquot Volume: 1.0000E+00 mL
Final Activity (A): 1.9108E+03 dpm
Final Activity (A=Sr/Y-90): 3821.55 dpm

** Uses basic decay equation: $A = A_0 * \exp(-\ln(2)*(t-t_0)/(half-life))$

* Soln. Density to be used when converting from liquid expressed in mass (g) units to liquid units (mL), and is only applied in that case.

Alpha/Beta Count Results

Sample Activity Report

Red 1 (0-3) - A

Addr: 0

Sample ID ICVABT-51512;B3

Repeat 8

Carrier No. 0

Batch ID 239589

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty 0 Sample sd 0 Sample

Residual Wt 0 mg sd 0 mg

Count Began 7/8/2019 11:28:24 AM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 7/8/2019 11:33:27 AM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	2	0.400	0.400
sd	0.000			0.000	1.414	0.283	0.283
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	6,955	1,391.000	1,391.000
sd	0.000			0.000	83.397	16.679	16.679

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 1 (0-3) - A

Addr: 0

Sample ID ICVABT-51512;B2

Repeat

9

Carrier No.

0

Batch ID 239589

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty 0 Sample sd 0 Sample

Residual Wt 0 mg sd 0 mg

Count Began 7/8/2019 11:35:07 AM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 7/8/2019 11:40:10 AM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	1	0.200	0.200
sd	0.000			0.000	1.000	0.200	0.200
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	7,109	1,421.800	1,421.800
sd	0.000			0.000	84.315	16.863	16.863

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 1 (0-3) - A

Addr: 0

Sample ID ICVABT-1835527;BG

Repeat 1

Carrier No. 0

Batch ID 451383

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 11/21/2019 6:53:28 AM

Count Ended 11/21/2019 7:38:33 AM

Sample Count Time 45.00 mins Background Count Time 1,000.00 mins

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.114	13,004	288.978	288.864
sd	0.011	114.035	2.534	2.534
Beta	0.401	5,176	115.022	114.621
sd	0.020	71.944	1.599	1.599

ICV is for Gross Alpha

Red - Alpha ICV

	Low Mass	Medium Mass	High Mass	Mean
Detector	Recovery	Recovery	Recovery	Recovery
0	87.98%	98.32%	109.18%	98.49%

Standard ID

Thorium-230

Th-230_00056 #1835527

Cert # 114475 Ref. date 10/29/19

Activity 1.031E+06 pCi/L

Prep Batch: 566222 (05/18/22)

	A1 = Low Mass	A2 = Medium Mass	A3 = High Mass
	0.0232g	0.0537g	0.0846g
Detector	Activity (pCi/mL)	Activity (pCi/mL)	Activity (pCi/mL)
0	9.074E+05	1.014E+06	1.126E+06

Sample ID	WRKNO	Aliquot	Mass	Instr ID	CountTime	Ts	Tb	Dilution	Sigma	DLC
	Analyte	Cs	XI	CPMs	CPM _b	Eff	Activity	UncTot	MDA	
ICVABT-1835527; A	160-45488-A-1-A	1.000E+000mL	0.0232	g	Red0	5/19/22 21:02	20.00	1000.00	1.00	1.00
Gross Alpha		6777	89	0.00	3.389E+002	8.900E-002	9.074E+003pCi/L	5.288E+004	1.103E+004	9.955E+002
ICVABT-1835527; B	160-45488-A-2-A	2.000E+000mL	0.0537	g	Red0	5/18/22 14:36	20.00	1000.00	1.00	1.00
Gross Alpha		10010	89	0.00	5.005E+002	8.900E-002	1.014E+006pCi/L	5.867E+004	1.014E+004	7.530E+002
ICVABT-1835527; C	160-45488-A-3-A	2.000E+000mL	0.0846	g	Red0	5/19/22 21:46	20.00	1000.00	1.00	1.00
Gross Alpha		8121	89	0.00	4.061E+002	8.900E-002	1.126E+006pCi/L	6.536E+004	1.249E+004	1.030E+003

Laboratory Control Sample Information

SampID	WRKNO	Analyte	Activity	StdAdded	Recovery	LCL	UCL	ZFactor
					%			

Sample Duplicate Information

Sample ID	Dup Sample ID	Analyte	Sample Activity	Dup Activity	RPD	RER	DER	ZFactor

Matrix Spike Information

SampID	SampMSID	Analyte	Sample Activity	MS Activity	StdAdded	MSRecovery	ZFactor
				%			

Blanks Information

SampID	WRKNO	Analyte	Activity	UncTotal	ZFactor

Alpha/Beta Count Results

Sample Activity Report

Red 1 (0-3) - A

Addr: 0

Sample ID ICVABT-1835527; B

Repeat 12

Carrier No. 0

Batch ID 566222

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/18/2022 2:36:18 PM

Count Ended 5/18/2022 2:56:24 PM

Sample Count Time 20.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.089	10,010	500.500	500.411
	0.009	100.050	5.002	5.003
Beta sd	0.374	4,508	225.400	225.026
	0.019	67.142	3.357	3.357

Alpha/Beta Count Results

Sample Activity Report

Red 1 (0-3) - A

Addr: 0

Sample ID ICVABT-1835527; A

Repeat 22

Carrier No. 0

Batch ID 566222

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/19/2022 9:02:16 PM

Count Ended 5/19/2022 9:22:30 PM

Sample Count Time 20.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.089	6,777	338.850	338.761
	0.009	82.323	4.116	4.116
Beta sd	0.374	2,767	138.350	137.976
	0.019	52.602	2.630	2.630

Alpha/Beta Count Results

Sample Activity Report

Red 1 (0-3) - A

Addr: 0

Sample ID ICVABT-1835527; C

Repeat 23

Carrier No. 0

Batch ID 566222

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/19/2022 9:46:20 PM

Count Ended 5/19/2022 10:06:24 PM

Sample Count Time 20.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.089	8,121	406.050	405.961
	0.009	90.117	4.506	4.506
Beta sd	0.374	3,699	184.950	184.576
	0.019	60.819	3.041	3.041

ICV is for Gross Beta
Strontium 90
and
Total Strontium

Red - Beta ICV 2019

Detector	Low Mass Recovery	Medium Mass Recovery	High Mass Recovery	Mean Recovery
1	94.60%	94.32%	94.14%	94.35%

Prep Batch: 239589

Detector	B1	Activity	Units
1	Low Mass	3615.20	dpm/mL

B2	Activity	Units
Medium Mass	3604.60	dpm/mL

B3	Activity	Units
High Mass	3597.60	dpm/mL

Standard ID

Strontium 90

Sr-90_00018 #51512

Cert# 92352 Ref. date 11/29/12

Raw Sample/Standard Information

Initial Date/Time (t_0): 11/29/2012 0:00

Decayto Date/Time (t): 7/8/19 0:00

Initial Activity (A_0): 2,238.70 dpm

Initial Aliquot: 1 mL

Initial Conc: 2238.7 dpm/mL

Nuclide: Sr-90

Half-Life (days): 10555.725 decay days

****Decay Factor:** 0.8535 2412.00

fraction

0.22850

Decay Corr Activity: 1.9108E+03 dpm

Decay Corr Conc: 1.9108E+03 dpm/mL

Conversion/Calculations

Final Activity Unit: dpm

Activity Unit Factor: 1.00000

Final Volume Unit: mL

Volume Unit Factor: 1.000

Final Concentration: 1.9108E+03 dpm/mL

Aliquot Volume: 1.0000E+00 mL

Final Activity (A): 1.9108E+03 dpm

Final Activity (A=Sr/Y-90): 3821.55 dpm

** Uses basic decay equation: $A = A_0 * \exp(-\ln(2)*(t-t_0)/(half-life))$

* Soln. Density to be used when converting from liquid expressed in mass (g) units to liquid units (mL), and is only applied in that case.

Alpha/Beta Count Results

Sample Activity Report

Red 1 (0-3) - B

Addr: 1

Sample ID ICVABT-51512;B2

Repeat

2

Carrier No.

0

Batch ID 239589

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0	Sample	sd	0	Sample	
Residual Wt	0	mg	sd	0	mg	

Count Began 7/8/2019 10:15:35 AM	Collection Date 1	1/1/1900	Half Life	0.00 days
----------------------------------	-------------------	----------	-----------	-----------

Count Ended 7/8/2019 10:20:38 AM	Collection Date 2	1/1/1900	Decay Factor	1.000
----------------------------------	-------------------	----------	--------------	-------

Sample Count Time	5.00 mins	Background Count Time	.00 mins
-------------------	-----------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	3	0.600	0.600
sd	0.000			0.000	1.732	0.346	0.346
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	7,214	1,442.800	1,442.800
sd	0.000			0.000	84.935	16.987	16.987

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 1 (0-3) - B

Addr: 1

Sample ID ICVABT-51512;B1

Repeat 3

Carrier No. 0

Batch ID 239589

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0	Sample	sd	0	Sample	
Residual Wt	0	mg	sd	0	mg	

Count Began 7/8/2019 10:32:12 AM	Collection Date 1 1/1/1900	Half Life	0.00 days
----------------------------------	----------------------------	-----------	-----------

Count Ended 7/8/2019 10:37:16 AM	Collection Date 2 1/1/1900	Decay Factor	1.000
----------------------------------	----------------------------	--------------	-------

Sample Count Time	5.00 mins	Background Count Time	.00 mins
-------------------	-----------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	1	0.200	0.200
sd	0.000			0.000	1.000	0.200	0.200
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	7,653	1,530.600	1,530.600
sd	0.000			0.000	87.481	17.496	17.496

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 1 (0-3) - B

Addr: 1

Sample ID ICVABT-51512;B3

Repeat 9
Carrier No. 0

Batch ID 239589

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty 0 Sample sd 0 Sample

Residual Wt 0 mg sd 0 mg

Count Began 7/8/2019 11:35:21 AM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 7/8/2019 11:40:25 AM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	0	0.000	0.000
sd	0.000			0.000	0.000	0.000	0.000
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	6,808	1,361.600	1,361.600
sd	0.000			0.000	82.511	16.502	16.502

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 1 (0-3) - B

Addr: 1

Sample ID ICVABT-1835527;BH

Repeat

1

Carrier No.

0

Batch ID 451383

Count Method Gross Alpha Beta

Detector Volts

1515

Count Began 11/21/2019 6:53:48 AM

Count Ended 11/21/2019 7:38:56 AM

Sample Count Time

45.00 *mins*

Background Count Time

1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.119	9,647	214.378	214.259
	0.011	98.219	2.183	2.183
Beta sd	0.397	4,257	94.600	94.203
	0.020	65.246	1.450	1.450

Alpha/Beta Count Results

Sample Activity Report

Red 1 (0-3) - B

Addr: 1

Sample ID ICVABT-1835527;BG

Repeat

2

Carrier No.

0

Batch ID 451383

Count Method Gross Alpha Beta

Detector Volts

1515

Count Began 11/21/2019 7:47:16 AM

Count Ended 11/21/2019 8:32:24 AM

Sample Count Time

45.00 *mins*

Background Count Time

1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.119	12,979	288.422	288.303
	0.011	113.925	2.532	2.532
Beta sd	0.397	5,311	118.022	117.625
	0.020	72.877	1.619	1.620

Alpha/Beta Count Results

Sample Activity Report

Red 1 (0-3) - B

Addr: 1

Sample ID ICVABT-1835527;B1

Repeat 8

Carrier No. 0

Batch ID 451383

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 11/21/2019 12:45:02 PM

Count Ended 11/21/2019 1:30:10 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.119	13,107	291.267	291.148
	0.011	114.486	2.544	2.544
Beta sd	0.397	6,337	140.822	140.425
	0.020	79.605	1.769	1.769

ICV is for Gross Alpha

Red - Alpha ICV

	Low Mass	Medium Mass	High Mass	Mean
Detector	Recovery	Recovery	Recovery	Recovery
1	87.61%	100.06%	104.43%	97.37%

Standard ID

Thorium-230

Th-230_00056 #1835527

Cert # 114475 Ref. date 10/29/19

Activity 1.031E+06 pCi/L

Prep Batch: 516409(6/30/21)

	A1 = Low Mass	A2 = Medium Mass	A3 = High Mass
	0.0232g	0.0537g	0.0846g
Detector	Activity (pCi/mL)	Activity (pCi/mL)	Activity (pCi/mL)
1	9.036E+05	1.032E+06	1.077E+06



Environment Testing
TestAmerica

Analysis Report for Gross Alpha/Beta

Batch: 566222 Operator:

<u>Sample ID</u>	<u>WRKNO</u>	<u>Aliquot</u>	<u>Mass</u>	<u>Instr ID</u>	<u>CountTime</u>	<u>Ts</u>	<u>Tb</u>	<u>Dilution</u>	<u>Sigma</u>	<u>MDA</u>	<u>DLC</u>
	<u>Analyte</u>	<u>Cs</u>	<u>Cl</u>	<u>XI</u>	<u>CPMs</u>	<u>CPM_b</u>	<u>Eff</u>	<u>Activity</u>			
ICVABT-1835527; A	160-45488-A-1-A	1.000E+000mL	0.0232	g	Red1	5/19/22 21:24	20.00		1000.00	1.00	1.00
Gross Alpha		6709	95	0.00	3.354E+002	9.500E-002	0.1672	9.036E+005pCi/L	5.268E+004	1.104E+004	1.021E+003
ICVABT-1835527; B	160-45488-A-2-A	2.000E+000mL	0.0537	g	Red1	5/19/22 21:02	20.00		1000.00	1.00	1.00
Gross Alpha		10197	95	0.00	5.099E+002	9.500E-002	0.1112	1.032E+006pCi/L	5.972E+004	1.022E+004	7.675E+002
ICVABT-1835527; C	160-45488-A-3-A	2.000E+000mL	0.0846	g	Red1	5/18/22 14:36	20.00		1000.00	1.00	1.00
Gross Alpha		7792	95	0.00	3.896E+002	9.500E-002	0.0815	1.077E+006pCi/L	6.259E+004	1.220E+004	1.048E+003

Laboratory Control Sample Information

<u>SampID</u>	<u>WRKNO</u>	<u>Analyte</u>	<u>Activity</u>	<u>StdAdded</u>	<u>Recovery</u>	<u>LCL</u>	<u>UCL</u>	<u>ZFactor</u>
								%

Sample Duplicate Information

<u>Sample ID</u>	<u>Dup Sample ID</u>	<u>Analyte</u>	<u>Sample Activity</u>	<u>Dup Activity</u>	<u>RPD</u>	<u>RER</u>	<u>DER</u>	<u>ZFactor</u>

Matrix Spike Information

<u>SampID</u>	<u>SampMSID</u>	<u>Analyte</u>	<u>Sample Activity</u>	<u>MS Activity</u>	<u>StdAdded</u>	<u>MSRecovery</u>	<u>ZFactor</u>
						%	

Blanks Information

<u>SampID</u>	<u>WRKNO</u>	<u>Analyte</u>	<u>Activity</u>	<u>UncTotal</u>	<u>ZFactor</u>

Alpha/Beta Count Results

Sample Activity Report

Red 1 (0-3) - B

Addr: 1

Sample ID ICVABT-1835527; C

Repeat 20

Carrier No. 0

Batch ID 566222

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/18/2022 2:36:22 PM

Count Ended 5/18/2022 2:56:27 PM

Sample Count Time 20.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.095	7,792	389.600	389.505
	0.010	88.272	4.414	4.414
Beta sd	0.348	3,853	192.650	192.302
	0.019	62.073	3.104	3.104

Alpha/Beta Count Results

Sample Activity Report

Red 1 (0-3) - B

Addr: 1

Sample ID ICVABT-1835527; B

Repeat 13

Carrier No. 0

Batch ID 566222

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/19/2022 9:02:24 PM

Count Ended 5/19/2022 9:22:33 PM

Sample Count Time 20.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.095	10,197	509.850	509.755
	0.010	100.980	5.049	5.049
Beta sd	0.348	4,323	216.150	215.802
	0.019	65.750	3.287	3.288

Alpha/Beta Count Results

Sample Activity Report

Red 1 (0-3) - B

Addr: 1

Sample ID ICVABT-1835527; A

Repeat 23

Carrier No. 0

Batch ID 566222

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/19/2022 9:24:16 PM

Count Ended 5/19/2022 9:44:22 PM

Sample Count Time 20.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.095	6,709	335.450	335.355
	0.010	81.908	4.095	4.095
Beta sd	0.348	2,753	137.650	137.302
	0.019	52.469	2.623	2.624

**ICV is for Gross Beta
Strontium 90
and
Total Strontium**

Red - Beta ICV 2019

Detector	Low Mass Recovery	Medium Mass Recovery	High Mass Recovery	Mean Recovery
2	95.35%	95.48%	98.05%	96.29%

Prep Batch: 239589

Detector	B1	Activity	Units
2	Low Mass	3643.90	dpm/mL

B2	Activity	Units
Medium Mass	3648.80	dpm/mL

B3	Activity	Units
High Mass	3746.90	dpm/mL

Standard ID

Strontium 90

Sr-90_00018 #51512

Cert# 92352 Ref. date 11/29/12

Raw Sample/Standard Information

Initial Date/Time (t_0): 11/29/2012 0:00

Decayto Date/Time (t): 7/8/19 0:00

Initial Activity (A_0): 2,238.70 dpm

Initial Aliquot: 1 mL

Initial Conc: 2238.7 dpm/mL

Nuclide: Sr-90

Half-Life (days): 10555.725 decay days

****Decay Factor:** 0.8535 2412.00

fraction

0.22850

Decay Corr Activity: 1.9108E+03 dpm

Decay Corr Conc: 1.9108E+03 dpm/mL

Conversion/Calculations

Final Activity Unit: dpm

Activity Unit Factor: 1.00000

Final Volume Unit: mL

Volume Unit Factor: 1.000

Final Concentration: 1.9108E+03 dpm/mL

Aliquot Volume: 1.0000E+00 mL

Final Activity (A): 1.9108E+03 dpm

Final Activity (A=Sr/Y-90): 3821.55 dpm

** Uses basic decay equation: $A = A_0 * \exp(-\ln(2)*(t-t_0)/(half-life))$

* Soln. Density to be used when converting from liquid expressed in mass (g) units to liquid units (mL), and is only applied in that case.

Alpha/Beta Count Results

Sample Activity Report

Red 1 (0-3) - C

Addr: 2

Sample ID ICVABT-51512;B3

Repeat 2
Carrier No. 0

Batch ID 239589

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0	Sample	sd	0	Sample	
Residual Wt	0	mg	sd	0	mg	

Count Began 7/8/2019 10:15:40 AM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 7/8/2019 10:20:44 AM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 mins	Background Count Time	.00 mins
-------------------	-----------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	2	0.400	0.400
sd	0.000			0.000	1.414	0.283	0.283
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	7,106	1,421.200	1,421.200
sd	0.000			0.000	84.297	16.859	16.859

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 1 (0-3) - C

Addr: 2

Sample ID ICVABT-51512;B2

Repeat 3

Carrier No. 0

Batch ID 239589

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty 0 Sample sd 0 Sample

Residual Wt 0 mg sd 0 mg

Count Began 7/8/2019 10:32:23 AM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 7/8/2019 10:37:26 AM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	2	0.400	0.400
sd	0.000			0.000	1.414	0.283	0.283
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	7,305	1,461.000	1,461.000
sd	0.000			0.000	85.469	17.094	17.094

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 1 (0-3) - C

Addr: 2

Sample ID ICVABT-51512;B1

Repeat

4

Carrier No.

0

Batch ID 239589

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty 0 Sample sd 0 Sample

Residual Wt 0 mg sd 0 mg

Count Began 7/8/2019 10:39:54 AM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 7/8/2019 10:44:58 AM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	2	0.400	0.400
sd	0.000			0.000	1.414	0.283	0.283
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	7,715	1,543.000	1,543.000
sd	0.000			0.000	87.835	17.567	17.567

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 1 (0-3) - C

Addr: 2

Sample ID ICVABT-1835527;BI

Repeat

1

Carrier No.

0

Batch ID 451383

Count Method Gross Alpha Beta

Detector Volts

1515

Count Began 11/21/2019 6:53:54 AM

Count Ended 11/21/2019 7:39:02 AM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.140	13,551	301.133	300.993
	0.012	116.409	2.587	2.587
Beta sd	0.361	6,356	141.244	140.883
	0.019	79.725	1.772	1.772

Alpha/Beta Count Results

Sample Activity Report

Red 1 (0-3) - C

Addr: 2

Sample ID ICVABT-1835527;BH

Repeat

2

Carrier No.

0

Batch ID 451383

Count Method Gross Alpha Beta

Detector Volts

1515

Count Began 11/21/2019 7:47:21 AM

Count Ended 11/21/2019 8:32:27 AM

Sample Count Time

45.00 *mins*

Background Count Time

1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.140	9,919	220.422	220.282
	0.012	99.594	2.213	2.213
Beta sd	0.361	4,387	97.489	97.128
	0.019	66.234	1.472	1.472

Alpha/Beta Count Results

Sample Activity Report

Red 1 (0-3) - C

Addr: 2

Sample ID ICVABT-1835527;BG

Repeat 3

Carrier No. 0

Batch ID 451383

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 11/21/2019 8:37:52 AM

Count Ended 11/21/2019 9:23:00 AM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.140	13,012	289.156	289.016
	0.012	114.070	2.535	2.535
Beta sd	0.361	5,282	117.378	117.017
	0.019	72.677	1.615	1.615

ICV is for Gross Alpha

Red - Alpha ICV

	Low Mass	Medium Mass	High Mass	Mean
Detector	Recovery	Recovery	Recovery	Recovery
2	85.81%	99.87%	106.75%	97.48%

Standard ID

Thorium-230

Th-230_00056 #1835527

Cert # 114475 Ref. date 10/29/19

Activity 1.031E+06 pCi/L

Prep Batch: 516409(6/30/21)

	A1 = Low Mass	A2 = Medium Mass	A3 = High Mass
	0.0232g	0.0537g	0.0846g
Detector	Activity (pCi/mL)	Activity (pCi/mL)	Activity (pCi/mL)
2	8.850E+05	1.030E+06	1.101E+06

Analysis Report for Gross Alpha/Beta
Batch: 566222 Operator:

<u>Sample ID</u>	<u>WRKNO</u>	<u>Aliquot</u>	<u>Mass</u>	<u>Instr ID</u>	<u>Count/Time</u>	<u>Ts</u>	<u>Tb</u>	<u>Dilution</u>	<u>Sigma</u>		
<u>Analyte</u>	<u>Cs</u>	<u>Cb</u>	<u>Xt</u>	<u>CPMs</u>	<u>CPM#</u>	<u>Eff</u>	<u>Activity</u>	<u>UncTot</u>	<u>UncCnt</u>	<u>MDA</u>	<u>DLC</u>
ICVABT-1835527; A	160-45488-A-1-A	1.000E+000mL	0.0232	g	Ref2	5 / 19 / 22 21:46	20.00	1000.00	1.00	1.00	
Gross Alpha	6631	88	0.00	3.316E-002	8.800E-002	0.1687	8.850E+005pCi/L	5.161E+004	1.087E+004	9.890E+002	4.168E+002
ICVABT-1835527; B	160-45488-A-2-A	2.000E+000mL	0.0537	g	Ref2	5 / 19 / 22 21:24	20.00	1000.00	1.00	1.00	
Gross Alpha	10261	88	0.00	5.130E-002	8.800E-002	0.1121	1.030E+006pCi/L	5.961E+004	1.017E+004	7.441E+002	3.136E+002
ICVABT-1835527; C	160-45488-A-3-A	2.000E+000mL	0.0846	g	Ref2	5 / 19 / 22 21:02	20.00	1000.00	1.00	1.00	
Gross Alpha	8029	88	0.00	4.014E-002	8.800E-002	0.0821	1.101E+006pCi/L	6.392E+004	1.229E+004	1.016E+003	4.280E+002
											63,924.6636

Laboratory Control Sample Information

<u>SampID</u>	<u>WRKNO</u>	<u>Analyte</u>	<u>Activity</u>	<u>StdAdded</u>	<u>Recovery</u>	<u>LCL</u>	<u>UCL</u>	<u>ZFactor</u>
					%			

Sample Duplicate Information

<u>Sample ID</u>	<u>Dup Sample ID</u>	<u>Analyte</u>	<u>Sample Activity</u>	<u>Dup Activity</u>	<u>RPD</u>	<u>RER</u>	<u>DER</u>	<u>ZFactor</u>

Matrix Spike Information

<u>SampID</u>	<u>SampMSID</u>	<u>Analyte</u>	<u>Sample Activity</u>	<u>MS Activity</u>	<u>StdAdded</u>	<u>MSRecovery</u>	<u>ZFactor</u>
						%	

Blanks Information

<u>SampID</u>	<u>WRKNO</u>	<u>Analyte</u>	<u>Activity</u>	<u>UncTotal</u>	<u>ZFactor</u>

Alpha/Beta Count Results

Sample Activity Report

Red 1 (0-3) - C

Addr: 2

Sample ID ICVABT-1835527; C

Repeat 21

Carrier No. 0

Batch ID 566222

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/19/2022 9:02:30 PM

Count Ended 5/19/2022 9:22:36 PM

Sample Count Time 20.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.088	8,029	401.450	401.362
	0.009	89.605	4.480	4.480
Beta sd	0.323	3,854	192.700	192.377
	0.018	62.081	3.104	3.104

Alpha/Beta Count Results

Sample Activity Report

Red 1 (0-3) - C

Addr: 2

Sample ID ICVABT-1835527; B

Repeat 14

Carrier No. 0

Batch ID 566222

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/19/2022 9:24:21 PM

Count Ended 5/19/2022 9:44:27 PM

Sample Count Time 20.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.088	10,261	513.050	512.962
	0.009	101.297	5.065	5.065
Beta sd	0.323	4,572	228.600	228.277
	0.018	67.617	3.381	3.381

Alpha/Beta Count Results

Sample Activity Report

Red 1 (0-3) - C

Addr: 2

Sample ID ICVABT-1835527; A

Repeat 24

Carrier No. 0

Batch ID 566222

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/19/2022 9:46:09 PM

Count Ended 5/19/2022 10:06:14 PM

Sample Count Time 20.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.088	6,631	331.550	331.462
	0.009	81.431	4.072	4.072
Beta sd	0.323	2,899	144.950	144.627
	0.018	53.842	2.692	2.692

ICV is for Gross Beta
Strontium 90
and
Total Strontium

Red - Beta ICV 2019

Detector	Low Mass Recovery	Medium Mass Recovery	High Mass Recovery	Mean Recovery
4	95.18%	96.02%	95.92%	95.71%

Prep Batch: 239589

Detector	B1	Activity	Units
4	Low Mass	3637.40	dpm/mL

B2	Activity	Units
Medium Mass	3669.30	dpm/mL

B3	Activity	Units
High Mass	3665.80	dpm/mL

Standard ID

Strontium 90

Sr-90_00018 #51512

Cert# 92352 Ref. date 11/29/12

Raw Sample/Standard Information

Initial Date/Time (t_0): 11/29/2012 0:00

Decayto Date/Time (t): 7/8/19 0:00

Initial Activity (A_0): 2,238.70 dpm

Initial Aliquot: 1 mL

Initial Conc: 2238.7 dpm/mL

Nuclide: Sr-90

Half-Life (days): 10555.725 decay days

****Decay Factor:** 0.8535 2412.00 fraction

Decay Corr Activity: 1.9108E+03 dpm

Decay Corr Conc: 1.9108E+03 dpm/mL

Conversion/Calculations

Final Activity Unit: dpm

Activity Unit Factor: 1.00000

Final Volume Unit: mL

Volume Unit Factor: 1.000

Final Concentration: 1.9108E+03 dpm/mL

Aliquot Volume: 1.0000E+00 mL

Final Activity (A): 1.9108E+03 dpm

Final Activity (A=Sr/Y-90): 3821.55 dpm

** Uses basic decay equation: $A = A_0 * \exp(-\ln(2)*(t-t_0)/(half-life))$

* Soln. Density to be used when converting from liquid expressed in mass (g) units to liquid units (mL), and is only applied in that case.

Alpha/Beta Count Results

Sample Activity Report

Red 1 (4-7) - A

Addr: 4

Sample ID ICVABT-51512;B3

Repeat 4

Carrier No. 0

Batch ID 239589

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty 0 Sample sd 0 Sample

Residual Wt 0 mg sd 0 mg

Count Began 7/8/2019 10:40:12 AM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 7/8/2019 10:45:15 AM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	1	0.200	0.200
sd	0.000			0.000	1.000	0.200	0.200
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	6,886	1,377.200	1,377.200
sd	0.000			0.000	82.982	16.596	16.596

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 1 (4-7) - A

Addr: 4

Sample ID ICVABT-51512;B2

Repeat

5

Carrier No.

0

Batch ID 239589

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty 0 Sample sd 0 Sample

Residual Wt 0 mg sd 0 mg

Count Began 7/8/2019 10:47:04 AM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 7/8/2019 10:52:09 AM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	4	0.800	0.800
sd	0.000			0.000	2.000	0.400	0.400
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	7,283	1,456.600	1,456.600
sd	0.000			0.000	85.340	17.068	17.068

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 1 (4-7) - A

Addr: 4

Sample ID ICVABT-51512;B1

Repeat 6
Carrier No. 0

Batch ID 239589

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty 0 Sample sd 0 Sample

Residual Wt 0 mg sd 0 mg

Count Began 7/8/2019 10:55:17 AM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 7/8/2019 11:00:20 AM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	1	0.200	0.200
sd	0.000			0.000	1.000	0.200	0.200
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	7,625	1,525.000	1,525.000
sd	0.000			0.000	87.321	17.464	17.464

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 1 (4-7) - A

Addr: 4

Sample ID ICVABT-51512;B1

Repeat 6

Carrier No. 0

Batch ID 239589

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 7/8/2019 10:55:17 AM

Count Ended 7/8/2019 11:00:20 AM

Sample Count Time 5.00 *mins* Background Count Time .00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.000	1	0.200	0.200
	0.000	1.000	0.200	0.200
Beta sd	0.000	7,625	1,525.000	1,525.000
	0.000	87.321	17.464	17.464

Alpha/Beta Count Results

Sample Activity Report

Red 1 (4-7) - A

Addr: 4

Sample ID ICVABT-1835527;BI

Repeat 3

Carrier No. 0

Batch ID 451383

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 11/21/2019 8:38:01 AM

Count Ended 11/21/2019 9:23:07 AM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.214	13,105	291.222	291.008
	0.015	114.477	2.544	2.544
Beta sd	0.400	6,375	141.667	141.267
	0.020	79.844	1.774	1.774

Alpha/Beta Count Results

Sample Activity Report

Red 1 (4-7) - A

Addr: 4

Sample ID ICVABT-1835527;BH

Repeat

4

Carrier No.

0

Batch ID 451383

Count Method Gross Alpha Beta

Detector Volts

1515

Count Began 11/21/2019 9:25:13 AM

Count Ended 11/21/2019 10:10:19 AM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.214	9,825	218.333	218.119
	0.015	99.121	2.203	2.203
Beta sd	0.400	4,347	96.600	96.200
	0.020	65.932	1.465	1.465

Alpha/Beta Count Results

Sample Activity Report

Red 1 (4-7) - A

Addr: 4

Sample ID ICVABT-1835527;BG

Repeat 5

Carrier No. 0

Batch ID 451383

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 11/21/2019 10:12:56 AM

Count Ended 11/21/2019 10:58:04 AM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.214	12,863	285.844	285.630
	0.015	113.415	2.520	2.520
Beta sd	0.400	5,356	119.022	118.622
	0.020	73.185	1.626	1.626

ICV is for Gross Alpha

Red - Alpha ICV

	Low Mass	Medium Mass	High Mass	Mean
Detector	Recovery	Recovery	Recovery	Recovery
4	81.82%	99.00%	105.78%	95.53%

Standard ID

Thorium-230

Th-230_00056 #1835527

Cert # 114475 Ref. date 10/29/19

Activity 1.031E+06 pCi/L

Prep Batch: 516409(6/30/21)

	A1 = Low Mass	A2 = Medium Mass	A3 = High Mass
	0.0232g	0.0537g	0.0846g
Detector	Activity (pCi/mL)	Activity (pCi/mL)	Activity (pCi/mL)
4	8.439E+05	1.021E+06	1.091E+06

Analysis Report for Gross Alpha/Beta
Batch: 566222

Operator:

<u>Sample ID</u>	<u>WRKNO</u>	<u>Aliquot</u>	<u>Mass</u>	<u>Instr ID</u>	<u>CountTime</u>	<u>Ts</u>	<u>Tb</u>	<u>Dilution</u>	<u>Sigma</u>	<u>DLC</u>
<u>Analyte</u>	<u>Cs</u>	<u>Ch</u>	<u>XI</u>	<u>CPMs</u>	<u>CPMh</u>	<u>Eff</u>	<u>Activity</u>	<u>UncTot</u>	<u>UncCnt</u>	<u>MDA</u>
ICVABT-1835527; A	160-45488-A-1-A	1.000E+000mL	0.0232	g	Red4	5 / 19 / 22 22:46	20.00	1000.00	1.00	1.00
Gross Alpha		6274	264	0.00	3.137E+002	2.640E-001	0.1673	8.439E+005pCi/L	4.927E+004	1.066E+004
ICVABT-1835527; B	160-45488-A-2-A	2.000E+000mL	0.0537	g	Red4	5 / 20 / 22 0:00	20.00	1000.00	1.00	1.00
Gross Alpha		10042	264	0.00	5.021E+002	2.640E-001	0.1107	1.021E+006pCi/L	5.910E+004	1.020E+004
ICVABT-1835527; C	160-45488-A-3-A	2.000E+000mL	0.0846	g	Red4	5 / 19 / 22 23:39	20.00	1000.00	1.00	1.00
Gross Alpha		7795	264	0.00	3.898E+002	2.640E-001	0.0804	1.091E+006pCi/L	6.338E+004	1.236E+004

Laboratory Control Sample Information

<u>SampID</u>	<u>WRKNO</u>	<u>Analyte</u>	<u>Activity</u>	<u>StdAdded</u>	<u>Recovery</u>	<u>LCL</u>	<u>UCL</u>	<u>ZFactor</u>
					%			

Sample Duplicate Information

<u>Sample ID</u>	<u>Dup Sample ID</u>	<u>Analyte</u>	<u>Sample Activity</u>	<u>Dup Activity</u>	<u>RPD</u>	<u>RER</u>	<u>DER</u>	<u>ZFactor</u>

Matrix Spike Information

<u>SampID</u>	<u>SampMSID</u>	<u>Analyte</u>	<u>Sample Activity</u>	<u>MS Activity</u>	<u>StdAdded</u>	<u>MSRecovery</u>	<u>%</u>	<u>ZFactor</u>

Blanks Information

<u>SampID</u>	<u>WRKNO</u>	<u>Analyte</u>	<u>Activity</u>	<u>UncTotal</u>	<u>ZFactor</u>

Alpha/Beta Count Results

Sample Activity Report

Red 1 (4-7) - A

Addr: 4

Sample ID ICVABT-1835527; A

Repeat 25

Carrier No. 0

Batch ID 566222

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/19/2022 10:46:50 PM

Count Ended 5/19/2022 11:07:04 PM

Sample Count Time 20.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.264	6,274	313.700	313.436
	0.016	79.209	3.960	3.960
Beta sd	0.524	2,555	127.750	127.226
	0.023	50.547	2.527	2.527

Alpha/Beta Count Results

Sample Activity Report

Red 1 (4-7) - A

Addr: 4

Sample ID ICVABT-1835527; C

Repeat 26
Carrier No. 0

Batch ID 566222

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/19/2022 11:39:07 PM

Count Ended 5/19/2022 11:59:12 PM

Sample Count Time 20.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.264	7,795	389.750	389.486
	0.016	88.289	4.414	4.414
Beta sd	0.524	3,684	184.200	183.676
	0.023	60.696	3.035	3.035

Alpha/Beta Count Results

Sample Activity Report

Red 1 (4-7) - A

Addr: 4

Sample ID ICVABT-1835527; B

Repeat 19

Carrier No. 0

Batch ID 566222

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/20/2022 12:00:59 AM

Count Ended 5/20/2022 12:21:05 AM

Sample Count Time 20.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.264	10,042	502.100	501.836
	0.016	100.210	5.010	5.011
Beta sd	0.524	4,343	217.150	216.626
	0.023	65.901	3.295	3.295

**ICV is for Gross Beta
Strontium 90
and
Total Strontium**

Red - Beta ICV 2019

Detector	Low Mass Recovery	Medium Mass Recovery	High Mass Recovery	Mean Recovery
5	94.81%	94.48%	98.02%	95.77%

Prep Batch: 239589

Detector	B1	Activity	Units
5	Low Mass	3623.10	dpm/mL

B2	Activity	Units
Medium Mass	3610.60	dpm/mL

B3	Activity	Units
High Mass	3745.80	dpm/mL

Standard ID

Strontium 90

Sr-90_00018 #51512

Cert# 92352 Ref. date 11/29/12

Raw Sample/Standard Information

Initial Date/Time (t_0): 11/29/2012 0:00

Decayto Date/Time (t): 7/8/19 0:00

Initial Activity (A_0): 2,238.70 dpm

Initial Aliquot: 1 mL

Initial Conc: 2238.7 dpm/mL

Nuclide: Sr-90

Half-Life (days): 10555.725 decay days

****Decay Factor:** 0.8535 2412.00

fraction

0.22850

Decay Corr Activity: 1.9108E+03 dpm

Decay Corr Conc: 1.9108E+03 dpm/mL

Conversion/Calculations

Final Activity Unit: dpm

Activity Unit Factor: 1.00000

Final Volume Unit: mL

Volume Unit Factor: 1.000

Final Concentration: 1.9108E+03 dpm/mL

Aliquot Volume: 1.0000E+00 mL

Final Activity (A): 1.9108E+03 dpm

Final Activity (A=Sr/Y-90): 3821.55 dpm

** Uses basic decay equation: $A = A_0 * \exp(-\ln(2)*(t-t_0)/(half-life))$

* Soln. Density to be used when converting from liquid expressed in mass (g) units to liquid units (mL), and is only applied in that case.

ICV is for Gross Beta
Strontium 90
and
Total Strontium

Red - Beta ICV 2019

Detector	Low Mass Recovery	Medium Mass Recovery	High Mass Recovery	Mean Recovery
5	94.81%	94.48%	98.02%	95.77%

Prep Batch: 239589

Detector	B1	Activity	Units
5	Low Mass	3623.10	dpm/mL

B2	Activity	Units
Medium Mass	3610.60	dpm/mL

B3	Activity	Units
High Mass	3745.80	dpm/mL

Standard ID

Strontium 90

Sr-90_00018 #51512

Cert# 92352 Ref. date 11/29/12

Raw Sample/Standard Information

Initial Date/Time (t_0): 11/29/2012 0:00

Decayto Date/Time (t): 7/8/19 0:00

Initial Activity (A_0): 2,238.70 dpm

Initial Aliquot: 1 mL

Initial Conc: 2238.7 dpm/mL

Nuclide: Sr-90

Half-Life (days): 10555.725 decay days

****Decay Factor:** 0.8535 2412.00

fraction

0.22850

Decay Corr Activity: 1.9108E+03 dpm

Decay Corr Conc: 1.9108E+03 dpm/mL

Conversion/Calculations

Final Activity Unit: dpm

Activity Unit Factor: 1.00000

Final Volume Unit: mL

Volume Unit Factor: 1.000

Final Concentration: 1.9108E+03 dpm/mL

Aliquot Volume: 1.0000E+00 mL

Final Activity (A): 1.9108E+03 dpm

Final Activity (A=Sr/Y-90): 3821.55 dpm

** Uses basic decay equation: $A = A_0 * \exp(-\ln(2)*(t-t_0)/(half-life))$

* Soln. Density to be used when converting from liquid expressed in mass (g) units to liquid units (mL), and is only applied in that case.

Alpha/Beta Count Results

Sample Activity Report

Red 1 (4-7) - B

Addr: 5

Sample ID ICVABT-51512;B3

Repeat 5

Carrier No. 0

Batch ID 239589

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty 0 Sample sd 0 Sample

Residual Wt 0 mg sd 0 mg

Count Began 7/8/2019 10:47:13 AM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 7/8/2019 10:52:16 AM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	1	0.200	0.200
sd	0.000			0.000	1.000	0.200	0.200
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	7,060	1,412.000	1,412.000
sd	0.000			0.000	84.024	16.805	16.805

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 1 (4-7) - B

Addr: 5

Sample ID ICVABT-51512;B2

Repeat

6

Carrier No.

0

Batch ID 239589

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty 0 Sample sd 0 Sample

Residual Wt 0 mg sd 0 mg

Count Began 7/8/2019 10:55:23 AM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 7/8/2019 11:00:26 AM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	0	0.000	0.000
sd	0.000			0.000	0.000	0.000	0.000
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	7,196	1,439.200	1,439.200
sd	0.000			0.000	84.829	16.966	16.966

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 1 (4-7) - B

Addr: 5

Sample ID ICVABT-51512;B1

Repeat

7

Carrier No.

0

Batch ID 239589

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0	Sample	sd	0	Sample	
Residual Wt	0	mg	sd	0	mg	

Count Began 7/8/2019 11:01:50 AM	Collection Date 1	1/1/1900	Half Life	0.00 days
----------------------------------	-------------------	----------	-----------	-----------

Count Ended 7/8/2019 11:06:54 AM	Collection Date 2	1/1/1900	Decay Factor	1.000
----------------------------------	-------------------	----------	--------------	-------

Sample Count Time	5.00 mins	Background Count Time	.00 mins
-------------------	-----------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	1	0.200	0.200
sd	0.000			0.000	1.000	0.200	0.200
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	7,661	1,532.200	1,532.200
sd	0.000			0.000	87.527	17.505	17.505

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 1 (4-7) - B

Addr: 5

Sample ID ICVABT-1835527;B1

Repeat

4

Carrier No.

0

Batch ID 451383

Count Method Gross Alpha Beta

Detector Volts

1515

Count Began 11/21/2019 9:25:17 AM

Count Ended 11/21/2019 10:10:25 AM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.153	13,568	301.511	301.358
	0.012	116.482	2.588	2.589
Beta sd	0.367	6,044	134.311	133.944
	0.019	77.743	1.728	1.728

Alpha/Beta Count Results

Sample Activity Report

Red 1 (4-7) - B

Addr: 5

Sample ID ICVABT-1835527;BH

Repeat 5

Carrier No. 0

Batch ID 451383

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 11/21/2019 10:13:03 AM

Count Ended 11/21/2019 10:58:10 AM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.153	10,143	225.400	225.247
	0.012	100.712	2.238	2.238
Beta sd	0.367	4,186	93.022	92.655
	0.019	64.699	1.438	1.438

Alpha/Beta Count Results

Sample Activity Report

Red 1 (4-7) - B

Addr: 5

Sample ID ICVABT-1835527;BG

Repeat 6

Carrier No. 0

Batch ID 451383

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 11/21/2019 11:04:30 AM

Count Ended 11/21/2019 11:49:38 AM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.153	13,253	294.511	294.358
	0.012	115.122	2.558	2.558
Beta sd	0.367	5,114	113.644	113.277
	0.019	71.512	1.589	1.589

ICV is for Gross Alpha

Red - Alpha ICV

	Low Mass	Medium Mass	High Mass	Mean
Detector	Recovery	Recovery	Recovery	Recovery
5	87.01%	99.09%	108.30%	98.14%

Standard ID

Thorium-230

Th-230_00056 #1835527

Cert # 114475 Ref. date 10/29/19

Activity 1.031E+06 pCi/L

Prep Batch: 516409(6/30/21)

	A1 = Low Mass	A2 = Medium Mass	A3 = High Mass
	0.0232g	0.0537g	0.0846g
Detector	Activity (pCi/mL)	Activity (pCi/mL)	Activity (pCi/mL)
5	8.974E+05	1.022E+06	1.117E+06

Sample ID	WRKNO	Aliquot	Mass	Instr ID	CountTime	Ts	Tb	Dilution	Sigma
	Analyte	Cs	XI	CPMs	CPM _b	Eff	Activity	UncTot	MDA
ICVABT-1835527; A	160-45488-A-1-A	1.000E+000mL	0.0232	g Red5	5 / 19 / 22	23.09	20.00	1000.00	1.00
Gross Alpha		6561	159	0.00	3.28E+002	1.590E-001	0.1646	8.974E+005pCi/L	5.234E+004
ICVABT-1835527; B	160-45488-A-2-A	2.000E+000mL	0.0537	g Red5	5 / 19 / 22	22.46	20.00	1000.00	1.00
Gross Alpha		9833	159	0.00	4.916E+002	1.590E-001	0.1083	1.022E+006pCi/L	5.918E+004
ICVABT-1835527; C	160-45488-A-3-A	2.000E+000mL	0.0846	g Red5	5 / 20 / 22	0:01	20.00	1000.00	1.00
Gross Alpha		7796	159	0.00	3.898E+002	1.590E-001	0.0786	1.117E+006pCi/L	6.490E+004

Laboratory Control Sample Information

SampID	WRKNO	Analyte	Activity	StdAdded	Recovery	LCL	UCL	ZFactor
			%					

Sample Duplicate Information

Sample ID	Dup Sample ID	Analyte	Sample Activity	Dup Activity	RPD	RER	DER	ZFactor

Matrix Spike Information

SampID	SampMSID	Analyte	Sample Activity	MS Activity	StdAdded	MSRecovery	%

Blanks Information

SampID	WRKNO	Analyte	Activity	UncTotal	ZFactor

Alpha/Beta Count Results

Sample Activity Report

Red 1 (4-7) - B

Addr: 5

Sample ID ICVABT-1835527; B

Repeat 16
Carrier No. 0

Batch ID 566222

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/19/2022 10:46:57 PM

Count Ended 5/19/2022 11:07:07 PM

Sample Count Time 20.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.159	9,833	491.650	491.491
	0.013	99.161	4.958	4.958
Beta sd	0.311	4,285	214.250	213.939
	0.018	65.460	3.273	3.273

Alpha/Beta Count Results

Sample Activity Report

Red 1 (4-7) - B

Addr: 5

Sample ID ICVABT-1835527; A

Repeat 26

Carrier No. 0

Batch ID 566222

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/19/2022 11:09:53 PM

Count Ended 5/19/2022 11:29:59 PM

Sample Count Time 20.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.159	6,561	328.050	327.891
	0.013	81.000	4.050	4.050
Beta sd	0.311	2,587	129.350	129.039
	0.018	50.863	2.543	2.543

Alpha/Beta Count Results

Sample Activity Report

Red 1 (4-7) - B

Addr: 5

Sample ID ICVABT-1835527; C

Repeat

27

Carrier No.

0

Batch ID 566222

Count Method Gross Alpha Beta

Detector Volts

1515

Count Began 5/20/2022 12:01:09 AM

Count Ended 5/20/2022 12:21:15 AM

Sample Count Time 20.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.159	7,796	389.800	389.641
	0.013	88.295	4.415	4.415
Beta sd	0.311	3,704	185.200	184.889
	0.018	60.860	3.043	3.043

**ICV is for Gross Beta
Strontium 90
and
Total Strontium**

Red - Beta ICV 2019

Detector	Low Mass Recovery	Medium Mass Recovery	High Mass Recovery	Mean Recovery
6	97.17%	94.72%	97.23%	96.37%

Prep Batch: 239589

Detector	B1	Activity	Units
6	Low Mass	3713.40	dpm/mL

B2	Activity	Units
Medium Mass	3619.80	dpm/mL

B3	Activity	Units
High Mass	3715.80	dpm/mL

Standard ID

Strontium 90

Sr-90_00018 #51512

Cert# 92352 Ref. date 11/29/12

Raw Sample/Standard Information

Initial Date/Time (t_0): 11/29/2012 0:00

Decayto Date/Time (t): 7/8/19 0:00

Initial Activity (A_0): 2,238.70 dpm

Initial Aliquot: 1 mL

Initial Conc: 2238.7 dpm/mL

Nuclide: Sr-90

Half-Life (days): 10555.725 decay days

****Decay Factor:** 0.8535 2412.00

fraction

0.22850

Decay Corr Activity: 1.9108E+03 dpm

Decay Corr Conc: 1.9108E+03 dpm/mL

Conversion/Calculations

Final Activity Unit: dpm

Activity Unit Factor: 1.00000

Final Volume Unit: mL

Volume Unit Factor: 1.000

Final Concentration: 1.9108E+03 dpm/mL

Aliquot Volume: 1.0000E+00 mL

Final Activity (A): 1.9108E+03 dpm

Final Activity (A=Sr/Y-90): 3821.55 dpm

** Uses basic decay equation: $A = A_0 * \exp(-\ln(2)*(t-t_0)/(half-life))$

* Soln. Density to be used when converting from liquid expressed in mass (g) units to liquid units (mL), and is only applied in that case.

ICV is for Gross Beta
Strontium 90
and
Total Strontium

Red - Beta ICV 2019

Detector	Low Mass Recovery	Medium Mass Recovery	High Mass Recovery	Mean Recovery
6	97.17%	94.72%	97.23%	96.37%

Prep Batch: 239589

Detector	B1	Activity	Units
6	Low Mass	3713.40	dpm/mL

B2	Activity	Units
Medium Mass	3619.80	dpm/mL

B3	Activity	Units
High Mass	3715.80	dpm/mL

Standard ID

Strontium 90

Sr-90_00018 #51512

Cert# 92352 Ref. date 11/29/12

Raw Sample/Standard Information

Initial Date/Time (t_0): 11/29/2012 0:00

Decayto Date/Time (t): 7/8/19 0:00

Initial Activity (A_0): 2,238.70 dpm

Initial Aliquot: 1 mL

Initial Conc: 2238.7 dpm/mL

Nuclide: Sr-90

Half-Life (days): 10555.725 decay days

****Decay Factor:** 0.8535 2412.00 fraction

Decay Corr Activity: 1.9108E+03 dpm

Decay Corr Conc: 1.9108E+03 dpm/mL

Conversion/Calculations

Final Activity Unit: dpm

Activity Unit Factor: 1.00000

Final Volume Unit: mL

Volume Unit Factor: 1.000

Final Concentration: 1.9108E+03 dpm/mL

Aliquot Volume: 1.0000E+00 mL

Final Activity (A): 1.9108E+03 dpm

Final Activity (A=Sr/Y-90): 3821.55 dpm

** Uses basic decay equation: $A = A_0 * \exp(-\ln(2)*(t-t_0)/(half-life))$

* Soln. Density to be used when converting from liquid expressed in mass (g) units to liquid units (mL), and is only applied in that case.

Alpha/Beta Count Results

Sample Activity Report

Red 1 (4-7) - C

Addr: 6

Sample ID ICVABT-51512;B3

Repeat 6
Carrier No. 0

Batch ID 239589

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty 0 Sample sd 0 Sample

Residual Wt 0 mg sd 0 mg

Count Began 7/8/2019 10:55:30 AM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 7/8/2019 11:00:33 AM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	0	0.000	0.000
sd	0.000			0.000	0.000	0.000	0.000
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	6,959	1,391.800	1,391.800
sd	0.000			0.000	83.421	16.684	16.684

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 1 (4-7) - C

Addr: 6

Sample ID ICVABT-51512;B2

Repeat

7

Carrier No.

0

Batch ID 239589

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0	Sample	sd	0	Sample	
Residual Wt	0	mg	sd	0	mg	

Count Began 7/8/2019 11:01:55 AM	Collection Date 1	1/1/1900	Half Life	0.00 days
----------------------------------	-------------------	----------	-----------	-----------

Count Ended 7/8/2019 11:06:59 AM	Collection Date 2	1/1/1900	Decay Factor	1.000
----------------------------------	-------------------	----------	--------------	-------

Sample Count Time	5.00 mins	Background Count Time	.00 mins
-------------------	-----------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	1	0.200	0.200
sd	0.000			0.000	1.000	0.200	0.200
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	7,159	1,431.800	1,431.800
sd	0.000			0.000	84.611	16.922	16.922

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 1 (4-7) - C

Addr: 6

Sample ID ICVABT-51512;B1

Repeat 8

Carrier No. 0

Batch ID 239589

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty 0 Sample sd 0 Sample

Residual Wt 0 mg sd 0 mg

Count Began 7/8/2019 11:28:04 AM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 7/8/2019 11:33:08 AM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	1	0.200	0.200
sd	0.000			0.000	1.000	0.200	0.200
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	7,751	1,550.200	1,550.200
sd	0.000			0.000	88.040	17.608	17.608

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 1 (4-7) - C

Addr: 6

Sample ID ICVABT-1835527;BI

Repeat 5

Carrier No. 0

Batch ID 451383

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 11/21/2019 10:13:10 AM

Count Ended 11/21/2019 10:58:18 AM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.099	13,341	296.467	296.368
	0.010	115.503	2.567	2.567
Beta sd	0.290	6,209	137.978	137.688
	0.017	78.797	1.751	1.751

Alpha/Beta Count Results

Sample Activity Report

Red 1 (4-7) - C

Addr: 6

Sample ID ICVABT-1835527;BH

Repeat 6

Carrier No. 0

Batch ID 451383

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 11/21/2019 11:04:40 AM

Count Ended 11/21/2019 11:49:47 AM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.099	9,870	219.333	219.234
	0.010	99.348	2.208	2.208
Beta sd	0.290	4,119	91.533	91.243
	0.017	64.179	1.426	1.426

Alpha/Beta Count Results

Sample Activity Report

Red 1 (4-7) - C

Addr: 6

Sample ID ICVABT-1835527;BG

Repeat

7

Carrier No.

0

Batch ID 451383

Count Method Gross Alpha Beta

Detector Volts

1515

Count Began 11/21/2019 11:55:54 AM

Count Ended 11/21/2019 12:41:03 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.099	12,900	286.667	286.568
	0.010	113.578	2.524	2.524
Beta sd	0.290	5,239	116.422	116.132
	0.017	72.381	1.608	1.609

ICV is for Gross Alpha

Red - Alpha ICV

	Low Mass	Medium Mass	High Mass	Mean
Detector	Recovery	Recovery	Recovery	Recovery
6	88.16%	97.93%	107.72%	97.94%

Standard ID

Thorium-230

Th-230_00056 #1835527

Cert # 114475 Ref. date 10/29/19

Activity 1.031E+06 pCi/L

Prep Batch: 516409(6/30/21)

	A1 = Low Mass	A2 = Medium Mass	A3 = High Mass
	0.0232g	0.0537g	0.0846g
Detector	Activity (pCi/mL)	Activity (pCi/mL)	Activity (pCi/mL)
6	9.092E+05	1.010E+06	1.111E+06

Analysis Report for Gross Alpha/Beta

Batch: 566222 **Operator:**

<u>Sample ID</u>	<u>WRKNO</u>	<u>Aliquot</u>	<u>Mass</u>	<u>Instr ID</u>	<u>CountTime</u>	<u>Activity</u>	<u>Ts</u>	<u>Tb</u>	<u>Dilution</u>	<u>Sigma</u>
<u>Analyte</u>	<u>Cs</u>	<u>Ch</u>	<u>Xt</u>	<u>CPMs</u>	<u>CPM#</u>	<u>Eff</u>			<u>UncTot</u>	<u>UncCnt</u>
ICVABT-1835527; A	160-45488-A-1-A	1.000E+000mL	0.0232	g	Red6	5/19/22 23:39	20.00	1000.00	1.00	1.00
Gross Alpha		6731	93	0.00	3.366E+002	9.300E-002	0.1667	5.299E+004	1.108E+004	4.336E+002
ICVABT-1835527; B	160-45488-A-2-A	2.000E+000mL	0.0537	g	Red6	5/19/22 23:09	20.00	1000.00	1.00	1.00
Gross Alpha		9895	93	0.00	4.998E+002	9.300E-002	0.1114	5.844E+004	1.010E+004	7.611E+002
ICVABT-1835527; C	160-45488-A-3-A	2.000E+000mL	0.0846	g	Red6	5/19/22 22:47	20.00	1000.00	1.00	1.00
Gross Alpha		8050	93	0.00	4.025E+002	9.300E-002	0.0816	6.454E+004	1.239E+004	1.040E+003
										64,536.4561

Laboratory Control Sample Information

<u>SampID</u>	<u>WRKNO</u>	<u>Analyte</u>	<u>Activity</u>	<u>StdAdded</u>	<u>Recovery</u>	<u>LCL</u>	<u>UCL</u>	<u>ZFactor</u>
					%	-	-	-

Sample Duplicate Information

<u>Sample ID</u>	<u>Dup Sample ID</u>	<u>Analyte</u>	<u>Sample Activity</u>	<u>Dup Activity</u>	<u>RPD</u>	<u>RER</u>	<u>DER</u>	<u>ZFactor</u>

Matrix Spike Information

<u>SampID</u>	<u>SampMSID</u>	<u>Analyte</u>	<u>Sample Activity</u>	<u>MS Activity</u>	<u>StdAdded</u>	<u>MSRecovery</u>	<u>%</u>

Blanks Information

<u>SampID</u>	<u>WRKNO</u>	<u>Analyte</u>	<u>Activity</u>	<u>UncTotal</u>	<u>ZFactor</u>

Alpha/Beta Count Results

Sample Activity Report

Red 1 (4-7) - C

Addr: 6

Sample ID ICVABT-1835527; C

Repeat 24

Carrier No. 0

Batch ID 566222

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/19/2022 10:47:09 PM

Count Ended 5/19/2022 11:07:15 PM

Sample Count Time 20.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.093	8,050	402.500	402.407
	0.010	89.722	4.486	4.486
Beta sd	0.319	3,770	188.500	188.181
	0.018	61.400	3.070	3.070

Alpha/Beta Count Results

Sample Activity Report

Red 1 (4-7) - C

Addr: 6

Sample ID ICVABT-1835527; B

Repeat 17

Carrier No. 0

Batch ID 566222

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/19/2022 11:09:59 PM

Count Ended 5/19/2022 11:30:04 PM

Sample Count Time 20.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.093	9,995	499.750	499.657
	0.010	99.975	4.999	4.999
Beta sd	0.319	4,387	219.350	219.031
	0.018	66.234	3.312	3.312

Alpha/Beta Count Results

Sample Activity Report

Red 1 (4-7) - C

Addr: 6

Sample ID ICVABT-1835527; A

Repeat 27

Carrier No. 0

Batch ID 566222

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/19/2022 11:39:12 PM

Count Ended 5/19/2022 11:59:18 PM

Sample Count Time 20.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.093	6,731	336.550	336.457
	0.010	82.043	4.102	4.102
Beta sd	0.319	2,704	135.200	134.881
	0.018	52.000	2.600	2.600

ICV is for Gross Beta
Strontium 90
and
Total Strontium

Red - Beta ICV 2019

Detector	Low Mass Recovery	Medium Mass Recovery	High Mass Recovery	Mean Recovery
7	97.90%	97.14%	95.30%	96.78%

Prep Batch: 239589

Detector	B1	Activity	Units
7	Low Mass	3741.30	dpm/mL

B2	Activity	Units
Medium Mass	3712.30	dpm/mL

B3	Activity	Units
High Mass	3641.80	dpm/mL

Standard ID

Strontium 90

Sr-90_00018 #51512

Cert# 92352 Ref. date 11/29/12

Raw Sample/Standard Information

Initial Date/Time (t_0): 11/29/2012 0:00

Decayto Date/Time (t): 7/8/19 0:00

Initial Activity (A_0): 2,238.70 dpm

Initial Aliquot: 1 mL

Initial Conc: 2238.7 dpm/mL

Nuclide: Sr-90

Half-Life (days): 10555.725 decay days

****Decay Factor:** 0.8535 2412.00

fraction

0.22850

Decay Corr Activity: 1.9108E+03 dpm

Decay Corr Conc: 1.9108E+03 dpm/mL

Conversion/Calculations

Final Activity Unit: dpm

Activity Unit Factor: 1.00000

Final Volume Unit: mL

Volume Unit Factor: 1.000

Final Concentration: 1.9108E+03 dpm/mL

Aliquot Volume: 1.0000E+00 mL

Final Activity (A): 1.9108E+03 dpm

Final Activity (A=Sr/Y-90): 3821.55 dpm

** Uses basic decay equation: $A = A_0 * \exp(-\ln(2)*(t-t_0)/(half-life))$

* Soln. Density to be used when converting from liquid expressed in mass (g) units to liquid units (mL), and is only applied in that case.

**ICV is for Gross Beta
Strontium 90
and
Total Strontium**

Red - Beta ICV 2019

Detector	Low Mass Recovery	Medium Mass Recovery	High Mass Recovery	Mean Recovery
7	97.90%	97.14%	95.30%	96.78%

Prep Batch: 239589

Detector	B1	Activity	Units
7	Low Mass	3741.30	dpm/mL

B2	Activity	Units
Medium Mass	3712.30	dpm/mL

B3	Activity	Units
High Mass	3641.80	dpm/mL

Standard ID

Strontium 90

Sr-90_00018 #51512

Cert# 92352 Ref. date 11/29/12

Raw Sample/Standard Information

Initial Date/Time (t_0): 11/29/2012 0:00

Decayto Date/Time (t): 7/8/19 0:00

Initial Activity (A_0): 2,238.70 dpm

Initial Aliquot: 1 mL

Initial Conc: 2238.7 dpm/mL

Nuclide: Sr-90

Half-Life (days): 10555.725 decay days

****Decay Factor:** 0.8535 2412.00

fraction

0.22850

Decay Corr Activity: 1.9108E+03 dpm

Decay Corr Conc: 1.9108E+03 dpm/mL

Conversion/Calculations

Final Activity Unit: dpm

Activity Unit Factor: 1.00000

Final Volume Unit: mL

Volume Unit Factor: 1.000

Final Concentration: 1.9108E+03 dpm/mL

Aliquot Volume: 1.0000E+00 mL

Final Activity (A): 1.9108E+03 dpm

Final Activity (A=Sr/Y-90): 3821.55 dpm

** Uses basic decay equation: $A = A_0 * \exp(-\ln(2)*(t-t_0)/(half-life))$

* Soln. Density to be used when converting from liquid expressed in mass (g) units to liquid units (mL), and is only applied in that case.

Alpha/Beta Count Results

Sample Activity Report

Red 1 (4-7) - D

Addr: 7

Sample ID ICVABT-51512;B3

Repeat

7

Carrier No.

0

Batch ID 239589

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0	Sample	sd	0	Sample	
Residual Wt	0	mg	sd	0	mg	

Count Began 7/8/2019 11:02:03 AM	Collection Date 1	1/1/1900	Half Life	0.00 days
----------------------------------	-------------------	----------	-----------	-----------

Count Ended 7/8/2019 11:07:07 AM	Collection Date 2	1/1/1900	Decay Factor	1.000
----------------------------------	-------------------	----------	--------------	-------

Sample Count Time	5.00 mins	Background Count Time	.00 mins
-------------------	-----------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	0	0.000	0.000
sd	0.000			0.000	0.000	0.000	0.000
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	6,858	1,371.600	1,371.600
sd	0.000			0.000	82.813	16.563	16.563

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 1 (4-7) - D

Addr: 7

Sample ID ICVABT-51512;B2

Repeat 8

Carrier No. 0

Batch ID 239589

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0	Sample	sd	0	Sample	
Residual Wt	0	mg	sd	0	mg	

Count Began 7/8/2019 11:28:15 AM	Collection Date 1	1/1/1900	Half Life	0.00 days
----------------------------------	-------------------	----------	-----------	-----------

Count Ended 7/8/2019 11:33:19 AM	Collection Date 2	1/1/1900	Decay Factor	1.000
----------------------------------	-------------------	----------	--------------	-------

Sample Count Time	5.00 mins	Background Count Time	.00 mins
-------------------	-----------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	1	0.200	0.200
sd	0.000			0.000	1.000	0.200	0.200
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	7,390	1,478.000	1,478.000
sd	0.000			0.000	85.965	17.193	17.193

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 1 (4-7) - D

Addr: 7

Sample ID ICVABT-51512;B1

Repeat 9
Carrier No. 0

Batch ID 239589

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty 0 Sample sd 0 Sample

Residual Wt 0 mg sd 0 mg

Count Began 7/8/2019 11:34:52 AM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 7/8/2019 11:39:54 AM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	1	0.200	0.200
sd	0.000			0.000	1.000	0.200	0.200
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	7,918	1,583.600	1,583.600
sd	0.000			0.000	88.983	17.797	17.797

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 1 (4-7) - D

Addr: 7

Sample ID ICVABT-1835527;BI

Repeat 6

Carrier No. 0

Batch ID 451383

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 11/21/2019 11:04:48 AM

Count Ended 11/21/2019 11:49:55 AM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.257	13,673	303.844	303.587
	0.016	116.932	2.598	2.599
Beta sd	0.525	6,904	153.422	152.897
	0.023	83.090	1.846	1.847

Alpha/Beta Count Results

Sample Activity Report

Red 1 (4-7) - D

Addr: 7

Sample ID ICVABT-1835527;BH

Repeat

7

Carrier No.

0

Batch ID 451383

Count Method Gross Alpha Beta

Detector Volts

1515

Count Began 11/21/2019 11:55:59 AM

Count Ended 11/21/2019 12:41:06 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.257	9,746	216.578	216.321
	0.016	98.722	2.194	2.194
Beta sd	0.525	4,648	103.289	102.764
	0.023	68.176	1.515	1.515

Alpha/Beta Count Results

Sample Activity Report

Red 1 (4-7) - D

Addr: 7

Sample ID ICVABT-1835527;BG

Repeat 8

Carrier No. 0

Batch ID 451383

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 11/21/2019 12:44:50 PM

Count Ended 11/21/2019 1:31:00 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.257	12,751	283.356	283.099
	0.016	112.920	2.509	2.509
Beta sd	0.525	5,734	127.422	126.897
	0.023	75.723	1.683	1.683

ICV is for Gross Alpha

Red - Alpha ICV

	Low Mass	Medium Mass	High Mass	Mean
Detector	Recovery	Recovery	Recovery	Recovery
7	86.77%	101.23%	107.24%	98.41%

Standard ID

Thorium-230

Th-230_00056 #1835527

Cert # 114475 Ref. date 10/29/19

Activity 1.031E+06 pCi/L

Prep Batch: 516409(6/30/21)

	A1 = Low Mass	A2 = Medium Mass	A3 = High Mass
	0.0232g	0.0537g	0.0846g
Detector	Activity (pCi/mL)	Activity (pCi/mL)	Activity (pCi/mL)
7	8.949E+05	1.044E+06	1.106E+06

Analysis Report for Gross Alpha/Beta
Batch: 566222

Operator:

Sample ID	WRKNO	Aliquot	Mass	Instr ID	CountTime	Ts	Tb	Dilution	Sigma
	Analyte	Cs	XI	CPMs	CPM _b	Eff	Activity	UncTot	MDA
ICVABT-1835527; A	160-45488-A-1-A	1.000E+000mL	0.0232	g Red7	5 / 20 / 22 0:00	20.00	1000.00	1.00	1.00
Gross Alpha		6752	84	0.00	3.376E+002	8.400E-002	0.1699	8.949E+005pCi/L	5.216E+004
ICVABT-1835527; B	160-45488-A-2-A	2.000E+000mL	0.0537	g Red7	5 / 19 / 22 23:39	20.00	1000.00	1.00	1.00
Gross Alpha		10490	84	0.00	5.245E+002	8.400E-002	0.1131	1.044E+006pCi/L	6.038E+004
ICVABT-1835527; C	160-45488-A-3-A	2.000E+000mL	0.0846	g Red7	5 / 19 / 22 23:10	20.00	1000.00	1.00	1.00
Gross Alpha		8165	84	0.00	4.083E+002	8.400E-002	0.0831	1.106E+006pCi/L	6.424E+004

Laboratory Control Sample Information

SampID	WRKNO	Analyte	Activity	StdAdded	Recovery	LCL	UCL	ZFactor
				%				

Sample Duplicate Information

Sample ID	Dup Sample ID	Analyte	Sample Activity	Dup Activity	RPD	RER	DER	ZFactor

Matrix Spike Information

SampID	SampMSID	Analyte	Sample Activity	MS Activity	StdAdded	MSRecovery	%

Blanks Information

SampID	WRKNO	Analyte	Activity	UncTotal	ZFactor

Alpha/Beta Count Results

Sample Activity Report

Red 1 (4-7) - D

Addr: 7

Sample ID ICVABT-1835527; C

Repeat 25

Carrier No. 0

Batch ID 566222

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/19/2022 11:10:06 PM

Count Ended 5/19/2022 11:30:12 PM

Sample Count Time 20.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.084	8,165	408.250	408.166
	0.009	90.360	4.518	4.518
Beta sd	0.374	3,790	189.500	189.126
	0.019	61.563	3.078	3.078

Alpha/Beta Count Results

Sample Activity Report

Red 1 (4-7) - D

Addr: 7

Sample ID ICVABT-1835527; B

Repeat 18
Carrier No. 0

Batch ID 566222

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/19/2022 11:39:18 PM

Count Ended 5/19/2022 11:59:23 PM

Sample Count Time 20.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.084	10,490	524.500	524.416
	0.009	102.421	5.121	5.121
Beta sd	0.374	4,456	222.800	222.426
	0.019	66.753	3.338	3.338

Alpha/Beta Count Results

Sample Activity Report

Red 1 (4-7) - D

Addr: 7

Sample ID ICVABT-1835527; A

Repeat 28

Carrier No. 0

Batch ID 566222

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/20/2022 12:00:53 AM

Count Ended 5/20/2022 12:20:59 AM

Sample Count Time 20.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.084	6,752	337.600	337.516
	0.009	82.171	4.109	4.109
Beta sd	0.374	2,815	140.750	140.376
	0.019	53.057	2.653	2.653

**ICV is for Gross Beta
Strontium 90
and
Total Strontium**

Red - Beta ICV 2019

Detector	Low Mass Recovery	Medium Mass Recovery	High Mass Recovery	Mean Recovery
9	95.03%	94.66%	96.68%	95.46%

Prep Batch: 239589

Detector	B1	Activity	Units
9	Low Mass	3631.70	dpm/mL

B2	Activity	Units
Medium Mass	3617.50	dpm/mL

B3	Activity	Units
High Mass	3694.80	dpm/mL

Standard ID

Strontium 90

Sr-90_00018 #51512

Cert# 92352 Ref. date 11/29/12

Raw Sample/Standard Information

Initial Date/Time (t_0): 11/29/2012 0:00

Decayto Date/Time (t): 7/8/19 0:00

Initial Activity (A_0): 2,238.70 dpm

Initial Aliquot: 1 mL

Initial Conc: 2238.7 dpm/mL

Nuclide: Sr-90

Half-Life (days): 10555.725 decay days

****Decay Factor:** 0.8535 2412.00 fraction

Decay Corr Activity: 1.9108E+03 dpm

Decay Corr Conc: 1.9108E+03 dpm/mL

Conversion/Calculations

Final Activity Unit: dpm

Activity Unit Factor: 1.00000

Final Volume Unit: mL

Volume Unit Factor: 1.000

Final Concentration: 1.9108E+03 dpm/mL

Aliquot Volume: 1.0000E+00 mL

Final Activity (A): 1.9108E+03 dpm

Final Activity (A=Sr/Y-90): 3821.55 dpm

** Uses basic decay equation: $A = A_0 * \exp(-\ln(2)*(t-t_0)/(half-life))$

* Soln. Density to be used when converting from liquid expressed in mass (g) units to liquid units (mL), and is only applied in that case.

Alpha/Beta Count Results

Sample Activity Report

Red 2 (8-11) - B

Addr: 9

Sample ID ICVABT-51512;B2

Repeat

2

Carrier No.

0

Batch ID 239589

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 7/8/2019 11:43:05 AM	Collection Date 1 1/1/1900	Half Life	0.00 days
----------------------------------	----------------------------	-----------	-----------

Count Ended 7/8/2019 11:48:10 AM	Collection Date 2 1/1/1900	Decay Factor	1.000
----------------------------------	----------------------------	--------------	-------

Sample Count Time	5.00 mins	Background Count Time	.00 mins
-------------------	-----------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	0	0.000	0.000
sd	0.000			0.000	0.000	0.000	0.000
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	7,205	1,441.000	1,441.000
sd	0.000			0.000	84.882	16.976	16.976

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 2 (8-11) - B

Addr: 9

Sample ID ICVABT-51512;B1

Repeat 3

Carrier No. 0

Batch ID 239589

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty 0 ml sd 0 ml

Residual Wt 0 mg sd 0 mg

Count Began 7/8/2019 12:06:17 PM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 7/8/2019 12:11:22 PM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	1	0.200	0.200
sd	0.000			0.000	1.000	0.200	0.200
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	7,657	1,531.400	1,531.400
sd	0.000			0.000	87.504	17.501	17.501

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 2 (8-11) - B

Addr: 9

Sample ID ICVABT-51512;B3

Repeat 9
Carrier No. 0

Batch ID 239589

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 7/8/2019 12:50:40 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 7/8/2019 12:55:44 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 mins	Background Count Time	.00 mins
-------------------	-----------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	0	0.000	0.000
sd	0.000			0.000	0.000	0.000	0.000
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	6,954	1,390.800	1,390.800
sd	0.000			0.000	83.391	16.678	16.678

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 2 (8-11) - B

Addr: 9

Sample ID ICVABT-1835527;BH

Repeat

1

Carrier No.

0

Batch ID 451383

Count Method Gross Alpha Beta

Detector Volts

1515

Count Began 11/21/2019 1:41:54 PM

Count Ended 11/21/2019 2:27:03 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.157	10,140	225.333	225.176
	0.013	100.698	2.238	2.238
Beta sd	0.362	4,162	92.489	92.127
	0.019	64.514	1.434	1.434

Alpha/Beta Count Results

Sample Activity Report

Red 2 (8-11) - B

Addr: 9

Sample ID ICVABT-1835527;BG

Repeat

2

Carrier No.

0

Batch ID 451383

Count Method Gross Alpha Beta

Detector Volts

1515

Count Began 11/21/2019 2:33:00 PM

Count Ended 11/21/2019 3:18:11 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.157	13,095	291.000	290.843
	0.013	114.433	2.543	2.543
Beta sd	0.362	5,287	117.489	117.127
	0.019	72.712	1.616	1.616

Alpha/Beta Count Results

Sample Activity Report

Red 2 (8-11) - B

Addr: 9

Sample ID ICVABT-1835527;B1

Repeat 8

Carrier No. 0

Batch ID 451383

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 11/21/2019 7:49:20 PM

Count Ended 11/21/2019 8:34:28 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.157	13,851	307.800	307.643
	0.013	117.690	2.615	2.615
Beta sd	0.362	6,002	133.378	133.016
	0.019	77.473	1.722	1.722

ICV is for Gross Alpha

Red - Alpha ICV

	Low Mass	Medium Mass	High Mass	Mean
Detector	Recovery	Recovery	Recovery	Recovery
9	89.46%	99.00%	107.33%	98.60%

Standard ID

Thorium-230

Th-230_00056 #1835527

Cert # 114475 Ref. date 10/29/19

Activity 1.031E+06 pCi/L

Prep Batch: 516409(6/30/21)

	A1 = Low Mass	A2 = Medium Mass	A3 = High Mass
	0.0232g	0.0537g	0.0846g
Detector	Activity (pCi/mL)	Activity (pCi/mL)	Activity (pCi/mL)
9	9.226E+05	1.021E+06	1.107E+06

Analysis Report for Gross Alpha/Beta

Batch: 566222

Operator:

Sample ID	WRKNO	Aliquot	Mass	Instr ID	CountTime	Ts	Tb	Dilution	Sigma	
	Analyte	Cs	XI	CPMs	CPM#	Eff	Activity	UncTot	MDA	DLC
ICVABT-1835527; A	160-45488-A-1-A	1.00E+000mL	0.0232 g	Red9	5/18/22 15:26	20.00	1000.00	1.00	1.00	
Gross Alpha	7030	84	0.00	3.515E+002	8.400E-002	0.1716	9.226E+005pCi/L	5.375E+004	1.101E+004	9.592E+002
ICVABT-1835527; B	160-45488-A-2-A	2.00E+000mL	0.0537 g	Red9	5/18/22 15:02	20.00	1000.00	1.00	1.00	4.004E+002
Gross Alpha	10411	84	0.00	5.205E+002	8.400E-002	0.1149	1.021E+005pCi/L	5.903E+004	1.000E+004	7.164E+002
ICVABT-1835527; C	160-45488-A-3-A	2.00E+000mL	0.0846 g	Red9	5/18/22 17:53	20.00	1000.00	1.00	1.00	2.991E+002
Gross Alpha	8261	84	0.00	4.131E+002	8.400E-002	0.0840	1.107E+006pCi/L	6.427E+004	1.218E+004	9.795E+002

Laboratory Control Sample Information

SampID	WRKNO	Analyte	Activity	StdAdded	Recovery	LCL	UCL	ZFactor
					%			

Sample Duplicate Information

Sample ID	Dup Sample ID	Analyte	Sample Activity	Dup Activity	RPD	RER	DER	ZFactor

Matrix Spike Information

SampID	SampMSID	Analyte	Sample Activity	MS Activity	StdAdded	MSRecovery	%

Blanks Information

SampID	WRKNO	Analyte	Activity	UncTotal	ZFactor

Alpha/Beta Count Results

Sample Activity Report

Red 2 (8-11) - B

Addr: 9

Sample ID ICVABT-1835527; B

Repeat 9
Carrier No. 0

Batch ID 566222

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/18/2022 3:02:45 PM

Count Ended 5/18/2022 3:22:52 PM

Sample Count Time 20.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.084	10,411	520.550	520.466
	0.009	102.034	5.102	5.102
Beta sd	0.359	4,128	206.400	206.041
	0.019	64.250	3.212	3.213

Alpha/Beta Count Results

Sample Activity Report

Red 2 (8-11) - B

Addr: 9

Sample ID ICVABT-1835527; A

Repeat 18

Carrier No. 0

Batch ID 566222

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/18/2022 3:26:02 PM

Count Ended 5/18/2022 3:46:07 PM

Sample Count Time 20.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.084	7,030	351.500	351.416
	0.009	83.845	4.192	4.192
Beta sd	0.359	2,563	128.150	127.791
	0.019	50.626	2.531	2.531

Alpha/Beta Count Results

Sample Activity Report

Red 2 (8-11) - B

Addr: 9

Sample ID ICVABT-1835527; C

Repeat 24

Carrier No. 0

Batch ID 566222

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/18/2022 5:53:27 PM

Count Ended 5/18/2022 6:13:32 PM

Sample Count Time 20.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.084	8,261	413.050	412.966
	0.009	90.890	4.545	4.545
Beta sd	0.359	3,607	180.350	179.991
	0.019	60.058	3.003	3.003

**ICV is for Gross Beta
Strontium 90
and
Total Strontium**

Red - Beta ICV 2019

Detector	Low Mass Recovery	Medium Mass Recovery	High Mass Recovery	Mean Recovery
10	94.72%	94.26%	95.95%	94.98%

Prep Batch: 239589

Detector	B1	Activity	Units
10	Low Mass	3619.90	dpm/mL

B2	Activity	Units
Medium Mass	3602.30	dpm/mL

B3	Activity	Units
High Mass	3666.70	dpm/mL

Standard ID

Strontium 90

Sr-90_00018 #51512

Cert# 92352 Ref. date 11/29/12

Raw Sample/Standard Information

Initial Date/Time (t_0): 11/29/2012 0:00

Decayto Date/Time (t): 7/8/19 0:00

Initial Activity (A_0): 2,238.70 dpm

Initial Aliquot: 1 mL

Initial Conc: 2238.7 dpm/mL

Nuclide: Sr-90

Half-Life (days): 10555.725 decay days

****Decay Factor:** 0.8535 2412.00

fraction

0.22850

Decay Corr Activity: 1.9108E+03 dpm

Decay Corr Conc: 1.9108E+03 dpm/mL

Conversion/Calculations

Final Activity Unit: dpm

Activity Unit Factor: 1.00000

Final Volume Unit: mL

Volume Unit Factor: 1.000

Final Concentration: 1.9108E+03 dpm/mL

Aliquot Volume: 1.0000E+00 mL

Final Activity (A): 1.9108E+03 dpm

Final Activity (A=Sr/Y-90): 3821.55 dpm

** Uses basic decay equation: $A = A_0 * \exp(-\ln(2)*(t-t_0)/(half-life))$

* Soln. Density to be used when converting from liquid expressed in mass (g) units to liquid units (mL), and is only applied in that case.

Alpha/Beta Count Results

Sample Activity Report

Red 2 (8-11) - C

Addr: 10

Sample ID ICVABT-51512;B3

Repeat 2
Carrier No. 0

Batch ID 239589

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 7/8/2019 11:43:14 AM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 7/8/2019 11:48:17 AM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 mins	Background Count Time	.00 mins
-------------------	-----------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	3	0.600	0.600
sd	0.000			0.000	1.732	0.346	0.346
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	7,023	1,404.600	1,404.600
sd	0.000			0.000	83.803	16.761	16.761

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 2 (8-11) - C

Addr: 10

Sample ID ICVABT-51512;B2

Repeat 3

Carrier No. 0

Batch ID 239589

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty 0 ml sd 0 ml

Residual Wt 0 mg sd 0 mg

Count Began 7/8/2019 12:06:29 PM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 7/8/2019 12:11:32 PM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	4	0.800	0.800
sd	0.000			0.000	2.000	0.400	0.400
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	7,290	1,458.000	1,458.000
sd	0.000			0.000	85.381	17.076	17.076

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 2 (8-11) - C

Addr: 10

Sample ID ICVABT-51512;B1

Repeat

4

Carrier No.

0

Batch ID 239589

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0 ml	sd	0 ml
------------	------	----	------

Residual Wt	0 mg	sd	0 mg
-------------	------	----	------

Count Began 7/8/2019 12:17:20 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
----------------------------------	----------------------------	-----------	-----------

Count Ended 7/8/2019 12:22:25 PM	Collection Date 2 1/1/1900	Decay Factor	1.000
----------------------------------	----------------------------	--------------	-------

Sample Count Time	5.00 mins	Background Count Time	.00 mins
-------------------	-----------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	1	0.200	0.200
sd	0.000			0.000	1.000	0.200	0.200
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	7,740	1,548.000	1,548.000
sd	0.000			0.000	87.977	17.595	17.595

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 2 (8-11) - C

Addr: 10

Sample ID ICVABT-1835527;BH

Repeat

2

Carrier No.

0

Batch ID 451383

Count Method Gross Alpha Beta

Detector Volts

1515

Count Began 11/21/2019 2:33:06 PM

Count Ended 11/21/2019 3:18:14 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.128	8,708	193.511	193.383
	0.011	93.317	2.074	2.074
Beta sd	0.343	5,373	119.400	119.057
	0.019	73.301	1.629	1.629

Alpha/Beta Count Results

Sample Activity Report

Red 2 (8-11) - C

Addr: 10

Sample ID ICVABT-1835527;BG

Repeat 3

Carrier No. 0

Batch ID 451383

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 11/21/2019 3:33:44 PM

Count Ended 11/21/2019 4:18:50 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.128	11,431	254.022	253.894
	0.011	106.916	2.376	2.376
Beta sd	0.343	6,979	155.089	154.746
	0.019	83.540	1.856	1.857

ICV is for Gross Alpha

Red - Alpha ICV

	Low Mass	Medium Mass	High Mass	Mean
Detector	Recovery	Recovery	Recovery	Recovery
10	87.12%	100.16%	105.20%	97.49%

Standard ID

Thorium-230

Th-230_00056 #1835527

Cert # 114475 Ref. date 10/29/19

Activity 1.031E+06 pCi/L

Prep Batch: 516409(6/30/21)

	A1 = Low Mass	A2 = Medium Mass	A3 = High Mass
	0.0232g	0.0537g	0.0846g
Detector	Activity (pCi/mL)	Activity (pCi/mL)	Activity (pCi/mL)
10	8.985E+05	1.033E+06	1.085E+06

Analysis Report for Gross Alpha/Beta
Batch: 566222 Operator:

<u>Sample ID</u>	<u>WRKNO</u>	<u>Aliquot</u>	<u>Mass</u>	<u>Instr ID</u>	<u>CountTime</u>	<u>Ts</u>	<u>Tb</u>	<u>Dilution</u>	<u>Sigma</u>		
	<u>Analyte</u>	<u>Cs</u>	<u>Cb</u>	<u>XI</u>	<u>CPMs</u>	<u>CPM_b</u>	<u>Eff</u>	<u>Activity</u>	<u>UncTot</u>	<u>MDA</u>	<u>DLC</u>
ICVABT-1835527; A	160-45488-A-1-A	1.000E+000mL	0.0232	g	Red10	5/18/22 15:49	20.00		1000.00	1.00	1.00
Gross Alpha		6925	91	0.00	3.463E+002	9.100E-002	0.1735	8.985E+005pCi/L	5.234E+004	1.080E+004	9.711E+002
ICVABT-1835527; B	160-45488-A-2-A	2.000E+000mL	0.0537	g	Red10	5/18/22 15:26	20.00		1000.00	1.00	1.00
Gross Alpha		10568	91	0.00	5.284E+002	9.100E-002	0.1152	1.033E+006pCi/L	5.974E+004	1.005E+004	7.317E+002
ICVABT-1835527; C	160-45488-A-3-A	2.000E+000mL	0.0846	g	Red10	5/18/22 15:02	20.00		1000.00	1.00	1.00
Gross Alpha		8139	91	0.00	4.069E+002	9.100E-002	0.0845	1.085E+006pCi/L	6.300E+004	1.203E+004	9.976E+002
											4.232E+002
											62,996.3253

Laboratory Control Sample Information

<u>SampID</u>	<u>WRKNO</u>	<u>Analyte</u>	<u>Activity</u>	<u>StdAdded</u>	<u>Recovery</u>	<u>LCL</u>	<u>UCL</u>	<u>ZFactor</u>

Sample Duplicate Information

<u>Sample ID</u>	<u>Dup Sample ID</u>	<u>Analyte</u>	<u>Sample Activity</u>	<u>Dup Activity</u>	<u>RPD</u>	<u>RER</u>	<u>DER</u>	<u>ZFactor</u>

Matrix Spike Information

<u>SampID</u>	<u>SampMSID</u>	<u>Analyte</u>	<u>Sample Activity</u>	<u>MS Activity</u>	<u>StdAdded</u>	<u>MSRecovery</u>	<u>%</u>

Blanks Information

<u>SampID</u>	<u>WRKNO</u>	<u>Analyte</u>	<u>Activity</u>	<u>UncTotal</u>	<u>ZFactor</u>

Alpha/Beta Count Results

Sample Activity Report

Red 2 (8-11) - C

Addr: 10

Sample ID ICVABT-1835527; C

Repeat 18

Carrier No. 0

Batch ID 566222

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/18/2022 3:02:49 PM

Count Ended 5/18/2022 3:22:56 PM

Sample Count Time 20.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.091	8,139	406.950	406.859
	0.010	90.216	4.511	4.511
Beta sd	0.450	3,654	182.700	182.250
	0.021	60.448	3.022	3.022

Alpha/Beta Count Results

Sample Activity Report

Red 2 (8-11) - C

Addr: 10

Sample ID ICVABT-1835527; B

Repeat 10
Carrier No. 0

Batch ID 566222

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/18/2022 3:26:05 PM

Count Ended 5/18/2022 3:46:10 PM

Sample Count Time 20.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.091	10,568	528.400	528.309
	0.010	102.801	5.140	5.140
Beta sd	0.450	4,268	213.400	212.950
	0.021	65.330	3.266	3.267

Alpha/Beta Count Results

Sample Activity Report

Red 2 (8-11) - C

Addr: 10

Sample ID ICVABT-1835527; A

Repeat 19

Carrier No. 0

Batch ID 566222

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/18/2022 3:49:53 PM

Count Ended 5/18/2022 4:09:59 PM

Sample Count Time 20.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.091	6,925	346.250	346.159
	0.010	83.217	4.161	4.161
Beta sd	0.450	2,560	128.000	127.550
	0.021	50.596	2.530	2.530

ICV is for Gross Beta
Strontium 90
and
Total Strontium

Red - Beta ICV 2019

Detector	Low Mass Recovery	Medium Mass Recovery	High Mass Recovery	Mean Recovery
11	94.64%	94.19%	96.25%	95.03%

Prep Batch: 239589

Detector	B1	Activity	Units
11	Low Mass	3616.70	dpm/mL

B2	Activity	Units
Medium Mass	3599.60	dpm/mL

B3	Activity	Units
High Mass	3678.10	dpm/mL

Standard ID

Strontium 90

Sr-90_00018 #51512

Cert# 92352 Ref. date 11/29/12

Raw Sample/Standard Information

Initial Date/Time (t_0): 11/29/2012 0:00

Decayto Date/Time (t): 7/8/19 0:00

Initial Activity (A_0): 2,238.70 dpm

Initial Aliquot: 1 mL

Initial Conc: 2238.7 dpm/mL

Nuclide: Sr-90

Half-Life (days): 10555.725 decay days

****Decay Factor:** 0.8535 2412.00

fraction

0.22850

Decay Corr Activity: 1.9108E+03 dpm

Decay Corr Conc: 1.9108E+03 dpm/mL

Conversion/Calculations

Final Activity Unit: dpm

Activity Unit Factor: 1.00000

Final Volume Unit: mL

Volume Unit Factor: 1.000

Final Concentration: 1.9108E+03 dpm/mL

Aliquot Volume: 1.0000E+00 mL

Final Activity (A): 1.9108E+03 dpm

Final Activity (A=Sr/Y-90): 3821.55 dpm

** Uses basic decay equation: $A = A_0 * \exp(-\ln(2)*(t-t_0)/(half-life))$

* Soln. Density to be used when converting from liquid expressed in mass (g) units to liquid units (mL), and is only applied in that case.

Alpha/Beta Count Results

Sample Activity Report

Red 2 (8-11) - D

Addr: 11

Sample ID ICVABT-51512;B3

Repeat 3
Carrier No. 0

Batch ID 239589

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0 <i>ml</i>	sd	0 <i>ml</i>
Residual Wt	0 <i>mg</i>	sd	0 <i>mg</i>

Count Began 7/8/2019 12:06:40 PM	Collection Date 1 1/1/1900	Half Life	0.00 <i>days</i>
Count Ended 7/8/2019 12:11:44 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 <i>mins</i>	Background Count Time	.00 <i>mins</i>
-------------------	------------------	-----------------------	-----------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	0	0.000	0.000
sd	0.000			0.000	0.000	0.000	0.000
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	7,007	1,401.400	1,401.400
sd	0.000			0.000	83.708	16.742	16.742

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 2 (8-11) - D

Addr: 11

Sample ID ICVABT-51512;B2

Repeat	4
Carrier No.	0

Batch ID 239589

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 7/8/2019 12:17:30 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 7/8/2019 12:22:33 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 mins	Background Count Time	.00 mins
-------------------	-----------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	1	0.200	0.200
sd	0.000			0.000	1.000	0.200	0.200
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	7,237	1,447.400	1,447.400
sd	0.000			0.000	85.071	17.014	17.014

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 2 (8-11) - D

Addr: 11

Sample ID ICVABT-51512;B1

Repeat

5

Carrier No.

0

Batch ID 239589

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0 ml	sd	0 ml
------------	------	----	------

Residual Wt	0 mg	sd	0 mg
-------------	------	----	------

Count Began 7/8/2019 12:24:02 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
----------------------------------	----------------------------	-----------	-----------

Count Ended 7/8/2019 12:29:05 PM	Collection Date 2 1/1/1900	Decay Factor	1.000
----------------------------------	----------------------------	--------------	-------

Sample Count Time	5.00 mins	Background Count Time	.00 mins
-------------------	-----------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	1	0.200	0.200
sd	0.000			0.000	1.000	0.200	0.200
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	7,674	1,534.800	1,534.800
sd	0.000			0.000	87.601	17.520	17.520

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 2 (8-11) - D

Addr: 11

Sample ID ICVABT-1835527;B1

Repeat

2

Carrier No.

0

Batch ID 451383

Count Method Gross Alpha Beta

Detector Volts

1515

Count Began 11/21/2019 2:33:10 PM

Count Ended 11/21/2019 3:18:18 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.135	13,921	309.356	309.221
	0.012	117.987	2.622	2.622
Beta sd	0.545	6,106	135.689	135.144
	0.023	78.141	1.736	1.737

Alpha/Beta Count Results

Sample Activity Report

Red 2 (8-11) - D

Addr: 11

Sample ID ICVABT-1835527;BH

Repeat 3

Carrier No. 0

Batch ID 451383

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 11/21/2019 3:33:51 PM

Count Ended 11/21/2019 4:18:59 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.135	10,023	222.733	222.598
	0.012	100.115	2.225	2.225
Beta sd	0.545	4,232	94.044	93.499
	0.023	65.054	1.446	1.446

Alpha/Beta Count Results

Sample Activity Report

Red 2 (8-11) - D

Addr: 11

Sample ID ICVABT-1835527;BG

Repeat

4

Carrier No.

0

Batch ID 451383

Count Method Gross Alpha Beta

Detector Volts

1515

Count Began 11/21/2019 4:24:21 PM

Count Ended 11/21/2019 5:09:29 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.135	13,373	297.178	297.043
	0.012	115.642	2.570	2.570
Beta sd	0.545	5,162	114.711	114.166
	0.023	71.847	1.597	1.597

ICV is for Gross Alpha

Red - Alpha ICV

	Low Mass	Medium Mass	High Mass	Mean
Detector	Recovery	Recovery	Recovery	Recovery
11	87.43%	101.03%	104.62%	97.69%

Standard ID

Thorium-230

Th-230_00056 #1835527

Cert # 114475 Ref. date 10/29/19

Activity 1.031E+06 pCi/L

Prep Batch: 516409(6/30/21)

	A1 = Low Mass	A2 = Medium Mass	A3 = High Mass
	0.0232g	0.0537g	0.0846g
Detector	Activity (pCi/mL)	Activity (pCi/mL)	Activity (pCi/mL)
11	9.017E+05	1.042E+06	1.079E+06

Analysis Report for Gross Alpha/Beta

Batch: 566222 Operator:

<u>Sample ID</u>	<u>WRKNO</u>	<u>Aliquot</u>	<u>Mass</u>	<u>Instr ID</u>	<u>CountTime</u>	<u>Ts</u>	<u>Tb</u>	<u>Dilution</u>	<u>Sigma</u>	
<u>Analyte</u>	<u>Cs</u>	<u>Ch</u>	<u>XI</u>	<u>CPMs</u>	<u>CPMb</u>	<u>Eff</u>	<u>Activity</u>	<u>UncTot</u>	<u>MDA</u>	<u>DLC</u>
ICVABT-1835527; A	160-45488-A-1-A	1.00E+000mL	0.0232	g Red11	5 / 18 / 22	16:22	20.00	1000.00	1.00	1.00
Gross Alpha	6903	75	0.00	3.451E+002	7.500E-002	0.1724	9.017E+005pCi/L	5.253E+004	1.085E+004	9.236E+002
ICVABT-1835527; B	160-45488-A-2-A	2.00E+000mL	0.0537	g Red11	5 / 18 / 22	15:49	20.00	1000.00	1.00	1.00
Gross Alpha	10552	75	0.00	5.276E+002	7.500E-002	0.1140	1.042E+005pCi/L	6.026E+004	1.015E+004	6.983E+002
ICVABT-1835527; C	160-45488-A-3-A	2.00E+000mL	0.0846	g Red11	5 / 18 / 22	15:26	20.00	1000.00	1.00	1.00
Gross Alpha	7955	75	0.00	3.978E+002	7.500E-002	0.0830	1.079E+006pCi/L	6.266E+004	1.210E+004	9.588E+002

Laboratory Control Sample Information

<u>SampID</u>	<u>WRKNO</u>	<u>Analyte</u>	<u>Activity</u>	<u>StdAdded</u>	<u>Recovery</u>	<u>LCL</u>	<u>UCL</u>	<u>ZFactor</u>
					%			

Sample Duplicate Information

<u>Sample ID</u>	<u>Dup Sample ID</u>	<u>Analyte</u>	<u>Sample Activity</u>	<u>Dup Activity</u>	<u>RPD</u>	<u>RER</u>	<u>DER</u>	<u>ZFactor</u>

Matrix Spike Information

<u>SampID</u>	<u>SampMSID</u>	<u>Analyte</u>	<u>Sample Activity</u>	<u>MS Activity</u>	<u>StdAdded</u>	<u>MSRecovery</u>	<u>%</u>

Blanks Information

<u>SampID</u>	<u>WRKNO</u>	<u>Analyte</u>	<u>Activity</u>	<u>UncTotal</u>	<u>ZFactor</u>

Alpha/Beta Count Results

Sample Activity Report

Red 2 (8-11) - D

Addr: 11

Sample ID ICVABT-1835527; C

Repeat 19

Carrier No. 0

Batch ID 566222

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/18/2022 3:26:10 PM

Count Ended 5/18/2022 3:46:15 PM

Sample Count Time 20.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.075	7,955	397.750	397.675
	0.009	89.191	4.460	4.460
Beta sd	0.519	3,581	179.050	178.531
	0.023	59.841	2.992	2.992

Alpha/Beta Count Results

Sample Activity Report

Red 2 (8-11) - D

Addr: 11

Sample ID ICVABT-1835527; B

Repeat 11

Carrier No. 0

Batch ID 566222

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/18/2022 3:49:56 PM

Count Ended 5/18/2022 4:10:02 PM

Sample Count Time 20.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.075	10,552	527.600	527.525
	0.009	102.723	5.136	5.136
Beta sd	0.519	4,336	216.800	216.281
	0.023	65.848	3.292	3.292

Alpha/Beta Count Results

Sample Activity Report

Red 2 (8-11) - D

Addr: 11

Sample ID ICVABT-1835527; A

Repeat 20

Carrier No. 0

Batch ID 566222

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/18/2022 4:22:15 PM

Count Ended 5/18/2022 4:42:21 PM

Sample Count Time 20.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.075	6,903	345.150	345.075
	0.009	83.084	4.154	4.154
Beta sd	0.519	2,596	129.800	129.281
	0.023	50.951	2.548	2.548

**ICV is for Gross Beta
Strontium 90
and
Total Strontium**

Red - Beta ICV 2019

Detector	Low Mass Recovery	Medium Mass Recovery	High Mass Recovery	Mean Recovery
12	95.25%	94.42%	94.84%	94.84%

Prep Batch: 239589

Detector	Beta 1	Activity	Units
12	Low Mass	3.640E+03	dpm/mL

Beta 2	Activity	Units
Medium Mass	3.608E+03	dpm/mL

Beta 3	Activity	Units
High Mass	3.624E+03	dpm/mL

Standard ID

Strontium 90

Sr-90_00018 #51512

Cert# 92352 Ref. date 11/29/12

Standard ID

Raw Sample/Standard Information

Initial Date/Time (t_0): 11/29/2012 0:00

Decayto Date/Time (t): 7/8/19 0:00

Initial Activity (A_0): 2,238.70 dpm

Initial Aliquot: 1 mL

Initial Conc: 2238.7 dpm/mL

Nuclide: Sr-90

Half-Life (days): 10555.725 decay days fraction

**Decay Factor: 0.8535 2412.00 0.22850

Decay Corr Activity: 1.9108E+03 dpm

Decay Corr Conc: 1.9108E+03 dpm/mL

Conversion/Calculations

Final Activity Unit: dpm

Activity Unit Factor: 1.00000

Final Volume Unit: mL

Volume Unit Factor: 1.000

Final Concentration: 1.9108E+03 dpm/mL

Aliquot Volume: 1.0000E+00 mL

Final Activity (A): 1.9108E+03 dpm

Final Activity (A=Sr/Y-90): 3821.55 dpm

** Uses basic decay equation: $A = A_0 * \exp(-\ln(2)*(t-t_0)/(half-life))$

* Soln. Density to be used when converting from liquid expressed in mass (g) units to liquid units (mL), and is only applied in that case.

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - A

Addr: 12

Sample ID ICVABT-51512;B3

Repeat

4

Carrier No.

0

Batch ID 239589

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 7/8/2019 12:17:41 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
----------------------------------	----------------------------	-----------	-----------

Count Ended 7/8/2019 12:22:43 PM	Collection Date 2 1/1/1900	Decay Factor	1.000
----------------------------------	----------------------------	--------------	-------

Sample Count Time	5.00 mins	Background Count Time	.00 mins
-------------------	-----------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	0	0.000	0.000
sd	0.000			0.000	0.000	0.000	0.000
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	6,892	1,378.400	1,378.400
sd	0.000			0.000	83.018	16.604	16.604

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - A

Addr: 12

Sample ID ICVABT-51512;B2

Repeat

5

Carrier No.

0

Batch ID 239589

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0 ml	sd	0 ml
------------	------	----	------

Residual Wt	0 mg	sd	0 mg
-------------	------	----	------

Count Began 7/8/2019 12:24:12 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
----------------------------------	----------------------------	-----------	-----------

Count Ended 7/8/2019 12:29:16 PM	Collection Date 2 1/1/1900	Decay Factor	1.000
----------------------------------	----------------------------	--------------	-------

Sample Count Time	5.00 mins	Background Count Time	.00 mins
-------------------	-----------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	0	0.000	0.000
sd	0.000			0.000	0.000	0.000	0.000
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	7,238	1,447.600	1,447.600
sd	0.000			0.000	85.076	17.015	17.015

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - A

Addr: 12

Sample ID ICVABT-51512;B1

Repeat

6

Carrier No.

0

Batch ID 239589

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0 ml	sd	0 ml
------------	------	----	------

Residual Wt	0 mg	sd	0 mg
-------------	------	----	------

Count Began 7/8/2019 12:30:21 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
----------------------------------	----------------------------	-----------	-----------

Count Ended 7/8/2019 12:35:25 PM	Collection Date 2 1/1/1900	Decay Factor	1.000
----------------------------------	----------------------------	--------------	-------

Sample Count Time	5.00 mins	Background Count Time	.00 mins
-------------------	-----------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	1	0.200	0.200
sd	0.000			0.000	1.000	0.200	0.200
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	7,716	1,543.200	1,543.200
sd	0.000			0.000	87.841	17.568	17.568

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - A

Addr: 12

Sample ID ICVABT-1835527;BI

Repeat 3

Carrier No. 0

Batch ID 451383

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 11/21/2019 3:33:59 PM

Count Ended 11/21/2019 4:19:06 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.100	12,710	282.444	282.344
	0.010	112.739	2.505	2.505
Beta sd	0.539	6,584	146.311	145.772
	0.023	81.142	1.803	1.803

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - A

Addr: 12

Sample ID ICVABT-1835527;BH

Repeat

4

Carrier No.

0

Batch ID 451383

Count Method Gross Alpha Beta

Detector Volts

1515

Count Began 11/21/2019 4:24:27 PM

Count Ended 11/21/2019 5:09:32 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.100	9,539	211.978	211.878
	0.010	97.668	2.170	2.170
Beta sd	0.539	4,415	98.111	97.572
	0.023	66.445	1.477	1.477

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - A

Addr: 12

Sample ID ICVABT-1835527;BG

Repeat

5

Carrier No.

0

Batch ID 451383

Count Method Gross Alpha Beta

Detector Volts

1515

Count Began 11/21/2019 5:13:03 PM

Count Ended 11/21/2019 5:58:09 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.100	12,636	280.800	280.700
	0.010	112.410	2.498	2.498
Beta sd	0.539	5,563	123.622	123.083
	0.023	74.586	1.657	1.658

ICV is for Gross Alpha

Red - Alpha ICV

	Low Mass	Medium Mass	High Mass	Mean
Detector	Recovery	Recovery	Recovery	Recovery
12	88.20%	100.26%	104.13%	97.53%

Standard ID

Thorium-230

Th-230_00056 #1835527

Cert # 114475 Ref. date 10/29/19

Activity 1.031E+06 pCi/L

Prep Batch: 516409(6/30/21)

	A1 = Low Mass	A2 = Medium Mass	A3 = High Mass
	0.0232g	0.0537g	0.0846g
Detector	Activity (pCi/mL)	Activity (pCi/mL)	Activity (pCi/mL)
12	9.097E+05	1.034E+06	1.074E+06



Environment Testing
TestAmerica

Analysis Report for Gross Alpha/Beta

Batch: 566222 Operator:

<u>Sample ID</u>	<u>WRKNO</u>	<u>Aliquot</u>	<u>Mass</u>	<u>Instr ID</u>	<u>CountTime</u>	<u>Ts</u>	<u>Tb</u>	<u>Dilution</u>	<u>Sigma</u>	<u>MDA</u>	<u>DLC</u>
	<u>Analyte</u>	<u>Cs</u>	<u>Xt</u>	<u>CPMs</u>	<u>CPM#</u>	<u>Eff</u>	<u>Activity</u>	<u>UncTot</u>	<u>UncCnt</u>		
ICVABT-1835527; A	160-45488-A-1-A	1.000E+000mL	0.0232	g	Red12	5 / 18 / 22 16:44	20.00	1000.00	1.00	1.00	
Gross Alpha			0.00	3.131E+002	7.400E-002	0.1550	9.097E+005pCi/L	5.311E+004	1.150E+004	1.023E+003	4.159E+002
ICVABT-1835527; B	160-45488-A-2-A	2.000E+000mL	0.0537	g	Red12	5 / 18 / 22 16:22	20.00	1000.00	1.00	1.00	
Gross Alpha			0.00	4.679E+002	7.400E-002	0.1019	1.034E+006pCi/L	5.990E+004	1.069E+004	7.784E+002	3.164E+002
ICVABT-1835527; C	160-45488-A-3-A	2.000E+000mL	0.0846	g	Red12	5 / 18 / 22 15:50	20.00	1000.00	1.00	1.00	
Gross Alpha			0.00	3.509E+002	7.400E-002	0.0736	1.074E+006pCi/L	6.255E+004	1.282E+004	1.078E+003	4.382E+002

Laboratory Control Sample Information

<u>SampleID</u>	<u>WRKNO</u>	<u>Analyte</u>	<u>Activity</u>	<u>StdAdded</u>	<u>Recovery</u>	<u>LCL</u>	<u>UCL</u>	<u>ZFactor</u>
					%			

Sample Duplicate Information

<u>SampleID</u>	<u>Dup Sample ID</u>	<u>Analyte</u>	<u>Sample Activity</u>	<u>Dup Activity</u>	<u>RPD</u>	<u>RER</u>	<u>DER</u>	<u>ZFactor</u>

Matrix Spike Information

<u>SampID</u>	<u>SampMSID</u>	<u>Analyte</u>	<u>Sample Activity</u>	<u>MS Activity</u>	<u>StdAdded</u>	<u>MSRecovery</u>	<u>ZFactor</u>
						%	

Blanks Information

<u>SampID</u>	<u>WRKNO</u>	<u>Analyte</u>	<u>Activity</u>	<u>UncTotal</u>	<u>ZFactor</u>

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - A

Addr: 12

Sample ID ICVABT-1835527; C

Repeat 20
Carrier No. 0

Batch ID 566222

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/18/2022 3:50:01 PM

Count Ended 5/18/2022 4:10:06 PM

Sample Count Time 20.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.074	7,019	350.950	350.876
	0.009	83.779	4.189	4.189
Beta sd	0.395	4,263	213.150	212.755
	0.020	65.292	3.265	3.265

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - A

Addr: 12

Sample ID ICVABT-1835527; B

Repeat 12
Carrier No. 0

Batch ID 566222

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/18/2022 4:22:19 PM

Count Ended 5/18/2022 4:42:24 PM

Sample Count Time 20.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.074	9,357	467.850	467.776
	0.009	96.732	4.837	4.837
Beta sd	0.395	5,044	252.200	251.805
	0.020	71.021	3.551	3.551

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - A

Addr: 12

Sample ID ICVABT-1835527; A

Repeat 21

Carrier No. 0

Batch ID 566222

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/18/2022 4:44:12 PM

Count Ended 5/18/2022 5:04:17 PM

Sample Count Time 20.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.074	6,263	313.150	313.076
	0.009	79.139	3.957	3.957
Beta sd	0.395	3,116	155.800	155.405
	0.020	55.821	2.791	2.791

**ICV is for Gross Beta
Strontium 90
and
Total Strontium**

Red - Beta ICV 2019

Detector	Low Mass Recovery	Medium Mass Recovery	High Mass Recovery	Mean Recovery
13	94.39%	94.56%	96.11%	95.02%

Prep Batch: 239589

Detector	B1	Activity	Units
13	Low Mass	3607.00	dpm/mL

B2	Activity	Units
Medium Mass	3613.50	dpm/mL

B3	Activity	Units
High Mass	3673.00	dpm/mL

Standard ID

Strontium 90

Sr-90_00018 #51512

Cert# 92352 Ref. date 11/29/12

Standard ID

Raw Sample/Standard Information			
Initial Date/Time (t_0):	11/29/2012 0:00		
Decayto Date/Time (t):	7/8/19 0:00		
Initial Activity (A_0):	2,238.70 dpm		
Initial Aliquot:	1 mL		
Initial Conc:	2238.7 dpm/mL		
Nuclide:	Sr-90		
Half-Life (days):	10555.725 decay days		
**Decay Factor:	0.8535 2412.00 fraction		
Decay Corr Activity:	1.9108E+03 dpm		
Decay Corr Conc:	1.9108E+03 dpm/mL		
Conversion/Calculations			
Final Activity Unit:	dpm		
Activity Unit Factor:	1.00000		
Final Volume Unit:	mL		
Volume Unit Factor:	1.000		
Final Concentration:	1.9108E+03 dpm/mL		
Aliquot Volume:	1.0000E+00 mL		
Final Activity (A):	1.9108E+03 dpm		
Final Activity (A=Sr/Y-90):	3821.55	dpm	*
** Uses basic decay equation: $A = A_0 * \exp(-\ln(2)*(t-t_0)/(half-life))$			
* Soln. Density to be used when converting from liquid expressed in mass (g) units to liquid units (mL), and is only applied in that case.			

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - B

Addr: 13

Sample ID ICVABT-51512;B3

Repeat	5
Carrier No.	0

Batch ID 239589

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 7/8/2019 12:24:23 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 7/8/2019 12:29:26 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 mins	Background Count Time	.00 mins
-------------------	-----------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	0	0.000	0.000
sd	0.000			0.000	0.000	0.000	0.000
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	6,975	1,395.000	1,395.000
sd	0.000			0.000	83.516	16.703	16.703

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - B

Addr: 13

Sample ID ICVABT-51512;B2

Repeat 6
Carrier No. 0

Batch ID 239589

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 7/8/2019 12:30:32 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 7/8/2019 12:35:36 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 mins	Background Count Time	.00 mins
-------------------	-----------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	0	0.000	0.000
sd	0.000			0.000	0.000	0.000	0.000
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	7,234	1,446.800	1,446.800
sd	0.000			0.000	85.053	17.011	17.011

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - B

Addr: 13

Sample ID ICVABT-51512;B1

Repeat

7

Carrier No.

0

Batch ID 239589

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 7/8/2019 12:36:44 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
----------------------------------	----------------------------	-----------	-----------

Count Ended 7/8/2019 12:41:49 PM	Collection Date 2 1/1/1900	Decay Factor	1.000
----------------------------------	----------------------------	--------------	-------

Sample Count Time	5.00 mins	Background Count Time	.00 mins
-------------------	-----------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	0	0.000	0.000
sd	0.000			0.000	0.000	0.000	0.000
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	7,631	1,526.200	1,526.200
sd	0.000			0.000	87.356	17.471	17.471

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - B

Addr: 13

Sample ID ICVABT-1835527;B1

Repeat

4

Carrier No.

0

Batch ID 451383

Count Method Gross Alpha Beta

Detector Volts

1515

Count Began 11/21/2019 4:24:36 PM

Count Ended 11/21/2019 5:09:44 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.167	13,681	304.022	303.855
	0.013	116.966	2.599	2.599
Beta sd	0.393	6,457	143.489	143.096
	0.020	80.355	1.786	1.786

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - B

Addr: 13

Sample ID ICVABT-1835527;BH

Repeat

5

Carrier No.

0

Batch ID 451383

Count Method Gross Alpha Beta

Detector Volts

1515

Count Began 11/21/2019 5:13:10 PM

Count Ended 11/21/2019 5:58:18 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.167	9,814	218.089	217.922
	0.013	99.066	2.201	2.201
Beta sd	0.393	4,263	94.733	94.340
	0.020	65.292	1.451	1.451

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - B

Addr: 13

Sample ID ICVABT-1835527;BG

Repeat

6

Carrier No.

0

Batch ID 451383

Count Method Gross Alpha Beta

Detector Volts

1515

Count Began 11/21/2019 6:07:46 PM

Count Ended 11/21/2019 6:52:53 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.167	13,374	297.200	297.033
	0.013	115.646	2.570	2.570
Beta sd	0.393	5,354	118.978	118.585
	0.020	73.171	1.626	1.626

ICV is for Gross Alpha

Red - Alpha ICV

	Low Mass	Medium Mass	High Mass	Mean
Detector	Recovery	Recovery	Recovery	Recovery
13	85.07%	99.67%	105.69%	96.81%

Standard ID

Thorium-230

Th-230_00056 #1835527

Cert # 114475 Ref. date 10/29/19

Activity 1.031E+06 pCi/L

Prep Batch: 516409(6/30/21)

	A1 = Low Mass	A2 = Medium Mass	A3 = High Mass
	0.0232g	0.0537g	0.0846g
Detector	Activity (pCi/mL)	Activity (pCi/mL)	Activity (pCi/mL)
13	8.774E+05	1.028E+06	1.090E+06



Environment Testing
TestAmerica

Analysis Report for Gross Alpha/Beta

Batch: 566222 Operator:

Sample ID	WRKNO	Aliquot	Mass	Instr ID	CountTime	T _s	T _b	Dilution	Sigma	MDA	DLC
	Analyte	C _s	C _b	XI	CPMs	CPM _b	Eff	Activity	UncTot	UncCnt	
ICVABT-1835527; A	160-45488-A-1-A	1.000E+000mL	0.0232	g	Ref'd3	5 / 18 / 22 17:05	20.00	1000.00	1.00	1.00	
Gross Alpha	6332	119	0.00	3.166E+002	1.190E-001	0.1625	8.774E+005pCi/L	5.121E+004	1.103E+004	1.126E+003	5.032E+002
ICVABT-1835527; B	160-45488-A-2-A	2.000E+000mL	0.0537	g	Ref'd3	5 / 18 / 22 16:44	20.00	1000.00	1.00	1.00	
Gross Alpha	9784	119	0.00	4.892E+002	1.190E-001	0.1071	1.028E+006pCi/L	5.952E+004	1.040E+004	8.541E+002	3.816E+002
ICVABT-1835527; C	160-45488-A-3-A	2.000E+000mL	0.0846	g	Ref'd3	5 / 18 / 22 16:22	20.00	1000.00	1.00	1.00	
Gross Alpha	7544	119	0.00	3.772E+002	1.190E-001	0.0779	1.090E+006pCi/L	6.338E+004	1.255E+004	1.174E+003	5.246E+002

Laboratory Control Sample Information

SampID	WRKNO	Analyte	Activity	StdAdded	Recovery	LCL	UCL	ZFactor	%

Sample Duplicate Information

Sample ID	Dup Sample ID	Analyte	Sample Activity	Dup Activity	RPD	RER	DER	ZFactor

Matrix Spike Information

SampID	SampMSID	Analyte	Sample Activity	MS Activity	StdAdded	MSRecovery	%

Blanks Information

SampID	WRKNO	Analyte	Activity	UncTotal	ZFactor

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - B

Addr: 13

Sample ID ICVABT-1835527; C

Repeat

21

Carrier No.

0

Batch ID 566222

Count Method Gross Alpha Beta

Detector Volts

1515

Count Began 5/18/2022 4:22:24 PM

Count Ended 5/18/2022 4:42:30 PM

Sample Count Time 20.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.119	7,544	377.200	377.081
	0.011	86.856	4.343	4.343
Beta sd	0.346	3,764	188.200	187.854
	0.019	61.351	3.068	3.068

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - B

Addr: 13

Sample ID ICVABT-1835527; B

Repeat 13
Carrier No. 0

Batch ID 566222

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/18/2022 4:44:15 PM

Count Ended 5/18/2022 5:04:22 PM

Sample Count Time 20.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.119	9,784	489.200	489.081
	0.011	98.914	4.946	4.946
Beta sd	0.346	4,539	226.950	226.604
	0.019	67.372	3.369	3.369

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - B

Addr: 13

Sample ID ICVABT-1835527; A

Repeat 22

Carrier No. 0

Batch ID 566222

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/18/2022 5:05:52 PM

Count Ended 5/18/2022 5:25:56 PM

Sample Count Time 20.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.119	6,332	316.600	316.481
	0.011	79.574	3.979	3.979
Beta sd	0.346	2,720	136.000	135.654
	0.019	52.154	2.608	2.608

**ICV is for Gross Beta
Strontium 90
and
Total Strontium**

Red - Beta ICV 2019

Detector	Low Mass Recovery	Medium Mass Recovery	High Mass Recovery	Mean Recovery
14	94.41%	93.65%	95.09%	94.38%

Prep Batch: 239589

Detector	B1	Activity	Units
14	Low Mass	3608.10	dpm/mL

B2	Activity	Units
Medium Mass	3578.70	dpm/mL

B3	Activity	Units
High Mass	3634.10	dpm/mL

Standard ID

Strontium 90

Sr-90_00018 #51512

Cert# 92352 Ref. date 11/29/12

Standard ID

Raw Sample/Standard Information

Initial Date/Time (t_0): 11/29/2012 0:00

Decayto Date/Time (t): 7/8/19 0:00

Initial Activity (A_0): 2,238.70 dpm

Initial Aliquot: 1 mL

Initial Conc: 2238.7 dpm/mL

Nuclide: Sr-90

Half-Life (days): 10555.725 decay days

****Decay Factor:** 0.8535 2412.00 fraction

Decay Corr Activity: 1.9108E+03 dpm

Decay Corr Conc: 1.9108E+03 dpm/mL

Conversion/Calculations

Final Activity Unit: dpm

Activity Unit Factor: 1.00000

Final Volume Unit: mL

Volume Unit Factor: 1.000

Final Concentration: 1.9108E+03 dpm/mL

Aliquot Volume: 1.0000E+00 mL

Final Activity (A): 1.9108E+03 dpm

Final Activity (A=Sr/Y-90): 3821.55 dpm

** Uses basic decay equation: $A = A_0 * \exp(-\ln(2)*(t-t_0)/(half-life))$

* Soln. Density to be used when converting from liquid expressed in mass (g) units to liquid units (mL), and is only applied in that case.

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - C

Addr: 14

Sample ID ICVABT-51512;B3

Repeat 6
Carrier No. 0

Batch ID 239589

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 7/8/2019 12:30:46 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 7/8/2019 12:35:50 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 mins	Background Count Time	.00 mins
-------------------	-----------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	1	0.200	0.200
sd	0.000			0.000	1.000	0.200	0.200
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	6,875	1,375.000	1,375.000
sd	0.000			0.000	82.916	16.583	16.583

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - C

Addr: 14

Sample ID ICVABT-51512;B2

Repeat

7

Carrier No.

0

Batch ID 239589

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0 <i>ml</i>	sd	0 <i>ml</i>
Residual Wt	0 <i>mg</i>	sd	0 <i>mg</i>

Count Began 7/8/2019 12:36:56 PM	Collection Date 1 1/1/1900	Half Life	0.00 <i>days</i>
Count Ended 7/8/2019 12:41:59 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 <i>mins</i>	Background Count Time	.00 <i>mins</i>
-------------------	------------------	-----------------------	-----------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	1	0.200	0.200
sd	0.000			0.000	1.000	0.200	0.200
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	7,160	1,432.000	1,432.000
sd	0.000			0.000	84.617	16.923	16.923

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - C

Addr: 14

Sample ID ICVABT-51512;B1

Repeat 8

Carrier No. 0

Batch ID 239589

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty 0 ml sd 0 ml

Residual Wt 0 mg sd 0 mg

Count Began 7/8/2019 12:43:24 PM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 7/8/2019 12:48:27 PM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	0	0.000	0.000
sd	0.000			0.000	0.000	0.000	0.000
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	7,645	1,529.000	1,529.000
sd	0.000			0.000	87.436	17.487	17.487

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - C

Addr: 14

Sample ID ICVABT-1835527;B1

Repeat

5

Carrier No.

0

Batch ID 451383

Count Method Gross Alpha Beta

Detector Volts

1515

Count Began 11/21/2019 5:13:17 PM

Count Ended 11/21/2019 5:58:27 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.096	13,800	306.667	306.571
	0.010	117.473	2.611	2.611
Beta sd	0.615	6,400	142.222	141.607
	0.025	80.000	1.778	1.778

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - C

Addr: 14

Sample ID ICVABT-1835527;BH

Repeat

6

Carrier No.

0

Batch ID 451383

Count Method Gross Alpha Beta

Detector Volts

1515

Count Began 11/21/2019 6:07:51 PM

Count Ended 11/21/2019 6:52:59 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.096	10,190	226.444	226.348
	0.010	100.946	2.243	2.243
Beta sd	0.615	4,207	93.489	92.874
	0.025	64.861	1.441	1.442

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - C

Addr: 14

Sample ID ICVABT-1835527;BG

Repeat

7

Carrier No.

0

Batch ID 451383

Count Method Gross Alpha Beta

Detector Volts

1515

Count Began 11/21/2019 6:58:35 PM

Count Ended 11/21/2019 7:43:43 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.096	13,299	295.533	295.437
	0.010	115.321	2.563	2.563
Beta sd	0.615	5,315	118.111	117.496
	0.025	72.904	1.620	1.620

ICV is for Gross Alpha

Red - Alpha ICV

	Low Mass	Medium Mass	High Mass	Mean
Detector	Recovery	Recovery	Recovery	Recovery
14	88.87%	101.32%	106.36%	98.85%

Standard ID

Thorium-230

Th-230_00056 #1835527

Cert # 114475 Ref. date 10/29/19

Activity 1.031E+06 pCi/L

Prep Batch: 516409(6/30/21)

	A1 = Low Mass	A2 = Medium Mass	A3 = High Mass
	0.0232g	0.0537g	0.0846g
Detector	Activity (pCi/mL)	Activity (pCi/mL)	Activity (pCi/mL)
14	9.166E+05	1.045E+06	1.097E+06

Batch: 566222

Operator:

Sample ID	WRKNO	Aliquot	Mass	Instr ID	CountTime	Activity	Ts	Tb	Dilution	Sigma	
	Analyte	Cs	Xt	CPMs	CPMb	Eff		UncTot	UncCnt	MDA	DLC
ICVABT-1835527; A	160-45488-A-1A	1.000E+000mL	0.0232	g	Red14	5/18/22 17:30	20.00	1000.00	1.00	1.00	
Gross Alpha		6715	106	0.00	3.358E+002	1.060E-001	0.1649	9.166E+005pCi/L	5.343E+004	1.119E+004	1.070E+003
ICVABT-1835527; B	160-45488-A-2A	2.000E+000mL	0.0537	g	Red14	5/18/22 17:05	20.00	1000.00	1.00	1.00	4.678E+002
Gross Alpha		10116	106	0.00	5.058E+002	1.060E-001	0.1089	1.045E+006pCi/L	6.049E+004	1.040E+004	8.102E+002
ICVABT-1835527; C	160-45488-A-3A	2.000E+000mL	0.0846	g	Red14	5/18/22 16:44	20.00	1000.00	1.00	1.00	3.542E+002
Gross Alpha		7739	106	0.00	3.869E+002	1.060E-001	0.0794	1.097E+006pCi/L	6.379E+004	1.248E+004	1.112E+003

Laboratory Control Sample Information

SampID	WRKNO	Analyte	Activity	StdAdded	Recovery	LCL	UCL	ZFactor
					%			

Sample Duplicate Information

Sample ID	Dup Sample ID	Analyte	Sample Activity	Dup Activity	RPD	RER	DER	ZFactor

Matrix Spike Information

SampID	SampMSID	Analyte	Sample Activity	MS Activity	StdAdded	MSRecovery	%	ZFactor

Blanks Information

SampID	WRKNO	Analyte	Activity	UncTotal	ZFactor

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - C

Addr: 14

Sample ID ICVABT-1835527; C

Repeat 22

Carrier No. 0

Batch ID 566222

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/18/2022 4:44:19 PM

Count Ended 5/18/2022 5:04:25 PM

Sample Count Time 20.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.106	7,739	386.950	386.844
	0.010	87.972	4.399	4.399
Beta sd	0.402	3,963	198.150	197.748
	0.020	62.952	3.148	3.148

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - C

Addr: 14

Sample ID ICVABT-1835527; B

Repeat 14

Carrier No. 0

Batch ID 566222

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/18/2022 5:05:55 PM

Count Ended 5/18/2022 5:26:01 PM

Sample Count Time 20.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.106	10,116	505.800	505.694
	0.010	100.578	5.029	5.029
Beta sd	0.402	4,573	228.650	228.248
	0.020	67.624	3.381	3.381

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - C

Addr: 14

Sample ID ICVABT-1835527; A

Repeat 23

Carrier No. 0

Batch ID 566222

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/18/2022 5:30:09 PM

Count Ended 5/18/2022 5:50:14 PM

Sample Count Time 20.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.106	6,715	335.750	335.644
	0.010	81.945	4.097	4.097
Beta sd	0.402	2,811	140.550	140.148
	0.020	53.019	2.651	2.651

**ICV is for Gross Beta
Strontium 90
and
Total Strontium**

Red - Beta ICV 2019

Detector	Low Mass Recovery	Medium Mass Recovery	High Mass Recovery	Mean Recovery
15	94.53%	94.53%	96.09%	95.05%

Prep Batch: 239589

Detector	Beta 1	Activity	Units
15	Low Mass	3.613E+03	dpm/mL

Beta 2	Activity	Units
Medium Mass	3.577E+03	dpm/mL

Beta 3	Activity	Units
High Mass	3.672E+03	dpm/mL

Standard ID

Strontium 90

Sr-90_00018 #51512

Cert# 92352 Ref. date 11/29/12

Raw Sample/Standard Information

Initial Date/Time (t_0): 11/29/2012 0:00

Decayto Date/Time (t): 7/8/19 0:00

Initial Activity (A_0): 2,238.70 dpm

Initial Aliquot: 1 mL

Initial Conc: 2238.7 dpm/mL

Nuclide: Sr-90

Half-Life (days): 10555.725 decay days fraction

**Decay Factor: 0.8535 2412.00 0.22850

Decay Corr Activity: 1.9108E+03 dpm

Decay Corr Conc: 1.9108E+03 dpm/mL

Conversion/Calculations

Final Activity Unit: dpm

Activity Unit Factor: 1.00000

Final Volume Unit: mL

Volume Unit Factor: 1.000

Final Concentration: 1.9108E+03 dpm/mL

Aliquot Volume: 1.0000E+00 mL

Final Activity (A): 1.9108E+03 dpm

Final Activity (A=Sr/Y-90): 3821.55 dpm

** Uses basic decay equation: $A = A_0 * \exp(-\ln(2)*(t-t_0)/(half-life))$

* Soln. Density to be used when converting from liquid expressed in mass (g) units to liquid units (mL), and is only applied in that case.

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - D

Addr: 15

Sample ID ICVABT-51512;B3

Repeat

7

Carrier No.

0

Batch ID 239589

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 7/8/2019 12:37:06 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
----------------------------------	----------------------------	-----------	-----------

Count Ended 7/8/2019 12:42:11 PM	Collection Date 2 1/1/1900	Decay Factor	1.000
----------------------------------	----------------------------	--------------	-------

Sample Count Time	5.00 mins	Background Count Time	.00 mins
-------------------	-----------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	0	0.000	0.000
sd	0.000			0.000	0.000	0.000	0.000
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	6,936	1,387.200	1,387.200
sd	0.000			0.000	83.283	16.657	16.657

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - D

Addr: 15

Sample ID ICVABT-51512;B2

Repeat

8

Carrier No.

0

Batch ID 239589

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 7/8/2019 12:43:36 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
----------------------------------	----------------------------	-----------	-----------

Count Ended 7/8/2019 12:48:40 PM	Collection Date 2 1/1/1900	Decay Factor	1.000
----------------------------------	----------------------------	--------------	-------

Sample Count Time	5.00 mins	Background Count Time	.00 mins
-------------------	-----------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	0	0.000	0.000
sd	0.000			0.000	0.000	0.000	0.000
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	7,136	1,427.200	1,427.200
sd	0.000			0.000	84.475	16.895	16.895

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - D

Addr: 15

Sample ID ICVABT-51512;B1

Repeat 9
Carrier No. 0

Batch ID 239589

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0 <i>ml</i>	sd	0 <i>ml</i>
Residual Wt	0 <i>mg</i>	sd	0 <i>mg</i>

Count Began 7/8/2019 12:50:10 PM	Collection Date 1 1/1/1900	Half Life	0.00 <i>days</i>
Count Ended 7/8/2019 12:55:14 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 <i>mins</i>	Background Count Time	.00 <i>mins</i>
-------------------	------------------	-----------------------	-----------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	0	0.000	0.000
sd	0.000			0.000	0.000	0.000	0.000
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	7,639	1,527.800	1,527.800
sd	0.000			0.000	87.401	17.480	17.480

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - D

Addr: 15

Sample ID ICVABT-1835527;B1

Repeat 6

Carrier No. 0

Batch ID 451383

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 11/21/2019 6:07:55 PM

Count Ended 11/21/2019 6:53:03 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.136	13,262	294.711	294.575
	0.012	115.161	2.559	2.559
Beta sd	0.372	6,354	141.200	140.828
	0.019	79.712	1.771	1.771

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - D

Addr: 15

Sample ID ICVABT-1835527;BH

Repeat

7

Carrier No.

0

Batch ID 451383

Count Method Gross Alpha Beta

Detector Volts

1515

Count Began 11/21/2019 6:58:42 PM

Count Ended 11/21/2019 7:43:48 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.136	9,717	215.933	215.797
	0.012	98.575	2.191	2.191
Beta sd	0.372	4,229	93.978	93.606
	0.019	65.031	1.445	1.445

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - D

Addr: 15

Sample ID ICVABT-1835527;BG

Repeat 8

Carrier No. 0

Batch ID 451383

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 11/21/2019 7:49:06 PM

Count Ended 11/21/2019 8:34:14 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.136	12,750	283.333	283.197
	0.012	112.916	2.509	2.509
Beta sd	0.372	5,315	118.111	117.739
	0.019	72.904	1.620	1.620

ICV is for Gross Alpha

Red - Alpha ICV

	Low Mass	Medium Mass	High Mass	Mean
Detector	Recovery	Recovery	Recovery	Recovery
15	88.32%	98.32%	107.33%	97.99%

Standard ID

Thorium-230

Th-230_00056 #1835527

Cert # 114475 Ref. date 10/29/19

Activity 1.031E+06 pCi/L

Prep Batch: 516409(6/30/21)

	A1 = Low Mass	A2 = Medium Mass	A3 = High Mass
	0.0232g	0.0537g	0.0846g
Detector	Activity (pCi/mL)	Activity (pCi/mL)	Activity (pCi/mL)
15	9.109E+05	1.014E+06	1.107E+06



Environment Testing
TestAmerica

Analysis Report for Gross Alpha/Beta

Batch: 566222 Operator:

<u>Sample ID</u>	<u>WRKNO</u>	<u>Aliquot</u>	<u>Mass</u>	<u>Instr ID</u>	<u>CountTime</u>	<u>Ts</u>	<u>Tb</u>	<u>Dilution</u>	<u>Sigma</u>	
	<u>Analyte</u>	<u>Cs</u>	<u>XT</u>	<u>CPMs</u>	<u>CPMb</u>	<u>Eff</u>	<u>Activity</u>	<u>UncTot</u>	<u>MDA</u>	<u>DLC</u>
ICVABT-1835527; A	160-45488-A-1-A	1.000E+000mL	0.0232	g	Ref15	5 / 18 / 22 17:53	20.00	1000.00	1.00	1.00
Gross Alpha		6612	111	0.00	3.306E+002	1.110E-001	0.1634	9.109E+005pCi/L	5.312E+004	1.121E+004
ICVABT-1835527; B	160-45488-A-2-A	2.000E+000mL	0.0537	g	Ref15	5 / 18 / 22 17:30	20.00	1000.00	1.00	1.00
Gross Alpha		9752	111	0.00	4.876E+002	1.110E-001	0.1083	1.014E+006pCi/L	5.870E+004	1.027E+004
ICVABT-1835527; C	160-45488-A-3-A	2.000E+000mL	0.0846	g	Ref15	5 / 18 / 22 17:05	20.00	1000.00	1.00	1.00
Gross Alpha		7752	111	0.00	3.876E+002	1.110E-001	0.0788	1.107E+006pCi/L	6.436E+004	1.258E+004

Laboratory Control Sample Information

<u>SampID</u>	<u>WRKNO</u>	<u>Analyte</u>	<u>Activity</u>	<u>StdAdded</u>	<u>Recovery</u>	<u>LCL</u>	<u>UCL</u>	<u>ZFactor</u>
					%			

Sample Duplicate Information

<u>Sample ID</u>	<u>Dup Sample ID</u>	<u>Analyte</u>	<u>Sample Activity</u>	<u>Dup Activity</u>	<u>RPD</u>	<u>RER</u>	<u>DER</u>	<u>ZFactor</u>

Matrix Spike Information

<u>SampID</u>	<u>SampMSID</u>	<u>Analyte</u>	<u>Sample Activity</u>	<u>MS Activity</u>	<u>StdAdded</u>	<u>MSRecovery</u>	<u>%</u>

Blanks Information

<u>SampID</u>	<u>WRKNO</u>	<u>Analyte</u>	<u>Activity</u>	<u>UncTotal</u>	<u>ZFactor</u>

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - D

Addr: 15

Sample ID ICVABT-1835527; C

Repeat

23

Carrier No.

0

Batch ID 566222

Count Method Gross Alpha Beta

Detector Volts

1515

Count Began 5/18/2022 5:05:59 PM

Count Ended 5/18/2022 5:26:04 PM

Sample Count Time

20.00 *mins*

Background Count Time

1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.111	7,752	387.600	387.489
	0.011	88.045	4.402	4.402
Beta sd	0.351	3,830	191.500	191.149
	0.019	61.887	3.094	3.094

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - D

Addr: 15

Sample ID ICVABT-1835527; B

Repeat 15
Carrier No. 0

Batch ID 566222

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/18/2022 5:30:13 PM

Count Ended 5/18/2022 5:50:17 PM

Sample Count Time 20.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.111	9,752	487.600	487.489
	0.011	98.752	4.938	4.938
Beta sd	0.351	4,570	228.500	228.149
	0.019	67.602	3.380	3.380

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - D

Addr: 15

Sample ID ICVABT-1835527; A

Repeat

24

Carrier No.

0

Batch ID 566222

Count Method Gross Alpha Beta

Detector Volts

1515

Count Began 5/18/2022 5:53:19 PM

Count Ended 5/18/2022 6:13:26 PM

Sample Count Time

20.00 *mins*

Background Count Time

1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.111	6,612	330.600	330.489
	0.011	81.314	4.066	4.066
Beta sd	0.351	2,657	132.850	132.499
	0.019	51.546	2.577	2.577

**ICV is for Gross Beta
Strontium 90
and
Total Strontium**

Red - Beta ICV 2019

Detector	Low Mass Recovery	Medium Mass Recovery	High Mass Recovery	Mean Recovery
16	98.36%	94.11%	96.57%	96.34%

Prep Batch: 239589

Detector	B1	Activity	Units
16	Low Mass	3758.50	dpm/mL

B2	Activity	Units
Medium Mass	3596.10	dpm/mL

B3	Activity	Units
High Mass	3690.30	dpm/mL

Standard ID

Strontium 90

Sr-90_00018 #51512

Cert# 92352 Ref. date 11/29/12

Raw Sample/Standard Information

Initial Date/Time (t_0): 11/29/2012 0:00

Decayto Date/Time (t): 7/9/19 0:00

Initial Activity (A_0): 2,238.70 dpm

Initial Aliquot: 1 mL

Initial Conc: 2238.7 dpm/mL

Nuclide: Sr-90

Half-Life (days): 10555.725 decay days

****Decay Factor:** 0.8535 2413.00

fraction

0.22860

Decay Corr Activity: 1.9107E+03 dpm

Decay Corr Conc: 1.9107E+03 dpm/mL

Conversion/Calculations

Final Activity Unit: dpm

Activity Unit Factor: 1.00000

Final Volume Unit: mL

Volume Unit Factor: 1.000

Final Concentration: 1.9107E+03 dpm/mL

Aliquot Volume: 1.0000E+00 mL

Final Activity (A): 1.9107E+03 dpm

Final Activity (A=Sr/Y-90): 3821.30 dpm

** Uses basic decay equation: $A = A_0 * \exp(-\ln(2)*(t-t_0)/(half-life))$

* Soln. Density to be used when converting from liquid expressed in mass (g) units to liquid units (mL), and is only applied in that case.

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - A

Addr: 16

Sample ID ICVABT-51512;B1

Repeat 2
Carrier No. 0

Batch ID 239589

Count Method Gross Alpha Beta	Detector Volts 1515
-------------------------------	---------------------

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 7/9/2019 6:30:01 AM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 7/9/2019 6:35:03 AM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 mins	Background Count Time	.00 mins
-------------------	-----------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	1	0.200	0.200
sd	0.000			0.000	1.000	0.200	0.200
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	7,983	1,596.600	1,596.600
sd	0.000			0.000	89.348	17.870	17.870

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - A

Addr: 16

Sample ID ICVABT-51512;B3

Repeat 8
Carrier No. 0

Batch ID 239589

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 7/9/2019 7:08:26 AM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 7/9/2019 7:13:29 AM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 mins	Background Count Time	.00 mins
-------------------	-----------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	1	0.200	0.200
sd	0.000			0.000	1.000	0.200	0.200
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	7,024	1,404.800	1,404.800
sd	0.000			0.000	83.809	16.762	16.762

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - A

Addr: 16

Sample ID ICVABT-51512;B2

Repeat

9

Carrier No.

0

Batch ID 239589

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0 ml	sd	0 ml
------------	------	----	------

Residual Wt	0 mg	sd	0 mg
-------------	------	----	------

Count Began 7/9/2019 7:14:38 AM	Collection Date 1 1/1/1900	Half Life	0.00 days
---------------------------------	----------------------------	-----------	-----------

Count Ended 7/9/2019 7:19:42 AM	Collection Date 2 1/1/1900	Decay Factor	1.000
---------------------------------	----------------------------	--------------	-------

Sample Count Time	5.00 mins	Background Count Time	.00 mins
-------------------	-----------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	1	0.200	0.200
sd	0.000			0.000	1.000	0.200	0.200
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	7,226	1,445.200	1,445.200
sd	0.000			0.000	85.006	17.001	17.001

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - A

Addr: 16

Sample ID ICVABT-1835527;BG

Repeat

1

Carrier No.

0

Batch ID 451383

Count Method Gross Alpha Beta

Detector Volts

1515

Count Began 11/21/2019 8:47:35 PM

Count Ended 11/21/2019 9:32:42 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.107	13,072	290.489	290.382
	0.010	114.333	2.541	2.541
Beta sd	0.412	5,038	111.956	111.544
	0.020	70.979	1.577	1.577

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - A

Addr: 16

Sample ID ICVABT-1835527;B1

Repeat

7

Carrier No.

0

Batch ID 451383

Count Method Gross Alpha Beta

Detector Volts

1515

Count Began 11/22/2019 8:49:40 AM

Count Ended 11/22/2019 9:34:48 AM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.107	13,804	306.756	306.649
	0.010	117.490	2.611	2.611
Beta sd	0.412	6,061	134.689	134.277
	0.020	77.852	1.730	1.730

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - A

Addr: 16

Sample ID ICVABT-1835527;BH

Repeat 8

Carrier No. 0

Batch ID 451383

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 11/22/2019 9:39:28 AM

Count Ended 11/22/2019 10:24:35 AM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.107	10,061	223.578	223.471
	0.010	100.305	2.229	2.229
Beta sd	0.412	4,153	92.289	91.877
	0.020	64.444	1.432	1.432

ICV is for Gross Alpha

Red - Alpha ICV

	Low Mass	Medium Mass	High Mass	Mean
Detector	Recovery	Recovery	Recovery	Recovery
16	87.90%	101.13%	105.98%	98.34%

Standard ID

Thorium-230

Th-230_00056 #1835527

Cert # 114475 Ref. date 10/29/19

Activity 1.031E+06 pCi/L

Prep Batch: 516409(6/30/21)

	A1 = Low Mass	A2 = Medium Mass	A3 = High Mass
	0.0232g	0.0537g	0.0846g
Detector	Activity (pCi/mL)	Activity (pCi/mL)	Activity (pCi/mL)
16	9.066E+05	1.043E+06	1.093E+06

<u>Sample ID</u>	<u>WRKNO</u>	<u>Aliquot</u>	<u>Mass</u>	<u>Instr ID</u>	<u>CountTime</u>	<u>Ts</u>	<u>Tb</u>	<u>Dilution</u>	<u>Sigma</u>	<u>MDA</u>	<u>DLC</u>
<u>Analyte</u>	<u>Cs</u>	<u>XT</u>	<u>CPMs</u>	<u>CPM_b</u>	<u>Eff</u>	<u>Activity</u>	<u>UncTot</u>	<u>UncCnt</u>	<u>1.00</u>	<u>1.00</u>	<u>1.00</u>
ICVABT-1835527; A	160-45488-A-1-A	1.000E+000mL	0.0232	g	Red/6	5 / 18 / 22 18:35	20.00	1000.00	1.00	1.00	1.00
Gross Alpha		6812	78	0.00	3.406E+002	7.800E-002	0.1692	9.066E+005pCi/L	5.283E+004	1.098E+004	9.519E+002
ICVABT-1835527; B	160-45488-A-2-A	2.000E+000mL	0.0537	g	Red/6	5 / 18 / 22 21:54	20.00	1000.00	1.00	1.00	1.00
Gross Alpha		10400	78	0.00	5.200E+002	7.800E-002	0.1123	1.043E+006pCi/L	6.030E+004	1.022E+004	7.169E+002
ICVABT-1835527; C	160-45488-A-3-A	2.000E+000mL	0.0846	g	Red/6	5 / 18 / 22 21:30	20.00	1000.00	1.00	1.00	1.00
Gross Alpha		7892	78	0.00	3.946E+002	7.800E-002	0.0813	1.093E+006pCi/L	6.348E+004	1.230E+004	9.901E+002

Laboratory Control Sample Information

<u>SampID</u>	<u>WRKNO</u>	<u>Analyte</u>	<u>Activity</u>	<u>StdAdded</u>	<u>Recovery</u>	<u>LCL</u>	<u>UCL</u>	<u>ZFactor</u>
					%			

Sample Duplicate Information

<u>Sample ID</u>	<u>Dup Sample ID</u>	<u>Analyte</u>	<u>Sample Activity</u>	<u>Dup Activity</u>	<u>RPD</u>	<u>RER</u>	<u>DER</u>	<u>ZFactor</u>

Matrix Spike Information

<u>SampID</u>	<u>SampMSID</u>	<u>Analyte</u>	<u>Sample Activity</u>	<u>MS Activity</u>	<u>StdAdded</u>	<u>MSRecovery</u>	<u>%</u>

Blanks Information

<u>SampID</u>	<u>WRKNO</u>	<u>Analyte</u>	<u>Activity</u>	<u>UncTotal</u>	<u>ZFactor</u>

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - A

Addr: 16

Sample ID ICVABT-1835527; A

Repeat 13

Carrier No. 0

Batch ID 566222

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/18/2022 6:35:34 PM

Count Ended 5/18/2022 6:55:37 PM

Sample Count Time 20.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.078	6,812	340.600	340.522
	0.009	82.535	4.127	4.127
Beta sd	0.356	2,709	135.450	135.094
	0.019	52.048	2.602	2.602

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - A

Addr: 16

Sample ID ICVABT-1835527; C

Repeat 19
Carrier No. 0

Batch ID 566222

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/18/2022 9:30:47 PM

Count Ended 5/18/2022 9:50:52 PM

Sample Count Time 20.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.078	7,892	394.600	394.522
	0.009	88.837	4.442	4.442
Beta sd	0.356	3,748	187.400	187.044
	0.019	61.221	3.061	3.061

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - A

Addr: 16

Sample ID ICVABT-1835527; B

Repeat 14

Carrier No. 0

Batch ID 566222

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/18/2022 9:54:18 PM

Count Ended 5/18/2022 10:14:23 PM

Sample Count Time 20.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.078	10,400	520.000	519.922
	0.009	101.980	5.099	5.099
Beta sd	0.356	4,572	228.600	228.244
	0.019	67.617	3.381	3.381

**ICV is for Gross Beta
Strontium 90
and
Total Strontium**

Red - Beta ICV 2019

Detector	Low Mass Recovery	Medium Mass Recovery	High Mass Recovery	Mean Recovery
17	95.35%	94.18%	94.96%	94.83%

Prep Batch: 239589

Detector	B1	Activity	Units
17	Low Mass	3643.80	dpm/mL

B2	Activity	Units
Medium Mass	3599.00	dpm/mL

B3	Activity	Units
High Mass	3628.70	dpm/mL

Standard ID

Strontium 90

Sr-90_00018 #51512

Cert# 92352 Ref. date 11/29/12

Raw Sample/Standard Information

Initial Date/Time (t_0): 11/29/2012 0:00

Decayto Date/Time (t): 7/9/19 0:00

Initial Activity (A_0): 2,238.70 dpm

Initial Aliquot: 1 mL

Initial Conc: 2238.7 dpm/mL

Nuclide: Sr-90

Half-Life (days): 10555.725 decay days

****Decay Factor:** 0.8535 2413.00

fraction

0.22860

Decay Corr Activity: 1.9107E+03 dpm

Decay Corr Conc: 1.9107E+03 dpm/mL

Conversion/Calculations

Final Activity Unit: dpm

Activity Unit Factor: 1.00000

Final Volume Unit: mL

Volume Unit Factor: 1.000

Final Concentration: 1.9107E+03 dpm/mL

Aliquot Volume: 1.0000E+00 mL

Final Activity (A): 1.9107E+03 dpm

Final Activity (A=Sr/Y-90): 3821.30 dpm

** Uses basic decay equation: $A = A_0 * \exp(-\ln(2)*(t-t_0)/(half-life))$

* Soln. Density to be used when converting from liquid expressed in mass (g) units to liquid units (mL), and is only applied in that case.

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - B

Addr: 17

Sample ID ICVABT-51512;B2

Repeat 2
Carrier No. 0

Batch ID 239589

Count Method Gross Alpha Beta	Detector Volts 1515
-------------------------------	---------------------

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 7/9/2019 6:30:12 AM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 7/9/2019 6:35:16 AM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 mins	Background Count Time	.00 mins
-------------------	-----------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	1	0.200	0.200
sd	0.000			0.000	1.000	0.200	0.200
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	7,266	1,453.200	1,453.200
sd	0.000			0.000	85.241	17.048	17.048

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - B

Addr: 17

Sample ID ICVABT-51512;B1

Repeat 3
Carrier No. 0

Batch ID 239589

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 7/9/2019 6:36:21 AM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 7/9/2019 6:41:26 AM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 mins	Background Count Time	.00 mins
-------------------	-----------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	1	0.200	0.200
sd	0.000			0.000	1.000	0.200	0.200
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	7,784	1,556.800	1,556.800
sd	0.000			0.000	88.227	17.645	17.645

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - B

Addr: 17

Sample ID ICVABT-51512;B3

Repeat 9
Carrier No. 0

Batch ID 239589

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 7/9/2019 7:14:46 AM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 7/9/2019 7:19:49 AM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 mins	Background Count Time	.00 mins
-------------------	-----------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	2	0.400	0.400
sd	0.000			0.000	1.414	0.283	0.283
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	6,933	1,386.600	1,386.600
sd	0.000			0.000	83.265	16.653	16.653

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - B

Addr: 17

Sample ID ICVABT-1835527;BH

Repeat

1

Carrier No.

0

Batch ID 451383

Count Method Gross Alpha Beta

Detector Volts

1515

Count Began 11/21/2019 8:47:42 PM

Count Ended 11/21/2019 9:32:50 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.153	10,262	228.044	227.891
	0.012	101.302	2.251	2.251
Beta sd	0.372	4,228	93.956	93.584
	0.019	65.023	1.445	1.445

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - B

Addr: 17

Sample ID ICVABT-1835527;BG

Repeat

2

Carrier No.

0

Batch ID 451383

Count Method Gross Alpha Beta

Detector Volts

1515

Count Began 11/21/2019 9:42:42 PM

Count Ended 11/21/2019 10:27:49 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.153	13,590	302.000	301.847
	0.012	116.576	2.591	2.591
Beta sd	0.372	5,364	119.200	118.828
	0.019	73.239	1.628	1.628

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - B

Addr: 17

Sample ID ICVABT-1835527;B1

Repeat 8

Carrier No. 0

Batch ID 451383

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 11/22/2019 9:39:32 AM

Count Ended 11/22/2019 10:24:41 AM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.153	14,095	313.222	313.069
	0.012	118.722	2.638	2.638
Beta sd	0.372	6,393	142.067	141.695
	0.019	79.956	1.777	1.777

ICV is for Gross Alpha

Red - Alpha ICV

	Low Mass	Medium Mass	High Mass	Mean
Detector	Recovery	Recovery	Recovery	Recovery
17	88.39%	98.61%	105.78%	97.59%

Standard ID

Thorium-230

Th-230_00056 #1835527

Cert # 114475 Ref. date 10/29/19

Activity 1.031E+06 pCi/L

Prep Batch: 516409(6/30/21)

	A1 = Low Mass	A2 = Medium Mass	A3 = High Mass
	0.0232g	0.0537g	0.0846g
Detector	Activity (pCi/mL)	Activity (pCi/mL)	Activity (pCi/mL)
17	9.116E+05	1.017E+06	1.091E+06

Batch: 566222 Operator:

<u>Sample ID</u>	<u>WRKNO</u>	<u>Aliquot</u>	<u>Mass</u>	<u>Instr ID</u>	<u>CountTime</u>	<u>Ts</u>	<u>Tb</u>	<u>Dilution</u>	<u>Sigma</u>
<u>Analyte</u>	<u>Cs</u>	<u>XT</u>	<u>CPMs</u>	<u>CPM#</u>	<u>Eff</u>	<u>Activity</u>	<u>UncTot</u>	<u>UncCnt</u>	<u>MDA</u>
ICVABT-1835527; A	160-45488-A-1-A	1.000E+000mL	0.0232	g	Redf7	5 / 18 / 22 18:58	20.00	1000.00	1.00
Gross Alpha		6809	73	0.00	3.404E+002	7.300E-002	9.116E+005pCi/L	5.312E+004	1.105E+004
ICVABT-1835527; B	160-45488-A-2-A	2.000E+000mL	0.0537	g	Redf7	5 / 18 / 22 18:35	20.00	1000.00	1.00
Gross Alpha		10066	73	0.00	5.033E+002	7.300E-002	0.1114	1.017E+006pCi/L	5.885E+004
ICVABT-1835527; C	160-45488-A-3-A	2.000E+000mL	0.0846	g	Redf7	5 / 18 / 22 21:54	20.00	1000.00	1.00
Gross Alpha		7835	73	0.00	3.918E+002	7.300E-002	0.0808	1.091E+006pCi/L	6.342E+004

Laboratory Control Sample Information

<u>SampID</u>	<u>WRKNO</u>	<u>Analyte</u>	<u>Activity</u>	<u>StdAdded</u>	<u>Recovery</u>	<u>LCL</u>	<u>UCL</u>	<u>ZFactor</u>
					%			

Sample Duplicate Information

<u>Sample ID</u>	<u>Dup Sample ID</u>	<u>Analyte</u>	<u>Sample Activity</u>	<u>Dup Activity</u>	<u>RPD</u>	<u>RER</u>	<u>DER</u>	<u>ZFactor</u>

Matrix Spike Information

<u>SampID</u>	<u>SampMSID</u>	<u>Analyte</u>	<u>Sample Activity</u>	<u>MS Activity</u>	<u>StdAdded</u>	<u>MSRecovery</u>	<u>ZFactor</u>
						%	

Blanks Information

<u>SampID</u>	<u>WRKNO</u>	<u>Analyte</u>	<u>Activity</u>	<u>UncTotal</u>	<u>ZFactor</u>

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - B

Addr: 17

Sample ID ICVABT-1835527; B

Repeat 7
Carrier No. 0

Batch ID 566222

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/18/2022 6:35:38 PM

Count Ended 5/18/2022 6:55:43 PM

Sample Count Time 20.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.073	10,066	503.300	503.227
	0.009	100.329	5.016	5.016
Beta sd	1.642	4,628	231.400	229.758
	0.041	68.029	3.401	3.402

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - B

Addr: 17

Sample ID ICVABT-1835527; A

Repeat 14

Carrier No. 0

Batch ID 566222

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/18/2022 6:58:41 PM

Count Ended 5/18/2022 7:18:47 PM

Sample Count Time 20.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.073	6,809	340.450	340.377
	0.009	82.517	4.126	4.126
Beta sd	1.642	2,766	138.300	136.658
	0.041	52.593	2.630	2.630

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - B

Addr: 17

Sample ID ICVABT-1835527; C

Repeat 20
Carrier No. 0

Batch ID 566222

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/18/2022 9:54:21 PM

Count Ended 5/18/2022 10:14:26 PM

Sample Count Time 20.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.073	7,835	391.750	391.677
	0.009	88.516	4.426	4.426
Beta sd	1.642	3,910	195.500	193.858
	0.041	62.530	3.126	3.127

**ICV is for Gross Beta
Strontium 90
and
Total Strontium**

Red - Beta ICV 2019

Detector	Low Mass Recovery	Medium Mass Recovery	High Mass Recovery	Mean Recovery
18	97.45%	94.42%	94.68%	95.52%

Prep Batch: 239589

Detector	B1	Activity	Units
18	Low Mass	3723.70	dpm/mL

B2	Activity	Units
Medium Mass	3608.00	dpm/mL

B3	Activity	Units
High Mass	3618.10	dpm/mL

Standard ID

Strontium 90

Sr-90_00018 #51512

Cert# 92352 Ref. date 11/29/12

Raw Sample/Standard Information

Initial Date/Time (t_0): 11/29/2012 0:00

Decayto Date/Time (t): 7/9/19 0:00

Initial Activity (A_0): 2,238.70 dpm

Initial Aliquot: 1 mL

Initial Conc: 2238.7 dpm/mL

Nuclide: Sr-90

Half-Life (days): 10555.725 decay days

****Decay Factor:** 0.8535 2413.00

fraction

0.22860

Decay Corr Activity: 1.9107E+03 dpm

Decay Corr Conc: 1.9107E+03 dpm/mL

Conversion/Calculations

Final Activity Unit: dpm

Activity Unit Factor: 1.00000

Final Volume Unit: mL

Volume Unit Factor: 1.000

Final Concentration: 1.9107E+03 dpm/mL

Aliquot Volume: 1.0000E+00 mL

Final Activity (A): 1.9107E+03 dpm

Final Activity (A=Sr/Y-90): 3821.30 dpm

** Uses basic decay equation: $A = A_0 * \exp(-\ln(2)*(t-t_0)/(half-life))$

* Soln. Density to be used when converting from liquid expressed in mass (g) units to liquid units (mL), and is only applied in that case.

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - C

Addr: 18

Sample ID ICVABT-51512;B3

Repeat 2
Carrier No. 0

Batch ID 239589

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0 <i>ml</i>	sd	0 <i>ml</i>
Residual Wt	0 <i>mg</i>	sd	0 <i>mg</i>

Count Began 7/9/2019 6:30:24 AM	Collection Date 1 1/1/1900	Half Life	0.00 <i>days</i>
Count Ended 7/9/2019 6:35:28 AM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 <i>mins</i>	Background Count Time	.00 <i>mins</i>
-------------------	------------------	-----------------------	-----------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	0	0.000	0.000
sd	0.000			0.000	0.000	0.000	0.000
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	6,864	1,372.800	1,372.800
sd	0.000			0.000	82.849	16.570	16.570

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - C

Addr: 18

Sample ID ICVABT-51512;B2

Repeat 3

Carrier No. 0

Batch ID 239589

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty 0 ml sd 0 ml

Residual Wt 0 mg sd 0 mg

Count Began 7/9/2019 6:36:33 AM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 7/9/2019 6:41:36 AM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	1	0.200	0.200
sd	0.000			0.000	1.000	0.200	0.200
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	7,222	1,444.400	1,444.400
sd	0.000			0.000	84.982	16.996	16.996

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - C

Addr: 18

Sample ID ICVABT-51512;B1

Repeat

4

Carrier No.

0

Batch ID 239589

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0 ml	sd	0 ml
------------	------	----	------

Residual Wt	0 mg	sd	0 mg
-------------	------	----	------

Count Began 7/9/2019 6:42:37 AM	Collection Date 1 1/1/1900	Half Life	0.00 days
---------------------------------	----------------------------	-----------	-----------

Count Ended 7/9/2019 6:47:40 AM	Collection Date 2 1/1/1900	Decay Factor	1.000
---------------------------------	----------------------------	--------------	-------

Sample Count Time	5.00 mins	Background Count Time	.00 mins
-------------------	-----------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	0	0.000	0.000
sd	0.000			0.000	0.000	0.000	0.000
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	7,870	1,574.000	1,574.000
sd	0.000			0.000	88.713	17.743	17.743

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - C

Addr: 18

Sample ID ICVABT-1835527;BH

Repeat

2

Carrier No.

0

Batch ID 451383

Count Method Gross Alpha Beta

Detector Volts

1515

Count Began 11/21/2019 9:42:46 PM

Count Ended 11/21/2019 10:27:52 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.141	9,784	217.422	217.281
	0.012	98.914	2.198	2.198
Beta sd	0.372	4,305	95.667	95.295
	0.019	65.612	1.458	1.458

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - C

Addr: 18

Sample ID ICVABT-1835527;BG

Repeat 3

Carrier No. 0

Batch ID 451383

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 11/21/2019 10:32:00 PM

Count Ended 11/21/2019 11:17:06 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.141	12,736	283.022	282.881
	0.012	112.854	2.508	2.508
Beta sd	0.372	5,271	117.133	116.761
	0.019	72.602	1.613	1.613

ICV is for Gross Alpha

Red - Alpha ICV

	Low Mass	Medium Mass	High Mass	Mean
Detector	Recovery	Recovery	Recovery	Recovery
18	86.13%	100.35%	105.20%	97.23%

Standard ID

Thorium-230

Th-230_00056 #1835527

Cert # 114475 Ref. date 10/29/19

Activity 1.031E+06 pCi/L

Prep Batch: 516409(6/30/21)

	A1 = Low Mass	A2 = Medium Mass	A3 = High Mass
	0.0232g	0.0537g	0.0846g
Detector	Activity (pCi/mL)	Activity (pCi/mL)	Activity (pCi/mL)
18	8.883E+05	1.035E+06	1.085E+06

Analysis Report for Gross Alpha/Beta
Batch: 566222 Operator:

<u>Sample ID</u>	<u>WRKNO</u>	<u>Aliquot</u>	<u>Mass</u>	<u>Instr ID</u>	<u>CountTime</u>	<u>Ts</u>	<u>Tb</u>	<u>Dilution</u>	<u>Sigma</u>
<u>Analite</u>	<u>Cs</u>	<u>Cb</u>	<u>Xt</u>	<u>CPMs</u>	<u>CPM_b</u>	<u>Eff</u>	<u>Activity</u>	<u>UncTot</u>	<u>UncCnt</u>
ICVABT-1835527; A	160-45488-A-1-A	1.000E+000mL	0.0232	g Red/8	5/18/22 19:21	20.00	1000.00	1.00	1.00
Gross Alpha	6585	93	0.00	3.293E+002	9.300E-002	0.1669	8.883E+005pCi/L	5.180E+004	1.095E+004
ICVABT-1835527; B	160-45488-A-2-A	2.000E+000mL	0.0537	g Red/8	5/18/22 18:58	20.00	1000.00	1.00	1.00
Gross Alpha	10221	93	0.00	5.111E+002	9.300E-002	0.1112	1.035E+006pCi/L	5.989E+004	1.024E+004
ICVABT-1835527; C	160-45488-A-3-A	2.000E+000mL	0.0846	g Red/8	5/18/22 18:35	20.00	1000.00	1.00	1.00
Gross Alpha	7821	93	0.00	3.911E+002	9.300E-002	0.0812	1.085E+006pCi/L	6.304E+004	1.227E+004

Laboratory Control Sample Information

<u>SampID</u>	<u>WRKNO</u>	<u>Analyte</u>	<u>Activity</u>	<u>StdAdded</u>	<u>Recovery</u>	<u>LCL</u>	<u>UCL</u>	<u>ZFactor</u>
Sample Duplicate Information								
<u>Sample ID</u>	<u>Dup Sample ID</u>	<u>Analyte</u>	<u>Sample Activity</u>	<u>Dup Activity</u>	<u>RPD</u>	<u>RER</u>	<u>DER</u>	<u>ZFactor</u>
Matrix Spike Information								
<u>SampID</u>	<u>SampMSID</u>	<u>Analyte</u>	<u>Sample Activity</u>	<u>MS Activity</u>	<u>StdAdded</u>	<u>MSRecovery</u>	<u>%</u>	<u>ZFactor</u>
Blanks Information								
<u>SampID</u>	<u>WRKNO</u>	<u>Analyte</u>	<u>Activity</u>	<u>UncTotal</u>	<u>ZFactor</u>			

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - C

Addr: 18

Sample ID ICVABT-1835527; C

Repeat 13

Carrier No. 0

Batch ID 566222

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/18/2022 6:35:42 PM

Count Ended 5/18/2022 6:55:48 PM

Sample Count Time 20.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.093	7,821	391.050	390.957
	0.010	88.436	4.422	4.422
Beta sd	0.286	3,996	199.800	199.514
	0.017	63.214	3.161	3.161

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - C

Addr: 18

Sample ID ICVABT-1835527; B

Repeat 8
Carrier No. 0

Batch ID 566222

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/18/2022 6:58:44 PM

Count Ended 5/18/2022 7:18:50 PM

Sample Count Time 20.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.093	10,221	511.050	510.957
	0.010	101.099	5.055	5.055
Beta sd	0.286	4,804	240.200	239.914
	0.017	69.311	3.466	3.466

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - C

Addr: 18

Sample ID ICVABT-1835527; A

Repeat 15

Carrier No. 0

Batch ID 566222

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/18/2022 7:21:10 PM

Count Ended 5/18/2022 7:41:14 PM

Sample Count Time 20.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.093	6,585	329.250	329.157
	0.010	81.148	4.057	4.057
Beta sd	0.286	2,890	144.500	144.214
	0.017	53.759	2.688	2.688

**ICV is for Gross Beta
Strontium 90
and
Total Strontium**

Red - Beta ICV 2019

Detector	Low Mass Recovery	Medium Mass Recovery	High Mass Recovery	Mean Recovery
19	95.62%	94.66%	95.24%	95.17%

Prep Batch: 239589

Detector	B1	Activity	Units
19	Low Mass	3654.10	dpm/mL

B2	Activity	Units
Medium Mass	3617.20	dpm/mL

B3	Activity	Units
High Mass	3639.30	dpm/mL

Standard ID

Strontium 90

Sr-90_00018 #51512

Cert# 92352 Ref. date 11/29/12

Raw Sample/Standard Information

Initial Date/Time (t_0): 11/29/2012 0:00

Decayto Date/Time (t): 7/9/19 0:00

Initial Activity (A_0): 2,238.70 dpm

Initial Aliquot: 1 mL

Initial Conc: 2238.7 dpm/mL

Nuclide: Sr-90

Half-Life (days): 10555.725 decay days

****Decay Factor:** 0.8535 2413.00 fraction

Decay Corr Activity: 1.9107E+03 dpm

Decay Corr Conc: 1.9107E+03 dpm/mL

Conversion/Calculations

Final Activity Unit: dpm

Activity Unit Factor: 1.00000

Final Volume Unit: mL

Volume Unit Factor: 1.000

Final Concentration: 1.9107E+03 dpm/mL

Aliquot Volume: 1.0000E+00 mL

Final Activity (A): 1.9107E+03 dpm

Final Activity (A=Sr/Y-90): 3821.30 dpm

** Uses basic decay equation: $A = A_0 * \exp(-\ln(2)*(t-t_0)/(half-life))$

* Soln. Density to be used when converting from liquid expressed in mass (g) units to liquid units (mL), and is only applied in that case.

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - D

Addr: 19

Sample ID ICVABT-51512;B3

Repeat	3
Carrier No.	0

Batch ID 239589

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 7/9/2019 6:36:44 AM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 7/9/2019 6:41:48 AM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 mins	Background Count Time	.00 mins
-------------------	-----------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	1	0.200	0.200
sd	0.000			0.000	1.000	0.200	0.200
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	7,054	1,410.800	1,410.800
sd	0.000			0.000	83.988	16.798	16.798

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - D

Addr: 19

Sample ID ICVABT-51512;B2

Repeat

4

Carrier No.

0

Batch ID 239589

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 7/9/2019 6:42:46 AM	Collection Date 1 1/1/1900	Half Life	0.00 days
---------------------------------	----------------------------	-----------	-----------

Count Ended 7/9/2019 6:47:50 AM	Collection Date 2 1/1/1900	Decay Factor	1.000
---------------------------------	----------------------------	--------------	-------

Sample Count Time	5.00 mins	Background Count Time	.00 mins
-------------------	-----------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	2	0.400	0.400
sd	0.000			0.000	1.414	0.283	0.283
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	7,423	1,484.600	1,484.600
sd	0.000			0.000	86.157	17.231	17.231

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - D

Addr: 19

Sample ID ICVABT-51512;B1

Repeat

5

Carrier No.

0

Batch ID 239589

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 7/9/2019 6:48:41 AM	Collection Date 1 1/1/1900	Half Life	0.00 days
---------------------------------	----------------------------	-----------	-----------

Count Ended 7/9/2019 6:53:46 AM	Collection Date 2 1/1/1900	Decay Factor	1.000
---------------------------------	----------------------------	--------------	-------

Sample Count Time	5.00 mins	Background Count Time	.00 mins
-------------------	-----------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	0	0.000	0.000
sd	0.000			0.000	0.000	0.000	0.000
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	7,939	1,587.800	1,587.800
sd	0.000			0.000	89.101	17.820	17.820

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - D

Addr: 19

Sample ID ICVABT-1835527;BI

Repeat

2

Carrier No.

0

Batch ID 451383

Count Method Gross Alpha Beta

Detector Volts

1515

Count Began 11/21/2019 9:42:51 PM

Count Ended 11/21/2019 10:28:01 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.150	13,860	308.000	307.850
	0.012	117.729	2.616	2.616
Beta sd	0.429	6,375	141.667	141.238
	0.021	79.844	1.774	1.774

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - D

Addr: 19

Sample ID ICVABT-1835527;BH

Repeat 3

Carrier No. 0

Batch ID 451383

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 11/21/2019 10:32:04 PM

Count Ended 11/21/2019 11:17:12 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.150	9,997	222.156	222.006
	0.012	99.985	2.222	2.222
Beta sd	0.429	4,376	97.244	96.815
	0.021	66.151	1.470	1.470

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - D

Addr: 19

Sample ID ICVABT-1835527;BG

Repeat

4

Carrier No.

0

Batch ID 451383

Count Method Gross Alpha Beta

Detector Volts

1515

Count Began 11/21/2019 11:30:58 PM

Count Ended 11/22/2019 12:16:06 AM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.150	13,352	296.711	296.561
	0.012	115.551	2.568	2.568
Beta sd	0.429	5,355	119.000	118.571
	0.021	73.178	1.626	1.626

ICV is for Gross Alpha

Red - Alpha ICV

	Low Mass	Medium Mass	High Mass	Mean
Detector	Recovery	Recovery	Recovery	Recovery
19	87.00%	97.35%	104.33%	96.23%

Standard ID

Thorium-230

Th-230_00056 #1835527

Cert # 114475 Ref. date 10/29/19

Activity 1.031E+06 pCi/L

Prep Batch: 516409(6/30/21)

	A1 = Low Mass	A2 = Medium Mass	A3 = High Mass
	0.0232g	0.0537g	0.0846g
Detector	Activity (pCi/mL)	Activity (pCi/mL)	Activity (pCi/mL)
19	8.973E+05	1.004E+06	1.076E+06



Environment Testing
TestAmerica

Analysis Report for Gross Alpha/Beta

Batch: 566222 Operator:

<u>Sample ID</u>	<u>WRKNO</u>	<u>Aliquot</u>	<u>Mass</u>	<u>Instr ID</u>	<u>CountTime</u>	<u>Activity</u>	<u>Ts</u>	<u>Tb</u>	<u>Dilution</u>	<u>Sigma</u>	<u>MDA</u>	<u>DLC</u>
	<u>Analyte</u>	<u>Cs</u>	<u>Xt</u>	<u>CPMs</u>	<u>CPM_b</u>	<u>Eff</u>			<u>UncTot</u>	<u>UncCnt</u>		
ICVABT-1835527; A	160-45488-A-1-A	1.000E+000mL	0.0232	g	Ref19	5 / 18 / 22 19:43	20.00	1000.00	1.00	1.00		
Gross Alpha			0.00	3.341E+002	6.400E-002	0.1677	8.973E+005pCi/L	5.231E+004	1.098E+004	9.077E+002	3.575E+002	52,310.7436
ICVABT-1835527; B	160-45488-A-2-A	2.000E+000mL	0.0537	g	Ref19	5 / 18 / 22 19:21	20.00	1000.00	1.00	1.00		
Gross Alpha			0.00	4.948E+002	6.400E-002	0.1109	1.004E+006pCi/L	5.813E+004	1.010E+004	6.861E+002	2.702E+002	58,127.6291
ICVABT-1835527; C	160-45488-A-3-A	2.000E+000mL	0.0846	g	Ref19	5 / 18 / 22 18:58	20.00	1000.00	1.00	1.00		
Gross Alpha			0.00	3.871E+002	6.400E-002	0.0810	1.076E+006pCi/L	6.256E+004	1.223E+004	9.399E+002	3.702E+002	62,558.7957

Laboratory Control Sample Information

<u>SampID</u>	<u>WRKNO</u>	<u>Analyte</u>	<u>Activity</u>	<u>StdAdded</u>	<u>Recovery</u>	<u>LCL</u>	<u>UCL</u>	<u>ZFactor</u>
					%			

Sample Duplicate Information

<u>Sample ID</u>	<u>Dup Sample ID</u>	<u>Analyte</u>	<u>Sample Activity</u>	<u>Dup Activity</u>	<u>RPD</u>	<u>RER</u>	<u>DER</u>	<u>ZFactor</u>

Matrix Spike Information

<u>SampID</u>	<u>SampMSID</u>	<u>Analyte</u>	<u>Sample Activity</u>	<u>MS Activity</u>	<u>StdAdded</u>	<u>MSRecovery</u>	<u>ZFactor</u>
						%	

Blanks Information

<u>SampID</u>	<u>WRKNO</u>	<u>Analyte</u>	<u>Activity</u>	<u>UncTotal</u>	<u>ZFactor</u>

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - D

Addr: 19

Sample ID ICVABT-1835527; C

Repeat 14

Carrier No. 0

Batch ID 566222

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/18/2022 6:58:48 PM

Count Ended 5/18/2022 7:18:53 PM

Sample Count Time 20.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.064	7,742	387.100	387.036
	0.008	87.989	4.399	4.399
Beta sd	0.407	4,018	200.900	200.493
	0.020	63.388	3.169	3.169

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - D

Addr: 19

Sample ID ICVABT-1835527; B

Repeat 9
Carrier No. 0

Batch ID 566222

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/18/2022 7:21:13 PM

Count Ended 5/18/2022 7:41:19 PM

Sample Count Time 20.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.064	9,895	494.750	494.686
	0.008	99.474	4.974	4.974
Beta sd	0.407	4,768	238.400	237.993
	0.020	69.051	3.453	3.453

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - D

Addr: 19

Sample ID ICVABT-1835527; A

Repeat 16

Carrier No. 0

Batch ID 566222

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/18/2022 7:43:05 PM

Count Ended 5/18/2022 8:03:11 PM

Sample Count Time 20.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.064	6,683	334.150	334.086
	0.008	81.750	4.087	4.087
Beta sd	0.407	2,904	145.200	144.793
	0.020	53.889	2.694	2.695

**ICV is for Gross Beta
Strontium 90
and
Total Strontium**

Red - Beta ICV 2019

Detector	Low Mass Recovery	Medium Mass Recovery	High Mass Recovery	Mean Recovery
20	94.57%	92.21%	96.04%	94.27%

Prep Batch: 239589

Detector	B1	Activity	Units
20	Low Mass	3613.70	dpm/mL

B2	Activity	Units
Medium Mass	3523.70	dpm/mL

B3	Activity	Units
High Mass	3670.10	dpm/mL

Standard ID

Strontium 90

Sr-90_00018 #51512

Cert# 92352 Ref. date 11/29/12

Raw Sample/Standard Information

Initial Date/Time (t_0): 11/29/2012 0:00

Decayto Date/Time (t): 7/9/19 0:00

Initial Activity (A_0): 2,238.70 dpm

Initial Aliquot: 1 mL

Initial Conc: 2238.7 dpm/mL

Nuclide: Sr-90

Half-Life (days): 10555.725 decay days

****Decay Factor:** 0.8535 2413.00

fraction

0.22860

Decay Corr Activity: 1.9107E+03 dpm

Decay Corr Conc: 1.9107E+03 dpm/mL

Conversion/Calculations

Final Activity Unit: dpm

Activity Unit Factor: 1.00000

Final Volume Unit: mL

Volume Unit Factor: 1.000

Final Concentration: 1.9107E+03 dpm/mL

Aliquot Volume: 1.0000E+00 mL

Final Activity (A): 1.9107E+03 dpm

Final Activity (A=Sr/Y-90): 3821.30 dpm

** Uses basic decay equation: $A = A_0 * \exp(-\ln(2)*(t-t_0)/(half-life))$

* Soln. Density to be used when converting from liquid expressed in mass (g) units to liquid units (mL), and is only applied in that case.

Alpha/Beta Count Results

Sample Activity Report

Red 3 (20-23) - A

Addr: 20

Sample ID ICVABT-51512;B3

Repeat 4
Carrier No. 0

Batch ID 239589

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 7/9/2019 6:42:55 AM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 7/9/2019 6:47:58 AM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 mins	Background Count Time	.00 mins
-------------------	-----------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	0	0.000	0.000
sd	0.000			0.000	0.000	0.000	0.000
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	6,926	1,385.200	1,385.200
sd	0.000			0.000	83.223	16.645	16.645

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 3 (20-23) - A

Addr: 20

Sample ID ICVABT-51512;B2

Repeat

5

Carrier No.

0

Batch ID 239589

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty 0 ml sd 0 ml

Residual Wt 0 mg sd 0 mg

Count Began 7/9/2019 6:48:51 AM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 7/9/2019 6:53:54 AM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	2	0.400	0.400
sd	0.000			0.000	1.414	0.283	0.283
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	7,021	1,404.200	1,404.200
sd	0.000			0.000	83.791	16.758	16.758

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 3 (20-23) - A

Addr: 20

Sample ID ICVABT-51512;B1

Repeat 6
Carrier No. 0

Batch ID 239589

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0 <i>ml</i>	sd	0 <i>ml</i>
Residual Wt	0 <i>mg</i>	sd	0 <i>mg</i>

Count Began 7/9/2019 6:54:51 AM	Collection Date 1 1/1/1900	Half Life	0.00 <i>days</i>
Count Ended 7/9/2019 6:59:54 AM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 <i>mins</i>	Background Count Time	.00 <i>mins</i>
-------------------	------------------	-----------------------	-----------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	0	0.000	0.000
sd	0.000			0.000	0.000	0.000	0.000
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	7,609	1,521.800	1,521.800
sd	0.000			0.000	87.230	17.446	17.446

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 3 (20-23) - A

Addr: 20

Sample ID ICVABT-1835527;BI

Repeat 3

Carrier No. 0

Batch ID 451383

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 11/21/2019 10:32:09 PM

Count Ended 11/21/2019 11:17:15 PM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.222	13,429	298.422	298.200
	0.015	115.884	2.575	2.575
Beta sd	0.394	6,224	138.311	137.917
	0.020	78.892	1.753	1.753

Alpha/Beta Count Results

Sample Activity Report

Red 3 (20-23) - A

Addr: 20

Sample ID ICVABT-1835527;BH

Repeat

4

Carrier No.

0

Batch ID 451383

Count Method Gross Alpha Beta

Detector Volts

1515

Count Began 11/21/2019 11:31:03 PM

Count Ended 11/22/2019 12:16:09 AM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.222	9,949	221.089	220.867
	0.015	99.745	2.217	2.217
Beta sd	0.394	4,478	99.511	99.117
	0.020	66.918	1.487	1.487

Alpha/Beta Count Results

Sample Activity Report

Red 3 (20-23) - A

Addr: 20

Sample ID ICVABT-1835527;BG

Repeat

5

Carrier No.

0

Batch ID 451383

Count Method Gross Alpha Beta

Detector Volts

1515

Count Began 11/22/2019 7:06:57 AM

Count Ended 11/22/2019 7:52:05 AM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.222	13,216	293.689	293.467
	0.015	114.961	2.555	2.555
Beta sd	0.394	5,316	118.133	117.739
	0.020	72.911	1.620	1.620

ICV is for Gross Alpha

Red - Alpha ICV

	Low Mass	Medium Mass	High Mass	Mean
Detector	Recovery	Recovery	Recovery	Recovery
20	88.04%	100.35%	103.07%	97.15%

Standard ID

Thorium-230

Th-230_00056 #1835527

Cert # 114475 Ref. date 10/29/19

Activity 1.031E+06 pCi/L

Prep Batch: 516409(6/30/21)

	A1 = Low Mass	A2 = Medium Mass	A3 = High Mass
	0.0232g	0.0537g	0.0846g
Detector	Activity (pCi/mL)	Activity (pCi/mL)	Activity (pCi/mL)
20	9.080E+05	1.035E+06	1.063E+06

Analysis Report for Gross Alpha/Beta
Batch: **566222**
Operator:

<u>Sample ID</u>	<u>WRKNO</u>	<u>Aliquot</u>	<u>Mass</u>	<u>Instr ID</u>	<u>CountTime</u>	<u>Ts</u>	<u>Tb</u>	<u>Dilution</u>	<u>Sigma</u>	<u>MDA</u>	<u>DLC</u>
<u>Analyte</u>	<u>Cs</u>	<u>Ch</u>	<u>XI</u>	<u>CPMs</u>	<u>CPMb</u>	<u>Eff</u>	<u>Activity</u>	<u>UncTot</u>	<u>UncCnt</u>	<u>MDA</u>	<u>DLC</u>
ICVABT-1835527; A	160-45488-A-1-A	1.000E+000mL	0.0232	9	Ref20	5/18/22 20:05	20.00	1000.00	1.00	1.00	
Gross Alpha	6665	56	0.00	3.333E+002	5.600E-002	0.1653	9.080E+005pCi/L	5.294E+004	1.112E+004	8.880E+002	3.393E+002
ICVABT-1835527; B	160-45488-A-2-A	2.000E+000mL	0.0537	9	Ref20	5/18/22 19:43	20.00	1000.00	1.00	1.00	
Gross Alpha	10133	56	0.00	5.066E+002	5.600E-002	0.1102	1.035E+006pCi/L	5.991E+004	1.0295E+004	6.660E+002	2.545E+002
ICVABT-1835527; C	160-45488-A-3-A	2.000E+000mL	0.0846	9	Ref20	5/18/22 19:21	20.00	1000.00	1.00	1.00	
Gross Alpha	7623	56	0.00	3.811E+002	5.600E-002	0.0807	1.063E+006pCi/L	6.182E+004	1.218E+004	9.092E+002	3.475E+002

Laboratory Control Sample Information

<u>SamplID</u>	<u>WRKNO</u>	<u>Analyte</u>	<u>Activity</u>	<u>StdAdded</u>	<u>Recovery</u>	<u>LCL</u>	<u>UCL</u>	<u>ZFactor</u>
					%			

Sample Duplicate Information

<u>Sample ID</u>	<u>Dup Sample ID</u>	<u>Analyte</u>	<u>Sample Activity</u>	<u>Dup Activity</u>	<u>RPD</u>	<u>RER</u>	<u>DER</u>	<u>ZFactor</u>

Matrix Spike Information

<u>SampID</u>	<u>SampMSID</u>	<u>Analyte</u>	<u>Sample Activity</u>	<u>MS Activity</u>	<u>StdAdded</u>	<u>MSRecovery</u>	<u>ZFactor</u>
						%	

Blanks Information

<u>SampID</u>	<u>WRKNO</u>	<u>Analyte</u>	<u>Activity</u>	<u>UncTotal</u>	<u>ZFactor</u>

Alpha/Beta Count Results

Sample Activity Report

Red 3 (20-23) - A

Addr: 20

Sample ID ICVABT-1835527; C

Repeat 15
Carrier No. 0

Batch ID 566222

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/18/2022 7:21:17 PM

Count Ended 5/18/2022 7:41:23 PM

Sample Count Time 20.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.056	7,623	381.150	381.094
	0.007	87.310	4.365	4.365
Beta sd	0.353	3,897	194.850	194.497
	0.019	62.426	3.121	3.121

Alpha/Beta Count Results

Sample Activity Report

Red 3 (20-23) - A

Addr: 20

Sample ID ICVABT-1835527; B

Repeat 10
Carrier No. 0

Batch ID 566222

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/18/2022 7:43:08 PM

Count Ended 5/18/2022 8:03:15 PM

Sample Count Time 20.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.056	10,133	506.650	506.594
	0.007	100.663	5.033	5.033
Beta sd	0.353	4,582	229.100	228.747
	0.019	67.690	3.385	3.385

Alpha/Beta Count Results

Sample Activity Report

Red 3 (20-23) - A

Addr: 20

Sample ID ICVABT-1835527; A

Repeat 17

Carrier No. 0

Batch ID 566222

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/18/2022 8:05:13 PM

Count Ended 5/18/2022 8:25:16 PM

Sample Count Time 20.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.056	6,665	333.250	333.194
	0.007	81.639	4.082	4.082
Beta sd	0.353	2,854	142.700	142.347
	0.019	53.423	2.671	2.671

**ICV is for Gross Beta
Strontium 90
and
Total Strontium**

Red - Beta ICV 2019

Detector	Low Mass Recovery	Medium Mass Recovery	High Mass Recovery	Mean Recovery
21	96.94%	96.37%	96.75%	96.69%

Prep Batch: 239589

Detector	B1	Activity	Units
21	Low Mass	3704.30	dpm/mL

B2	Activity	Units
Medium Mass	3682.50	dpm/mL

B3	Activity	Units
High Mass	3697.20	dpm/mL

Standard ID

Strontium 90

Sr-90_00018 #51512

Cert# 92352 Ref. date 11/29/12

Raw Sample/Standard Information

Initial Date/Time (t_0): 11/29/2012 0:00

Decayto Date/Time (t): 7/9/19 0:00

Initial Activity (A_0): 2,238.70 dpm

Initial Aliquot: 1 mL

Initial Conc: 2238.7 dpm/mL

Nuclide: Sr-90

Half-Life (days): 10555.725 decay days

****Decay Factor:** 0.8535 2413.00

fraction

0.22860

Decay Corr Activity: 1.9107E+03 dpm

Decay Corr Conc: 1.9107E+03 dpm/mL

Conversion/Calculations

Final Activity Unit: dpm

Activity Unit Factor: 1.00000

Final Volume Unit: mL

Volume Unit Factor: 1.000

Final Concentration: 1.9107E+03 dpm/mL

Aliquot Volume: 1.0000E+00 mL

Final Activity (A): 1.9107E+03 dpm

Final Activity (A=Sr/Y-90): 3821.30 dpm

** Uses basic decay equation: $A = A_0 * \exp(-\ln(2)*(t-t_0)/(half-life))$

* Soln. Density to be used when converting from liquid expressed in mass (g) units to liquid units (mL), and is only applied in that case.

Alpha/Beta Count Results

Sample Activity Report

Red 3 (20-23) - B

Addr: 21

Sample ID ICVABT-51512;B3

Repeat

5

Carrier No.

0

Batch ID 239589

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 7/9/2019 6:49:00 AM	Collection Date 1 1/1/1900	Half Life	0.00 days
---------------------------------	----------------------------	-----------	-----------

Count Ended 7/9/2019 6:54:04 AM	Collection Date 2 1/1/1900	Decay Factor	1.000
---------------------------------	----------------------------	--------------	-------

Sample Count Time	5.00 mins	Background Count Time	.00 mins
-------------------	-----------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	2	0.400	0.400
sd	0.000			0.000	1.414	0.283	0.283
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	6,997	1,399.400	1,399.400
sd	0.000			0.000	83.648	16.730	16.730

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 3 (20-23) - B

Addr: 21

Sample ID ICVABT-51512;B2

Repeat 6
Carrier No. 0

Batch ID 239589

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 7/9/2019 6:55:00 AM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 7/9/2019 7:00:05 AM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 mins	Background Count Time	.00 mins
-------------------	-----------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	0	0.000	0.000
sd	0.000			0.000	0.000	0.000	0.000
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	7,367	1,473.400	1,473.400
sd	0.000			0.000	85.831	17.166	17.166

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 3 (20-23) - B

Addr: 21

Sample ID ICVABT-51512;B1

Repeat

7

Carrier No.

0

Batch ID 239589

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0 ml	sd	0 ml
------------	------	----	------

Residual Wt	0 mg	sd	0 mg
-------------	------	----	------

Count Began 7/9/2019 7:00:54 AM	Collection Date 1 1/1/1900	Half Life	0.00 days
---------------------------------	----------------------------	-----------	-----------

Count Ended 7/9/2019 7:05:58 AM	Collection Date 2 1/1/1900	Decay Factor	1.000
---------------------------------	----------------------------	--------------	-------

Sample Count Time	5.00 mins	Background Count Time	.00 mins
-------------------	-----------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	0	0.000	0.000
sd	0.000			0.000	0.000	0.000	0.000
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	7,854	1,570.800	1,570.800
sd	0.000			0.000	88.623	17.725	17.725

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 3 (20-23) - B

Addr: 21

Sample ID ICVABT-1835527;B1

Repeat

4

Carrier No.

0

Batch ID 451383

Count Method Gross Alpha Beta

Detector Volts

1515

Count Began 11/21/2019 11:31:08 PM

Count Ended 11/22/2019 12:16:15 AM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.165	13,522	300.489	300.324
	0.013	116.284	2.584	2.584
Beta sd	0.374	6,743	149.844	149.470
	0.019	82.116	1.825	1.825

Alpha/Beta Count Results

Sample Activity Report

Red 3 (20-23) - B

Addr: 21

Sample ID ICVABT-1835527;BH

Repeat

5

Carrier No.

0

Batch ID 451383

Count Method Gross Alpha Beta

Detector Volts

1515

Count Began 11/22/2019 7:07:04 AM

Count Ended 11/22/2019 7:52:11 AM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.165	10,003	222.289	222.124
	0.013	100.015	2.223	2.223
Beta sd	0.374	4,430	98.444	98.070
	0.019	66.558	1.479	1.479

Alpha/Beta Count Results

Sample Activity Report

Red 3 (20-23) - B

Addr: 21

Sample ID ICVABT-1835527;BG

Repeat

6

Carrier No.

0

Batch ID 451383

Count Method Gross Alpha Beta

Detector Volts

1515

Count Began 11/22/2019 8:01:04 AM

Count Ended 11/22/2019 8:46:12 AM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.165	13,212	293.600	293.435
	0.013	114.943	2.554	2.554
Beta sd	0.374	5,537	123.044	122.670
	0.019	74.411	1.654	1.654

ICV is for Gross Alpha

Red - Alpha ICV

	Low Mass	Medium Mass	High Mass	Mean
Detector	Recovery	Recovery	Recovery	Recovery
21	86.80%	98.80%	105.69%	97.10%

Standard ID

Thorium-230

Th-230_00056 #1835527

Cert # 114475 Ref. date 10/29/19

Activity 1.031E+06 pCi/L

Prep Batch: 516409(6/30/21)

	A1 = Low Mass	A2 = Medium Mass	A3 = High Mass
	0.0232g	0.0537g	0.0846g
Detector	Activity (pCi/mL)	Activity (pCi/mL)	Activity (pCi/mL)
21	8.952E+05	1.019E+06	1.090E+06

Batch: 566222 Operator:

<u>Sample ID</u>	<u>WRKNO</u>	<u>Aliquot</u>	<u>Mass</u>	<u>Instr ID</u>	<u>CountTime</u>	<u>Ts</u>	<u>Tb</u>	<u>Dilution</u>	<u>Sigma</u>	<u>MDA</u>	<u>DLC</u>
<u>Analyte</u>	<u>Cs</u>	<u>Ch</u>	<u>Xt</u>	<u>CPMs</u>	<u>CPMb</u>	<u>Eff</u>	<u>Activity</u>	<u>UncTot</u>	<u>UncCnt</u>	<u>1.00</u>	<u>1.00</u>
ICVABT-1835527; A	160-45488-A-1-A	1.000E+000mL	0.0232	g	Red21	5 / 18 / 22 20:28	20.00	1000.00	1.00	1.00	
Gross Alpha		6681	76	0.00	3.341E+002	7.600E-002	0.1680	8.952E+005pCi/L	5.219E+004	1.095E+004	9.511E+002
ICVABT-1835527; B	160-45488-A-2-A	2.000E+000mL	0.0537	g	Red21	5 / 18 / 22 20:05	20.00	1000.00	1.00	1.00	
Gross Alpha		10106	76	0.00	5.053E+002	7.600E-002	0.1117	1.019E+006pCi/L	5.895E+004	1.014E+004	7.156E+002
ICVABT-1835527; C	160-45488-A-3-A	2.000E+000mL	0.0846	g	Red21	5 / 18 / 22 19:43	20.00	1000.00	1.00	1.00	
Gross Alpha		7853	76	0.00	3.931E+002	7.600E-002	0.0812	1.090E+006pCi/L	6.335E+004	1.230E+004	9.842E+002

Laboratory Control Sample Information

<u>SampID</u>	<u>WRKNO</u>	<u>Analyte</u>	<u>Activity</u>	<u>StdAdded</u>	<u>Recovery</u>	<u>LCL</u>	<u>UCL</u>	<u>ZFactor</u>	<u>%</u>
Sample Duplicate Information									

<u>Sample ID</u>	<u>Dup Sample ID</u>	<u>Analyte</u>	<u>Sample Activity</u>	<u>Dup Activity</u>	<u>RPD</u>	<u>RER</u>	<u>DER</u>	<u>ZFactor</u>
Matrix Spike Information								

<u>SampID</u>	<u>SampMSID</u>	<u>Analyte</u>	<u>Sample Activity</u>	<u>MS Activity</u>	<u>StdAdded</u>	<u>MSRecovery</u>	<u>%</u>
<u>SampID</u>	<u>WRKNO</u>	<u>Analyte</u>	<u>Activity</u>	<u>UncTotal</u>	<u>ZFactor</u>		
Blanks Information							

Alpha/Beta Count Results

Sample Activity Report

Red 3 (20-23) - B

Addr: 21

Sample ID ICVABT-1835527; C

Repeat 16
Carrier No. 0

Batch ID 566222

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/18/2022 7:43:13 PM

Count Ended 5/18/2022 8:03:17 PM

Sample Count Time 20.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.076	7,863	393.150	393.074
	0.009	88.674	4.434	4.434
Beta sd	0.281	3,935	196.750	196.469
	0.017	62.730	3.136	3.137

Alpha/Beta Count Results

Sample Activity Report

Red 3 (20-23) - B

Addr: 21

Sample ID ICVABT-1835527; B

Repeat 11
Carrier No. 0

Batch ID 566222

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/18/2022 8:05:16 PM

Count Ended 5/18/2022 8:25:21 PM

Sample Count Time 20.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.076	10,106	505.300	505.224
	0.009	100.529	5.026	5.026
Beta sd	0.281	4,732	236.600	236.319
	0.017	68.790	3.439	3.440

Alpha/Beta Count Results

Sample Activity Report

Red 3 (20-23) - B

Addr: 21

Sample ID ICVABT-1835527; A

Repeat 18

Carrier No. 0

Batch ID 566222

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/18/2022 8:28:00 PM

Count Ended 5/18/2022 8:48:04 PM

Sample Count Time 20.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.076	6,681	334.050	333.974
	0.009	81.737	4.087	4.087
Beta sd	0.281	2,883	144.150	143.869
	0.017	53.694	2.685	2.685

**ICV is for Gross Beta
Strontium 90
and
Total Strontium**

Red - Beta ICV 2019

Detector	Low Mass Recovery	Medium Mass Recovery	High Mass Recovery	Mean Recovery
22	93.62%	91.53%	94.59%	93.25%

Prep Batch: 239589

Detector	B1	Activity	Units
22	Low Mass	3577.60	dpm/mL

B2	Activity	Units
Medium Mass	3497.50	dpm/mL

B3	Activity	Units
High Mass	3614.60	dpm/mL

Standard ID

Strontium 90

Sr-90_00018 #51512

Cert# 92352 Ref. date 11/29/12

Raw Sample/Standard Information

Initial Date/Time (t_0): 11/29/2012 0:00

Decayto Date/Time (t): 7/9/19 0:00

Initial Activity (A_0): 2,238.70 dpm

Initial Aliquot: 1 mL

Initial Conc: 2238.7 dpm/mL

Nuclide: Sr-90

Half-Life (days): 10555.725 decay days

****Decay Factor:** 0.8535 2413.00

fraction

0.22860

Decay Corr Activity: 1.9107E+03 dpm

Decay Corr Conc: 1.9107E+03 dpm/mL

Conversion/Calculations

Final Activity Unit: dpm

Activity Unit Factor: 1.00000

Final Volume Unit: mL

Volume Unit Factor: 1.000

Final Concentration: 1.9107E+03 dpm/mL

Aliquot Volume: 1.0000E+00 mL

Final Activity (A): 1.9107E+03 dpm

Final Activity (A=Sr/Y-90): 3821.30 dpm

** Uses basic decay equation: $A = A_0 * \exp(-\ln(2)*(t-t_0)/(half-life))$

* Soln. Density to be used when converting from liquid expressed in mass (g) units to liquid units (mL), and is only applied in that case.

Alpha/Beta Count Results

Sample Activity Report

Red 3 (20-23) - C

Addr: 22

Sample ID ICVABT-51512;B3

Repeat 6
Carrier No. 0

Batch ID 239589

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 7/9/2019 6:55:14 AM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 7/9/2019 7:00:17 AM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 mins	Background Count Time	.00 mins
-------------------	-----------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	0	0.000	0.000
sd	0.000			0.000	0.000	0.000	0.000
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	6,904	1,380.800	1,380.800
sd	0.000			0.000	83.090	16.618	16.618

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 3 (20-23) - C

Addr: 22

Sample ID ICVABT-51512;B2

Repeat

7

Carrier No.

0

Batch ID 239589

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty 0 ml sd 0 ml

Residual Wt 0 mg sd 0 mg

Count Began 7/9/2019 7:01:06 AM

Collection Date 1 1/1/1900

Half Life

0.00 days

Count Ended 7/9/2019 7:06:10 AM

Collection Date 2 1/1/1900

Decay Factor

1.000

Sample Count Time 5.00 mins Background Count Time .00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	2	0.400	0.400
sd	0.000			0.000	1.414	0.283	0.283
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	7,059	1,411.800	1,411.800
sd	0.000			0.000	84.018	16.804	16.804

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 3 (20-23) - C

Addr: 22

Sample ID ICVABT-51512;B1

Repeat

8

Carrier No.

0

Batch ID 239589

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 7/9/2019 7:08:06 AM	Collection Date 1 1/1/1900	Half Life	0.00 days
---------------------------------	----------------------------	-----------	-----------

Count Ended 7/9/2019 7:13:11 AM	Collection Date 2 1/1/1900	Decay Factor	1.000
---------------------------------	----------------------------	--------------	-------

Sample Count Time	5.00 mins	Background Count Time	.00 mins
-------------------	-----------	-----------------------	----------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	1	0.200	0.200
sd	0.000			0.000	1.000	0.200	0.200
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	7,639	1,527.800	1,527.800
sd	0.000			0.000	87.401	17.480	17.480

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 3 (20-23) - C

Addr: 22

Sample ID ICVABT-1835527;BI

Repeat

5

Carrier No.

0

Batch ID 451383

Count Method Gross Alpha Beta

Detector Volts

1515

Count Began 11/22/2019 7:07:13 AM

Count Ended 11/22/2019 7:52:22 AM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.180	13,661	303.578	303.398
	0.013	116.880	2.597	2.597
Beta sd	0.480	6,397	142.156	141.676
	0.022	79.981	1.777	1.777

Alpha/Beta Count Results

Sample Activity Report

Red 3 (20-23) - C

Addr: 22

Sample ID ICVABT-1835527;BH

Repeat

6

Carrier No.

0

Batch ID 451383

Count Method Gross Alpha Beta

Detector Volts

1515

Count Began 11/22/2019 8:01:08 AM

Count Ended 11/22/2019 8:46:16 AM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.180	9,773	217.178	216.998
	0.013	98.858	2.197	2.197
Beta sd	0.480	4,149	92.200	91.720
	0.022	64.413	1.431	1.432

Alpha/Beta Count Results

Sample Activity Report

Red 3 (20-23) - C

Addr: 22

Sample ID ICVABT-1835527;BG

Repeat

7

Carrier No.

0

Batch ID 451383

Count Method Gross Alpha Beta

Detector Volts

1515

Count Began 11/22/2019 8:49:30 AM

Count Ended 11/22/2019 9:34:39 AM

Sample Count Time 45.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.180	12,972	288.267	288.087
	0.013	113.895	2.531	2.531
Beta sd	0.480	5,214	115.867	115.387
	0.022	72.208	1.605	1.605

ICV is for Gross Alpha

Red - Alpha ICV

	Low Mass	Medium Mass	High Mass	Mean
Detector	Recovery	Recovery	Recovery	Recovery
22	87.48%	98.61%	106.17%	97.42%

Standard ID

Thorium-230

Th-230_00056 #1835527

Cert # 114475 Ref. date 10/29/19

Activity 1.031E+06 pCi/L

Prep Batch: 516409(6/30/21)

	A1 = Low Mass	A2 = Medium Mass	A3 = High Mass
	0.0232g	0.0537g	0.0846g
Detector	Activity (pCi/mL)	Activity (pCi/mL)	Activity (pCi/mL)
22	9.022E+05	1.017E+06	1.095E+06

<u>Sample ID</u>	<u>WRKNO</u>	<u>Aliquot</u>	<u>Mass</u>	<u>Instr ID</u>	<u>CountTime</u>	<u>Ts</u>	<u>Tb</u>	<u>Dilution</u>	<u>Sigma</u>	
<u>Analyte</u>	<u>Cs</u>	<u>Cb</u>	<u>Xt</u>	<u>CPMs</u>	<u>CPMb</u>	<u>Eff</u>	<u>Activity</u>	<u>UncTot</u>	<u>MDA</u>	<u>DLC</u>
ICVABT-1835527; A	160-45488-A-1-A	1.000E+000mL	0.0232	g Red22	5 / 18 / 22	21:30	20.00	1000.00	1.00	1.00
Gross Alpha		66866	97	0.00	3.343E+002	9.700E-002	0.1669	9.022E+005pCi/L	5.260E+004	1.104E+004
ICVABT-1835527; B	160-45488-A-2-A	2.000E+000mL	0.0537	g Red22	5 / 18 / 22	20:28	20.00	1000.00	1.00	1.00
Gross Alpha		9907	97	0.00	4.954E+002	9.700E-002	0.1097	1.017E+006pCi/L	5.888E+004	1.022E+004
ICVABT-1835527; C	160-45488-A-3-A	2.000E+000mL	0.0546	g Red22	5 / 18 / 22	20:05	20.00	1000.00	1.00	1.00
Gross Alpha		7761	97	0.00	3.881E+002	9.700E-002	0.0798	1.095E+006pCi/L	6.365E+004	1.245E+004

Laboratory Control Sample Information

<u>SampID</u>	<u>WRKNO</u>	<u>Analyte</u>	<u>Activity</u>	<u>StdAdded</u>	<u>Recovery</u>	<u>LCL</u>	<u>UCL</u>	<u>Zfactor</u>
					%			

Sample Duplicate Information

<u>Sample ID</u>	<u>Dup Sample ID</u>	<u>Analyte</u>	<u>Sample Activity</u>	<u>Dup Activity</u>	<u>RPD</u>	<u>RER</u>	<u>DER</u>	<u>ZFactor</u>

Matrix Spike Information

<u>SampID</u>	<u>SampMSID</u>	<u>Analyte</u>	<u>Sample Activity</u>	<u>MS Activity</u>	<u>StdAdded</u>	<u>MSRecovery</u>	<u>ZFactor</u>
						%	

Blanks Information

<u>SampID</u>	<u>WRKNO</u>	<u>Analyte</u>	<u>Activity</u>	<u>UncTotal</u>	<u>ZFactor</u>

Alpha/Beta Count Results

Sample Activity Report

Red 3 (20-23) - C

Addr: 22

Sample ID ICVABT-1835527; C

Repeat 17
Carrier No. 0

Batch ID 566222

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/18/2022 8:05:20 PM

Count Ended 5/18/2022 8:25:24 PM

Sample Count Time 20.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.097	7,761	388.050	387.953
	0.010	88.097	4.405	4.405
Beta sd	0.337	3,805	190.250	189.913
	0.018	61.685	3.084	3.084

Alpha/Beta Count Results

Sample Activity Report

Red 3 (20-23) - C

Addr: 22

Sample ID ICVABT-1835527; B

Repeat 12
Carrier No. 0

Batch ID 566222

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/18/2022 8:28:04 PM

Count Ended 5/18/2022 8:48:10 PM

Sample Count Time 20.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.097	9,907	495.350	495.253
	0.010	99.534	4.977	4.977
Beta sd	0.337	4,617	230.850	230.513
	0.018	67.949	3.397	3.397

Alpha/Beta Count Results

Sample Activity Report

Red 3 (20-23) - C

Addr: 22

Sample ID ICVABT-1835527; A

Repeat 19

Carrier No. 0

Batch ID 566222

Count Method Gross Alpha Beta

Detector Volts 1515

Count Began 5/18/2022 9:30:39 PM

Count Ended 5/18/2022 9:50:43 PM

Sample Count Time 20.00 *mins* Background Count Time 1,000.00 *mins*

	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha sd	0.097	6,686	334.300	334.203
	0.010	81.768	4.088	4.088
Beta sd	0.337	2,840	142.000	141.663
	0.018	53.292	2.665	2.665

Ra-226 Calibration Verifications

Ra226 ICV

Blue - Ra226 ICV 2019

	Low	Medium	High	Mean
	Mass	Mass	Mass	Recovery
Detector	Recovery	Recovery	Recovery	
3	88.43%	96.65%	90.49%	91.85%

Standard ID

Ra-226

Ra-226_00025 #1063071

Cert # 104858

Added: 1mL

Activity 3.7839E+06 pCi/mL

Prep Batch: 291970 7/28/2019

Detector	1	Activity	Units
3	Low Mass (0.0132g)	3.346E+06	pCi/mL

2	Activity	Units
Medium Mass (0.0271g)	3.657E+06	pCi/mL

3	Activity	Units
High Mass (0.0498g)	3.424E+06	pCi/mL

Alpha/Beta Count Results

Sample Activity Report

Blue 0-3 - D

Addr: 3

Sample ID ICVRa6-1063071;Ra3

Repeat 2
Carrier No. 0

Batch ID 291970

Count Method Gross Alpha Beta	Detector Volts 1515
-------------------------------	---------------------

Sample Qty 0	Sample sd	0 Sample
Residual Wt 0 mg	sd	0 mg

Count Began 7/28/2019 11:38:42 AM	Collection Date 1 1/1/1900	Half Life 0.00 days
Count Ended 7/28/2019 11:43:52 AM	Collection Date 2 1/1/1900	Decay Factor 1.000

Sample Count Time 5.00 mins	Background Count Time 1,000.00 mins
-----------------------------	-------------------------------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.086	25,284	5,056.800	5,056.714
sd	0.000			0.009	159.009	31.802	31.802
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.393	35,261	7,052.200	7,051.807
sd	0.000			0.020	187.779	37.556	37.556

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Blue 0-3 - D

Addr: 3

Sample ID ICVRa6-1063071;Ra2

Repeat 3
Carrier No. 0

Batch ID 291970

Count Method Gross Alpha Beta	Detector Volts 1515
-------------------------------	---------------------

Sample Qty 0	Sample sd	0 Sample
Residual Wt 0 mg	sd	0 mg

Count Began 7/28/2019 11:44:32 AM	Collection Date 1 1/1/1900	Half Life 0.00 days
Count Ended 7/28/2019 11:49:43 AM	Collection Date 2 1/1/1900	Decay Factor 1.000

Sample Count Time 5.00 mins	Background Count Time 1,000.00 mins
-----------------------------	-------------------------------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.086	25,715	5,143.000	5,142.914
sd	0.000			0.009	160.359	32.072	32.072
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.393	31,020	6,204.000	6,203.607
sd	0.000			0.020	176.125	35.225	35.225

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Blue 0-3 - D

Addr: 3

Sample ID ICVRa6-1063071;Ra1

Repeat 4

Carrier No. 0

Batch ID 291970

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty 0 Sample sd 0 Sample

Residual Wt 0 mg sd 0 mg

Count Began 7/28/2019 11:50:50 AM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 7/28/2019 11:55:57 AM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time 1,000.00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.086	20,534	4,106.800	4,106.714
sd	0.000			0.009	143.297	28.659	28.659
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.393	24,351	4,870.200	4,869.807
sd	0.000			0.020	156.048	31.210	31.210

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Ra226 ICV

Blue - Ra226 ICV 2019

	Low	Medium	High	Mean
	Mass	Mass	Mass	Recovery
Detector	Recovery	Recovery	Recovery	
10	85.57%	96.99%	89.93%	90.83%

Standard ID

Ra-226

Ra-226_00025 #1063071

Cert # 104858

Added: 1mL

Activity 3.7839E+06 pCi/mL

Prep Batch: 291970 7/28/2019

Detector	1	Activity	Units
10	Low Mass (0.0132g)	3.238E+06	pCi/mL

2	Activity	Units
Medium Mass (0.0271g)	3.670E+06	pCi/mL

3	Activity	Units
High Mass (0.0498g)	3.403E+06	pCi/mL

Alpha/Beta Count Results

Sample Activity Report

Blue 8-11 - C

Addr: 10

Sample ID ICVRa6-1063071;Ra3

Repeat	9
Carrier No.	0

Batch ID 291970

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0	Sample	sd	0	Sample
------------	---	--------	----	---	--------

Residual Wt	0	mg	sd	0	mg
-------------	---	----	----	---	----

Count Began 7/28/2019 1:17:10 PM	Collection Date 1	1/1/1900	Half Life	0.00 days
----------------------------------	-------------------	----------	-----------	-----------

Count Ended 7/28/2019 1:22:20 PM	Collection Date 2	1/1/1900	Decay Factor	1.000
----------------------------------	-------------------	----------	--------------	-------

Sample Count Time	5.00 mins	Background Count Time	1,000.00 mins
-------------------	-----------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.132	25,295	5,059.000	5,058.868
sd	0.000			0.011	159.044	31.809	31.809
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.298	35,544	7,108.800	7,108.502
sd	0.000			0.017	188.531	37.706	37.706

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Blue 8-11 - C

Addr: 10

Sample ID ICVRa6-1063071;Ra2

Repeat 10
Carrier No. 0

Batch ID 291970

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0	Sample	sd	0	Sample	
Residual Wt	0	mg	sd	0	mg	

Count Began 7/28/2019 1:23:45 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 7/28/2019 1:28:57 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 mins	Background Count Time	1,000.00 mins
-------------------	-----------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.132	26,000	5,200.000	5,199.868
sd	0.000			0.011	161.245	32.249	32.249
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.298	31,286	6,257.200	6,256.902
sd	0.000			0.017	176.878	35.376	35.376

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Blue 8-11 - C

Addr: 10

Sample ID ICVRa6-1063071;Ra1

Repeat 11

Carrier No. 0

Batch ID 291970

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0	Sample	sd	0	Sample	
------------	---	--------	----	---	--------	--

Residual Wt	0	mg	sd	0	mg	
-------------	---	----	----	---	----	--

Count Began 7/28/2019 1:30:56 PM	Collection Date 1	1/1/1900	Half Life	0.00 days
----------------------------------	-------------------	----------	-----------	-----------

Count Ended 7/28/2019 1:36:08 PM	Collection Date 2	1/1/1900	Decay Factor	1.000
----------------------------------	-------------------	----------	--------------	-------

Sample Count Time	5.00 mins	Background Count Time	1,000.00 mins
-------------------	-----------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.132	20,020	4,004.000	4,003.868
sd	0.000			0.011	141.492	28.298	28.298
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.298	23,356	4,671.200	4,670.902
sd	0.000			0.017	152.827	30.565	30.565

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Ra226 ICV

Blue - Ra226 ICV 2019

	Low	Medium	High	Mean
	Mass	Mass	Mass	Recovery
Detector	Recovery	Recovery	Recovery	
11	88.82%	96.38%	90.04%	91.75%

Standard ID

Ra-226

Ra-226_00025 #1063071

Cert # 104858

Added: 1mL

Activity 3.7839E+06 pCi/mL

Prep Batch: 291970 7/28/2019

Detector	1	Activity	Units
11	Low Mass (0.0132g)	3.361E+06	pCi/mL

2	Activity	Units
Medium Mass (0.0271g)	3.647E+06	pCi/mL

3	Activity	Units
High Mass (0.0498g)	3.407E+06	pCi/mL

Alpha/Beta Count Results

Sample Activity Report

Blue 8-11 - D

Addr: 11

Sample ID ICVRa6-1063071;Ra3

Repeat 10
Carrier No. 0

Batch ID 291970

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0	Sample	sd	0	Sample	
Residual Wt	0	mg	sd	0	mg	

Count Began 7/28/2019 1:23:52 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 7/28/2019 1:29:04 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 mins	Background Count Time	1,000.00 mins
-------------------	-----------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.074	25,055	5,011.000	5,010.926
sd	0.000			0.009	158.288	31.658	31.658
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.450	35,465	7,093.000	7,092.550
sd	0.000			0.021	188.322	37.664	37.664

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Blue 8-11 - D

Addr: 11

Sample ID ICVRa6-1063071;Ra2

Repeat 11

Carrier No. 0

Batch ID 291970

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty 0 Sample sd 0 Sample

Residual Wt 0 mg sd 0 mg

Count Began 7/28/2019 1:31:01 PM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 7/28/2019 1:36:13 PM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time 1,000.00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.074	25,506	5,101.200	5,101.126
sd	0.000			0.009	159.706	31.941	31.941
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.450	31,276	6,255.200	6,254.750
sd	0.000			0.021	176.850	35.370	35.370

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Blue 8-11 - D

Addr: 11

Sample ID ICVRa6-1063071;Ra1

Repeat 12
Carrier No. 0

Batch ID 291970

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0	Sample	sd	0	Sample	
Residual Wt	0	mg	sd	0	mg	

Count Began 7/28/2019 1:38:18 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 7/28/2019 1:43:25 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 mins	Background Count Time	1,000.00 mins
-------------------	-----------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.074	20,499	4,099.800	4,099.726
sd	0.000			0.009	143.175	28.635	28.635
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.450	24,406	4,881.200	4,880.750
sd	0.000			0.021	156.224	31.245	31.245

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Ra226 ICV

Blue - Ra226 ICV 2019

	Low	Medium	High	Mean
	Mass	Mass	Mass	Recovery
Detector	Recovery	Recovery	Recovery	
12	87.19%	96.46%	88.69%	90.78%

Standard ID

Ra-226

Ra-226_00025 #1063071

Cert # 104858

Added: 1mL

Activity 3.7839E+06 pCi/mL

Prep Batch: 291970 7/28/2019

Detector	1	Activity	Units
12	Low Mass (0.0132g)	3.299E+06	pCi/mL

2	Activity	Units
Medium Mass (0.0271g)	3.650E+06	pCi/mL

3	Activity	Units
High Mass (0.0498g)	3.356E+06	pCi/mL

Alpha/Beta Count Results

Sample Activity Report

Blue 12-15 - A

Addr: 12

Sample ID ICVRa6-1063071;Ra3

Repeat 11

Carrier No. 0

Batch ID 291970

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0	Sample	sd	0	Sample	
Residual Wt	0	mg	sd	0	mg	

Count Began 7/28/2019 1:31:15 PM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 7/28/2019 1:36:23 PM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time 1,000.00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.118	22,834	4,566.800	4,566.682
sd	0.000			0.011	151.109	30.222	30.222
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.357	37,173	7,434.600	7,434.243
sd	0.000			0.019	192.803	38.561	38.561

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Blue 12-15 - A

Addr: 12

Sample ID ICVRa6-1063071;Ra2

Repeat 12
Carrier No. 0

Batch ID 291970

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0	Sample	sd	0	Sample
Residual Wt	0	mg	sd	0	mg

Count Began 7/28/2019 1:38:22 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 7/28/2019 1:43:33 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 mins	Background Count Time	1,000.00 mins
-------------------	-----------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.118	23,780	4,756.000	4,755.882
sd	0.000			0.011	154.208	30.842	30.842
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.357	33,070	6,614.000	6,613.643
sd	0.000			0.019	181.852	36.370	36.370

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Blue 12-15 - A

Addr: 12

Sample ID ICVRa6-1063071;Ra1

Repeat 13

Carrier No. 0

Batch ID 291970

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0	Sample	sd	0	Sample	
Residual Wt	0	mg	sd	0	mg	

Count Began 7/28/2019 1:45:11 PM	Collection Date 1	1/1/1900	Half Life	0.00 days
----------------------------------	-------------------	----------	-----------	-----------

Count Ended 7/28/2019 1:50:22 PM	Collection Date 2	1/1/1900	Decay Factor	1.000
----------------------------------	-------------------	----------	--------------	-------

Sample Count Time	5.00 mins	Background Count Time	1,000.00 mins
-------------------	-----------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.118	18,839	3,767.800	3,767.682
sd	0.000			0.011	137.255	27.451	27.451
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.357	25,957	5,191.400	5,191.043
sd	0.000			0.019	161.112	32.222	32.222

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Ra226 ICV

Blue - Ra226 ICV 2019

	Low	Medium	High	Mean
	Mass	Mass	Mass	Recovery
Detector	Recovery	Recovery	Recovery	
13	89.04%	96.99%	90.07%	92.03%

Standard ID

Ra-226

Ra-226_00025 #1063071

Cert # 104858

Added: 1mL

Activity 3.7839E+06 pCi/mL

Prep Batch: 291970 7/28-29/19

Detector	1	Activity	Units
13	Low Mass (0.0132g)	3.369E+06	pCi/mL

2	Activity	Units
Medium Mass (0.0271g)	3.670E+06	pCi/mL

3	Activity	Units
High Mass (0.0498g)	3.408E+06	pCi/mL

Alpha/Beta Count Results

Sample Activity Report

Blue 12-15 - B

Addr: 13

Sample ID ICVRa6-1063071;Ra3

Repeat 12
Carrier No. 0

Batch ID 291970

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0	Sample	sd	0	Sample
Residual Wt	0	mg	sd	0	mg

Count Began 7/28/2019 1:38:27 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 7/28/2019 1:43:40 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 mins	Background Count Time	1,000.00 mins
-------------------	-----------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.111	26,009	5,201.800	5,201.689
sd	0.000			0.011	161.273	32.255	32.255
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.361	34,392	6,878.400	6,878.039
sd	0.000			0.019	185.451	37.090	37.090

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Blue 12-15 - B

Addr: 13

Sample ID ICVRa6-1063071;Ra2

Repeat 13
Carrier No. 0

Batch ID 291970

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0	Sample	sd	0	Sample	
Residual Wt	0	mg	sd	0	mg	

Count Began 7/28/2019 1:45:15 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 7/28/2019 1:50:25 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 mins	Background Count Time	1,000.00 mins
-------------------	-----------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.111	26,649	5,329.800	5,329.689
sd	0.000			0.011	163.245	32.649	32.649
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.361	30,389	6,077.800	6,077.439
sd	0.000			0.019	174.324	34.865	34.865

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Blue 12-15 - B

Addr: 13

Sample ID ICVRa6-1063071;Ra1

Repeat 14

Carrier No. 0

Batch ID 291970

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0	Sample	sd	0	Sample	
Residual Wt	0	mg	sd	0	mg	

Count Began 7/29/2019 6:49:49 AM	Collection Date 1	1/1/1900	Half Life	0.00 days
----------------------------------	-------------------	----------	-----------	-----------

Count Ended 7/29/2019 6:54:57 AM	Collection Date 2	1/1/1900	Decay Factor	1.000
----------------------------------	-------------------	----------	--------------	-------

Sample Count Time	5.00 mins	Background Count Time	1,000.00 mins
-------------------	-----------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.111	21,344	4,268.800	4,268.689
sd	0.000			0.011	146.096	29.219	29.219
A to B	0.000	1.000				0.000	
sd	0.000					0.000	
Beta	0.000	1.000	1.000	0.361	23,667	4,733.400	4,733.039
sd	0.000			0.019	153.841	30.768	30.768

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Analysis Report for Total Alpha-Emitting Radium

Batch: 291970

Operator:

<u>SampID</u>	<u>WRKNO</u>	<u>Aliquot</u>		<u>Ba Mass</u>	<u>Ba Yield</u>	<u>Trunc Yield</u>	<u>Ingrowth</u>	<u>Ba Precip Time</u>	<u>InstrID</u>	<u>Efl</u>	<u>Cal Type</u>	<u>Cnt Date Time</u>	<u>Sigma</u>	
<u>Analyte</u>		<u>Ts</u>	<u>Tb</u>	<u>Cs</u>	<u>Cb</u>	<u>CPMs</u>	<u>CPMb</u>	<u>Activity</u>	<u>UncCount</u>	<u>UncTotal</u>	<u>MDA</u>	<u>DLC</u>	<u>MOO</u>	
ICVRa6-1063071;1-A	160-21018-A-1-A		1.0000mL		0.0133	63.15%	False	3.2965	2/13/17 13:30	Purple0	0.2322	2	2/21/17 13:27	1.00
Total Alpha Emitting		5.00	1000.00	17832	166	3566.40	0.17	3.323E+003pCi/mL	2.489E+001	1.516E+002	1.119E+000	2.800E-001	151.5889	
ICVRa6-1063071;2-A	160-21018-A-2-A		1.0000mL		0.0276	78.63%	False	3.3347	2/13/17 13:30	Purple0	0.2130	2	2/21/17 20:52	1.00
Total Alpha Emitting		5.00	1000.00	22337	166	4467.40	0.17	3.604E+003pCi/mL	2.411E+001	1.639E+002	9.688E-001	2.424E-001	163.9470	
ICVRa6-1063071;3-A	160-21018-A-3-A		1.0000mL		0.0487	92.50%	False	3.3328	2/13/17 13:30	Purple0	0.1887	2	2/21/17 20:28	1.00
Total Alpha Emitting		5.00	1000.00	21719	166	4343.80	0.17	3.364E+003pCi/mL	2.283E+001	1.531E+002	9.301E-001	2.327E-001	153.0824	

Laboratory Control Sample Information

<u>SampID</u>	<u>WRKNO</u>	<u>Analyte</u>	<u>Activity</u>	<u>StdAdded</u>	<u>Recovery</u>	<u>LCL</u>	<u>UCL</u>	<u>ZFactor</u>
%								

Sample Duplicate Information

<u>SampID</u>	<u>SampDupID</u>	<u>Analyte</u>	<u>Activity</u>	<u>DupActivity</u>	<u>RPD</u>	<u>RER</u>	<u>DER</u>	<u>ZFactor</u>

Matrix Spike Information

<u>SampID</u>	<u>SampMSID</u>	<u>WRKNO</u>	<u>Analyte</u>	<u>Activity</u>	<u>MSActivity</u>	<u>StdAdded</u>	<u>Recovery</u>	<u>ZFactor</u>

Blanks Information

<u>SampID</u>	<u>WRKNO</u>	<u>Analyte</u>	<u>Activity</u>	<u>UncTotal</u>

Ra-226 ICV

Purple Ra-226 ICV 2017

	Low Mass	Medium Mass	High Mass	Mean Recovery
Detector	Recovery	Recovery	Recovery	
0	87.72%	95.14%	88.80%	90.55%

Standard ID

Ra-226

Ra-226_00025 #1063071

Cert # 104858

Added: 1mL

Activity 3788.19152 pCi/mL

Prep Batch: 291970

Detector	1	Activity	Units
0	Low Mass (0.0133g)	3.323E+03	pCi/mL

2	Activity	Units
Medium Mass (0.0276g)	3.604E+03	pCi/mL

3	Activity	Units
High Mass (0.0487g)	3.364E+03	pCi/mL

Alpha/Beta Count Results

Sample Activity Report

Purple 0-3 - A

Addr: 0

Sample ID ICVRa6-1063071;1-A

Repeat

27

Carrier No.

0

Batch ID 291970

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0	Sample	sd	0	Sample	
Residual Wt	0	mg	sd	0	mg	

Count Began 2/21/2017 1:27:51 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 2/21/2017 1:32:56 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 mins	Background Count Time	1,000.00 mins
-------------------	-----------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.166	17,832	3,566.400	3,566.234
	0.000			0.013	133.537	26.707	26.707
A to B	0.000	1.000				0.000	
	0.000					0.000	
Beta	0.000	1.000	1.000	0.457	17,420	3,484.000	3,483.543
	0.000			0.021	131.985	26.397	26.397

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Purple 0-3 - A

Addr: 0

Sample ID ICVRa6-1063071;3-A

Repeat 33

Carrier No. 0

Batch ID 291970

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0	Sample	sd	0	Sample	
Residual Wt	0	mg	sd	0	mg	

Count Began 2/21/2017 8:28:43 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 2/21/2017 8:33:52 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 mins	Background Count Time	1,000.00 mins
-------------------	-----------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.166	21,719	4,343.800	4,343.634
	0.000			0.013	147.374	29.475	29.475
A to B	0.000	1.000				0.000	
	0.000					0.000	
Beta	0.000	1.000	1.000	0.457	25,229	5,045.800	5,045.343
	0.000			0.021	158.836	31.767	31.767

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Purple 0-3 - A

Addr: 0

Sample ID ICVRa6-1063071;2-A

Repeat

34

Carrier No.

0

Batch ID 291970

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0	Sample	sd	0	Sample	
Residual Wt	0	mg	sd	0	mg	

Count Began 2/21/2017 8:52:02 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 2/21/2017 8:57:12 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 mins	Background Count Time	1,000.00 mins
-------------------	-----------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.166	22,337	4,467.400	4,467.234
	0.000			0.013	149.456	29.891	29.891
A to B	0.000	1.000				0.000	
	0.000					0.000	
Beta	0.000	1.000	1.000	0.457	22,617	4,523.400	4,522.943
	0.000			0.021	150.389	30.078	30.078

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
	0.000				0.000	
Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Analysis Report for Total Alpha-Emitting Radium

Batch: 291970

Operator:

<u>SampID</u>	<u>WRKNO</u>	<u>Aliquot</u>		<u>Ba Mass</u>	<u>Ba Yield</u>	<u>Trunc Yield</u>	<u>Ingrowth</u>	<u>Ba Precip Time</u>	<u>InstrID</u>	<u>Eff</u>	<u>Cal Type</u>	<u>Cnt Date Time</u>	<u>Sigma</u>
<u>Analyte</u>		<u>Ts</u>	<u>Tb</u>	<u>Cs</u>	<u>Cb</u>	<u>CPMs</u>	<u>CPMb</u>	<u>Activity</u>	<u>UncCount</u>	<u>UncTotal</u>	<u>MDA</u>	<u>DLC</u>	<u>MOO</u>
ICVRa6-1063071;1-A	160-21018-A-1-A		1.0000mL	0.0133	63.15%	False	2.3897	2 / 13 / 17 13:30	Purple22	0.2263	2	2 / 16 / 17 23:50	1.00
Total Alpha Emitting		5.00	1000.00	12910	126	2582.00	0.13	3.405E+003pCi/mL	2.997E+001	1.561E+002	1.482E+000	3.453E-001	156.1429
ICVRa6-1063071;2-A	160-21018-A-2-A		1.0000mL	0.0276	78.63%	False	3.1691	2 / 13 / 17 13:30	Purple22	0.2062	2	2 / 20 / 17 15:26	1.00
Total Alpha Emitting		5.00	1000.00	20642	126	4128.40	0.13	3.620E+003pCi/mL	2.520E+001	1.648E+002	9.852E-001	2.296E-001	164.8365
ICVRa6-1063071;3-A	160-21018-A-3-A		1.0000mL	0.0487	92.50%	False	2.3878	2 / 13 / 17 13:30	Purple22	0.1807	2	2 / 16 / 17 23:40	1.00
Total Alpha Emitting		5.00	1000.00	15137	126	3027.40	0.13	3.416E+003pCi/mL	2.777E+001	1.562E+002	1.268E+000	2.954E-001	156.2182

Laboratory Control Sample Information

<u>SampID</u>	<u>WRKNO</u>	<u>Analyte</u>	<u>Activity</u>	<u>StdAdded</u>	<u>Recovery</u>	<u>LCL</u>	<u>UCL</u>	<u>ZFactor</u>
				%				

Sample Duplicate Information

<u>SampID</u>	<u>SampDupID</u>	<u>Analyte</u>	<u>Activity</u>	<u>DupActivity</u>	<u>RPD</u>	<u>RER</u>	<u>DER</u>	<u>ZFactor</u>

Matrix Spike Information

<u>SampID</u>	<u>SampMSID</u>	<u>WRKNO</u>	<u>Analyte</u>	<u>Activity</u>	<u>MSActivity</u>	<u>StdAdded</u>	<u>Recovery</u>	<u>ZFactor</u>

Blanks Information

<u>SampID</u>	<u>WRKNO</u>	<u>Analyte</u>	<u>Activity</u>	<u>UncTotal</u>

Ra-226 ICV

Purple Ra-226 ICV 2017

	Low Mass	Medium Mass	High Mass	Mean Recovery
Detector	Recovery	Recovery	Recovery	
22	89.88%	95.56%	90.17%	91.87%

Standard ID

Ra-226

Ra-226_00025 #1063071

Cert # 104858

Added: 1mL

Activity 3788.19152 pCi/mL

Prep Batch: 291970

Detector	1	Activity	Units
22	Low Mass (0.0133g)	3.405E+03	pCi/mL

2	Activity	Units
Medium Mass (0.0276g)	3.620E+03	pCi/mL

3	Activity	Units
High Mass (0.0487g)	3.416E+03	pCi/mL

Alpha/Beta Count Results

Sample Activity Report

Purple 20-23 - C

Addr: 22

Sample ID ICVRa6-1063071;3-A

Repeat 13

Carrier No. 0

Batch ID 291970

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0	Sample	sd	0	Sample	
Residual Wt	0	mg	sd	0	mg	

Count Began 2/16/2017 11:40:30 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 2/16/2017 11:45:38 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 mins	Background Count Time	1,000.00 mins
-------------------	-----------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.126	15,137	3,027.400	3,027.274
	0.000			0.011	123.033	24.607	24.607
A to B	0.000	1.000				0.000	
	0.000					0.000	
Beta	0.000	1.000	1.000	0.298	16,049	3,209.800	3,209.502
	0.000			0.017	126.685	25.337	25.337

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Purple 20-23 - C

Addr: 22

Sample ID ICVRa6-1063071;1-A

Repeat 14

Carrier No. 0

Batch ID 291970

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0	Sample	sd	0	Sample	
Residual Wt	0	mg	sd	0	mg	

Count Began 2/16/2017 11:50:02 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 2/16/2017 11:55:07 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 mins	Background Count Time	1,000.00 mins
-------------------	-----------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.126	12,910	2,582.000	2,581.874
	0.000			0.011	113.622	22.724	22.724
A to B	0.000	1.000				0.000	
	0.000					0.000	
Beta	0.000	1.000	1.000	0.298	11,314	2,262.800	2,262.502
	0.000			0.017	106.367	21.273	21.273

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
	0.000				0.000	
Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Purple 20-23 - C

Addr: 22

Sample ID ICVRa6-1063071;2-A

Repeat 26

Carrier No. 0

Batch ID 291970

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0	Sample	sd	0	Sample	
Residual Wt	0	mg	sd	0	mg	

Count Began 2/20/2017 3:26:21 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 2/20/2017 3:31:28 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 mins	Background Count Time	1,000.00 mins
-------------------	-----------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	1.000	1.000	0.126	20,642	4,128.400	4,128.274
	0.000			0.011	143.673	28.735	28.735
A to B	0.000	1.000				0.000	
	0.000					0.000	
Beta	0.000	1.000	1.000	0.298	21,582	4,316.400	4,316.102
	0.000			0.017	146.908	29.382	29.382

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

ICV is for Gross Alpha

Red Ra226 ICV 2019

	Low Mass	Medium Mass	High Mass	Mean
Detector	Recovery	Recovery	Recovery	Recovery
0	87.53%	96.30%	91.44%	91.76%

Standard ID

Ra-226

Ra-226_00025 #1063071

Cert # 104858

Added: 1mL

Activity: 3.7839E+06 pCi/mL

Prep Batch: 291970

Date counted: 7/10/19

Ra:1	Activity	Units
Low Mass (0.0132g)	3.312E+06	pCi/mL

Ra:2	Activity	Units
Medium Mass (0.0271g)	3.644E+06	pCi/mL

Ra:3	Activity	Units
High Mass (0.0498g)	3.460E+06	pCi/mL

Alpha/Beta Count Results

Sample Activity Report

Red 1 (0-3) - A

Addr: 0

Sample ID ICVRa6-1063071;Ra1

Repeat

1

Carrier No.

0

Batch ID 291970

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty 0 Sample sd 0 Sample

Residual Wt 0 mg sd 0 mg

Count Began 7/10/2019 9:28:53 AM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 7/10/2019 9:34:00 AM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time 1,000.00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.022	20,677	4,135.400	4,135.400
sd	0.000			0.000	143.795	28.759	28.759
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	2.772	23,772	4,754.400	4,754.400
sd	0.000			0.000	154.182	30.836	30.836

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 1 (0-3) - A

Addr: 0

Sample ID ICVRa6-1063071;Ra3

Repeat

7

Carrier No.

0

Batch ID 291970

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty 0 Sample sd 0 Sample

Residual Wt 0 mg sd 0 mg

Count Began 7/10/2019 10:07:47 AM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 7/10/2019 10:12:56 AM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time 1,000.00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.022	25,994	5,198.800	5,198.800
sd	0.000			0.000	161.227	32.245	32.245
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	2.772	34,258	6,851.600	6,851.600
sd	0.000			0.000	185.089	37.018	37.018

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 1 (0-3) - A

Addr: 0

Sample ID ICVRa6-1063071;Ra2

Repeat 8

Carrier No. 0

Batch ID 291970

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty 0 Sample sd 0 Sample

Residual Wt 0 mg sd 0 mg

Count Began 7/10/2019 10:14:25 AM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 7/10/2019 10:19:33 AM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time 1,000.00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.022	26,061	5,212.200	5,212.200
sd	0.000			0.000	161.434	32.287	32.287
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	2.772	30,233	6,046.600	6,046.600
sd	0.000			0.000	173.876	34.775	34.775

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

ICV is for Gross Alpha

Red Ra226 ICV 2019

	Low Mass	Medium Mass	High Mass	Mean
Detector	Recovery	Recovery	Recovery	Recovery
1	89.27%	95.54%	88.90%	91.24%

Standard ID

Ra-226

Ra-226_00025 #1063071

Cert # 104858

Added: 1mL

Activity: 3.7839E+06 pCi/mL

Prep Batch: 291970

Date counted: 7/10/19

Ra:1	Activity	Units
Low Mass (0.0132g)	3.378E+06	pCi/mL

Ra:2	Activity	Units
Medium Mass (0.0271g)	3.615E+06	pCi/mL

Ra:3	Activity	Units
High Mass (0.0498g)	3.364E+06	pCi/mL

Alpha/Beta Count Results

Sample Activity Report

Red 1 (0-3) - B

Addr: 1

Sample ID ICVRa6-1063071;Ra2

Repeat 1
Carrier No. 0

Batch ID 291970

Count Method Gross Alpha Beta	Detector Volts 1515
-------------------------------	---------------------

Sample Qty 0	Sample sd	0 Sample
Residual Wt 0 mg	sd	0 mg

Count Began 7/10/2019 9:29:01 AM	Collection Date 1 1/1/1900	Half Life 0.00 days
Count Ended 7/10/2019 9:34:13 AM	Collection Date 2 1/1/1900	Decay Factor 1.000

Sample Count Time 5.00 mins	Background Count Time 1,000.00 mins
-----------------------------	-------------------------------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.022	25,862	5,172.400	5,172.400
sd	0.000			0.000	160.817	32.163	32.163
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.415	30,189	6,037.800	6,037.800
sd	0.000			0.000	173.750	34.750	34.750

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 1 (0-3) - B

Addr: 1

Sample ID ICVRa6-1063071;Ra1

Repeat 2

Carrier No. 0

Batch ID 291970

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0	Sample	sd	0	Sample	
Residual Wt	0	mg	sd	0	mg	

Count Began 7/10/2019 9:35:36 AM	Collection Date 1	1/1/1900	Half Life	0.00 days
----------------------------------	-------------------	----------	-----------	-----------

Count Ended 7/10/2019 9:40:46 AM	Collection Date 2	1/1/1900	Decay Factor	1.000
----------------------------------	-------------------	----------	--------------	-------

Sample Count Time	5.00 mins	Background Count Time	1,000.00 mins
-------------------	-----------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.022	21,081	4,216.200	4,216.200
sd	0.000			0.000	145.193	29.039	29.039
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.415	23,704	4,740.800	4,740.800
sd	0.000			0.000	153.961	30.792	30.792

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 1 (0-3) - B

Addr: 1

Sample ID ICVRa6-1063071;Ra3

Repeat 8

Carrier No. 0

Batch ID 291970

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty 0 Sample sd 0 Sample

Residual Wt 0 mg sd 0 mg

Count Began 7/10/2019 10:14:34 AM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 7/10/2019 10:19:46 AM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time 1,000.00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.022	25,276	5,055.200	5,055.200
sd	0.000			0.000	158.984	31.797	31.797
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.415	34,257	6,851.400	6,851.400
sd	0.000			0.000	185.086	37.017	37.017

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

ICV is for Gross Alpha

Red Ra226 ICV 2019

	Low Mass	Medium Mass	High Mass	Mean
Detector	Recovery	Recovery	Recovery	Recovery
4	87.29%	96.09%	89.41%	90.93%

Standard ID

Ra-226

Ra-226_00025 #1063071

Cert # 104858

Added: 1mL

Activity: 3.7839E+06 pCi/mL

Prep Batch: 291970

Date counted: 7/10/19

Ra:1	Activity	Units
Low Mass (0.0132g)	3.303E+06	pCi/mL

Ra:2	Activity	Units
Medium Mass (0.0271g)	3.636E+06	pCi/mL

Ra:3	Activity	Units
High Mass (0.0498g)	3.383E+06	pCi/mL

Alpha/Beta Count Results

Sample Activity Report

Red 1 (4-7) - A

Addr: 4

Sample ID ICVRa6-1063071;Ra3

Repeat 3
Carrier No. 0

Batch ID 291970

Count Method Gross Alpha Beta	Detector Volts 1515
-------------------------------	---------------------

Sample Qty 0	Sample sd	0 Sample
Residual Wt 0 mg	sd	0 mg

Count Began 7/10/2019 9:42:12 AM	Collection Date 1 1/1/1900	Half Life 0.00 days
Count Ended 7/10/2019 9:47:23 AM	Collection Date 2 1/1/1900	Decay Factor 1.000

Sample Count Time 5.00 mins	Background Count Time 1,000.00 mins
-----------------------------	-------------------------------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.048	25,267	5,053.400	5,053.400
sd	0.000			0.000	158.956	31.791	31.791
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.384	34,191	6,838.200	6,838.200
sd	0.000			0.000	184.908	36.982	36.982

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 1 (4-7) - A

Addr: 4

Sample ID ICVRa6-1063071;Ra2

Repeat 4

Carrier No. 0

Batch ID 291970

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty 0 Sample sd 0 Sample

Residual Wt 0 mg sd 0 mg

Count Began 7/10/2019 9:48:40 AM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 7/10/2019 9:53:49 AM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time 1,000.00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.048	25,839	5,167.800	5,167.800
sd	0.000			0.000	160.745	32.149	32.149
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.384	30,387	6,077.400	6,077.400
sd	0.000			0.000	174.319	34.864	34.864

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 1 (4-7) - A

Addr: 4

Sample ID ICVRa6-1063071;Ra1

Repeat 5

Carrier No. 0

Batch ID 291970

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0	Sample	sd	0	Sample	
Residual Wt	0	mg	sd	0	mg	

Count Began 7/10/2019 9:54:48 AM	Collection Date 1 1/1/1900	Half Life	0.00 days
----------------------------------	----------------------------	-----------	-----------

Count Ended 7/10/2019 9:59:55 AM	Collection Date 2 1/1/1900	Decay Factor	1.000
----------------------------------	----------------------------	--------------	-------

Sample Count Time	5.00 mins	Background Count Time	1,000.00 mins
-------------------	-----------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.048	20,460	4,092.000	4,092.000
sd	0.000			0.000	143.038	28.608	28.608
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.384	23,833	4,766.600	4,766.600
sd	0.000			0.000	154.379	30.876	30.876

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

ICV is for Gross Alpha

Red Ra226 ICV 2019

	Low Mass	Medium Mass	High Mass	Mean
Detector	Recovery	Recovery	Recovery	Recovery
8	88.51%	97.10%	88.82%	91.48%

Standard ID

Ra-226

Ra-226_00025 #1063071

Cert # 104858

Added: 1mL

Activity: 3.7839E+06 pCi/mL

Prep Batch: 291970

Date counted: 7/10/19

Ra:1	Activity	Units
Low Mass (0.0132g)	3.349E+06	pCi/mL

Ra:2	Activity	Units
Medium Mass (0.0271g)	3.674E+06	pCi/mL

Ra:3	Activity	Units
High Mass (0.0498g)	3.361E+06	pCi/mL

Alpha/Beta Count Results

Sample Activity Report

Red 2 (8-11) - A

Addr: 8

Sample ID ICVRa6-1063071;Ra1

Repeat 1
Carrier No. 0

Batch ID 291970

Count Method Gross Alpha Beta	Detector Volts 1515
-------------------------------	---------------------

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 7/10/2019 12:06:13 PM	Collection Date 1 1/1/1900	Half Life 0.00 days
Count Ended 7/10/2019 12:12:07 PM	Collection Date 2 1/1/1900	Decay Factor 1.000

Sample Count Time 5.00 mins	Background Count Time 1,000.00 mins
-----------------------------	-------------------------------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.039	17,471	3,494.200	3,494.200
sd	0.000			0.000	132.178	26.436	26.436
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.492	24,248	4,849.600	4,849.600
sd	0.000			0.000	155.718	31.144	31.144

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 2 (8-11) - A

Addr: 8

Sample ID ICVRa6-1063071;Ra3

Repeat

7

Carrier No.

0

Batch ID 291970

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 7/10/2019 12:50:01 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 7/10/2019 12:55:10 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 mins	Background Count Time	1,000.00 mins
-------------------	-----------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.039	21,044	4,208.800	4,208.800
sd	0.000			0.000	145.066	29.013	29.013
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.492	33,622	6,724.400	6,724.400
sd	0.000			0.000	183.363	36.673	36.673

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 2 (8-11) - A

Addr: 8

Sample ID ICVRa6-1063071;Ra2

Repeat 8
Carrier No. 0

Batch ID 291970

Count Method Gross Alpha Beta	Detector Volts 1515
-------------------------------	---------------------

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 7/10/2019 12:57:06 PM	Collection Date 1 1/1/1900	Half Life 0.00 days
Count Ended 7/10/2019 1:02:15 PM	Collection Date 2 1/1/1900	Decay Factor 1.000

Sample Count Time	5.00 mins	Background Count Time	1,000.00 mins
-------------------	-----------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.039	21,922	4,384.400	4,384.400
sd	0.000			0.000	148.061	29.612	29.612
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.492	30,311	6,062.200	6,062.200
sd	0.000			0.000	174.101	34.820	34.820

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

ICV is for Gross Alpha

Red Ra226 ICV 2019

	Low Mass	Medium Mass	High Mass	Mean
Detector	Recovery	Recovery	Recovery	Recovery
9	89.43%	97.02%	89.19%	91.88%

Standard ID

Ra-226

Ra-226_00025 #1063071

Cert # 104858

Added: 1mL

Activity: 3.7839E+06 pCi/mL

Prep Batch: 291970

Date counted: 7/10/19

Ra:1	Activity	Units
Low Mass (0.0132g)	3.384E+06	pCi/mL

Ra:2	Activity	Units
Medium Mass (0.0271g)	3.671E+06	pCi/mL

Ra:3	Activity	Units
High Mass (0.0498g)	3.375E+06	pCi/mL

Alpha/Beta Count Results

Sample Activity Report

Red 2 (8-11) - B

Addr: 9

Sample ID ICVRa6-1063071;Ra2

Repeat 1
Carrier No. 0

Batch ID 291970

Count Method Gross Alpha Beta	Detector Volts 1515
-------------------------------	---------------------

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 7/10/2019 12:06:18 PM	Collection Date 1 1/1/1900	Half Life 0.00 days
Count Ended 7/10/2019 12:12:10 PM	Collection Date 2 1/1/1900	Decay Factor 1.000

Sample Count Time 5.00 mins	Background Count Time 1,000.00 mins
-----------------------------	-------------------------------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.034	26,498	5,299.600	5,299.600
sd	0.000			0.000	162.782	32.556	32.556
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.316	29,498	5,899.600	5,899.600
sd	0.000			0.000	171.750	34.350	34.350

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 2 (8-11) - B

Addr: 9

Sample ID ICVRa6-1063071;Ra1

Repeat 2
Carrier No. 0

Batch ID 291970

Count Method Gross Alpha Beta	Detector Volts 1515
-------------------------------	---------------------

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 7/10/2019 12:17:13 PM	Collection Date 1 1/1/1900	Half Life 0.00 days
Count Ended 7/10/2019 12:22:23 PM	Collection Date 2 1/1/1900	Decay Factor 1.000

Sample Count Time	5.00 mins	Background Count Time	1,000.00 mins
-------------------	-----------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.034	21,261	4,252.200	4,252.200
sd	0.000			0.000	145.812	29.162	29.162
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.316	23,259	4,651.800	4,651.800
sd	0.000			0.000	152.509	30.502	30.502

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 2 (8-11) - B

Addr: 9

Sample ID ICVRa6-1063071;Ra3

Repeat 8

Carrier No. 0

Batch ID 291970

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty 0 ml sd 0 ml

Residual Wt 0 mg sd 0 mg

Count Began 7/10/2019 12:57:10 PM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 7/10/2019 1:02:21 PM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time 1,000.00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.034	25,630	5,126.000	5,126.000
sd	0.000			0.000	160.094	32.019	32.019
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.316	32,934	6,586.800	6,586.800
sd	0.000			0.000	181.477	36.295	36.295

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

ICV is for Gross Alpha

Red Ra226 ICV 2019

	Low Mass	Medium Mass	High Mass	Mean
Detector	Recovery	Recovery	Recovery	Recovery
10	88.37%	97.15%	90.28%	91.93%

Standard ID

Ra-226

Ra-226_00025 #1063071

Cert # 104858

Added: 1mL

Activity: 3.7839E+06 pCi/mL

Prep Batch: 291970

Date counted: 7/10/19

Ra:1	Activity	Units
Low Mass (0.0132g)	3.344E+06	pCi/mL

Ra:2	Activity	Units
Medium Mass (0.0271g)	3.676E+06	pCi/mL

Ra:3	Activity	Units
High Mass (0.0498g)	3.416E+06	pCi/mL

Alpha/Beta Count Results

Sample Activity Report

Red 2 (8-11) - C

Addr: 10

Sample ID ICVRa6-1063071;Ra3

Repeat

1

Carrier No.

0

Batch ID 291970

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0 ml	sd	0 ml
------------	------	----	------

Residual Wt	0 mg	sd	0 mg
-------------	------	----	------

Count Began 7/10/2019 12:06:23 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
-----------------------------------	----------------------------	-----------	-----------

Count Ended 7/10/2019 12:12:13 PM	Collection Date 2 1/1/1900	Decay Factor	1.000
-----------------------------------	----------------------------	--------------	-------

Sample Count Time	5.00 mins	Background Count Time	1,000.00 mins
-------------------	-----------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.037	26,298	5,259.600	5,259.600
sd	0.000			0.000	162.167	32.433	32.433
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.440	33,394	6,678.800	6,678.800
sd	0.000			0.000	182.740	36.548	36.548

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 2 (8-11) - C

Addr: 10

Sample ID ICVRa6-1063071;Ra2

Repeat	2
Carrier No.	0

Batch ID 291970

Count Method Gross Alpha Beta	Detector Volts	1515
-------------------------------	----------------	------

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 7/10/2019 12:17:18 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 7/10/2019 12:22:29 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 mins	Background Count Time	1,000.00 mins
-------------------	-----------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.037	26,907	5,381.400	5,381.400
sd	0.000			0.000	164.034	32.807	32.807
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.440	29,574	5,914.800	5,914.800
sd	0.000			0.000	171.971	34.394	34.394

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 2 (8-11) - C

Addr: 10

Sample ID ICVRa6-1063071;Ra1

Repeat	3
Carrier No.	0

Batch ID 291970

Count Method Gross Alpha Beta	Detector Volts	1515
-------------------------------	----------------	------

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 7/10/2019 12:23:32 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 7/10/2019 12:28:41 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 mins	Background Count Time	1,000.00 mins
-------------------	-----------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.037	21,318	4,263.600	4,263.600
sd	0.000			0.000	146.007	29.201	29.201
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.440	23,627	4,725.400	4,725.400
sd	0.000			0.000	153.711	30.742	30.742

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

ICV is for Gross Alpha

Red Ra226 ICV 2019

	Low Mass	Medium Mass	High Mass	Mean
Detector	Recovery	Recovery	Recovery	Recovery
12	87.82%	97.39%	90.59%	91.93%

Standard ID

Ra-226

Ra-226_00025 #1063071

Cert # 104858

Added: 1mL

Activity: 3.7839E+06 pCi/mL

Prep Batch: 291970

Date counted: 7/10/19

Ra:1	Activity	Units
Low Mass (0.0132g)	3.323E+06	pCi/mL

Ra:2	Activity	Units
Medium Mass (0.0271g)	3.685E+06	pCi/mL

Ra:3	Activity	Units
High Mass (0.0498g)	3.428E+06	pCi/mL

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - A

Addr: 12

Sample ID ICVRa6-1063071;Ra3

Repeat	3
Carrier No.	0

Batch ID 291970

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 7/10/2019 12:23:43 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 7/10/2019 12:28:53 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 mins	Background Count Time	1,000.00 mins
-------------------	-----------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.035	25,530	5,106.000	5,106.000
sd	0.000			0.000	159.781	31.956	31.956
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.587	33,857	6,771.400	6,771.400
sd	0.000			0.000	184.003	36.801	36.801

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - A

Addr: 12

Sample ID ICVRa6-1063071;Ra2

Repeat	4
Carrier No.	0

Batch ID 291970

Count Method Gross Alpha Beta	Detector Volts	1515
-------------------------------	----------------	------

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 7/10/2019 12:29:51 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 7/10/2019 12:35:01 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 mins	Background Count Time	1,000.00 mins
-------------------	-----------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.035	26,147	5,229.400	5,229.400
sd	0.000			0.000	161.700	32.340	32.340
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.587	30,221	6,044.200	6,044.200
sd	0.000			0.000	173.842	34.768	34.768

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - A

Addr: 12

Sample ID ICVRa6-1063071;Ra1

Repeat	5
Carrier No.	0

Batch ID 291970

Count Method Gross Alpha Beta	Detector Volts	1515
-------------------------------	----------------	------

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 7/10/2019 12:35:48 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 7/10/2019 12:40:56 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 mins	Background Count Time	1,000.00 mins
-------------------	-----------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.035	20,589	4,117.800	4,117.800
sd	0.000			0.000	143.489	28.698	28.698
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.587	23,975	4,795.000	4,795.000
sd	0.000			0.000	154.839	30.968	30.968

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

ICV is for Gross Alpha

Red Ra226 ICV 2019

	Low Mass	Medium Mass	High Mass	Mean
Detector	Recovery	Recovery	Recovery	Recovery
13	89.30%	96.12%	89.64%	91.69%

Standard ID

Ra-226

Ra-226_00025 #1063071

Cert # 104858

Added: 1mL

Activity: 3.7839E+06 pCi/mL

Prep Batch: 291970

Date counted: 7/10/19

Ra:1	Activity	Units
Low Mass (0.0132g)	3.379E+06	pCi/mL

Ra:2	Activity	Units
Medium Mass (0.0271g)	3.637E+06	pCi/mL

Ra:3	Activity	Units
High Mass (0.0498g)	3.392E+06	pCi/mL

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - B

Addr: 13

Sample ID ICVRa6-1063071;Ra3

Repeat	4
Carrier No.	0

Batch ID 291970

Count Method Gross Alpha Beta	Detector Volts	1515
-------------------------------	----------------	------

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 7/10/2019 12:29:56 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 7/10/2019 12:35:06 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 mins	Background Count Time	1,000.00 mins
-------------------	-----------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.043	25,600	5,120.000	5,120.000
sd	0.000			0.000	160.000	32.000	32.000
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.334	33,589	6,717.800	6,717.800
sd	0.000			0.000	183.273	36.655	36.655

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - B

Addr: 13

Sample ID ICVRa6-1063071;Ra2

Repeat	5
Carrier No.	0

Batch ID 291970

Count Method Gross Alpha Beta	Detector Volts	1515
-------------------------------	----------------	------

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 7/10/2019 12:35:54 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 7/10/2019 12:41:04 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 mins	Background Count Time	1,000.00 mins
-------------------	-----------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.043	26,007	5,201.400	5,201.400
sd	0.000			0.000	161.267	32.253	32.253
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.334	29,654	5,930.800	5,930.800
sd	0.000			0.000	172.203	34.441	34.441

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - B

Addr: 13

Sample ID ICVRa6-1063071;Ra1

Repeat	6
Carrier No.	0

Batch ID 291970

Count Method Gross Alpha Beta	Detector Volts	1515
-------------------------------	----------------	------

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 7/10/2019 12:41:58 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 7/10/2019 12:47:07 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 mins	Background Count Time	1,000.00 mins
-------------------	-----------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.043	20,967	4,193.400	4,193.400
sd	0.000			0.000	144.800	28.960	28.960
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.334	23,798	4,759.600	4,759.600
sd	0.000			0.000	154.266	30.853	30.853

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

ICV is for Gross Alpha

Red Ra226 ICV 2019

	Low Mass	Medium Mass	High Mass	Mean
Detector	Recovery	Recovery	Recovery	Recovery
14	87.77%	96.94%	89.72%	91.48%

Standard ID

Ra-226

Ra-226_00025 #1063071

Cert # 104858

Added: 1mL

Activity: 3.7839E+06 pCi/mL

Prep Batch: 291970

Date counted: 7/10/19

Ra:1	Activity	Units
Low Mass (0.0132g)	3.321E+06	pCi/mL

Ra:2	Activity	Units
Medium Mass (0.0271g)	3.668E+06	pCi/mL

Ra:3	Activity	Units
High Mass (0.0498g)	3.395E+06	pCi/mL

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - C

Addr: 14

Sample ID ICVRa6-1063071;Ra3

Repeat	5
Carrier No.	0

Batch ID 291970

Count Method Gross Alpha Beta	Detector Volts	1515
-------------------------------	----------------	------

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 7/10/2019 12:35:59 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 7/10/2019 12:41:09 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 mins	Background Count Time	1,000.00 mins
-------------------	-----------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.049	25,505	5,101.000	5,101.000
sd	0.000			0.000	159.703	31.941	31.941
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.510	33,508	6,701.600	6,701.600
sd	0.000			0.000	183.052	36.610	36.610

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - C

Addr: 14

Sample ID ICVRa6-1063071;Ra2

Repeat	6
Carrier No.	0

Batch ID 291970

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 7/10/2019 12:42:04 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 7/10/2019 12:47:15 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 mins	Background Count Time	1,000.00 mins
-------------------	-----------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.049	26,213	5,242.600	5,242.600
sd	0.000			0.000	161.904	32.381	32.381
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.510	30,081	6,016.200	6,016.200
sd	0.000			0.000	173.439	34.688	34.688

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - C

Addr: 14

Sample ID ICVRa6-1063071;Ra1

Repeat

7

Carrier No.

0

Batch ID 291970

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty 0 ml sd 0 ml

Residual Wt 0 mg sd 0 mg

Count Began 7/10/2019 12:49:51 PM Collection Date 1 1/1/1900 Half Life 0.00 days

Count Ended 7/10/2019 12:55:01 PM Collection Date 2 1/1/1900 Decay Factor 1.000

Sample Count Time 5.00 mins Background Count Time 1,000.00 mins

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.049	20,684	4,136.800	4,136.800
sd	0.000			0.000	143.819	28.764	28.764
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.510	23,547	4,709.400	4,709.400
sd	0.000			0.000	153.450	30.690	30.690

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

ICV is for Gross Alpha

Red Ra226 ICV 2019

	Low Mass	Medium Mass	High Mass	Mean
Detector	Recovery	Recovery	Recovery	Recovery
15	89.04%	97.70%	89.62%	92.12%

Standard ID

Ra-226

Ra-226_00025 #1063071

Cert # 104858

Added: 1mL

Activity: 3.7839E+06 pCi/mL

Prep Batch: 291970

Date counted: 7/10/19

Ra:1	Activity	Units
Low Mass (0.0132g)	3.369E+06	pCi/mL

Ra:2	Activity	Units
Medium Mass (0.0271g)	3.697E+06	pCi/mL

Ra:3	Activity	Units
High Mass (0.0498g)	3.391E+06	pCi/mL

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - D

Addr: 15

Sample ID ICVRa6-1063071;Ra3

Repeat	6
Carrier No.	0

Batch ID 291970

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 7/10/2019 12:42:09 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 7/10/2019 12:47:21 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 mins	Background Count Time	1,000.00 mins
-------------------	-----------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.026	25,291	5,058.200	5,058.200
sd	0.000			0.000	159.031	31.806	31.806
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.345	33,941	6,788.200	6,788.200
sd	0.000			0.000	184.231	36.846	36.846

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - D

Addr: 15

Sample ID ICVRa6-1063071;RA2

Repeat

7

Carrier No.

0

Batch ID 291970

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0 ml	sd	0 ml
------------	------	----	------

Residual Wt	0 mg	sd	0 mg
-------------	------	----	------

Count Began 7/10/2019 12:49:56 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
-----------------------------------	----------------------------	-----------	-----------

Count Ended 7/10/2019 12:55:07 PM	Collection Date 2 1/1/1900	Decay Factor	1.000
-----------------------------------	----------------------------	--------------	-------

Sample Count Time	5.00 mins	Background Count Time	1,000.00 mins
-------------------	-----------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.026	26,263	5,252.600	5,252.600
sd	0.000			0.000	162.059	32.412	32.412
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.345	30,178	6,035.600	6,035.600
sd	0.000			0.000	173.718	34.744	34.744

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 2 (12-15) - D

Addr: 15

Sample ID ICVRa6-1063071;Ra1

Repeat	8
Carrier No.	0

Batch ID 291970

Count Method Gross Alpha Beta	Detector Volts	1515
-------------------------------	----------------	------

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 7/10/2019 12:57:02 PM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 7/10/2019 1:02:12 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 mins	Background Count Time	1,000.00 mins
-------------------	-----------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.026	20,899	4,179.800	4,179.800
sd	0.000			0.000	144.565	28.913	28.913
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.345	23,709	4,741.800	4,741.800
sd	0.000			0.000	153.977	30.795	30.795

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

ICV is for Gross Alpha

Red Ra226 ICV 2019

	Low Mass	Medium Mass	High Mass	Mean
Detector	Recovery	Recovery	Recovery	Recovery
16	87.82%	95.56%	89.04%	90.81%

Standard ID

Ra-226

Ra-226_00025 #1063071

Cert # 104858

Added: 1mL

Activity: 3.7839E+06 pCi/mL

Prep Batch: 291970

Date counted: 7/10/19

Ra:1	Activity	Units
Low Mass (0.0132g)	3.323E+06	pCi/mL
Ra:2	Activity	Units
Medium Mass (0.0271g)	3.616E+06	pCi/mL
Ra:3	Activity	Units
High Mass (0.0498g)	3.369E+06	pCi/mL

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - A

Addr: 16

Sample ID ICVRa6-1063071;Ra1

Repeat	1
Carrier No.	0

Batch ID 291970

Count Method Gross Alpha Beta	Detector Volts	1515
-------------------------------	----------------	------

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 7/10/2019 11:02:38 AM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 7/10/2019 11:07:46 AM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 mins	Background Count Time	1,000.00 mins
-------------------	-----------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.032	20,571	4,114.200	4,114.200
sd	0.000			0.000	143.426	28.685	28.685
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.318	23,581	4,716.200	4,716.200
sd	0.000			0.000	153.561	30.712	30.712

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - A

Addr: 16

Sample ID ICVRa6-1063071;Ra3

Repeat

7

Carrier No.

0

Batch ID 291970

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0 <i>ml</i>	sd	0 <i>ml</i>
Residual Wt	0 <i>mg</i>	sd	0 <i>mg</i>

Count Began 7/10/2019 11:52:02 AM	Collection Date 1 1/1/1900	Half Life	0.00 <i>days</i>
Count Ended 7/10/2019 11:57:12 AM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 <i>mins</i>	Background Count Time	1,000.00 <i>mins</i>
-------------------	------------------	-----------------------	----------------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.032	25,369	5,073.800	5,073.800
sd	0.000			0.000	159.276	31.855	31.855
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.318	33,634	6,726.800	6,726.800
sd	0.000			0.000	183.396	36.679	36.679

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - A

Addr: 16

Sample ID ICVRa6-1063071;Ra2

Repeat	8
Carrier No.	0

Batch ID 291970

Count Method Gross Alpha Beta	Detector Volts	1515
-------------------------------	----------------	------

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 7/10/2019 11:58:19 AM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 7/10/2019 12:03:29 PM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 mins	Background Count Time	1,000.00 mins
-------------------	-----------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.032	25,797	5,159.400	5,159.400
sd	0.000			0.000	160.614	32.123	32.123
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.318	30,234	6,046.800	6,046.800
sd	0.000			0.000	173.879	34.776	34.776

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

ICV is for Gross Alpha

Red Ra226 ICV 2019

	Low Mass	Medium Mass	High Mass	Mean
Detector	Recovery	Recovery	Recovery	Recovery
17	87.42%	95.62%	89.41%	90.81%

Standard ID

Ra-226

Ra-226_00025 #1063071

Cert # 104858

Added: 1mL

Activity: 3.7839E+06 pCi/mL

Prep Batch: 291970

Date counted: 7/10/19

Ra:1	Activity	Units
Low Mass (0.0132g)	3.308E+06	pCi/mL
Ra:2	Activity	Units
Medium Mass (0.0271g)	3.618E+06	pCi/mL
Ra:3	Activity	Units
High Mass (0.0498g)	3.383E+06	pCi/mL

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - B

Addr: 17

Sample ID ICVRa6-106307;1Ra2

Repeat	1
Carrier No.	0

Batch ID 291970

Count Method Gross Alpha Beta	Detector Volts	1515
-------------------------------	----------------	------

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 7/10/2019 11:02:45 AM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 7/10/2019 11:07:56 AM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 mins	Background Count Time	1,000.00 mins
-------------------	-----------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.029	26,027	5,205.400	5,205.400
sd	0.000			0.000	161.329	32.266	32.266
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.334	30,320	6,064.000	6,064.000
sd	0.000			0.000	174.126	34.825	34.825

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - B

Addr: 17

Sample ID ICVRa6-1063071;Ra1

Repeat 2
Carrier No. 0

Batch ID 291970

Count Method Gross Alpha Beta	Detector Volts 1515
-------------------------------	---------------------

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 7/10/2019 11:11:59 AM	Collection Date 1 1/1/1900	Half Life 0.00 days
Count Ended 7/10/2019 11:17:08 AM	Collection Date 2 1/1/1900	Decay Factor 1.000

Sample Count Time	5.00 mins	Background Count Time	1,000.00 mins
-------------------	-----------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.029	20,767	4,153.400	4,153.400
sd	0.000			0.000	144.108	28.822	28.822
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.334	23,921	4,784.200	4,784.200
sd	0.000			0.000	154.664	30.933	30.933

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - B

Addr: 17

Sample ID ICVRa6-1063071;Ra3

Repeat 8
Carrier No. 0

Batch ID 291970

Count Method Gross Alpha Beta	Detector Volts 1515
-------------------------------	---------------------

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 7/10/2019 11:58:24 AM	Collection Date 1 1/1/1900	Half Life 0.00 days
Count Ended 7/10/2019 12:03:34 PM	Collection Date 2 1/1/1900	Decay Factor 1.000

Sample Count Time	5.00 mins	Background Count Time	1,000.00 mins
-------------------	-----------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.029	25,558	5,111.600	5,111.600
sd	0.000			0.000	159.869	31.974	31.974
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.334	33,935	6,787.000	6,787.000
sd	0.000			0.000	184.215	36.843	36.843

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

ICV is for Gross Alpha

Red Ra226 ICV 2019

	Low Mass	Medium Mass	High Mass	Mean
Detector	Recovery	Recovery	Recovery	Recovery
18	87.08%	95.17%	92.58%	91.61%

Standard ID

Ra-226

Ra-226_00025 #1063071

Cert # 104858

Added: 1mL

Activity: 3.7839E+06 pCi/mL

Prep Batch: 291970

Date counted: 7/10/19

Ra:1	Activity	Units
Low Mass (0.0132g)	3.295E+06	pCi/mL
Ra:2	Activity	Units
Medium Mass (0.0271g)	3.601E+06	pCi/mL
Ra:3	Activity	Units
High Mass (0.0498g)	3.503E+06	pCi/mL

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - C

Addr: 18

Sample ID ICVRa6-1063071;Ra3

Repeat	1
Carrier No.	0

Batch ID 291970

Count Method Gross Alpha Beta	Detector Volts	1515
-------------------------------	----------------	------

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 7/10/2019 11:02:51 AM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 7/10/2019 11:07:59 AM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 mins	Background Count Time	1,000.00 mins
-------------------	-----------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.031	25,535	5,107.000	5,107.000
sd	0.000			0.000	159.797	31.959	31.959
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.287	35,581	7,116.200	7,116.200
sd	0.000			0.000	188.629	37.726	37.726

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - C

Addr: 18

Sample ID ICVRa6-1063071;Ra2

Repeat	2
Carrier No.	0

Batch ID 291970

Count Method Gross Alpha Beta	Detector Volts	1515
-------------------------------	----------------	------

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 7/10/2019 11:12:05 AM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 7/10/2019 11:17:13 AM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 mins	Background Count Time	1,000.00 mins
-------------------	-----------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.031	25,063	5,012.600	5,012.600
sd	0.000			0.000	158.313	31.663	31.663
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.287	30,476	6,095.200	6,095.200
sd	0.000			0.000	174.574	34.915	34.915

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - C

Addr: 18

Sample ID ICVRa6-1063071;Ra1

Repeat	3
Carrier No.	0

Batch ID 291970

Count Method Gross Alpha Beta

Detector Volts 1515

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 7/10/2019 11:18:05 AM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 7/10/2019 11:23:12 AM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 mins	Background Count Time	1,000.00 mins
-------------------	-----------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.031	20,047	4,009.400	4,009.400
sd	0.000			0.000	141.587	28.317	28.317
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.287	24,689	4,937.800	4,937.800
sd	0.000			0.000	157.127	31.425	31.425

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

ICV is for Gross Alpha

Red Ra226 ICV 2019

	Low Mass	Medium Mass	High Mass	Mean
Detector	Recovery	Recovery	Recovery	Recovery
19	87.24%	95.30%	88.40%	90.31%

Standard ID

Ra-226

Ra-226_00025 #1063071

Cert # 104858

Added: 1mL

Activity: 3.7839E+06 pCi/mL

Prep Batch: 291970

Date counted: 7/10/19

Ra:1	Activity	Units
Low Mass (0.0132g)	3.301E+06	pCi/mL
Ra:2	Activity	Units
Medium Mass (0.0271g)	3.606E+06	pCi/mL
Ra:3	Activity	Units
High Mass (0.0498g)	3.345E+06	pCi/mL

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - D

Addr: 19

Sample ID ICVRa6-1063071;Ra3

Repeat	2
Carrier No.	0

Batch ID 291970

Count Method Gross Alpha Beta	Detector Volts	1515
-------------------------------	----------------	------

Sample Qty	0.315 <i>ml</i>	sd	0 <i>ml</i>
Residual Wt	0 <i>mg</i>	sd	0 <i>mg</i>

Count Began 7/10/2019 11:12:13 AM	Collection Date 1 1/1/1900	Half Life	0.00 <i>days</i>
Count Ended 7/10/2019 11:17:23 AM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 <i>mins</i>	Background Count Time	1,000.00 <i>mins</i>
-------------------	------------------	-----------------------	----------------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.045	25,207	5,041.400	5,041.400
sd	0.000			0.000	158.767	31.753	31.753
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.315	35,042	7,008.400	7,008.400
sd	0.000			0.000	187.195	37.439	37.439

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - D

Addr: 19

Sample ID ICVRa6-1063071;Ra2

Repeat	3
Carrier No.	0

Batch ID 291970

Count Method Gross Alpha Beta	Detector Volts	1515
-------------------------------	----------------	------

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 7/10/2019 11:18:10 AM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 7/10/2019 11:23:20 AM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 mins	Background Count Time	1,000.00 mins
-------------------	-----------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.045	25,817	5,163.400	5,163.400
sd	0.000			0.000	160.677	32.135	32.135
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.315	30,952	6,190.400	6,190.400
sd	0.000			0.000	175.932	35.186	35.186

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 3 (16-19) - D

Addr: 19

Sample ID ICVRa6-106307;1Ra1

Repeat

4

Carrier No.

0

Batch ID 291970

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 7/10/2019 11:28:49 AM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 7/10/2019 11:33:58 AM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 mins	Background Count Time	1,000.00 mins
-------------------	-----------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.045	20,587	4,117.400	4,117.400
sd	0.000			0.000	143.482	28.696	28.696
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.315	24,583	4,916.600	4,916.600
sd	0.000			0.000	156.790	31.358	31.358

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

ICV is for Gross Alpha

Red Ra226 ICV 2019

	Low Mass	Medium Mass	High Mass	Mean
Detector	Recovery	Recovery	Recovery	Recovery
21	87.29%	95.19%	89.01%	90.50%

Standard ID

Ra-226

Ra-226_00025 #1063071

Cert # 104858

Added: 1mL

Activity: 3.7839E+06 pCi/mL

Prep Batch: 291970

Date counted: 7/10/19

Ra:1	Activity	Units
Low Mass (0.0132g)	3.303E+06	pCi/mL
Ra:2	Activity	Units
Medium Mass (0.0271g)	3.602E+06	pCi/mL
Ra:3	Activity	Units
High Mass (0.0498g)	3.368E+06	pCi/mL

Alpha/Beta Count Results

Sample Activity Report

Red 3 (20-23) - B

Addr: 21

Sample ID ICVRa6-1063071;Ra3

Repeat

4

Carrier No.

0

Batch ID 291970

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0 ml	sd	0 ml
------------	------	----	------

Residual Wt	0 mg	sd	0 mg
-------------	------	----	------

Count Began 7/10/2019 11:29:02 AM	Collection Date 1 1/1/1900	Half Life	0.00 days
-----------------------------------	----------------------------	-----------	-----------

Count Ended 7/10/2019 11:34:14 AM	Collection Date 2 1/1/1900	Decay Factor	1.000
-----------------------------------	----------------------------	--------------	-------

Sample Count Time	5.00 mins	Background Count Time	1,000.00 mins
-------------------	-----------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	24,800	4,960.000	4,960.000
sd	0.000			0.057	157.480	31.496	31.496
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	33,948	6,789.600	6,789.600
sd	0.000			0.343	184.250	36.850	36.850

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 3 (20-23) - B

Addr: 21

Sample ID ICVRa6-1063071;Ra2

Repeat	5
Carrier No.	0

Batch ID 291970

Count Method Gross Alpha Beta	Detector Volts	1515
-------------------------------	----------------	------

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 7/10/2019 11:35:15 AM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 7/10/2019 11:40:25 AM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 mins	Background Count Time	1,000.00 mins
-------------------	-----------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	25,289	5,057.800	5,057.800
sd	0.000			0.057	159.025	31.805	31.805
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	30,277	6,055.400	6,055.400
sd	0.000			0.343	174.003	34.801	34.801

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 3 (20-23) - B

Addr: 21

Sample ID ICVRa6-1063071;Ra1

Repeat	6
Carrier No.	0

Batch ID 291970

Count Method Gross Alpha Beta	Detector Volts	1515
-------------------------------	----------------	------

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 7/10/2019 11:42:28 AM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 7/10/2019 11:47:37 AM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 mins	Background Count Time	1,000.00 mins
-------------------	-----------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.000	20,252	4,050.400	4,050.400
sd	0.000			0.057	142.310	28.462	28.462
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.000	24,318	4,863.600	4,863.600
sd	0.000			0.343	155.942	31.188	31.188

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

ICV is for Gross Alpha

Red Ra226 ICV 2019

	Low Mass	Medium Mass	High Mass	Mean
Detector	Recovery	Recovery	Recovery	Recovery
22	87.90%	95.30%	89.64%	90.95%

Standard ID

Ra-226

Ra-226_00025 #1063071

Cert # 104858

Added: 1mL

Activity: 3.7839E+06 pCi/mL

Prep Batch: 291970

Date counted: 7/10/19

Ra:1	Activity	Units
Low Mass (0.0132g)	3.326E+06	pCi/mL
Ra:2	Activity	Units
Medium Mass (0.0271g)	3.606E+06	pCi/mL
Ra:3	Activity	Units
High Mass (0.0498g)	3.392E+06	pCi/mL

Alpha/Beta Count Results

Sample Activity Report

Red 3 (20-23) - C

Addr: 22

Sample ID ICVRa6-1063071;Ra3

Repeat	5
Carrier No.	0

Batch ID 291970

Count Method Gross Alpha Beta	Detector Volts	1515
-------------------------------	----------------	------

Sample Qty	0.07 <i>ml</i>	sd	0 <i>ml</i>
Residual Wt	0 <i>mg</i>	sd	0 <i>mg</i>

Count Began 7/10/2019 11:35:21 AM	Collection Date 1 1/1/1900	Half Life	0.00 <i>days</i>
Count Ended 7/10/2019 11:40:31 AM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 <i>mins</i>	Background Count Time	1,000.00 <i>mins</i>
-------------------	------------------	-----------------------	----------------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.070	25,161	5,032.200	5,032.200
sd	0.000			0.000	158.622	31.724	31.724
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.351	34,551	6,910.200	6,910.200
sd	0.000			0.000	185.879	37.176	37.176

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 3 (20-23) - C

Addr: 22

Sample ID ICVRa6-1063071;Ra2

Repeat	6
Carrier No.	0

Batch ID 291970

Count Method Gross Alpha Beta	Detector Volts	1515
-------------------------------	----------------	------

Sample Qty	0 ml	sd	0 ml
Residual Wt	0 mg	sd	0 mg

Count Began 7/10/2019 11:42:34 AM	Collection Date 1 1/1/1900	Half Life	0.00 days
Count Ended 7/10/2019 11:47:45 AM	Collection Date 2 1/1/1900	Decay Factor	1.000

Sample Count Time	5.00 mins	Background Count Time	1,000.00 mins
-------------------	-----------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.070	25,447	5,089.400	5,089.400
sd	0.000			0.000	159.521	31.904	31.904
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.351	30,198	6,039.600	6,039.600
sd	0.000			0.000	173.776	34.755	34.755

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Alpha/Beta Count Results

Sample Activity Report

Red 3 (20-23) - C

Addr: 22

Sample ID ICVRa6-1063071;Ra1

Repeat

7

Carrier No.

0

Batch ID 291970

Count Method Gross Alpha Beta

Detector Volts

1515

Sample Qty	0 ml	sd	0 ml
------------	------	----	------

Residual Wt	0 mg	sd	0 mg
-------------	------	----	------

Count Began 7/10/2019 11:51:51 AM	Collection Date 1 1/1/1900	Half Life	0.00 days
-----------------------------------	----------------------------	-----------	-----------

Count Ended 7/10/2019 11:57:01 AM	Collection Date 2 1/1/1900	Decay Factor	1.000
-----------------------------------	----------------------------	--------------	-------

Sample Count Time	5.00 mins	Background Count Time	1,000.00 mins
-------------------	-----------	-----------------------	---------------

	Efficiency %	Attenuation Factor	Activity Divisor	Background cpm	Gross counts	Gross cpm	Net cpm
Alpha	0.000	0.000	1.000	0.070	20,441	4,088.200	4,088.200
sd	0.000			0.000	142.972	28.594	28.594
A to B	0.000	0.000				0.000	
sd	0.000					0.000	
Beta	0.000	0.000	1.000	0.351	24,127	4,825.400	4,825.400
sd	0.000			0.000	155.329	31.066	31.066

	Net Activity dpm	LLD dpm	MDC DPM	MPC DPM	Net Concentration * DPM	Conc / MPC Ratio
Alpha	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

Beta	0.000	0.000	0.000	0.000	0.000 ± 0.000	0.000
sd	0.000				0.000	

* Note: Decay Corrected

MDC Method Currie

Error = .00 x sd

Monthly Backgrounds

Alpha/Beta Count Results

Source Count Report

Blue 0-3 - A

Addr: 0

Sample ID ICB	Repeat	1988
ICB;Monthly Background	Carrier No.	0

Batch ID ICB;Monthly Background

Detector Volts 1515

Residual Wt	0 mg	Half Life	0.00 Year
-------------	------	-----------	-----------

Count Began	8/25/2023 8:26:43 PM	Calibration Date	3/21/2017 12:09:15 PM	Decay Factor	1.000
-------------	----------------------	------------------	-----------------------	--------------	-------

Count Ended	8/26/2023 2:59:32 PM	Backgrounds From
-------------	----------------------	------------------

Sample Count Time	1,000.00 mins	Background Count Time	0.00
-------------------	---------------	-----------------------	------

	Gross counts	Gross cpm	Background cpm	Net cpm
Alpha	129	0.129	0.000	0.129
	sd 11.358	0.011	0.000	0.011
Beta				
	401	0.401	0.000	0.401
sd 20.025		0.020	0.000	0.020

	Uncorrected DPM	Corrected DPM	Corrected dpm	Efficiency %
Alpha	0.000	0.000	0.000	0.000
	sd 0.000	0.000	0.000	0.000
Alpha to Beta				0.000
	sd			0.000
Beta	0.000	0.000	0.000	0.000
	sd 0.000	0.000	0.000	0.000

Alpha/Beta Count Results

Source Count Report

Blue 0-3 - D

Addr: 3

Sample ID ICB	Repeat	1991
ICB;Monthly Background	Carrier No.	0
Batch ID ICB;Monthly Background		
	Detector Volts	1515
Residual Wt 0 mg	Half Life 0.00	Year
Count Began 8/25/2023 8:27:22 PM	Calibration Date 3/21/2017 12:09:15 PM	Decay Factor 1.000
Count Ended 8/26/2023 3:00:15 PM	Backgrounds From	
Sample Count Time 1,000.00 mins	Background Count Time	0.00

	Gross counts	Gross cpm	Background cpm	Net cpm
Alpha	143	0.143	0.000	0.143
	sd 11.958	0.012	0.000	0.012
Beta				
	483	0.483	0.000	0.483
sd	21.977	0.022	0.000	0.022

	Uncorrected DPM	Corrected DPM	Corrected dpm	Efficiency %
Alpha	0.000	0.000	0.000	0.000
	sd 0.000	0.000	0.000	0.000
Alpha to Beta				0.000
	sd			0.000
Beta	0.000	0.000	0.000	0.000
	sd 0.000	0.000	0.000	0.000

Alpha/Beta Count Results

Source Count Report

Blue 4-7 - A

Addr: 4

Sample ID ICB	Repeat	1992
ICB;Monthly Background	Carrier No.	0
Batch ID ICB;Monthly Background		
	Detector Volts	1515
Residual Wt 0 mg	Half Life 0.00 Year	
Count Began 8/25/2023 8:27:51 PM	Calibration Date 3/21/2017 12:09:15 PM	Decay Factor 1.000
Count Ended 8/26/2023 3:00:41 PM	Backgrounds From	
Sample Count Time 1,000.00 mins	Background Count Time	0.00

	Gross counts	Gross cpm	Background cpm	Net cpm
Alpha	168	0.168	0.000	0.168
	sd 12.961	0.013	0.000	0.013
Beta				
	437	0.437	0.000	0.437
sd	20.905	0.021	0.000	0.021

	Uncorrected DPM	Corrected DPM	Corrected dpm	Efficiency %
Alpha	0.000	0.000	0.000	0.000
	sd 0.000	0.000	0.000	0.000
Alpha to Beta				0.000
	sd			0.000
Beta	0.000	0.000	0.000	0.000
	sd 0.000	0.000	0.000	0.000

Alpha/Beta Count Results

Source Count Report

Blue 8-11 - A

Addr: 8

Sample ID ICB Repeat 1996
ICB;Monthly Background Carrier No. 0

Batch ID ICB;Monthly Background Detector Volts 1515

Residual Wt 0 mg Half Life 0.00 Year

Count Began 8/25/2023 8:28:10 PM Calibration Date 3/21/2017 12:09:15 PM Decay Factor 1.000

Count Ended 8/26/2023 3:02:08 PM Backgrounds From

Sample Count Time 1,000.00 mins Background Count Time 0.00

	Gross counts	Gross cpm	Background cpm	Net cpm
Alpha	72	0.072	0.000	0.072
	8.485	0.008	0.000	0.008
Beta				
	341	0.341	0.000	0.341
sd	18.466	0.018	0.000	0.018

	Uncorrected DPM	Corrected DPM	Corrected dpm	Efficiency %
Alpha	0.000	0.000	0.000	0.000
	0.000	0.000	0.000	0.000
Alpha to Beta				0.000
				0.000
Beta	0.000	0.000	0.000	0.000
	0.000	0.000	0.000	0.000

Alpha/Beta Count Results

Source Count Report

Blue 8-11 - C

Addr: 10

Sample ID ICB	Repeat	1997
ICB;Monthly Background	Carrier No.	0
Batch ID ICB;Monthly Background	Detector Volts	1515

Residual Wt	0 mg	Half Life	0.00 Year
Count Began	8/25/2023 8:27:08 PM	Calibration Date	3/21/2017 12:09:15 PM
Count Ended	8/26/2023 3:02:27 PM	Backgrounds From	Decay Factor
Sample Count Time	1,000.00 mins	Background Count Time	0.00

	Gross counts	Gross cpm	Background cpm	Net cpm
Alpha	83	0.083	0.000	0.083
	9.110	0.009	0.000	0.009
Beta				
	340	0.340	0.000	0.340
sd	18.439	0.018	0.000	0.018

	Uncorrected DPM	Corrected DPM	Corrected dpm	Efficiency %
Alpha	0.000	0.000	0.000	0.000
	0.000	0.000	0.000	0.000
Alpha to Beta				0.000
				0.000
Beta	0.000	0.000	0.000	0.000
	0.000	0.000	0.000	0.000

Alpha/Beta Count Results

Source Count Report

Blue 8-11 - D

Addr: 11

Sample ID ICB	Repeat	1998
ICB;Monthly Background	Carrier No.	0
Batch ID ICB;Monthly Background	Detector Volts	1515

Residual Wt	0 mg	Half Life	0.00 Year
Count Began	8/25/2023 8:27:10 PM	Calibration Date	3/21/2017 12:09:15 PM
Count Ended	8/26/2023 3:02:58 PM	Backgrounds From	Decay Factor
Sample Count Time	1,000.00 mins	Background Count Time	0.00

	Gross counts	Gross cpm	Background cpm	Net cpm
Alpha	88	0.088	0.000	0.088
	9.381	0.009	0.000	0.009
Beta				
	424	0.424	0.000	0.424
sd	20.591	0.021	0.000	0.021

	Uncorrected DPM	Corrected DPM	Corrected dpm	Efficiency %
Alpha	0.000	0.000	0.000	0.000
	0.000	0.000	0.000	0.000
Alpha to Beta				0.000
				0.000
Beta	0.000	0.000	0.000	0.000
	0.000	0.000	0.000	0.000

Alpha/Beta Count Results

Source Count Report

Blue 12-15 - A

Addr: 12

Sample ID ICB	Repeat	2009
ICB;Monthly Background	Carrier No.	0
Batch ID ICB;Monthly Background	Detector Volts	1515

Residual Wt	0 mg	Half Life	0.00 Year
Count Began	8/25/2023 8:26:55 PM	Calibration Date	3/21/2017 12:09:15 PM
Count Ended	8/26/2023 3:06:04 PM	Backgrounds From	Decay Factor
Sample Count Time	1,000.00 mins	Background Count Time	0.00

	Gross counts	Gross cpm	Background cpm	Net cpm
Alpha	170	0.170	0.000	0.170
	sd 13.038	0.013	0.000	0.013
Beta				
	387	0.387	0.000	0.387
sd 19.672		0.020	0.000	0.020

	Uncorrected DPM	Corrected DPM	Corrected dpm	Efficiency %
Alpha	0.000	0.000	0.000	0.000
	sd 0.000	0.000	0.000	0.000
Alpha to Beta				0.000
	sd			0.000
Beta	0.000	0.000	0.000	0.000
	sd 0.000	0.000	0.000	0.000

Alpha/Beta Count Results

Source Count Report

Blue 12-15 - B

Addr: 13

Sample ID ICB	Repeat	2010
ICB;Monthly Background	Carrier No.	0
Batch ID ICB;Monthly Background		
		Detector Volts 1515

Residual Wt	0 mg	Half Life	0.00 Year
Count Began	8/25/2023 8:26:58 PM	Calibration Date	3/21/2017 12:09:15 PM
Count Ended	8/26/2023 3:06:34 PM	Backgrounds From	
Sample Count Time	1,000.00 mins	Background Count Time	0.00

	Gross counts	Gross cpm	Background cpm	Net cpm
Alpha	106	0.106	0.000	0.106
	sd 10.296	0.010	0.000	0.010
Beta				
	340	0.340	0.000	0.340
sd 18.439		0.018	0.000	0.018

	Uncorrected DPM	Corrected DPM	Corrected dpm	Efficiency %
Alpha	0.000	0.000	0.000	0.000
	sd 0.000	0.000	0.000	0.000
Alpha to Beta				0.000
	sd			0.000
Beta	0.000	0.000	0.000	0.000
	sd 0.000	0.000	0.000	0.000

Alpha/Beta Count Results

Source Count Report

Orange 0-3 - A

Addr: 0

Sample ID ICB Repeat 3434
ICB;Monthly Background Check Carrier No. 0

Batch ID ICB;Monthly Background Detector Volts 1515

Residual Wt 0 mg Half Life 0.00 Year

Count Began 8/25/2023 11:33:55 PM Calibration Date 8/4/2012 9:20:16 AM Decay Factor 1.000

Count Ended 8/26/2023 4:33:57 PM Backgrounds From

Sample Count Time 1,000.00 mins Background Count Time 0.00

	Gross counts	Gross cpm	Background cpm	Net cpm
Alpha	85	0.085	0.000	0.085
	9.220	0.009	0.000	0.009
Beta				
	344	0.344	0.000	0.344
sd	18.547	0.019	0.000	0.019

	Uncorrected DPM	Corrected DPM	Corrected dpm	Efficiency %
Alpha	0.000	0.000	0.000	0.000
	0.000	0.000	0.000	0.000
Alpha to Beta				0.000
				0.000
Beta	0.000	0.000	0.000	0.000
	0.000	0.000	0.000	0.000

Alpha/Beta Count Results

Source Count Report

Orange 0-3 - D

Addr: 3

Sample ID ICB Repeat 3436
ICB;Monthly Background Check Carrier No. 0

Batch ID ICB;Monthly Background Detector Volts 1515

Residual Wt 0 mg Half Life 0.00 Year

Count Began 8/25/2023 11:34:07 PM Calibration Date 8/4/2012 9:20:16 AM Decay Factor 1.000

Count Ended 8/26/2023 4:35:16 PM Backgrounds From

Sample Count Time 1,000.00 mins Background Count Time 0.00

	Gross counts	Gross cpm	Background cpm	Net cpm
Alpha	135	0.135	0.000	0.135
	sd 11.619	0.012	0.000	0.012
Beta				
	363	0.363	0.000	0.363
sd	19.053	0.019	0.000	0.019

	Uncorrected DPM	Corrected DPM	Corrected dpm	Efficiency %
Alpha	0.000	0.000	0.000	0.000
	sd 0.000	0.000	0.000	0.000
Alpha to Beta				0.000
	sd			0.000
Beta	0.000	0.000	0.000	0.000
	sd 0.000	0.000	0.000	0.000

Alpha/Beta Count Results

Source Count Report

Orange 8-11 - D

Addr: 11

Sample ID ICB	Repeat	3428
ICB;Monthly Background Check	Carrier No.	0

Batch ID ICB;Monthly Background

Detector Volts 1515

Residual Wt	0 mg	Half Life	0.00 Year
-------------	------	-----------	-----------

Count Began 8/25/2023 11:34:30 PM	Calibration Date 8/4/2012 9:20:16 AM	Decay Factor	1.000
-----------------------------------	--------------------------------------	--------------	-------

Count Ended 8/26/2023 4:33:04 PM	Backgrounds From
----------------------------------	------------------

Sample Count Time	1,000.00 mins	Background Count Time	0.00
-------------------	---------------	-----------------------	------

	Gross counts	Gross cpm	Background cpm	Net cpm
Alpha	107	0.107	0.000	0.107
	sd 10.344	0.010	0.000	0.010
Beta	552	0.552	0.000	0.552
	sd 23.495	0.023	0.000	0.023

	Uncorrected DPM	Corrected DPM	Corrected dpm	Efficiency %
Alpha	0.000	0.000	0.000	0.000
	sd 0.000	0.000	0.000	0.000
Alpha to Beta				0.000
	sd			0.000
Beta	0.000	0.000	0.000	0.000
	sd 0.000	0.000	0.000	0.000

Alpha/Beta Count Results

Source Count Report

Orange 12-15 - D

Addr: 15

Sample ID ICB	Repeat	3432
ICB;Monthly Background Check	Carrier No.	0

Batch ID ICB;Monthly Background

Detector Volts 1515

Residual Wt	0 mg	Half Life	0.00 Year
-------------	------	-----------	-----------

Count Began	8/25/2023 11:34:39 PM	Calibration Date	8/4/2012 9:20:16 AM	Decay Factor	1.000
-------------	-----------------------	------------------	---------------------	--------------	-------

Count Ended	8/26/2023 4:33:54 PM	Backgrounds From
-------------	----------------------	------------------

Sample Count Time	1,000.00 mins	Background Count Time	0.00
-------------------	---------------	-----------------------	------

	Gross counts	Gross cpm	Background cpm	Net cpm
Alpha	75	0.075	0.000	0.075
	8.660	0.009	0.000	0.009
Beta				
	391	0.391	0.000	0.391
sd	19.774	0.020	0.000	0.020

	Uncorrected DPM	Corrected DPM	Corrected dpm	Efficiency %
Alpha	0.000	0.000	0.000	0.000
	0.000	0.000	0.000	0.000
Alpha to Beta				0.000
				0.000
Beta	0.000	0.000	0.000	0.000
	0.000	0.000	0.000	0.000

Alpha/Beta Count Results

Source Count Report

Orange 20-23 - A

Addr: 20

Sample ID ICB Repeat 3418
ICB;Monthly Background Check Carrier No. 0

Batch ID ICB;Monthly Background Detector Volts 1515

Residual Wt 0 mg Half Life 0.00 Year

Count Began 8/25/2023 11:34:52 PM Calibration Date 8/4/2012 9:20:16 AM Decay Factor 1.000

Count Ended 8/26/2023 4:31:38 PM Backgrounds From

Sample Count Time 1,000.00 mins Background Count Time 0.00

	Gross counts	Gross cpm	Background cpm	Net cpm
Alpha	94	0.094	0.000	0.094
	9.695	0.010	0.000	0.010
Beta				
	305	0.305	0.000	0.305
sd	17.464	0.017	0.000	0.017

	Uncorrected DPM	Corrected DPM	Corrected dpm	Efficiency %
Alpha	0.000	0.000	0.000	0.000
	0.000	0.000	0.000	0.000
Alpha to Beta				0.000
				0.000
Beta	0.000	0.000	0.000	0.000
	0.000	0.000	0.000	0.000

Alpha/Beta Count Results

Source Count Report

Orange 20-23 - D

Addr: 23

Sample ID ICB	Repeat	3421
ICB;Monthly Background Check	Carrier No.	0

Batch ID ICB;Monthly Background

Detector Volts 1515

Residual Wt	0 mg	Half Life	0.00 Year
-------------	------	-----------	-----------

Count Began 8/25/2023 11:34:58 PM	Calibration Date 8/4/2012 9:20:16 AM	Decay Factor	1.000
-----------------------------------	--------------------------------------	--------------	-------

Count Ended 8/26/2023 4:32:21 PM	Backgrounds From
----------------------------------	------------------

Sample Count Time	1,000.00 mins	Background Count Time	0.00
-------------------	---------------	-----------------------	------

	Gross counts	Gross cpm	Background cpm	Net cpm
Alpha	110	0.110	0.000	0.110
	sd 10.488	0.010	0.000	0.010
Beta	352	0.352	0.000	0.352
	sd 18.762	0.019	0.000	0.019

	Uncorrected DPM	Corrected DPM	Corrected dpm	Efficiency %
Alpha	0.000	0.000	0.000	0.000
	sd 0.000	0.000	0.000	0.000
Alpha to Beta				0.000
	sd			0.000
Beta	0.000	0.000	0.000	0.000
	sd 0.000	0.000	0.000	0.000

Alpha/Beta Count Results

Source Count Report

Purple 0-3 - A

Addr: 0

Sample ID ICB Repeat 3327
ICB;Monthly Background Carrier No. 0

Batch ID ICB;Monthly Background Detector Volts 1515

Residual Wt 0 mg Half Life 0.00 Year

Count Began 8/25/2023 10:34:13 PM Calibration Date 7/27/2018 3:07:26 PM Decay Factor 1.000

Count Ended 8/26/2023 3:35:13 PM Backgrounds From

Sample Count Time 1,000.00 mins Background Count Time 0.00

	Gross counts	Gross cpm	Background cpm	Net cpm
Alpha	169	0.169	0.000	0.169
	13.000	0.013	0.000	0.013
Beta				
	4,661	4.661	0.000	4.661
sd	68.272	0.068	0.000	0.068

	Uncorrected DPM	Corrected DPM	Corrected dpm	Efficiency %
Alpha	0.000	0.000	0.000	0.000
	0.000	0.000	0.000	0.000
Alpha to Beta				0.000
				0.000
Beta	0.000	0.000	0.000	0.000
	0.000	0.000	0.000	0.000

Alpha/Beta Count Results

Source Count Report

Purple 8-11 - C

Addr: 10

Sample ID ICB	Repeat	3331
ICB;Monthly Background	Carrier No.	0
Batch ID ICB;Monthly Background	Detector Volts	1515

Residual Wt	0 mg	Half Life	0.00 Year
Count Began	8/25/2023 10:34:39 PM	Calibration Date	7/27/2018 3:07:26 PM
Count Ended	8/26/2023 3:35:37 PM	Backgrounds From	Decay Factor
Sample Count Time	1,000.00 mins	Background Count Time	0.00

	Gross counts	Gross cpm	Background cpm	Net cpm
Alpha	120	0.120	0.000	0.120
	sd 10.954	0.011	0.000	0.011
Beta				
	324	0.324	0.000	0.324
sd 18.000		0.018	0.000	0.018

	Uncorrected DPM	Corrected DPM	Corrected dpm	Efficiency %
Alpha	0.000	0.000	0.000	0.000
	sd 0.000	0.000	0.000	0.000
Alpha to Beta				0.000
	sd			0.000
Beta	0.000	0.000	0.000	0.000
	sd 0.000	0.000	0.000	0.000

Alpha/Beta Count Results

Source Count Report

Purple 8-11 - D

Addr: 11

Sample ID ICB Repeat 3332
ICB;Monthly Background Carrier No. 0

Batch ID ICB;Monthly Background Detector Volts 1515

Residual Wt 0 mg Half Life 0.00 Year

Count Began 8/25/2023 10:34:40 PM Calibration Date 7/27/2018 3:07:26 PM Decay Factor 1.000

Count Ended 8/26/2023 3:35:38 PM Backgrounds From

Sample Count Time 1,000.00 mins Background Count Time 0.00

	Gross counts	Gross cpm	Background cpm	Net cpm
Alpha	44	0.044	0.000	0.044
	sd 6.633	0.007	0.000	0.007
Beta				
	340	0.340	0.000	0.340
sd	18.439	0.018	0.000	0.018

	Uncorrected DPM	Corrected DPM	Corrected dpm	Efficiency %
Alpha	0.000	0.000	0.000	0.000
	sd 0.000	0.000	0.000	0.000
Alpha to Beta				0.000
	sd			0.000
Beta	0.000	0.000	0.000	0.000
	sd 0.000	0.000	0.000	0.000

Alpha/Beta Count Results

Source Count Report

Purple 16-19 - A

Addr: 16

Sample ID ICB	Repeat	3335
ICB;Monthly Background	Carrier No.	0
Batch ID ICB;Monthly Background	Detector Volts	1515

Residual Wt	0 mg	Half Life	0.00 Year
Count Began	8/25/2023 10:34:49 PM	Calibration Date	7/27/2018 3:07:26 PM
Count Ended	8/26/2023 3:36:10 PM	Backgrounds From	
Sample Count Time	1,000.00 mins	Background Count Time	0.00

	Gross counts	Gross cpm	Background cpm	Net cpm
Alpha	122	0.122	0.000	0.122
	sd 11.045	0.011	0.000	0.011
Beta				
	442	0.442	0.000	0.442
sd	21.024	0.021	0.000	0.021

	Uncorrected DPM	Corrected DPM	Corrected dpm	Efficiency %
Alpha	0.000	0.000	0.000	0.000
	sd 0.000	0.000	0.000	0.000
Alpha to Beta				0.000
	sd			0.000
Beta	0.000	0.000	0.000	0.000
	sd 0.000	0.000	0.000	0.000

Alpha/Beta Count Results

Source Count Report

Purple 16-19 - C

Addr: 18

Sample ID ICB	Repeat	3337
ICB;Monthly Background	Carrier No.	0
Batch ID ICB;Monthly Background	Detector Volts	1515

Residual Wt	0 mg	Half Life	0.00 Year
Count Began	8/25/2023 10:34:53 PM	Calibration Date	7/27/2018 3:07:26 PM
Count Ended	8/26/2023 3:36:28 PM	Backgrounds From	
Sample Count Time	1,000.00 mins	Background Count Time	0.00

	Gross counts	Gross cpm	Background cpm	Net cpm
Alpha	113	0.113	0.000	0.113
	sd 10.630	0.011	0.000	0.011
Beta				
	380	0.380	0.000	0.380
sd	19.494	0.019	0.000	0.019

	Uncorrected DPM	Corrected DPM	Corrected dpm	Efficiency %
Alpha	0.000	0.000	0.000	0.000
	sd 0.000	0.000	0.000	0.000
Alpha to Beta				0.000
	sd			0.000
Beta	0.000	0.000	0.000	0.000
	sd 0.000	0.000	0.000	0.000

Alpha/Beta Count Results

Source Count Report

Purple 20-23 - C

Addr: 22

Sample ID ICB	Repeat	3341
ICB;Monthly Background	Carrier No.	0
Batch ID ICB;Monthly Background		
	Detector Volts	1515

Residual Wt	0 mg	Half Life	0.00 Year
Count Began	8/25/2023 10:35:02 PM	Calibration Date	7/27/2018 3:07:26 PM
Count Ended	8/26/2023 3:37:25 PM	Backgrounds From	Decay Factor
Sample Count Time	1,000.00 mins	Background Count Time	0.00

	Gross counts	Gross cpm	Background cpm	Net cpm
Alpha	125	0.125	0.000	0.125
	sd 11.180	0.011	0.000	0.011
Beta				
	247	0.247	0.000	0.247
sd	15.716	0.016	0.000	0.016

	Uncorrected DPM	Corrected DPM	Corrected dpm	Efficiency %
Alpha	0.000	0.000	0.000	0.000
	sd 0.000	0.000	0.000	0.000
Alpha to Beta				0.000
	sd			0.000
Beta	0.000	0.000	0.000	0.000
	sd 0.000	0.000	0.000	0.000

Alpha/Beta Count Results

Source Count Report

Purple 20-23 - D

Addr: 23

Sample ID ICB Repeat 3342
ICB;Monthly Background Carrier No. 0

Batch ID ICB;Monthly Background Detector Volts 1515

Residual Wt 0 mg Half Life 0.00 Year

Count Began 8/25/2023 10:35:04 PM Calibration Date 7/27/2018 3:07:26 PM Decay Factor 1.000

Count Ended 8/26/2023 3:37:26 PM Backgrounds From

Sample Count Time 1,000.00 mins Background Count Time 0.00

	Gross counts	Gross cpm	Background cpm	Net cpm
Alpha	309	0.309	0.000	0.309
	17.578	0.018	0.000	0.018
Beta				
	331	0.331	0.000	0.331
sd	18.193	0.018	0.000	0.018

	Uncorrected DPM	Corrected DPM	Corrected dpm	Efficiency %
Alpha	0.000	0.000	0.000	0.000
	0.000	0.000	0.000	0.000
Alpha to Beta				0.000
				0.000
Beta	0.000	0.000	0.000	0.000
	0.000	0.000	0.000	0.000

Alpha/Beta Count Results

Source Count Report

Red 1 (0-3) - A

Addr: 0

Sample ID	ICB;Monthly Background	Repeat	404
	ICB;Monthly Background	Carrier No.	0
Batch ID	ICB;Monthly Background		
		Detector Volts	1515
Residual Wt	0 mg	Half Life	0.00 Year
Count Began	8/26/2023 12:17:21 AM	Calibration Date	6/11/2019 3:16:53 PM
Count Ended	8/26/2023 5:27:56 PM	Backgrounds From	Decay Factor
Sample Count Time	1,000.00 mins	Background Count Time	0.00

	Gross counts	Gross cpm	Background cpm	Net cpm
Alpha	93	0.093	0.000	0.093
	sd 9.644	0.010	0.000	0.010
Beta				
	402	0.402	0.000	0.402
sd 20.050		0.020	0.000	0.020

	Uncorrected DPM	Corrected DPM	Corrected dpm	Efficiency %
Alpha	0.000	0.000	0.000	0.000
	sd 0.000	0.000	0.000	0.000
Alpha to Beta				0.000
	sd			0.000
Beta	0.000	0.000	0.000	0.000
	sd 0.000	0.000	0.000	0.000

Alpha/Beta Count Results

Source Count Report

Red 1 (0-3) - B

Addr: 1

Sample ID	ICB;Monthly Background	Repeat	405
	ICB;Monthly Background	Carrier No.	0
Batch ID	ICB;Monthly Background		
		Detector Volts	1515
Residual Wt	0 mg	Half Life	0.00 Year
Count Began	8/26/2023 12:17:29 AM	Calibration Date	6/11/2019 3:16:53 PM
Count Ended	8/26/2023 5:27:57 PM	Backgrounds From	Decay Factor
Sample Count Time	1,000.00 mins	Background Count Time	0.00

	Gross counts	Gross cpm	Background cpm	Net cpm
Alpha	93	0.093	0.000	0.093
	sd 9.644	0.010	0.000	0.010
Beta	341	0.341	0.000	0.341
	sd 18.466	0.018	0.000	0.018

	Uncorrected DPM	Corrected DPM	Corrected dpm	Efficiency %
Alpha	0.000	0.000	0.000	0.000
	sd 0.000	0.000	0.000	0.000
Alpha to Beta				0.000
	sd			0.000
Beta	0.000	0.000	0.000	0.000
	sd 0.000	0.000	0.000	0.000

Alpha/Beta Count Results

Source Count Report

Red 1 (0-3) - C

Addr: 2

Sample ID	ICB;Monthly Background	Repeat	402
	ICB;Monthly Background	Carrier No.	0
Batch ID	ICB;Monthly Background		
		Detector Volts	1515
Residual Wt	0 mg	Half Life	0.00 Year
Count Began	8/26/2023 12:17:44 AM	Calibration Date	6/11/2019 3:16:53 PM
Count Ended	8/26/2023 5:27:49 PM	Backgrounds From	Decay Factor
Sample Count Time	1,000.00 mins	Background Count Time	0.00

	Gross counts	Gross cpm	Background cpm	Net cpm
Alpha	71	0.071	0.000	0.071
	8.426	0.008	0.000	0.008
Beta				
	336	0.336	0.000	0.336
sd	18.330	0.018	0.000	0.018

	Uncorrected DPM	Corrected DPM	Corrected dpm	Efficiency %
Alpha	0.000	0.000	0.000	0.000
	0.000	0.000	0.000	0.000
Alpha to Beta				0.000
				0.000
Beta	0.000	0.000	0.000	0.000
	0.000	0.000	0.000	0.000

Alpha/Beta Count Results

Source Count Report

Red 1 (4-7) - A

Addr: 4

Sample ID	ICB;Monthly Background	Repeat	407
	ICB;Monthly Background	Carrier No.	0
Batch ID	ICB;Monthly Background		
		Detector Volts	1515
Residual Wt	0 mg	Half Life	0.00 Year
Count Began	8/26/2023 12:18:02 AM	Calibration Date	6/11/2019 3:16:53 PM
Count Ended	8/26/2023 5:28:05 PM	Backgrounds From	Decay Factor
Sample Count Time	1,000.00 mins	Background Count Time	0.00

	Gross counts	Gross cpm	Background cpm	Net cpm
Alpha	204	0.204	0.000	0.204
	14.283	0.014	0.000	0.014
Beta				
	479	0.479	0.000	0.479
sd	21.886	0.022	0.000	0.022

	Uncorrected DPM	Corrected DPM	Corrected dpm	Efficiency %
Alpha	0.000	0.000	0.000	0.000
	0.000	0.000	0.000	0.000
Alpha to Beta				0.000
				0.000
Beta	0.000	0.000	0.000	0.000
	0.000	0.000	0.000	0.000

Alpha/Beta Count Results

Source Count Report

Red 1 (4-7) - B

Addr: 5

Sample ID	ICB;Monthly Background	Repeat	408
	ICB;Monthly Background	Carrier No.	0
Batch ID	ICB;Monthly Background		
		Detector Volts	1515
Residual Wt	0 mg	Half Life	0.00 Year
Count Began	8/26/2023 12:18:08 AM	Calibration Date	6/11/2019 3:16:53 PM
Count Ended	8/26/2023 5:28:06 PM	Backgrounds From	Decay Factor
Sample Count Time	1,000.00 mins	Background Count Time	0.00

	Gross counts	Gross cpm	Background cpm	Net cpm
Alpha	123	0.123	0.000	0.123
	11.091	0.011	0.000	0.011
Beta				
	360	0.360	0.000	0.360
sd	18.974	0.019	0.000	0.019

	Uncorrected DPM	Corrected DPM	Corrected dpm	Efficiency %
Alpha	0.000	0.000	0.000	0.000
	0.000	0.000	0.000	0.000
Alpha to Beta				0.000
				0.000
Beta	0.000	0.000	0.000	0.000
	0.000	0.000	0.000	0.000

Alpha/Beta Count Results

Source Count Report

Red 1 (4-7) - C

Addr: 6

Sample ID	ICB;Monthly Background	Repeat	409
	ICB;Monthly Background	Carrier No.	0
Batch ID	ICB;Monthly Background		
		Detector Volts	1515
Residual Wt	0 mg	Half Life	0.00 Year
Count Began	8/26/2023 12:17:59 AM	Calibration Date	6/11/2019 3:16:53 PM
Count Ended	8/26/2023 5:28:06 PM	Backgrounds From	Decay Factor
Sample Count Time	1,000.00 mins	Background Count Time	0.00

	Gross counts	Gross cpm	Background cpm	Net cpm
Alpha	91	0.091	0.000	0.091
	9.539	0.010	0.000	0.010
Beta				
	262	0.262	0.000	0.262
sd	16.186	0.016	0.000	0.016

	Uncorrected DPM	Corrected DPM	Corrected dpm	Efficiency %
Alpha	0.000	0.000	0.000	0.000
	0.000	0.000	0.000	0.000
Alpha to Beta				0.000
				0.000
Beta	0.000	0.000	0.000	0.000
	0.000	0.000	0.000	0.000

Alpha/Beta Count Results

Source Count Report

Red 1 (4-7) - D

Addr: 7

Sample ID	ICB;Monthly Background	Repeat	406
	ICB;Monthly Background	Carrier No.	0
Batch ID	ICB;Monthly Background		
	Detector Volts 1515		

Residual Wt	0 mg	Half Life	0.00 Year
Count Began	8/26/2023 12:17:56 AM	Calibration Date	6/11/2019 3:16:53 PM
Count Ended	8/26/2023 5:28:04 PM		
Sample Count Time	1,000.00 mins	Background Count Time	0.00

	Gross counts	Gross cpm	Background cpm	Net cpm
Alpha	88	0.088	0.000	0.088
	9.381	0.009	0.000	0.009
Beta				
	344	0.344	0.000	0.344
sd	18.547	0.019	0.000	0.019

	Uncorrected DPM	Corrected DPM	Corrected dpm	Efficiency %
Alpha	0.000	0.000	0.000	0.000
	0.000	0.000	0.000	0.000
Alpha to Beta				0.000
				0.000
Beta	0.000	0.000	0.000	0.000
	0.000	0.000	0.000	0.000

Alpha/Beta Count Results

Source Count Report

Red 2 (8-11) - A

Addr: 8

Sample ID	ICB;Monthly Background	Repeat	407
	ICB;Monthly Background	Carrier No.	0
Batch ID	ICB;Monthly Background		
		Detector Volts	1515
Residual Wt	0 mg	Half Life	0.00 Year
Count Began	8/26/2023 12:18:17 AM	Calibration Date	6/11/2019 3:22:31 PM
Count Ended	8/26/2023 5:28:16 PM	Backgrounds From	Decay Factor
Sample Count Time	1,000.00 mins	Background Count Time	0.00

	Gross counts	Gross cpm	Background cpm	Net cpm
Alpha	65	0.065	0.000	0.065
	8.062	0.008	0.000	0.008
Beta				
	334	0.334	0.000	0.334
sd	18.276	0.018	0.000	0.018

	Uncorrected DPM	Corrected DPM	Corrected dpm	Efficiency %
Alpha	0.000	0.000	0.000	0.000
	0.000	0.000	0.000	0.000
Alpha to Beta				0.000
				0.000
Beta	0.000	0.000	0.000	0.000
	0.000	0.000	0.000	0.000

Alpha/Beta Count Results

Source Count Report

Red 2 (8-11) - B

Addr: 9

Sample ID	ICB;Monthly Background	Repeat	408
	ICB;Monthly Background	Carrier No.	0
Batch ID	ICB;Monthly Background		
		Detector Volts	1515
Residual Wt	0 mg	Half Life	0.00 Year
Count Began	8/26/2023 12:18:20 AM	Calibration Date	6/11/2019 3:22:31 PM
Count Ended	8/26/2023 5:28:19 PM	Backgrounds From	Decay Factor
Sample Count Time	1,000.00 mins	Background Count Time	0.00

	Gross counts	Gross cpm	Background cpm	Net cpm
Alpha	64	0.064	0.000	0.064
	8.000	0.008	0.000	0.008
Beta				
	339	0.339	0.000	0.339
sd	18.412	0.018	0.000	0.018

	Uncorrected DPM	Corrected DPM	Corrected dpm	Efficiency %
Alpha	0.000	0.000	0.000	0.000
	0.000	0.000	0.000	0.000
Alpha to Beta				0.000
				0.000
Beta	0.000	0.000	0.000	0.000
	0.000	0.000	0.000	0.000

Alpha/Beta Count Results

Source Count Report

Red 2 (8-11) - C

Addr: 10

Sample ID	ICB;Monthly Background	Repeat	409
	ICB;Monthly Background	Carrier No.	0
Batch ID	ICB;Monthly Background		
		Detector Volts	1515
Residual Wt	0 mg	Half Life	0.00 Year
Count Began	8/26/2023 12:18:23 AM	Calibration Date	6/11/2019 3:22:31 PM
Count Ended	8/26/2023 5:28:20 PM	Backgrounds From	Decay Factor
Sample Count Time	1,000.00 mins	Background Count Time	0.00

	Gross counts	Gross cpm	Background cpm	Net cpm
Alpha	78	0.078	0.000	0.078
	8.832	0.009	0.000	0.009
Beta				
	441	0.441	0.000	0.441
sd	21.000	0.021	0.000	0.021

	Uncorrected DPM	Corrected DPM	Corrected dpm	Efficiency %
Alpha	0.000	0.000	0.000	0.000
	0.000	0.000	0.000	0.000
Alpha to Beta				0.000
				0.000
Beta	0.000	0.000	0.000	0.000
	0.000	0.000	0.000	0.000

Alpha/Beta Count Results

Source Count Report

Red 2 (8-11) - D

Addr: 11

Sample ID	ICB;Monthly Background	Repeat	410
	ICB;Monthly Background	Carrier No.	0
Batch ID	ICB;Monthly Background		
	Detector Volts 1515		

Residual Wt	0 mg	Half Life	0.00 Year
Count Began	8/26/2023 12:18:24 AM	Calibration Date	6/11/2019 3:22:31 PM
Count Ended	8/26/2023 5:28:20 PM		
Sample Count Time	1,000.00 mins	Background Count Time	0.00

	Gross counts	Gross cpm	Background cpm	Net cpm
Alpha	74	0.074	0.000	0.074
	8.602	0.009	0.000	0.009
Beta				
	510	0.510	0.000	0.510
sd	22.583	0.023	0.000	0.023

	Uncorrected DPM	Corrected DPM	Corrected dpm	Efficiency %
Alpha	0.000	0.000	0.000	0.000
	0.000	0.000	0.000	0.000
Alpha to Beta				0.000
				0.000
Beta	0.000	0.000	0.000	0.000
	0.000	0.000	0.000	0.000

Alpha/Beta Count Results

Source Count Report

Red 2 (12-15) - A

Addr: 12

Sample ID	ICB;Monthly Background	Repeat	411
	ICB;Monthly Background	Carrier No.	0
Batch ID	ICB;Monthly Background		
		Detector Volts	1515
Residual Wt	0 mg	Half Life	0.00 Year
Count Began	8/26/2023 12:18:27 AM	Calibration Date	6/11/2019 3:22:31 PM
Count Ended	8/26/2023 5:28:24 PM	Backgrounds From	Decay Factor
Sample Count Time	1,000.00 mins	Background Count Time	0.00

	Gross counts	Gross cpm	Background cpm	Net cpm
Alpha	69	0.069	0.000	0.069
	8.307	0.008	0.000	0.008
Beta				
	566	0.566	0.000	0.566
sd	23.791	0.024	0.000	0.024

	Uncorrected DPM	Corrected DPM	Corrected dpm	Efficiency %
Alpha	0.000	0.000	0.000	0.000
	0.000	0.000	0.000	0.000
Alpha to Beta				0.000
				0.000
Beta	0.000	0.000	0.000	0.000
	0.000	0.000	0.000	0.000

Alpha/Beta Count Results

Source Count Report

Red 2 (12-15) - B

Addr: 13

Sample ID	ICB;Monthly Background	Repeat	412
	ICB;Monthly Background	Carrier No.	0
Batch ID	ICB;Monthly Background		
		Detector Volts	1515
Residual Wt	0 mg	Half Life	0.00 Year
Count Began	8/26/2023 12:18:29 AM	Calibration Date	6/11/2019 3:22:31 PM
Count Ended	8/26/2023 5:28:24 PM	Backgrounds From	Decay Factor
Sample Count Time	1,000.00 mins	Background Count Time	0.00

	Gross counts	Gross cpm	Background cpm	Net cpm
Alpha	88	0.088	0.000	0.088
	9.381	0.009	0.000	0.009
Beta				
	328	0.328	0.000	0.328
sd	18.111	0.018	0.000	0.018

	Uncorrected DPM	Corrected DPM	Corrected dpm	Efficiency %
Alpha	0.000	0.000	0.000	0.000
	0.000	0.000	0.000	0.000
Alpha to Beta				0.000
				0.000
Beta	0.000	0.000	0.000	0.000
	0.000	0.000	0.000	0.000

Alpha/Beta Count Results

Source Count Report

Red 2 (12-15) - C

Addr: 14

Sample ID	ICB;Monthly Background	Repeat	413
	ICB;Monthly Background	Carrier No.	0
Batch ID	ICB;Monthly Background		
		Detector Volts	1515
Residual Wt	0 mg	Half Life	0.00 Year
Count Began	8/26/2023 12:18:31 AM	Calibration Date	6/11/2019 3:22:31 PM
Count Ended	8/26/2023 5:28:27 PM	Backgrounds From	Decay Factor
Sample Count Time	1,000.00 mins	Background Count Time	0.00

	Gross counts	Gross cpm	Background cpm	Net cpm
Alpha	100	0.100	0.000	0.100
	10.000	0.010	0.000	0.010
Beta	426	0.426	0.000	0.426
	20.640	0.021	0.000	0.021

	Uncorrected DPM	Corrected DPM	Corrected dpm	Efficiency %
Alpha	0.000	0.000	0.000	0.000
	0.000	0.000	0.000	0.000
Alpha to Beta				0.000
				0.000
Beta	0.000	0.000	0.000	0.000
	0.000	0.000	0.000	0.000

Alpha/Beta Count Results

Source Count Report

Red 2 (12-15) - D

Addr: 15

Sample ID	ICB;Monthly Background	Repeat	414
	ICB;Monthly Background	Carrier No.	0
Batch ID	ICB;Monthly Background		
		Detector Volts	1515
Residual Wt	0 mg	Half Life	0.00 Year
Count Began	8/26/2023 12:18:33 AM	Calibration Date	6/11/2019 3:22:31 PM
Count Ended	8/26/2023 5:28:28 PM	Backgrounds From	Decay Factor
Sample Count Time	1,000.00 mins	Background Count Time	0.00

	Gross counts	Gross cpm	Background cpm	Net cpm
Alpha	106	0.106	0.000	0.106
	sd 10.296	0.010	0.000	0.010
Beta				
	339	0.339	0.000	0.339
sd 18.412		0.018	0.000	0.018

	Uncorrected DPM	Corrected DPM	Corrected dpm	Efficiency %
Alpha	0.000	0.000	0.000	0.000
	sd 0.000	0.000	0.000	0.000
Alpha to Beta				0.000
	sd			0.000
Beta	0.000	0.000	0.000	0.000
	sd 0.000	0.000	0.000	0.000

Alpha/Beta Count Results

Source Count Report

Red 3 (16-19) - A

Addr: 16

Sample ID	ICB;Monthly Background	Repeat	384
	ICB;Monthly Background	Carrier No.	0
Batch ID	ICB;Monthly Background		
		Detector Volts	1515
Residual Wt	0 mg	Half Life	0.00 Year
Count Began	8/26/2023 12:18:40 AM	Calibration Date	6/11/2019 3:25:04 PM
Count Ended	8/26/2023 5:28:44 PM	Backgrounds From	Decay Factor
Sample Count Time	1,000.00 mins	Background Count Time	0.00

	Gross counts	Gross cpm	Background cpm	Net cpm
Alpha	67	0.067	0.000	0.067
	8.185	0.008	0.000	0.008
Beta				
	388	0.388	0.000	0.388
sd	19.698	0.020	0.000	0.020

	Uncorrected DPM	Corrected DPM	Corrected dpm	Efficiency %
Alpha	0.000	0.000	0.000	0.000
	0.000	0.000	0.000	0.000
Alpha to Beta				0.000
				0.000
Beta	0.000	0.000	0.000	0.000
	0.000	0.000	0.000	0.000

Alpha/Beta Count Results

Source Count Report

Red 3 (16-19) - B

Addr: 17

Sample ID	ICB;Monthly Background	Repeat	385
	ICB;Monthly Background	Carrier No.	0
Batch ID	ICB;Monthly Background		
		Detector Volts	1515
Residual Wt	0 mg	Half Life	0.00 Year
Count Began	8/26/2023 12:18:43 AM	Calibration Date	6/11/2019 3:25:04 PM
Count Ended	8/26/2023 5:28:47 PM	Backgrounds From	Decay Factor
Sample Count Time	1,000.00 mins	Background Count Time	0.00

	Gross counts	Gross cpm	Background cpm	Net cpm
Alpha	72	0.072	0.000	0.072
	8.485	0.008	0.000	0.008
Beta				
	400	0.400	0.000	0.400
sd	20.000	0.020	0.000	0.020

	Uncorrected DPM	Corrected DPM	Corrected dpm	Efficiency %
Alpha	0.000	0.000	0.000	0.000
	0.000	0.000	0.000	0.000
Alpha to Beta				0.000
				0.000
Beta	0.000	0.000	0.000	0.000
	0.000	0.000	0.000	0.000

Alpha/Beta Count Results

Source Count Report

Red 3 (16-19) - C

Addr: 18

Sample ID	ICB;Monthly Background	Repeat	386
	ICB;Monthly Background	Carrier No.	0
Batch ID	ICB;Monthly Background		
		Detector Volts	1515
Residual Wt	0 mg	Half Life	0.00 Year
Count Began	8/26/2023 12:18:45 AM	Calibration Date	6/11/2019 3:25:04 PM
Count Ended	8/26/2023 5:28:47 PM	Backgrounds From	Decay Factor
Sample Count Time	1,000.00 mins	Background Count Time	0.00

	Gross counts	Gross cpm	Background cpm	Net cpm
Alpha	64	0.064	0.000	0.064
	8.000	0.008	0.000	0.008
Beta	312	0.312	0.000	0.312
	17.664	0.018	0.000	0.018

	Uncorrected DPM	Corrected DPM	Corrected dpm	Efficiency %
Alpha	0.000	0.000	0.000	0.000
	0.000	0.000	0.000	0.000
Alpha to Beta				0.000
				0.000
Beta	0.000	0.000	0.000	0.000
	0.000	0.000	0.000	0.000

Alpha/Beta Count Results

Source Count Report

Red 3 (16-19) - D

Addr: 19

Sample ID	ICB;Monthly Background	Repeat	387
	ICB;Monthly Background	Carrier No.	0
Batch ID	ICB;Monthly Background		
		Detector Volts	1515
Residual Wt	0 mg	Half Life	0.00 Year
Count Began	8/26/2023 12:18:48 AM	Calibration Date	6/11/2019 3:25:04 PM
Count Ended	8/26/2023 5:28:47 PM	Backgrounds From	Decay Factor
Sample Count Time	1,000.00 mins	Background Count Time	0.00

	Gross counts	Gross cpm	Background cpm	Net cpm
Alpha	59	0.059	0.000	0.059
	sd 7.681	0.008	0.000	0.008
Beta				
	383	0.383	0.000	0.383
sd 19.570		0.020	0.000	0.020

	Uncorrected DPM	Corrected DPM	Corrected dpm	Efficiency %
Alpha	0.000	0.000	0.000	0.000
	sd 0.000	0.000	0.000	0.000
Alpha to Beta				0.000
	sd			0.000
Beta	0.000	0.000	0.000	0.000
	sd 0.000	0.000	0.000	0.000

Alpha/Beta Count Results

Source Count Report

Red 3 (20-23) - A

Addr: 20

Sample ID	ICB;Monthly Background	Repeat	388
	ICB;Monthly Background	Carrier No.	0
Batch ID	ICB;Monthly Background		
		Detector Volts	1515
Residual Wt	0 mg	Half Life	0.00 Year
Count Began	8/26/2023 12:18:50 AM	Calibration Date	6/11/2019 3:25:04 PM
Count Ended	8/26/2023 5:28:52 PM	Backgrounds From	Decay Factor
Sample Count Time	1,000.00 mins	Background Count Time	0.00

	Gross counts	Gross cpm	Background cpm	Net cpm
Alpha	67	0.067	0.000	0.067
	8.185	0.008	0.000	0.008
Beta				
	313	0.313	0.000	0.313
sd	17.692	0.018	0.000	0.018

	Uncorrected DPM	Corrected DPM	Corrected dpm	Efficiency %
Alpha	0.000	0.000	0.000	0.000
	0.000	0.000	0.000	0.000
Alpha to Beta				0.000
				0.000
Beta	0.000	0.000	0.000	0.000
	0.000	0.000	0.000	0.000

Alpha/Beta Count Results

Source Count Report

Red 3 (20-23) - B

Addr: 21

Sample ID	ICB;Monthly Background	Repeat	389
	ICB;Monthly Background	Carrier No.	0
Batch ID	ICB;Monthly Background		
	Detector Volts 1515		

Residual Wt	0 mg	Half Life	0.00 Year
Count Began	8/26/2023 12:18:53 AM	Calibration Date	6/11/2019 3:25:04 PM
Count Ended	8/26/2023 5:28:53 PM		
Sample Count Time	1,000.00 mins	Background Count Time	0.00

	Gross counts	Gross cpm	Background cpm	Net cpm
Alpha	110	0.110	0.000	0.110
	sd 10.488	0.010	0.000	0.010
Beta				
	288	0.288	0.000	0.288
sd	16.971	0.017	0.000	0.017

	Uncorrected DPM	Corrected DPM	Corrected dpm	Efficiency %
Alpha	0.000	0.000	0.000	0.000
	sd 0.000	0.000	0.000	0.000
Alpha to Beta				0.000
	sd			0.000
Beta	0.000	0.000	0.000	0.000
	sd 0.000	0.000	0.000	0.000

Alpha/Beta Count Results

Source Count Report

Red 3 (20-23) - C

Addr: 22

Sample ID	ICB;Monthly Background	Repeat	390
	ICB;Monthly Background	Carrier No.	0
Batch ID	ICB;Monthly Background		
	Detector Volts 1515		

Residual Wt	0 mg	Half Life	0.00 Year
Count Began	8/26/2023 12:18:55 AM	Calibration Date	6/11/2019 3:25:04 PM
Count Ended	8/26/2023 5:28:53 PM		
Sample Count Time	1,000.00 mins	Background Count Time	0.00

	Gross counts	Gross cpm	Background cpm	Net cpm
Alpha	79	0.079	0.000	0.079
	8.888	0.009	0.000	0.009
Beta				
	296	0.296	0.000	0.296
sd	17.205	0.017	0.000	0.017

	Uncorrected DPM	Corrected DPM	Corrected dpm	Efficiency %
Alpha	0.000	0.000	0.000	0.000
	0.000	0.000	0.000	0.000
Alpha to Beta				0.000
				0.000
Beta	0.000	0.000	0.000	0.000
	0.000	0.000	0.000	0.000

Run Logs

Gas Flow Proportional Counter Run Log

Detector: Blue0

Serial Number: Unknown

Analysis Date	Minutes	Count		Client Sample ID	Analysis Batch	Prep Batch	Method	Analyst Initials
		Lab Sample ID						
03/19/17	14:32	5	ICABT 160-568288/12		568288			PS
03/19/17	14:40	5	ICABT 160-568288/13		568288			PS
03/20/17	00:22	5	ICABT 160-568288/14		568288			PS
03/20/17	00:37	5	ICABT 160-568288/15		568288			PS
03/20/17	00:59	5	ICABT 160-568288/16		568288			PS
03/20/17	01:50	5	ICABT 160-568288/17		568288			PS
03/20/17	03:22	5	ICABT 160-568288/18		568288			PS
03/20/17	03:28	5	ICABT 160-568288/19		568288			PS
03/31/17	12:09	5	ICVABT 160-568288/20		568288			PS
03/31/17	12:27	5	ICVABT 160-568288/21		568288			PS
03/31/17	12:43	5	ICVABT 160-568288/22		568288			PS
06/01/22	14:10	45	ICABT 160-568288/1		568288			PS
06/01/22	15:01	45	ICABT 160-568288/2		568288			PS
06/01/22	15:49	45	ICABT 160-568288/3		568288			PS
06/01/22	16:37	45	ICABT 160-568288/4		568288			PS
06/01/22	17:27	45	ICABT 160-568288/5		568288			PS
06/01/22	18:17	45	ICABT 160-568288/6		568288			PS
06/01/22	19:05	45	ICABT 160-568288/7		568288			PS
06/01/22	19:54	45	ICABT 160-568288/8		568288			PS
06/02/22	12:44	20	ICVABT 160-568288/9		568288			PS
06/02/22	15:07	20	ICVABT 160-568288/10		568288			PS
06/02/22	15:29	20	ICVABT 160-568288/11		568288			PS
08/25/23	20:26	1000	ICB 160-625620/9		625620			EJS
08/29/23	00:14	2	CCVA 160-625942/1		625942			CMM
08/29/23	00:27	2	CCVB 160-625942/25		625942			CMM
08/29/23	00:43	200	CCB 160-625942/49		625942			CMM
08/29/23	07:39	100	ZZZZZ		625942			
08/29/23	09:58	100	ZZZZZ		625942			
08/29/23	12:33	100	MB 160-624324/1-A		625942	624324	904.0	CMM
08/29/23	16:12	200	ZZZZZ		625942			
08/29/23	19:45	200	ZZZZZ		625942			

Detector: Blue3

Serial Number: Unknown

Analysis Date	Minutes	Count		Client Sample ID	Analysis Batch	Prep Batch	Method	Analyst Initials
		Lab Sample ID						
07/26/19	15:56	15	ICRA6 160-439058/1		439058			SCB
07/26/19	16:14	15	ICRA6 160-439058/2		439058			SCB
07/26/19	16:32	15	ICRA6 160-439058/3		439058			SCB
07/26/19	16:49	15	ZZZZZ		439058			
07/26/19	17:06	15	ICRA6 160-439058/5		439058			SCB
07/26/19	17:23	15	ICRA6 160-439058/6		439058			SCB
07/26/19	17:42	15	ICRA6 160-439058/7		439058			SCB
07/26/19	18:14	15	ICRA6 160-439058/8		439058			SCB
07/28/19	11:38	5	ICVRA6 160-439058/9		439058			SCB
07/28/19	11:44	5	ICVRA6 160-439058/10		439058			SCB
07/28/19	11:50	5	ICVRA6 160-439058/11		439058			SCB
08/25/23	20:27	1000	ICB 160-625620/18		625620			EJS
09/08/23	00:15	2	CCVA 160-627239/4		627239			SCB
09/08/23	00:32	2	CCVB 160-627239/28		627239			SCB
09/08/23	00:49	200	CCB 160-627239/52		627239			SCB
09/08/23	07:20	100	810-73371-10	MW-11	627239	624483	903.0	SCB
09/08/23	17:30	400	ZZZZZ		627239			

Gas Flow Proportional Counter Run Log

Detector: Blue4

Serial Number: Unknown

Analysis Date	Minutes	Lab Sample ID	Client Sample ID	Count	Analysis Batch	Prep Batch	Method	Analyst Initials
03/19/17	14:10	5	ICABT 160-568639/12		568639			PS
03/19/17	14:17	5	ICABT 160-568639/13		568639			PS
03/19/17	14:24	5	ICABT 160-568639/14		568639			PS
03/19/17	14:30	5	ICABT 160-568639/15		568639			PS
03/19/17	14:40	5	ICABT 160-568639/16		568639			PS
03/19/17	23:09	5	ICABT 160-568639/17		568639			PS
03/19/17	23:28	5	ICABT 160-568639/18		568639			PS
03/19/17	23:56	5	ICABT 160-568639/19		568639			PS
03/31/17	14:01	5	ICVABT 160-568639/20		568639			PS
03/31/17	16:03	5	ICVABT 160-568639/21		568639			PS
03/31/17	17:29	5	ICVABT 160-568639/22		568639			PS
06/01/22	14:10	45	ICABT 160-568639/1		568639			PS
06/01/22	15:01	45	ICABT 160-568639/2		568639			PS
06/01/22	15:48	45	ICABT 160-568639/3		568639			PS
06/01/22	16:37	45	ICABT 160-568639/4		568639			PS
06/01/22	17:27	45	ICABT 160-568639/5		568639			PS
06/01/22	18:17	45	ICABT 160-568639/6		568639			PS
06/01/22	19:05	45	ICABT 160-568639/7		568639			PS
06/01/22	19:54	45	ICABT 160-568639/8		568639			PS
06/03/22	12:50	20	ICVABT 160-568639/9		568639			PS
06/03/22	13:13	20	ICVABT 160-568639/10		568639			PS
06/03/22	13:35	20	ICVABT 160-568639/11		568639			PS
08/25/23	20:27	1000	ICB 160-625620/19		625620			EJS
08/31/23	00:15	2	CCVA 160-626304/5		626304			FLC
08/31/23	00:27	2	CCVB 160-626304/29		626304			FLC
08/31/23	00:42	200	CCB 160-626304/53		626304			FLC
08/31/23	07:46	100	ZZZZZ		626304			
08/31/23	11:47	100	ZZZZZ		626304			
08/31/23	18:53	60	ZZZZZ		626304			

Detector: Blue8

Serial Number: Unknown

Analysis Date	Minutes	Lab Sample ID	Client Sample ID	Count	Analysis Batch	Prep Batch	Method	Analyst Initials
07/24/19	13:40	15	ZZZZZ		439063			
07/24/19	13:58	15	ICRA6 160-439063/5		439063			SCB
07/24/19	14:34	15	ICRA6 160-439063/6		439063			SCB
07/24/19	15:16	15	ICRA6 160-439063/7		439063			SCB
07/24/19	15:48	15	ICRA6 160-439063/8		439063			SCB
07/24/19	16:25	15	ICRA6 160-439063/9		439063			SCB
07/24/19	16:49	15	ICRA6 160-439063/10		439063			SCB
07/24/19	17:07	15	ICRA6 160-439063/11		439063			SCB
07/28/19	13:16	5	ICVRA6 160-439063/1		439063			SCB
07/29/19	07:07	5	ICVRA6 160-439063/2		439063			SCB
07/29/19	07:23	5	ICVRA6 160-439063/3		439063			SCB
08/25/23	20:28	1000	ICB 160-625620/21		625620			EJS
09/07/23	00:20	2	CCVB 160-627055/17		627055			SCB
09/07/23	00:33	2	CCVA 160-627055/33		627055			SCB
09/07/23	00:47	200	CCB 160-627055/57		627055			SCB
09/07/23	07:42	100	ZZZZZ		627055			
09/07/23	09:41	100	ZZZZZ		627055			
09/07/23	11:46	100	ZZZZZ		627055			
09/07/23	18:22	200	ZZZZZ		627055			

Gas Flow Proportional Counter Run Log

Detector: Blue10

Serial Number: Unknown

Analysis Date	Minutes	Count		Client Sample ID	Analysis Batch	Prep Batch	Method	Analyst Initials
		Lab Sample ID						
07/24/19	13:40	15	ICRA6 160-439066/1		439066			SCB
07/24/19	13:58	15	ICRA6 160-439066/2		439066			SCB
07/24/19	14:34	15	ZZZZZ		439066			
07/24/19	15:16	15	ICRA6 160-439066/4		439066			SCB
07/24/19	15:48	15	ICRA6 160-439066/5		439066			SCB
07/24/19	16:26	15	ICRA6 160-439066/6		439066			SCB
07/24/19	16:50	15	ICRA6 160-439066/7		439066			SCB
07/24/19	17:07	15	ICRA6 160-439066/8		439066			SCB
07/28/19	13:17	5	ICVRA6 160-439066/9		439066			SCB
07/28/19	13:23	5	ICVRA6 160-439066/10		439066			SCB
07/28/19	13:30	5	ICVRA6 160-439066/11		439066			SCB
08/25/23	20:27	1000	ICB 160-625620/14		625620			EJS
09/08/23	00:18	2	CCVB 160-627239/19		627239			SCB
09/08/23	00:33	2	CCVA 160-627239/35		627239			SCB
09/08/23	00:49	200	CCB 160-627239/59		627239			SCB
09/08/23	07:21	100	810-73371-11	MW-12	627239	624483	903.0	SCB
09/08/23	17:38	400	ZZZZZ		627239			

Detector: Blue11

Serial Number: Unknown

Analysis Date	Minutes	Count		Client Sample ID	Analysis Batch	Prep Batch	Method	Analyst Initials
		Lab Sample ID						
07/24/19	13:40	15	ICRA6 160-439068/1		439068			SCB
07/24/19	13:58	15	ICRA6 160-439068/2		439068			SCB
07/24/19	14:34	15	ICRA6 160-439068/3		439068			SCB
07/24/19	15:16	15	ZZZZZ		439068			
07/24/19	15:48	15	ICRA6 160-439068/5		439068			SCB
07/24/19	16:26	15	ICRA6 160-439068/6		439068			SCB
07/24/19	16:50	15	ICRA6 160-439068/7		439068			SCB
07/24/19	17:07	15	ICRA6 160-439068/8		439068			SCB
07/28/19	13:23	5	ICVRA6 160-439068/9		439068			SCB
07/28/19	13:31	5	ICVRA6 160-439068/10		439068			SCB
07/28/19	13:38	5	ICVRA6 160-439068/11		439068			SCB
08/25/23	20:27	1000	ICB 160-625620/15		625620			EJS
09/08/23	00:18	2	CCVB 160-627239/20		627239			SCB
09/08/23	00:33	2	CCVA 160-627239/36		627239			SCB
09/08/23	00:49	200	CCB 160-627239/60		627239			SCB
09/08/23	07:21	100	810-73371-12	MW-18	627239	624483	903.0	SCB
09/08/23	17:38	400	ZZZZZ		627239			

Detector: Blue12

Serial Number: Unknown

Analysis Date	Minutes	Count		Client Sample ID	Analysis Batch	Prep Batch	Method	Analyst Initials
		Lab Sample ID						
07/24/19	13:40	15	ICRA6 160-439069/1		439069			SCB
07/24/19	13:58	15	ICRA6 160-439069/2		439069			SCB
07/24/19	14:34	15	ICRA6 160-439069/3		439069			SCB
07/24/19	15:17	15	ICRA6 160-439069/4		439069			SCB
07/24/19	15:48	15	ZZZZZ		439069			
07/24/19	16:26	15	ICRA6 160-439069/6		439069			SCB
07/24/19	16:50	15	ICRA6 160-439069/7		439069			SCB
07/24/19	17:07	15	ICRA6 160-439069/8		439069			SCB
07/28/19	13:31	5	ICVRA6 160-439069/9		439069			SCB
07/28/19	13:38	5	ICVRA6 160-439069/10		439069			SCB

Gas Flow Proportional Counter Run Log

Detector: Blue12 (Continued)

Analysis Date	Count Minutes	Lab Sample ID	Client Sample ID	Analysis	Prep	Analyst Initials
				Batch	Batch	
07/28/19 13:45	5	ICVRA6 160-439069/11		439069		SCB
08/25/23 20:26	1000	ICB 160-625620/10		625620		EJS
09/08/23 00:18	2	CCVB 160-627239/21		627239		SCB
09/08/23 00:33	2	CCVA 160-627239/37		627239		SCB
09/08/23 00:49	200	CCB 160-627239/61		627239		SCB
09/08/23 07:21	100	810-73371-13	MW-19	627239	624483 903.0	SCB
09/08/23 17:38	400	ZZZZZ		627239		

Detector: Blue13

Analysis Date	Count Minutes	Lab Sample ID	Client Sample ID	Analysis	Prep	Analyst Initials
				Batch	Batch	
07/24/19 13:40	15	ICRA6 160-439070/1		439070		SCB
07/24/19 13:58	15	ICRA6 160-439070/2		439070		SCB
07/24/19 14:34	15	ICRA6 160-439070/3		439070		SCB
07/24/19 15:17	15	ICRA6 160-439070/4		439070		SCB
07/24/19 15:48	15	ICRA6 160-439070/5		439070		SCB
07/24/19 16:26	15	ZZZZZ		439070		
07/24/19 16:50	15	ICRA6 160-439070/7		439070		SCB
07/24/19 17:07	15	ICRA6 160-439070/8		439070		SCB
07/28/19 13:38	5	ICVRA6 160-439070/9		439070		SCB
07/28/19 13:45	5	ICVRA6 160-439070/10		439070		SCB
07/29/19 06:49	5	ICVRA6 160-439070/11		439070		SCB
08/25/23 20:26	1000	ICB 160-625620/11		625620		EJS
09/08/23 00:18	2	CCVB 160-627239/22		627239		SCB
09/08/23 00:33	2	CCVA 160-627239/38		627239		SCB
09/08/23 00:49	200	CCB 160-627239/62		627239		SCB
09/08/23 07:21	100	810-73371-14	MW-20	627239	624483 903.0	SCB
09/08/23 17:38	400	ZZZZZ		627239		

Detector: Orange0

Analysis Date	Count Minutes	Lab Sample ID	Client Sample ID	Analysis	Prep	Analyst Initials
				Batch	Batch	
01/23/13 14:44	5	ICABT 160-480956/13		480956		JLW
01/23/13 14:53	5	ICABT 160-480956/14		480956		JLW
01/23/13 15:01	5	ICABT 160-480956/15		480956		JLW
01/23/13 15:09	5	ICABT 160-480956/16		480956		JLW
01/23/13 15:19	5	ICABT 160-480956/17		480956		JLW
01/23/13 15:26	5	ICABT 160-480956/18		480956		JLW
01/23/13 15:37	5	ICABT 160-480956/19		480956		JLW
01/23/13 15:46	5	ICABT 160-480956/20		480956		JLW
01/24/13 19:06	5	ICVABT 160-480956/21		480956		JLW
01/24/13 19:16	5	ICVABT 160-480956/22		480956		JLW
01/24/13 19:24	5	ICVABT 160-480956/23		480956		JLW
08/26/20 08:22	25	ICABT 160-480956/1		480956		JLW
08/26/20 09:58	25	ICABT 160-480956/2		480956		JLW
08/26/20 10:26	25	ICABT 160-480956/3		480956		JLW
08/26/20 10:55	25	ICABT 160-480956/4		480956		JLW
08/26/20 11:23	25	ZZZZZ		480956		
08/26/20 12:03	25	ICABT 160-480956/6		480956		JLW
08/26/20 13:05	25	ICABT 160-480956/7		480956		JLW
08/26/20 13:32	25	ICABT 160-480956/8		480956		JLW
08/27/20 12:57	25	ICABT 160-480956/9		480956		JLW

Gas Flow Proportional Counter Run Log

Detector: Orange0 (Continued)

Analysis Date	Minutes	Count		Client Sample ID	Analysis Batch	Prep Batch	Method	Analyst Initials
		Lab Sample ID						
08/27/20	14:35	15	ICVABT 160-480956/10		480956			JLW
08/27/20	15:06	15	ICVABT 160-480956/11		480956			JLW
08/27/20	15:33	15	ICVABT 160-480956/12		480956			JLW
08/25/23	23:33	1000	ICB 160-625621/1		625621			EJS
08/31/23	00:46	2	CCVA 160-626305/5		626305			FLC
08/31/23	01:06	2	CCVB 160-626305/24		626305			FLC
08/31/23	01:13	200	CCB 160-626305/39		626305			FLC
08/31/23	11:29	100	MB 160-624485/1-A		626305	624485	904.0	FLC

Detector: Orange3

Analysis Date	Minutes	Count		Client Sample ID	Analysis Batch	Prep Batch	Method	Analyst Initials
		Lab Sample ID						
01/23/13	14:45	5	ICABT 160-480959/13		480959			JLW
01/23/13	14:53	5	ICABT 160-480959/14		480959			JLW
01/23/13	15:00	5	ICABT 160-480959/15		480959			JLW
01/23/13	15:09	5	ICABT 160-480959/16		480959			JLW
01/23/13	15:19	5	ICABT 160-480959/17		480959			JLW
01/23/13	15:27	5	ICABT 160-480959/18		480959			JLW
01/23/13	15:37	5	ICABT 160-480959/19		480959			JLW
01/23/13	15:46	5	ICABT 160-480959/20		480959			JLW
01/24/13	18:41	5	ICVABT 160-480959/21		480959			JLW
01/24/13	18:47	5	ICVABT 160-480959/22		480959			JLW
01/24/13	18:56	5	ICVABT 160-480959/23		480959			JLW
08/26/20	09:06	25	ICABT 160-480959/1		480959			JLW
08/26/20	09:58	25	ICABT 160-480959/2		480959			JLW
08/26/20	10:26	25	ICABT 160-480959/3		480959			JLW
08/26/20	10:56	25	ICABT 160-480959/4		480959			JLW
08/26/20	11:24	25	ICABT 160-480959/5		480959			JLW
08/26/20	12:03	25	ICABT 160-480959/6		480959			JLW
08/26/20	13:05	25	ICABT 160-480959/7		480959			JLW
08/26/20	13:32	25	ZZZZZ		480959			
08/27/20	07:43	25	ICABT 160-480959/9		480959			JLW
08/27/20	13:01	15	ICVABT 160-480959/10		480959			JLW
08/27/20	13:28	15	ICVABT 160-480959/11		480959			JLW
08/27/20	14:04	15	ICVABT 160-480959/12		480959			JLW
08/25/23	23:34	1000	ICB 160-625621/4		625621			EJS
08/31/23	00:46	2	CCVA 160-626305/8		626305			FLC
08/31/23	01:06	2	CCVB 160-626305/27		626305			FLC
08/31/23	01:13	200	CCB 160-626305/42		626305			FLC
08/31/23	11:29	100	LCS 160-624485/2-A		626305	624485	904.0	FLC

Detector: Orange11

Analysis Date	Minutes	Count		Client Sample ID	Analysis Batch	Prep Batch	Method	Analyst Initials
		Lab Sample ID						
01/23/13	14:27	5	ICABT 160-481604/15		481604			EMH
01/23/13	14:36	5	ICABT 160-481604/14		481604			EMH
01/23/13	16:46	5	ICABT 160-481604/13		481604			EMH
01/23/13	16:58	5	ICABT 160-481604/12		481604			EMH
01/23/13	17:05	5	ICABT 160-481604/19		481604			EMH
01/23/13	17:12	5	ICABT 160-481604/18		481604			EMH
01/23/13	17:19	5	ICABT 160-481604/17		481604			EMH
01/23/13	17:27	5	ICABT 160-481604/16		481604			EMH

Gas Flow Proportional Counter Run Log

Detector: Orange11 (Continued)

Analysis Date	Minutes	Count		Client Sample ID	Analysis Batch	Prep Batch	Method	Analyst Initials
		Lab Sample ID						
01/24/13	19:32	5	ICVABT 160-481604/22		481604			EMH
01/24/13	19:38	5	ICVABT 160-481604/21		481604			EMH
01/24/13	19:50	5	ICVABT 160-481604/20		481604			EMH
08/27/20	15:35	25	ICABT 160-481604/1		481604			EMH
08/27/20	16:53	25	ICABT 160-481604/2		481604			EMH
08/27/20	17:41	25	ICABT 160-481604/3		481604			EMH
08/27/20	18:17	25	ICABT 160-481604/4		481604			EMH
08/27/20	18:58	25	ICABT 160-481604/5		481604			EMH
08/27/20	19:35	25	ICABT 160-481604/6		481604			EMH
08/27/20	20:47	25	ICABT 160-481604/7		481604			EMH
08/27/20	21:32	25	ICABT 160-481604/8		481604			EMH
08/27/20	22:35	15	ICVABT 160-481604/9		481604			EMH
08/28/20	07:50	15	ICVABT 160-481604/10		481604			EMH
08/30/20	15:16	15	ICVABT 160-481604/11		481604			EMH
08/25/23	23:34	1000	ICB 160-625621/11			625621		EJS
08/31/23	00:52	2	CCVB 160-626305/19			626305		FLC
08/31/23	01:07	2	CCVA 160-626305/34			626305		FLC
08/31/23	01:13	200	CCB 160-626305/49			626305		FLC
08/31/23	11:29	100	ZZZZZ			626305		

Detector: Orange15

Analysis Date	Minutes	Count		Client Sample ID	Analysis Batch	Prep Batch	Method	Analyst Initials
		Lab Sample ID						
01/23/13	14:28	5	ICABT 160-481608/19		481608			PS
01/23/13	14:37	5	ICABT 160-481608/18		481608			PS
01/23/13	16:47	5	ICABT 160-481608/17		481608			PS
01/23/13	16:58	5	ICABT 160-481608/16		481608			PS
01/23/13	17:05	5	ICABT 160-481608/15		481608			PS
01/23/13	17:12	5	ICABT 160-481608/14		481608			PS
01/23/13	17:19	5	ICABT 160-481608/13		481608			PS
01/23/13	17:27	5	ICABT 160-481608/12		481608			PS
01/24/13	21:14	5	ICVABT 160-481608/22		481608			PS
01/24/13	21:23	5	ICVABT 160-481608/21		481608			PS
01/24/13	21:34	5	ICVABT 160-481608/20		481608			PS
08/27/20	15:35	25	ICABT 160-481608/1		481608			PS
08/27/20	16:53	25	ICABT 160-481608/2		481608			PS
08/27/20	17:41	25	ICABT 160-481608/3		481608			PS
08/27/20	18:10	25	ICABT 160-481608/4		481608			PS
08/27/20	18:58	25	ICABT 160-481608/5		481608			PS
08/27/20	19:35	25	ICABT 160-481608/6		481608			PS
08/27/20	20:47	25	ICABT 160-481608/7		481608			PS
08/27/20	21:33	25	ICABT 160-481608/8		481608			PS
08/30/20	16:07	15	ICVABT 160-481608/9		481608			PS
08/30/20	16:29	15	ICVABT 160-481608/10		481608			PS
08/30/20	17:09	15	ICVABT 160-481608/11		481608			PS
08/25/23	23:34	1000	ICB 160-625621/15			625621		EJS
08/31/23	00:52	2	CCVB 160-626305/23			626305		FLC
08/31/23	01:07	2	CCVA 160-626305/38			626305		FLC
08/31/23	01:13	200	CCB 160-626305/53			626305		FLC
08/31/23	11:28	100	810-73371-1	MW-01R		626305	624485 904.0	FLC

Gas Flow Proportional Counter Run Log

Detector: Orange20

Analysis Date	Minutes	Count	Lab Sample ID	Client Sample ID	Analysis Batch	Prep Batch	Method	Analyst Initials
01/23/13	12:20	5	ICABT 160-481613/12		481613			PS
01/23/13	12:30	5	ICABT 160-481613/13		481613			PS
01/23/13	12:37	5	ICABT 160-481613/14		481613			PS
01/23/13	12:45	5	ICABT 160-481613/15		481613			PS
01/23/13	12:53	5	ICABT 160-481613/16		481613			PS
01/23/13	13:01	5	ICABT 160-481613/17		481613			PS
01/23/13	13:07	5	ICABT 160-481613/18		481613			PS
01/23/13	13:15	5	ICABT 160-481613/19		481613			PS
01/24/13	22:42	5	ICVABT 160-481613/20		481613			PS
01/24/13	23:01	5	ICVABT 160-481613/21		481613			PS
01/24/13	23:07	5	ICVABT 160-481613/22		481613			PS
08/27/20	22:09	25	ICABT 160-481613/1		481613			PS
08/27/20	22:38	25	ICABT 160-481613/2		481613			PS
08/28/20	07:49	25	ICABT 160-481613/3		481613			PS
08/28/20	13:20	25	ICABT 160-481613/4		481613			PS
08/28/20	15:20	25	ICABT 160-481613/5		481613			PS
08/30/20	15:14	25	ICABT 160-481613/6		481613			PS
08/30/20	16:06	25	ICABT 160-481613/7		481613			PS
08/30/20	16:32	25	ICABT 160-481613/8		481613			PS
08/30/20	18:38	15	ICVABT 160-481613/9		481613			PS
08/30/20	19:01	15	ICVABT 160-481613/10		481613			PS
08/30/20	19:33	15	ICVABT 160-481613/11		481613			PS
08/25/23	23:34	1000	ICB 160-625621/16		625621			EJS
08/31/23	00:45	2	CCVA 160-626305/1		626305			FLC
08/31/23	00:52	2	CCVB 160-626305/13		626305			FLC
08/31/23	01:13	200	CCB 160-626305/54		626305			FLC
08/31/23	11:28	100	810-73371-2	MW-02	626305	624485	904.0	FLC

Detector: Orange23

Analysis Date	Minutes	Count	Lab Sample ID	Client Sample ID	Analysis Batch	Prep Batch	Method	Analyst Initials
01/23/13	12:20	5	ICABT 160-481616/12		481616			PS
01/23/13	12:30	5	ICABT 160-481616/13		481616			PS
01/23/13	12:38	5	ICABT 160-481616/14		481616			PS
01/23/13	12:46	5	ICABT 160-481616/15		481616			PS
01/23/13	12:53	5	ICABT 160-481616/16		481616			PS
01/23/13	13:00	5	ICABT 160-481616/17		481616			PS
01/23/13	13:07	5	ICABT 160-481616/18		481616			PS
01/23/13	13:14	5	ICABT 160-481616/19		481616			PS
01/24/13	22:51	5	ICVABT 160-481616/20		481616			PS
01/24/13	23:01	5	ICVABT 160-481616/21		481616			PS
01/24/13	23:07	5	ICVABT 160-481616/22		481616			PS
08/27/20	22:10	25	ICABT 160-481616/1		481616			PS
08/27/20	22:39	25	ICABT 160-481616/2		481616			PS
08/28/20	07:49	25	ICABT 160-481616/3		481616			PS
08/28/20	13:20	25	ICABT 160-481616/4		481616			PS
08/28/20	15:21	25	ICABT 160-481616/5		481616			PS
08/30/20	15:15	25	ICABT 160-481616/6		481616			PS
08/30/20	16:06	25	ICABT 160-481616/7		481616			PS
08/30/20	16:33	25	ICABT 160-481616/8		481616			PS
08/30/20	20:03	15	ICVABT 160-481616/9		481616			PS
08/30/20	20:50	15	ICVABT 160-481616/10		481616			PS
08/30/20	21:08	15	ICVABT 160-481616/11		481616			PS

Gas Flow Proportional Counter Run Log

Detector: Orange23 (Continued)

Analysis Date	Minutes	Count		Client Sample ID	Analysis Batch	Prep Batch	Method	Analyst Initials
		Lab Sample ID						
08/25/23	23:34	1000	ICB 160-625621/19		625621			EJS
08/31/23	00:45	2	CCVA 160-626305/4		626305			FLC
08/31/23	00:52	2	CCVB 160-626305/16		626305			FLC
08/31/23	01:13	200	CCB 160-626305/57		626305			FLC
08/31/23	11:28	100	810-73371-3	MW-03	626305	624485	904.0	FLC

Detector: Purple0

Analysis Date	Minutes	Count		Client Sample ID	Analysis Batch	Prep Batch	Method	Analyst Initials
		Lab Sample ID						
02/17/17	01:15	15	ICRA6 160-293738/1		293738			PS
02/17/17	01:55	15	ICRA6 160-293738/2		293738			PS
02/17/17	02:12	15	ICRA6 160-293738/3		293738			PS
02/17/17	02:29	15	ICRA6 160-293738/4		293738			PS
02/17/17	02:46	15	ICRA6 160-293738/5		293738			PS
02/17/17	03:04	15	ICRA6 160-293738/6		293738			PS
02/17/17	03:21	15	ICRA6 160-293738/7		293738			PS
02/21/17	13:27	5	ICVRA6 160-293738/8		293738			PS
02/21/17	20:28	5	ICVRA6 160-293738/9		293738			PS
02/21/17	20:52	5	ICVRA6 160-293738/10		293738			PS
08/25/23	22:34	1000	ICB 160-625622/1		625622			EJS
09/08/23	00:32	2	CCVA 160-627241/1		627241			SCB
09/08/23	00:55	2	CCVB 160-627241/17		627241			SCB
09/08/23	01:08	200	CCB 160-627241/33		627241			SCB
09/08/23	07:21	100	810-73371-15	MW-27	627241	624483	903.0	SCB

Detector: Purple10

Analysis Date	Minutes	Count		Client Sample ID	Analysis Batch	Prep Batch	Method	Analyst Initials
		Lab Sample ID						
02/03/13	17:22	5	ICABT 160-592033/17		592033			PS
02/03/13	17:29	5	ICABT 160-592033/18		592033			PS
02/03/13	17:43	5	ICABT 160-592033/19		592033			PS
02/03/13	17:51	5	ICABT 160-592033/12		592033			PS
02/03/13	18:07	5	ICABT 160-592033/13		592033			PS
02/03/13	18:19	5	ICABT 160-592033/14		592033			PS
02/03/13	18:32	5	ICABT 160-592033/15		592033			PS
02/03/13	18:51	5	ICABT 160-592033/16		592033			PS
02/04/13	18:35	5	ICVABT 160-592033/20		592033			PS
02/04/13	18:57	5	ICVABT 160-592033/21		592033			PS
02/04/13	19:02	5	ICVABT 160-592033/22		592033			PS
07/07/22	08:11	45	ICABT 160-592033/1		592033			PS
07/07/22	09:00	45	ICABT 160-592033/2		592033			PS
07/07/22	09:51	45	ICABT 160-592033/3		592033			PS
07/07/22	10:50	45	ICABT 160-592033/4		592033			PS
07/07/22	12:33	45	ICABT 160-592033/5		592033			PS
07/07/22	13:23	45	ICABT 160-592033/6		592033			PS
07/07/22	14:10	45	ICABT 160-592033/7		592033			PS
07/07/22	15:07	45	ICABT 160-592033/8		592033			PS
07/18/22	23:10	20	ICVABT 160-592033/9		592033			PS
07/18/22	23:43	20	ICVABT 160-592033/10		592033			PS
07/19/22	00:17	20	ICVABT 160-592033/11		592033			PS
08/25/23	22:34	1000	ICB 160-625622/11		625622			EJS
08/29/23	00:36	2	CCVB 160-625944/15		625944			CMM

Gas Flow Proportional Counter Run Log

Detector: Purple10 (Continued)

Analysis Date	Count Minutes	Lab Sample ID	Client Sample ID	Analysis	Prep	Analyst Initials
				Batch	Batch	
08/29/23 00:46	2	CCVA 160-625944/27		625944		CMM
08/29/23 00:58	200	CCB 160-625944/39		625944		CMM
08/29/23 07:46	100	ZZZZZ		625944		
08/29/23 09:58	100	ZZZZZ		625944		
08/29/23 12:35	100	810-73371-16	MW-30	625944	624324 904.0	CMM
08/29/23 16:14	100	ZZZZZ		625944		
08/29/23 18:19	200	ZZZZZ		625944		

Detector: Purple11

Analysis Date	Count Minutes	Lab Sample ID	Client Sample ID	Analysis	Prep	Analyst Initials
				Batch	Batch	
12/18/15 09:33	5	ICABT 160-592034/12		592034		PS
12/18/15 09:41	5	ICABT 160-592034/13		592034		PS
12/18/15 09:48	5	ICABT 160-592034/14		592034		PS
12/18/15 09:58	5	ICABT 160-592034/15		592034		PS
12/18/15 11:20	5	ICABT 160-592034/16		592034		PS
12/18/15 11:31	5	ICABT 160-592034/17		592034		PS
12/18/15 11:37	5	ICABT 160-592034/18		592034		PS
12/18/15 11:44	5	ICABT 160-592034/19		592034		PS
12/18/15 13:10	5	ICVABT 160-592034/20		592034		PS
12/18/15 13:16	5	ICVABT 160-592034/21		592034		PS
12/18/15 13:22	5	ICVABT 160-592034/22		592034		PS
07/07/22 08:12	45	ICABT 160-592034/1		592034		PS
07/07/22 09:00	45	ICABT 160-592034/2		592034		PS
07/07/22 09:51	45	ICABT 160-592034/3		592034		PS
07/07/22 10:50	45	ICABT 160-592034/4		592034		PS
07/07/22 12:33	45	ICABT 160-592034/5		592034		PS
07/07/22 13:23	45	ICABT 160-592034/6		592034		PS
07/07/22 14:10	45	ICABT 160-592034/7		592034		PS
07/07/22 15:07	45	ICABT 160-592034/8		592034		PS
07/18/22 23:43	20	ICVABT 160-592034/9		592034		PS
07/19/22 00:17	20	ICVABT 160-592034/10		592034		PS
07/19/22 00:38	20	ICVABT 160-592034/11		592034		PS
08/25/23 22:34	1000	ICB 160-625622/12		625622		EJS
08/29/23 00:36	2	CCVB 160-625944/16		625944		CMM
08/29/23 00:46	2	CCVA 160-625944/28		625944		CMM
08/29/23 00:58	200	CCB 160-625944/40		625944		CMM
08/29/23 12:35	100	810-73371-17	MW-31	625944	624324 904.0	CMM

Detector: Purple16

Analysis Date	Count Minutes	Lab Sample ID	Client Sample ID	Analysis	Prep	Analyst Initials
				Batch	Batch	
02/03/13 19:04	5	ICABT 160-592040/19		592040		PS
02/03/13 19:13	5	ICABT 160-592040/12		592040		PS
02/03/13 19:21	5	ICABT 160-592040/13		592040		PS
02/03/13 19:53	5	ICABT 160-592040/14		592040		PS
02/03/13 20:00	5	ICABT 160-592040/15		592040		PS
02/03/13 20:08	5	ICABT 160-592040/16		592040		PS
02/03/13 20:17	5	ICABT 160-592040/17		592040		PS
02/03/13 20:25	5	ICABT 160-592040/18		592040		PS
02/04/13 20:45	5	ICVABT 160-592040/22		592040		PS
02/04/13 21:41	5	ICVABT 160-592040/20		592040		PS

Gas Flow Proportional Counter Run Log

Detector: Purple16 (Continued)

Analysis Date	Count Minutes	Lab Sample ID	Client Sample ID	Analysis Batch	Prep Batch	Method	Analyst Initials
02/04/13 21:47	5	ICVABT 160-592040/21		592040			PS
07/07/22 15:57	45	ICABT 160-592040/1		592040			PS
07/07/22 16:49	45	ICABT 160-592040/2		592040			PS
07/07/22 17:54	45	ICABT 160-592040/3		592040			PS
07/07/22 18:42	45	ICABT 160-592040/4		592040			PS
07/07/22 19:32	45	ICABT 160-592040/5		592040			PS
07/07/22 20:20	45	ICABT 160-592040/6		592040			PS
07/07/22 21:49	45	ICABT 160-592040/7		592040			PS
07/07/22 22:37	45	ICABT 160-592040/8		592040			PS
07/19/22 10:09	20	ICVABT 160-592040/9		592040			PS
07/19/22 14:01	20	ICVABT 160-592040/10		592040			PS
07/19/22 14:31	20	ICVABT 160-592040/11		592040			PS
08/25/23 22:34	1000	ICB 160-625622/17		625622			EJS
08/29/23 00:27	2	CCVA 160-625944/5		625944			CMM
08/29/23 00:53	2	CCVB 160-625944/29		625944			CMM
08/29/23 00:58	200	CCB 160-625944/41		625944			CMM
08/29/23 12:35	100	810-73371-18	MW-32	625944	624324	904.0	CMM

Detector: Purple18

Analysis Date	Count Minutes	Lab Sample ID	Client Sample ID	Analysis Batch	Prep Batch	Method	Analyst Initials
02/03/13 19:04	5	ICABT 160-592042/17		592042			PS
02/03/13 19:13	5	ICABT 160-592042/18		592042			PS
02/03/13 19:21	5	ICABT 160-592042/19		592042			PS
02/03/13 19:53	5	ICABT 160-592042/12		592042			PS
02/03/13 20:01	5	ICABT 160-592042/13		592042			PS
02/03/13 20:08	5	ICABT 160-592042/14		592042			PS
02/03/13 20:17	5	ICABT 160-592042/15		592042			PS
02/03/13 20:25	5	ICABT 160-592042/16		592042			PS
02/04/13 20:45	5	ICVABT 160-592042/20		592042			PS
02/04/13 20:54	5	ICVABT 160-592042/21		592042			PS
02/04/13 21:00	5	ICVABT 160-592042/22		592042			PS
07/07/22 15:57	45	ICABT 160-592042/1		592042			PS
07/07/22 16:48	45	ICABT 160-592042/2		592042			PS
07/07/22 17:54	45	ICABT 160-592042/3		592042			PS
07/07/22 18:43	45	ICABT 160-592042/4		592042			PS
07/07/22 19:32	45	ICABT 160-592042/5		592042			PS
07/07/22 20:20	45	ICABT 160-592042/6		592042			PS
07/07/22 21:50	45	ICABT 160-592042/7		592042			PS
07/07/22 22:37	45	ICABT 160-592042/8		592042			PS
07/19/22 10:09	20	ICVABT 160-592042/9		592042			PS
07/19/22 10:32	20	ICVABT 160-592042/10		592042			PS
07/19/22 12:24	20	ICVABT 160-592042/11		592042			PS
08/25/23 22:34	1000	ICB 160-625622/19		625622			EJS
08/29/23 00:27	2	CCVA 160-625944/7		625944			CMM
08/29/23 00:53	2	CCVB 160-625944/31		625944			CMM
08/29/23 00:58	200	CCB 160-625944/43		625944			CMM
08/29/23 12:35	100	810-73371-19	MW-33	625944	624324	904.0	CMM

Gas Flow Proportional Counter Run Log

Detector: Purple22

Analysis Date	Minutes	Lab Sample ID	Client Sample ID	Count	Analysis Batch	Prep Batch	Method	Analyst Initials
02/16/17	10:40	15	ICRA6 160-293731/1		293731			JLW
02/16/17	11:30	15	ICRA6 160-293731/2		293731			JLW
02/16/17	11:52	15	ICRA6 160-293731/3		293731			JLW
02/16/17	12:12	15	ICRA6 160-293731/4		293731			JLW
02/16/17	13:00	15	ICRA6 160-293731/5		293731			JLW
02/16/17	21:20	15	ICRA6 160-293731/6		293731			JLW
02/16/17	21:37	15	ICRA6 160-293731/7		293731			JLW
02/16/17	23:40	5	ICVRA6 160-293731/8		293731			JLW
02/16/17	23:50	5	ICVRA6 160-293731/9		293731			JLW
02/17/17	00:09	5	ZZZZZ		293731			
02/20/17	15:26	5	ICVRA6 160-293731/11		293731			JLW
08/25/23	22:35	1000	ICB 160-625622/23		625622			EJS
09/07/23	00:32	2	CCVA 160-627058/11		627058			SCB
09/07/23	00:52	2	CCVB 160-627058/23		627058			SCB
09/07/23	01:12	200	CCB 160-627058/47		627058			SCB
09/07/23	07:42	100	810-73371-16	MW-30	627058	624323	903.0	SCB
09/07/23	10:02	100	ZZZZZ		627058			
09/07/23	18:26	200	ZZZZZ		627058			

Detector: Purple23

Analysis Date	Minutes	Lab Sample ID	Client Sample ID	Count	Analysis Batch	Prep Batch	Method	Analyst Initials
12/18/15	09:34	5	ICABT 160-592048/12		592048			PS
12/18/15	09:41	5	ICABT 160-592048/13		592048			PS
12/18/15	09:48	5	ICABT 160-592048/14		592048			PS
12/18/15	09:58	5	ICABT 160-592048/15		592048			PS
12/18/15	11:20	5	ICABT 160-592048/16		592048			PS
12/18/15	11:31	5	ICABT 160-592048/17		592048			PS
12/18/15	11:38	5	ICABT 160-592048/18		592048			PS
12/18/15	11:44	5	ICABT 160-592048/19		592048			PS
12/18/15	13:11	5	ICVABT 160-592048/20		592048			PS
12/18/15	13:19	5	ICVABT 160-592048/21		592048			PS
12/21/15	14:13	5	ICVABT 160-592048/22		592048			PS
07/07/22	15:57	45	ICABT 160-592048/1		592048			PS
07/07/22	16:49	45	ICABT 160-592048/2		592048			PS
07/07/22	17:54	45	ICABT 160-592048/3		592048			PS
07/07/22	18:43	45	ICABT 160-592048/4		592048			PS
07/07/22	19:32	45	ICABT 160-592048/5		592048			PS
07/07/22	20:20	45	ICABT 160-592048/6		592048			PS
07/07/22	21:49	45	ICABT 160-592048/7		592048			PS
07/07/22	22:37	45	ICABT 160-592048/8		592048			PS
07/19/22	13:36	20	ICVABT 160-592048/9		592048			PS
07/19/22	14:01	20	ICVABT 160-592048/10		592048			PS
07/19/22	14:31	20	ICVABT 160-592048/11		592048			PS
08/25/23	22:35	1000	ICB 160-625622/24		625622			EJS
08/29/23	00:27	2	CCVA 160-625944/12		625944			CMM
08/29/23	00:46	2	CCVB 160-625944/24		625944			CMM
08/29/23	00:58	200	CCB 160-625944/48		625944			CMM
08/29/23	12:36	100	810-73371-20	MW-34	625944	624324	904.0	CMM
08/29/23	18:19	200	ZZZZZ		625944			

Gas Flow Proportional Counter Run Log

Detector: Red0

Analysis Date	Minutes	Lab Sample ID	Client Sample ID	Count	Analysis Batch	Prep Batch	Method	Analyst Initials
06/16/19	23:47	5	ICABT 160-567091/12		567091			PS
06/17/19	00:34	5	ICABT 160-567091/13		567091			PS
06/17/19	13:38	5	ICABT 160-567091/14		567091			PS
06/17/19	14:34	5	ICABT 160-567091/15		567091			PS
06/17/19	16:37	5	ICABT 160-567091/16		567091			PS
06/18/19	10:02	5	ICABT 160-567091/17		567091			PS
06/18/19	10:52	5	ICABT 160-567091/18		567091			PS
06/18/19	11:49	5	ICABT 160-567091/19		567091			PS
07/08/19	10:15	5	ICVABT 160-567091/23		567091			PS
07/08/19	11:28	5	ICVABT 160-567091/24		567091			PS
07/08/19	11:35	5	ICVABT 160-567091/25		567091			PS
07/09/19	16:46	15	ICRA6 160-438586/1		438586			SCB
07/09/19	17:30	15	ICRA6 160-438586/2		438586			SCB
07/09/19	17:49	15	ICRA6 160-438586/3		438586			SCB
07/09/19	18:08	15	ICRA6 160-438586/4		438586			SCB
07/09/19	18:26	15	ICRA6 160-438586/5		438586			SCB
07/09/19	18:44	15	ICRA6 160-438586/6		438586			SCB
07/09/19	19:02	15	ICRA6 160-438586/7		438586			SCB
07/10/19	09:28	5	ICVRA6 160-438586/8		438586			SCB
07/10/19	10:07	5	ICVRA6 160-438586/9		438586			SCB
07/10/19	10:14	5	ICVRA6 160-438586/10		438586			SCB
11/21/19	06:53	45	ICVABT 160-567091/20		567091			PS
11/21/19	11:56	45	ICVABT 160-567091/21		567091			PS
11/21/19	12:44	45	ICVABT 160-567091/22		567091			PS
05/13/22	12:27	45	ICABT 160-567091/1		567091			PS
05/13/22	13:28	45	ICABT 160-567091/2		567091			PS
05/13/22	14:22	45	ICABT 160-567091/3		567091			PS
05/13/22	15:14	45	ICABT 160-567091/4		567091			PS
05/13/22	16:01	45	ICABT 160-567091/5		567091			PS
05/13/22	17:01	45	ICABT 160-567091/6		567091			PS
05/13/22	17:59	45	ICABT 160-567091/7		567091			PS
05/13/22	18:48	45	ICABT 160-567091/8		567091			PS
05/18/22	14:36	20	ICVABT 160-567091/9		567091			PS
05/19/22	21:02	20	ICVABT 160-567091/10		567091			PS
05/19/22	21:46	20	ICVABT 160-567091/11		567091			PS
08/26/23	00:17	1000	ICB 160-625611/1		625611			EJS
08/31/23	00:06	2	CCVA 160-626294/1		626294			FLC
08/31/23	00:10	2	CCVB 160-626294/9		626294			FLC
08/31/23	00:17	200	CCB 160-626294/17		626294			FLC
08/31/23	07:35	100	ZZZZZ		626294			
08/31/23	11:17	15	ZZZZZ		626294			
08/31/23	11:36	100	810-73371-4	MW-04	626294	624485	904.0	FLC
08/31/23	18:58	200	ZZZZZ		626294			
09/07/23	00:07	2	CCVA 160-627054/1		627054			SCB
09/07/23	00:11	2	CCVB 160-627054/9		627054			SCB
09/07/23	00:18	200	CCB 160-627054/17		627054			SCB
09/07/23	07:33	100	ZZZZZ		627054			
09/07/23	09:34	100	810-73371-17	MW-31	627054	624323	903.0	SCB
09/07/23	11:35	100	ZZZZZ		627054			
09/07/23	18:14	200	ZZZZZ		627054			
09/08/23	00:06	2	CCVA 160-627236/1		627236			SCB
09/08/23	00:10	2	CCVB 160-627236/9		627236			SCB
09/08/23	00:17	200	CCB 160-627236/17		627236			SCB

Gas Flow Proportional Counter Run Log

Detector: Red0 (Continued)

Analysis Date	Minutes	Count		Client Sample ID	Analysis Batch	Prep Batch	Method	Analyst Initials
		Lab Sample ID						
09/08/23	07:11	100	MB 160-624483/1-A		627236	624483	903.0	SCB
09/08/23	09:31	100	ZZZZZ		627236			
09/08/23	12:03	100	ZZZZZ		627236			
09/08/23	17:00	200	ZZZZZ		627236			

Detector: Red1

Analysis Date	Minutes	Count		Client Sample ID	Analysis Batch	Prep Batch	Method	Analyst Initials
		Lab Sample ID						
06/16/19	23:47	5	ICABT 160-567092/12		567092			PS
06/17/19	00:33	5	ICABT 160-567092/13		567092			PS
06/17/19	13:38	5	ICABT 160-567092/14		567092			PS
06/17/19	14:34	5	ICABT 160-567092/15		567092			PS
06/17/19	16:37	5	ICABT 160-567092/16		567092			PS
06/18/19	10:02	5	ICABT 160-567092/17		567092			PS
06/18/19	10:52	5	ICABT 160-567092/18		567092			PS
06/18/19	11:49	5	ICABT 160-567092/19		567092			PS
07/08/19	10:15	5	ICVABT 160-567092/23		567092			PS
07/08/19	10:32	5	ICVABT 160-567092/24		567092			PS
07/08/19	11:35	5	ICVABT 160-567092/25		567092			PS
07/09/19	16:28	15	ICRA6 160-438587/1		438587			SCB
07/09/19	17:30	15	ICRA6 160-438587/2		438587			SCB
07/09/19	17:49	15	ICRA6 160-438587/3		438587			SCB
07/09/19	18:08	15	ICRA6 160-438587/4		438587			SCB
07/09/19	18:26	15	ICRA6 160-438587/5		438587			SCB
07/09/19	18:44	15	ICRA6 160-438587/6		438587			SCB
07/09/19	19:02	15	ICRA6 160-438587/7		438587			SCB
07/10/19	09:29	5	ICVRA6 160-438587/8		438587			SCB
07/10/19	09:35	5	ICVRA6 160-438587/9		438587			SCB
07/10/19	10:14	5	ICVRA6 160-438587/10		438587			SCB
11/21/19	06:53	45	ICVABT 160-567092/20		567092			PS
11/21/19	07:47	45	ICVABT 160-567092/21		567092			PS
11/21/19	12:45	45	ICVABT 160-567092/22		567092			PS
05/13/22	12:27	45	ICABT 160-567092/1		567092			PS
05/13/22	13:28	45	ICABT 160-567092/2		567092			PS
05/13/22	14:22	45	ICABT 160-567092/3		567092			PS
05/13/22	15:14	45	ICABT 160-567092/4		567092			PS
05/13/22	16:01	45	ICABT 160-567092/5		567092			PS
05/13/22	17:01	45	ICABT 160-567092/6		567092			PS
05/13/22	17:59	45	ICABT 160-567092/7		567092			PS
05/13/22	18:48	45	ICABT 160-567092/8		567092			PS
05/18/22	14:36	20	ICVABT 160-567092/9		567092			PS
05/19/22	21:02	20	ICVABT 160-567092/10		567092			PS
05/19/22	21:24	20	ICVABT 160-567092/11		567092			PS
08/26/23	00:17	1000	ICB 160-625611/2		625611			EJS
08/31/23	00:06	2	CCVA 160-626294/2		626294			FLC
08/31/23	00:10	2	CCVB 160-626294/10		626294			FLC
08/31/23	00:17	200	CCB 160-626294/20		626294			FLC
08/31/23	11:36	100	810-73371-5	MW-06	626294	624485	904.0	FLC
09/07/23	00:07	2	CCVA 160-627054/2		627054			SCB
09/07/23	00:11	2	CCVB 160-627054/10		627054			SCB
09/07/23	00:18	200	CCB 160-627054/18		627054			SCB
09/07/23	07:33	100	ZZZZZ		627054			
09/07/23	09:34	100	810-73371-18	MW-32	627054	624323	903.0	SCB

Gas Flow Proportional Counter Run Log

Detector: Red1 (Continued)

Analysis Date	Minutes	Count		Client Sample ID	Analysis Batch	Prep Batch	Method	Analyst Initials
		Lab Sample ID	Client Sample ID					
09/07/23	11:35	100	ZZZZZ		627054			
09/07/23	18:14	200	ZZZZZ		627054			
09/08/23	00:06	2	CCVA 160-627236/2		627236			SCB
09/08/23	00:10	2	CCVB 160-627236/10		627236			SCB
09/08/23	00:17	200	CCB 160-627236/18		627236			SCB
09/08/23	07:11	100	LCS 160-624483/2-A		627236	624483	903.0	SCB
09/08/23	09:31	100	ZZZZZ		627236			
09/08/23	12:03	100	ZZZZZ		627236			
09/08/23	17:10	400	ZZZZZ		627236			

Detector: Red2

Analysis Date	Minutes	Count		Client Sample ID	Analysis Batch	Prep Batch	Method	Analyst Initials
		Lab Sample ID	Client Sample ID					
06/16/19	23:47	5	ICABT 160-567093/12		567093			PS
06/17/19	00:33	5	ICABT 160-567093/13		567093			PS
06/17/19	13:39	5	ICABT 160-567093/14		567093			PS
06/17/19	14:34	5	ICABT 160-567093/15		567093			PS
06/17/19	16:37	5	ICABT 160-567093/16		567093			PS
06/18/19	10:03	5	ICABT 160-567093/17		567093			PS
06/18/19	10:52	5	ICABT 160-567093/18		567093			PS
06/18/19	11:50	5	ICABT 160-567093/19		567093			PS
07/08/19	10:15	5	ICVABT 160-567093/23		567093			PS
07/08/19	10:32	5	ICVABT 160-567093/24		567093			PS
07/08/19	10:39	5	ICVABT 160-567093/25		567093			PS
11/21/19	06:53	45	ICVABT 160-567093/20		567093			PS
11/21/19	07:47	45	ICVABT 160-567093/21		567093			PS
11/21/19	08:37	45	ICVABT 160-567093/22		567093			PS
05/13/22	12:27	45	ICABT 160-567093/1		567093			PS
05/13/22	13:28	45	ICABT 160-567093/2		567093			PS
05/13/22	14:21	45	ICABT 160-567093/3		567093			PS
05/13/22	15:14	45	ICABT 160-567093/4		567093			PS
05/13/22	16:02	45	ICABT 160-567093/5		567093			PS
05/13/22	17:01	45	ICABT 160-567093/6		567093			PS
05/13/22	17:59	45	ICABT 160-567093/7		567093			PS
05/13/22	18:48	45	ICABT 160-567093/8		567093			PS
05/19/22	21:02	20	ICVABT 160-567093/9		567093			PS
05/19/22	21:24	20	ICVABT 160-567093/10		567093			PS
05/19/22	21:46	20	ICVABT 160-567093/11		567093			PS
08/26/23	00:17	1000	ICB 160-625611/3		625611			EJS
08/31/23	00:06	2	CCVA 160-626294/3		626294			FLC
08/31/23	00:10	2	CCVB 160-626294/11		626294			FLC
08/31/23	00:17	200	CCB 160-626294/18		626294			FLC
08/31/23	11:36	100	810-73371-6	MW-07	626294	624485	904.0	FLC

Detector: Red4

Analysis Date	Minutes	Count		Client Sample ID	Analysis Batch	Prep Batch	Method	Analyst Initials
		Lab Sample ID	Client Sample ID					
06/16/19	23:47	5	ICABT 160-567098/12		567098			PS
06/17/19	00:33	5	ICABT 160-567098/13		567098			PS
06/17/19	13:39	5	ICABT 160-567098/14		567098			PS
06/17/19	14:34	5	ICABT 160-567098/15		567098			PS
06/17/19	16:38	5	ICABT 160-567098/16		567098			PS

Gas Flow Proportional Counter Run Log

Detector: Red4 (Continued)

Analysis Date	Minutes	Count		Client Sample ID	Analysis Batch	Prep Batch	Method	Analyst Initials
		Lab Sample ID	Client Sample ID					
06/18/19	10:03	5	ICABT 160-567098/17		567098			PS
06/18/19	10:52	5	ICABT 160-567098/18		567098			PS
06/18/19	11:50	5	ICABT 160-567098/19		567098			PS
07/08/19	10:40	5	ICVABT 160-567098/23		567098			PS
07/08/19	10:47	5	ICVABT 160-567098/24		567098			PS
07/08/19	10:55	5	ICVABT 160-567098/25		567098			PS
07/09/19	16:28	15	ICRA6 160-438590/1		438590			SCB
07/09/19	16:47	15	ICRA6 160-438590/2		438590			SCB
07/09/19	17:31	15	ICRA6 160-438590/3		438590			SCB
07/09/19	17:50	15	ICRA6 160-438590/4		438590			SCB
07/09/19	18:27	15	ICRA6 160-438590/5		438590			SCB
07/09/19	18:45	15	ICRA6 160-438590/6		438590			SCB
07/09/19	19:02	15	ICRA6 160-438590/7		438590			SCB
07/10/19	09:42	5	ICVRA6 160-438590/8		438590			SCB
07/10/19	09:48	5	ICVRA6 160-438590/9		438590			SCB
07/10/19	09:54	5	ICVRA6 160-438590/10		438590			SCB
11/21/19	08:38	45	ICVABT 160-567098/20		567098			PS
11/21/19	09:25	45	ICVABT 160-567098/21		567098			PS
11/21/19	10:12	45	ICVABT 160-567098/22		567098			PS
05/18/22	18:30	45	ICABT 160-567098/1		567098			PS
05/18/22	20:02	45	ICABT 160-567098/2		567098			PS
05/18/22	21:31	45	ICABT 160-567098/3		567098			PS
05/18/22	22:38	45	ICABT 160-567098/4		567098			PS
05/18/22	23:27	45	ICABT 160-567098/5		567098			PS
05/19/22	00:17	45	ICABT 160-567098/6		567098			PS
05/19/22	01:08	45	ICABT 160-567098/7		567098			PS
05/19/22	01:55	45	ICABT 160-567098/8		567098			PS
05/19/22	22:46	20	ICVABT 160-567098/9		567098			PS
05/19/22	23:39	20	ICVABT 160-567098/10		567098			PS
05/20/22	00:00	20	ICVABT 160-567098/11		567098			PS
08/26/23	00:18	1000	ICB 160-625611/7		625611			EJS
08/31/23	00:06	2	CCVA 160-626294/5		626294			FLC
08/31/23	00:10	2	CCVB 160-626294/13		626294			FLC
08/31/23	00:17	200	CCB 160-626294/21		626294			FLC
08/31/23	11:37	100	810-73371-7	MW-08	626294	624485	904.0	FLC
09/07/23	00:07	2	CCVA 160-627054/5		627054			SCB
09/07/23	00:12	2	CCVB 160-627054/13		627054			SCB
09/07/23	00:18	200	CCB 160-627054/21		627054			SCB
09/07/23	07:33	100	ZZZZZ		627054			
09/07/23	09:34	100	810-73371-19	MW-33	627054	624323	903.0	SCB
09/07/23	11:36	100	ZZZZZ		627054			
09/07/23	18:14	200	ZZZZZ		627054			

Detector: Red5

Analysis Date	Minutes	Count		Client Sample ID	Analysis Batch	Prep Batch	Method	Analyst Initials
		Lab Sample ID	Client Sample ID					
06/16/19	23:47	5	ICABT 160-567099/12		567099			PS
06/17/19	00:33	5	ICABT 160-567099/13		567099			PS
06/17/19	13:39	5	ICABT 160-567099/14		567099			PS
06/17/19	14:34	5	ICABT 160-567099/15		567099			PS
06/17/19	16:38	5	ICABT 160-567099/16		567099			PS
06/18/19	10:03	5	ICABT 160-567099/17		567099			PS
06/18/19	10:52	5	ICABT 160-567099/18		567099			PS

Gas Flow Proportional Counter Run Log

Detector: Red5 (Continued)

Analysis Date	Minutes	Count		Client Sample ID	Analysis Batch	Prep Batch	Method	Analyst Initials
		Lab Sample ID						
06/18/19	11:50	5	ICABT 160-567099/19		567099			PS
07/08/19	10:47	5	ICVABT 160-567099/23		567099			PS
07/08/19	10:55	5	ICVABT 160-567099/24		567099			PS
07/08/19	11:01	5	ICVABT 160-567099/25		567099			PS
11/21/19	09:25	45	ICVABT 160-567099/20		567099			PS
11/21/19	10:13	45	ICVABT 160-567099/21		567099			PS
11/21/19	11:04	45	ICVABT 160-567099/22		567099			PS
05/18/22	18:30	45	ICABT 160-567099/1		567099			PS
05/18/22	20:02	45	ICABT 160-567099/2		567099			PS
05/18/22	21:31	45	ICABT 160-567099/3		567099			PS
05/18/22	22:38	45	ICABT 160-567099/4		567099			PS
05/18/22	23:27	45	ICABT 160-567099/5		567099			PS
05/19/22	00:16	45	ICABT 160-567099/6		567099			PS
05/19/22	01:08	45	ICABT 160-567099/7		567099			PS
05/19/22	01:55	45	ICABT 160-567099/8		567099			PS
05/19/22	22:46	20	ICVABT 160-567099/9		567099			PS
05/19/22	23:09	20	ICVABT 160-567099/10		567099			PS
05/20/22	00:01	20	ICVABT 160-567099/11		567099			PS
08/26/23	00:18	1000	ICB 160-625611/8		625611			EJS
08/31/23	00:06	2	CCVA 160-626294/6		626294			FLC
08/31/23	00:10	2	CCVB 160-626294/14		626294			FLC
08/31/23	00:17	200	CCB 160-626294/22		626294			FLC
08/31/23	07:35	100	ZZZZ		626294			
08/31/23	11:37	100	810-73371-8	MW-09	626294	624485	904.0	FLC
08/31/23	19:05	100	ZZZZ		626294			

Detector: Red6

Analysis Date	Minutes	Count		Client Sample ID	Analysis Batch	Prep Batch	Method	Analyst Initials
		Lab Sample ID						
06/16/19	23:47	5	ICABT 160-567101/12		567101			PS
06/17/19	00:33	5	ICABT 160-567101/13		567101			PS
06/17/19	13:39	5	ICABT 160-567101/14		567101			PS
06/17/19	14:35	5	ICABT 160-567101/15		567101			PS
06/17/19	16:38	5	ICABT 160-567101/16		567101			PS
06/18/19	10:03	5	ICABT 160-567101/17		567101			PS
06/18/19	10:52	5	ICABT 160-567101/18		567101			PS
06/18/19	11:50	5	ICABT 160-567101/19		567101			PS
07/08/19	10:55	5	ICVABT 160-567101/23		567101			PS
07/08/19	11:01	5	ICVABT 160-567101/24		567101			PS
07/08/19	11:28	5	ICVABT 160-567101/25		567101			PS
11/21/19	10:13	45	ICVABT 160-567101/20		567101			PS
11/21/19	11:04	45	ICVABT 160-567101/21		567101			PS
11/21/19	11:55	45	ICVABT 160-567101/22		567101			PS
05/18/22	18:30	45	ICABT 160-567101/1		567101			PS
05/18/22	20:02	45	ICABT 160-567101/2		567101			PS
05/18/22	21:31	45	ICABT 160-567101/3		567101			PS
05/18/22	22:39	45	ICABT 160-567101/4		567101			PS
05/18/22	23:27	45	ICABT 160-567101/5		567101			PS
05/19/22	00:17	45	ICABT 160-567101/6		567101			PS
05/19/22	01:08	45	ICABT 160-567101/7		567101			PS
05/19/22	01:55	45	ICABT 160-567101/8		567101			PS
05/19/22	22:47	20	ICVABT 160-567101/9		567101			PS
05/19/22	23:09	20	ICVABT 160-567101/10		567101			PS

Gas Flow Proportional Counter Run Log

Detector: Red6 (Continued)

Analysis Date	Minutes	Count		Client Sample ID	Analysis Batch	Prep Batch	Method	Analyst Initials
		Lab Sample ID						
05/19/22 23:39	20	ICVABT 160-567101/11			567101			PS
08/26/23 00:17	1000	ICB 160-625611/6			625611			EJS
08/31/23 00:06	2	CCVA 160-626294/7			626294			FLC
08/31/23 00:10	2	CCVB 160-626294/15			626294			FLC
08/31/23 00:17	200	CCB 160-626294/23			626294			FLC
08/31/23 11:37	100	810-73371-9	MW-10		626294	624485	904.0	FLC

Detector: Red7

Analysis Date	Minutes	Count		Client Sample ID	Analysis Batch	Prep Batch	Method	Analyst Initials
		Lab Sample ID						
06/16/19 23:47	5	ICABT 160-567102/12			567102			PS
06/17/19 00:33	5	ICABT 160-567102/13			567102			PS
06/17/19 13:39	5	ICABT 160-567102/14			567102			PS
06/17/19 14:35	5	ICABT 160-567102/15			567102			PS
06/17/19 16:38	5	ICABT 160-567102/16			567102			PS
06/18/19 10:03	5	ICABT 160-567102/17			567102			PS
06/18/19 10:52	5	ICABT 160-567102/18			567102			PS
06/18/19 11:50	5	ICABT 160-567102/19			567102			PS
07/08/19 11:02	5	ICVABT 160-567102/23			567102			PS
07/08/19 11:28	5	ICVABT 160-567102/24			567102			PS
07/08/19 11:34	5	ICVABT 160-567102/25			567102			PS
11/21/19 11:04	45	ICVABT 160-567102/20			567102			PS
11/21/19 11:55	45	ICVABT 160-567102/21			567102			PS
11/21/19 12:44	45	ICVABT 160-567102/22			567102			PS
05/18/22 18:31	45	ICABT 160-567102/1			567102			PS
05/18/22 20:02	45	ICABT 160-567102/2			567102			PS
05/18/22 21:32	45	ICABT 160-567102/3			567102			PS
05/18/22 22:39	45	ICABT 160-567102/4			567102			PS
05/18/22 23:28	45	ICABT 160-567102/5			567102			PS
05/19/22 00:17	45	ICABT 160-567102/6			567102			PS
05/19/22 01:08	45	ICABT 160-567102/7			567102			PS
05/19/22 01:55	45	ICABT 160-567102/8			567102			PS
05/19/22 23:10	20	ICVABT 160-567102/9			567102			PS
05/19/22 23:39	20	ICVABT 160-567102/10			567102			PS
05/20/22 00:00	20	ICVABT 160-567102/11			567102			PS
08/26/23 00:17	1000	ICB 160-625611/5			625611			EJS
08/31/23 00:06	2	CCVA 160-626294/8			626294			FLC
08/31/23 00:11	2	CCVB 160-626294/16			626294			FLC
08/31/23 00:17	200	CCB 160-626294/24			626294			FLC
08/31/23 11:37	100	810-73371-10	MW-11		626294	624485	904.0	FLC

Detector: Red8

Analysis Date	Minutes	Count		Client Sample ID	Analysis Batch	Prep Batch	Method	Analyst Initials
		Lab Sample ID						
07/10/19 09:27	15	ICRA6 160-438595/1			438595			SCB
07/10/19 09:47	15	ICRA6 160-438595/2			438595			SCB
07/10/19 10:05	15	ICRA6 160-438595/3			438595			SCB
07/10/19 10:23	15	ICRA6 160-438595/4			438595			SCB
07/10/19 10:57	15	ICRA6 160-438595/5			438595			SCB
07/10/19 11:14	15	ICRA6 160-438595/6			438595			SCB
07/10/19 11:32	15	ICRA6 160-438595/7			438595			SCB
07/10/19 12:06	5	ICVRA6 160-438595/8			438595			SCB

Gas Flow Proportional Counter Run Log

Detector: Red8 (Continued)

Analysis Date	Minutes	Lab Sample ID	Client Sample ID	Count	Analysis Batch	Prep Batch	Method	Analyst Initials
07/10/19	12:50	5	ICVRA6 160-438595/9		438595			SCB
07/10/19	12:57	5	ICVRA6 160-438595/10		438595			SCB
08/26/23	00:18	1000	ICB 160-625610/9		625610			EJS
09/07/23	00:07	2	CCVB 160-627054/39		627054			SCB
09/07/23	00:13	2	CCVA 160-627054/47		627054			SCB
09/07/23	00:20	200	CCB 160-627054/55		627054			SCB
09/07/23	07:35	100	ZZZZZ		627054			
09/07/23	09:34	100	810-73371-20	MW-34	627054	624323	903.0	SCB
09/07/23	12:03	100	ZZZZZ		627054			
09/07/23	18:16	200	ZZZZZ		627054			
09/08/23	00:05	2	CCVB 160-627236/41		627236			SCB
09/08/23	00:12	2	CCVA 160-627236/49		627236			SCB
09/08/23	00:18	200	CCB 160-627236/57		627236			SCB
09/08/23	07:13	100	ZZZZZ		627236			

Detector: Red9

Analysis Date	Minutes	Lab Sample ID	Client Sample ID	Count	Analysis Batch	Prep Batch	Method	Analyst Initials
06/12/19	12:55	5	ICABT 160-567080/12		567080			PS
06/13/19	00:05	5	ICABT 160-567080/13		567080			PS
06/13/19	00:12	5	ICABT 160-567080/14		567080			PS
06/13/19	01:11	5	ICABT 160-567080/15		567080			PS
06/13/19	02:18	5	ICABT 160-567080/16		567080			PS
06/13/19	08:37	5	ICABT 160-567080/17		567080			PS
06/13/19	10:25	5	ICABT 160-567080/18		567080			PS
06/13/19	12:11	5	ICABT 160-567080/19		567080			PS
07/08/19	11:43	5	ICVABT 160-567080/23		567080			PS
07/08/19	12:06	5	ICVABT 160-567080/24		567080			PS
07/08/19	12:50	5	ICVABT 160-567080/25		567080			PS
07/09/19	19:38	15	ICRA6 160-438596/1		438596			SCB
07/10/19	09:47	15	ICRA6 160-438596/2		438596			SCB
07/10/19	10:05	15	ICRA6 160-438596/3		438596			SCB
07/10/19	10:23	15	ICRA6 160-438596/4		438596			SCB
07/10/19	10:57	15	ICRA6 160-438596/5		438596			SCB
07/10/19	11:14	15	ICRA6 160-438596/6		438596			SCB
07/10/19	11:32	15	ICRA6 160-438596/7		438596			SCB
07/10/19	12:06	5	ICVRA6 160-438596/8		438596			SCB
07/10/19	12:17	5	ICVRA6 160-438596/9		438596			SCB
07/10/19	12:57	5	ICVRA6 160-438596/10		438596			SCB
11/21/19	13:41	45	ICVABT 160-567080/20		567080			PS
11/21/19	14:33	45	ICVABT 160-567080/21		567080			PS
11/21/19	19:49	45	ICVABT 160-567080/22		567080			PS
05/13/22	20:48	45	ICABT 160-567080/1		567080			PS
05/13/22	21:56	45	ICABT 160-567080/2		567080			PS
05/13/22	22:44	45	ICABT 160-567080/3		567080			PS
05/13/22	23:37	45	ICABT 160-567080/4		567080			PS
05/14/22	00:28	45	ICABT 160-567080/5		567080			PS
05/14/22	01:15	45	ICABT 160-567080/6		567080			PS
05/14/22	06:23	45	ICABT 160-567080/7		567080			PS
05/14/22	07:14	45	ICABT 160-567080/8		567080			PS
05/18/22	15:02	20	ICVABT 160-567080/9		567080			PS
05/18/22	15:26	20	ICVABT 160-567080/10		567080			PS
05/18/22	17:53	20	ICVABT 160-567080/11		567080			PS

Gas Flow Proportional Counter Run Log

Detector: Red9 (Continued)

Analysis Date	Minutes	Count		Client Sample ID	Analysis Batch	Prep Batch	Method	Analyst Initials
		Lab Sample ID						
08/26/23 00:18	1000	ICB 160-625610/10			625610			EJS
08/31/23 00:07	2	CCVB 160-626294/36			626294			FLC
08/31/23 00:12	2	CCVA 160-626294/44			626294			FLC
08/31/23 00:17	200	CCB 160-626294/52			626294			FLC
08/31/23 11:32	100	810-73371-11	MW-12		626294	624485	904.0	FLC
09/07/23 00:07	2	CCVB 160-627054/40			627054			SCB
09/07/23 00:13	2	CCVA 160-627054/48			627054			SCB
09/07/23 00:20	200	CCB 160-627054/56			627054			SCB
09/07/23 07:35	100	MB 160-624323/1-A			627054	624323	903.0	SCB
09/07/23 09:35	100	MB 160-624325/1-A			627054	624325	903.0	SCB
09/07/23 11:37	100	ZZZZZ			627054			
09/07/23 18:16	200	ZZZZZ			627054			

Detector: Red10

Analysis Date	Minutes	Count		Client Sample ID	Analysis Batch	Prep Batch	Method	Analyst Initials
		Lab Sample ID						
06/12/19 12:55	5	ICABT 160-567081/12			567081			PS
06/13/19 00:06	5	ICABT 160-567081/13			567081			PS
06/13/19 00:12	5	ICABT 160-567081/14			567081			PS
06/13/19 01:11	5	ICABT 160-567081/15			567081			PS
06/13/19 02:18	5	ICABT 160-567081/16			567081			PS
06/13/19 08:37	5	ICABT 160-567081/17			567081			PS
06/13/19 10:25	5	ICABT 160-567081/18			567081			PS
06/13/19 12:11	5	ICABT 160-567081/19			567081			PS
07/08/19 11:43	5	ICVABT 160-567081/22			567081			PS
07/08/19 12:06	5	ICVABT 160-567081/23			567081			PS
07/08/19 12:17	5	ICVABT 160-567081/24			567081			PS
07/09/19 19:38	15	ICRA6 160-438597/1			438597			SCB
07/10/19 09:26	15	ICRA6 160-438597/2			438597			SCB
07/10/19 10:05	15	ICRA6 160-438597/3			438597			SCB
07/10/19 10:23	15	ICRA6 160-438597/4			438597			SCB
07/10/19 10:57	15	ICRA6 160-438597/5			438597			SCB
07/10/19 11:14	15	ICRA6 160-438597/6			438597			SCB
07/10/19 11:32	15	ICRA6 160-438597/7			438597			SCB
07/10/19 12:06	5	ICVRA6 160-438597/8			438597			SCB
07/10/19 12:17	5	ICVRA6 160-438597/9			438597			SCB
07/10/19 12:23	5	ICVRA6 160-438597/10			438597			SCB
11/21/19 14:33	45	ICVABT 160-567081/20			567081			PS
11/21/19 15:33	45	ICVABT 160-567081/21			567081			PS
05/13/22 20:48	45	ICABT 160-567081/1			567081			PS
05/13/22 21:56	45	ICABT 160-567081/2			567081			PS
05/13/22 22:45	45	ICABT 160-567081/3			567081			PS
05/13/22 23:37	45	ICABT 160-567081/4			567081			PS
05/14/22 00:28	45	ICABT 160-567081/5			567081			PS
05/14/22 01:16	45	ICABT 160-567081/6			567081			PS
05/14/22 06:23	45	ICABT 160-567081/7			567081			PS
05/14/22 07:14	45	ICABT 160-567081/8			567081			PS
05/18/22 15:02	20	ICVABT 160-567081/9			567081			PS
05/18/22 15:26	20	ICVABT 160-567081/10			567081			PS
05/18/22 15:49	20	ICVABT 160-567081/11			567081			PS
08/26/23 00:18	1000	ICB 160-625610/11			625610			EJS
08/29/23 00:05	2	CCVB 160-625887/40			625887			FLC
08/29/23 00:11	2	CCVA 160-625887/48			625887			FLC

Gas Flow Proportional Counter Run Log

Detector: Red10 (Continued)

Analysis Date	Count Minutes	Lab Sample ID	Client Sample ID	Analysis		Prep Batch	Method	Analyst Initials
				Batch	Batch			
08/29/23 00:17	200	CCB 160-625887/56		625887				FLC
08/29/23 12:15	100	ZZZZZ		625887				
08/29/23 15:45	200	ZZZZZ		625887				
08/29/23 20:04	100	LCS 160-624324/2-A		625887	624324	904.0		FLC
08/31/23 00:07	2	CCVB 160-626294/37		626294				FLC
08/31/23 00:12	2	CCVA 160-626294/45		626294				FLC
08/31/23 00:17	200	CCB 160-626294/52		626294				FLC
08/31/23 11:32	100	810-73371-12	MW-18	626294	624485	904.0		FLC
09/07/23 00:07	2	CCVB 160-627054/41		627054				SCB
09/07/23 00:13	2	CCVA 160-627054/49		627054				SCB
09/07/23 00:20	200	CCB 160-627054/56		627054				SCB
09/07/23 07:35	100	LCS 160-624323/2-A		627054	624323	903.0		SCB
09/07/23 09:35	100	LCS 160-624325/2-A		627054	624325	903.0		SCB
09/07/23 11:38	100	ZZZZZ		627054				
09/07/23 18:16	200	ZZZZZ		627054				

Detector: Red11

Analysis Date	Count Minutes	Lab Sample ID	Client Sample ID	Analysis		Prep Batch	Method	Analyst Initials
				Batch	Batch			
06/12/19 12:55	5	ICABT 160-567082/12		567082				PS
06/13/19 00:06	5	ICABT 160-567082/13		567082				PS
06/13/19 00:12	5	ICABT 160-567082/14		567082				PS
06/13/19 01:11	5	ICABT 160-567082/15		567082				PS
06/13/19 02:18	5	ICABT 160-567082/16		567082				PS
06/13/19 08:37	5	ICABT 160-567082/17		567082				PS
06/13/19 10:26	5	ICABT 160-567082/18		567082				PS
06/13/19 12:11	5	ICABT 160-567082/19		567082				PS
07/08/19 12:06	5	ICVABT 160-567082/23		567082				PS
07/08/19 12:17	5	ICVABT 160-567082/24		567082				PS
07/08/19 12:24	5	ICVABT 160-567082/25		567082				PS
11/21/19 14:33	45	ICVABT 160-567082/20		567082				PS
11/21/19 15:33	45	ICVABT 160-567082/21		567082				PS
11/21/19 16:24	45	ICVABT 160-567082/22		567082				PS
05/13/22 20:49	45	ICABT 160-567082/1		567082				PS
05/13/22 21:57	45	ICABT 160-567082/2		567082				PS
05/13/22 22:45	45	ICABT 160-567082/3		567082				PS
05/13/22 23:37	45	ICABT 160-567082/4		567082				PS
05/14/22 00:28	45	ICABT 160-567082/5		567082				PS
05/14/22 01:16	45	ICABT 160-567082/6		567082				PS
05/14/22 06:23	45	ICABT 160-567082/7		567082				PS
05/14/22 07:14	45	ICABT 160-567082/8		567082				PS
05/18/22 15:26	20	ICVABT 160-567082/9		567082				PS
05/18/22 15:49	20	ICVABT 160-567082/10		567082				PS
05/18/22 16:22	20	ICVABT 160-567082/11		567082				PS
08/26/23 00:18	1000	ICB 160-625610/12		625610				EJS
08/29/23 00:05	2	CCVB 160-625887/41		625887				FLC
08/29/23 00:11	2	CCVA 160-625887/49		625887				FLC
08/29/23 00:17	200	CCB 160-625887/57		625887				FLC
08/29/23 12:15	100	ZZZZZ		625887				
08/29/23 15:45	200	ZZZZZ		625887				
08/29/23 20:04	100	LCSD 160-624324/3-A		625887	624324	904.0		FLC
08/31/23 00:07	2	CCVB 160-626294/38		626294				FLC
08/31/23 00:12	2	CCVA 160-626294/46		626294				FLC

Gas Flow Proportional Counter Run Log

Detector: Red11 (Continued)

Analysis Date	Count			Client Sample ID	Analysis Batch	Prep Batch	Method	Analyst Initials
	Minutes	Lab Sample ID						
08/31/23 00:17	200	CCB 160-626294/53			626294			FLC
08/31/23 07:36	100	ZZZZZ			626294			
08/31/23 11:32	100	810-73371-13	MW-19		626294	624485	904.0	FLC
08/31/23 19:01	200	ZZZZZ			626294			

Detector: Red12

Analysis Date	Count			Client Sample ID	Analysis Batch	Prep Batch	Method	Analyst Initials
	Minutes	Lab Sample ID						
06/12/19 12:55	5	ICABT 160-567083/12			567083			SCB
06/13/19 00:06	5	ICABT 160-567083/13			567083			SCB
06/13/19 00:13	5	ICABT 160-567083/14			567083			SCB
06/13/19 01:11	5	ICABT 160-567083/15			567083			SCB
06/13/19 02:17	5	ICABT 160-567083/16			567083			SCB
06/13/19 08:37	5	ICABT 160-567083/17			567083			SCB
06/13/19 10:26	5	ICABT 160-567083/18			567083			SCB
06/13/19 12:11	5	ICABT 160-567083/19			567083			SCB
07/08/19 12:17	5	ICVABT 160-567083/23			567083			SCB
07/08/19 12:24	5	ICVABT 160-567083/24			567083			SCB
07/08/19 12:30	5	ICVABT 160-567083/25			567083			SCB
07/09/19 19:38	15	ICRA6 160-438599/1			438599			SCB
07/10/19 09:26	15	ICRA6 160-438599/2			438599			SCB
07/10/19 09:46	15	ICRA6 160-438599/3			438599			SCB
07/10/19 10:04	15	ICRA6 160-438599/4			438599			SCB
07/10/19 10:57	15	ICRA6 160-438599/5			438599			SCB
07/10/19 11:15	15	ICRA6 160-438599/6			438599			SCB
07/10/19 11:32	15	ICRA6 160-438599/7			438599			SCB
07/10/19 12:23	5	ICVRA6 160-438599/8			438599			SCB
07/10/19 12:29	5	ICVRA6 160-438599/9			438599			SCB
07/10/19 12:35	5	ICVRA6 160-438599/10			438599			SCB
11/21/19 15:33	45	ICVABT 160-567083/20			567083			SCB
11/21/19 16:24	45	ICVABT 160-567083/21			567083			SCB
11/21/19 17:13	45	ICVABT 160-567083/22			567083			SCB
05/13/22 20:49	45	ICABT 160-567083/1			567083			SCB
05/13/22 21:57	45	ICABT 160-567083/2			567083			SCB
05/13/22 22:45	45	ICABT 160-567083/3			567083			SCB
05/13/22 23:37	45	ICABT 160-567083/4			567083			SCB
05/14/22 00:28	45	ICABT 160-567083/5			567083			SCB
05/14/22 01:16	45	ICABT 160-567083/6			567083			SCB
05/14/22 06:23	45	ICABT 160-567083/7			567083			SCB
05/14/22 07:14	45	ICABT 160-567083/8			567083			SCB
05/18/22 15:50	20	ICVABT 160-567083/9			567083			SCB
05/18/22 16:22	20	ICVABT 160-567083/10			567083			SCB
05/18/22 16:44	20	ICVABT 160-567083/11			567083			SCB
08/26/23 00:18	1000	ICB 160-625610/13			625610			EJS
08/31/23 00:07	2	CCVB 160-626294/39			626294			FLC
08/31/23 00:12	2	CCVA 160-626294/47			626294			FLC
08/31/23 00:17	200	CCB 160-626294/54			626294			FLC
08/31/23 11:32	100	810-73371-14	MW-20		626294	624485	904.0	FLC
09/07/23 00:07	2	CCVB 160-627054/43			627054			SCB
09/07/23 00:13	2	CCVA 160-627054/51			627054			SCB
09/07/23 00:20	200	CCB 160-627054/57			627054			SCB
09/07/23 07:35	100	LCSD 160-624323/3-A			627054	624323	903.0	SCB
09/07/23 09:36	100	810-73371-21	MWT-04		627054	624325	903.0	SCB

Gas Flow Proportional Counter Run Log

Detector: Red12 (Continued)

Analysis Date	Minutes	Count		Client Sample ID	Analysis Batch	Prep Batch	Method	Analyst Initials
		Lab Sample ID	Client Sample ID					
09/07/23	11:38	100	ZZZZZ		627054			
09/07/23	18:16	200	ZZZZZ		627054			
09/08/23	00:06	2	CCVB 160-627236/45		627236			SCB
09/08/23	00:12	2	CCVA 160-627236/53		627236			SCB
09/08/23	00:18	200	CCB 160-627236/61		627236			SCB
09/08/23	07:14	100	810-73371-1	MW-01R	627236	624483	903.0	SCB
09/08/23	09:32	100	ZZZZZ		627236			
09/08/23	12:06	100	ZZZZZ		627236			
09/08/23	17:14	800	ZZZZZ		627236			

Detector: Red13

Analysis Date	Minutes	Count		Client Sample ID	Analysis Batch	Prep Batch	Method	Analyst Initials
		Lab Sample ID	Client Sample ID					
06/12/19	12:55	5	ICABT 160-567084/12		567084			PS
06/13/19	00:06	5	ICABT 160-567084/13		567084			PS
06/13/19	00:13	5	ICABT 160-567084/14		567084			PS
06/13/19	01:11	5	ICABT 160-567084/15		567084			PS
06/13/19	02:17	5	ICABT 160-567084/16		567084			PS
06/13/19	08:37	5	ICABT 160-567084/17		567084			PS
06/13/19	10:26	5	ICABT 160-567084/18		567084			PS
06/13/19	12:11	5	ICABT 160-567084/19		567084			PS
07/08/19	12:24	5	ICVABT 160-567084/23		567084			PS
07/08/19	12:30	5	ICVABT 160-567084/24		567084			PS
07/08/19	12:36	5	ICVABT 160-567084/25		567084			PS
07/09/19	19:38	15	ICRA6 160-438600/1		438600			SCB
07/10/19	09:26	15	ICRA6 160-438600/2		438600			SCB
07/10/19	09:46	15	ICRA6 160-438600/3		438600			SCB
07/10/19	10:04	15	ICRA6 160-438600/4		438600			SCB
07/10/19	10:22	15	ICRA6 160-438600/5		438600			SCB
07/10/19	11:15	15	ICRA6 160-438600/6		438600			SCB
07/10/19	11:33	15	ICRA6 160-438600/7		438600			SCB
07/10/19	12:29	5	ICVRA6 160-438600/8		438600			SCB
07/10/19	12:35	5	ICVRA6 160-438600/9		438600			SCB
07/10/19	12:41	5	ICVRA6 160-438600/10		438600			SCB
11/21/19	16:24	45	ICVABT 160-567084/20		567084			PS
11/21/19	17:13	45	ICVABT 160-567084/21		567084			PS
11/21/19	18:07	45	ICVABT 160-567084/22		567084			PS
05/13/22	20:49	45	ICABT 160-567084/1		567084			PS
05/13/22	21:57	45	ICABT 160-567084/2		567084			PS
05/13/22	22:45	45	ICABT 160-567084/3		567084			PS
05/13/22	23:37	45	ICABT 160-567084/4		567084			PS
05/14/22	00:28	45	ICABT 160-567084/5		567084			PS
05/14/22	01:16	45	ICABT 160-567084/6		567084			PS
05/14/22	06:24	45	ICABT 160-567084/7		567084			PS
05/14/22	07:14	45	ICABT 160-567084/8		567084			PS
05/18/22	16:22	20	ICVABT 160-567084/9		567084			PS
05/18/22	16:44	20	ICVABT 160-567084/10		567084			PS
05/18/22	17:05	20	ICVABT 160-567084/11		567084			PS
08/26/23	00:18	1000	ICB 160-625610/14		625610			EJS
08/31/23	00:07	2	CCVB 160-626294/40		626294			FLC
08/31/23	00:12	2	CCVA 160-626294/48		626294			FLC
08/31/23	00:17	200	CCB 160-626294/55		626294			FLC
08/31/23	07:37	100	ZZZZZ		626294			

Gas Flow Proportional Counter Run Log

Detector: Red13 (Continued)

Analysis Date	Count		Client Sample ID	Analysis Batch	Prep Batch	Method	Analyst Initials
	Minutes	Lab Sample ID					
08/31/23 11:32	100	810-73371-15	MW-27	626294	624485	904.0	FLC
08/31/23 19:01	200	ZZZZZ		626294			
09/07/23 00:07	2	CCVB 160-627054/44		627054			SCB
09/07/23 00:13	2	CCVA 160-627054/52		627054			SCB
09/07/23 00:20	200	CCB 160-627054/58		627054			SCB
09/07/23 07:36	100	ZZZZZ		627054			
09/07/23 09:36	100	810-73371-22	MWT-12	627054	624325	903.0	SCB
09/07/23 11:38	100	ZZZZZ		627054			
09/07/23 18:16	200	ZZZZZ		627054			
09/08/23 00:06	2	CCVB 160-627236/46		627236			SCB
09/08/23 00:12	2	CCVA 160-627236/54		627236			SCB
09/08/23 00:18	200	CCB 160-627236/62		627236			SCB
09/08/23 07:14	100	810-73371-2	MW-02	627236	624483	903.0	SCB
09/08/23 09:32	100	ZZZZZ		627236			
09/08/23 12:06	100	ZZZZZ		627236			
09/08/23 17:13	400	ZZZZZ		627236			

Detector: Red14

Analysis Date	Count		Client Sample ID	Analysis Batch	Prep Batch	Method	Analyst Initials
	Minutes	Lab Sample ID					
06/12/19 12:55	5	ICABT 160-567085/12		567085			PS
06/13/19 00:06	5	ICABT 160-567085/13		567085			PS
06/13/19 00:13	5	ICABT 160-567085/14		567085			PS
06/13/19 01:11	5	ICABT 160-567085/15		567085			PS
06/13/19 02:17	5	ICABT 160-567085/16		567085			PS
06/13/19 08:37	5	ICABT 160-567085/17		567085			PS
06/13/19 10:26	5	ICABT 160-567085/18		567085			PS
06/13/19 12:12	5	ICABT 160-567085/19		567085			PS
07/08/19 12:30	5	ICVABT 160-567085/23		567085			PS
07/08/19 12:36	5	ICVABT 160-567085/24		567085			PS
07/08/19 12:43	5	ICVABT 160-567085/25		567085			PS
07/09/19 19:38	15	ICRA6 160-438601/1		438601			SCB
07/10/19 09:26	15	ICRA6 160-438601/2		438601			SCB
07/10/19 09:46	15	ICRA6 160-438601/3		438601			SCB
07/10/19 10:05	15	ICRA6 160-438601/4		438601			SCB
07/10/19 10:22	15	ICRA6 160-438601/5		438601			SCB
07/10/19 10:58	15	ICRA6 160-438601/6		438601			SCB
07/10/19 11:33	15	ICRA6 160-438601/7		438601			SCB
07/10/19 12:35	5	ICVRA6 160-438601/8		438601			SCB
07/10/19 12:42	5	ICVRA6 160-438601/9		438601			SCB
07/10/19 12:49	5	ICVRA6 160-438601/10		438601			SCB
11/21/19 17:13	45	ICVABT 160-567085/20		567085			PS
11/21/19 18:07	45	ICVABT 160-567085/21		567085			PS
11/21/19 18:58	45	ICVABT 160-567085/22		567085			PS
05/13/22 20:49	45	ICABT 160-567085/1		567085			PS
05/13/22 21:57	45	ICABT 160-567085/2		567085			PS
05/13/22 22:45	45	ICABT 160-567085/3		567085			PS
05/13/22 23:37	45	ICABT 160-567085/4		567085			PS
05/14/22 00:28	45	ICABT 160-567085/5		567085			PS
05/14/22 01:16	45	ICABT 160-567085/6		567085			PS
05/14/22 06:24	45	ICABT 160-567085/7		567085			PS
05/14/22 07:14	45	ICABT 160-567085/8		567085			PS
05/18/22 16:44	20	ICVABT 160-567085/9		567085			PS

Gas Flow Proportional Counter Run Log

Detector: Red14 (Continued)

Analysis Date	Count Minutes	Lab Sample ID	Client Sample ID	Analysis Batch	Prep Batch	Method	Analyst Initials
05/18/22 17:05	20	ICVABT 160-567085/10		567085			PS
05/18/22 17:30	20	ICVABT 160-567085/11		567085			PS
08/26/23 00:18	1000	ICB 160-625610/15		625610			EJS
08/31/23 00:07	2	CCVB 160-626294/41		626294			FLC
08/31/23 00:12	2	CCVA 160-626294/49		626294			FLC
08/31/23 00:17	200	CCB 160-626294/56		626294			FLC
08/31/23 11:42	100	MB 160-624326/1-A		626294	624326	904.0	FLC
09/07/23 00:07	2	CCVB 160-627054/45		627054			SCB
09/07/23 00:13	2	CCVA 160-627054/53		627054			SCB
09/07/23 00:20	200	CCB 160-627054/59		627054			SCB
09/07/23 07:36	100	ZZZZZ		627054			
09/07/23 09:36	100	810-73371-23	SG-02	627054	624325	903.0	SCB
09/07/23 11:38	100	ZZZZZ		627054			
09/07/23 18:16	200	ZZZZZ		627054			
09/08/23 00:06	2	CCVB 160-627236/47		627236			SCB
09/08/23 00:12	2	CCVA 160-627236/55		627236			SCB
09/08/23 00:18	200	CCB 160-627236/63		627236			SCB
09/08/23 07:14	100	810-73371-3	MW-03	627236	624483	903.0	SCB
09/08/23 09:32	100	ZZZZZ		627236			
09/08/23 12:06	100	ZZZZZ		627236			
09/08/23 17:13	400	ZZZZZ		627236			

Detector: Red15

Analysis Date	Count Minutes	Lab Sample ID	Client Sample ID	Analysis Batch	Prep Batch	Method	Analyst Initials
06/12/19 12:55	5	ICABT 160-567086/12		567086			PS
06/13/19 00:06	5	ICABT 160-567086/13		567086			PS
06/13/19 00:13	5	ICABT 160-567086/14		567086			PS
06/13/19 01:11	5	ICABT 160-567086/15		567086			PS
06/13/19 02:18	5	ICABT 160-567086/16		567086			PS
06/13/19 08:37	5	ICABT 160-567086/17		567086			PS
06/13/19 10:26	5	ICABT 160-567086/18		567086			PS
06/13/19 12:12	5	ICABT 160-567086/19		567086			PS
07/08/19 12:37	5	ICVABT 160-567086/23		567086			PS
07/08/19 12:43	5	ICVABT 160-567086/24		567086			PS
07/08/19 12:50	5	ICVABT 160-567086/25		567086			PS
07/09/19 19:38	15	ICRA6 160-438603/1		438603			SCB
07/10/19 09:26	15	ICRA6 160-438603/2		438603			SCB
07/10/19 09:46	15	ICRA6 160-438603/3		438603			SCB
07/10/19 10:05	15	ICRA6 160-438603/4		438603			SCB
07/10/19 10:23	15	ICRA6 160-438603/5		438603			SCB
07/10/19 10:58	15	ICRA6 160-438603/6		438603			SCB
07/10/19 11:15	15	ICRA6 160-438603/7		438603			SCB
07/10/19 12:42	5	ICVRA6 160-438603/8		438603			SCB
07/10/19 12:49	5	ICVRA6 160-438603/9		438603			SCB
07/10/19 12:57	5	ICVRA6 160-438603/10		438603			SCB
11/21/19 18:07	45	ICVABT 160-567086/20		567086			PS
11/21/19 18:58	45	ICVABT 160-567086/21		567086			PS
11/21/19 19:49	45	ICVABT 160-567086/22		567086			PS
05/13/22 20:49	45	ICABT 160-567086/1		567086			PS
05/13/22 21:57	45	ICABT 160-567086/2		567086			PS
05/13/22 22:45	45	ICABT 160-567086/3		567086			PS
05/13/22 23:37	45	ICABT 160-567086/4		567086			PS

Gas Flow Proportional Counter Run Log

Detector: Red15 (Continued)

Analysis Date	Count		Client Sample ID	Analysis Batch	Prep Batch	Method	Analyst Initials
	Minutes	Lab Sample ID					
05/14/22 00:28	45	ICABT 160-567086/5		567086			PS
05/14/22 01:16	45	ICABT 160-567086/6		567086			PS
05/14/22 06:24	45	ICABT 160-567086/7		567086			PS
05/14/22 07:15	45	ICABT 160-567086/8		567086			PS
05/18/22 17:05	20	ICVABT 160-567086/9		567086			PS
05/18/22 17:30	20	ICVABT 160-567086/10		567086			PS
05/18/22 17:53	20	ICVABT 160-567086/11		567086			PS
08/26/23 00:18	1000	ICB 160-625610/16		625610			EJS
08/31/23 00:07	2	CCVB 160-626294/42		626294			FLC
08/31/23 00:12	2	CCVA 160-626294/50		626294			FLC
08/31/23 00:17	200	CCB 160-626294/57		626294			FLC
08/31/23 11:42	100	LCS 160-624326/2-A		626294	624326	904.0	FLC
09/07/23 00:07	2	CCVB 160-627054/46		627054			SCB
09/07/23 00:13	2	CCVA 160-627054/54		627054			SCB
09/07/23 00:20	200	CCB 160-627054/60		627054			SCB
09/07/23 07:35	100	ZZZZZ		627054			
09/07/23 09:36	100	810-73371-24	SG-03	627054	624325	903.0	SCB
09/07/23 11:38	100	ZZZZZ		627054			
09/07/23 18:16	200	ZZZZZ		627054			
09/08/23 00:06	2	CCVB 160-627236/48		627236			SCB
09/08/23 00:12	2	CCVA 160-627236/56		627236			SCB
09/08/23 00:18	200	CCB 160-627236/64		627236			SCB
09/08/23 07:14	100	810-73371-4	MW-04	627236	624483	903.0	SCB
09/08/23 09:32	100	ZZZZZ		627236			
09/08/23 12:06	100	ZZZZZ		627236			
09/08/23 17:13	400	ZZZZZ		627236			

Detector: Red16

Analysis Date	Count		Client Sample ID	Analysis Batch	Prep Batch	Method	Analyst Initials
	Minutes	Lab Sample ID					
06/13/19 14:37	5	ICABT 160-567069/12		567069			PS
06/13/19 20:16	5	ICABT 160-567069/13		567069			PS
06/13/19 20:42	5	ICABT 160-567069/14		567069			PS
06/13/19 22:07	5	ICABT 160-567069/15		567069			PS
06/13/19 22:55	5	ICABT 160-567069/16		567069			PS
06/14/19 01:01	5	ICABT 160-567069/17		567069			PS
06/14/19 11:22	5	ICABT 160-567069/18		567069			PS
06/14/19 12:27	5	ICABT 160-567069/19		567069			PS
07/09/19 06:30	5	ICVABT 160-567069/23		567069			PS
07/09/19 07:08	5	ICVABT 160-567069/24		567069			PS
07/09/19 07:14	5	ICVABT 160-567069/25		567069			PS
07/09/19 13:00	15	ICRA6 160-438604/1		438604			SCB
07/09/19 13:22	15	ICRA6 160-438604/2		438604			SCB
07/09/19 13:41	15	ICRA6 160-438604/3		438604			SCB
07/09/19 14:09	15	ICRA6 160-438604/4		438604			SCB
07/09/19 14:29	15	ICRA6 160-438604/5		438604			SCB
07/09/19 14:48	15	ICRA6 160-438604/6		438604			SCB
07/09/19 15:07	15	ICRA6 160-438604/7		438604			SCB
07/10/19 11:02	5	ICVRA6 160-438604/8		438604			SCB
07/10/19 11:52	5	ICVRA6 160-438604/9		438604			SCB
07/10/19 11:58	5	ICVRA6 160-438604/10		438604			SCB
11/21/19 20:47	45	ICVABT 160-567069/20		567069			PS
11/22/19 08:49	45	ICVABT 160-567069/21		567069			PS

Gas Flow Proportional Counter Run Log

Detector: Red16 (Continued)

Analysis Date	Count Minutes	Lab Sample ID	Client Sample ID	Analysis Batch	Prep Batch	Method	Analyst Initials
11/22/19 09:39	45	ICVABT 160-567069/22		567069			PS
05/14/22 08:32	45	ICABT 160-567069/1		567069			PS
05/15/22 12:46	45	ICABT 160-567069/2		567069			PS
05/15/22 13:35	45	ICABT 160-567069/3		567069			PS
05/15/22 14:25	45	ICABT 160-567069/4		567069			PS
05/15/22 15:16	45	ICABT 160-567069/5		567069			PS
05/15/22 16:04	45	ICABT 160-567069/6		567069			PS
05/15/22 16:52	45	ICABT 160-567069/7		567069			PS
05/15/22 17:41	45	ICABT 160-567069/8		567069			PS
05/18/22 18:35	20	ICVABT 160-567069/9		567069			PS
05/18/22 21:30	20	ICVABT 160-567069/10		567069			PS
05/18/22 21:54	20	ICVABT 160-567069/11		567069			PS
08/26/23 00:18	1000	ICB 160-625610/1		625610			EJS
08/31/23 00:08	2	CCVA 160-626294/67		626294			FLC
08/31/23 00:14	2	CCVB 160-626294/75		626294			FLC
08/31/23 00:18	200	CCB 160-626294/83		626294			FLC
08/31/23 07:39	100	ZZZZZ		626294			
08/31/23 11:46	100	810-73371-21	MWT-04	626294	624326	904.0	FLC
09/07/23 00:09	2	CCVA 160-627054/83		627054			SCB
09/07/23 00:16	2	CCVB 160-627054/89		627054			SCB
09/07/23 00:21	200	CCB 160-627054/95		627054			SCB
09/07/23 07:37	100	ZZZZZ		627054			
09/07/23 09:37	100	810-73371-25	SG-04R	627054	624325	903.0	SCB
09/07/23 11:39	100	ZZZZZ		627054			
09/07/23 18:18	200	ZZZZZ		627054			

Detector: Red17

Analysis Date	Count Minutes	Lab Sample ID	Client Sample ID	Analysis Batch	Prep Batch	Method	Analyst Initials
06/13/19 14:37	5	ICABT 160-567070/12		567070			PS
06/13/19 20:15	5	ICABT 160-567070/13		567070			PS
06/13/19 20:42	5	ICABT 160-567070/14		567070			PS
06/13/19 22:07	5	ICABT 160-567070/15		567070			PS
06/13/19 22:55	5	ICABT 160-567070/16		567070			PS
06/14/19 01:02	5	ICABT 160-567070/17		567070			PS
06/14/19 11:22	5	ICABT 160-567070/18		567070			PS
06/14/19 12:27	5	ICABT 160-567070/19		567070			PS
07/09/19 06:30	5	ICVABT 160-567070/23		567070			PS
07/09/19 06:36	5	ICVABT 160-567070/24		567070			PS
07/09/19 07:14	5	ICVABT 160-567070/25		567070			PS
07/09/19 12:41	15	ICRA6 160-438605/1		438605			JLW
07/09/19 13:22	15	ICRA6 160-438605/2		438605			JLW
07/09/19 13:41	15	ICRA6 160-438605/3		438605			JLW
07/09/19 14:10	15	ICRA6 160-438605/4		438605			JLW
07/09/19 14:29	15	ICRA6 160-438605/5		438605			JLW
07/09/19 14:48	15	ICRA6 160-438605/6		438605			JLW
07/09/19 15:07	15	ICRA6 160-438605/7		438605			JLW
07/10/19 11:02	5	ICVRA6 160-438605/8		438605			JLW
07/10/19 11:11	5	ICVRA6 160-438605/9		438605			JLW
07/10/19 11:58	5	ICVRA6 160-438605/10		438605			JLW
11/21/19 20:47	45	ICVABT 160-567070/20		567070			PS
11/21/19 21:42	45	ICVABT 160-567070/21		567070			PS
11/22/19 09:39	45	ICVABT 160-567070/22		567070			PS

Gas Flow Proportional Counter Run Log

Detector: Red17 (Continued)

<u>Analysis Date</u>	<u>Count Minutes</u>	<u>Lab Sample ID</u>	<u>Client Sample ID</u>	<u>Analysis Batch</u>	<u>Prep Batch</u>	<u>Method</u>	<u>Analyst Initials</u>
05/14/22 08:32	45	ICABT 160-567070/1		567070			PS
05/15/22 12:46	45	ICABT 160-567070/2		567070			PS
05/15/22 13:35	45	ICABT 160-567070/3		567070			PS
05/15/22 14:25	45	ICABT 160-567070/4		567070			PS
05/15/22 15:16	45	ICABT 160-567070/5		567070			PS
05/15/22 16:04	45	ICABT 160-567070/6		567070			PS
05/15/22 16:52	45	ICABT 160-567070/7		567070			PS
05/15/22 17:41	45	ICABT 160-567070/8		567070			PS
05/18/22 18:35	20	ICVABT 160-567070/9		567070			PS
05/18/22 18:58	20	ICVABT 160-567070/10		567070			PS
05/18/22 21:54	20	ICVABT 160-567070/11		567070			PS
08/26/23 00:18	1000	ICB 160-625610/2		625610			EJS
08/31/23 00:08	2	CCVA 160-626294/68		626294			FLC
08/31/23 00:14	2	CCVB 160-626294/76		626294			FLC
08/31/23 00:18	200	CCB 160-626294/84		626294			FLC
08/31/23 07:39	100	ZZZZZ		626294			
08/31/23 11:46	100	810-73371-22	MWT-12	626294	624326	904.0	FLC
08/31/23 19:02	200	ZZZZZ		626294			
09/07/23 00:09	2	CCVA 160-627054/84		627054			SCB
09/07/23 00:16	2	CCVB 160-627054/90		627054			SCB
09/07/23 00:21	200	CCB 160-627054/96		627054			SCB
09/07/23 07:38	100	ZZZZZ		627054			
09/07/23 09:37	100	810-73371-26	SG-05	627054	624325	903.0	SCB
09/07/23 11:39	100	ZZZZZ		627054			
09/07/23 18:18	200	ZZZZZ		627054			
09/08/23 00:07	2	CCVA 160-627236/86		627236			SCB
09/08/23 00:14	2	CCVB 160-627236/94		627236			SCB
09/08/23 00:18	200	CCB 160-627236/101		627236			SCB
09/08/23 07:15	100	810-73371-5	MW-06	627236	624483	903.0	SCB
09/08/23 09:33	100	ZZZZZ		627236			
09/08/23 12:10	100	ZZZZZ		627236			
09/08/23 17:27	400	ZZZZZ		627236			

Detector: Red18

<u>Analysis Date</u>	<u>Count Minutes</u>	<u>Lab Sample ID</u>	<u>Client Sample ID</u>	<u>Analysis Batch</u>	<u>Prep Batch</u>	<u>Method</u>	<u>Analyst Initials</u>
06/13/19 14:37	5	ICABT 160-567071/12		567071			PS
06/13/19 20:15	5	ICABT 160-567071/13		567071			PS
06/13/19 20:42	5	ICABT 160-567071/14		567071			PS
06/13/19 22:08	5	ICABT 160-567071/15		567071			PS
06/13/19 22:55	5	ICABT 160-567071/16		567071			PS
06/14/19 01:02	5	ICABT 160-567071/17		567071			PS
06/14/19 11:22	5	ICABT 160-567071/18		567071			PS
06/14/19 12:27	5	ICABT 160-567071/19		567071			PS
07/09/19 06:30	5	ICVABT 160-567071/22		567071			PS
07/09/19 06:36	5	ICVABT 160-567071/23		567071			PS
07/09/19 06:42	5	ICVABT 160-567071/24		567071			PS
07/09/19 12:41	15	ICRA6 160-438606/1		438606			SCB
07/09/19 13:01	15	ICRA6 160-438606/2		438606			SCB
07/09/19 13:42	15	ICRA6 160-438606/3		438606			SCB
07/09/19 14:10	15	ICRA6 160-438606/4		438606			SCB
07/09/19 14:29	15	ICRA6 160-438606/5		438606			SCB
07/09/19 14:48	15	ICRA6 160-438606/6		438606			SCB

Gas Flow Proportional Counter Run Log

Detector: Red18 (Continued)

Analysis Date	Minutes	Count		Client Sample ID	Analysis Batch	Prep Batch	Method	Analyst Initials
		Lab Sample ID	Client Sample ID					
07/09/19	15:07	15	ICRA6 160-438606/7		438606			SCB
07/10/19	11:02	5	ICVRA6 160-438606/8		438606			SCB
07/10/19	11:12	5	ICVRA6 160-438606/9		438606			SCB
07/10/19	11:18	5	ICVRA6 160-438606/10		438606			SCB
11/21/19	21:42	45	ICVABT 160-567071/20		567071			PS
11/21/19	22:32	45	ICVABT 160-567071/21		567071			PS
05/14/22	08:32	45	ICABT 160-567071/1		567071			PS
05/15/22	12:46	45	ICABT 160-567071/2		567071			PS
05/15/22	13:35	45	ICABT 160-567071/3		567071			PS
05/15/22	14:25	45	ICABT 160-567071/4		567071			PS
05/15/22	15:16	45	ICABT 160-567071/5		567071			PS
05/15/22	16:04	45	ICABT 160-567071/6		567071			PS
05/15/22	16:52	45	ICABT 160-567071/7		567071			PS
05/15/22	17:41	45	ICABT 160-567071/8		567071			PS
05/18/22	18:35	20	ICVABT 160-567071/9		567071			PS
05/18/22	18:58	20	ICVABT 160-567071/10		567071			PS
05/18/22	19:21	20	ICVABT 160-567071/11		567071			PS
08/26/23	00:18	1000	ICB 160-625610/3		625610			EJS
08/31/23	00:08	2	CCVA 160-626294/69		626294			FLC
08/31/23	00:14	2	CCVB 160-626294/77		626294			FLC
08/31/23	00:18	200	CCB 160-626294/85		626294			FLC
08/31/23	07:39	100	ZZZZZ		626294			
08/31/23	11:47	100	810-73371-23	SG-02	626294	624326	904.0	FLC
08/31/23	19:03	200	ZZZZZ		626294			
09/07/23	00:09	2	CCVA 160-627054/85		627054			SCB
09/07/23	00:16	2	CCVB 160-627054/91		627054			SCB
09/07/23	00:21	200	CCB 160-627054/97		627054			SCB
09/07/23	07:37	100	ZZZZZ		627054			
09/07/23	09:37	100	810-73371-27	SG-06	627054	624325	903.0	SCB
09/07/23	11:39	100	ZZZZZ		627054			
09/07/23	18:18	200	ZZZZZ		627054			
09/08/23	00:08	2	CCVA 160-627236/87		627236			SCB
09/08/23	00:14	2	CCVB 160-627236/95		627236			SCB
09/08/23	00:19	200	CCB 160-627236/102		627236			SCB
09/08/23	07:16	100	810-73371-6	MW-07	627236	624483	903.0	SCB
09/08/23	09:34	100	ZZZZZ		627236			
09/08/23	12:10	100	ZZZZZ		627236			
09/08/23	17:27	400	ZZZZZ		627236			

Detector: Red19

Analysis Date	Minutes	Count		Client Sample ID	Analysis Batch	Prep Batch	Method	Analyst Initials
		Lab Sample ID	Client Sample ID					
06/13/19	14:37	5	ICABT 160-567072/12		567072			PS
06/13/19	20:15	5	ICABT 160-567072/13		567072			PS
06/13/19	20:42	5	ICABT 160-567072/14		567072			PS
06/13/19	22:07	5	ICABT 160-567072/15		567072			PS
06/13/19	22:55	5	ICABT 160-567072/16		567072			PS
06/14/19	01:02	5	ICABT 160-567072/17		567072			PS
06/14/19	11:22	5	ICABT 160-567072/18		567072			PS
06/14/19	12:27	5	ICABT 160-567072/19		567072			PS
07/09/19	06:36	5	ICVABT 160-567072/23		567072			PS
07/09/19	06:42	5	ICVABT 160-567072/24		567072			PS
07/09/19	06:48	5	ICVABT 160-567072/25		567072			PS

Gas Flow Proportional Counter Run Log

Detector: Red19 (Continued)

Analysis Date	Minutes	Count		Client Sample ID	Analysis Batch	Prep Batch	Method	Analyst Initials
		Lab Sample ID	Client Sample ID					
07/09/19	12:41	15	ICRA6 160-438607/1		438607			JLW
07/09/19	13:01	15	ICRA6 160-438607/2		438607			JLW
07/09/19	13:22	15	ICRA6 160-438607/3		438607			JLW
07/09/19	14:10	15	ICRA6 160-438607/4		438607			JLW
07/09/19	14:30	15	ICRA6 160-438607/5		438607			JLW
07/09/19	14:49	15	ICRA6 160-438607/6		438607			JLW
07/09/19	15:07	15	ICRA6 160-438607/7		438607			JLW
07/10/19	11:12	5	ICVRA6 160-438607/8		438607			JLW
07/10/19	11:18	5	ICVRA6 160-438607/9		438607			JLW
07/10/19	11:28	5	ICVRA6 160-438607/10		438607			JLW
11/21/19	21:42	45	ICVABT 160-567072/20		567072			PS
11/21/19	22:32	45	ICVABT 160-567072/21		567072			PS
11/21/19	23:30	45	ICVABT 160-567072/22		567072			PS
05/14/22	08:32	45	ICABT 160-567072/1		567072			PS
05/15/22	12:46	45	ICABT 160-567072/2		567072			PS
05/15/22	13:35	45	ICABT 160-567072/3		567072			PS
05/15/22	14:25	45	ICABT 160-567072/4		567072			PS
05/15/22	15:16	45	ICABT 160-567072/5		567072			PS
05/15/22	16:04	45	ICABT 160-567072/6		567072			PS
05/15/22	16:53	45	ICABT 160-567072/7		567072			PS
05/15/22	17:41	45	ICABT 160-567072/8		567072			PS
05/18/22	18:58	20	ICVABT 160-567072/9		567072			PS
05/18/22	19:21	20	ICVABT 160-567072/10		567072			PS
05/18/22	19:43	20	ICVABT 160-567072/11		567072			PS
08/26/23	00:18	1000	ICB 160-625610/4		625610			EJS
08/31/23	00:08	2	CCVA 160-626294/70		626294			FLC
08/31/23	00:14	2	CCVB 160-626294/78		626294			FLC
08/31/23	00:18	200	CCB 160-626294/86		626294			FLC
08/31/23	07:39	100	ZZZZZ		626294			
08/31/23	11:47	100	810-73371-24	SG-03	626294	624326	904.0	FLC
08/31/23	19:03	200	ZZZZZ		626294			
09/08/23	00:08	2	CCVA 160-627236/88		627236			SCB
09/08/23	00:14	2	CCVB 160-627236/96		627236			SCB
09/08/23	00:19	200	CCB 160-627236/102		627236			SCB
09/08/23	07:16	100	810-73371-7	MW-08	627236	624483	903.0	SCB
09/08/23	09:34	100	ZZZZZ		627236			
09/08/23	12:10	100	ZZZZZ		627236			
09/08/23	17:27	400	ZZZZZ		627236			

Detector: Red20

Analysis Date	Minutes	Count		Client Sample ID	Analysis Batch	Prep Batch	Method	Analyst Initials
		Lab Sample ID	Client Sample ID					
06/13/19	14:37	5	ICABT 160-567073/12		567073			PS
06/13/19	20:15	5	ICABT 160-567073/13		567073			PS
06/13/19	20:42	5	ICABT 160-567073/14		567073			PS
06/13/19	22:07	5	ICABT 160-567073/15		567073			PS
06/13/19	22:55	5	ICABT 160-567073/16		567073			PS
06/14/19	01:02	5	ICABT 160-567073/17		567073			PS
06/14/19	11:22	5	ICABT 160-567073/18		567073			PS
06/14/19	12:27	5	ICABT 160-567073/19		567073			PS
07/09/19	06:42	5	ICVABT 160-567073/23		567073			PS
07/09/19	06:48	5	ICVABT 160-567073/24		567073			PS
07/09/19	06:54	5	ICVABT 160-567073/25		567073			PS

Gas Flow Proportional Counter Run Log

Detector: Red20 (Continued)

Analysis Date	Minutes	Count		Client Sample ID	Analysis Batch	Prep Batch	Method	Analyst Initials
		Lab Sample ID						
11/21/19	22:32	45	ICVABT 160-567073/20		567073			PS
11/21/19	23:31	45	ICVABT 160-567073/21		567073			PS
11/22/19	07:06	45	ICVABT 160-567073/22		567073			PS
05/14/22	08:32	45	ICABT 160-567073/1		567073			PS
05/15/22	12:46	45	ICABT 160-567073/2		567073			PS
05/15/22	13:35	45	ICABT 160-567073/3		567073			PS
05/15/22	14:25	45	ICABT 160-567073/4		567073			PS
05/15/22	15:16	45	ICABT 160-567073/5		567073			PS
05/15/22	16:04	45	ICABT 160-567073/6		567073			PS
05/15/22	16:53	45	ICABT 160-567073/7		567073			PS
05/15/22	17:41	45	ICABT 160-567073/8		567073			PS
05/18/22	19:21	20	ICVABT 160-567073/9		567073			PS
05/18/22	19:43	20	ICVABT 160-567073/10		567073			PS
05/18/22	20:05	20	ICVABT 160-567073/11		567073			PS
08/26/23	00:18	1000	ICB 160-625610/5			625610		EJS
08/31/23	00:08	2	CCVA 160-626294/71			626294		FLC
08/31/23	00:14	2	CCVB 160-626294/79			626294		FLC
08/31/23	00:18	200	CCB 160-626294/87			626294		FLC
08/31/23	11:47	100	810-73371-25	SG-04R		626294	624326 904.0	FLC

Detector: Red21

Analysis Date	Minutes	Count		Client Sample ID	Analysis Batch	Prep Batch	Method	Analyst Initials
		Lab Sample ID						
06/13/19	14:37	5	ICABT 160-567074/12		567074			EMH
06/13/19	20:16	5	ICABT 160-567074/13		567074			EMH
06/13/19	20:42	5	ICABT 160-567074/14		567074			EMH
06/13/19	22:07	5	ICABT 160-567074/15		567074			EMH
06/13/19	22:55	5	ICABT 160-567074/16		567074			EMH
06/14/19	01:01	5	ICABT 160-567074/17		567074			EMH
06/14/19	11:22	5	ICABT 160-567074/18		567074			EMH
06/14/19	12:27	5	ICABT 160-567074/19		567074			EMH
07/09/19	06:49	5	ICVABT 160-567074/23		567074			EMH
07/09/19	06:55	5	ICVABT 160-567074/24		567074			EMH
07/09/19	07:00	5	ICVABT 160-567074/25		567074			EMH
07/09/19	12:41	15	ICRA6 160-438609/1			438609		SCB
07/09/19	13:01	15	ICRA6 160-438609/2			438609		SCB
07/09/19	13:22	15	ICRA6 160-438609/3			438609		SCB
07/09/19	13:42	15	ICRA6 160-438609/4			438609		SCB
07/09/19	14:10	15	ICRA6 160-438609/5			438609		SCB
07/09/19	14:49	15	ICRA6 160-438609/6			438609		SCB
07/09/19	15:07	15	ICRA6 160-438609/7			438609		SCB
07/10/19	11:29	5	ICVRA6 160-438609/8			438609		SCB
07/10/19	11:35	5	ICVRA6 160-438609/9			438609		SCB
07/10/19	11:42	5	ICVRA6 160-438609/10			438609		SCB
11/21/19	23:31	45	ICVABT 160-567074/20		567074			EMH
11/22/19	07:07	45	ICVABT 160-567074/21		567074			EMH
11/22/19	08:01	45	ICVABT 160-567074/22		567074			EMH
05/14/22	08:33	45	ICABT 160-567074/1		567074			EMH
05/15/22	12:46	45	ICABT 160-567074/2		567074			EMH
05/15/22	13:35	45	ICABT 160-567074/3		567074			EMH
05/15/22	14:25	45	ICABT 160-567074/4		567074			EMH
05/15/22	15:16	45	ICABT 160-567074/5		567074			EMH
05/15/22	16:04	45	ICABT 160-567074/6		567074			EMH

Gas Flow Proportional Counter Run Log

Detector: Red21 (Continued)

Analysis Date	Minutes	Count		Client Sample ID	Analysis Batch	Prep Batch	Method	Analyst Initials
		Lab Sample ID						
05/15/22	16:53	45	ICABT 160-567074/7		567074			EMH
05/15/22	17:41	45	ICABT 160-567074/8		567074			EMH
05/18/22	19:43	20	ICVABT 160-567074/9		567074			EMH
05/18/22	20:05	20	ICVABT 160-567074/10		567074			EMH
05/18/22	20:28	20	ICVABT 160-567074/11		567074			EMH
08/26/23	00:18	1000	ICB 160-625610/6		625610			EJS
08/31/23	00:08	2	CCVA 160-626294/72		626294			FLC
08/31/23	00:14	2	CCVB 160-626294/80		626294			FLC
08/31/23	00:18	200	CCB 160-626294/88		626294			FLC
08/31/23	07:40	100	ZZZZZ		626294			
08/31/23	11:47	100	810-73371-26	SG-05	626294	624326	904.0	FLC
08/31/23	19:03	200	ZZZZZ		626294			
09/08/23	00:08	2	CCVA 160-627236/90		627236			SCB
09/08/23	00:14	2	CCVB 160-627236/98		627236			SCB
09/08/23	00:19	200	CCB 160-627236/104		627236			SCB
09/08/23	07:16	100	810-73371-8	MW-09	627236	624483	903.0	SCB
09/08/23	09:34	100	ZZZZZ		627236			
09/08/23	12:10	100	ZZZZZ		627236			
09/08/23	17:27	400	ZZZZZ		627236			

Detector: Red22

Analysis Date	Minutes	Count		Client Sample ID	Analysis Batch	Prep Batch	Method	Analyst Initials
		Lab Sample ID						
06/13/19	14:37	5	ICABT 160-567075/12		567075			PS
06/13/19	20:16	5	ICABT 160-567075/13		567075			PS
06/13/19	20:42	5	ICABT 160-567075/14		567075			PS
06/13/19	22:07	5	ICABT 160-567075/15		567075			PS
06/13/19	22:55	5	ICABT 160-567075/16		567075			PS
06/14/19	01:01	5	ICABT 160-567075/17		567075			PS
06/14/19	11:22	5	ICABT 160-567075/18		567075			PS
06/14/19	12:27	5	ICABT 160-567075/19		567075			PS
07/09/19	06:55	5	ICVABT 160-567075/23		567075			PS
07/09/19	07:01	5	ICVABT 160-567075/24		567075			PS
07/09/19	07:08	5	ICVABT 160-567075/25		567075			PS
07/09/19	12:42	15	ICRA6 160-438610/1		438610			SCB
07/09/19	13:01	15	ICRA6 160-438610/2		438610			SCB
07/09/19	13:23	15	ICRA6 160-438610/3		438610			SCB
07/09/19	13:42	15	ICRA6 160-438610/4		438610			SCB
07/09/19	14:10	15	ICRA6 160-438610/5		438610			SCB
07/09/19	14:30	15	ICRA6 160-438610/6		438610			SCB
07/09/19	15:08	15	ICRA6 160-438610/7		438610			SCB
07/10/19	11:35	5	ICVRA6 160-438610/8		438610			SCB
07/10/19	11:42	5	ICVRA6 160-438610/9		438610			SCB
07/10/19	11:51	5	ICVRA6 160-438610/10		438610			SCB
11/22/19	07:07	45	ICVABT 160-567075/20		567075			PS
11/22/19	08:01	45	ICVABT 160-567075/21		567075			PS
11/22/19	08:49	45	ICVABT 160-567075/22		567075			PS
05/14/22	08:33	45	ICABT 160-567075/1		567075			PS
05/15/22	12:46	45	ICABT 160-567075/2		567075			PS
05/15/22	13:35	45	ICABT 160-567075/3		567075			PS
05/15/22	14:25	45	ICABT 160-567075/4		567075			PS
05/15/22	15:16	45	ICABT 160-567075/5		567075			PS
05/15/22	16:04	45	ICABT 160-567075/6		567075			PS

Gas Flow Proportional Counter Run Log

Detector: Red22 (Continued)

<u>Analysis Date</u>	<u>Count</u>	<u>Minutes</u>	<u>Lab Sample ID</u>	<u>Client Sample ID</u>	<u>Analysis Batch</u>	<u>Prep Batch</u>	<u>Method</u>	<u>Analyst Initials</u>
05/15/22 16:52		45	ICABT 160-567075/7		567075			PS
05/15/22 17:41		45	ICABT 160-567075/8		567075			PS
05/18/22 20:05		20	ICVABT 160-567075/9		567075			PS
05/18/22 20:28		20	ICVABT 160-567075/10		567075			PS
05/18/22 21:30		20	ICVABT 160-567075/11		567075			PS
08/26/23 00:18	1000		ICB 160-625610/7		625610			EJS
08/31/23 00:08		2	CCVA 160-626294/73		626294			FLC
08/31/23 00:14		2	CCVB 160-626294/81		626294			FLC
08/31/23 00:18		200	CCB 160-626294/89		626294			FLC
08/31/23 07:40		100	ZZZZZ		626294			
08/31/23 11:47		100	810-73371-27	SG-06	626294	624326	904.0	FLC
09/07/23 07:57		2	CCVA 160-627054/107		627054			
09/07/23 08:01		2	CCVB 160-627054/109		627054			
09/07/23 09:06		200	CCB 160-627054/111		627054			SCB
09/08/23 00:08		2	CCVA 160-627236/91		627236			SCB
09/08/23 00:14		2	CCVB 160-627236/99		627236			SCB
09/08/23 00:19		200	CCB 160-627236/105		627236			SCB
09/08/23 07:16		100	810-73371-9	MW-10	627236	624483	903.0	SCB
09/08/23 09:34		100	ZZZZZ		627236			
09/08/23 12:10		100	ZZZZZ		627236			
09/08/23 17:27		400	ZZZZZ		627236			

Detector: Red23

<u>Analysis Date</u>	<u>Count</u>	<u>Minutes</u>	<u>Lab Sample ID</u>	<u>Client Sample ID</u>	<u>Analysis Batch</u>	<u>Prep Batch</u>	<u>Method</u>	<u>Analyst Initials</u>
09/07/23 07:57		2	CCVA 160-627054/108		627054			
09/07/23 08:01		2	CCVB 160-627054/110		627054			
09/07/23 09:06		200	CCB 160-627054/112		627054			SCB

Subcontract Data

Shipping and Receiving Documents



Eaton Analytical

CHAIN OF CUSTODY RECORD

**110 S. Hill Street
South Bend, IN 46601
T: 1.800.332.4345
F: 1.574.233.8207**

Order #

REPORT TO:	SAMPLER (Signature)	PWS ID #	STATE (sample origin)	PROJECT NAME	PO#
Jon Mink, Tim Brewer (jmink@trace-labs.com, tbrewer@trace-labs.com) Trace Analytical Laboratories, Inc., 2241 Black Creek Rd., Muskegon, MI 49444 231-773-5998			MI		
BILL TO:					
Accounts Payable, Trace Analytical Laboratories, Inc., 2241 Black Creek Rd., Muskegon, MI 49444					
CONTAINERS					
EX CODE					
AROUND TIME					

TEST NAME	SAMPLE REMARKS	CHLORINATED	F C
COLLECTION	SAMPLING SITE		TRI
LAB Number			RNA

WW-WASTE WATER

Samp

Sample analysis will be provided according to the standard EEA/Water Services Terms, which are available upon request. Any other terms proposed by Customer are deemed material alterations and are rejected unless expressly agreed to in writing by

Eurofins Eaton Analytical South Bend

110 S Hill Street
South Bend, IN 46617
Phone: 574-233-4777 Fax: 574-233-8207

Chain of Custody Record



Client Information (Sub Contract Lab)

Client Contact:	Sampler:	Lab PM:	Carrier Tracking No(s):		COC No:
Shipping/Receiving:	Phone:	Fulmer, Karen			810-29186.1
Company:	E-Mail:	Karen.Fulmer@et.eurofins.com	State of Origin:		Page:
TestAmerica Laboratories, Inc.	Accreditations Required (See note):	Michigan			Page 1 of 3
Address:	State - Michigan				Job #:
13715 Rider Trail North,					810-73371-1
City:					Preservation Codes:
Earth City					A - HCl
State, Zip:					B - NaOH
MO, 63045					C - Zn Acetate
Phone:	PO #:				D - Nitric Acid
314-298-8566(Tel) 314-298-8751(Fax)					E - NaHSO4
Email:	WO #:				F - MeOH
Project Name:	Project #:				G - Ammonium
23HQ448	81000263				H - Ascorbic Acid
Site:	SSOW#:				I - Ice
					J - DI Water
					K - EDTA
					L - EDA
					Z - other (specify)
					Other:
					Total Number of Contaminants:
					1
					2
					3
					4
					5
					6
					7
					8
					9
					10
					11
					12
					13
					14
					15
					16
					17
					18
					19
					20
					21
					22
					23
					24
					25
					26
					27
					28
					29
					30
					31
					32
					33
					34
					35
					36
					37
					38
					39
					40
					41
					42
					43
					44
					45
					46
					47
					48
					49
					50
					51
					52
					53
					54
					55
					56
					57
					58
					59
					60
					61
					62
					63
					64
					65
					66
					67
					68
					69
					70
					71
					72
					73
					74
					75
					76
					77
					78
					79
					80
					81
					82
					83
					84
					85
					86
					87
					88
					89
					90
					91
					92
					93
					94
					95
					96
					97
					98
					99
					100
					101
					102
					103
					104
					105
					106
					107
					108
					109
					110
					111
					112
					113
					114
					115
					116
					117
					118
					119
					120
					121
					122
					123
					124
					125
					126
					127
					128
					129
					130
					131
					132
					133
					134
					135
					136
					137
					138
					139
					140
					141
					142
					143
					144
					145
					146
					147
					148
					149
					150
					151
					152
					153
					154
					155
					156
					157
					158
					159
					160
					161
					162
					163
					164
					165
					166
					167
					168
					169
					170
					171
					172
					173
					174
					175
					176
					177
					178
					179
					180
					181
					182
					183
					184
					185
					186
					187
					188
					189
					190
					191
					192
					193
					194
					195
					196
					197
					198
					199
					200
					201
					202
					203
					204
					205
					206
					207
					208
					209
					210
					211
					212
					213
					214
					215
					216
					217
					218
					219
					220
					221
					222
					223
					224
					225
					226
					227
					228
					229
					230
					231
					232
					233
					234
					235
					236
					237
					238
					239
					240
					241
					242
					243
					244
					245
					246
					247
					248
					249
					250
					251
					252
					253
					254
					255
					256
					257
					258
					259
					260
					261
					262
					263
					264
					265
					266
					267
					268
					269
					270
					271
					272
					273
					274
					275
					276
					277
					278
					279
					280
					281
					282
					283
					284
					285
					286
					287
					288
					289
					290
					291
					292
					293
					294
					295
					296
					297
					298
					299
					300
					301
					302
					303
					304
					305
					306
					307
					308
					309
					310
					311
					312
					313
					314
					315
					316
					317
					318
					319
					320
					321
					322
					323
					324

Eurofins Eaton Analytical South Bend

110 S Hill Street

South Bend, IN 46617
Phone: 574-233-4777 Fax: 574-233-8207

Chain of Custody Record

Client Information (Sub Contract Lab)

卷之三

Client Contact: Shipping/Receiving

Client Information

ארכיאולוגיה 200

卷之三

Facilities Required (See note)

Facilities Required (See note)

Inh.

Inh.

Note: Since laboratory accreditations are subject to change, Eurofins Eaton Analytical, LLC places the ownership of method, analyze & accreditation compliance upon our subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory does not currently maintain accreditation in the State of Origin listed above for analysis/test/ matrix being analyzed, the samples must be shipped back to the Eurofins Eaton Analytical, LLC laboratory or other instructions will be provided. Any changes to accreditation status should be brought to Eurofins Eaton Analytical, LLC attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to said compliance to Eurofins Eaton Analytical, LLC.

Fossile Hazard Identification

Unconfirmed

Deliverable Bequested: I ||| IV Other (specify)

תְּהִלָּה יְהוָה בְּנֵי יִשְׂרָאֵל וְבְנֵי מִצְרַיִם

Emathy Kit Bellinriched by

EELDARY SONGS OF AFRICA.

Relinquished by

Relinquished by

卷之三

Belarusian

卷之三

卷之三

Custody Seal No _____

Δ Yes Δ No

Eurofins Eaton Analytical South Bend
1110 S Hill Street

1153 Main Street
South Bend, IN 46617
Phone: 574-233-4777 Fax: 574-233-

Chain of Custody Record

Client Information (Sub Contract Lab)		Sampler	Lab PM: Fullmer, Karen	Carrier Tracking No(s): 810-73371-1
Client Contact:	Phone:	E-Mail: Karen.Fullmer@et.eurofinsus.com	State of Origin: Michigan	Page Page 3 of 3
Shipping/Receiving Company:	Address:	Accreditations Required (See note) State - Michigan	Job #	COC No: 810-29186.3
TestAmerica Laboratories, Inc.	13715 Rider Trail North, Earth City			
Address:	Date Requested:	TAT Requested (days):		Preservation Codes: A - HCl M - Hexane B - NaOH N - None C - Zn Acetate O - AsNaO2 D - Nitric Acid P - Na2O4S E - NaHSO4 Q - Na2S03 F - MeOH R - Na2S2O3 G - Amchlor S - H2SO4 H - Ascorbic Acid T - TSP Bodehydrate I - Ice U - Acetone V - MCAA W - pH 4-5 J - Di Water K - EDTA L - EDA Z - other (specify) Other:
Project Name: 23HQ448	PO #:	WO #:		
Email:		Project #: 8100263		
Phone:		SSOW#:		
Total Number of containers: 903.0/PrecSep, 21 EPA 903.0 - Radium 226 (St Louis) 903.0/PrecSep, 21 EPA 904.0 - Radium 228 (St Louis) 904.0/PrecSep, 0 EPA 904.0 - Radium 226 (St Louis) Radium 226,228GPFC, Combined Radium 226 & Radium 228 CMG (St Louis)				
Performance MS/MSD (Yes or No): Field Filtered Sample (Yes or No): Matrix (Water, Seawater, Oil/Water, Aqueous, In-Train, Aqueous): Preservation Code: Special Instructions/Note: X				
Sample Identification - Client ID (Lab ID)				
Sample Date	Sample Time	Sample Type (C=Comp, G=Grab)	Matrix (Water, Seawater, Oil/Water, Aqueous, In-Train, Aqueous)	Preservation Code
MW-33 (810-73371-19)	8/7/23	12:00 Eastern	drinking Water	X X X
MW-34 (810-73371-20)	8/7/23	11:20 Eastern	drinking Water	X X X
MWT-04 (810-73371-21)	8/7/23	14:00 Eastern	drinking Water	X X X
MWT-12 (810-73371-22)	8/7/23	16:30 Eastern	drinking Water	X X X
SG-02 (810-73371-23)	8/8/23	17:05 Eastern	drinking Water	X X X
SG-03 (810-73371-24)	8/8/23	17:15 Eastern	drinking Water	X X X
SG-04R (810-73371-25)	8/8/23	16:50 Eastern	drinking Water	X X X
SG-05 (810-73371-26)	8/8/23	16:40 Eastern	drinking Water	X X X
SG-06 (810-73371-27)	8/8/23	17:25 Eastern	drinking Water	X X X
Primary Deliverable Rank: 2				
Special Instructions/QC Requirements:				
Deliverable Requested: I, II, III, IV, Other (specify)		Date:	Time:	Method of Shipment:
Empty Kit Relinquished by:		Date/Time:	Company	Received by:
Relinquished by:		Date/Time:	Company	Date/Time:
Relinquished by:		Date/Time:	Company	Date/Time:
Possible Hazard Identification		Cooler Temperature(s) °C and Other Remarks		
Unconfirmed				
Deliverable Requested: I, II, III, IV, Other (specify)		Special Instructions/QC Requirements:		
Empty Kit Relinquished by:		Date:	Time:	Method of Shipment:
Relinquished by:		Date/Time:	Company	Received by:
Relinquished by:		Date/Time:	Company	Received by:
Sample Disposal / A fee may be assessed if samples are retained longer than 1 month)		<input type="checkbox"/> Return To Client <input type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For Months		

Note: Since laboratory accreditations are subject to change, Eurofins Eaton Analytical, LLC places the ownership of method, analyze & accreditation compliance upon our subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory does not currently maintain accreditation in the State of Origin listed above for analysis/test/analyte being analyzed, the samples must be shipped back to the Eurofins Eaton Analytical, LLC laboratory or other instructions will be provided. Any changes to accreditation status should be brought to Eurofins Eaton Analytical, LLC attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to said compliance to Eurofins Eaton Analytical, LLC.

Possible Hazard Identification

Unconfirmed

Primary Deliverable Rank: 2

卷之三

Date:

Date/Time

卷之三

Date/Time:

11

Date/Time

0171003 16

卷之三

Δ Yes Δ No

Eurofins Eaton Analytical South Bend

110 S Hill Street
South Bend, IN 46617
Phone 574-233-4777 Fax 574-233-8207

Chain of Custody Record



Eurofins Eaton Analytical

Client Information (Sub Contract Lab)

Client Contact	Sampler	Lab PM	Carrier Tracking No(s)	COC No
Shipping/Receiving	Phone	E-Mail	State of Origin	810-291861
Company		Karen Fullmer@et.eurofinsus.com	Michigan	Page 1 of 3
Address:		Accreditations Required (See note)	State - Michigan	Job #
13715 Rider Trail North,				810-73371-1
Analysis Requested				
Due Date Requested: 9/13/2023 TAT Requested (days): City: Earth City State: Zip MO: 63045 Phone: 314-298-8566(Tel) 314-298-8757(Fax) Email: Project Name: 23H0448 Site: PO #: WO #: Project #: 81000263 SSOW#:				
Total Number of Containers: 1				
Special Instructions/Note: 903.0/PrecSep_21 EPA 903.0 - Radium 226 (St Louis) 904.0/PrecSep_0 EPA 904.0 - Radium 228 (St Louis) R226_228GFPc_Pt Combined R226 & R228 Calc (St Louis)				
Sample Identification - Client ID (Lab ID) MW-01R (810-73371-1) MW-02 (810-73371-2) MW-03 (810-73371-3) MW-04 (810-73371-4) MW-06 (810-73371-5) MW-07 (810-73371-6) MW-08 (810-73371-7) MW-09 (810-73371-8) MW-10 (810-73371-9)				
Preservation Code: Sample Date Sample Time Sample Type (C=comp, G=grab) Matrix (Water, Sediment, Organostain, Br+Issue Attn) 8/8/23 14:25 Drinking Water X X 8/8/23 10:25 Drinking Water X X 8/7/23 15:20 Drinking Water X X 8/7/23 14:00 Drinking Water X X 8/8/23 14:30 Drinking Water X X 8/7/23 14:30 Drinking Water X X 8/8/23 12:40 Drinking Water X X 8/8/23 09:20 Drinking Water X X 8/8/23 11:45 Drinking Water X X				
Performed Sample (Yes or No) Field Filtered Sample (Yes or No) Field Filtered Sample (Yes or No)				
Sample Disposal (A fee may be assessed if samples are retained longer than 1 month) <input type="checkbox"/> Return To Client <input type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For Months				
Possible Hazard Identification Unconfirmed Deliverable Requested I, II, III, IV. Other (specify)				
Primary Deliverable Rank: 2				
Special Instructions/QC Requirements				
Empty Kit Reinquished by	Date:	Time:	Method of Shipment:	
Reinquished by	Date/Time	Company	Received by	FED EX
Reinquished by	Date/Time	Company	Received by	DHL
Custody Seals intact:	Comments			
△ Yes	Custody Seal No			
Cooler Temperature(s), °C and Other Remarks				

Note: Since laboratory accreditation are subject to change, Eurofins Eaton Analytical, LLC places the ownership of method, analytic & accreditation compliance upon our subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory does not currently maintain accreditation in the State of Origin listed above for analysis/test/matrix being analyzed, the samples must be shipped back to the Eurofins Eaton Analytical, LLC laboratory or other instructions will be provided. Any changes to accreditation status should be brought to Eurofins Eaton Analytical, LLC attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to said compliance to Eurofins Eaton Analytical, LLC.

Possible Hazard Identification
Unconfirmed
Deliverable Requested I, II, III, IV. Other (specify)

Empty Kit Reinquished by	Date:	Time:	Method of Shipment:	
Reinquished by	Date/Time	Company	Received by	FED EX
Reinquished by	Date/Time	Company	Received by	DHL
Custody Seals intact:	Comments			
△ Yes	Custody Seal No			

Eurofins Eaton Analytical South Bend

110 S Hill Street
South Bend, IN 46617
Phone: 574-233-4777 Fax 574-233-8207

Chain of Custody Record

Client Information (Sub Contract Lab)		Sampler	Lab P.M. Fulmer, Karen	Carrier Tracking No(s).	COC No 810-29-1862
Client Contact	Phone	E-Mail Karen.Fulmer@er.eurofinsus.com	State of Origin Michigan	Page	Page 2 of 3
Shipping/Receiving Company	Accreditations Required (See note)				Job # 810-73371-1
TestAmerica Laboratories, Inc.	Address	13715 Rider Trail North, City Earth City	Due Date Requested: 9/13/2023	Analysis Requested	
MO, 63045	PO #:		TAT Requested (days):		
Phone 314-298-8566(Tel) 314-298-8757(Fax)	WO #:				
Email:	Project Name: 23H0448	Project # 81000263	Sample Date	Sample Time	Matrix (w=water, S=solid, O=oil, A=air, B=biological)
Site	SSOW#				Preservation Code.
Sample Identification - Client ID (Lab ID)					
MW-11 (810-73371-10)	8/8/23	16:00	Drinking Water	X	X
MW-12 (810-73371-11)	8/7/23	16:30	Drinking Water	X	X
MW-18 (810-73371-12)	8/8/23	15:30	Drinking Water	X	X
MW-19 (810-73371-13)	8/7/23	17:30	Drinking Water	X	X
MW-20 (810-73371-14)	8/7/23	16:00	Drinking Water	X	X
MW-27 (810-73371-15)	8/7/23	12:55	Drinking Water	X	X
MW-30 (810-73371-16)	8/8/23	09:20	Drinking Water	X	X
MW-31 (810-73371-17)	8/8/23	11:30	Drinking Water	X	X
MW-32 (810-73371-18)	8/8/23	13:00	Drinking Water	X	X
Total Number of Contaminants					
9030/0/PreSep_21 EPA 9040-0 - Radium 226 (St. Louis) 9030/0/PreSep_21 EPA 9030-0 - Radium 228 (St. Louis) R226-228GFPc_Pi / Combined R226 & R228 Calc (St. Louis)					
Special Instructions/Note:					
Other: _____					
Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)					
Unconfirmed		<input type="checkbox"/> Return To Client	<input type="checkbox"/> Disposal By Lab	Special Instructions/QC Requirements	Method of Shipment
Deliverable Requested I. II. III. IV. Other (specify)					
Empty Kit Relinquished by:		Date	Time	FED EX	Date/Time
Relinquished by:		Date/Time	Company	Received by	Company
Relinquished by:		Date/Time	Company	Received by	Company
Custody Seals intact		Custody Seal No △ Yes △ No		Cooler Temperature(s) °C and Other Remarks	

Note Since laboratory accreditations are subject to change, Eurofins Eaton Analytical, LLC places the ownership of method, analyte & accreditation compliance upon our subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory does not currently maintain accreditation in the State of Origin listed above for analysis/test/matrix being analyzed, the samples must be shipped back to the Eurofins Eaton Analytical, LLC laboratory or other instructions will be provided. Any changes to accreditation status should be brought to Eurofins Eaton Analytical, LLC attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to said compliance to Eurofins Eaton Analytical, LLC.

Possible Hazard Identification

Unconfirmed	<input type="checkbox"/> Return To Client	<input type="checkbox"/> Disposal By Lab	Special Instructions/QC Requirements	Method of Shipment
Deliverable Requested I. II. III. IV. Other (specify)				
Empty Kit Relinquished by:	Date	Time	FED EX	Date/Time
Relinquished by:	Date/Time	Company	Received by	Company
Relinquished by:	Date/Time	Company	Received by	Company
Custody Seals intact	Custody Seal No △ Yes △ No		Cooler Temperature(s) °C and Other Remarks	

Eurofins Eaton Analytical South Bend

110 S Hill Street
South Bend, IN 46617
Phone: 574-233-4777 Fax: 574-233-8207

Chain of Custody Record

Eurofins
Environment of Testing

Client Information (Sub Contract Lab)		Sampler:	Lab PM: Fullmer, Karen	Carrier Tracking No(s): COC No 810-29186 3
Client Contact	Phone	E-Mail: Karen.Fullmer@et.eurofinsus.com	State of Origin: Michigan	Page Page 3 of 3
Shipping/Receiving Company	Accreditations Required (See note) State - Michigan			
Address	Due Date Requested:	Analysis Requested		
13715 Rider Trail North, City Earth City	TAT Requested (days): 9/13/2023	Preservation Codes: A - HCl B - NaOH C - Zn Acetate D - Nitric Acid E - NaHSO4 F - MeOH G - Amchlor H - Ascorbic Acid I - Ice J - Di Water K - EDTA L - EDA Other:		
State, Zip MO, 63045	PO #:	Total Number of Contaminants: N - None O - AsNaO2 P - Na2O4S Q - Na2SO3 R - Na2SO3 S - H2SO4 T - TSP Dodecahydrate U - Acetone V - NCA W - pH 4-5 Y - Trizma Z - other (specify)		
Phone 314-298-8566(Tel) 314-298-8757(Fax)	WO #:			
Email:	Project #: 23H0448			
Project Name: SSON#	SSON#			
Sample Identification - Client ID (Lab ID)		Sample Date	Sample Time	Matrix (Water, Soil, Oil/Water, Air/Soil, Or wastewater, Air/Air)
				Preservation Code: Drinking Water
MW-33 (810-73371-19)	8/7/23	12:00		X X X
MW-34 (810-73371-20)	8/7/23	11:20		X X X
MWT-04 (810-73371-21)	8/7/23	14:00		X X X
MWT-12 (810-73371-22)	8/7/23	16:30		X X X
SG-02 (810-73371-23)	8/8/23	17:05		X X X
SG-03 (810-73371-24)	8/8/23	17:15		X X X
SG-04R (810-73371-25)	8/8/23	16:50		X X X
SG-05 (810-73371-26)	8/8/23	16:40		X X X
SG-06 (810-73371-27)	8/8/23	17:25		X X X
Special Instructions/Note: 903.0/PrecSep_0 EPA 904.0 - Radium 226 (St. Louis) 903.0/PrecSep_0 EPA 903.0 - Radium 226 (St. Louis) R226_228GFC_P/ Combined R226 & R228 CaIC (St. Louis)				
Perform Sample (Yes or No): [] Yes [] Filtered Sample (Yes or No)				
Special Instructions/Note: [] Yes [] Filtered Sample (Yes or No)				
Special Instructions/QC Requirements: [] Return To Client [] Disposal By Lab				
Method of Shipment: FED EX				
Unconfirmed Deliverable Requested I, II, III, IV. Other (specify)	Date:	Received By:	Date/Time:	Company
Empty Kit Relinquished By:	Date/Time:	Received By:	Date/Time:	Company
Relinquished by:	FED EX	Received By:	AUG 16 2023	Company
Relinquished by:	8/14/2023	Received By:	1600	Company
Custody Seals Intact	Custody Seal No.: △ Yes △ No	Cooler Temperature(s), °C and Other Remarks		

Note: Since laboratory accreditations are subject to change, Eurofins Eaton Analytical, LLC places the ownership of method, analytic & accreditation compliance upon our subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory does not currently maintain accreditation in the State of Origin listed above for analysis/test/matrix being analyzed, the samples must be shipped back to the Eurofins Eaton Analytical, LLC laboratory or other instructions will be provided. Any changes to accreditation status should be brought to Eurofins Eaton Analytical, LLC attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to said compliance to Eurofins Eaton Analytical, LLC.

Possible Hazard Identification

Unconfirmed Deliverable Requested I, II, III, IV. Other (specify)	Primary Deliverable Rank: 2	Date:	Received By:	FED EX	Date/Time:	Company
Relinquished by:	Date/Time:	Company	Received By:	Junia Westinga	Date/Time:	Company
Relinquished by:	8/14/2023	Company	Received By:	Junia Westinga	Date/Time:	Company
Custody Seals Intact	Custody Seal No.: △ Yes △ No					

Login Sample Receipt Checklist

Client: Trace Analytical Laboratories

Job Number: 810-73371-1

Login Number: 73371

List Source: Eurofins Eaton Analytical South Bend

List Number: 1

Creator: Trott, Riley

Question	Answer	Comment
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
Samples were received on ice.	False	Thermal preservation not required.
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	False	Thermal preservation not required.
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Samples do not require splitting or compositing.	True	
Container provided by EEA	True	

Login Sample Receipt Checklist

Client: Trace Analytical Laboratories

Job Number: 810-73371-1

Login Number: 73371

List Number: 2

Creator: Worthington, Sierra M

List Source: Eurofins St. Louis

List Creation: 08/15/23 10:53 AM

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	N/A	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

Login Sample Receipt Checklist

Client: Trace Analytical Laboratories

Job Number: 810-73371-1

Login Number: 73371

List Number: 3

Creator: Worthington, Sierra M

List Source: Eurofins St. Louis

List Creation: 08/16/23 01:36 PM

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	N/A	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	